



Presented by

193



22500172292

FOR OFFICIAL USE.

WEEKLY RETURNS
OF
BIRTHS AND DEATHS

IN THE
DUBLIN REGISTRATION AREA

AND IN
TWENTY-SIX OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND,
1914.



LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE

By ALEX. THOM & CO., LTD., ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN; or
WYMAN AND SONS, LIMITED, 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST.
MARY STREET, CARDIFF; or

H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH:

or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of

T. FISHER UNWIN, W.C.

1915.

Price 1½d.


FOR OFFICIAL USE

WELLS MEMORANDUM

RIGHTS AND DUTIES

WELLS MEMORANDUM

WELLS MEMORANDUM



WELLCOME INSTITUTE
LIBRARY

Coll.	WelMOMec
Coll.	
No.	

YEARLY SUMMARY
OF THE
WEEKLY RETURNS
OF
BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA

AND IN TWENTY-SIX OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

1914.

BIRTHS.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown, there were registered during the year 1914 (53 weeks)* 11,125 births—5,756 boys and 5,369 girls—being equal to one in 37, or an annual rate of 27·0 per 1,000 of the estimated population.† The average rate for the preceding ten years was 28·5 per 1,000.

Of the 11,125 births registered in 1914, 9,511, or 30 in every 1,000 of the population, occurred in the city, and 1,614, or only 17 in every 1,000 inhabitants, in the urban districts named above.

Of the 11,125 births in the entire district, 2,894 were registered during the first quarter of the year, 2,913 in the second, 2,568 in the third, and 2,750 in the fourth, the weekly average being 210.

In London the number of births registered during the year 1914 (53 weeks) was 113,443, being equal to an annual rate of 25 in every 1,000 of the estimated population ; in Glasgow the number was 30,052, equal to 28 per 1,000 ; and in Edinburgh it was 6,809, or 21 per 1,000 of the population.

DEATHS.—The number of deaths appertaining to the Dublin Registration Area, and registered during the year 1914 was 8,605 ; this number is equal to one in 48, or 20·9 per 1,000 of the population of the Area, estimated to the middle of the year 1914. The average death-rate for the 10 years 1904-13 was 21·4 per 1,000. Thus the rate for last year is 0·5 below the average—a decrease equivalent to 2·3 per cent.

The total number of deaths registered during the year, namely, 9,175 (4,572 males and 4,603 females), including the deaths of 570 persons who were admitted into public institutions from localities outside the Area, is equal to one in 45, or 22·2 per 1,000 of the estimated population. The average rate for the preceding 10 years was 22·6 per 1,000.

The rate for the city of Dublin was 22·3 per 1,000 (21·5 on the North side, and 23·2 on the South), and for the suburbs 16·0 per 1,000. The rates for the several districts range from 11·3 for Finglas and Glasnevin, part of, to 27·9 for the district of North City No. 2.

Of the 9,175 deaths in the entire Area, 2,609 were registered during the first quarter of the year, 2,354 in the second, 1,887 in the third, and 2,325 in the fourth, the weekly average being 173.

* See note (†) page viii.

† See note (*) page viii.

In the twenty-six provincial Urban Districts, for which statistics are given in the Weekly Returns, the respective annual death-rates are as follow, ranging from the lowest to the highest:—Bray, 10·6 per 1,000 of the population*; Bangor, 11·3; Portadown, 13·1; Coleraine, 13·6; Londonderry, 15·1; Queenstown, 15·9; Dundalk, 16·5; Athlone, 16·5; Clonmel, 16·6; Wexford, 17·0; Lurgan, 17·2; Drogheda, 17·2; Newry, 17·2; Tralee, 17·2; Armagh, 17·5; Newtownards, 17·9; Lisburn, 18·0; Sligo, 18·1; Larne, 18·1; Kilkenny, 18·2; Ballymena, 18·4; Belfast, 18·9; Limerick, 19·3; Cork, 19·9; Galway, 20·0; and Waterford, 20·4.

The number of deaths registered in London during the year 1914 (53 weeks) was 66,622, being equal to an annual rate of 14·5 in every 1,000 of the inhabitants; in Glasgow, 17,827, equal to 16·7 per 1,000; and in Edinburgh, 5,107, or 15·6 in every 1,000 of the estimated population.

PUBLIC INSTITUTIONS.—Of the 9,175 deaths registered in the Dublin Registration Area last year, 3,979, or 43·4 per cent., occurred in public institutions, viz.:—2,398 in the various hospitals, prisons, and lunatic asylums; 635 in the North Dublin Union Workhouse, 904 in the South Dublin Union Workhouse; and 42 (those of persons admitted from the Dublin Registration Area) in the Rathdown Union Workhouse.

DISEASES.

DUBLIN REGISTRATION AREA.—(See Tables III. and IV)—The records of last year show that the total number of deaths from some of the principal epidemic diseases† registered in the Dublin Registration Area was 1,037. This number is equal to a rate of 2·5 per 1,000 of the estimated population.

The following tabular statement shows the mortality from some of the principal epidemic diseases during the year 1914, and the average annual number of deaths for the ten years 1904—1913.

Names of Diseases.	No. of Deaths in 1914.	Average No. of Deaths, 1904—1913.
Enteric Fever,	69	58
Typhus,	2	4
Small-pox,	—	—
Measles,	386	131
Scarlet Fever,	41	34
Whooping-cough,	59	135
Diphtheria,	77	63

ENTERIC FEVER.—During the yearly period under notice, which includes fifty-three weeks ending on January 2nd, 1915, the deaths of 63 persons, equal to an annual rate of 0·15 per 1,000 of the population of the Dublin Registration Area were caused by enteric fever; the above figure does not include the deaths of 6 persons admitted to public institutions from without the Area. Of the 63 deaths, 16 belonged to the northern part of Dublin city, 35 to the southern portion of the city, and 12 deaths were of residents in the urban districts.

From Table I., page vii., it appears that 52 cases of enteric fever were under treatment in Hospitals at the close of the previous yearly period; 441 cases were admitted during the yearly period under notice; 401 were discharged; there were 45 deaths, and at the close of the period 47 cases remained under treatment. The yearly average number of deaths from enteric fever for the ten years ending 1913, was 58; this figure includes the deaths of persons who were admitted to the Registration Area from outside districts.

TYPHUS.—Two deaths from typhus were registered; another death occurred in hospital near the end of the period, but was not registered at the close of the period. In the preceding period there were 13 deaths from typhus, and the average for the ten years, 1904—1913, was 4.

Thirty-one cases of typhus were admitted to hospital during the yearly period, 21 were discharged, and 11 patients were under treatment on the 2nd January, 1915.

* See note (*), page xiv.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

SMALL-POX.—There was not any notification of the existence of small-pox in the Dublin Registration Area during the yearly period now under review.

MEASLES.—There were 386 deaths from measles, equivalent to an annual rate of 0·94 per 1,000. The annual average rate for the corresponding period in the previous ten years was 0·33 per 1,000. Of the total deaths, 220 belonged to north Dublin city, 135 to south Dublin city, 30 to the urban districts, and there was one death of a person admitted to hospital from outside the Area.

According to Table I., 693 cases of measles were admitted to Dublin hospitals during the year; 602 patients were discharged; there were 101 deaths, and not one patient was under treatment at the close of the period.

SCARLET FEVER.—The deaths from scarlet fever numbered 41, the average in the ten years preceding being 34. The 41 deaths, which include the deaths of 2 persons not belonging to the Area, are equal to an annual death-rate of 0·10 per 1,000. Of the deaths 20 were of residents of Dublin north city, 16 of Dublin south city, 2 of the urban district of Rathmines and Rathgar, and one of Kingstown.

Nine hundred and ten cases were admitted to hospitals during the year; 899 were discharged; 38 died, and 97 were under treatment at the termination of the period; this figure does not include 15 convalescents in Beneavin.

WHOOPIING-COUGH.—The mortality from whooping-cough declined from 86 deaths in the preceding period to 59 in that under notice, the latter figure being equal to an annual death-rate of 0·14 per 1,000; the average rate for the preceding ten years was 0·34 per 1,000. Of the total deaths 24 were registered in the March quarterly period, 20 in the June quarterly period, 7 in the September, and 8 in the December period. Of the total deaths, 30 were of residents in Dublin north city, 19 of Dublin south city, 7 of the urban district of Rathmines and Rathgar, 2 of the urban district of Pembroke, and one of the urban district of Kingstown.

DIPHTHERIA.—There were 77 deaths assigned to diphtheria; this figure includes the deaths of 4 persons who were not resident in the Area, and excludes the deaths, returned as from croup, of 3 persons. The 77 deaths are equal to an annual rate of 0·19 per 1,000, the average rate for the ten years, 1904—1913, being 0·16 per 1,000.

Including 65 cases in hospitals at the commencement of the period, the total number of persons under treatment was 628; of this figure 516 were discharged, 59 died, and 53 patients were under treatment in hospital at the end of the yearly period. Of the 77 deaths from diphtheria registered, 35 belonged to Dublin north city, 27 to Dublin south city, 4 to the urban district of Rathmines and Rathgar, 6 to the Pembroke urban district, and one to the urban district of Blackrock.

DIARRHOEAL DISEASES.—There were registered altogether from conditions coming under the heading of diarrhoeal diseases the deaths of 395 persons; of this number 383 were deaths of children under 2 years of age—the latter figure is equivalent to a rate of 0·93 per 1,000 of the population. The 383 deaths include 148 deaths belonging to Dublin north city, 187 belonging to Dublin south city, 40 deaths belonging to the urban districts, namely:—To Rathmines and Rathgar, 20; to Pembroke, 17; to Blackrock, one, and to Kingstown, 2 deaths, and 8 were of children not belonging to the Area.

INFLUENZA.—The deaths of 43 persons were attributed to influenza, as against 93 deaths registered in the preceding period, and a yearly average of 97 in the ten years, 1904—1913.

CEREBRO-SPINAL FEVER.—During the period under notice the deaths of 3 persons from cerebro-spinal fever were recorded.

PNEUMONIA.—Altogether the deaths of 687 persons from pneumonia (all forms) were registered. This number represents an annual death-rate of 1·66 per 1,000, as compared with the average of the ten preceding yearly periods, 1·69; the number of deaths in the yearly period of 1913 was 665.

TUBERCULOSIS.

TABLE showing the Number of DEATHS from all forms of Tuberculous Disease and from Pulmonary Tuberculosis registered in the Dublin Registration Area during each of the 11 years, 1904-1914, with the respective rates per 1,000 of the population represented thereby ; also the averages for the years, 1904-13. (See notes (*) and (†) on page viii.)

Years.	Deaths from all Forms of Tuberculous Disease.		Deaths from Pulmonary Tuberculosis.	
	Number.	Rate per 1,000.	Number.	Rate per 1,000.
1904	1,779	4·69	1,172	3·09
1905	1,724	4·55	1,207	3·18
1906	1,694	4·47	1,152	3·04
1907	1,793	4·59	1,183	3·03
1908	1,742	4·34	1,174	2·93
1909	1,508	3·79	1,049	2·64
1910	1,491	3·70	1,006	2·50
1911	1,451	3·59	1,052	2·60
1912	1,440	3·59	1,065	2·66
1913	1,444	3·59	1,070	2·66
Average 1904-1913	1,607	4·09	1,113	2·83
1914	1,467	3·55	1,111	2·69

Although the number of deaths for tuberculosis registered during the period under notice increased by 23, it is to be remembered that this period includes the records of 53 weeks, as compared with the yearly period of 1913, which comprised only the records of 52 weeks. Taking the weekly average number of deaths for the year 1914, the yearly period of 52 weeks would give the number of deaths in 1914 as 1,439, compared with 1,444 the number registered in the corresponding period of 1913, but this small reduction cannot be looked on as being satisfactory, and there is practically no improvement in the condition of the Area as regards the mortality from tuberculosis.

Ninety-four of the total deaths were of persons who did not belong to the Area, as compared with 127 registered in the yearly period of 1913.

The deaths belonging to the Area amounted to 1,373, and represent a rate of 3·33 per 1,000 ; of this number, 588 belong to Dublin north city districts, with a rate of 3·51 per 1,000 ; 588 belong to Dublin south city districts, with a rate of 3·97 per 1,000 ; 72 belong to Rathmines, with a rate of 1·81 per 1,000 ; 71 belong to Pembroke urban district, with a rate of 2·31 per 1,000 ; 20 belong to Blackrock, with a rate of 2·14 per 1,000 ; and 34 belong to Kingstown, with a rate of 1·97 per 1,000. Of the total deaths from all forms of tuberculous disease (which constitute 16 per cent. of all deaths registered, or one in every 6 deaths), there were 1,111 deaths from pulmonary tuberculosis, 138 deaths from tuberculous meningitis, 92 from abdominal tuberculosis, 10 from tuberculosis of the vertebral column, 8 from tuberculosis of joints, 20 from tuberculosis of other organs, and 88 from disseminated tuberculosis.

CANCER.—The deaths assigned to cancer, including 86 of persons admitted to hospital from places outside the Area, amounted to 514, and are equal to a rate of 1·24 per 1,000, the average rate for the preceding ten yearly periods being 1·11 per 1,000. The number of deaths under this heading registered during the preceding yearly period was 521.

DISEASES OF THE BRAIN AND NERVOUS SYSTEM.—In the aggregate the deaths recorded under the above title numbered 870, and are equivalent to a rate of 2·1 per 1,000 ; included in the total there were 213 deaths from convulsions, of these 187 were of infants under one year of age.

DISEASES OF THE CIRCULATORY SYSTEM.—These deaths amounted to 935, and equalled a rate of 2·27 per 1,000.

BRONCHITIS.—The mortality from bronchitis exceeded that of the preceding period, 983 deaths being registered in 1914, as compared with 865 in the preceding period. The rates corresponding to these figures are 2·4 and 2·2 per 1,000.

DEATHS IN INFANCY.—There were among other causes 47 deaths from congenital malformations, 207 from premature birth, and 183 from congenital debility.

ACCIDENT OR NEGLIGENCE.—Under this title 225 deaths were recorded. This number includes 50 deaths from burns and scalds (of this figure 28 were children under 5 years of age; 26 deaths from drowning); 10 deaths from suffocation in bed ; 4 deaths by poisons ; 2 deaths on railways, and 20 deaths by vehicles and horses.

HOMICIDE.—There were 8 deaths resulting from homicide.

SUICIDE.—Fifteen persons terminated their existence by suicide.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated during the YEAR 1914 (53 weeks), in the principal Dublin Hospitals in which cases of infectious diseases are received.

DISEASES.	No. of Cases in Hospital at close of previous year.	No. admitted during year.	Discharged.	Died.	No. under treatment at close of period.
Enteric Fever,	52	441	401	45	47
Typhus,	4	31	21	3	11
Small-pox,	—	—	—	—	—
Measles,	10	693	602	101	—
Scarlet Fever,	124	910	899	38	97*
Diphtheria,	65	563	516	59	53
Pneumonia,	26	388	319	64	31

* Exclusive of 15 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 252 cases the cause of death was uncertified, there having been no medical attendant during the last illness ; of these 252 cases, 128, or 50·8 per cent., were deaths of children under 5 years of age ; these 128 deaths form 4·6 per cent. of the total number of deaths of children of that age-period. Of the deaths of 533 infants under one month old registered, there were 60 (or 11·3 per cent.) regarding which the cause was uncertified.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the " Infectious Diseases (Notification) Act, 1889," and the " Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities, are set forth in the following Table :—

TABLE II.—Showing the NUMBER OF CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz. :—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the Year 1914 (53 weeks). A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Population in middle of 1914.	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Pulmonary Tuberculosis.	Acute Poliomyelitis.	Other Notifiable Diseases.	Total.
CITY OF DUBLIN	310,467	.	—	—	569	31	.	415	.	20	329	171	4	—	—	3	—	1413	.	—	2,955
RATHMINES AND RATHGAR URBAN DISTRICT.	39,155	.	—	—	79	2	.	74	1	1	52	25	.	—	—	—	—	—	—	—	234
PEMBROKE URBAN DISTRICT	30,240	.	421	4	66	.	.	37	2	.	17	8	.	—	21	—	—	44	—	—	620
BLACKROCK URBAN DISTRICT	9,197	.	14	—	13	.	.	6	.	.	1	5	.	—	—	.	—	—	—	—	39
KINGSTOWN URBAN DISTRICT	16,941	.	—	—	12	.	.	6	.	.	6	8	1	—	—	—	—	24	—	—	57
CITY OF BELFAST	399,000	.	—	—	2317	25	.	284	10	12	120	220	10	—	—	4	—	145	3	—	3,250
CITY OF CORK	76,673	.	161	—	236	1	.	56	15	16	47	40	11	—	—	—	189	—	—	—	772
CITY OF LONDONDERRY ...	41,100	.	—	—	53	.	.	12	.	.	10	19	.	—	—	—	—	—	—	—	94
CITY OF LIMERICK	38,518	.	—	—	100	.	.	1	1	.	17	1	.	—	—	—	—	—	—	—	120
CITY OF WATERFORD	27,464	.	—	—	304	2	.	9	.	.	11	3	.	—	—	—	—	40	—	—	369

* See Note (*) on page xiv.

TABLE III.—DUBLIN REGISTRATION AREA.*—CAUSES OF DEATH in the years 1904-1914, with the Ratio of the Deaths to the Population.

CAUSES OF DEATH.		NUMBER OF DEATHS REGISTERED.												Annual rate for each cause per 10,000 Persons living.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		1914.												Yearly Average, 1904-1913.	1914 (53 weeks)†																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		TOTAL (53 weeks)†	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
1904 (52 weeks).	1905 (52 weeks).	1906 (52 weeks).	1907 (52 weeks).	1908 (53† weeks).	1909 (52 weeks).	1910 (52 weeks).	1911 (52 weeks).	1912 (52 weeks).	1913 (52 weeks).	Yearly Average, 1904-13.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Enteric Fever ..	74	64	54	38	58	68	48	83	52	43	58	69	14	8	21	26	1.5	1.7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Typhus ..	1	.	4	8	2	3	5	4	3	13	4	2	.	.	.	2	0.1	0.1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Small-pox ..	191	97	56	154	150	121	20	207	280	29	131	386	81	280	21	4	3.3	9.4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Measles ..	26	24	13	14	19	25	44	77	68	33	34	41	13	8	7	13	0.9	1.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Scarlet Fever ..	239	48	101	228	91	156	126	183	94	86	135	59	24	20	7	8	3.4	1.4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Whooping-cough ..	35	32	40	47	49	60	64	101	110	90	63	77	24	16	19	18	1.6	1.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Diphtheria ..	4	8	10	6	4	4	6	5	3	4	5	3	2	10	2	1	0.1	0.1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Croup ..	86	79	69	121	176	102	104	71	72	93	97	43	21	10	2	10	2.5	1.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Influenza ..	—	—	—	—	—	—	—	7	4	4	—	8	1	3	.	4	—	0.2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Dysentery ..	1,172	1,207	1,152	1,183	1,174	1,049	1,006	1,052	1,065	1,070	1,113	1,111	296	273	250	292	28.3	26.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Pulmonary ..	607	517	542	610	568	459	485	399	375	374	494	356	96	93	87	80	12.6	8.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Other Forms ..	367	372	453	399	426	418	476	447	470	521	435	514	113	127	130	144	11.1	12.4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Tuberculosis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Cancer ..	2,010	1,981	2,002	2,027	1,960	1,852	1,841	{ 858	821	814	1,874	870	262	212	190	206	{ 47.8	{ 21.1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Diseases of	{ Nervous System	{ Circulatory System	{ Organs of Special Sense ..	{ Respiratory { Pneumonia ..	{ System. { Others ..	{ Diarrhoea and Enteritis under 2 years ..	{ Digestive System.	{ 430	{ 577	{ 359	{ 507	{ 396	{ 459	{ 62	{ 15	{ 34	{ 489	{ 12	{ 2	{ 2	{ 4	{ 11	{ 13	{ 98	{ 122	{ 9	{ 8	{ 16	{ 0.7	{ 1.6	{ 0.2	{ 5.4	{ 27.9	{ 3.7	{ 222.3	{ 226.1	{ 2.325	{ 21.3	{ 44.76	{ 10.146																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																																									1,981	1,960	1,852	1,841	{ 858	821	814	1,874	870	262	212	190	206	{ 47.8	{ 21.1	{ 22.7	{ 0.3	{ 16.6	{ 27.3	{ 9.3	{ 0.3	{ 1.1	{ 9.8	{ 9.2	{ 0.4	{ 0.7	{ 1.6	{ 0.2	{ 5.4	{ 27.9	{ 3.7	{ 222.3	{ 226.1	{ 2.325	{ 21.3	{ 44.76	{ 10.146																																																																																																																																																																																																																																																																																																																																																																																																																																																		
																																									1,981	1,960	1,852	1,841	{ 858	821	814	1,874	870	262	212	190	206	{ 47.8	{ 21.1	{ 22.7	{ 0.3	{ 16.6	{ 27.3	{ 9.3	{ 0.3	{ 1.1	{ 9.8	{ 9.2	{ 0.4	{ 0.7	{ 1.6	{ 0.2	{ 5.4	{ 27.9	{ 3.7	{ 222.3	{ 226.1	{ 2.325	{ 21.3	{ 44.76	{ 10.146																																																																																																																																																																																																																																																																																																																																																																																																																																																		
	1,164	1,000	1,083	1,285	1,180	1,175	1,185	1,042	1,160	978	1,125	1,127	431	255	125	316	28.6	27.3	9.3	0.3	1.1	9.8	9.2	0.4	0.7	1.6	0.2	5.4	27.9	3.7	222.3	226.1	2.325	21.3	44.76	10.146																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	Diarrhoea and Enteritis under 2 years ..	464	430	577	359	507	396	459	62	15	34	489	383	55	50	165	113	12.4	9.3	0.3	1.1	9.8	9.2	0.4	0.7	1.6	0.2	5.4	27.9	3.7	222.3	226.1	2.325	21.3	44.76	10.146																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	Diarrhoea 2 yrs. and upwards, Enteritis 2 yrs. and upwards, ..	—	—	—	—	—	—	—	70	35	39	—	45	10	11	11	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* The rates are calculated on the population estimated to the middle of the respective years.

† The numbers for the years 1908 and 1914 embrace the returns for 53 weeks, and those for the fourth quarter of 1914, the returns for 14 weeks. This arrangement is occasionally necessary in order that the annual series may correspond with the calendar year.

(a) For 52 weeks only.

(b) For 13 weeks only.

TABLE IV.—Showing for the YEAR 1914 (53 weeks) the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.

REGISTRARS' DISTRICTS, &c.		POPULATION, ESTIMATED TO MIDDLE OF 1914.*		ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.		CAUSED BY																DISEASES OF RESPIRATORY SYSTEM.		DISEASES OF OTHERS.		Diarrhoea and Enteritis of Children under 2 years.		Diarrhoea 2 years and upwards.		Violence.		Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
				TOTAL DEATHS.		CAUSED BY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)													(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
																																													CAUSED BY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

AGES.—Of the 9,175 deaths registered during the year, 2,772, or 30 per cent., were of children under five years of age, and 2,038, or 22 per cent., were of persons aged 65 years and upwards, including those of 1,425 persons aged 70 years and upwards, of whom 68 were stated to have been nonagenarians, and one (a male) was stated to have been aged 101 years.

The deaths of infants under 1 year old were equal to 149 for every 1,000 births registered against 157 in the preceding year, and 142 in 1912.

TABLE V. (i).—Showing, by certain Age-Periods, the Population of the Dublin Registration Area in 1901, the Number of Deaths registered in each of the years 1901–1910, and the proportion which the Deaths at each age-period bear to the estimated Population* at the same age.

YEARS, &c.				AGES.								
				ALL AGES.	Under 20 years.			20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	
					Under 5 years.	5 and under 20.	Total.					
CENSUS POPULATION IN 1901				375,350	38,157	106,723	144,880	135,683	68,610	24,273	1,904	
NUMBER of DEATHS Registered.				Year 1901	9,571	2,750	751	3,501	1,548	1,988	2,084	450
				.. 1902,†	9,727	3,192	762	3,954	1,582	1,924	1,857	410
				.. 1903,	9,047	2,563	648	3,211	1,522	1,950	1,962	402
				.. 1904	9,264	3,023	654	3,677	1,445	1,808	1,927	407
				.. 1905	8,425	2,426	640	3,066	1,372	1,733	1,851	403
				.. 1906	8,857	2,497	626	3,123	1,380	1,934	2,046	374
				.. 1907	9,447	2,935	669	3,604	1,410	1,910	2,117	406
				.. 1908†	9,070	2,768	576	3,344	1,358	1,932	2,032	404
				.. 1909	8,750	2,620	561	3,181	1,318	1,763	2,109	379
				.. 1910	8,504	2,441	557	2,998	1,239	1,731	2,124	412
Yearly average, 1901-1910				9,066	2,722	644	3,366	1,417	1,867	2,011	405	
NUMBER of DEATHS at each AGE-PERIOD to every 1,000 of the Estimated Population* at SAME AGE.				Year 1901	25.4	71.9	7.0	24.1	11.4	28.9	85.7	235.8
				.. 1902†	25.3	81.5	7.0	26.6	11.4	27.3	74.5	209.9
				.. 1903	23.9	66.5	6.0	22.0	11.1	28.1	80.1	209.2
				.. 1904	24.4	78.5	6.1	25.1	10.5	26.1	78.6	211.8
				.. 1905	22.2	63.0	5.9	21.0	10.0	25.0	75.5	209.7
				.. 1906	23.4	64.8	5.8	21.3	10.1	27.9	83.5	194.6
				.. 1907	24.2	73.9	6.0	23.9	10.0	26.7	83.8	204.8
				.. 1908†	22.6	67.9	5.1	21.6	9.4	26.4	78.4	198.6
				.. 1909	22.0	64.7	5.0	20.7	9.2	24.2	81.9	187.5
				.. 1910	21.1	59.6	4.9	19.3	8.5	23.5	81.5	201.6
Yearly average, 1901-1910				23.5	69.2	5.9	22.6	10.2	26.4	80.4	206.4	

* See note (*), page viii.

† See note (†), page viii.

TABLE V. (ii).—Showing, by certain Age-Periods, the population of the Dublin Registration Area in 1911, the number of Deaths registered during each of the four years, 1911–1914, and the proportion which the Deaths at each Age-Period bear to the estimated Population at the same age.

YEAR.			AGES.									
			ALL AGES.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.
CENSUS POPULATION IN 1911 ..			397,957	8,917	31,996		70,937	80,218	124,528	58,889	16,879	5,593
NUMBER of DEATHS Registered.	Year 1911	9,118	1,808	698	497	406	443	1,426	1,907	1,121	812
	Year 1912	8,728	1,560	578	535	429	435	1,395	1,930	1,132	734
	Year 1913	8,657	1,758	434	310	359	441	1,426	1,996	1,159	774
	Year 1914†	9,175	1,652	613	506	386	423	1,426	2,130	1,203	835
	1st Quarter, 1914		2,609	469	178	131	105	132	370	595	366	263
NUMBER of DEATHS at each AGE-PERIOD to every 1,000 of the Estimated Population at SAME AGE.	2nd ..		2,354	371	247	207	103	118	333	518	274	178
	3rd ..		1,887	418	99	70	73	86	332	431	225	153
	4th† ..		2,325	395	89	98	105	87	386	586	338	241
	Year 1911	22.6	73.3			5.6	5.4	11.3	31.9	65.5	143.2
	Year 1912	21.8	64.9			6.0	5.4	11.1	32.5	66.6	130.4
	Year 1913	21.5	60.4			5.0	5.4	11.3	33.5	67.8	136.7
	Year 1914	22.2	65.3			5.2	5.1	11.0	34.9	68.7	144.0

† See note (†), page viii.

OCCUPATIONS.—Table VII. on page xii. exhibits the occupations or social position of the persons whose deaths were registered during the year, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the “Professional and Independent Class” were equal to a rate of 14·7 per 1,000 of the persons in that class according to the Census of 1911; in the “Middle Class” the death-rate was 14·6 per 1,000; among the “Artisan Class and Petty Shopkeepers” it was 18·4; and in the “General Service Class” it was 22·5. The number of the living in each of the several classes and orders of occupations in 1911 is shown by age-periods in the following Table.

TABLE VI.—Showing by AGES, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the INHABITANTS of the Dublin Registration Area in 1911.

Class.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head “Unspecified” in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.]	Population in each Class and Group in 1911.	AGES.						
			Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.
	ALL PERSONS	397,957	40,913	70,937	80,218	124,528	58,889	16,879	5,593
	CLASSES.								
	Families of the:—								
I.	PROFESSIONAL AND INDEPENDENT CLASS ..	14,658	873	1,844	2,194	4,594	3,491	1,145	517
II.	MIDDLE CLASS	101,798	8,041	16,143	22,941	33,015	15,950	4,138	1,570
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS ..	108,420	12,745	21,352	21,313	33,312	15,179	3,745	774
IV.	GENERAL SERVICE CLASS	167,479	18,987	31,440	33,431	52,329	22,389	6,574	2,329
V.	INMATES OF WORKHOUSES	5,602	267	158	339	1,278	1,880	1,277	403
I.	PROFESSIONAL AND INDEPENDENT CLASS.								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers; and Heads of Public Departments.	7,868	569	983	721	2,924	2,037	464	170
	2. Merchants and Manufacturers, Higher Class	1,347	132	265	128	374	345	90	13
	3. Persons of Rank and Property, not otherwise described.	5,443	172	596	1,345	1,296	1,109	591	334
II.	MIDDLE CLASS.								
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	948	1,649	1,580	3,289	1,708	261	88
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	3,176	5,502	2,134	8,383	4,880	942	182
	6. Clerks and Commercial Assistants	33,249	2,541	4,118	10,931	11,813	3,334	428	84
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above.	33,827	1,376	4,874	8,296	9,530	6,028	2,507	1,216
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.								
	8. Working Engineers, Engravers, Printers, Watch-makers, and Jewellers.	11,777	1,762	2,608	1,900	3,951	1,330	196	30
	9. Building and Furnishing Trades	28,823	4,056	6,921	3,752	8,727	4,207	1,000	160
	10. Clothing Trades	20,026	1,270	2,313	6,078	6,173	2,892	1,030	270
	11. Food Supply Trades	8,952	1,321	1,962	1,407	2,965	1,112	163	22
	12. Other Trades and Callings ranking with Trades	32,070	3,582	6,129	7,173	9,320	4,500	1,102	255
	13. Petty Shopkeepers	6,772	754	1,419	1,003	2,176	1,129	254	37
IV.	GENERAL SERVICE CLASS.								
	14. Army, Police, Postal Delivery, and Prison Services &c.	12,977	1,223	1,971	4,205	3,423	1,513	487	155
	15. Domestic Servants	36,041	1,166	2,162	12,812	13,179	4,899	1,496	327
	16. Coach and Car Drivers, Vanmen, &c. ..	15,380	2,610	3,728	1,756	5,318	1,707	230	31
	17. Hawkers, Porters, Labourers, &c.	103,081	13,988	23,579	14,658	30,409	14,270	4,361	1,816
V.	INMATES OF WORKHOUSES.								
	18. Workhouse Inmates	5,602	267	158	339	1,278	1,880	1,277	403

TABLE VII.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITIONS of the Persons whose Deaths were registered in the Dublin Registration Area during the Year 1914 (53 weeks), the Annual Death Rate represented by the Deaths Registered ; the Number of Deaths at each of Seven Periods of Life, and the number from some of the Principal Causes of Death ; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.]	REGISTRATION OF DEATHS, YEAR 1914 (53 WEEKS).										CAUSES OF DEATH.										Number of Uncertified Deaths							
		Annual Death Rate per 1000 of the Population in 1911.	Total Number of Deaths.	AGES.							Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.			Convulsions.		Diseases of the Respiratory System.		Diarrhoea, 2 years of age and upwards of children under 3 years of age.	Violence.	Other Causes		
				Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.								Enteric Fever.	Pulmonary.	Other Forms.			Cancer.	Pneumonia.				Other	
			9,175	2,772	386	423	1,426	2,130	1,203	835	69	2	386	41	59	77	8	1,111	356	514	213	687	1,127	383	12	225	390	252	
I.	ALL PERSONS	397,957																											
	DEATHS IN FAMILIES OF THE—																												
II.	PROFESSIONAL AND INDEPENDENT CLASS.																												
III.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers and Heads of Public Departments.	7,868	167	8	2	3	24	33	46	51	—	—	—	—	—	—	—	1	11	1	18	2	10	12	—	—	3	109	1
IV.	2. Merchants and Manufacturers, Higher Class.	1,347	5	—	—	—	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—
V.	3. Persons of Rank and Property, not otherwise described.	5,443	47	—	—	—	—	—	8	16	23	—	—	—	—	—	—	—	—	7	—	3	1	—	—	—	—	36	—
VI.	MIDDLE CLASS.																												
VII.	4. General Body of Officials—Civil Service, Banking, &c.	9,523	138	26	3	8	19	35	25	22	2	—	—	—	—	—	4	—	13	2	16	1	16	7	2	—	3	70	2
VIII.	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	338	40	10	5	47	105	80	51	6	—	—	6	4	1	4	—	20	7	37	3	22	32	5	—	4	187	9
IX.	6. Clerks and Commercial Assistants	33,249	406	89	7	56	90	88	43	33	7	—	—	10	2	6	2	1	80	19	24	7	22	32	8	—	6	180	9
X.	7. Miscellaneous—including all Householders in Second Class Localities, not included in above.	33,827	628	39	37	30	85	169	117	151	2	—	—	5	1	1	2	—	50	19	76	2	33	69	2	2	11	353	8
XI.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
XII.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers.	11,777	196	70	12	10	37	38	20	9	4	—	—	8	3	1	2	—	31	11	8	7	12	15	12	—	5	77	6
XIII.	9. Building and Furnishing Trades	28,823	509	163	27	15	85	131	63	25	2	—	—	22	2	7	5	—	75	23	27	17	40	52	20	—	12	205	20
XIV.	10. Clothing Trades	20,026	276	65	11	22	52	76	29	21	6	—	—	8	1	5	1	—	47	7	12	7	18	43	4	2	5	110	17
XV.	11. Food Supply Trades	8,952	139	58	9	7	18	30	11	6	—	—	—	7	—	3	4	—	17	3	7	8	19	15	8	—	5	43	7
XVI.	12. Other Trades and Callings ranking with Trades.	32,070	786	179	31	42	130	247	99	58	9	—	—	17	6	4	7	2	90	33	56	13	65	90	19	—	9	366	21
XVII.	13. Petty Shopkeepers																												
XVIII.	GENERAL SERVICE CLASS.	6,772	121	41	9	5	18	24	18	6	1	—	—	8	—	1	1	—	14	4	2	2	10	22	4	—	4	48	6
XIX.	14. Army, Police, Postal Delivery, and Prison Services, &c.	12,977	318	127	8	20	53	53	30	27	2	—	—	12	1	1	—	1	32	13	17	11	26	33	31	1	14	123	14
XX.	15. Domestic Servants	36,041	323	76	5	31	70	73	38	30	3	—	—	9	2	2	4	2	45	9	27	6	12	28	12	—	11	153	11
XXI.	16 Coach and Car Drivers, Vanmen, &c.	15,380	357	168	19	8	51	67	26	18	3	—	—	31	4	1	4	—	38	16	18	14	43	45	17	1	8	114	13
XXII.	17. Hawkers, Porters, Labourers, &c.	103,081	2,840	1,367	170	125	371	412	238	127	22	2	—	240	15	20	37	1	292	119	82	111	280	325	162	6	119	1007	108
XXIII.	INMATES OF WORKHOUSES.																												
XXIV.	18. Workhouse Inmates;	5,602	1,581	256	26	36	276	511	302	174	—	—	—	1	—	6	—	—	258	70	80	2	56	306	77	—	6	719	—

PROVINCIAL URBAN DISTRICTS.—(See Tables VIII. and IX.)—The respective death-rates per 1,000 of the population represented by the deaths from the principal epidemic diseases* registered during the year in the twenty-six urban districts included in the Weekly Returns are as follow, ranging in order from the lowest to the highest:—Bray, 0·2; Portadown, 0·3; Athlone, 0·4; Newry, 0·5; Larne, 0·5; Galway, 0·6; Coleraine, 0·6; Bangor, 0·6; Drogheda, 0·6; Clonmel, 0·8; Wexford, 0·9; Londonderry, 0·9; Limerick, 0·9; Queenstown, 1·1; Dundalk, 1·1; Kilkenny, 1·4; Ballymena, 1·4; Lurgan, 2·0; Cork, 2·1; Tralee, 2·3; Armagh, 2·5; Belfast, 2·7; Waterford, 2·7; Lisburn, 2·9; Newtownards, 3·1; and Sligo, 3·2.

ENTERIC FEVER.—Of 60 deaths, 26 belonged to Belfast, 14 to Ballymena, 6 to Limerick, 4 to Cork, 2 to Londonderry, 2 to Dundalk, 2 to Sligo, and one to each of Waterford, Drogheda, Lisburn, and Clonmel.

TYPHUS.—There were 11 deaths appertaining to Belfast, one to Cork, one to Waterford, and one to Galway.

SMALL-POX.—No deaths from this disease were recorded.

MEASLES.—Of 296 deaths, 205 belonged to Belfast, 27 to Sligo, 19 to Armagh, 11 to Lisburn, 10 to Lurgan, 9 to Cork, 2 to each of Limerick, Drogheda, and Queenstown, and in nine districts one death was recorded.

SCARLET FEVER.—There were 168 deaths for Belfast, 37 in Waterford, 10 for Limerick, 9 for Cork, 8 in Lurgan, 4 for Lisburn, 3 in Newtownards, 2 for Clonmel, and one for each of Londonderry, Newry, Kilkenny, and Coleraine.

WHOOPING-COUGH.—There were registered for Belfast 205 deaths; for Cork, 64; in Newtownards, 10; in Tralee, 7; in Queenstown, 5; in Galway, 2; and for each of Limerick, Lisburn, Wexford, Larne, Bangor, and Athlone, one death.

DIPHTHERIA.—Of 74 deaths from diphtheria, 31 belonged to Belfast, 13 to Cork, 12 to Kilkenny, 3 to each of Lurgan, Drogheda, and Lisburn, 2 to Tralee, and one death to each of Londonderry, Galway, Sligo, Larne, Coleraine, Bangor, and Athlone.

DIARRHŒA AND ENTERITIS OF CHILDREN UNDER TWO YEARS OF AGE.—Among the 631 deaths registered, 407 belonged to Belfast, 59 to Cork, 31 to Waterford, 28 to Londonderry, 17 to Lisburn, 15 to Newtownards, and 14 to each of Limerick and Tralee.

PULMONARY TUBERCULOSIS.—The number of deaths from pulmonary tuberculosis registered in the twenty-six Urban Districts amounted to 1,673, equivalent to an annual rate of 2·1 per 1,000 of the aggregate population of these districts. The deaths in Belfast (836) represent a rate of 2·1 per 1,000 of the estimated population. In the remaining twenty-five urban districts the deaths, 837, represent an annual rate of 2·1 per 1,000 of the aggregate population of these areas. In the Dublin Registration Area the rate for deaths from pulmonary tuberculosis (exclusive of deaths in public institutions of persons admitted from outside the Area) is equal to 2·5 per 1,000 of the estimated population.

* See note (†) on page iv.

TABLE VIII.—BIRTHS and DEATHS Registered during the YEAR 1914 (53 weeks) in the Dublin Registration Area, and in each of the undermentioned Twenty-six Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

TOWNS AND DISTRICTS.		Census Statistics of Districts.*		Annual Rate per 1,000 persons Represented by		BIRTHS.		NUMBERS REGISTERED.																				No. of Deaths in Public Institutions.		No. of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								DEATHS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
								From all Causes.		From Diseases in Cols. 10-17, 23-4.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Tuber- culosis.		Cancer.		Diseases of the Respir- atory System.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea 2 years of age and upwards.		Violence.		Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
Total.		Persons to an Acre.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

* The population given for the Dublin Registration Area and its component parts and the cities of Belfast and Londonderry, is that estimated to the middle of 1914; that for each of the other districts is the population according to the Census of 1911.
† Including 2 deaths from cerebro-spinal fever or cerebro-spinal meningitis.
‡ Including one death from cerebro-spinal meningitis.

TABLE IX.—Showing by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the YEAR 1914 (53 weeks), Deaths in Public Institutions of persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE OF MORTALITY per 1,000 of the Population according to the Census of 1911 represented by the Deaths from All Causes and from certain Epidemic Diseases; the number of Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of UNCERTAINED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.			DEATHS.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM										AGES AT DEATH.										DEATHS FROM																			
-----------------------------------	--	--	---------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	----------------	--	--	--	--	--	--	--	--	--	-------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

* See note (†) on page xiv.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
1st February, 1915.

Printed by A. THOM & Co. (Ltd.) 11665, Wt. P. 397. 375. 1. 1914. Sch. 10.

WILLIAM J. THOMPSON,
Registrar-General.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 3RD JANUARY, 1914.

[No. 1.

*General Register Office, Charlemont House,
Dublin, 5th January, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 25·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Dec. 13	Dec. 20	Dec. 27	Jan. 3	
27 Town Districts, (a)	17·7	18·9	15·9	25·7	19·5
Dublin Reg. Area ...	17·6	20·3	17·1	30·4	21·3
Dublin City ...	18·4	22·7	19·1	33·1	23·3
Belfast ...	18·0	18·6	19·8	25·4	20·4
Cork ...	21·1	23·1	10·9	28·6	20·9
Londonderry ...	8·9	11·4	11·4	21·6	13·3
Limerick ...	12·2	17·6	13·5	12·2	13·9
Waterford ...	9·5	34·2	11·4	17·1	18·1

The deaths from certain epidemic diseases† registered in the 27 town districts during last week* were equal to an annual rate of 1·4 per 1 000. Among the 194 deaths from all causes for Belfast are one from enteric fever, 3 from scarlet fever, 6 from whooping-cough, 2 from diphtheria, and one from diarrhoea and enteritis of a child under 2 years. One of the 17 deaths from all causes for Londonderry is from diphtheria. Included in the 5 deaths from all causes for Newtownards is one from whooping-cough, and the 5 deaths recorded for Armagh are from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 168—98 boys and 70 girls—and the deaths to 250—132 males and 118 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 30·4 per 1,000 of the population, the rate for the total deaths registered in the area being 32·1 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The deaths include one from enteric fever, 2 from measles, 4 from diphtheria, 3 from influenza, and 3 from diarrhoea and enteritis of children under 2 years of age. In each of the three preceding weeks, deaths from enteric fever were 3, one and 0; deaths from measles were 2, one, and one; deaths from diphtheria were 4, 6, and 2; deaths from influenza were 0, 2, and 2; and deaths from diarrhoeal diseases were 4, 8, and 5.

Tuberculous disease caused the deaths of 35* persons, including 24 deaths from pulmonary tuberculosis, 4 from tuberculous meningitis, 3 from abdominal tuberculosis, and 4 from other forms of the disease; in the 3 preceding weeks such deaths were 21, 30, and 17 respectively.

Of 22 deaths caused by pneumonia (all forms), 10 were from broncho-pneumonia, one was from lobar pneumonia, and 11 were from pneumonia (type not distinguished).

The deaths of 7 persons were caused by cancer.

There were 3 deaths of infants from convulsions; there was also one death from congenital defects, 6 from premature birth, and 8 from congenital debility of infants under one year of age.

Twenty-two deaths were caused by organic heart diseases, and the deaths from bronchitis amounted to 45.

The number of deaths attributed to accident or negligence was 5, including one death of a child, aged one year and 7 months, by scalds, and one death caused by a motor car.

In 14 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 6 infants under one year old, and the deaths of 3 persons aged 65 years and upwards.

Sixty-three of the persons whose deaths were registered during the week were under 5 years of age (38 being infants under one year, of whom 16 were under one month old) and 54 were aged 65 years and upwards, including 39 persons aged 70 and upwards; among the latter were 23 aged 75 and upwards, of whom 3 (females) were stated to have been aged 90, 91, and 93 years, respectively.

One hundred and eight of the deaths registered during the week occurred in hospitals and other public institutions: of this number 26 took place in the North Dublin Union Workhouse, and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 30.4 per 1,000; the rate in the City was 33.1 (North City Districts, 35.4; South, 30.4) and in the Suburbs, 21.8.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1.3 per 1,000 inhabitants, the rate for the City being 1.5 (in the North City Districts 1.3, and in the South 1.8), and for the Suburbs 0.5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (24) are equal to an annual rate of 41.4 per 1,000. Diphtheria and influenza each caused one death, 5 deaths were caused by tuberculous disease, 3 by broncho-pneumonia, 6 by bronchitis, and 2 deaths were attributed to accidental causes.

No. 1 North City District, West (Summer-hill).—The deaths (27) are equal to an annual rate of 34.1 per 1,000. There were 5 deaths from tuberculous disease, 2 from pneumonia, and 4 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (25) are equivalent to an annual rate of 46.8 per 1,000, and include one death from tuberculous disease, 2 from broncho-pneumonia, 6 from bronchitis, and 3 deaths from diarrhoea and enteritis of children under 2 years of age.

No. 3 North City District (Benburb-street).—The deaths (32) represent an annual rate of 47.0 per 1,000. Among them are one death from influenza, 4 deaths from tuberculous disease, 5 deaths from pneumonia, and 6 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19.0 per 1,000 inhabitants; Coolock and Drumcondra, part of, 7.6; and Finglas and Glasnevin, part of, 0.0. One of the 2 deaths recorded for the first-named district was suicidal.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 23.0 per 1,000. Two deaths were caused by pulmonary tuberculosis and 4 by bronchitis.

No. 2 South City District (Castle-street).—The deaths (17) are equal to an annual rate of 48.3 per 1,000, and include one death from enteric fever, 4 from tuberculous disease, one from pneumonia, 3 from bronchitis, and one accidental death.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 27.5 per 1,000. One death from diphtheria, 5 deaths from pulmonary tuberculosis, 3 from pneumonia, and 6 from bronchitis were recorded.

No. 4 South City District (Grand Canal Street).—The deaths (23) are equivalent to an annual rate of 36.2 per 1,000. Two deaths were attributed to diphtheria, one to measles, 2 to tuberculous disease, 4 to pneumonia, 5 to bronchitis, and one to accident.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21.2 per 1,000. Among them are one death from pulmonary tuberculosis, one from bronchitis, and one accidental death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 20.0; Pembroke, 20.7; Blackrock, 28.3; and Kingstown, 24.6. The only death from any of the principal epidemic diseases tabulated for these districts was one from measles for Pembroke. Of the 15 deaths from all causes for Rathmines and Rathgar are 4 from tuberculous disease and 4 from bronchitis. The 12 deaths from all causes for Pembroke include one from influenza. Among the 5 deaths from all causes for Blackrock is one from pulmonary tuberculosis; and of the 8 deaths from all causes for Kingstown one was caused by pneumonia.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 18.6), was equal to an average annual death-rate of 18.6 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 20.3 per 1,000, the rate for Glasgow being 21.7, and for Edinburgh 17.9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 3rd January. From this Report it appears that of a total of 74 cases notified, 43 were scarlet fever, 15 diphtheria, 9 phthisis, 4 erysipelas, 2 enteric fever, and one puerperal fever. Among the 591 cases of infectious diseases in hospital at the close of the week were 307 cases of scarlet fever, 125 of phthisis, 90 of diphtheria, 44 of measles, 10 of erysipelas, and 5 of enteric fever.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908."

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 3rd January, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

denotes that the disease in question is not present.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrheal Diseases.	Acute Poliomyelitis.	Pulmonary eulosis.	Tuber.	Total.
City of Dublin.	Dec. 13,	.	—	—	19	1	.	13	.	.	9	2	.	—	—	.	—	.	18	62	
	Dec. 20,	.	—	—	19	.	.	17	.	.	11	6	.	—	—	.	—	.	27	80	
	Dec. 27,	.	—	—	15	.	.	8	.	1	3	2	.	—	—	.	—	.	6	35	
	Jan. 3,	.	—	—	24	.	.	15	.	1	3	6	.	—	—	.	—	.	17	66	
Rathmines and Rathgar Urban District.	Dec. 13,	.	—	—	3	.	.	9	.	.	2	.	.	—	—	—	—	—	—	14	
	Dec. 20,	.	—	—	2	.	.	6	.	.	1	.	.	—	—	—	—	—	—	9	
	Dec. 27,	.	—	—	4	.	.	3	—	—	—	—	—	—	7	
	Jan. 3,	.	—	—	1	.	.	1	—	—	—	—	—	—	2	
Pembroke Urban District.	Dec. 13,	1	.	.	—	.	—	—	—	.	1	
	Dec. 20,	.	.	.	1	.	.	1	.	.	5	.	.	—	1	—	—	—	.	8	
	Dec. 27,	.	1	.	1	.	.	1	.	.	2	1	.	—	.	—	—	—	1	3	
	Jan. 3,	.	13	.	1	2	.	.	—	.	—	—	—	—	18	
Blackrock Urban District.	Dec. 13,	.	—	—	1	.	—	—	.	—	—	—	1	
	Dec. 20,	.	—	—	—	—	.	—	—	—	.	
	Dec. 27,	.	—	—	—	—	.	—	—	—	.	
	Jan. 3,	.	—	—	—	—	.	—	—	—	.	
Kingstown Urban District.	Dec. 13,	.	—	—	1	—	—	—	—	—	.	1	
	Dec. 20,	.	—	—	—	—	—	—	—	.	.	
	Dec. 27,	.	—	—	—	—	—	—	—	.	.	
	Jan. 3,	.	—	—	—	—	—	—	—	.	.	
City of Belfast.	Dec. 13,	.	—	—	89	.	.	16	.	.	2	8	.	—	—	.	—	1	10	126	
	Dec. 20,	.	—	—	66	.	.	12	.	.	2	6	1	—	—	.	—	.	8	95	
	Dec. 27,	.	—	—	50	.	.	9	2	1	1	5	.	—	—	1	—	.	4	73	
	Jan. 3,	.	—	—	67	2	.	8	.	.	1	1	.	—	—	.	—	.	9	88	
City of Cork.																					
City of Londonderry.	Jan. 3,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	—	4	
City of Limerick																					
City of Waterford	Jan. 3,	.	—	—	—	—	—	—	—	—	.	

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd January, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Six cases of enteric fever were admitted to hospital during the week, 6 were discharged, there was one death and 51 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 52, 57, and 52.

One case of typhus was discharged from hospital and 3 cases remained under treatment at the close of the week. The cases in hospital at the end of the 3 preceding weeks numbered 3, 3, and 4, respectively.

Three cases of measles were admitted to hospital, 2 were discharged, and 11 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such, cases were 8, 8, and 10 respectively.

Nineteen cases of scarlet fever were admitted to hospital, 11 were discharged, and 132* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 121, 126, and 124, respectively.

Fourteen cases of diphtheria were admitted to hospital during the week, 19 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 79, 84, and 65, respectively, were 57 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 6 were discharged, there was one death, and 23 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 3rd of January, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.									
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARE and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	1	.
Typhus,
Small-pox,
Measles,	1	.	.	1	.	.	2	.
Scarlet Fever,
Whooping-cough,
Diphtheria,	1	1	2	4	.
Croup,
Influenza,	1	.	.	1	1	.	.	.	3	.
Dysentery,
Tuberculosis { Pulmonary,	4	4	.	2	.	.	.	2	1	5	1	1	2	.	1	.	23	1
Disease. { Other Forms,	1	1	1	2	3	.	1	2	11	.
Cancer,	1	2	.	1	1	.	.	6	1
Diseases of Nervous System,	4	3	2	.	1	.	2	.	1	2	1	.	2	.	1	19	2
Organs of Special Sense,
Circulatory System,	2	3	4	3	1	.	.	2	2	.	1	.	3	2	2	1	26	.
Respiratory System. { Pneumonia,	3	2	2	5	.	.	.	5	1	3	4	1	21	1
System. { Others,	6	5	6	7	3	6	5	1	4	1	.	1	50	1
Diarrhoea and Enteritis, under 2 years,	3	3	.
Digestive System. { Diarrhoea, 2 years and upwards,
Enteritis, 2 years and upwards,	1	.	.	.	1	.
Others,	2	1	2	1	3	2	.	11	4
Genito-urinary System,	1	.	.	.	1	1	3	6	.
Puerperal Septicæmia, etc.,
Other Causes incident to Pregnancy and Childbirth,
Diseases of the Skin and Cellular Tissue,	2	1	1	4	.
Locomotor System,
Other specified Causes,	3	5	3	5	.	1	.	6	2	3	2	.	3	1	.	.	34	1
Violent Deaths,	2	.	.	.	1	.	.	.	1	.	1	1	6	.
Ill-defined, &c. Causes,	1	.	.	1	1	.	.	.	2	.	1	6	2
Deaths from All Causes	24	27	25	32	9	2	.	18	17	23	23	4	15	12	5	8	237	13
Annual Rate of Mortality from All Causes in every 1,000 of the population.	41.4	34.1	46.8	47.0	19.0	7.6	.	23.0	48.3	27.5	36.2	21.2	20.0	20.7	28.3	24.6	30.4	.
	35.4							30.4					21.8					
	33.1																	
Ages at Death. { Under 1 year,	3	3	5	8	.	.	.	7	1	3	5	.	2	.	.	.	37	1
1 and under 2 years,	6	1	3	1	2	1	1	.	.	1	.	.	16	1
2 " 5 "	3	1	.	3	8	.
5 " 15 "	2	1	1	1	.	.	.	1	.	2	2	.	1	.	.	.	11	.
15 " 25 "	2	1	.	1	.	.	.	1	.	2	1	1	.	.	1	1	11	1
25 " 45 "	2	5	3	3	4	6	1	1	.	4	.	2	31	1
45 " 65 "	5	9	9	7	1	1	.	6	6	4	8	2	5	3	2	3	71	7
65 and upwards,	4	7	4	8	1	1	.	3	3	5	2	.	6	4	2	2	52	2
Number of Uncertified Deaths,	1	3	2	1	.	.	.	2	1	.	1	.	1	1	.	1	14	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	7	6	8	.	.	.	1	3	6	11	1	1	1	2	1	52	12
Workhouse Hospitals,	4	11	4	7	.	.	.	3	3	6	2	1	1	1	.	.	43	1

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 1st Week of the 10 years, 1904-1913.	In the Week ending Saturday, 3rd January, 1914.												
	Jan. 9, 1904.	Jan. 7, 1905.	Jan. 6, 1906.	Jan. 5, 1907.	Jan. 4, 1908.	Jan. 9, 1909.	Jan. 8, 1910.	Jan. 7, 1911.	Jan. 6, 1912.	Jan. 4, 1913.		Deaths of Persons of the Ages of												
												0-5.												
												Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.			
Mean Temperature.	40.0	46.7	43.4	39.4	35.5	43.4	45.4	37.2	44.1	43.6	41.9	34.6												
ALL CAUSES.	208	192	168	246	199	190	174	176	191	186	193.0	250	16	22	17	8	11	12	32	78	21	23		
Enteric Fever, ...	6	1	3	.	.	5	.	.	2	.	1.7	1	1	.	.	.		
Typhus,	12		
Small-pox,		
Measles, ...	2	3	.	3	.	9	2	4	6	.	2.9	2	.	1	1		
Scarlet Fever, ...	3	7	3	1	1.4		
Whooping-cough, ...	9	.	2	7	6	.	3	6	1	2	3.6		
Diphtheria, ...	1	.	2	.	1	1	1	1	4	2	1.3	4	.	.	2	.	2		
Croup,	1	1	1	.3		
Influenza, ...	1	.	2	6	1	.	2	.	.	1	1.3	3	2	1	.	.	.		
Dysentery,		
Erysipelas, ...	1	.	.	.	1	.	.	1	.	1	.4		
Other Epidemic Diseases,	1	.	.	12		
Pyæmia and Septicæmia (non-puerperal).	1	3	1	.	.	.5	2	.	1	.	.	1		
Tetanus,		
TUBERCULOSIS:																								
Pulmonary Tuberculosis, ...	26	31	21	24	20	21	24	21	23	26	23.7	24	.	1	.	3	5	9	6	.	.	.		
Tuberculous Meningitis, ...	3	3	5	.	.	3	2	2	4	1	2.3	4	.	2	1	1		
Abdominal Tuberculosis, ...	1	5	2	.	.	1	1	1	1	1	1.3	3	.	1	1	1		
Tuberculosis of the Vertebral Column.									1	.		1	.	.	.	1		
Tuberculosis of Joints, ...	7	4	5	6	8	4	2	1	1	2	4.4		
Tuberculosis of other Organs, Scrofula,		
Disseminated Tuberculosis, ...									3	.		3	.	1	1	.	1		
Venereal Diseases,	2	1	.	1	1	1	.	2	1	.9		
Cancer, ...	7	13	7	8	9	8	8	8	10	8	8.6	7	3	3	1	.		
Tumour, situation undefined,		
Rheumatic Fever,	1	.	12	1	1	.	.	.		
Diabetes,	2	1	.	1	1	.5		
Anæmia, Leucocythæmia,		
Other General Diseases,	4	1	.	5	1	.	3	1	.	.		
Alcoholism, ...	4	1	2	1	.	1	.	.	.	1	1.0		
Chronic Poisonings,		
Cerebro-spinal Fever,		
Simple Meningitis,	2	3	.	2	.	.	1	.	.	1		
Cerebral Hæmorrhage, Apoplexy.	5	4	.	9	1	6	2	.	.		
Softening of Brain,		
Paralysis, without specified cause.	3	5	.	3	3	.	.	.		
Epilepsy,	2	2	.	1	1	.	.		
Convulsions (non-puerperal),	7	8	.	3	1	2		
Other Diseases of Nervous System.	43	46	41	60	56	43	42	37	.	3	44.4	8	3	.	.	.		
Pericarditis,		
Acute Endocarditis,	1		
Organic Diseases of the Heart, Embolism and Thrombosis (including Cerebral)	16	10	.	22	3	7	6	6	1		
Other Diseases of Circulatory System.	1	2	.	3	1	2	.	.		
Diseases of the Larynx,		
Bronchitis, ...	35	29	24	31	32	26	17	27	29	16	26.6	45	3	4	1	.	1	1	3	19	9	4		
Broncho-pneumonia, ...	6	10	5	13	9	11	11	9	9	5	8.8	10	1	1	5	2	.	1		
Lobar pneumonia, ...	2	1	.	.	1	1	4	2	1	1	1.3	1	.	.	1		
Pneumonia (type not distinguished)	9	9	7	10	10	9	7	4	5	6	7.6	11	.	1	.	.	3	2	4	1	.	.		
Pleurisy,		
Pulmonary Congestion, Pulmonary Apoplexy.	1	1	.	.	.		
Other Diseases of Respiratory System.	5	1	2	6	3	4	3	2	.	2	3.4	5	.	1	.	.	1	.	3	.	.	.		

FIRST WEEK, ending Saturday, 3rd January, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes <i>Registered</i> in the Week ending Saturday										Averages in 1st Week of the 10 years, 1904-1913.	In the Week ending Saturday, 3rd January, 1914.											
	Jan. 9, 1904.	Jan. 7, 1905.	Jan. 6, 1906.	Jan. 5, 1907.	Jan. 4, 1908.	Jan. 9, 1909.	Jan. 8, 1910.	Jan. 7, 1911.	Jan. 6, 1912.	Jan. 4, 1913.		Deaths of Persons of the Ages of											
												0-5.											
												Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.		
Mean Temperature ...	40.0	46.7	43.4	39.4	35.5	43.4	45.4	37.2	44.1	43.6	41.9	34.6	Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
Diseases of the Pharynx, Ton- sillitis.
Diseases of Stomach, ...	—	—	—	—	—	—	—	2	.	1	—	6	1	4	.	1	
Diarrhoea and Enteritis of Children under 2 years.	4	4	3	12	5	5	4	4	5	7	5.4	3	2	.	1	
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards		—	—	—	—	—	—	—	1	.		—	1
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	1	1	2	3	1	2	.	.	
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	—	—	1	1	2	1	1	.	.	.	
Cirrhosis of Liver,	1	3	2	2	.	2	1	1	1	1.3	1	1	.	.	.	
Other Diseases of Liver, ...	2	.	.	24	1	1	.	.	.	
Peritonitis (cause unknown),	1	.	.	.	1	.	.	1	.3	2	.	.	.	1	.	1	1	.	.	.	
Other Diseases of Digestive System.	4	4	7	7	7	7	8	1	.	3	4.8	1	1	.	.	.	
Acute Nephritis, ...	9	2	7	10	3	11	7	4	4	2	7.1	6	1	2	2	1	
Chronic Bright's Disease,	9				
Urinary Calculi,		
Uterine Tumour (non-can- cerous).										
Ovarian Tumour (non-can- cerous)									1		
Other Diseases of Genito- urinary System.	2	
Puerperal Septicæmia, &c.,	2	.	1	.	.	1	.	.	.4	
Other Causes incident to Pregnancy and Childbirth.	
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	2	1	2	—	4	.	.	.	1	1	.	1	1	.	.	
Diseases of Locomotor System.	—	—	—	—	—	—	—	—	.	2	—	2	
Congenital Malformations, ...	—	—	—	—	—	—	—	—	2	1	2	—	
Premature Birth, ...	4	2	1	7	5	4	2	5	6	10	4.6	6	6	
Congenital Debility, ...	—	—	—	—	—	—	—	4	1	4	—	8	1	7	
Old Age, ...	3	1	3	8	3	3	1	4	9	3	3.8	9	1	8	.	
Other Specified Diseases, ...	—	—	—	—	—	—	—	1	.	3	—	2	1	1	
ACCIDENT :																							
Poisons or Poisonous Vapours.	1	.	1	.	.2	
Conflagration,	
Burns and Scalds,	3	2	4	3	.	.	.	1	3	1.6	1	.	.	1	
Drowning, ...	1	1	1	.3	
Suffocation in Bed,	11	
Other Deaths by Accident, ...	2	1	2	1	2	.	2	2	1	3	1.6	4	1	1	2	.	.	.	
Total Deaths from Accident,	3	5	4	6	5	.	3	2	3	7	3.8	5	.	.	1	.	1	1	2	.	.	.	
Included in above are Deaths in connection with—																							
Railways,	2	.2	
Vehicles and Horses,	11	1	1	
Ships, Boats, Docks, ...	11	
Building Operations,	1	1	.2	
VIOLENCE OTHER THAN ACCIDENTAL:																							
Homicide,	1	.1	
Suicide,	2	.	1	.	14	1	1	.	.	.	
Execution,	11	
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	6	5	6	—	8	.	.	1	.	.	1	3	2	1	.	

Registration of Births and Deaths, Ireland

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913-4—WEEK ENDING																									
	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.
No. of weeks in Annual Series,	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1
BIRTHS registered.	223	188	218	226	199	212	205	187	239	167	255	232	225	177	211	220	202	190	232	165	209	194	212	185	140	168
Average Births in corresponding week of previous 10 years, ...	204	219	223	215	209	225	221	209	240	256	215	246	200	192	211	194	220	213	193	184	213	187	204	179	186	225
DEATHS registered, ...	166	129	126	119	144	157	168	164	157	186	143	177	163	159	148	162	174	158	164	148	164	153	147	167	137	250
Annual Death-rate per 1,000, ...	21.5	16.7	16.8	19.8	18.6	20.8	21.7	21.2	20.3	25.4	18.5	22.9	21.1	20.6	19.1	21.0	22.5	20.4	21.2	19.1	21.2	19.8	19.0	21.6	17.7	32.1
Average Deaths in corresponding week of previous 10 years, ...	143	144	147	143	144	158	161	153	158	153	164	155	155	154	159	149	168	167	173	171	178	181	171	173	166	193
Ages, { Under 5 years, 15-25 " " 25-45 " " 45-65 " " 65-75 " " 75 and upwards, ...	46	36	38	34	41	63	55	58	66	62	45	69	58	66	50	57	54	50	49	47	28	55	49	55	47	63
	6	6	8	6	7	5	7	4	8	6	6	2	5	4	9	4	7	6	9	7	9	6	8	8	6	11
	10	8	5	6	7	7	8	12	7	16	4	11	6	8	4	11	9	6	8	6	6	4	3	6	6	12
	23	16	27	25	26	24	28	30	21	37	18	22	18	17	16	23	29	24	26	15	38	23	31	81	19	32
	41	33	24	42	34	29	36	29	33	38	32	40	39	33	39	34	37	33	35	35	47	26	34	37	25	78
Deaths from :—	23	17	10	22	18	22	19	19	17	18	20	20	23	19	17	23	18	26	24	23	22	26	15	20	20	31
	12	13	14	14	11	7	15	12	5	19	18	13	14	12	13	10	20	13	13	15	9	13	7	10	14	23
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Enteric Fever, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhus, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diphtheria, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis { Pulmonary ...	15	15	18	22	17	17	20	18	20	24	15	18	13	16	12	19	18	18	22	14	17	15	16	23	12	24
Other Forms, ...	4	6	8	8	9	10	10	8	8	5	1	4	6	7	6	6	13	6	5	6	6	5	5	7	5	11
Cancer, ...	10	14	5	16	11	8	8	6	14	13	9	13	11	7	11	10	11	10	8	12	11	7	6	7	7	7
Diseases of Circulatory System, ...	17	12	13	12	23	6	22	11	7	18	17	18	15	10	15	18	15	21	12	9	17	11	17	18	19	26
Diseases of Respi- (Pneumonia	12	5	5	6	8	8	9	7	2	6	12	6	4	7	6	8	12	12	12	12	14	14	18	19	18	22
ratory System, { Others, ...	17	11	9	13	9	12	13	7	9	10	10	14	13	13	15	13	15	14	12	20	22	17	22	18	17	51
Diarrhoea and Enteritis, under	2 years, ...	10	11	6	11	18	21	29	31	37	25	33	26	29	23	16	14	7	8	9	9	5	4	8	5	3
Diarrhoea, 2 years and upwards,	2	1	1	1	2	2	2	2	4	1	1	1	2	1	1	1	1	1	4	4	5	4	3	1	2	6
Violent Deaths, ...	2	1	1	4	5	7	3	7	5	6	9	5	4	2	3	3	5	2	5	8	6	4	3	1	2	6
Number of Uncertified Deaths,	5	3	4	1	2	3	2	3	2	2	3	1	3	2	3	5	7	2	4	6	3	4	6	4	3	14
Mean Temperature of the Air	54.7	59.4	54.2	56.4	55.4	61.8	56.5	57.0	55.3	54.9	49.5	56.5	56.6	51.4	52.9	43.5	50.9	44.4	46.6	46.6	47.6	44.4	46.0	44.1	37.7	34.6
(Phoenix Park) in degrees, ...	58.5	59.6	59.0	58.6	58.4	57.3	56.2	56.5	54.5	52.3	52.6*	52.4	51.6	50.4	49.8	43.7	45.2	44.6	42.0	41.9	41.5	42.2	42.5	42.4	41.5	41.9
Average Mean Temperature in	235	405	160	000	185	945	205	000	005	1,540	1,435	1,115	060	2,730	140	530	1,040	710	645	640	150	1,065	065	065	620	085
corresponding week of previous	84	84	83	83	79	83	81	86	84	85	90	88	92	90	86	86	86	86	90	88	90	93	87	87	90	90
10 years, ...																										
Rainfall in inches, ...																										
Mean Humidity of the Air, com-																										
plete Saturation 1.0,																										

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 3rd January, 1914; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

[illegible]

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1913-4. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteric Fever in Children under 2 years of age.	Diarrhoea, 2 years and upwards.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.) Population in 1914 (Est.) 30,206.	Nov. 29 Dec. 6 " 13 " 20 " 27 Jan. 3	34.9 19.2 12.2 29.6 13.9 41.4	3.5 3.5 . 3.5 . 1.7	20 11 7 17 8 24	1 1 1 1	1 . 1 2 1 4 1	1 1 1 2 . .	2 2 2 2 1 3	4 . 2 1 1 6	1 . . 2	3 2	1 1
North City, No. 1 (W.) (Office, Summer-hill.) Population in 1914 (Est.) 41,278.	Nov. 29 Dec. 6 " 13 " 20 " 27 Jan. 3	19.1 20.4 16.6 25.5 30.6 34.1	1.3 2.6 1.3 2.6 1.3 .	15 16 13 20 24 27 1 1 1 1	2 2 1 1 5 4 1	. . . 1 . 1	2 3 5 5 1 2	1 2 3 1 1 5	1 1 1 1	. 1 2 3 2 3
North City, No. 2. (Office, Lisburn-street.) Population in 1914 (Est.) 27,883.	Nov. 29 Dec. 6 " 13 " 20 " 27 Jan. 3	24.3 29.9 24.3 26.2 18.7 46.8	1.9 1.9 . 1.9 1.9 5.6	13 16 13 14 10 25	1	1 . . 1 1 1 . . .	1 1 . . . 1	2	2 3 4 2 3 2	3 4 2 3 3 6 3
North City, No. 3. (Office, Benburb-street.) Population in 1914 (Est.) 35,536.	Nov. 29 Dec. 6 " 13 " 20 " 27 Jan. 3	14.8 22.2 17.8 25.2 10.4 47.0	. 1.5 1.5 1.5 . .	10 15 12 17 7 32	. 1 1	1 1 1 6 2 2	. . 1 1 2 2 2	2 4 1 1 5 5	1 1 2 1 . 7	. . 1 1	1 . 1 . . 1
Clontarf and Howth No. 1 (part of). Population in 1914 (Est.) 5,485.	Nov. 29 Dec. 6 " 13 " 20 " 27 Jan. 3	19.2 . 19.2 . 28.8 19.0	2 . 2 . 3 2 1 1 1
Coolock and Drumcondra (part of). Population in 1914 (Est.) 13,685.	Nov. 29 Dec. 6 " 13 " 20 " 27 Jan. 3	3.8 19.2 11.5 11.5 23.1 7.6	. . . 3.8 . .	1 5 3 3 6 2 1 1 2	1 1
Finglas and Glasnevin (part of). Population in 1914 (Est.) 10,723.	Nov. 29 Dec. 6 " 13 " 20 " 27 Jan. 3	14.7 19.6 4.9 29.5 4.9 .	4.9	3 4 1 6 1	1 2	1
South City, No. 1. (Office, St. Earl-street.) Population in 1914 (Est.) 40,768.	Nov. 29 Dec. 6 " 13 " 20 " 27 Jan. 3	19.4 18.1 23.3 20.7 20.7 23.0	. 3.9 2.6 1.3 2.6 .	15 14 18 16 16 18	. . 2 . 1 1 . . . 1	1 3 1 2 1 2	1 1 1 1 2 1	2 . 1 1 1 1 .	2 2 1 1 4 5	3 2 1 2 2 1	. . 2 . . 1 1 2
South City, No. 2. (Office, Castle-street.) Population in 1914 (Est.) 18,341.	Nov. 29 Dec. 6 " 13 " 20 " 27 Jan. 3	31.3 22.7 17.1 25.6 19.9 48.3	. 2.8 . 5.7 . 2.8	11 8 6 9 7 17 1 1 1	4 1 1 1 1 1	1 . . 1 1 1 3	. . 1 . 1 1	3 . 1 . . 1 3	1 2 1 3 1 3	. 1 1	1 1 . . . 1
South City, No. 3. (Office, Peter-street.) Population in 1914 (Est.) 43,540.	Nov. 29 Dec. 6 " 13 " 20 " 27 Jan. 3	21.8 18.1 19.4 19.4 19.4 27.5	2.4 1.2 2.4 1.2 2.4 1.2	18 15 16 16 16 23 1 . 1	2 1 1 2 1 5	. 1 2 2 . .	1 3 3 1 3 3	2 2 3 3 2 6	1 1 1 1 2	1
South City, No. 4. (Office, Grand Canal-st.) Population in 1914 (Est.) 33,171.	Nov. 29 Dec. 6 " 13 " 20 " 27 Jan. 3	20.4 18.9 22.0 23.6 18.9 36.2	4.7 1.6 7.9 12.6 3.1 4.7	13 12 14 15 12 23	1 1 2	3 2 2 4 1 1	. 1 1 1 1 1	1 1 1 . 2 4	2 3 . . 2 5	2 1 3 . 3 5	3 1 1 6 1
New Kilmainham. Population in 1914 (Est.) 9,851.	Nov. 29 Dec. 6 " 13 " 20 " 27 Jan. 3	16.0 21.4 21.4 5.3 16.0 21.2	5.3 . 5.3 . . .	3 4 4 1 3 4	1 1 . . . 1 1 . . 1	1 1 . . 1 1 1 1

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1913-4. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncertified Deaths.
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.		
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.				Other.	
Rathmines and Rathgar Urban District.	Nov. 29 Dec. 6 " 13 " 20	13.4 10.8 10.8 9.4	1.3 1.3 . .	10 8 8 7	. 1	1	1 1 4 1	4 1 1	2 2 2 1 1 . .
Population in 1914 (Est.) 39,155.	" 27 Jan. 3	12.1 20.0	2.7 .	9 15	1 .	. .	2 2	2 1	1 .	4 .	1 .	1 .	. .	1
Pembroke Urban District.	Nov. 29 Dec. 6 " 13 " 20	19.2 10.4 24.4 15.7	1.7 . 1.7 1.7	11 6 14 9 1 1 2 1 1	1 . . 2	1 . 1 2	. . 4 2	1 1 2 2	1 . . 1	1
Population in 1914 (Est.) 30,240	" 27 Jan. 3	7.0 20.7	1.7 1.7	4 12 1	1 .	. 1	. .	1 .	. .	1 .	. .	2
Blackrock Urban District.	Nov. 29 Dec. 6 " 13	17.1 . 5.7	. . 5.7	3 . 1	. . 1	1
Population in 1914 (Est.) 9,197.	" 20 " 27 Jan. 3	17.1 5.7 28.3	. . .	3 1 5 1	. . .	1	1	. .
Kingstown Urban District.	Nov. 29 Dec. 6 " 13 " 20	12.3 18.5 12.3 12.3	4 6 4 4 1 2 1	. . 1 1	. . 1
Population in 1911 16,941.	" 27 Jan. 3	15.4 24.6	. .	5 8	1 1	1 1	1
Belfast.	Nov. 29 Dec. 6 " 13 " 20	14.7 15.4 18.0 18.6	1.3 1.7 1.8 1.3	112 117 137 141	2 1	3 . . .	4 8 8 5	. 3 3 3	1 . 2 1	8 10 8 12	3 6 5 2	6 3 7 10	10 13 25 14	12 14 10 14	. 1 1 1	. 1 1 .	. . 1 .	1 3 2 1
Population in 1914 (Est.) 399,000.	" 27 Jan. 3	19.8 25.4	2.0 1.7	150 194	. 1	1 .	6 3	7 6	. 2	. .	15 15	9 8	6 3	28 23	15 36	1 1	3 5
Cork.	Nov. 29 Dec. 6 " 13 " 20	18.4 16.3 21.1 23.1	1.4 2.0 0.7 .	27 24 31 34 1	4 5 7 4	1 2 2 4	1 2 1 1	1 3 6 1	4 1 3 2	2 2 1 1 1 .
Population in 1911 76,673.	" 27 Jan. 3	10.9 28.6	. 0.7	16 42	2 5	. 5	2 2	2 2	2 4	1	1
Londonderry.	Nov. 29 Dec. 6 " 13 " 20	14.0 17.8 8.9 11.4	1.3 2.5 . .	11 14 7 9	1 . . 1	. 1 . 1	1 . 2 .	1 . . 1	3 1 1 3	1 2 . 2 1 . .
Population in 1914 (Est.) 41,100.	" 27 Jan. 3	11.4 21.6	. 1.3	9 17 1	. .	1 2	. 1	. 2	1 2	2 1	2
Limerick.	Nov. 29 Dec. 6 " 13 " 20	17.6 14.9 12.2 17.6	. . 1.4 .	13 11 9 13 1 .	2 1 2 1 1	5 4 1 4	. . . 4	2 2 1 2
Population in 1911 38,518.	" 27 Jan. 3	13.5 12.2	1.4 .	10 9	1	1 1	5	2
Waterford.	Nov. 29 Dec. 6 " 13 " 20	11.4 11.4 9.5 34.2	1.9 . . .	6 6 5 18 1 1 7	. 2 2 3	. . 1 2	1 . 1 2 .
Population in 1911 27,464.	" 27 Jan. 3	11.4 17.1	. .	6 9	3 2	. 1	. 1	. .	1	1 2	. .

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 3rd January, 1914. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Inquest Cases.	Number of Uncertified Deaths.						
				Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from																												
				All Causes.	Certain Epi- demic Diseases,†	Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.							Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)		
City of Belfast.																																
BELFAST URBAN No. 1 DISTRICT,		15,879	17	29.6	9	1	3	2	2	1	2	2	.	.	1	7	.	.	1	3	3	.	
Do. 2 do.		49,500	24	20.0	19	1	1	4	6	6	6	4	5	9	.	
Do. 3 do.		50,032	29	27.1	26	7	1	5	6	4	6	1	3	1	10	.	
Do. 4 do.		32,637	41	35.1	22	6	1	3	4	3	1	1	1	3	2	3	.	
Do. 5 do.		16,112	8	19.4	6	1	.	.	.	1	3	1	1	1	
Do. 6 do.		37,293	19	19.6	14	3	.	.	.	5	1	1	1	2	
Do. 7 do.		2,681	.	19.4	1	3	
Do. 8 do.		5,964	11	8.7	1	
Do. 9 do.		24,427	11	19.2	9	2	1	1	3	2	1	4	2	
Do. 10 do.		28,958	25	27.0	15	5	2	1	1	3	3	2	.	.	4	2	
Do. 11 do.		39,311	23	25.2	19	4	6	1	1	3	4	1	1	1	4	4	
Do. 12 do.		38,076	43	35.6	26	7	4	3	2	7	3	4	2	1	4	4	
Do. 13 do.		23,233	14	31.4	14	4	.	1	.	1	8	1	.	.	1	5	
Do. 14 do.		175	.	.	14	
Do. 15 do.		22,669	19	29.9	13	1	2	2	2	3	3	4	.	.	.	2	2	3	.	.	
Total,		386,947	284	25.4	194	42	23	14	25	39	51	1	.	.	.	3	6	2	.	15	8	3	23	36	1	.	5	11	46	.	.	
City of Cork.																																
CORK URBAN No. 1 DISTRICT,		12,867	2	15.5	4	1	1	1	1	2	2
Do. 2 do.		10,701	4	35.1	7	.	1	1	1	1	1	1
Do. 3 do.		9,978	3	21.3	4	1	1	1	1	2	2	2
Do. 4 do.		8,686	3	34.2	6	1	1	1	1	1	1	1
Do. 5 do.		6,592	2	33.4	4	1	1
Do. 6 do.		10,702	8	31.5	7	2	1	1	1	1	3
Do. 7 do.		16,616	12	32.5	10	2	1	2	.	3	3
Total,		76,122	34	28.6	42	7	3	5	7	8	12	5	5	2	2	4	1	.	.	1	17	.	.	

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.
† See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1913-4—WEEK ENDING																									
	July 12.	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.
No. of weeks in Annual Series,	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1
BIRTHS registered, ...	188	218	280	217	195	232	192	193	214	234	173	234	197	192	201	191	179	231	182	170	186	136	205	196	130	284
DEATHS registered, ...	108	120	120	121	115	159	142	175	157	155	160	148	100	127	111	115	102	133	139	126	112	117	137	141	150	194
Annual Death-rate per 1,000 of estimated population, ...	14.2	15.8	15.8	15.9	15.1	20.9	18.7	23.0	20.7	20.4	21.1	19.5	13.2	16.7	14.6	15.1	13.4	17.5	18.3	16.6	14.7	15.4	18.0	18.6	19.8	25.4
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,	22	18	24	21	35	46	47	54	42	59	44	42	24	29	22	24	15	39	31	19	19	14	23	27	28	42
	7	16	10	15	15	32	17	20	21	13	21	20	15	16	11	19	12	21	15	24	14	24	26	17	29	28
	13	15	11	20	11	15	16	18	15	13	25	13	11	20	15	12	14	13	14	14	8	15	12	16	25	14
	19	18	24	17	17	23	19	34	23	23	18	16	17	17	13	15	20	13	24	15	21	20	22	32	20	25
	21	30	24	25	17	28	22	27	29	30	26	31	20	25	23	23	18	24	32	29	24	27	29	32	30	39
Deaths from:—	26	23	27	23	20	15	21	22	27	17	26	26	13	20	24	22	23	23	23	25	26	17	25	17	18	51
Enteric Fever,	1	3	1	2	1	...	1	1	...	1	2	1	1
Typhus,
Small-pox,
Measles,	2	1	2	1	1	3
Scarlet Fever, ...	3	13	1	2	1	3	2	1	1	3	4	3	3	1	3	7	5	7	7	9	4	8	8	5	6	3
Whooping-cough,	1	2	...	2	1	1	1	...	1	3	2	...	3	3	7	6	...
Diphtheria,	2	...	1	2	...	2	3	1	...	2	1	1	2	...	1	...	2	1	...	2
Dysentery,
Tuberculosis, { Pulmonary,	12	18	12	16	7	12	18	26	10	15	16	13	10	14	12	8	13	13	22	9	8	10	8	12	15	15
Other Forms,	3	7	6	3	7	9	2	5	7	5	5	3	3	6	3	6	7	6	2	5	3	6	5	2	9	8
Cancer, ...	3	10	10	10	6	8	4	5	4	4	3	9	4	5	9	6	5	8	8	10	6	3	7	10	6	3
Diseases of Respi- ratory System, { Pneumonia,	8	7	4	3	7	11	5	5	11	10	10	16	8	8	9	6	5	10	16	9	10	13	25	14	28	23
Others, ...	6	15	11	7	7	13	13	9	8	4	11	15	7	13	7	15	15	13	15	11	12	14	10	14	15	36
Diarrhoea and Enteritis, under 2 years,	5	4	6	13	25	25	33	39	30	41	37	22	15	9	9	2	5	3	1	6	...	1	...	1	1	1
Diarrhoea, 2 years and upwards,	2	1	2	1	3	2	3	6	1	3	...	5	1	...	1	1	1	1	1
Violent Deaths, ...	3	...	2	6	2	5	3	3	5	1	2	1	1	2	2	1	...	4	4	9	1	3	2	1	3	5
Number of Uncertified Deaths,	3	1	1	...	3	1	...	4	3	2	1	2	6	1	1	1	...	8	1	...
Mean Temperature of the Air in degrees.	54.7	57.6	56.6	58.9	57.0	53.4	53.5	57.1	57.4	56.0	51.8	57.0	55.7	52.0	54.5	47.7	49.5	44.4	46.7	46.6	48.3	43.1	45.4	43.3	40.0	32.3
Rainfall, in inches, ...	0.52	0.68	0.39	0.00	0.01	0.19	0.51	0.18	0.00	0.51	2.90	0.74	0.04	0.33	0.81	0.74	2.13	1.22	1.65	0.92	0.26	1.51	0.78	0.07	0.82	0.41

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Jan. 3,	2,441	1,615	18·6	2	.	4	5	11	11	26
EDINBURGH, ...	321,900	" 3,	125	110	17·9	.	.	10	1	.	2	1
GLASGOW, ...	1,047,000	" 3,	527	424	21·7	.	.	24	3	2	4	1
CALCUTTA, ...	896,067	Nov. 22,	.	551	31·9	83*	1	74½ ^a
BOMBAY, ...	979,445	" 29,	434	545	28·9	57*	.	1	.	.	.	44 ^a
MADRAS, ...	518,660	" 29,	393	354	35·5	48*	1	3	?	?	?	89 ^a
CAIRO, ...	715,609	Oct. 14,	559	403	29·4	7	.	1	.	?	8†	106
PARIS, ...	2,847,229	Dec. 20,	881	804	14·4	4	.	2	.	1	5†	15
BRUSSELS, ...	767,252	" 13,	275	182	12·4	2	.	1	.	1	4†	12
ANTWERP, ...	312,884	" 13,	100	81	13·5	1	10
AMSTERDAM, ...	594,444	" 13,	273	187	12·0	2	.	5	.	2	2†	1
COPENHAGEN, ...	482,000	" 13,	212	132	14·3	.	.	1	.	1	.	1
STOCKHOLM, ...	376,171	" 13,	144	113	15·6	1	2	1 ^a
CHRISTIANIA, ...	250,423	" 20,	101	53	11·0	3	3 ^a
ST. PETERSBURG ...	1,708,600	Nov. 29,	724	673	20·5	17	.	31	13	3	9	26
MOSCOW, ...	1,694,000	" 22,	.	636	19·6	3	.	15	25	5	12	55 ^a
BERLIN, ...	2,057,715	Dec. 6,	749	530	13·3	.	.	3	4	1	16†	30
HAMBURG, ...	1,006,748	" 13,	.	297	15·3	1	.	3	4	6	11†	14 ^a
BRESLAU, ...	542,755	" 13,	.	178	17·1	.	.	.	1	1	3	4 ^a
MUNICH, ...	638,000	" 13,	.	175	14·3	.	.	3	.	1	.	5
VIENNA (with suburbs),	2,132,523	" 13,	604	589	14·4	.	.	5	2	3	7†	12
BUDA-PESTH, ...	930,666	" 13,	439	331	18·5	1	.	1	7	.	6†	13
PRAGUE and Faubourgs,	494,055	Nov. 29,
TRIESTE, ...	242,595	Dec. 13,	111	112	24·1	5	.	1	.	.	.	3
ROME, ...	582,565	July 19,	274	167	14·9	4	.	1	.	.	1	30 ^a
NEW YORK, ...	5,372,983	Nov. 22,	2,473	1,388	13·5	17	.	9	4	6	20†	33
PHILADELPHIA, ...	1,631,960	" 15,	.	459	14·6	5	.	.	4	2	8	21
BOSTON, ...	735,399	Dec. 13,	.	236 ^b	16·7	.	.	.	1	1	2	9 ^a

* Deaths from "fever," including 9 from enteric fever and one from plague in Calcutta; one from enteric fever and 2 from plague in Bombay; and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 9 deaths from cholera in Calcutta.

^a Deaths from diarrhoeal diseases at all ages.

^b Corrected figures, i.e., non-residents deducted, 216 (including 7 deaths from diarrhoeal diseases), rate 15·3 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd January, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	2	.	.	.	1	3
" " 1, West,	1	.	.	2	.	.	.	1	.	.	.	2	6
" " 2,	7	.	.	1	5	13
" " 3,	4	.	.	2	.	1	1	8
Clontarf and Howth No. 1 (part of),	.	1	1	2
Coolock and Drumcondra (part of),	.	4	.	.	2	1	7
Finglas and Glasnevin (part of),	1	1
South City No. 1, ...	—	2	2	2	6
" " 2,	1	2	.	.	.	4	7
" " 3,	2	.	.	5	.	.	.	1	.	.	.	1	9
" " 4,	2	1	3
New Kilmainham,	1	1
Total,	24	.	.	15	.	1	3	6	.	.	.	17	66

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 3rd January, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 3rd January.			
	Dec. 13.	Dec. 20.	Dec. 27.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	52	57	52	6	6	1	51
Typhus, ...	3	3	4	.	1	.	3
Small-pox,
Measles, ...	8	8	10	3	2	.	11
Scarlet Fever, ...	121	126	124	19	11	.	132*
Diphtheria, ...	79	84	65	14	19	3	57
Pneumonia, ...	29	23	26	4	6	1	23

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 3rd January, 1914:—

A period of severe cold was experienced over the whole of Western Europe in the course of this week. It was brought about by the passage of a depression in a south-easterly direction across Central Europe from the North Sea, the south of Norway and Denmark, where it was centred on Sunday morning, to Italy and the adjacent parts of the Mediterranean, where it was still in evidence on Friday. On the other hand an area of high atmospheric pressure spread in over Ireland from the Atlantic at the beginning of the week—the result being a strong current of polar air blowing from Lapland to the extreme south of Europe—even to Gibraltar and Naples. On Sunday snow-showers fell in Dublin, followed by frost at night. But much larger snow-falls took place in the north and centre of Ireland, over Scotland, in Wales and the greater part of England. On Tuesday also a violent snowstorm occurred in Berlin, and snow-falls were reported from many Continental Districts—at Naples, Mount Vesuvius was covered with snow, and frost was experienced on Friday as far South as Gibraltar. Frost of considerable intensity prevailed in most parts of the United Kingdom in the first half of the week. On New Year's Day, however, a decided thaw took place in Scotland and Ireland, as a warm westerly wind off the Atlantic passed tangentially eastwards along the northern face of an anticyclone. Near the centre of this high-pressure system the barometer rose to 30.72 inches at Roche's Point, Cork Harbour, at 7 a.m. of Thursday. At that time, also, a large and deep depression was approaching Lapland from the Arctic Ocean. This low-pressure system, with its secondaries, disturbed the weather in the British Isles during the closing days of the week, the weather being dull, milder and very damp. In Dublin the mean height of the barometer was 30.323 inches, the range being from 29.616 inches at 9 a.m. of Sunday (wind, W.S.W.) to 30.651 inches at 9 a.m. of Thursday (wind, W.N.W.). The corrected mean temperature was 35.8°, the mean dry bulb readings at 9 a.m. and 9 p.m. being 35.1°. On Wednesday the screened thermometers fell to 25.6°, on Friday they rose to 47.9°. The rainfall was .018 inch on one rain-day. Snow fell on Sunday afternoon in showers, yielding .014 inch in the rain gauge. Lightning was seen on Sunday evening. A little hail fell on Wednesday morning. There was a lunar halo on Saturday evening.

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 30.326 inches. The highest reading (30.654) was on Wednesday, at 9 p.m., air calm, the lowest (29.631) on Sunday, at 9 a.m., wind W.N.W.

The mean temperature for the week was 34.6°, being 7.3° below the average for the corresponding period of the 10 years, 1904-1913. The temperature* was highest on Friday, on which day the thermometer registered 48°, and was lowest on Wednesday, the mercury having fallen to 19°. The mean of the Dry Bulb for the week was 33.4° and of the Wet Bulb, 32.5°. The mean humidity of the air was .90, complete saturation being represented by 1.0. The rainfall during the week measured 0.035 inch.

At Greenwich the mean temperature for the week was 35.2°, the maximum 45.2°, and the minimum 27.3°; and at Edinburgh the maximum was 48.0°, the minimum 24.9°, and the mean 35.1°. The rainfall at Greenwich measured 0.02 in., and at Edinburgh 0.08 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155.3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1913-14. MONTH AND DAY.	BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1.0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1.0.					
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.	9 A.M.	9 P.M.
Sunday, December 28,	29.685	36	31	33.5	32.2	31.8	.94	.7	1.0	.025	W.N.W.	W.N.W.
Monday, " 29,	30.005	38	29	33.5	31.2	30.7	.94	.6	5.7	.000	N.W.	W.
Tuesday, " 30,	30.340	35	23	29.0	24.2	23.9	.92	.4	5.0	.000	Calm.	Calm.
Wednesday, " 31,	30.615	38	19	28.5	23.3	22.4	.78	.3	4.1	.000	Calm.	Calm.
Thursday, January 1,	30.635	40	25	32.5	37.0	35.6	.88	.4	0.0	.000	W.N.W.	W.
Friday, " 2,	30.570	48	38	43.0	43.3	41.7	.89	.6	0.1	.000	W.	W.N.W.
Saturday, " 3,	30.430	46	39	42.5	42.7	41.6	.92	.6	0.1	.010	W.	W.S.W.
Mean,	30.326	40.1	29.1	34.6	33.4	32.5	.90	.5	Total 16.0	Total .035	Prevailing Wind, W.	

Sunday—Day cloudy, showers of snow at intervals from 11.45 a.m. to 7.45 p.m.; night clear. Monday—A beautiful bright day; night clear. Tuesday—A beautiful bright day; night clear. Wednesday—A fine day, light clouds at intervals; night clear. Thursday—Day overcast; night cloudy. Friday—Day overcast; night overcast. Saturday—Day overcast, light showers at intervals from 2.15 to 8.0 p.m.; night overcast.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 3rd January, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.R.C.D., for the information very kindly supplied by him for this Table.

1913-14. MONTH AND DAY.	Air Tem- perature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell- Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, December 28,	34.0	41.3	46.3	37.1	32.7	34.9	hrs. 0.3	ins. .005
Monday, " 29,	33.8	40.1	46.2	37.6	31.8	34.7	2.1	—
Tuesday, " 30,	29.4	39.0	46.0	33.9	27.3	30.6	1.0	—
Wednesday, " 31,	27.6	38.1	45.7	37.7	25.0	31.4	—	—
Thursday, January 1,	38.9	37.7	45.2	41.1	26.0	33.6	—	—
Friday, " 2,	44.9	38.1	44.9	48.6	40.0	44.3	—	—
Saturday, " 3,	41.3	40.2	44.6	43.2	40.8	42.0	0.1	—
Weekly Mean, . .	35.7	39.2	45.6	39.9	31.9	35.9	Total 3.5	Total. .005

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 10TH JANUARY, 1914.

[No. 2.]

*General Register Office Charlemont House,
Dublin, 12th January, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 25·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Dec. 20	Dec. 27	Jan. 3	Jan. 10	
27 Town Districts, (a)	18·9	15·9	25·7	25·4	21·5
Dublin Reg. Area ...	20·3	17·1	30·4	26·3	23·5
Dublin City ...	22·7	19·1	33·1	28·6	25·9
Belfast ...	18·6	19·8	25·4	26·5	22·6
Cork ...	23·1	10·9	28·6	29·2	22·9
Londonderry ...	11·4	11·4	21·6	14·0	14·6
Limerick ...	17·6	13·5	12·2	16·2	14·9
Waterford ...	34·2	11·4	17·1	30·4	23·3

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 2·1 per 1 000. Among the 203 deaths from all causes for Belfast are 2 from typhus, one from measles, 12 from scarlet fever, 3 from whooping-cough, 4 from diphtheria, and 4 from diarrhoeal diseases. Included in the 43 deaths from all causes for Cork are one from enteric fever and 2 from diarrhoeal diseases. Two of the 16 deaths from all causes for Waterford are from diarrhoea and enteritis of children under 2 years of age. One of the 7 deaths from all causes for Tralee is from whooping-cough. The 8 deaths from all causes for Clonmel include one from scarlet fever. Six of the 9 deaths recorded for Armagh are from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 246—110 boys and 136 girls—and the deaths to 210—102 males and 108 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 26·3 per 1,000 of the population. During the two weeks, ending with Saturday last, the death-rate averaged 28·4, and was 4·2 above the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 210, represent an annual rate of 27·0 per 1,000; the annual rate for the past two weeks was 29·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·3 per 1,000 of the mean population for all deaths registered.

Among the total deaths there were 3 from enteric fever, one from each of measles and whooping-cough, 2 from diphtheria, 3 from influenza, and 2 from diarrhoea and enteritis of children under 2 years of age. In each of the three weeks preceding, deaths from enteric fever were one, 0, and one; deaths from measles were one, one, and 2; deaths from whooping-cough were one, one, and 0; deaths from diphtheria were 6, 2, and 4; deaths from influenza were 2, 2, and 3; and deaths from diarrhoea and enteritis of children were 8, 5, and 3.

Deaths from all forms of tuberculous disease amounted to 28; this figure includes 20 deaths from pulmonary tuberculosis, 4 from tuberculous meningitis, and 4 from other forms of the disease. In each of the 3 preceding weeks deaths from all forms of tuberculous disease numbered 30, 17, and 35.

Eleven deaths were caused by broncho-pneumonia and 8 by pneumonia (type not distinguished).

Eight deaths were assigned to cancer.

There were 5 deaths from convulsions of infants under one year of age; at this age period 2 deaths were referred to congenital malformations, 7 to premature birth, and one to congenital debility.

Organic diseases of the heart caused the deaths of 13 persons, and 42 persons died from bronchitis.

Of 12 deaths resulting from accident, or negligence, 2 were by poisoning, 3 by burns and scalds, one of the latter being aged one year and 4 months. There was one death by drowning and one death of an infant by suffocation in bed.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 infants under one year old, and the deaths of 4 persons aged 65 years and upwards.

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (32 being infants under one year, of whom 11 were under one month old) and 64 were aged 65 years and upwards, including 51 persons aged 70 and upwards; among the latter were 28 aged 75 and upwards, of whom one (a male) was stated to have been aged 90 years.

Eighty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the North Dublin Union Workhouse and 24 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 26·3 per 1,000; the rate in the City was 28·6 (North City Districts, 24·4; South, 33·3) and in the Suburbs 19·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·0 (in the North City Districts 0·3, and in the South 1·8), and for the Suburbs 1·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (16) are equal to an annual rate of 27·6 per 1,000. Among them are one death from diphtheria, one from pulmonary tuberculosis, 2 from pneumonia, 4 from bronchitis, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (23) are equal to an annual rate of 29·1 per 1,000. One death from influenza, 2 deaths from tuberculous disease, one death from broncho-pneumonia, 5 deaths from bronchitis, and 4 accidental deaths were recorded.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 22·4 per 1,000. One of the deaths was caused by influenza and one by pulmonary tuberculosis.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 24·9 per 1,000. There were 2 deaths from tuberculous disease, 2 from pneumonia, and 6 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·5 per 1,000 inhabitants; Coolock and Drumcondra, part of, 22·9; and Finglas and Glasnevin, part of, 9·7. One of the 6 deaths from all causes for Coolock and Drumcondra, part of, was from tuberculous disease and one was from bronchitis; and of the 2 deaths recorded for Finglas and Glasnevin, part of, one was from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (23) represent an annual rate of 29·4 per 1,000. One death was caused by enteric fever, 4 deaths were caused by tuberculous disease, 5 by pneumonia, 6 by bronchitis, and one by accident.

No. 2 South City District (Castle-street).—The deaths (19) are equal to an annual rate of 54·0 per 1,000. There were 3 deaths from pulmonary tuberculosis, 5 from bronchitis, and 2 accidental deaths.

No. 3 South City District (Peter-street).—The deaths (30) are equal to an annual rate of 35·9 per 1,000, and include one death from enteric fever, 6 from tuberculous disease, 3 from pneumonia, 5 from bronchitis, one death of a child under 2 years of age from diarrhoea and enteritis, and one accidental death.

No. 4 South City District (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 23·6 per 1,000. Among them are one death from measles, 2 from tuberculous disease, 3 from broncho-pneumonia, 3 from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 31·8 per 1,000. One death from pulmonary tuberculosis and 3 deaths from bronchitis were recorded.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·6; Pembroke, 24·1; Blackrock, 11·3; and Kingstown, 15·4. The deaths from the principal epidemic diseases tabulated for these districts comprise one death from enteric fever, one from whooping-cough, and one from diphtheria for Pembroke. The 14 deaths from all causes for Rathmines and Rathgar include one death from influenza, 3 from tuberculous disease, one from bronchitis, and one accidental death. Of the 14 deaths from all causes for Pembroke 2 were caused by pulmonary tuberculosis, one by bronchitis, and one by accident; and of the 5 deaths from all causes for Kingstown one was attributed to pneumonia, one to bronchitis, and one to accident.

ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 20·5), was equal to an average annual death-rate of 19·3 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 20·2 per 1,000, the rate for Glasgow being 18·4, and for Edinburgh 22·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 10th January. From this Report it appears that of a total of 84 cases notified, 54 were scarlet fever, 15 diphtheria, 7 phthisis, 7 erysipelas, and one enteric fever. Among the 599 cases of infectious diseases in hospital at the close of the week were 315 cases of scarlet fever, 132 of phthisis, 79 of diphtheria, 45 of measles, 11 of erysipelas, and 5 of enteric fever.

* See Columns 10-17 and 23-4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908."

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 10th January, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Dec. 20,	.	—	—	19	.	.	17	.	.	11	6	.	—	—	.	—	.	27	80
	Dec. 27,	.	—	—	15	.	.	8	.	1	3	2	.	—	—	.	—	.	6	35
	Jan. 3,	.	—	—	24	.	.	15	.	1	3	6	.	—	—	.	—	.	17	66
	Jan. 10,	.	—	—	12	.	.	3	.	2	2	.	.	—	—	.	—	.	38	57
Rathmines and Rathgar Urban District.	Dec. 20,	.	—	—	2	.	.	6	.	.	1	.	.	—	—	—	—	—	—	9
	Dec. 27,	.	—	—	4	.	.	3	—	—	—	—	—	—	7
	Jan. 3,	.	—	—	1	.	.	1	—	—	—	—	—	—	2
	Jan. 10,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	Dec. 20,	.	.	.	1	.	.	1	.	.	5	.	.	—	1	—	—	—	.	8
	Dec. 27,	.	1	.	1	.	.	1	—	.	—	—	—	.	3
	Jan. 3,	.	13	.	1	2	1	.	—	.	—	—	—	1	18
	Jan. 10,	.	8	.	1	—	.	—	—	—	—	9
Blackrock Urban District.	Dec. 20,	.	—	—	—	—	.	—	—	—	.
	Dec. 27,	.	—	—	—	—	.	—	—	—	.
	Jan. 3,	.	—	—	—	—	.	—	—	—	.
	Jan. 10,	.	—	—	.	.	.	1	—	—	.	—	—	—	1
Kingstown Urban District.	Dec. 20,	.	—	—	—	—	—	—	—	—	.
	Dec. 27,	.	—	—	—	—	—	—	—	—	.
	Jan. 3,	.	—	—	—	—	—	—	—	—	.
	Jan. 10,	.	—	—	—	—	—	—	—	—	.
City of Belfast.	Dec. 20,	.	—	—	66	.	.	12	.	.	2	6	1	—	—	.	—	.	8	95
	Dec. 27,	.	—	—	50	.	.	9	2	1	1	5	.	—	—	1	—	.	4	73
	Jan. 3,	.	—	—	67	2	.	8	.	.	1	1	.	—	—	.	—	.	9	88
	Jan. 10,	.	—	—	55	.	.	6	.	.	1	4	.	—	—	.	—	.	6	72
City of Cork.	Jan. 3,	.	—	—	6	1	1	.	—	—	—	—	—	—	8
	Jan. 10,	.	—	—	1	3	.	.	—	—	—	—	—	—	4
City of Londonderry.	Jan. 3,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	—	4
	Jan. 10,	.	—	—	1	—	—	—	—	—	—	1
City of Limerick	Jan. 10,	.	—	—	2	—	—	—	—	—	—	2
City of Waterford	Jan. 3,	.	—	—	—	—	—	—	—	—	.
	Jan. 10,	.	—	—	1	.	.	—	—	—	—	—	—	1

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 10th January, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Four cases of enteric fever were admitted to hospital during the week, 13 were discharged, there was one death and 41 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 57, 52, and 51.

Three cases of typhus remained under treatment in hospital at the close of the week. The cases in hospital at the end of the 3 preceding weeks numbered 3, 4, and 3, respectively.

Nine cases of measles were admitted to hospital, 2 were discharged, and 18 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 8, 10, and 11 respectively.

Sixteen cases of scarlet fever were admitted to hospital, 31 were discharged, and 117* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 126, 124, and 132, respectively.

Seven cases of diphtheria were admitted to hospital during the week, 12 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 84, 65, and 57 respectively, were 51 at the close of last week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 3 were discharged, there were 4 deaths, and 25 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the of 10th January, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.																	Deaths in Institutions of Persons admitted from without the Registration Area.	
		CITY OF DUBLIN.																		
		REGISTRATION DISTRICTS IN																		
		Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.				URBAN DISTRICTS OF							
		NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.	TOTAL FOR DUBLIN REGISTRATION AREA.		
Enteric Fever,		1	.	1	.	.	.	1	.	.	3	.	
Typhus,		
Small-pox,		1	.	
Measles,		1	1	.	
Scarlet Fever,		1	.	.	1	.	
Whooping-cough,		1	.	.	2	.	
Diphtheria,		1	1	.	.	3	.	
Croup,		
Influenza,		.	1	1	3	.	
Dysentery,		
Tuberculosis, { Pulmonary,		1	1	1	1	.	.	.	3	3	5	.	1	2	2	.	.	20	.	
{ Other Forms,		.	1	.	1	.	1	.	1	.	1	2	.	1	2	.	.	8	.	
Cancer,		.	.	2	1	2	.	1	2	.	.	8	.	
Diseases of Nervous System,		4	2	1	4	.	1	.	1	2	3	.	.	2	1	1	1	23	1	
" Organs of Special Sense,		
" Circulatory System,		1	2	.	.	.	1	1	1	3	2	1	1	1	.	.	1	15	.	
" Respiratory { Pneumonia,		2	1	.	2	.	.	.	5	.	3	3	1	17	2	
System. { Others,		5	5	2	6	.	2	1	6	6	5	3	3	2	1	.	1	48	.	
" Digestive { Diarrhoea and Enteritis, under 2 years,		1	1	2	.	
" System. { Diarrhoea, 2 years and upwards,		
" { Enteritis, 2 years and upwards,		
" { Others,		.	.	1	1	1	.	.	3	2	
" Genito-urinary System,		2	.	.	1	1	.	.	4	.	
Puerperal Septicæmia, etc.,		
Other Causes incident to Pregnancy and Childbirth,		1	1	.	
Diseases of the Skin and Cellular Tissue,		2	.	1	3	.	
" Locomotor System,		
Other specified Causes,		1	6	4	2	1	1	.	3	3	3	2	.	2	2	1	.	31	.	
Violent Deaths,		1	4	1	2	1	.	.	1	1	.	1	12	.	
Ill-defined, &c. Causes,		
Deaths from All Causes		16	23	12	17	1	6	2	23	19	30	15	6	14	14	2	5	205	5	
Annual Rate of Mortality from All Causes in every 1,000 of the population.		27.6	29.1	22.4	24.9	9.5	22.9	9.7	29.4	54.0	35.9	23.6	31.8	18.6	24.1	11.3	15.4	26.3	.	
		24.4							33.3				19.1							
		28.6																		
Ages at Death.	Under 1 year,	3	3	2	3	1	1	.	8	1	3	2	.	.	2	1	2	32	.	
	1 and under 2 years,	.	1	.	1	.	.	.	1	.	1	4	7	.	
	2 " 5 "	.	1	2	.	.	1	1	.	.	7	.	
	5 " 15 "	1	3	.	1	.	.	.	2	1	1	10	2	
	15 " 25 "	1	1	2	1	3	1	.	.	9	.	
	25 " 45 "	1	2	2	3	.	.	.	3	5	6	1	2	2	2	.	1	30	1	
Ages at Death.	45 " 65 "	2	6	4	4	.	3	.	3	6	8	2	.	3	5	.	1	47	1	
	65 and upwards,	8	6	2	5	.	2	2	5	3	11	4	2	8	3	1	1	63	1	
Number of Uncertified Deaths,		2	4	2	1	1	.	10	.	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																				
Public Hospitals, Prisons, and Lunatic Asylums,		5	3	3	1	.	.	.	2	3	6	2	.	3	5	.	.	38	4	
Workhouse Hospitals,		2	6	4	6	.	.	.	5	6	9	2	.	.	2	.	.	42	1	

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the
in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday											Averages in 2nd Week of the 10 years, 1904-1913.	In the Week ending Saturday, 10th January, 1914.										
													Deaths of Persons of the Ages of										
	Jan. 16, 1904.	Jan. 14, 1905.	Jan. 13, 1906.	Jan. 12, 1907.	Jan. 11, 1908.	Jan. 16, 1909.	Jan. 15, 1910.	Jan. 14, 1911.	Jan. 13, 1912.	Jan. 11, 1913.			Under 1 month.	0-5.									
Mean Temperature.	39.4	41.6	41.5	43.7	36.4	41.1	42.1	39.0	41.8	45.1	41.2	44.3	11	21	7	7	12	9	31	48	36	2	
ALL CAUSES.	216	171	166	219	205	191	177	179	179	184	188.7	210											
Enteric Fever, ...	3	1	.	1	.	3	1	1	1	1	1.2	3	1	.	.	2	.	.	
Typhus,	
Small-pox,	
Measles,	12	.	3	.	8	.	3	3	.	2.9	1	.	.	1		
Scarlet Fever,	1	2	2	2	.	.5		
Whooping-cough, ...	5	1	3	2	1	2	5	5	3	.	2.7	1	.	.	.	1		
Diphtheria,	2	2	.	1	1	.	2	3	3	1.4	2	1	.	.	.	1		
Croup,	11		
Influenza, ...	2	2	2	3	2	.	3	1	1	2	1.8	3	1	.	2	.	.		
Dysentery,	1	.	.		
Erysipelas, ...	1	1	25		
Other Epidemic Diseases,		
Pyæmia and Septicæmia (non-puerperal).	2	1	1	.	1	2	.	.	2	.	.9	1	1		
Tetanus,		
TUBERCULOSIS:																							
Pulmonary Tuberculosis, ...	30	21	14	25	32	17	19	19	19	22	21.8	20	1	4	7	8	.	.	
Tuberculous Meningitis, ...	5	1	5	6	3	3	3	1	2	4	3.3	4	.	.	1	2	1		
Abdominal Tuberculosis, ...	1	.	1	1	1	3	1	1	3	.	1.2		
Tuberculosis of the Vertebral Column.	7	4	10	6	4	2	2	4	1	.	4.1	1	1	.		
Tuberculosis of Joints,				
Tuberculosis of other Organs, Scrofula,				
Disseminated Tuberculosis,	1	1	1	.	.	.													
Venereal Diseases, ...	7	9	5	5	9	13	7	3	12	8	7.8	8	.	2	1	5	1	1	
Cancer,	1	1	.2	2	.	.	.	1	.	.	1	.	.		
Tumour, situation undefined.		
Rheumatic Fever,	15	1	1	.	.	.		
Diabetes,	2	.	1	.	2	.	.	.	1		
Anæmia, Leucocythæmia,	1		
Other General Diseases,	2	2	.	.	1	.	1		
Alcoholism,	3	.	.	14		
Chronic Poisonings,		
Cerebro-spinal Fever,	2	1	.	2	.	1	.	.	1		
Simple Meningitis, ...	55	33	35	62	37	41	45	37	2	5	.	8	2	2	2	.	
Cerebral Hæmorrhage, Apoplexy.													7	5		
Softening of Brain,		
Paralysis, without specified cause.				4	3	2	2	.
Epilepsy,	1	1	.	5	.	3		
Convulsions (non-puerperal),	2	2	.	5	2		
Other Diseases of Nervous System.	1	1	2	2	.	5	.	.	.	1	.	2	2	.	.		
Pericarditis,	1		
Acute Endocarditis,	1		
Organic Diseases of the Heart, Embolism and Thrombosis (including Cerebral)	24	25	13	1	.	5	5	1		
Other Diseases of Circulatory System.	1	1		
Diseases of the Larynx,		
Bronchitis, ...	28	22	24	25	50	28	31	24	25	16	27.3	42	1	3	1	.	2	.	4	8	13	10	
Broncho-pneumonia, ...	10	6	7	7	9	8	7	13	8	6	8.1	11	1	3	2	1	.	.	1	1	2	.	
Lobar pneumonia, ...	1	2	1	2	.	2	.	2	.	2	1.2	
Pneumonia (type not distinguished)	5	5	7	11	8	9	7	1	4	6	6.3	8	3	3	2	.		
Pleurisy,		
Pulmonary Congestion, Pulmonary Apoplexy.	1	4	3	7	5	2	2	1	1	1	3.2	2	1	.	.	.	1	1	.	1	.		
Other Diseases of Respiratory System.																						3	.

SECOND WEEK, ending Saturday, 10th January, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 2nd Week of the 10 years, 1904-1913.	In the Week ending Saturday, 10th January, 1914.											
	Jan. 16, 1904.	Jan. 14, 1905.	Jan. 13, 1906.	Jan. 12, 1907.	Jan. 11, 1908.	Jan. 16, 1909.	Jan. 15, 1910.	Jan. 14, 1911.	Jan. 13, 1912.	Jan. 11, 1913.		Deaths of Persons of the Ages of											
												0-5.											
Mean Temperature ...	29.4	41.6	41.5	43.7	36.4	41.1	42.1	39.0	41.8	45.1	41.2	44.3	Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
Diseases of the Pharynx, Tonsillitis.	
Diseases of Stomach, ...	—	—	—	—	—	—	—	5	4	4	—	1	1	.	.	.	
Diarrhoea and Enteritis of Children under 2 years.	3	7	2	3	2	6	7	4	1	2	4.4	2	.	2	
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																							
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	1	2	—	
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	3	3	2	—	1	1	.	.	
Cirrhosis of Liver. ...	2	1	.	1	3	4	1	.	.	1	1.3	1	1	.	1	.	.	.	
Other Diseases of Liver, ...	2	1	1	.	1	1	3	2	.	.	1.1	1	
Peritonitis (cause unknown), Other Diseases of Digestive System.	9	6	7	5	6	3	7	1	.	2	4.6	1	1	
Acute Nephritis, ...	8	5	8	8	6	9	1	8	1	3	7.1	1	1	.	.	.	
Chronic Bright's Disease, ...																							
Urinary Calculi, ...																							
Uterine Tumour (non-cancerous).																							
Ovarian Tumour (non-cancerous)																							
Other Diseases of Genito-urinary System.	3	.	1	1	.	1	
Puerperal Septicæmia, &c., ...	1	.	1	1	.3	
Other Causes incident to Pregnancy and Childbirth.	1	1	.	1	.	2	.	1	.	1	.7	1	1	
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	1	2	.	—	3	.	.	.	1	.	.	1	.	1	1	
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	.	1	.	—	.	2	
Premature Birth, ...	4	.	6	8	2	5	5	6	6	8	5.0	7	4	3	
Congenital Debility, ...	—	—	—	—	—	—	—	6	2	6	—	1	.	1	
Old Age, ...	8	5	5	6	2	3	4	6	4	6	4.9	13	4	9	.	
Other Specified Diseases, ...	—	—	—	—	—	—	—	1	2	.	—	
ACCIDENT :																							
Poisons or Poisonous Vapours.	1	1	.2	2	1	1	.	.	.	
Conflagration,	—	
Burns and Scalds, ...	1	1	2	1	.	1	2	3	4	1	1.6	3	.	.	1	.	2	
Drowning,	1	.	12	1	1	.	.	.	
Suffocation in Bed,	11	1	.	1	
Other Deaths by Accident, ...	3	3	1	.	2	.	1	2	.	3	1.5	5	2	2	1	1	.	1	
Total Deaths from Accident,	5	4	3	1	4	1	4	5	4	5	3.6	12	.	1	1	.	2	2	3	.	.	.	
Included in above are Deaths in connection with—																							
Railways,	
Vehicles and Horses, ...	1	1	.2	
Ships, Boats, Docks,	
Building Operations,	11	
VIOLENCE OTHER THAN ACCIDENTAL :																							
Homicide,	1	.	.	1	.	.	.2	
Suicide,	2	.	.	.2	
Execution,	
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	3	5	4	—	

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1913-4—WEEK ENDING																									
		July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.
No. of weeks in Annual Series,		29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2
Births registered.		188	218	226	199	212	205	187	239	167	255	232	225	177	211	220	202	190	232	165	209	194	212	185	140	188	246
Average Births in corresponding week of previous 10 years, ...		219	223	215	209	225	221	209	240	206	215	246	200	192	211	194	220	213	193	184	213	187	204	179	186	225	222
Deaths registered.		129	126	149	144	157	163	164	157	193	143	177	163	159	148	162	174	158	164	148	164	153	147	167	137	250	210
Annual Death-rate per 1,000, ...		16.7	16.3	19.3	18.6	20.3	21.7	21.2	20.3	25.4	18.5	22.9	21.1	20.6	19.1	21.0	22.5	20.4	21.2	19.1	21.2	19.8	19.0	21.6	17.7	32.1	27.0
Average Deaths in corresponding week of previous 10 years, ...		144	147	143	144	158	161	153	158	153	164	155	155	154	159	149	168	167	175	171	178	181	171	173	166	193	189
Deaths from:—																											
{ Under 5 years,		36	38	34	41	63	55	58	66	62	45	69	58	66	50	57	54	50	49	47	38	55	49	55	47	63	46
{ 5—15 "		6	8	6	7	5	7	4	8	6	6	2	5	4	9	4	7	6	9	7	9	6	8	8	6	11	12
{ 15—25 "		8	5	6	7	7	8	12	7	16	4	11	6	8	4	11	9	6	8	6	6	4	3	6	6	12	9
{ 25—45 "		16	27	25	26	24	28	30	21	37	18	22	18	17	16	23	29	24	26	15	33	23	31	31	19	32	31
{ 45—65 "		33	24	42	34	29	36	29	33	38	32	40	39	33	39	34	37	33	35	47	35	28	34	37	25	78	48
{ 65—75 "		17	10	22	18	22	19	19	17	18	20	20	23	19	17	23	18	26	24	23	22	26	15	20	20	31	36
{ 75 and upwards,		13	14	14	11	7	15	12	5	19	18	13	14	12	13	10	20	13	13	15	9	13	7	10	14	23	28
Enteric Fever, ...				1					2	6	1	1	2	1		1			2			4	3	1		1	3
Typhus, ...				1				2								1							1				
Small-pox, ...					1			1						1		2			1		1		2		1		
Measles, ...						1			1		2		2	1				1		1	1	1			1		1
Scarlet Fever, ...			3			3			1				1	1				1									
Whooping-cough, ...			1						1				3	2	2		2	1	5	1	2	1	4	6	2	4	2
Diphtheria, ...			1		2				1				3	2	2			1									
Influenza, ...			1				1		1				1		1		1	2									
Dysentery, ...																											
Tuberculosis { Pulmonary ...		15	18	22	17	17	20	18	20	24	15	18	13	16	12	19	18	18	22	14	17	15	16	23	12	24	20
{ Other Forms, ...		6	8	8	9	10	10	8	8	5	1	4	6	7	6	6	13	6	5	6	6	5	5	7	5	11	8
Cancer, ...		14	5	16	11	8	8	6	14	13	9	13	11	7	11	10	11	10	8	12	11	7	6	7	7	7	8
Diseases of Circulatory System, ...		12	13	12	23	6	22	11	7	18	17	18	15	10	15	18	15	21	12	9	17	11	17	18	19	26	15
Diseases of Respi- { Pneumonia		5	5	6	8	3	9	7	2	6	12	6	4	7	6	8	12	13	12	14	14	18	19	18	12	22	19
ratory System, { Others, ...		11	9	13	9	12	13	7	9	10	10	14	13	13	15	13	15	14	12	20	22	17	22	16	17	51	48
Diarrhoea and Enteritis, under																											
2 years, ...		11	6	11	12	27	21	29	31	37	25	33	26	29	23	16	14	7	8	9	7	5	4	8	5	3	2
Diarrhoea, 2 years and upwards, ...		1	1	1	2	2	2	2	4	1	1	1	2		1				4								
Violent Deaths, ...		1	1	4	5	7	3	7	5	6	9	5	4	2	3	5			3	5	6	4	3	1	2	6	12
Number of Uncertified Deaths, ...		3	4	1	2	3	2	3	2	2	3		3	2	3	5	7	2	4	6	3	4	6	4	3	14	10
Mean Temperature of the Air		59.4	54.2	56.4	55.4	61.8	56.5	57.0	55.3	54.9	49.5	56.5	56.6	51.4	52.9	43.5	50.9	44.4	46.6	46.6	47.6	44.4	46.0	44.1	37.7	34.6	44.3
(Phoenix Park) in degrees, ...																											
Average Mean Temperature in		59.6	59.0	58.6	58.4	57.3	56.2	56.5	54.5	52.3	52.6	52.4	51.6	50.4	49.8	45.7	45.2	44.6	42.0	41.9	41.5	42.2	42.5	42.4	41.5	41.9	41.1
corresponding week of previous																											
10 years, ...		405	160	000	185	345	205	000	005	1.540	1.435	1.115	060	2.730	140	530	1.040	710	645	640	150	1.065	1.165	065	620	035	445
Rainfall in inches, ...																											
Mean Humidity of the Air, com-		84	83	83	79	83	81	86	84	85	90	88	92	90	86	86	86	80	90	88	90	93	93	87	90	90	88
plete Saturation 1.0, ...																											

* For 9 years only

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 10th January, 1914; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 10TH JANUARY, 1914.																															
CLASS.	OCCUPATION OR SOCIAL POSITION (The 3138 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).	Popula- tion in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911	Total Number of Deaths.	AGES.										CAUSES OF DEATH																
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths	
(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)						
ALL PERSONS.																															
		397,957	—	210	46	12	9	31	48	36	28	8	.	.	1	.	1	2	.	20	8	8	5	19	48	2	.	12	81	10	
CLASSES.																															
I.	Deaths in Families of the—			3	6	1	2	7	8	9	10
II.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	10.7	43	6	1	2	7	8	9	10
III.	MIDDLE CLASS, ...	101,798	22.0	48	10	4	1	10	10	8	2	2
IV.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	21.6	45	10	4	1	10	10	8	2	2
V.	GENERAL SERVICE CLASS, ...	167,479	23.7	76	24	5	6	8	16	9	8	1	.	1
	INMATES OF WORKHOUSES, ...	5,602	—	43	6	2	.	5	14	9	7
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	19.9	3	.	.	.	1	.	1	1
	2. Merchants and Manufacturers, Higher Class	1,347
	3. Persons of Rank and Property, not otherwise described, ...	5,443
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	11.0	2	1	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	22.8	11	4	.	2	1	2	2	2
	6. Clerks and Commercial Assistants, ...	33,249	18.8	12	1	.	2	3	2	3	1
III.	Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	27.7	18	.	1	.	3	4	4	6
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	17.7	4	1	1	.	1	.	1
	9. Building and Furnishing Trades, ...	28,823	19.9	11	4	2	.	1	2	1	1
	10. Clothing Trades, ...	20,026	18.2	7	1	1	1	3	1	.	1
	11. Food Supply Trades, ...	8,952	23.3	4	1	.	.	2	1
	12. Other Trades and Callings ranking with Trades, ...	32,070	26.0	16	3	.	.	3	6	4	.	1
	13. Petty Shopkeepers	6,772	23.1	3	3
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	16.1	4	.	.	1	.	1	1	1
	15. Domestic Servants, ...	36,041	8.7	6	3	.	3
	16. Coach and Car Drivers, Vanmen, &c., ...	15,880	6.8	2	1	1
	17. Hawkers, Porters, Labourers, &c., ...	103,081	52.4	64	23	4	5	8	12	8	4	1	.	1
V.	INMATES OF WORKHOUSES.	5,602	—	43	6	2	.	5	14	9	7
	18. Workhouse Inmates, ...																														

TABLE VII. Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1913-4. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	Dec. 6	19.2	3.5	11	1	1	1	2
	" 13	12.2	.	7	1	.	1	.	2
	" 20	29.6	3.5	17	2	.	.	2	1	2	.	.	.
	" 27	13.9	.	8	1	.	2	1	1
Population in 1914 (Est.) 30,206.	Jan. 3	41.4	1.7	24	1	.	4	1	.	3	6	.	.	2	1
	" 10	27.6	1.7	16	1	.	1	.	.	2	5	.	.	1	2
North City, No. 1 (W.) (Office, Summer-hill.)	Dec. 6	20.4	2.6	16	1	.	2	.	.	3	2	1	.	.	1
	" 13	16.6	1.3	13	1	.	1	.	.	5	3	.	.	.	2
	" 20	25.5	2.6	20	1	1	.	1	.	1	5	1	1	.	.	1
	" 27	30.6	1.3	24	5	.	.	1	1	.	1	.	2
Population in 1914 (Est.) 41,278.	Jan. 3	34.1	.	27	4	1	1	2	5	.	.	1	3
	" 10	29.1	.	23	1	1	.	1	5	.	.	4	4
North City, No. 2. (Office, Lisburn-street.)	Dec. 6	29.9	1.9	16	1	1	.	2	4
	" 13	24.3	.	13	1	.	.	3	2
	" 20	26.2	1.9	14	1	4	3
	" 27	18.7	1.9	10	2	3	1	.	.	.
Population in 1914 (Est.) 27,883.	Jan. 3	46.8	5.6	25	1	.	2	6	3	.	.	2
	" 10	22.4	.	12	1	.	2	.	2
North City, No. 3. (Office, Benburb-street.)	Dec. 6	22.2	1.5	15	1	1	.	.	4	1
	" 13	17.8	1.5	12	1	1	.	1	2	1	.	1	.
	" 20	25.2	1.5	17	1	.	6	2
	" 27	10.4	.	7	2	1
Population in 1914 (Est.) 35,536.	Jan. 3	47.0	.	32	2	2	.	5	7	.	.	.	1
	" 10	24.9	.	17	1	1	1	2	6
Clontarf and Howth No. 1 (part of).	Dec. 6
	" 13	19.2	.	2	1	.	.	1
	" 20
Population in 1914 (Est.) 5,485.	" 27	28.8	.	3	1
	Jan. 3	19.0	.	2	1	.
	" 10	9.5	.	1
Coolock and Drumcondra (part of).	Dec. 6	19.2	.	5	1	.	.	1
	" 13	11.5	.	3
	" 20	11.5	3.8	3	1	1
	" 27	23.1	.	6	2
Population in 1914 (Est.) 13,685.	Jan. 3	7.6	.	2
	" 10	22.9	.	6	1	.	.	2
Finglas and Glasnevin (part of).	Dec. 6	19.6	.	4	1
	" 13	4.9	.	1
	" 20	29.5	.	6	2
	" 27	4.9	.	1
Population in 1914 (Est.) 10,723.	Jan. 3	1	.	.	.
	" 10	9.7	.	2
South City, No. 1. (Office, St. Earl-street.)	Dec. 6	18.1	3.9	14	1	.	.	.	3	.	.	.	2	2	.	.	.
	" 13	23.3	2.6	18	2	1	1	1	1	1	.	.	1	.
	" 20	20.7	1.3	16	1	2	1	1	1	2
	" 27	20.7	2.6	16	1	.	.	1	2	1	1	4	1	.	.	.
Population in 1914 (Est.) 40,768.	Jan. 3	23.0	.	18	2	.	.	.	5	.	.	.	2
	" 10	29.4	1.3	23	1	3	1	.	5	6	.	.	1	2
South City, No. 2. (Office, Castle-street.)	Dec. 6	22.7	2.8	8	1	.	.	.	2	1	.	.	.
	" 13	17.1	.	6	1	.	1	1	1	.	.	.	1
	" 20	25.6	5.7	9	1	.	1	.	1	1	1	.	3
	" 27	19.9	.	7	1	.	1
Population in 1914 (Est.) 18,341.	Jan. 3	48.3	2.8	17	1	1	3	1	1	3	.	.	1	1
	" 10	54.0	.	19	3	.	.	.	6	.	.	2	1
South City, No. 3. (Office, Peter-street.)	Dec. 6	18.1	1.2	15	1	.	3	2	1	.	1	1
	" 13	19.4	2.4	16	1	.	1	2	.	3	3	1	.	.	1
	" 20	19.4	1.2	16	1	.	2	.	2	1	3
	" 27	19.4	2.4	16	1	1	.	3	2	2	.	.	.
Population in 1914 (Est.) 43,540.	Jan. 3	27.5	1.2	23	1	.	5	.	.	3	6
	" 10	35.9	2.4	30	1	5	1	.	3	5	1	.	1	.
South City, No. 4. (Office, Grand Canal-st.)	Dec. 6	18.9	1.6	12	.	.	.	1	2	1	1	3	1
	" 13	22.0	7.9	14	.	.	.	2	2	1	1	.	3	1	.	.	1
	" 20	23.6	12.6	15	.	.	.	1	4	.	1	.	.	6	.	.	1
	" 27	18.9	3.1	12	.	.	.	1	.	.	1	.	.	.	1	2	3
Population in 1914 (Est.) 33,171.	Jan. 3	36.2	4.7	23	.	.	.	1	.	.	2	.	1	1	2	4	5	.	.	1	1
	" 10	23.6	3.1	15	.	.	.	1	2	2	3	3	1	.	.	.
New Kilmainham.	Dec. 6	21.4	.	4	1	.	.	.	1	.	.	1	.
	" 13	21.4	5.3	4	1
	" 20	5.3	.	1
Population in 1914 (Est.) 9,851.	" 27	16.0	.	3	1
	Jan. 3	21.2	.	4	1	.	.	.	1	.	.	1	.
	" 10	31.8	.	6	1	.	.	.	3

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1913-4. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS	NUMBER OF DEATHS FROM															Number of Uncertified Deaths	
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES*		Enteric Fever.	Typhus.	Small pox	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Influenza and Enteritis of Children under 2 years of age.	1 Earliest 2 years of age and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Dec. 6	10.8	1.3	8	1	1	.	1	1	.
	" 13	10.8	.	8	4	.	.	.	2
	" 20	9.4	.	7	1	.	.	1	1
	" 27	12.1	2.7	9	1	1	.	1	.	.
	Jan. 3	20.0	.	15	2	2	1	.	4	.	.	.	1
" 10	18.6	.	14	2	1	1	.	2	
Pembroke Urban District. Population in 1914 (Est.) 30,240	Dec. 6	10.4	.	6	2	.	.	.	1
	" 13	24.4	1.7	14	.	1	1	.	1	4	2
	" 20	15.7	1.7	9	1	.	.	2	.	2	2
	" 27	7.0	1.7	4	1	.	.	.	1	.	.	.	1
	Jan. 3	20.7	1.7	12	.	.	.	1	1	.	1
" 10	24.1	5.2	14	1	1	1	.	2	.	2	.	1	.	.	1	.	
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Dec. 6
	" 13	5.7	5.7	1	1
	" 20	17.1	.	3	1	1	.
	" 27	5.7	.	1
	Jan. 3	28.3	.	5	1	1
" 10	11.3	.	2	
Kingstown Urban District. Population in 1911 16,941.	Dec. 6	18.5	.	6	1	.	2	1
	" 13	12.3	.	4	1	.	1	.	.	.	1
	" 20	12.3	.	4	1
	" 27	15.4	.	5	1	1
	Jan. 3	24.6	.	8	1	1
" 10	15.4	.	5	1	1	.	1	.	
Belfast. Population in 1914 (Est.) 399,000.	Dec. 6	15.4	1.7	117	1	.	.	.	8	3	.	.	10	6	3	13	14	1	.	3	1
	" 13	18.0	1.8	137	8	3	2	.	8	5	7	25	10	.	1	2	3
	" 20	18.6	1.3	141	5	3	1	.	12	2	10	14	14	1	.	1	1
	" 27	19.8	2.0	150	.	.	.	1	6	7	.	.	15	9	6	28	15	1	.	3	1
	Jan. 3	25.4	1.7	194	1	.	.	.	3	6	2	.	15	8	3	23	36	1	.	5	.
" 10	26.5	3.4	203	.	2	.	1	12	3	4	.	14	8	10	29	28	2	2	.	5	
Cork. Population in 1911 76,673.	Dec. 6	16.3	2.0	24	1	.	.	.	5	2	2	.	1	2	.	1	3
	" 13	21.1	0.7	31	7	2	.	1	3	1	.	.	1
	" 20	23.1	.	34	4	4	1	1	6	.	1	.	1
	" 27	10.9	.	16	2	.	2	2	2	.	.	.	1
	Jan. 3	28.6	0.7	42	5	5	2	2	4	1	.	.	.
" 10	29.2	2.0	43	1	6	1	.	1	8	1	1	.	.	2
Londonderry. Population in 1914 (Est.) 41,100.	Dec. 6	17.8	2.5	14	1	1	1	.	1	2	.	.	.
	" 13	8.9	.	7	1	.	.	1	.
	" 20	11.4	.	9	1	2	.	3
	" 27	11.4	.	9	1	.	.	1	2
	Jan. 3	21.6	1.3	17	1	.	2	1	2	2	1	.	.	2	.
" 10	14.0	.	11	1	1	.	2	
Limerick. Population in 1911 38,518.	Dec. 6	14.9	.	11	1	.	.	.	4	.	.	.	2
	" 13	12.2	1.4	9	1	.	2	.	.	1	1	.	.	.	2
	" 20	17.6	.	13	1	.	.	.	4	.	.	.	1
	" 27	13.5	1.4	10	1	1	.	.	.	4	.	.	.	1
	Jan. 3	12.2	.	9	1	.	.	.	5	.	.	.	2
" 10	16.2	1.4	12	1	4	1
Waterford. Population in 1911 27,464.	Dec. 6	11.4	.	6	1	2	2
	" 13	9.5	.	5	1	.	1	.	1
	" 20	34.2	.	18	7	2	.	.	2	.	1	.	.
	" 27	11.4	.	6	3	.	1	.	1
	Jan. 3	17.1	.	9	2	.	1	.	2	.	2	.	3
" 10	30.4	3.8	16	2	1	.	.	2	

* See note (1) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

1913-4—WEEK ENDING

BELFAST.	No. of weeks in Annual Series,	July 19.	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.
		29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2
BIRTHS registered,	218	280	317	195	282	192	193	214	234	173	234	197	192	201	191	179	231	182	170	186	136	205	196	130	284	195
DEATHS registered,	120	120	121	115	159	142	175	157	155	160	148	100	127	111	115	102	133	139	126	112	117	137	141	150	194	208
Annual Death-rate per 1,000 of estimated population.	...	13.8	15.9	15.9	15.1	20.9	18.7	23.0	20.7	20.4	21.1	19.5	13.2	16.7	14.6	15.1	13.4	17.5	18.3	16.6	14.7	15.4	18.0	18.6	19.8	25.4	26.5
AGES, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,	...	18	24	21	35	46	47	54	42	59	44	42	24	29	22	24	15	39	31	19	19	14	23	27	28	42	46
	...	16	10	15	15	32	17	20	21	13	21	20	15	16	11	19	12	21	15	24	14	24	26	17	29	23	36
	...	15	11	20	11	15	16	18	15	13	25	13	11	20	15	12	14	13	14	14	8	15	12	16	25	14	17
	...	18	24	17	17	23	19	34	23	23	18	16	17	17	13	15	20	13	24	15	21	20	22	32	20	25	26
	...	30	24	26	17	28	22	27	29	30	26	31	20	25	23	23	18	24	32	29	24	27	29	32	30	39	47
	...	23	27	23	20	15	21	22	27	17	26	26	13	20	24	22	23	23	23	25	26	17	25	17	18	51	31
Deaths from:—	...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Enteric Fever,
Typhus,
Small-pox,
Measles,
Scarlet Fever,
Whooping-cough,
Diphtheria,
Dysentery,
Tuberculosis, {
Pulmonary,	18	12	16	7	12	18	26	10	15	16	13	10	14	12	8	13	18	22	9	8	10	8	12	15	14	14
Other Forms,	7	6	3	7	9	2	5	7	5	5	3	3	5	3	6	7	6	2	5	3	6	5	2	9	8	8
Cancer,	10	10	10	6	8	4	5	4	4	3	9	4	5	9	6	5	8	8	10	6	3	7	10	6	3	10
Diseases of Respiratory System, {	...	7	4	3	7	11	5	5	11	10	10	16	8	8	9	6	5	10	16	9	10	13	25	14	28	29	29
Pneumonia,	15	11	7	7	13	13	9	8	4	11	15	7	16	7	15	15	13	15	11	12	14	10	14	15	36	28
Others,
Diarrhoea and Enteritis, under 2 years,	4	6	13	25	33	39	30	30	41	37	22	15	9	9	2	5	3	1	6	1	1	1	1	1	1	2
Diarrhoea, 2 years and upwards,	1	2	1	3	6	1	1	3	1	5	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
Violent Deaths,
Number of Uncertified Deaths,	3	1	1	1	1	1	1	3	3	1	1	1	4	3	2	1	2	6	1	1	1	1	3	1	1	5
Mean Temperature of the Air in degrees.	...	57.6	56.6	58.9	57.0	58.4	58.5	57.1	57.4	56.0	51.8	57.0	55.7	52.0	54.5	47.7	49.5	44.4	46.7	46.6	48.3	43.1	45.4	43.3	40.0	32.3	41.1
Rainfall, in inches,	0.68	0.39	0.00	0.01	0.19	0.51	0.13	0.00	0.51	2.90	0.71	0.04	0.33	0.81	0.74	2.13	1.22	1.65	0.92	0.26	1.51	0.78	0.07	0.82	0.41	1.83

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1918-14 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Jan. 10,	2,317	1,779	20·5	5	.	7	4	12	11	23
EDINBURGH, ...	321,900	" 10,	139	136	22·0	.	.	5	4	.	3	2
GLASGOW, ...	1,047,000	" 10,	710	370	18·4	1	.	15	2	2	6	2
CALCUTTA, ...	896,067	Nov. 29,	.	637	36·9	90*	1	.	.	.	2†	150† ^a
BOMBAY, ...	979,445	Dec. 6,	451	525	27·9	60*	3	6	.	1	.	55 ^a
MADRAS, ...	518,660	" 6,	390	437	43·8	74*	1	2	?	?	?	127 ^a
CAIRO, ...	715,609	Oct. 21,	601	380	27·7	4	4	2	.	?	22†	63
PARIS, ...	2,847,229	Dec. 27,	855	1,037	18·6	7	.	1	.	5	4†	20
BRUSSELS, ...	767,252	" 20,	223	174	11·8	2	.	.	.	1	9†	11
ANTWERP, ...	312,884	" 20,	117	71	15·2	1	1†	7
AMSTERDAM, ...	594,444	" 20,	300	124	10·9	3	.	3	1	4	.	3
COPENHAGEN, ...	482,000	" 20,	191	129	14·0	.	.	1	.	.	1†	4
STOCKHOLM, ...	376,171	" 20,	171	108	14·9	5 ^a
CHRISTIANIA, ...	250,423	" 27,	90	57	11·8	1	.	.	.	2	2	1 ^a
ST. PETERSBURG ...	1,708,600	" 6,	856	659	20·1	13	4	21	16	9	7	31
MOSCOW, ...	1,694,000	Nov. 29,	.	706	21·7	3	.	20	20	6	19†	71 ^a
BERLIN, ...	2,057,715	Dec. 13,
HAMBURG, ...	1,006,748	" 20,	.	250	12·9	1	.	2	2	3	13†	15 ^a
BRESLAU, ...	542,755	" 20,	.	179	17·2	.	.	.	1	4	.	14 ^a
MUNICH, ...	638,000	" 20,	.	194	15·9	.	.	9	.	1	3†	1
VIENNA (with suburbs),	2,132,523	" 20,	663	618	15·1	.	.	.	6	5	9†	25
BUDA-PESTH, ...	930,666	" 20,	441	310	17·3	3	.	4	10	.	4†	11
PRAGUE and Faubourgs,	494,055	Nov. 29,	153	174	18·4	.	.	.	1	.	.	2
TRIESTE, ...	242,595	Dec. 20,
ROME, ...	582,565	July 26,
NEW YORK, ...	5,372,983	Nov. 29,	2,371	1,288	12·5	10	.	5	4	5	14†	29
PHILADELPHIA, ...	1,631,960	" 22,	.	486	15·5	3	.	.	6	1	14†	8
BOSTON, ...	735,399	Dec. 20,	.	276b	19·9	.	.	.	4	.	1	4 ^a

* Deaths from "fever," including 6 from enteric fever and one from plague in Calcutta; one from enteric fever and 4 from plague in Bombay; and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 71 deaths from cholera in Calcutta.

^a Deaths from diarrhoeal diseases at all ages.

^b Corrected figures, i.e., non-residents deducted, 254 (including 3 deaths from diarrhoeal diseases), rate 18·0 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 10th January, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	2	2
„ „ 1, West,	1	.	.	1	6	8
„ „ 2,	9	9
„ „ 3,	1	2	3
Clontarf and Howth No. 1 (part of),	.	1	1
Coolock and Drumcondra (part of),	.	3	3
Finglas and Glasnevin (part of),	1	1
South City No. 1,	2	1	1	6	10
„ „ 2,	8	8
„ „ 3,	2	2	4
„ „ 4,	4	.	.	1	3	8
New Kilmainham,
Total,	12	.	.	3	.	2	2	33	57

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 10th January, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 10th January.			
	Dec. 20.	Dec. 27.	Jan. 3.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	57	52	51	4	13	1	41
Typhus, ...	3	4	3	.	.	.	3
Small-pox,
Measles, ...	8	10	11	9	2	.	18
Scarlet Fever, ...	126	124	132	16	31	.	117*
Diphtheria, ...	84	65	57	7	12	1	51
Pneumonia, ...	23	26	23	9	3	4	25

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 10th January, 1914:—

"Changeable, unsettled weather held during this week, air-temperature in particular being in a particularly unstable condition. The period opened with a deep atmospheric depression moving in an easterly direction from the east coast of Iceland across the Norwegian Sea. At the same time an anticyclone (30·5 inches and upwards), centred on the Bay of Biscay and over the Peninsula, threw a current of warm S.W. winds upon the British Islands. As the northern depression approached the south of Norway, gradients for W. winds became steep in the United Kingdom and gales sprang up in many districts on Sunday afternoon or at night. The depression subsequently travelled south-eastwards across Germany and Austria to the extreme S.E. of Europe. Its N.W. winds brought snow and frost to the British Islands on Monday and Tuesday. On Wednesday a remarkable change occurred as another large and deep depression appeared over Iceland, travelling eastward like its predecessor, while the Peninsular anticyclone with another depression near the Azores sent a strong current of warm S.W. winds right across the British Islands to Shetland, the south of Norway and Denmark. Meanwhile the northern depression crossed the Norwegian Sea and Scandinavia to the Baltic, causing a violent northeasterly gale and a heavy snowstorm in Sweden on Thursday and Friday, while rain fell in the Low Countries and Germany—on Saturday morning ·99 inch was measured at Munich and 1·02 inches at Brussels. At the close of the week an anticyclone, with colder weather, was spreading southwestwards to Great Britain from Scandinavia. In Dublin the mean height of the barometer was 29·942 inches, the range of pressure being between 29·559 inches, at 9 p.m. of Monday (wind, W.) and 30·193 inches at 9 a.m. of Wednesday (wind, W.S.W.). The corrected mean temperature was 45·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 44·6°. On Wednesday the screened thermometers fell to 31·8°, on Friday they rose to 56·0°. The wind was usually from W. or S.W. Rain fell on 4 rain-days to the amount of ·362 inch, of which ·171 inch was measured on Friday. Snow fell on Monday night."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29.954 inches. The highest reading (30.194) was on Wednesday, at 9 a.m., air calm, the lowest (29.576) on Monday, at 9 p.m., wind W.

The mean temperature for the week was 44.3°, being 3.1° above the average for the corresponding period of the 10 years, 1904-1913. The temperature* was highest on Thursday and Friday, on which days the thermometer registered 56°, and was lowest on Wednesday, the mercury having fallen to 27°. The mean of the Dry Bulb for the week was 43.7° and of the Wet Bulb, 42.4°. The mean humidity of the air was .88 complete saturation being represented by 1.0. The rainfall during the week measured 0.445 inch.

At Greenwich the mean temperature for the week was 43.7°, the maximum 55.4°, and the minimum 29.1°; and at Edinburgh the maximum was 48.2°, the minimum 28.8°, and the mean 39.5°. The rainfall at Greenwich measured 0.39 in., and at Edinburgh 1.29 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155.3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.			BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 10.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
			Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1.0.					
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.	9 A.M.	9 P.M.
Sunday,	January	4,	29.875	50	43	46.5	47.5	46.1	.90	.6	0.0	.160	W.S.W.	W.S.W.
Monday,	"	5,	29.650	47	32	40.0	34.5	32.9	.85	.7	3.0	.085	W.S.W.	W.
Tuesday,	"	6,	29.995	40	32	36.0	33.5	32.4	.85	.3	4.6	.000	W.N.W.	W.
Wednesday,	"	7,	30.155	44	27	35.5	38.0	36.2	.80	.6	3.0	.020	Calm.	S.W.
Thursday,	"	8,	29.905	56	42	49.0	53.1	51.5	.90	.6	0.1	.060	S.W.	W.S.W.
Friday,	"	9,	29.980	56	50	53.0	52.5	51.5	.92	.4	0.8	.120	W.	Calm.
Saturday,	"	10,	30.120	54	46	50.0	47.1	46.2	.93	.1	0.0	.000	W.N.W.	Calm.
Mean,	29.954	49.6	39.0	44.3	43.7	42.4	.88	.5	Total 11.5	Total .445	Prevailing Wind, W.S.W.	

Sunday—Day overcast, drizzling and heavy rain at intervals p.m.; night overcast, drizzling rain at intervals a.m. Monday—Day bright to overcast; night cloudy, heavy showers of snow at intervals from 9.10 p.m.-11.50 p.m. Tuesday—A beautiful bright day; night clear. Wednesday—A fine day, cloudy at intervals; night overcast, drizzling rain at intervals a.m. Thursday—Day overcast, drizzling rain at intervals a. and p.m.; night overcast, drizzling rain at intervals a.m. Friday—A dull day, drizzling rain at intervals p.m.; night overcast. Saturday—Day overcast; night overcast.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 10th January, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, January 4,	50.1	41.8	44.3	51	47	49	hrs. —	ins. .130
Monday, " 5,	37.2	42.2	44.4	44	34	29	3.0	.062
Tuesday, " 6,	36.0	40.5	41.5	40	34	37	1.7	—
Wednesday, " 7,	37.5	39.5	44.5	44	30	37	—	—
Thursday, " 8,	51.7	40.0	44.4	57	43	50	—	—
Friday, " 9,	54.2	43.4	44.0	57	52	54.5	0.8	.160
Saturday, " 10,	50.0	45.0	44.2	54	49	51.5	2.4	—
Weekly Mean, .	45.2	41.8	44.3	49.6	41.3	45.4	Total 7.9	Total .352

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.] WEEK ENDING SATURDAY, 17TH JANUARY, 1914. [No. 3.

*General Register Office Charlemont House
Dublin, 19th January, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 21·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Dec. 27	Jan. 3	Jan. 10	Jan. 17	
27 Town Districts, (a)	15·9	25·7	25·4	21·7	22·2
Dublin Reg. Area ...	17·1	30·4	26·3	24·0	24·4
Dublin City ...	19·1	33·1	28·6	25·7	26·6
Belfast ...	19·8	25·4	26·5	22·7	23·6
Cork ...	10·9	28·6	29·2	19·7	22·1
Londonderry ...	11·4	21·6	14·0	12·7	14·9
Limerick ...	13·5	12·2	16·2	29·8	17·9
Waterford ...	11·4	17·1	30·4	15·2	18·5

The deaths from certain epidemic diseases† registered in the 27 town districts during last week* were equal to an annual rate of 1·6 per 1,000. Among the 174 deaths from all causes for Belfast are 10 from scarlet fever, one from whooping-cough, 2 from diphtheria and 3 from diarrhoea and enteritis of children under 2 years. The 7 deaths from all causes for Galway include one from each of measles and whooping cough. One of the 3 deaths from all causes for Newry is from scarlet fever. Among the 7 deaths from all causes for Newtownards are 2 from whooping-cough and one from diarrhoea and enteritis of a child under 2 years. Four of the 5 deaths recorded for Armagh are from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 203—108 boys and 95 girls—and the deaths to 205—100 males and 105 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 18) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 24·0 per 1,000 of the population. During the three weeks, ending with Saturday last, the death-rate averaged 26·9, and was 2·6 above the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.
(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 205, represent an annual rate of 26·3 per 1,000; the annual rate for the past three weeks was 28·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·5 per 1,000 of the mean population for all deaths registered.

The total number of deaths included 3 from enteric fever, one from measles, 2* from scarlet fever, one from influenza, and 6 from diarrhoea and enteritis of children under 2 years of age. In each of the three weeks preceding, deaths from enteric fever were 0, one, and 3; deaths from measles were one, 2, and one; deaths from scarlet fever were 0, 0, and 0; deaths from influenza were 2, 3, and 3; and deaths from diarrhoea and enteritis of children under 2 years were 5, 3, and 2.

The deaths from tuberculous disease numbered 23, and include 19 deaths from pulmonary tuberculosis, 3 from tuberculous meningitis, and one from disseminated tuberculosis. In the 3 weeks preceding deaths from all forms of tuberculosis numbered 17, 35, and 28, respectively.

Of 21 deaths assigned to pneumonia (all forms), 13 were from broncho-pneumonia, 2 were from lobar pneumonia, and 6 from pneumonia (type not distinguished).

During the week the deaths of 12 persons from cancer were registered.

There were 3 deaths from convulsions of infants under one year of age; at this age-period there were 2 deaths from congenital malformations, 4 from premature birth, and 6 from congenital debility.

Twenty-one of the deaths were caused by organic diseases of the heart, and 27 by bronchitis.

Of 3 deaths from accidental violence or negligence, one was by burning and one was by drowning. There was one suicidal death.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases were deaths of infants under one year old.

Forty-five of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 14 were under one month old) and 63 were aged 65 years and upwards, including 46 persons aged 70 and upwards; among the latter were 31 aged 75 and upwards, of whom 2 (females) were stated to have been each aged 92 years.

Ninety of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse and 26 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·0 per 1,000; the rate in the City was 25·7 (North City Districts, 25·6; South, 25·8) and in the Suburbs 18·6.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·2 (in the North City Districts 0·6, and in the South 1·8), and for the Suburbs 2·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (18) are equal to an annual rate of 31·1 per 1,000. There were 2 deaths from tuberculous disease, 3 from pneumonia, one from bronchitis, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (21) are equal to an annual rate of 26·5 per 1,000. Among them are one from pulmonary tuberculosis, 5 from broncho-pneumonia, and 2 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 22·4 per 1,000. Two deaths were caused by tuberculous disease, 2 by pneumonia, and one by bronchitis.

No. 3 North City District (Benburb-street).—The deaths (20) represent an annual rate of 29·3 per 1,000, and include one death each from enteric fever and measles, 5 from tuberculous disease, and one from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·5 per 1,000 inhabitants; Coolock and Drumcondra, part of, 19·1; and Finglas and Glasnevin, part of, 19·5. The only death recorded for Clontarf and Howth, No. 1, part of, was from pulmonary tuberculosis; of the 5 deaths from all causes for Coolock and Drumcondra, part of, one was from pulmonary tuberculosis, and one from bronchitis; and the 4 deaths from all causes for Finglas and Glasnevin, part of, include 2 deaths from bronchitis, and one case of suicide.

No. 1 South City District (South Earl-street).—The deaths (21) represent an annual rate of 26·9 per 1,000. There were 3 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, 2 deaths from bronchitis, 2 deaths of children under 2 years of age from diarrhoea and enteritis, and one accidental death.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 34·1 per 1,000. Two deaths from pulmonary tuberculosis, 2 deaths from bronchitis, and one accidental death were recorded.

No. 3 South City District (Peter-street).—The deaths (28) are equal to an annual rate of 33·5 per 1,000. Among them are 3 deaths from pulmonary tuberculosis, one from broncho-pneumonia, 7 from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

No. 4 South City District (Grand Canal Street).—The deaths (9) are equivalent to an annual rate of 14·1 per 1,000, and include one death from enteric fever, one from pulmonary tuberculosis, one from broncho-pneumonia, and 2 from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·6 per 1,000. One of the deaths was caused by scarlet fever and one by bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 25·3; Pembroke, 13·8; Blackrock, 17·0; and Kingstown, 12·3. The deaths from the principal epidemic diseases tabulated for these districts comprise one death from enteric fever, and 3 deaths from diarrhoea and enteritis of children under 2 years of age for Pembroke. Among the 19 deaths from all causes for Rathmines and Rathgar are one from influenza, one from pulmonary tuberculosis, 2 from pneumonia, and 2 from bronchitis. Of the 8 deaths from all causes for Penitroke one was from bronchitis. The 3 deaths for Blackrock include one from broncho-pneumonia; and of the 4 deaths from all causes for Kingstown one was from pulmonary tuberculosis and one from pneumonia.

ENGLAND AND SCOTLAND

The mortality last week in 97 large English towns (including London, in which the rate was 17·0), was equal to an average annual death-rate of 17·0 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 20·4 per 1,000, the rate for Glasgow being 21·1, and for Edinburgh 22·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 17th January. From this Report it appears that of a total of 88 cases notified, 45 were scarlet fever, 22 phthisis, 12 diphtheria, 8 erysipelas, and one enteric fever. Among the 633 cases of infectious diseases in hospital at the close of the week were 309 cases of scarlet fever, 168 of phthisis, 75 of diphtheria, 51 of measles, 12 of erysipelas, and 5 of enteric fever.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908."

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 17th January, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Dec. 27.	.	—	—	15	.	.	8	.	1	3	2	.	—	—	.	—	.	6	35
	Jan. 3.	.	—	—	24	.	.	15	.	1	3	6	.	—	—	.	—	.	17	66
	Jan. 10.	.	—	—	12	.	.	3	.	2	2	.	.	—	—	.	—	.	38	57
	Jan. 17.	.	—	—	13	.	.	9	.	.	5	5	.	—	—	.	—	.	24	56
Rathmines and Rathgar Urban District.	Dec. 27.	.	—	—	4	.	.	3	—	—	—	—	—	—	7
	Jan. 3.	.	—	—	1	.	.	1	—	—	—	—	—	—	2
	Jan. 10.	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	Jan. 17.	.	—	—	.	.	.	3	—	—	—	—	—	—	3
Pembroke Urban District.	Dec. 27.	.	1	.	1	.	.	1	—	—	—	—	—	1	3
	Jan. 3.	.	13	.	1	2	1	.	—	—	—	—	—	—	18
	Jan. 10.	.	8	.	1	—	—	—	—	—	—	9
	Jan. 17.	.	17	—	—	—	—	—	—	17
Blackrock Urban District.	Dec. 27.	.	—	—	—	—	—	—	—	—	.
	Jan. 3.	.	—	—	—	—	—	—	—	—	.
	Jan. 10.	.	—	—	.	.	.	1	—	—	—	—	—	—	1
	Jan. 17.	.	—	—	—	—	—	—	—	—	.
Kingstown Urban District.	Dec. 27.	.	—	—	—	—	—	—	—	—	.
	Jan. 3.	.	—	—	—	—	—	—	—	—	.
	Jan. 10.	.	—	—	—	—	—	—	—	—	.
	Jan. 17.	.	—	—	1	—	—	—	—	—	4	5
City of Belfast.	Dec. 27.	.	—	—	50	.	.	9	2	1	1	5	.	—	—	1	—	.	4	73
	Jan. 3.	.	—	—	67	2	.	8	.	.	1	1	.	—	—	.	—	.	9	88
	Jan. 10.	.	—	—	55	.	.	6	.	.	1	4	.	—	—	.	—	.	6	72
	Jan. 17.	.	—	—	54	.	.	8	.	.	4	7	1	—	—	.	—	.	11	85
City of Cork.	Jan. 3.	.	—	—	6	1	1	.	—	—	—	—	—	—	8
	Jan. 10.	.	—	—	1	3	.	.	—	—	—	—	—	—	4
	Jan. 17.	.	—	—	.	.	.	2	.	.	.	2	.	—	—	—	—	—	—	4
City of Londonderry.	Jan. 3.	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	—	4
	Jan. 10.	.	—	—	1	—	—	—	—	—	—	1
	Jan. 17.	.	—	—	2	1	.	.	—	—	—	—	—	—	3
City of Limerick.	Jan. 3.	.	—	—	2	.	.	—	—	—	—	—	—	2
	Jan. 10.	.	—	—	2	—	—	—	—	—	—	2
	Jan. 17.	.	—	—	5	1	.	.	—	—	—	—	—	—	6
City of Waterford.	Jan. 3.	.	—	—	—	—	—	—	—	—	.
	Jan. 10.	.	—	—	1	.	.	—	—	—	—	—	—	1
	Jan. 17.	.	—	—	1	.	.	—	—	—	—	—	—	1

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 17th January, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Five cases of enteric fever were admitted to hospital during the week, 4 were discharged, there was one death and 41 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 52, 51, and 41.

Three cases of typhus remained under treatment in hospital at the close of the week. The cases in hospital at the end of the 3 preceding weeks numbered 4, 3, and 3, respectively.

Four cases of measles were admitted to hospital, 3 were discharged, there was one death, and 18 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 10, 11, and 18 respectively.

Seventeen cases of scarlet fever were admitted to hospital, 34 were discharged, there were 2 deaths, and 98* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 124, 132, and 117, respectively.

Twelve cases of diphtheria were admitted to hospital during the week, 9 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 65, 57, and 51 respectively, were 53 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 6 were discharged, there were 2 deaths, and 23 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 17th of January, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	1	.	.	1	.	.	3	.
Typhus,
Small-pox,	1	.
Measles,	1	1	1	1
Scarlet Fever,	1	.
Whooping-cough,
Diphtheria,
Croup,	1	.
Influenza,
Dysentery,
Tuberculosis, { Pulmonary,	1	1	.	4	1	1	3	2	3	1	.	1	.	.	1	19	.	
{ Other Forms,	1	.	2	1	.	.	.	1	2	.	.	2	.	1	1	4	3	
Cancer,	2	9	.	
Diseases of Nervous System,	5	3	1	5	.	2	3	.	4	.	.	2	.	1	.	26	4	
" Organs of Special Sense,	
" Circulatory System,	1	5	2	2	.	1	6	2	2	.	1	22	1	
" Respiratory { Pneumonia,	3	5	2	.	.	.	1	4	1	1	.	2	1	1	1	21	.	
System. { Others,	1	2	2	1	.	2	2	2	3	2	1	3	1	.	.	28	2	
Diarrhoea and Enteritis, under 2 years,	2	.	1	.	.	3	.	.	6	.	
" Digestive System. { Diarrhoea, 2 years and upwards,	
Enteritis, 2 years and upwards,	2	.	.	2	.	.	.	8	3	
Others,	1	2	.	1	3	.	.	1	.	.	.	6	.	
" Genito-urinary System,	1	.	.	1	
Puerperal Septicæmia, etc.,	
Other Causes incident to Pregnancy and Childbirth,	
Diseases of the Skin and Cellular Tissue,	1	1	1	
" Locomotor System,	
Other specified Causes,	3	3	3	1	.	.	3	2	4	3	.	2	1	.	.	25	3	
Violent Deaths,	1	1	1	1	4	.	
Ill-defined, &c. Causes,	1	.	1	.	.	.	2	.	
Deaths from All Causes	18	21	12	20	1	5	4	21	12	28	9	2	19	8	3	4	187	18
Annual Rate of Mortality from All Causes in every 1,000 of the population.	31.1	26.5	22.4	29.3	9.5	19.1	19.5	26.9	34.1	33.5	24.1	10.6	25.3	13.8	17.0	12.3	24.0	.
	25.6							25.8							18.6			
	25.7																	
Ages at Death. { Under 1 year,	4	4	2	4	1	6	1	.	2	4	1	.	29	1
1 and under 2 years,	2	1	2	2	.	.	.	1	2	.	1	11	.
2 " 5 "	2	2	4	.
5 " 15 "	2	.	.	1	2	5	1
15 " 25 "	2	1	1	4	.
25 " 45 "	1	1	1	5	1	1	5	3	4	2	.	2	1	1	1	29	3	
45 " 65 "	5	6	3	8	.	2	4	3	8	1	.	5	.	1	1	47	8	
65 and upwards,	4	5	4	4	.	4	7	1	9	4	.	10	3	.	1	58	5	
Number of Uncertified Deaths,	1	1	2	.	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	4	3	4	1	1	1	1	2	6	1	1	3	1	.	.	31	16
Workhouse Hospitals,	3	1	4	9	.	.	.	7	3	8	4	.	1	1	.	.	41	2

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 3rd Week of the 10 years, 1904-1913.	In the Week ending Saturday, 17th January, 1914.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	Jan. 23, 1904.	Jan. 21, 1905.	Jan. 20, 1906.	Jan. 19, 1907.	Jan. 18, 1908.	Jan. 23, 1909.	Jan. 22, 1910.	Jan. 21, 1911.	Jan. 20, 1912.	Jan. 18, 1913.		Deaths of Persons of the Ages of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
												0-5.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
												Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Mean Temperature.	42·4	38·6	38·5	43·0	44·5	38·8	37·6	38·6	42·7	35·7	40·0	39·5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

THIRD WEEK, ending Saturday, 17th January, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 3rd Week of the 10 years, 1904-1913.	In the Week ending Saturday, 17th January, 1914.																										
												Deaths of Persons of the Ages of																										
												0-5.																										
	Jan. 23, 1904.	Jan. 21, 1905.	Jan. 20, 1906.	Jan. 19, 1907.	Jan. 18, 1908.	Jan. 23, 1909.	Jan. 22, 1910.	Jan. 21, 1911.	Jan. 20, 1912.	Jan. 18, 1913.		Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																	
Mean Temperature ...	42.4	28.6	38.5	43.0	44.5	38.8	37.6	38.6	42.7	35.7	40.0	39.5																										
Diseases of the Pharynx, Ton- sillitis.	1	1	.	.	.2																		
Diseases of Stomach, ...	—	—	—	—	—	—	—	2	3	4	—	2	2	.	.																		
Diarrhoea and Enteritis of Children under 2 years.	1	.	2	5	4	12	7	2	4	3	4.1	6	1	4	1																		
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	1	1	2	—	1	1	.	.																		
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	—	—	1	1	2	—	3	1	2	.																		
Cirrhosis of Liver,	1	1	.	1	3	.	.	.	1	1	.8	3	3	.	.																		
Other Diseases of Liver, ...	3	.	.	2	1	.	.	1	1	1	1	.9	1	1	.																		
Peritonitis (cause unknown),	1	.	.	1	1	.	.	.3																		
Other Diseases of Digestive System.	3	5	6	8	6	3	3	3.4	1	.	1																		
Acute Nephritis, ...	4	8	5	11	7	4	4	8	2	1	6.6	1	3	.	.	.	1	.	1	.																		
Chronic Bright's Disease, ...																					6	5	
Urinary Calculi,
Uterine Tumour (non-can- cerous).																				
Ovarian Tumour (non-can- cerous)																				
Other Diseases of Genito- urinary System.	1	.	2	2	.	.																		
Puerperal Septicæmia, &c.,	1	.	.	1	1	.3																		
Other Causes incident to Pregnancy and Childbirth.	1	.	1	.	1	1	.4																		
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	4	1	2	—	2	1	.	1																		
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	.	1	1	—																		
Premature Birth, ...	7	2	4	7	4	2	7	2	4	2	4.1	4	4																		
Congenital Debility, ...	—	—	—	—	—	—	—	4	4	6	—	6	3	3																		
Old Age, ...	11	5	3	7	7	.	4	7	8	3	5.5	12	5	7																		
Other Specified Diseases, ...	—	—	—	—	—	—	—	1	1	4	—																		
ACCIDENT :																																						
Poisons or Poisonous Vapours.	1	.1																		
Conflagration,	1																		
Burns and Scalds,	2	4	2	1	2	.	1	.	1	1.2	1	.	.	.	1																		
Drowning, ...	2	.	.	15																		
Suffocation in Bed,	1	.	12																		
Other Deaths by Accident, ...	2	2	2	3	2	3	.	.	3	.	1.7	1	1	.																		
Total Deaths from Accident,	4	4	7	6	4	5	.	1	5	2	3.8	3	.	.	.	1	.	1	1	.																		
Included in above are Deaths in connection with—																																						
Railways,3																		
Vehicles and Horses, ...	1	1	1																		
Ships, Boats, Docks,																		
Building Operations,																		
VIOLENCE OTHER THAN ACCIDENTAL:																																						
Homicide,	2	.	13																		
Suicide,	1	.	2	1	.	.	.	1	.	.5	1	1	.																		
Execution,																		
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	6	10	3	—	2	.	.	1	1																		

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1913-4—WEEK ENDING																									
		July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.
No. of weeks in Annual Series,		30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3
BIRTHS registered.		218	226	199	212	205	187	239	167	255	232	225	177	211	220	202	190	232	165	209	194	212	185	140	158	246	203
Average Births in corresponding week of previous 10 years, ...		223	215	209	225	221	209	240	206	215	246	200	192	211	194	220	213	193	184	213	187	204	179	186	225	222	212
DEATHS registered, ...		126	149	144	157	168	164	157	193	143	177	163	159	148	162	174	158	164	148	164	153	147	167	137	250	210	205
Annual Death-rate per 1,000, ...		16.3	19.3	18.6	20.3	21.7	21.2	20.3	25.4	18.5	22.9	21.1	20.6	19.1	21.0	22.5	20.4	21.2	19.1	21.2	19.8	19.0	21.6	17.7	32.1	27.0	26.3
Average Deaths in corresponding week of previous 10 years, ...		147	143	144	158	161	153	158	153	164	155	155	154	159	149	168	167	173	171	178	181	171	166	193	189	194	194
Ages, { Under 5 years, ...		88	84	41	63	55	58	66	62	45	69	58	66	50	57	54	50	49	47	38	55	49	55	47	63	46	45
5-15 " ...		8	6	7	5	7	4	8	6	6	2	5	4	9	4	7	6	9	7	9	6	8	8	6	11	12	6
15-25 " ...		5	6	7	7	8	12	7	16	4	11	6	8	4	11	9	6	8	6	6	4	3	6	6	12	9	4
25-45 " ...		27	25	26	24	28	30	21	37	18	22	18	17	16	23	29	24	26	15	33	23	31	31	19	32	31	32
45-65 " ...		24	42	34	29	36	29	33	38	32	40	39	33	39	34	37	33	35	35	47	26	34	37	25	78	43	55
65-75 " ...		10	22	18	22	19	19	17	18	20	20	23	19	17	23	18	26	24	23	22	26	15	20	20	31	36	32
75 and upwards, ...		14	14	11	7	15	12	5	19	18	13	14	12	13	10	20	13	13	15	9	13	7	10	14	23	28	31
Deaths from :—		1	1	1	1	1	1	2	6	1	1	2	1	1	1	1	1	2	1	1	4	3	1	1	1	3	3
Enteric Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diphtheria, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis { Pulmonary ...		18	22	17	17	20	18	20	24	15	18	13	16	12	19	18	18	22	14	17	15	16	23	12	24	20	19
" { Other Forms, ...		8	8	9	10	10	8	8	5	1	4	6	7	6	6	13	6	5	6	6	5	5	7	5	11	8	4
Cancer, ...		5	16	11	8	8	6	14	13	9	13	11	7	11	10	11	10	8	12	11	7	6	7	7	7	8	12
Diseases of Circulatory System, ...		13	12	23	6	22	11	7	17	18	15	15	10	15	18	15	21	12	9	17	11	17	18	19	26	15	23
Diseases of Respi- (Pneumonia ...		5	6	8	3	9	7	2	6	12	6	4	7	6	8	12	13	12	14	14	18	19	18	12	22	19	21
ratory System, { Others, ...		9	13	9	12	13	7	9	10	10	14	13	13	15	18	15	14	12	20	22	17	22	16	17	51	48	30
Diarrhoea and Enteritis, under 2 years, ...		6	11	18	27	21	29	31	37	25	33	26	29	23	16	14	7	8	9	7	5	4	8	5	3	2	6
Diarrhoea, 2 years and upwards, ...		1	1	2	2	2	2	4	1	1	1	2	2	1	1	1	1	4	1	1	1	1	1	2	2	4	6
Violent Deaths, ...		4	4	5	7	7	2	5	6	9	5	4	2	3	5	2	5	3	5	6	3	3	1	2	6	12	4
Number of Uncertified Deaths, ...		4	1	2	3	2	3	2	2	3	3	3	2	3	5	7	2	4	6	3	4	6	4	3	14	10	2
Mean Temperature of the Air (Phoenix Park) in degrees, ...		54.2	56.4	55.4	61.8	56.5	57.0	55.3	54.9	49.5	56.5	56.6	51.4	52.9	43.5	50.9	44.4	46.6	46.6	46.6	47.6	44.4	46.0	44.1	37.7	34.6	44.3
Average Mean Temperature in corresponding week of previous 10 years, ...		59.0	58.6	58.4	57.3	56.2	56.5	54.5	53.3	52.6	52.4	51.6	50.4	49.8	45.7	45.2	44.6	42.0	41.9	41.5	42.2	42.5	42.4	41.5	41.9	41.1	40.0
Rainfall in inches, ...		1.60	.000	.185	.345	.205	.000	.005	1.540	1.435	1.115	.060	2.730	.140	.530	1.040	.710	.645	.640	.150	1.065	.165	.065	.620	.035	.445	260
Mean Humidity of the Air, complete Saturation 1.0,83	.83	.79	.83	.81	.86	.84	.85	.90	.88	.92	.90	.86	.86	.86	.90	.90	.88	.90	.93	.93	.87	.90	.90	.88	.81

* For 9 years only.

Registration of Births and Deaths, Ireland.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1913-4. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Un- certified Deaths.
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteric fever of children under 5 years of age.	Diarrhoea, 2 years and upwards.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	Dec. 13	12.2	.	7	1	.	1	.	2
	" 20	29.6	3.5	17	2	.	.	2	1	2	.	.	.
	" 27	13.9	.	8	1	.	2	1	1
	Jan. 3	41.4	1.7	24	1	.	4	1	.	3	6	.	.	2	1
Population in 1914	" 10	27.6	1.7	16	1	.	1	.	.	2	5	.	.	.	2
(Est.) 30,206.	" 17	31.1	.	18	1	1	.	3	1	.	.	1	1
North City, No. 1 (W.) (Office, Summer-hill.)	Dec. 13	16.6	1.3	13	1	.	1	.	.	5	3	.	.	.	2
	" 20	25.5	2.6	20	1	1	.	1	.	1	5	1	.	.	.	1
	" 27	30.6	1.3	24	5	.	.	1	1	.	1	.	2
	Jan. 3	34.1	.	27	4	1	1	2	5	.	.	.	3
Population in 1914	" 10	29.1	.	23	1	1	.	1	5	.	.	.	4
(Est.) 41,278.	" 17	26.5	.	21	1	.	.	5	2
North City, No. 2. (Office, Lisburn-street.)	Dec. 13	24.3	.	13	1	.	.	3	2
	" 20	26.2	1.9	14	1	4	3
	" 27	18.7	1.9	10	2	3	1	.	.	.
	Jan. 3	46.8	5.6	25	1	.	2	6	3	.	.	2
Population in 1914	" 10	22.4	.	12	1	.	2	2	2
(Est.) 27,883.	" 17	22.4	.	12	2	.	2	2
North City, No. 3. (Office, Benburb-street.)	Dec. 13	17.8	1.5	12	1	1	.	1	2	1	.	1	.
	" 20	25.2	1.5	17	1	.	6	2	1
	" 27	10.4	.	7	2	1
	Jan. 3	47.0	.	32	2	2	.	5	7	.	.	.	1
Population in 1914	" 10	24.9	.	17	1	1	1	2	6
(Est.) 35,536.	" 17	29.3	2.9	20	1	.	.	1	4	1	2	.	1
Clontarf and Howth No. 1 (part of).	Dec. 13	19.2	.	2	1	.	.	1
	" 20
	" 27	28.8	.	3	1
	Jan. 3	19.0	.	2	1	.
Population in 1914	" 10	9.5	.	1
(Est.) 5,485.	" 17	9.5	.	1	1
Coolock and Drumcondra (part of).	Dec. 13	11.5	.	3	1
	" 20	11.5	3.8	3	1
	" 27	23.1	.	6	2
	Jan. 3	7.6	.	2
Population in 1914	" 10	22.9	.	6	1	.	.	2
(Est.) 13,685.	" 17	19.1	.	5	1	.	.	.	1
Finglas and Glasnevin (part of).	Dec. 13	4.9	.	1
	" 20	29.5	.	6	2
	" 27	4.9	.	1
	Jan. 3
Population in 1914	" 10	9.7	.	2	1
(Est.) 10,723.	" 17	19.5	.	4	2	.	.	1	.
South City, No. 1. (Office, Sth. Earl-street.)	Dec. 13	23.3	2.6	18	2	1	1	1	1	1	.	.	1	.
	" 20	20.7	1.3	16	1	2	1	1	1	2
	" 27	20.7	2.6	16	1	.	1	2	1	1	4	1	.	.	.
	Jan. 3	23.0	.	18	2	.	.	.	5	.	.	.	2
Population in 1914	" 10	29.4	1.3	23	1	3	1	.	5	6	.	.	1	.
(Est.) 40,768.	" 17	26.9	2.6	21	3	.	.	1	2	2	.	1	.
South City, No. 2. (Office, Castle-street.)	Dec. 13	17.1	.	6	1	.	1	1	1	.	.	.	1
	" 20	25.6	5.7	9	1	.	1	.	1	1	1	.	3
	" 27	19.9	.	7	1	.	1
	Jan. 3	48.3	2.8	17	1	1	3	1	1	3	.	.	1	1
Population in 1914	" 10	54.0	.	19	3	.	.	.	6	.	.	2	1
(Est.) 18,341.	" 17	34.1	.	12	2	.	1	4	2	.	.	1	1
South City, No. 3. (Office, Peter-street.)	Dec. 13	19.4	2.4	16	1	.	1	2	.	3	3	1	.	.	1
	" 20	19.4	1.2	16	1	.	2	.	2	1	3
	" 27	19.4	2.4	16	1	1	.	3	2	2	.	.	.
	Jan. 3	27.5	1.2	23	1	.	5	.	.	3	6
Population in 1914	" 10	35.9	2.4	30	1	5	1	.	3	5	1	.	1	.
(Est.) 43,540.	" 17	33.5	1.2	28	3	.	2	1	8	1	.	.	.
South City, No. 4. (Office, Grand Canal-st.)	Dec. 13	22.0	7.9	14	.	.	.	2	.	.	2	.	2	1	1	.	3	1	.	.	1
	" 20	23.6	12.6	15	.	.	.	1	.	.	1	.	4	6	.	.	1
	" 27	18.9	3.1	12	1	.	.	.	1	2	4
	Jan. 3	36.2	4.7	23	.	.	.	1	1	1	2	5
Population in 1914	" 10	23.6	3.1	15	.	.	.	1	.	.	2	.	1	1	2	4	3	3	1	.	1
(Est.) 33,171.	" 17	14.1	1.6	9	1	1	.	2	1	2
New Kilmainham.	Dec. 13	21.4	5.3	4	1	1	.	.	.
	" 20	5.3	.	1
	" 27	16.0	.	3
Population in 1914	Jan. 3	21.2	.	4	1	.	.	.	1	.	.	1	.
(Est.) 9,851.	" 10	31.8	.	6	1	.	.	.	3
	" 17	10.6	5.3	2	1

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1913-4. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncer- tified Deaths.	
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Dec. 13 " 20 " 27 Jan. 3 " 10 " 17	10.8 9.4 12.1 20.0 18.6 25.3	. . 2.7 . . .	8 7 9 15 14 19 1	4 1 1 2 2 1	. . . 2 1 1 1 2 2	2 1 . 4 2 3	. . . 1 1 1 . .
Pembroke Urban District. Population in 1914 (Est.) 30,240	Dec. 13 " 20 " 27 Jan. 3 " 10 " 17	24.4 15.7 7.0 20.7 24.1 13.8	1.7 1.7 1.7 1.7 5.2 6.9	14 9 4 12 14 8 1 1	1 1 1 1	1 1 1 . 2 .	. 2	1 . . 1 2 .	4 2 . . . 1	. 2 . 1 1 .	. . 1 . . 3 1 1 .
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Dec. 13 " 20 " 27 Jan. 3 " 10 " 17	5.7 17.1 5.7 28.3 11.3 17.0	5.7	1 3 1 5 2 3	1 1	1 . . . 1 1 1 .	
Kingstown Urban District. Population in 1911 16,941.	Dec. 13 " 20 " 27 Jan. 3 " 10 " 17	12.3 12.3 15.4 24.6 15.4 12.3	4 4 5 8 5 4 1 . . 1	1 . . . 1 1	. . . 1 1 .	1 1 . 1 1 1 .	
Belfast. Population in 1914 (Est.) 399,000.	Dec. 13 " 20 " 27 Jan. 3 " 10 " 17	18.0 18.6 19.8 25.4 26.5 22.7	1.8 1.3 2.0 1.7 3.4 2.1	137 141 150 194 203 174	. . . 1 2 1 . . .	8 . 6 3 12 10	3 3 7 6 3 1	2 1 . 2 4 2	8 12 15 15 14 17	5 2 9 8 10 5	7 10 6 3 8 8	25 14 28 23 29 23	10 14 15 36 28 27	. 1 1 1 2 3	1 . . 1 2 1 2 .	2 1 3 5 . 1
Cork. Population in 1911 76,673.	Dec. 13 " 20 " 27 Jan. 3 " 10 " 17	21.1 23.1 10.9 28.6 29.2 19.7	0.7 . . 0.7 2.0 .	31 34 16 42 43 29 1	7 4 2 5 6 7	2 4 . 5 1 2	. 1 2 2 . .	1 1 2 2 1 .	3 6 2 4 8 7	1 . . 1 1 1 .	. 1 . . 1 .	
Londonderry. Population in 1914 (Est.) 41,100.	Dec. 13 " 20 " 27 Jan. 3 " 10 " 17	8.9 11.4 11.4 21.6 14.0 12.7	. . . 1.3 . .	7 9 9 17 11 10 1 1 2 1 1 .	. 1 1 2 1 .	. 2 2 2 1 .	. 1 1 2 2 4	1 3 2 1	1 . . 2 . .	
Limerick. Population in 1911 38,518.	Dec. 13 " 20 " 27 Jan. 3 " 10 " 17	12.2 17.6 13.5 12.2 16.2 29.8	1.4 . 1.4 . 1.4 .	9 13 10 9 12 22	. . 1 1	2 1 1 1 . 1 4	1 . . 4 5 4	1 4 4 5 1 5	. . . 1 1 2 2 .	
Waterford. Population in 1911 27,464.	Dec. 13 " 20 " 27 Jan. 3 " 10 " 17	9.5 34.2 11.4 17.1 30.4 15.2 3.8 .	5 18 6 9 16 8 2 2 2	. 2 . . 1 .	1 . 1 1 1	1 2 1 . 2 1 2 2 2 .	1 2 . 2 .	

* See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

Belfast.	1913-4—WEEK ENDING																									
	July 26.	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.
No. of weeks in Annual Series,	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3
BIRTHS registered, ...	280	217	195	232	192	193	214	234	173	234	197	192	201	191	179	231	182	170	186	186	205	196	130	284	195	254
DEATHS registered, ...	120	121	115	159	142	175	157	165	160	148	100	127	111	115	102	133	139	126	112	117	137	141	150	194	208	174
Annual Death-rate per 1,000 of estimated population, ...	15.3	15.9	15.1	20.9	18.7	23.0	20.7	20.4	21.1	19.5	13.2	16.7	14.6	15.1	13.4	17.5	18.3	16.6	14.7	15.4	18.0	18.6	19.8	25.4	26.5	22.7
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,	24	21	35	46	47	54	42	59	44	42	24	29	22	24	15	39	31	19	19	14	23	27	28	42	46	24
	10	15	15	32	17	20	21	13	21	20	15	16	11	19	12	21	15	24	14	24	26	17	29	23	36	24
	11	20	11	15	16	18	15	13	25	13	11	20	15	12	14	13	14	14	8	15	12	16	25	14	17	14
	24	17	17	23	19	34	23	23	18	16	17	17	13	15	20	13	24	15	21	20	22	32	20	25	26	30
	24	25	17	23	22	27	29	30	26	31	20	25	23	23	18	24	32	29	24	27	29	32	30	39	47	36
Deaths from:— Enteric Fever, Typhus, ... Small-pox, Measles, ... Scarlet Fever, Whooping-cough, ... Diphtheria, Dysentery, Tuberculosis, { Pulmonary, Other Forms, Cancer, ... Diseases of Respi- ratory System, { Pneumonia, Others, ... Diarrhoea and Enteritis, under 2 years, Diarrhoea, 2 years and upwards, Violent Deaths, ... Number of Uncertified Deaths, ... Mean Temperature of the Air in degrees. Rainfall, in inches, ...	1	.	.	3	1	.	.	.	2	1	.	1	.	.	.	1	.	1	2	1	.	.	.	1	.	.
	1
	.	2	.	.	.	1	1	.	1	2	.	.	1	3	1	.	1	.
	1	2	1	3	2	1	1	3	4	3	3	1	3	7	5	7	7	9	4	8	8	5	6	3	12	10
	1	2	.	2	1	1	1	.	1	.	.	2	1	1	.	.	3	2	1	3	3	3	7	6	3	1
Mean Temperature of the Air in degrees. Rainfall, in inches,	1	.	.	.	2	.	2	3	1	.	2	1	1	.	.	2	.	1	.	2	1	.	2	4	2
	12	16	7	12	18	26	10	15	16	13	10	14	12	8	13	13	22	9	8	10	8	12	15	15	14	17
	6	3	7	9	2	5	7	5	5	3	3	5	3	6	7	6	2	5	3	6	5	2	9	8	8	5
	10	10	6	8	4	5	4	4	3	9	4	5	9	6	5	8	8	10	6	3	7	10	6	3	10	8
	4	3	7	11	5	5	11	10	10	16	8	8	9	6	5	10	16	9	10	13	25	14	28	23	29	23
Mean Temperature of the Air in degrees. Rainfall, in inches, ...	11	7	7	13	13	9	8	4	11	15	7	15	7	15	15	13	15	11	12	14	10	14	15	86	28	27
	6	13	25	25	33	39	30	41	37	22	15	9	9	2	5	3	1	6	.	1	.	1	1	1	2	3
	2	1	3	3	6	1	3	3	5	5	1	.	1	1	1	1	.	.	.	1	2	.
	2	6	2	5	3	3	5	1	2	1	1	2	2	1	.	4	4	9	1	3	2	1	3	5	.	1
	1	.	.	1	.	.	3	.	1	1	.	4	3	2	1	2	6	1	1	1	.	3	1	.	5	4
Mean Temperature of the Air in degrees.	56.6	58.9	57.0	58.4	58.5	57.1	57.4	56.0	51.8	57.0	55.7	52.0	54.5	47.7	49.5	41.4	46.7	46.6	48.3	43.1	45.4	43.3	40.0	32.3	41.1	38.7
Rainfall, in inches, ...	0.39	0.00	0.01	0.19	0.51	0.18	0.00	0.51	2.50	0.74	0.04	0.33	0.81	0.71	2.13	1.22	1.65	0.92	0.26	1.51	0.78	0.07	0.82	0.41	1.83	0.00

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Jan. 17,	2,097	1,469	17·0	5	.	2	4	13	14	20
EDINBURGH, ...	321,900	" 17,	128	137	22·2	.	.	6	.	.	2	1
GLASGOW, ...	1,047,000	" 17,	552	423	21·1	.	.	9	4	2	5	2
CALCUTTA, ...	896,067	Dec. 6,	.	556	32·2	62*	2	1	.	.	3†	123‡a
BOMBAY, ...	979,445	" 13,	461	587	28·5	57*	.	5	.	1	.	68‡
MADRAS, ...	518,660	" 13,	364	416	41·7	71*	1	.	?	?	?	94a
CAIRO, ...	715,609	Oct. 28,	601	378	27·5	2	.	.	.	?	29†	70
		Nov. 4,	537	430	31·3	1	1	1	.	.	17†	78
PARIS, ...	2,847,229	Jan. 3,	958	970	17·4	6	.	.	.	1	5†	16
BRUSSELS, ...	767,252	Dec. 27,	241	186	12·6	2	.	.	2	.	3†	9
ANTWERP, ...	312,884	" 27,	115	75	12·5	.	.	.	1	.	5†	2
AMSTERDAM, ...	594,444	" 27,	272	125	11·0	.	.	3	.	3	3†	3
COPENHAGEN, ...	482,000	" 27,	216	83	9·0	.	.	2	.	1	2†	5
STOCKHOLM, ...	376,171	" 27,	125	108	14·9	2	1
CHRISTIANIA, ...	250,423	Jan. 3,	128	79	16·4	2	.
ST. PETERSBURG, ...	1,708,600	Dec. 13,	1,064	707	21·6	16	.	15	17	2	7	29
MOSCOW, ...	1,694,000	" 6,	.	661	20·3	5	.	22	10	5	13†	59a
BERLIN, ...	2,057,715	" 13,	732	544	13·7	1	.	5	7	4	21†	23a
HAMBURG, ...	1,006,748	" 27,	.	279	14·4	2	.	3	2	1	11†	16a
BRESLAU, ...	542,755	" 27,	.	121	17·4	.	.	1	1	4	1	13a
MUNICH, ...	638,000	" 27,	.	188	15·4	.	.	9	.	3	.	9
VIENNA (with suburbs), ...	2,132,523	" 27,	714	566	13·8	1	.	.	2	.	7†	29
BUDA-PESTH, ...	930,666	" 27,	432	341	19·0	.	.	4	10	1	9†	15
PRAGUE and Faubourgs, ...	494,055	" 6,	162	135	14·2	.	.	.	1	1	2†	3
TRIESTE, ...	242,595	" 27,
ROME, ...	582,565	July 26,	284	200	17·9	6	.	2	.	.	.	30
NEW YORK, ...	5,372,983	Dec. 6,	2,873	1,372	13·3	6	.	7	4	3	16†	30
PHILADELPHIA, ...	1,631,960	Nov 29,	.	450	14·3	9	.	.	4	5	10†	15
BOSTON, ...	735,399	Dec. 27,	.	239b	16·9	1	.	1	.	.	4	7a

* Deaths from "fever," including 9 from enteric fever in Calcutta; 2 from enteric fever and one from plague in Bombay; and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 44 deaths from cholera in Calcutta and 4 in Bombay.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 202 (including 6 deaths from diarrhoeal diseases), rate 14·4 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 17th January, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	1	2	3
" " 1, West,	1	.	.	3	.	.	.	1	.	.	.	3	8
" " 2,	1	.	.	1	3	5
" " 3,	1	.	.	1	.	.	1	1	.	.	.	4	8
Clontarf and Howth No. 1 (part of),	.	1	.	.	1	2
Coolock and Drumcondra (part of),	.	1	1
Finglas and Glasnevin (part of),	1	1
South City No. 1, ...	—	2	.	.	2	.	.	2	2	8
" " 2,	5	5
" " 3,	1	3	.	.	.	4	8
" " 4,	4	2	1	7
New Kilmainham,
Total,	13	.	.	9	.	.	5	5	.	.	.	24	56

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 17th January, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 17th January.			
	Dec. 27.	Jan. 3.	Jan. 10.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	52	51	41	6	4	1	42
Typhus, ...	4	3	3	.	2	.	1
Small-pox,
Measles, ...	10	11	18	4	3	1	18
Scarlet Fever, ...	124	132	117	28	34	2	109*
Diphtheria, ...	65	57	51	13	10	1	53
Pneumonia, ...	26	23	25	8	6	2	25

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 17th January, 1914:—

"In last week's Weather Report it was stated that at the close of that period an anticyclone, with colder weather, was spreading southwards to Great Britain from Scandinavia. This atmospheric movement went on steadily during the early days of the week now under review until the entire area of the British Isles came within the borders of the high pressure system. On Tuesday evening its centre, marked by the isobar of 30·7 inches, embraced the whole of Scotland. The barometer was already giving way, for on Monday morning it had been as high as 30·90 inches at Karlstad in the south of Sweden. The anticyclone maintained its position for several days, while it gradually decreased in intensity. Thus on Friday morning it was still centred over the west of Scotland, but the highest readings of the barometer were 30·32 inches in Glasgow, and 30·30 inches at Stornoway, Nairn and Eskdalemuir. The decrease of pressure now became more rapid and on Saturday a depression threw the weather into a very unsettled condition, with cold showers of rain and hail. The anticyclone was accompanied by clouded skies, raw easterly winds, and marked dryness on the east coast of Ireland—inland, a sharp frost occurred on Wednesday night and at 7 a.m. of Thursday the thermometer read 25° in the screen at Birr Castle, King's Co. During most part of the week the weather was quite mild in Iceland, over which island southerly winds prevailed. On the other hand severe frost was reported from Germany, France and Spain—at 7 a.m. of Friday the thermometer read 14° at Munich, 15° at Brussels, 16° at Frankfurt, 17° at Lyons, 18° at Paris, and 22° at Madrid. In Dublin the mean height of the barometer was 30·344 inches, pressure ranging from 30·638 inches at 9 a.m. of Tuesday (wind, E.S.E.) to 29·927 inches at 4 p.m. of Saturday (wind, N.N.E.). The corrected mean temperature was 40·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 39·6°. On Sunday the screened thermometers rose to 49·2°, on Monday they fell to 34·5°. Easterly winds (between S.E. and N.E.) prevailed. Saturday was the only rain-day, the measurement being ·197 inch, of rain and melted hail. There was a slight fog on Saturday evening."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 30.353 inches. The highest reading (30.648) was on Tuesday, at 9 a.m., wind E., the lowest (29.949) on Saturday, at 9 a.m., air calm.

The mean temperature for the week was 39.5°, being 0.5° below the average for the corresponding period of the 10 years, 1904-1913. The temperature* was highest on Sunday, on which day the thermometer registered 48°, and was lowest on Monday, the mercury having fallen to 33°. The mean of the Dry Bulb for the week was 38.9° and of the Wet Bulb, 36.6°. The mean humidity of the air was .81, complete saturation being represented by 1.0. The rainfall during the week measured 0.260 inch.

At Greenwich the mean temperature for the week was 34.8°, the maximum 42.1°, and the minimum 29.3°; and at Edinburgh the maximum was 40.8°, the minimum 30.1°, and the mean 34.4°. The rainfall at Greenwich measured 0.03 in., and at Edinburgh 0.07 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155.3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.	BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1.0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1.0.					
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.	9 A.M.	9 P.M.
Sunday, January 11,	30.310	48	38	43.0	41.3	39.6	.87	.3	0.0	.000	Calm.	S.E.
Monday, " 12,	30.565	40	33	36.5	34.6	31.8	.74	.1	0.0	.000	Calm.	S.E.
Tuesday, " 13,	30.615	39	34	36.5	37.0	34.2	.76	.0	0.0	.000	E.	E.
Wednesday, " 14,	30.470	43	36	39.5	39.1	36.0	.76	.0	0.2	.000	E.	E.
Thursday, " 15,	30.415	44	38	41.0	40.6	38.5	.84	.1	0.0	.000	E.S.E.	Calm.
Friday, " 16,	30.125	42	37	39.5	40.3	37.4	.79	.0	0.0	.000	E.S.E.	E.S.E.
Saturday, " 17,	29.970	43	38	40.5	39.6	38.6	.92	.5	0.0	.260	Calm.	Calm.
Mean,	30.353	42.7	36.3	39.5	38.9	36.6	.81	.1	Total 0.2	Total .260		

Sunday—Day overcast; night cloudy. Monday—Day overcast; night overcast. Tuesday—Day overcast; night cloudy. Wednesday—A dull day; night cloudy. Thursday—Day overcast; night cloudy. Friday—Day overcast; night cloudy. Saturday—Day overcast, heavy rain and hail showers at intervals p.m.; night cloudy, drizzling rain 12 m.n. to 12.30 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 17th January, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.R.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, January 11,	45.0	45.1	44.6	50	36	43	hrs.	ins.
Monday, " 12,	36.7	43.8	45.0	40	34	27	—	—
Tuesday, " 13,	37.2	42.1	45.0	40	35	37.5	—	—
Wednesday, " 14,	38.8	41.1	45.0	44	37	40.5	—	—
Thursday, " 15,	43.0	41.0	45.0	45	40	42.5	0.1	—
Friday, " 16,	40.4	41.2	45.0	43	38	40.5	—	—
Saturday, " 17,	42.2	41.2	44.8	44	40	42	—	.150
Weekly Mean, .	40.5	42.2	44.9	43.7	37.1	40.4	Total 0.1	Total .150

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

35177. Wt. P. 397. 375. 1. 1914. G. III. Sch. c. 7.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the **PRINCIPAL URBAN DISTRICTS IN IRELAND.**

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 24TH JANUARY, 1914.

[No. 4.]

*General Register Office Charlemont House
Dublin, 26th January, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 23·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Jan. 3	Jan. 10	Jan. 17	Jan. 24	
27 Town Districts, (a)	25·7	25·4	21·7	23·8	24·1
Dublin Reg. Area ...	30·4	26·3	24·0	28·4	27·3
Dublin City ...	33·1	28·6	25·7	30·6	29·5
Belfast ...	25·4	26·5	22·7	23·8	24·6
Cork ...	28·6	29·2	19·7	24·5	25·5
Londonderry ...	21·6	14·0	12·7	16·5	16·2
Limerick ...	12·2	16·2	29·8	14·9	18·3
Waterford ...	17·1	30·4	15·2	17·1	20·0

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 1·8 per 1,000. Among the 182 deaths from all causes for Belfast are one from each of enteric fever and measles, 2 from scarlet fever, 5 from whooping-cough, and 3 from diarrhoeal diseases. The 5 deaths from all causes for Lisburn include one from each of whooping-cough and diphtheria. One of the 5 deaths from all causes for Wexford is from measles. Among the 6 deaths from all causes for Tralee are 2 from whooping-cough and one from diarrhoea and enteritis of a child under 2 years. One of the 3 deaths for Newtownards is from measles, and one of the 3 deaths recorded for Armagh is also from this disease.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 241—136 boys and 105 girls—and the deaths to 236—116 males and 120 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 28·4 per 1,000 of the population. During the four weeks, ending with Saturday last, the death-rate averaged 27·3, and was 2·8 above the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.
(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 236, represent an annual rate of 30·3 per 1,000; the annual rate for the past four weeks was 28·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·6 per 1,000 of the mean population for all deaths registered.

Included in the deaths from all causes registered during the week, there were 2 from enteric fever, 4 from measles, 2 from whooping-cough, 6 from diphtheria, 4 from influenza, and 5 from diarrhoea and enteritis of children under 2 years of age. In each of the three preceding weeks, deaths from enteric fever were one, 3, and 3; deaths from measles were 2, one, and one; deaths from whooping-cough were 0, one, and 0; deaths from diphtheria were 4, 2, and 0; deaths from influenza were 3, 3, and one; and deaths from diarrhoea and enteritis of children were 3, 2, and 6.

Altogether there were 32* deaths from tuberculous disease; this figure includes 22 deaths from pulmonary tuberculosis, 3 from tuberculous meningitis, 5 from abdominal tuberculosis, and 2 from disseminated tuberculosis. In each of the 3 weeks preceding deaths from all forms of tuberculous disease were 35, 28, and 23.

There were 26 deaths from pneumonia (all forms), including 12 from broncho-pneumonia, 3 from lobar pneumonia, and 11 from pneumonia (type not distinguished).

The deaths of 9* persons were ascribed to cancer.

Of infants 2 deaths were caused by congenital malformations, 2 by premature birth, and 3 by congenital debility.

Organic diseases of the heart accounted for the deaths of 21 persons, and bronchitis caused the deaths of 38 people.

Accident or negligence caused 8 deaths, including one from burning and one by drowning. There was one death referred to homicidal violence.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 persons aged 65 years and upwards.

Sixty-nine of the persons whose deaths were registered during the week were under 5 years of age (38 being infants under one year, of whom 10 were under one month old) and 65 were aged 65 years and upwards, including 53 persons aged 70 and upwards; among the latter were 31 aged 75 and upwards, of whom one (a female) was stated to have been aged 95 years.

One hundred and eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse and 30 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 28·4 per 1,000; the rate in the City was 30·6 (North City Districts, 24·7; South, 37·2) and in the Suburbs 21·3.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·4 per 1,000 inhabitants, the rate for the City being 2·3 (in the North City Districts 2·5, and in the South 3·2), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (21) are equal to an annual rate of 36·3 per 1,000, and include one death from whooping-cough, 2 from diphtheria, one from influenza, 3 from tuberculous disease, 2 from pneumonia, and 4 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 25·3 per 1,000. There were 3 deaths from pulmonary tuberculosis, 6 from pneumonia, one from bronchitis, and 3 deaths of children under 2 years of age from diarrhoea and enteritis.

No. 2 North City District (Lisburn-street).—The deaths (22) are equivalent to an annual rate of 41·1 per 1,000. One death from diphtheria, 2 from tuberculous disease, one from pneumonia, and 5 from bronchitis were recorded.

No. 3 North City District (Benburb-street).—The deaths (9) represent an annual rate of 13·2 per 1,000. Among them are one death each from diphtheria and pulmonary tuberculosis, and 3 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 11·4 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 14·6. Of the 3 deaths recorded for the first-named district one was from influenza; and the 3 deaths for Finglas and Glasnevin, part of, include one from tuberculous disease.

No. 1 South City District (South Earl-street).—The deaths (27) represent an annual rate of 34·5 per 1,000. Enteric fever caused one death, tuberculous disease 5 deaths, pneumonia 4 deaths, bronchitis 4 deaths, and one death was attributed to accident.

No. 2 South City District (Castle-street).—The deaths (13) are equal to an annual rate of 37·0 per 1,000. Four deaths were ascribed to tuberculous disease, 4 to bronchitis, and one to accident.

No. 3 South City District (Peter-street).—The deaths (32) are equal to an annual rate of 38·3 per 1,000, and include one death from whooping-cough, 4 from tuberculous disease, 3 from pneumonia, 6 from bronchitis, 2 from diarrhoea and enteritis of children under 2 years of age, and 2 accidental deaths.

No. 4 South City District (Grand Canal Street).—The deaths (27) are equivalent to an annual rate of 42·4 per 1,000. There were 2 deaths from measles, one from diphtheria, 6 from tuberculous disease, 2 from broncho-pneumonia, 4 from bronchitis, and one death was caused accidentally.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 26·5 per 1,000. Two deaths were caused by measles and 2 by bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·3; Pembroke, 27·6; Blackrock, 22·7; and Kingstown, 18·5. The deaths from the principal epidemic diseases tabulated for these districts comprise one from enteric fever and one from diphtheria for Pembroke. Among the 13 deaths from all causes for Rathmines and Rathgar are one from influenza, one from pulmonary tuberculosis, 3 from pneumonia, and one from bronchitis. The 16 deaths from all causes for Pembroke include one from influenza, one from pulmonary tuberculosis, 2 from pneumonia, and 2 from bronchitis; and of the 6 deaths from all causes for Kingstown one was from broncho-pneumonia and one death was attributed to accident.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 18·2), was equal to an average annual death-rate of 17·5 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 20·9 per 1,000, the rate for Glasgow being 20·6, and for Edinburgh 19·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 24th January. From this Report it appears that of a total of 91 cases notified, 41 were scarlet fever, 26 phthisis, 18 diphtheria, and 6 erysipelas. Among the 636 cases of infectious diseases in hospital at the close of the week were 309 cases of scarlet fever, 170 of phthisis, 85 of diphtheria, 49 of measles, 9 of erysipelas, and 5 of enteric fever.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908."

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 24th January, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Jan. 3,	.	—	—	24	.	.	15	.	1	3	6	.	—	—	.	—	.	17	66
	Jan. 10,	.	—	—	12	.	.	3	.	2	2	.	.	—	—	.	—	38	57	
	Jan. 17,	.	—	—	13	.	.	9	.	.	5	5	.	—	—	.	—	24	56	
	Jan. 24,	.	—	—	15	.	.	11	.	.	6	5	.	—	—	.	—	31	68	
Rathmines and Rathgar Urban District.	Jan. 3,	.	—	—	1	.	.	1	—	—	—	—	—	—	2
	Jan. 10,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	Jan. 17,	.	—	—	.	.	.	3	—	—	—	—	—	—	3
	Jan. 24,	.	—	—	3	.	.	2	.	.	.	1	.	—	—	—	—	—	—	6
Pembroke Urban District.	Jan. 3,	.	13	.	1	2	1	.	—	.	—	—	—	1	18
	Jan. 10,	.	8	.	1	—	.	—	—	—	.	9
	Jan. 17,	.	17	—	.	—	—	—	.	17
	Jan. 24,	.	18	.	4	.	.	1	.	.	1	.	.	—	2	—	—	—	1	27
Blackrock Urban District.	Jan. 3,	.	—	—	—	—	.	—	—	—	1
	Jan. 10,	.	—	—	.	.	.	1	—	—	—	—	—	—	.
	Jan. 17,	.	—	—	—	—	—	—	—	—	.
	Jan. 24,	.	—	—	—	—	—	—	—	—	.
Kingstown Urban District.	Jan. 3,	.	—	—	—	—	—	—	—	.	.
	Jan. 10,	.	—	—	—	—	—	—	—	.	.
	Jan. 17,	.	—	—	—	—	—	—	4	5	
	Jan. 24,	.	—	—	—	—	—	—	.	.	
City of Belfast.	Jan. 3,	.	—	—	67	2	.	8	.	.	1	1	.	—	—	.	—	.	9	88
	Jan. 10,	.	—	—	55	.	.	6	.	.	1	4	.	—	—	.	—	.	6	72
	Jan. 17,	.	—	—	54	.	.	8	.	.	4	7	1	—	—	.	—	11	85	
	Jan. 24,	.	—	—	44	.	.	11	.	.	4	3	.	—	—	.	—	9	71	
City of Cork.	Jan. 3,	.	—	—	6	1	1	.	—	—	—	—	—	—	8
	Jan. 10,	.	—	—	1	3	.	.	—	—	—	—	—	—	4
	Jan. 17,	.	—	—	.	.	.	2	.	.	.	2	.	—	—	—	—	—	—	4
	Jan. 24,	.	—	—	1	.	3	.	—	—	—	—	—	—	4
City of Londonderry.	Jan. 3,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	—	4
	Jan. 10,	.	—	—	1	—	—	—	—	—	—	1
	Jan. 17,	.	—	—	2	1	.	.	—	—	—	—	—	—	3
	Jan. 24,	.	—	—	1	1	1	.	—	—	—	—	—	—	3
City of Limerick.	Jan. 3,	.	—	—	2	.	.	—	—	—	—	—	—	2
	Jan. 10,	.	—	—	2	—	—	—	—	—	—	2
	Jan. 17,	.	—	—	5	1	.	.	—	—	—	—	—	—	6
	Jan. 24,	.	—	—	1	—	—	—	—	—	—	1
City of Waterford.	Jan. 3,	.	—	—	—	—	—	—	—	—	1
	Jan. 10,	.	—	—	—	—	—	—	—	—	1
	Jan. 17,	.	—	—	1	.	.	—	—	—	—	—	—	1
	Jan. 24,	.	—	—	—	—	—	—	—	—	1

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 24th January, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of enteric fever was admitted to hospital during the week, 8 were discharged, there was one death and 34 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 51, 41, and 42.

One case of typhus remained under treatment in hospital at the close of the week. The cases in hospital at the end of the 3 preceding weeks numbered 3, 3, and one, respectively.

Two cases of measles were admitted to hospital, 6 were discharged, and 14 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 11, 18, and 18 respectively.

Twenty-one cases of scarlet fever were admitted to hospital, 12 were discharged, and 118* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 132, 117, and 109, respectively.

Fifteen cases of diphtheria were admitted to hospital during the week, 12 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 57, 51, and 53 respectively, were 53 at the close of last week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 5 were discharged, and 29 cases remained under treatment at the end of the week.

See note () at foot of Table XII.

TABLE II.—BIRTHS AND DEATHS registered during the week ending Saturday, 24th January, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the Temperature and Rainfall for the week, and for each of the two Weeks immediately preceding.

REGISTRATION—WEEK ENDING SATURDAY, 24TH JANUARY, 1914.										METEOROLOGY. (d)									
NUMBERS REGISTERED.										WEEK ENDING 24TH JANUARY, 1914.					WEEK ENDING 17TH JANUARY, 1914.				
DEATHS.										Air Temperature.					Air Temperature.				
Caused by										Rainfall in Inches.					Rainfall in Inches.				
DISEASES.										Mean.					Mean.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Highest.					Absolute Highest.				
DISEASES OF THE RESPIRATORY SYSTEM.										Absolute Lowest.					Absolute Lowest.				

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 24th of January, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

DEATHS IN DUBLIN REGISTRATION AREA.																			Deaths in Institutions of Persons admitted from without the Registration Area.
NAMES OF DISEASES &c.	CITY OF DUBLIN.																		
	REGISTRATION DISTRICTS IN																		
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF				
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.	TOTAL FOR DUBLIN REGISTRATION AREA.		
Enteric Fever,	1	1	.	.	.	2	.	
Typhus,	
Small-pox,	
Measles,	2	2	4	.	
Scarlet Fever,	
Whooping-cough,	1	1	2	.	
Diphtheria,	2	.	1	1	1	.	1	.	.	.	6	.	
Croup,	
Influenza,	1	1	1	.	.	.	4	.	
Dysentery,	
Tuberculosis, { Pulmonary,	2	3	1	1	.	.	3	3	3	3	3	1	1	.	.	.	21	1	
{ Other Forms,	1	.	1	.	.	1	2	1	1	3	10	.	
Cancer,	1	1	2	2	.	2	1	1	.	8	1	
Diseases of Nervous System,	1	.	3	.	.	.	2	.	2	2	.	1	.	.	.	1	12	.	
" Organs of Special Sense,	
" Circulatory System,	2	1	1	1	.	.	5	2	2	1	.	4	2	1	.	.	23	2	
" Respiratory System, { Pneumonia,	2	6	1	.	.	.	4	.	3	2	.	3	2	.	1	.	24	2	
{ Others,	4	2	5	3	.	1	4	4	6	4	3	1	2	1	.	.	40	3	
" Digestive System, { Diarrhoea and Enteritis, under 2 years,	3	2	5	.	
{ Diarrhoea, 2 years and upwards,	
{ Enteritis, 2 years and upwards,	1	1	.	
{ Others,	2	.	.	.	2	.	2	1	7	2	
" Genito-urinary System,	1	1	2	1	.	2	.	1	8	1	
Puerperal Septicæmia, etc.,	
Other Causes incident to Pregnancy and Childbirth,	1	1	.	
Diseases of the Skin and Cellular Tissue,	1	1	.	
" Locomotor System,	
Other specified Causes,	4	2	3	2	.	1	1	3	.	4	4	.	1	3	1	1	39	.	
Violent Deaths,	1	1	2	1	1	6	3	
Ill-defined, &c. Causes,	1	.	1	.	.	.	1	2	.	.	.	1	.	.	.	6	.	
Deaths from All Causes	21	20	22	9	.	3	3	27	13	32	27	5	13	16	4	6	221	15	
Annual Rate of Mortality from All Causes in every 1,000 of the population.	36.3	25.3	41.1	13.2	.	11.4	14.6	34.5	37.0	33.3	42.4	26.5	17.3	27.6	22.7	18.5	28.4	.	
	24.7							37.2							21.3			.	
	30.6																	.	
Ages at Death. { Under 1 year,	6	4	4	1	.	.	1	8	1	8	3	.	.	2	.	.	38	.	
{ 1 and under 2 years,	4	1	1	1	2	3	3	.	.	.	1	16	.	
{ 2 " 5 "	2	3	1	.	.	1	.	2	.	3	3	15	.	
{ 5 " 15 "	1	.	.	.	1	.	.	2	2	6	1	
{ 15 " 25 "	3	1	2	1	.	.	.	1	1	1	1	.	.	1	.	1	13	3	
{ 25 " 45 "	2	4	1	.	.	.	5	4	2	4	22	7	
{ 45 " 65 "	5	2	5	2	.	1	1	8	3	8	5	.	5	1	1	1	48	2	
{ 65 and upwards,	1	7	4	3	.	1	.	3	4	6	6	2	8	12	3	3	63	2	
Number of Uncertified Deaths,	1	1	1	.	1	.	.	.	1	.	.	5	.	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,	7	5	6	2	.	.	.	3	3	6	6	.	5	2	1	1	47	14	
Workhouse Hospitals,	2	4	7	1	.	2	.	8	7	7	6	.	1	1	.	.	46	1	

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the
in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 4th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 24th January, 1914.												
	Jan. 30, 1904.	Jan. 28, 1905.	Jan. 27, 1906.	Jan. 26, 1907.	Jan. 25, 1908.	Jan. 30, 1909.	Jan. 29, 1910.	Jan. 28, 1911.	Jan. 27, 1912.	Jan. 25, 1913.		—	Deaths of Persons of the Ages of											
													Under 1 month.	0-5.										75 and upwards.
														1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.			
Mean Temperature.	41·9	40·4	43·1	34·3	40·2	39·6	32·5	45·5	36·3	41·9	39·6	38·6	10	28	16	15	7	16	29	50	34	3		
ALL CAUSES.	196	192	160	225	229	203	177	228	195	161	196·6	236												
Enteric Fever, ...	1	.	.	1	2	2	2	2	.	.	1·0	2	1	.	1	.		
Typhus,		
Small-pox,		
Measles, ...	1	13	.	.	1	6	1	2	3	.	2·7	4	.	.	3	1		
Scarlet Fever,	2	.	1	.	.	1	1	2	.	·7		
Whooping-cough, ...	11	2	1	6	5	2	1	10	4	2	4·4	2	.	1	1		
Diphtheria,	1	.	.	2	.	1	1	4	·9	6	.	1	3	1	1		
Croup,	1	·1		
Influenza, ...	3	2	2	5	12	.	1	4	2	1	3·2	4	.	.	.	1	.	.	.	1	.	2		
Dysentery,		
Erysipelas, ...	2	1	.	2	.	2	1	.	.	.	·8		
Other Epidemic Diseases, ...	2	.	2	.	1	·5		
Pyæmia and Septicæmia (non-puerperal).	1	.	2	1	.	.	.	1	.	.	·5		
Tetanus,	1	·1		
TUBERCULOSIS:																								
Pulmonary Tuberculosis, ...	26	32	21	33	32	18	23	28	32	14	25·9	22	.	.	.	1	1	7	7	3	2	1		
Tuberculous Meningitis, ...	4	4	1	4	.	4	2	2	3	2	2·6	3	.	.	1	1	1		
Abdominal Tuberculosis,	5	.	.	2	1	.	3	.	1	1·2	5	.	2	.	1	2		
Tuberculosis of the Vertebral Column.	1		
Tuberculosis of Joints, ...	5	5	5	4	6	8	4	2	.	.	4·4		
Tuberculosis of other Organs, Scrofula,	1		
Disseminated Tuberculosis,	3	.	2	.	.	.	1	1		
Venereal Diseases,	1	1	2	5	.	.	1	.	1·0	3		
Cancer, ...	8	1	6	7	12	11	11	7	9	6	8·0	9	.	3	2	4	1	2		
Tumour, situation undefined,		
Rheumatic Fever,	1	·1	1	1	.	.	.		
Diabetes,	1	.	1	3	.	1	.	3	3	·9		
Anæmia, Leucocythæmia,	3	1	1		
Other General Diseases,	4	1	.	1		
Alcoholism,	3	1	.	.	1	2	.	·5	1	1	.	.	1	.		
Chronic Poisonings,		
Cerebro-spinal Fever,	1	·1		
Simple Meningitis,	2	1	2	.	1		
Cerebral Hæmorrhage, Apoplexy.	10	3	.	3	1	1	1	2	.		
Softening of Brain,	1		
Paralysis, without specified cause.	3	.	.	3	2	.	1	.		
Epilepsy,	1	1		
Convulsions (non-puerperal),	5	4	.	1	.	.	1		
Other Diseases of Nervous System.	48	41	45	42	42	34	29	45	3	.	39·4		
Pericarditis,	1		
Acute Endocarditis,	22	10	.	21	5	10	4	1		
Organic Diseases of the Heart, Embolism and Thrombosis (including Cerebral)	1	1	.	.		
Other Diseases of Circulatory System.	1	.	.	3	2	1	.	.		
Diseases of the Larynx,		
Bronchitis, ...	29	28	17	40	52	38	36	39	19	36	33·4	38	.	.	7	2	.	.	2	11	12	4		
Broncho-pneumonia, ...	4	4	9	5	7	8	5	7	12	4	6·5	12	.	.	4	4	3		
Lobar pneumonia,	1	1	1	1	.	2	1	2	1	1·0	3	1	1	1	.	.		
Pneumonia (type not distinguished)	4	6	6	16	11	6	7	9	6	10	8·1	11	.	.	2	.	.	1	4	3	1	.		
Pleurisy,	1		
Pulmonary Congestion, Pulmonary Apoplexy.	1		
Other Diseases of Respiratory System.	4	1	1	5	6	9	3	3	1	.	3·9	2	2	.		
	2	3	.	2	1	.	1	.		

FOURTH WEEK, ending Saturday, 24th January, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 4th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 24th January, 1914.									
	Jan. 30, 1904.	Jan. 28, 1905.	Jan. 27, 1906.	Jan. 26, 1907.	Jan. 25, 1908.	Jan. 30, 1909.	Jan. 29, 1910.	Jan. 28, 1911.	Jan. 27, 1912.	Jan. 25, 1913.		Deaths of Persons of the Ages of									
	Jan. 30, 1904.	Jan. 28, 1905.	Jan. 27, 1906.	Jan. 26, 1907.	Jan. 25, 1908.	Jan. 30, 1909.	Jan. 29, 1910.	Jan. 28, 1911.	Jan. 27, 1912.	Jan. 25, 1913.		0-5.									
	Jan. 30, 1904.	Jan. 28, 1905.	Jan. 27, 1906.	Jan. 26, 1907.	Jan. 25, 1908.	Jan. 30, 1909.	Jan. 29, 1910.	Jan. 28, 1911.	Jan. 27, 1912.	Jan. 25, 1913.		Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.
Mean Temperature ...	41.9	40.4	43.1	34.3	40.2	39.6	32.5	45.5	36.3	41.9	39.6	38.6									
Diseases of the Pharynx, Tonsillitis.	1	.	.	.1
Diseases of Stomach, ...	—	—	—	—	—	—	—	1	.	2	—	3	2	1	.	.
Diarrhoea and Enteritis of Children under 2 years.	6	3	4	4	2	3	6	6	1	2	4.0	5	1	4
Diarrhoea 2 years and upwards.	—	—	—	—	—	—	—	—	2	1	—	1	.	.	1
Enteritis 2 years and upwards.	—	—	—	—	—	—	—	—	4	4	—	2	1	1	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—
Hernia and Intestinal Obstructions.	.	2	.	1	1	2	2	1	.	.	.9
Cirrhosis of Liver,	2	3	1	.	2	1	2	2	1.3
Other Diseases of Liver, ...	1	1	13	2	.	.	.	1	.	1	.	.	.
Peritonitis (cause unknown),	3	5	4	6	3	6	7	.	.	2	3.6	2	1	.	1
Other Diseases of Digestive System.
Acute Nephritis, ...	8	5	7	8	3	8	6	9	.	2	.	2	.	1	1	.	.	1	.	.	.
Chronic Bright's Disease,	3	5	.	6
Urinary Calculi,
Uterine Tumour (non-cancerous).
Ovarian Tumour (non-cancerous).
Other Diseases of Genito-urinary System.	1	.	1	1
Puerperal Septicæmia, &c.,	1	.	1	.	1	1	1	.2
Other Causes incident to Pregnancy and Childbirth.5	1	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	.	2	.	—	1	1
Diseases of Locomotor System.	—	—	—	—	—	—	—	.	.	.	—
Congenital Malformations, ...	—	—	—	—	—	—	—	.	1	1	—	3	1	1	.	.	1
Premature Birth, ...	5	3	4	6	4	4	4	4	5	5	4.4	2	2
Congenital Debility, ...	—	—	—	—	—	—	—	6	3	10	—	3	1	2
Old Age, ...	4	5	2	3	6	4	3	12	5	4	4.8	15	4	11	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	1	1	1	—	1	1
ACCIDENT :																					
Poisons or Poisonous Vapours.	11
Conflagration,
Burns and Scalds, ...	1	2	3	1	.	.	2	1	1	2	1.3	1	.	.	.	1
Drowning, ...	1	.	2	1	.	.	1	.	1	.	.6	1	1
Suffocation in Bed,	33
Other Deaths by Accident, ...	5	3	3	4	2	2	.	2	1	.	2.2	6	.	.	.	2	3	1	.	.	.
Total Deaths from Accident,	7	5	8	6	2	6	3	3	3	2	4.5	8	.	.	.	3	4	1	.	.	.
Included in above are Deaths in connection with—																					
Railways,	1	12
Vehicles and Horses,	1	.	.	.	1	.	.	.2
Ships, Boats, Docks,	11
Building Operations,
VIOLENCE OTHER THAN ACCIDENTAL :																					
Homicide,	11	1	1
Suicide,	1	1	.	.	.2
Execution,
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	3	6	4	—	6	.	1	.	.	.	2	2	1	.

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

1913-4 — WEEK ENDING																										
DUBLIN REGISTRATION AREA.																										
	Aug. 2.	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.
No. of weeks in Annual Series,	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
Burns registered.	226	199	212	205	187	239	167	255	232	225	177	211	220	202	190	232	165	209	194	212	185	140	168	246	203	241
Average Births in corresponding week of previous 10 years,	215	209	225	221	209	240	206	215	246	200	192	211	194	220	213	193	184	213	187	204	179	186	225	222	212	215
DEATHS registered.	149	144	157	168	161	157	196	143	177	163	159	148	162	174	158	164	148	164	153	147	167	137	250	210	205	236
Annual Death-rate per 1,000,	19.3	18.6	20.3	21.7	21.2	20.3	25.4	18.5	22.9	21.1	20.6	19.1	21.0	22.5	20.4	21.2	19.1	21.2	19.8	19.0	21.6	17.7	32.1	27.0	26.3	30.3
Average Deaths in corresponding week of previous 10 years,	143	144	158	161	153	158	153	164	155	155	154	159	149	168	167	173	171	178	181	171	173	166	193	189	194	197
AGES.																										
Under 5 years,	84	41	68	55	58	66	62	45	69	58	66	50	57	54	50	49	47	38	55	49	55	47	63	46	45	69
5-15 "	6	7	5	7	4	8	6	6	2	5	4	9	4	7	6	9	7	9	6	8	8	6	11	12	6	7
15-25 "	25	26	24	28	30	21	37	18	22	18	17	16	23	29	24	26	15	38	23	31	31	19	32	31	32	29
25-45 "	42	34	29	36	29	33	38	32	40	39	33	39	34	37	33	35	35	47	26	34	37	25	78	48	55	50
45-65 "	22	18	22	19	19	17	18	20	20	23	19	17	23	18	26	24	23	22	26	15	20	20	31	36	32	34
65-75 "	14	11	7	15	12	5	19	18	13	14	12	13	10	20	13	18	15	9	13	7	10	14	23	28	31	31
75 and upwards,																										
Deaths from:—																										
Enteric Fever,	1					2	6	1	1	2	1		1			2			4	3	1		1	3	3	2
Typhus,	1				2																					
Small-pox,																										
Measles,		1	1	1		1	1	2		2	1	1	2	2	1	1	1	1	1	2	1	1	2	1	1	4
Scarlet Fever,			3							1	1	1			1				3		3					2
Whooping-cough,		2								3	2	2		2	1	5	1	2	1	4	6	1		1		6
Diphtheria,								1	1	1											2	2	4	2	1	4
Influenza,																										
Dysentery,																										
Tuberculosis { Pulmonary ...	22	17	17	20	18	20	24	15	18	13	16	12	19	18	18	22	14	17	15	16	23	12	24	20	19	22
Other Forms,	8	9	10	10	8	8	5	1	4	6	7	6	6	13	6	5	6	6	5	5	7	5	11	8	4	10
Cancer,	16	11	8	8	6	14	13	9	13	11	7	11	10	11	10	8	12	11	7	6	7	7	7	8	12	9
Diseases of Circulatory System,	12	23	6	22	11	7	18	17	18	15	10	15	18	15	21	12	12	14	17	11	17	18	26	15	23	25
Diseases of Respi. (Pneumonia	6	8	3	9	7	2	6	12	6	4	7	6	8	12	13	12	14	14	18	19	18	12	22	19	21	26
ratory System, (Others, ...	13	9	12	13	7	9	10	10	14	13	13	15	13	15	14	12	20	22	17	22	16	17	51	48	80	43
Diarrhoea and Enteritis, under																										
2 years,	11	18	27	21	29	31	37	25	33	26	29	23	16	14	7	8	9	7	5	4	8	5	3	2	6	5
Diarrhoea, 2 years and upwards,	1	2	2	2	2	4	1	1	1	2		1				4										
Violent Deaths,	5	7	3	7	2	5	6	9	5	4	2	3	5	2	5	3	5	6	4	3						9
Number of Uncertified Deaths,	1	2	3	2	3	2	2	3		3	2	3	3	7	2	4	6	8	4	6	4	3	14	10	2	5
Mean Temperature of the Air																										
(Phoenix Park) in degrees,	56.4	55.4	61.8	56.5	57.0	55.3	54.9	49.5	56.5	56.6	51.4	52.9	43.5	50.9	44.4	46.6	47.6	44.4	46.0	44.1	37.7	34.6	44.3	39.5	38.6	
Average Mean Temperature in	58.6	58.4	57.3	56.2	56.5	54.5	52.3	52.6*	52.4	51.6	50.4	49.8	45.7	45.2	44.6	42.0	41.9	41.5	42.2	42.5	42.4	41.5	41.1	40.0	39.6	
corresponding week of previous																										
10 years,																										
Rainfall in inches,																										
Mean Humidity of the Air, com-	.000	.185	.845	.205	.000	.005	1.540	1.435	1.115	.060	2.730	.140	.530	1.040	.710	.645	.640	.150	1.085	.105	.065	.035	.445	.260	.090	
plete Saturation 1.0,	.83	.79	.83	.81	.86	.84	.85	.90	.88	.92	.90	.86	.86	.86	.50	.90	.88	.90	.93	.87	.90	.90	.88	.81	.81	.84

* For 9 years only

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1913-4. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncer- tified Deaths.	
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	Dec. 20 " 27 Jan. 3 " 10 " 17 " 24	29.6 13.9 41.4 27.6 31.1 36.3	3.5 . 1.7 1.7 . 5.2	17 8 24 16 18 21	. .<																

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1913-4. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncer- tified Deaths.	
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Marasmus, 2 years of age and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District.	Dec. 20 " 27 Jan. 3 " 10	9.4 12.1 20.0 18.6	. 2.7 . .	7 9 15 14	1 2 2 1	. . 1 .	. . 1 .	1 . . 4	. . . 2 1	
Population in 1914 (Est.) 39,155.	" 17 " 24	25.3 17.3	. .	19 13	1 1	. .	2 .	2 3	3 1	
Pembroke Urban District.	Dec. 20 " 27 Jan. 3 " 10	15.7 7.0 20.7 24.1	1.7 1.7 1.7 5.2	9 4 12 14	. . . 1 1 1	. . . 1 1 2 .	2 1 2	2 . . 1	2 . 1 2	. . . 3	
Population in 1914 (Est.) 30,240	" 17 " 24	13.8 27.6	6.9 3.4	8 16	1 1	1 1	. .	2 .	2 .	2	1 .	
Blackrock Urban District.	Dec. 20 " 27 Jan. 3	17.1 5.7 28.3	. . .	3 1 5 1	. . .	1	
Population in 1914 (Est.) 9,197.	" 10 " 17 " 24	11.3 17.0 22.7	. . .	2 3 4 1 1	. 1 .	. . 1	
Kingstown Urban District.	Dec. 20 " 27 Jan. 3 " 10	12.3 15.4 24.6 15.4	4 5 8 5 1 1 1 1	1 15 36 28	
Population in 1911 16,941.	" 17 " 24	12.3 18.5	. .	4 6	1 .	. .	1 1	1 1	1 .	
Belfast.	Dec. 20 " 27 Jan. 3 " 10	18.6 19.8 25.4 26.5	1.3 2.0 1.7 3.4	141 150 194 203	. . 1 2 1 . .	5 6 3 12	3 7 6 3	1 . 2 4	12 15 15 14	2 9 8 8	10 6 3 10	14 28 23 29	14 15 36 28	1 1 1 2	. . . 2	. . . 2	
Population in 1914 (Est.) 399,000.	" 17 " 24	22.7 23.8	2.1 1.6	174 182	. 1 1	10 2	1 5	2 .	. .	17 15	5 6	8 6	23 29	27 26	3 1	. 2	1 6	
Cork.	Dec. 20 " 27 Jan. 3 " 10	23.1 10.9 28.6 29.2	. . 0.7 2.0	34 16 42 43	. . . 1	4 2 5 7	4 . 5 2	1 2 2 .	1 2 2 1	6 2 4 7	. . 1 1	
Population in 1911 76,673.	" 17 " 24	19.7 24.5	. 0.7	29 36	3 .	. .	3 .	5 .	6 .	1 .	. .	1 .	
Londonderry.	Dec. 20 " 27 Jan. 3 " 10	11.4 11.4 21.6 14.0	. . 1.3 .	9 9 17 11 1 .	. 1 1 .	1 . 2 .	2 . 2 .	. 1 2 2	3 2 1 4	
Population in 1914 (Est.) 41,100.	" 17 " 24	12.7 16.5	. .	10 13	1	1 2	4 4	1 .	
Limerick.	Dec. 20 " 27 Jan. 3 " 10	17.6 13.5 12.2 16.2	. 1.4 . 1.4	13 10 9 12	. 1 . 1	1 1 1 4 4	4 4 5 1	
Population in 1911 38,518.	" 17 " 24	29.8 14.9	. .	22 11	1 2	. 1	. .	1 .	5 1	1 .	
Waterford.	Dec. 20 " 27 Jan. 3 " 10	34.2 11.4 17.1 30.4	. . . 3.8	18 6 9 16	7 3 2 2	2 . . 1	. 1	2 1 . 2	. . . 2	
Population in 1911 27,464.	" 17 " 24	15.2 17.1	. .	8 9	2 2	. 1	. .	. 1	1 1	1 .	

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS AND DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 24th January, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.												DEATHS FROM												No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
				All Causes.	Certain Epi- demic Diseases†	Under 1 year.					1 year and under 5 years.					5 and under 25 years.					25 and under 45 years.					45 and under 65 years.						65 years and upwards.					Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
						(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)			(25)	(26)	(27)	(28)	(29)																		(30)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
City of Belfast.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
BELFAST URBAN No. 1 DISTRICT,		15,879	10	29.6	3.3	9	3	1	1	2	2	2	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Jan. 24,	2,072	1,577	18·2	3	.	11	6	15	13	14
EDINBURGH, ...	321,900	" 24,	135	121	19·6	.	.	5	.	.	5	.
GLASGOW, ...	1,047,000	" 24,	548	413	20·6	1	.	25	5	2	5	4
CALCUTTA, ...	896,067	Dec. 13,	.	537	31·1	87*	4	.	.	.	1†	107 ¹ _a
BOMBAY, ...	979,445	" 20,	472	549	29·1	47*	.	6	.	1	1	62 _a
MADRAS, ...	518,660	" 20,
CAIRO, ...	715,609	Nov. 11,	601	428	31·2	7	3	1	.	?	14†	63
		" 18,	644	412	30·0	2	.	.	.	?	13†	62
PARIS, ...	2,847,229	Jan. 10,	911	1,032	18·5	6	.	2	2	5	1†	12
BRUSSELS, ...	767,252	" 3,	214	195	13·2	.	.	.	1	.	1†	12
ANTWERP, ...	312,884	" 3,	117	70	11·7	.	.	1	.	.	3†	9
AMSTERDAM, ...	594,444	" 3,	279	158	13·9	1	.	2	1	5	3†	3
COPENHAGEN, ...	482,000	" 3,	228	141	15·3	.	.	1	.	2	2†	5
STOCKHOLM, ...	376,171	" 3,	192	107	14·8	1	3	3
CHRISTIANIA, ...	250,423	" 10,	105	79	16·4	1	1	5 _a
ST. PETERSBURG, ...	1,708,600	Dec. 20,	1,327	652	19·9	6	.	31	19	5	9	25
MOSCOW, ...	1,694,000	" 13,	.	657	20·2	4	.	29	16	13	13†	60 _a
BERLIN, ...	2,057,715	" 20,	728	559	14·0	.	.	5	5	1	21†	25 _a
HAMBURG, ...	1,030,983	Jan. 3,	.	284	14·3	3	.	1	3	3	5†	11
BRESLAU, ...	542,755	" 3,	.	155	14·9	1	.	1	1	.	.	5 _a
MUNICH, ...	638,000	" 3,	.	200	16·3	.	.	1	.	1	3†	12
VIENNA (with suburbs), ...	2,132,523	" 3,	615	538	14·3	.	.	3	2	1	6†	17
BUDA-PESTH, ...	950,784	" 3,	464	344	18·8	4	.	3	13	2	3†	11
PRAGUE and Faubourgs, ...	498,498	Dec. 13,	143	178	18·6	1	.	.	1	.	1†	7
TRIESTE, ...	242,595	" 27,
ROME, ...	582,565	Aug. 2,	285	198	17·7	5	.	1	.	2	.	41 _a
NEW YORK, ...	5,372,983	Dec. 13,	2,600	1,343	13·0	5	.	8	6	2	21†	30
PHILADELPHIA, ...	1,631,960	" 6,	.	462	14·7	3	.	1	5	3	6†	13
BOSTON, ...	750,768	Jan. 3,	.	250 ^b	17·4	.	.	.	1	.	4	5 _a

* Deaths from "fever," including 2 from enteric fever in Calcutta; and 3 from enteric fever and 3 from plague, in Bombay.

† Including deaths from croup.

‡ Including 46 deaths from cholera in Calcutta.

^a Deaths from diarrhoeal diseases at all ages.

^b Corrected figures, *i.e.*, non-residents deducted, 222 (including 3 deaths from diphtheria and 4 from diarrhoeal diseases), rate 15·4 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 24th January, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polionymyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	2	2	.	.	2	.	.	.	1	.	.	.	2	7
" " 1, West, ...	2	2	.	.	2	.	.	1	2	7
" " 2, ...	2	2	3	2	.	.	.	6	11
" " 3, ...	2	2	1	3
Clontarf and Howth No. 1 (part of),	2	2	.	.	1	3
Coolock and Drumcondra (part of),	1	1	1	2
Finglas and Glasnevin (part of), ...	2	2	1	3
South City No. 1,	1	.	.	.	9	10
" " 2, ...	3	3	2	5
" " 3,	1	.	.	1	6	8
" " 4, ...	1	1	.	.	4	.	.	.	1	.	.	.	2	8
New Kilmainham,	1	1
Total, ...	15	15	.	.	11	.	.	6	5	.	.	.	31	68

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 24th January, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 24th January.			
	Jan. 3.	Jan. 10.	Jan. 17.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	51	41	42	1	8	1	34
Typhus, ...	3	3	1	.	.	.	1
Small-pox,
Measles, ...	11	18	18	2	6	.	14
Scarlet Fever, ...	132	117	109	21	12	.	118*
Diphtheria, ...	57	51	53	15	12	3	53
Pneumonia, ...	23	25	25	9	5	.	29

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.S.C., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 24th January, 1914:—

"Cold, dry, dull weather prevailed during the greater part of this week. Until Friday an anticyclone of moderate intensity (30·10 to 30·30 inches) was centred over the North Sea, extending its borders westward to Ireland and southward across France and Central Europe. At the same time depressions moved northwards over the Atlantic to Iceland, while other low pressure systems existed in Lapland and the north of Russia, as well as in the basin of the Mediterranean. This distribution of atmospheric pressure led to curious temperature effects. There was little or no frost in Iceland or along the Norwegian coast, whereas intense frost prevailed in Central Europe, France, the Low Countries, and at times in Spain. Overcast skies and bitterly cold but dry easterly winds passed over England. A local area of severe frost was developed in the N.E. of Scotland, the thermometric minima at Nairn being 35°, 28°, 26°, 18°, 17°, 17° and 27°: at that place the thermometer did not rise above 31° on either Wednesday or Thursday. In Ireland, during this period, the wind was S.E. for the most part. An overcast sky prevented radiation by day or by night and the diurnal range of temperature was remarkably small—in Dublin the extreme range from Sunday evening to Friday morning was only 4·6°—from 35·0° to 39·6°. On Friday morning a marked change occurred—hard frost was reported from the S.E. of England the thermometer falling to 22° at Greenwich and at Hampstead Reservoir. Still more severe frost occurred in the London Metropolitan district in the course of Friday night. At Kew and Hampstead the minimum was 19°, and at Greenwich the thermometer exposed on the grass fell to 4°. On the other hand, the main Atlantic depression spread towards Ireland, and a brisk rise of temperature occurred in this country with strong S. and S.W. winds and showers on Saturday. In Dublin the mean height of the barometer was 30·052 inches, the range of pressure being from 30·148 inches at 9 a.m. of Thursday (wind, S.) to 29·918 inches at 4 p.m. of Saturday (wind, S.W.). The corrected mean temperature was 39·4°, the mean maximum being 41·8° and the mean minimum 36·9°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 39·5°. The screened thermometers rose to 53·1° on Saturday, having fallen to 35·0° on Thursday. S.E. and S. winds prevailed. Rain fell on Saturday night only, to the amount of ·047 inch."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 30·049 inches. The highest reading (30·152) was on Thursday, at 9 a.m., wind S., the lowest (29·957) on Saturday, at 9 a.m., wind S.S.W.

The mean temperature for the week was 38·6°, being 1·0° below the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Saturday, on which day the thermometer registered 52°, and was lowest on Sunday, the mercury having fallen to 32°. The mean of the Dry Bulb for the week was 38·8° and of the Wet Bulb, 36·8°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The rainfall during the week measured 0·090 inch.

At Greenwich the mean temperature for the week was 32·2°, the maximum 38·1°, and the minimum 19·9°; at Glasgow the maximum was 51·5°, the minimum 28·2°, and the mean 36·9° at Edinburgh the maximum was 50·9°, the minimum 32·5°, and the mean 35·9°. The rainfall at Greenwich measured 0·01 in., at Glasgow 0·44 in.; and at Edinburgh 0·09 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.			BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
			Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1·0.					
(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.	9 A.M.	9 P.M.			
Sunday,	January 18,	30·040	41	32	36·5	36·2	35·1	·92	·4	0·3	·000	Calm.	Calm.	
Monday,	„ 19,	30·010	42	35	38·5	36·8	34·2	·79	·2	0·0	·000	E.S.E.	E.S.E.	
Tuesday,	„ 20,	30·070	38	34	36·0	35·9	33·4	·79	·4	0·0	·000	E.	S.E.	
Wednesday,	„ 21,	30·100	38	35	36·5	35·5	33·5	·82	·5	0·0	·000	S.S.E.	Calm.	
Thursday,	„ 22,	30·125	38	34	36·0	34·9	33·2	·85	·5	0·4	·000	S.	S.S.E.	
Friday,	„ 23,	30·030	45	35	40·0	41·7	40·0	·87	·7	1·9	·000	S.E.	S.S.W.	
Saturday,	„ 24,	29·965	52	42	47·0	50·3	48·5	·87	·7	0·0	·090	S.S.W.	S.W.	
Mean,	30·049	42·0	35·3	38·6	38·8	36·8	·84	·5	Total 2·6	Total ·090	Prevailing Wind, S.E.		

Sunday—A dull day; night cloudy. Monday—Day overcast; night overcast. Tuesday—Day overcast; night overcast. Wednesday—Day overcast; night overcast. Thursday—Day cloudy; night overcast. Friday—Day cloudy; night overcast. Saturday—Day cloudy, showers p.m.; night overcast, light rain m.n. to 2.30 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 a.m. and 9 p.m.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 24th January, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.			Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
				1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday,	January 18,		38·0	40·2	44·5	42	37	39·5	hrs. —	ins. —
Monday,	" 19,		37·6	41·0	44·4	41	37	29	—	—
Tuesday,	" 20,		36·9	40·3	44·3	38	35	36·5	—	—
Wednesday,	" 21,		36·8	39·8	44·4	39	35	37	—	—
Thursday,	" 22,		36·5	39·6	44·0	39	35	37	—	—
Friday,	" 23,		40·0	39·3	44·0	50	36	43	0·7	—
Saturday,	" 24,		51·0	40·3	43·9	54	46	50	—	·050
Weekly Mean,	.		39·5	40·1	44·2	43·3	37·3	40·3	Total 0·7	Total ·050

DUBLIN: Printed for His Majesty's Stationery Office, By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE
DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 31ST JANUARY, 1914.

[No. 5.]

General Register Office Charlemont House
Dublin, 2nd February, 1914.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 24·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Jan. 10	Jan. 17	Jan. 24	Jan. 31	
27 Town Districts, (a)	25·4	21·7	23·8	24·1	23·7
Dublin Reg. Area ...	26·3	24·0	28·4	24·4	25·8
Dublin City ...	28·6	25·7	30·6	26·0	27·7
Belfast ...	26·5	22·7	23·8	25·7	24·7
Cork ...	29·2	19·7	24·5	19·7	23·3
Londonderry ...	14·0	12·7	16·5	22·8	16·5
Limerick ...	16·2	29·8	14·9	24·4	21·3
Waterford ...	30·4	15·2	17·1	32·3	23·8

The deaths from certain epidemic diseases† registered in the 27 town districts during last week* were equal to an annual rate of 1·0 per 1,000. Among the 197 deaths from all causes for Belfast are 3 from scarlet fever, one from whooping-cough, and 3 from diarrhoeal diseases. One of the 8 deaths from all causes for Galway is from whooping-cough. Included in the 8 deaths from all causes for Tralee is one from whooping-cough and one from diarrhoea. Among the 6 deaths from all causes for Clonmel is one from scarlet fever. One of the 3 deaths for Newtownards is from whooping-cough, and the 2 deaths recorded for Larne include one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 234—122 boys and 112 girls—and the deaths to 201—91 males and 110 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 24·4 per 1,000 of the population. During the five weeks, ending with Saturday last, the death-rate averaged 26·7, and was 2·1 above the mean rate for the corresponding portions of the ten years, 1904—1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 201, represent an annual rate of 25·8 per 1,000; the annual rate for the past five weeks was 28·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·8 per 1,000 of the mean population for all deaths registered.

The deaths included 3 from measles, one from scarlet fever, 2 from whooping cough, one* from diphtheria, 2 from influenza, and 5* from diarrhoea and enteritis of children under 2 years of age. In each of the three weeks preceding, deaths from measles were one, one, and 4; deaths from scarlet fever were 0, 2, and 0; deaths from whooping-cough were one, 0, and 2; deaths from diphtheria were 2, 0, and 6; deaths from influenza were 3, one, and 4; and deaths from diarrhoea and enteritis of children under 2 years were 2, 6, and 5.

The deaths from tuberculous disease amounted to 37,* as compared with 28, 23, and 32 in each of the 3 preceding weeks; the 37 deaths include 25 from pulmonary tuberculosis, 4 from tuberculous meningitis, 2 from abdominal tuberculosis, one from tuberculosis of the vertebral column, and 5 from disseminated tuberculosis.

Of 17 deaths from pneumonia (all forms), 9 were caused by broncho-pneumonia, one by lobar pneumonia, and 7 by pneumonia (type not distinguished).

There were 7* deaths from cancer.

Two deaths of infants under one year were ascribed to convulsions. Congenital malformations caused the deaths of 2 infants, 5 deaths of infants were attributed to premature birth, and 5 to congenital debility.

Fifteen deaths were from organic diseases of the heart and 29 from bronchitis.

The deaths of 5 persons were assigned to accident or negligence, including 3 deaths from burns and scalds, of which one was that of a child under 2 years of age.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of a child under one year old and the deaths of 2 persons aged 65 years and upwards.

Fifty-six of the persons whose deaths were registered during the week were under 5 years of age (41 being infants under one year, of whom 15 were under one month old) and 47 were aged 65 years and upwards, including 37 persons aged 70 and upwards; among the latter were 26 aged 75 and upwards, of whom one (a female) was stated to have been aged 96 years.

Ninety-one of the deaths registered during the week occurred in hospitals and other public institutions of this number 12 took place in the North Dublin Union Workhouse and 27 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·4 per 1,000; the rate in the City was 26·0 (North City Districts, 24·0; South, 28·3) and in the Suburbs 19·1.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the City being 1·7 (in the North City Districts 1·6, and in the South 1·8), and for the Suburbs 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·5 per 1,000. There were 2 deaths from tuberculous disease, 2 from bronchitis, and one from diarrhoea and enteritis of a child under 2 years of age.

No. 1 *North City District, West* (Summer-hill).—The deaths (30) are equal to an annual rate of 37·9 per 1,000, and include one death from scarlet fever, 9 deaths from tuberculous disease, one death from broncho-pneumonia, 2 deaths from bronchitis, one death of a child under 2 years of age from diarrhoea and enteritis, and one accidental death.

No. 2 *North City District* (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 37·4 per 1,000. Among them are one death from whooping-cough, 6 deaths from tuberculous disease, 3 deaths from broncho-pneumonia, and 3 deaths from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (8) represent an annual rate of 11·7 per 1,000. Three deaths from tuberculous disease, one from pneumonia, one from bronchitis, and one from diarrhoea and enteritis of a child under 2 years of age were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 19·1 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 19·5.

No. 1 *South City District* (South Earl-street).—The deaths (21) represent an annual rate of 26·9 per 1,000. Of the deaths 2 were caused by tuberculous disease, 2 by pneumonia, 4 by bronchitis, one death was that of a child under 2 years of age caused by diarrhoea and enteritis, and one death was attributed to accident.

No. 2 *South City District* (Castle-street).—The deaths (14) are equal to an annual rate of 39·8 per 1,000. There were 5 deaths from tuberculous disease, 2 from pneumonia, and one from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (18) are equal to an annual rate of 21·6 per 1,000, and include one death from whooping-cough, 5 from tuberculous disease, one from broncho-pneumonia, 4 from bronchitis, and one accidental death.

No. 4 *South City District* (Grand Canal Street).—The deaths (22) are equivalent to an annual rate of 34·6 per 1,000. Two deaths from measles, 2 from pulmonary tuberculosis, 4 deaths from pneumonia, and 5 deaths from bronchitis, were recorded.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·2 per 1,000. One of the deaths was from measles and one from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 24·0; Pembroke, 13·8; Blackrock, 22·7; and Kingstown, 15·4. There was no death from any of the principal epidemic diseases tabulated for these districts. The 18 deaths from all causes for Rathmines and Rathgar include one death each from influenza, pulmonary tuberculosis, and pneumonia, 3 deaths from bronchitis, and one accidental death. Among the 8 deaths from all causes for Pembroke are one death each from influenza, pulmonary tuberculosis, bronchitis, and accident; the 4 deaths from all causes for Blackrock include 2 deaths from bronchitis; and of the 5 deaths from all causes for Kingstown 2 were caused by pneumonia.

ENGLAND AND SCOTLAND

The mortality last week in 97 large English towns (including London, in which the rate was 18·0), was equal to an average annual death-rate of 18·4 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 20·0 per 1,000, the rate for Glasgow being 19·2, and for Edinburgh 19·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 31st January. From this Report it appears that of a total of 92 cases notified, 50 were scarlet fever, 25 phthisis, 9 diphtheria, 6 erysipelas, one enteric fever, and one from puerperal fever. Among the 651 cases of infectious diseases in hospital at the close of the week were 325 cases of scarlet fever, 177 of phthisis, 80 of diphtheria, 46 of measles, 7 of erysipelas, 5 of enteric fever, and one of puerperal fever.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908."

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 31st January, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.		Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	{	Jan. 10,	.	—	—	12	.	.	3	.	2	2	5	.	—	—	.	—	.	38	57
		Jan. 17,	.	—	—	13	.	.	9	.	5	5	5	.	—	—	.	—	.	24	56
		Jan. 24,	.	—	—	15	.	.	11	.	6	6	5	.	—	—	.	—	.	31	68
		Jan. 31,	.	—	—	13	.	.	11	.	.	2	10	.	—	—	1	—	.	33	70
Rathmines and Rathgar Urban District.	{	Jan. 10,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
		Jan. 17,	.	—	—	.	.	.	3	—	—	—	—	—	—	3
		Jan. 24,	.	—	—	3	.	.	2	.	.	.	1	.	—	—	—	—	—	—	6
		Jan. 31,	.	—	—	3	.	.	3	.	.	1	.	.	—	—	—	—	—	—	7
Pembroke Urban District.	{	Jan. 10,	.	8	.	1	—	—	—	—	—	.	9
		Jan. 17,	.	17	—	—	—	—	.	17
		Jan. 24,	.	18	.	4	.	.	1	.	.	1	.	.	.	2	—	—	—	1	27
		Jan. 31,	.	15	1	—	—	—	—	—	1	17
Blackrock Urban District.	{	Jan. 10,	.	—	—	.	.	.	1	—	—	—	—	—	—	1
		Jan. 17,	.	—	—	—	—	—	—	—	—	.
		Jan. 24,	.	—	—	—	—	—	—	—	—	.
		Jan. 31,	.	—	—	—	—	—	—	—	—	.
Kingstown Urban District.	{	Jan. 10,	.	—	—	1	—	—	—	—	—	4	5
		Jan. 17,	.	—	—	—	—	—	—	—	.	.
		Jan. 24,	.	—	—	—	—	—	—	—	.	.
		Jan. 31,	.	—	—	—	—	—	—	—	.	.
City of Belfast.	{	Jan. 10,	.	—	—	55	.	.	6	.	.	1	4	.	—	—	.	—	.	6	72
		Jan. 17,	.	—	—	54	.	.	8	.	.	4	7	1	—	—	.	—	11	85	
		Jan. 24,	.	—	—	44	.	.	11	.	.	4	3	.	—	—	.	—	.	9	71
		Jan. 31,	.	—	—	52	.	.	11	1	.	1	1	.	—	—	.	—	4	70	
City of Cork.	{	Jan. 10,	.	.	—	1	3	.	.	—	—	—	—	—	—	4
		Jan. 17,	.	.	—	2	.	.	.	2	.	—	—	—	—	—	4
		Jan. 24,	.	.	—	1	.	3	.	—	—	—	—	—	4
		Jan. 31,	.	.	—	1	.	.	.	—	—	—	—	—	1
City of Londonderry.	{	Jan. 10,	.	—	—	1	—	—	—	—	—	—	1
		Jan. 17,	.	—	—	2	1	.	.	.	—	—	—	—	—	3
		Jan. 24,	.	—	—	1	1	1	.	—	—	—	—	—	—	3
		Jan. 31,	.	—	—	3	1	1	.	—	—	—	—	—	4
City of Limerick.	{	Jan. 10,	.	—	—	2	—	—	.	—	—	—	2
		Jan. 17,	.	—	—	5	1	.	.	.	—	—	.	—	—	6
		Jan. 24,	.	—	—	1	—	—	.	—	—	1
		Jan. 31,	.	—	—	1	—	—	.	—	—	1
City of Waterford.	{	Jan. 10,	.	—	—	1	.	.	—	—	—	—	—	—	1
		Jan. 17,	.	—	—	1	.	.	.	—	—	—	—	—	1
		Jan. 24,	.	—	—	—	—	—	—	—	.
		Jan. 31,	.	—	—	.	.	.	2	.	.	.	1	.	.	—	—	—	—	—	3

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 31st January, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Four cases of enteric fever were admitted to hospital during the week, 8 were discharged, and 30 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 41, 42, and 34.

One case of typhus remained under treatment in hospital at the close of the week. The cases in hospital at the end of the 3 preceding weeks numbered 3, one, and one, respectively.

Two cases of measles were admitted to hospital, 3 were discharged, there was one death, and 12 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 18, 18, and 14 respectively.

Twenty-one cases of scarlet fever were admitted to hospital, 17 were discharged, there was one death, and 121* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 117, 109, and 118, respectively.

Nineteen cases of diphtheria were admitted to hospital during the week, 8 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 51, 53, and 53 respectively, were 63 at the close of last week.

In addition to the above-named diseases, 23 cases of pneumonia were admitted to hospital, 6 were discharged, there were 2 deaths, and 44 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 31st of January, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.				
		CITY OF DUBLIN.																					
		REGISTRATION DISTRICTS IN																					
		Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.										URBAN DISTRICTS OF			
		NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.						
Enteric Fever,					
Typhus,					
Small-pox,					
Measles,	1	3					
Scarlet Fever,	1	1					
Whooping-cough,	1	1	2					
Diphtheria,	1					
Croup,					
Influenza,	1	1	.	.	.	2					
Dysentery,					
Tuberculosis, { Pulmonary,	1	7	3	1	.	.	.	1	3	4	2	.	1	1	.	.	.	24					
Other Forms,	1	2	3	2	.	.	.	1	2	1	12					
Cancer,	1	1	.	.	1	.	1	1	1	6					
Diseases of Nervous System,	4	.	1	.	3	1	3	1	1	2	.	1	.	1	.	.	18					
" Organs of Special Sense,					
" Circulatory System,	1	.	2	1	3	.	1	1	2	1	.	3	.	16					
" Respiratory System, { Pneumonia,	1	3	1	.	.	.	2	2	1	4	.	1	.	.	2	.	17					
Others,	2	2	3	1	.	1	.	4	1	4	6	1	4	1	2	.	.	32					
" Digestive System, { Diarrhoea and Enteritis, under 2 years,	1	1	.	1	.	.	.	1	4					
Diarrhoea, 2 years and upwards,					
Enteritis, 2 years and upwards,	1	1	2					
Others,	1	1	1	3					
" Genito-urinary System,	1	2	.	.	1	.	1	1	.	.	.	6					
Puerperal Septicæmia, etc.,	1	1	2					
Other Causes incident to Pregnancy and Childbirth,	1	1					
Diseases of the Skin and Cellular Tissue,	1	.	1	2					
" Locomotor System,					
Other specified Causes,	2	5	2	1	.	.	.	2	1	3	3	1	4	2	1	.	.	27					
Violent Deaths,	1	1	.	1	.	.	1	1	.	.	.	5					
Ill-defined, &c. Causes,	3	1	.	.	1	5					
Deaths from All Causes	9	30	20	8	.	5	4	21	14	13	22	4	13	8	4	5	.	190					
Annual Rate of Mortality from All Causes in every 1,000 of the population.	15.5	37.9	37.4	11.7	.	19.1	19.5	26.9	39.8	21.6	34.6	21.2	24.0	13.8	22.7	15.4	.	24.4					
	24.0							28.3							19.1		.						
	26.0																.						
Ages at Death. { Under 1 year,	3	6	4	2	.	1	.	4	2	6	5	2	2	.	1	.	.	38					
1 and under 2 years,	1	.	.	.	1	.	1	4	.	.	1	.	.	.	8					
2 " 5 "	4	1	.	.	.	1	7					
5 " 15 "	6	1	2	1	10					
15 " 25 "	2	1	.	1	.	.	1	.	1	.	.	1	2	9					
25 " 45 "	1	6	2	.	.	2	.	2	6	3	4	.	1	1	.	.	.	28					
45 " 65 "	1	5	6	2	.	2	3	8	1	3	4	.	2	2	1	3	.	43					
65 and upwards,	2	6	4	1	.	.	.	4	2	4	5	.	11	4	2	2	.	47					
Number of Uncertified Deaths,	1	1	.	.	1	1	4					
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																							
Public Hospitals, Prisons, and Lunatic Asylums,	5	7	2	2	.	1	1	2	6	4	5	.	4	2	1	.	.	42					
Workhouse Hospitals,	2	3	5	1	.	1	.	12	5	4	2	.	3	38					
																		10					
																		1					

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

Deaths from all causes Registered in the Week ending Saturday											5th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 31st January, 1914.										
CAUSES OF DEATH.	Feb. 6, 1904.	Feb. 4, 1905.	Feb. 3, 1906.	Feb. 2, 1907.	Feb. 1, 1908.	Feb. 6, 1909.	Feb. 5, 1910.	Feb. 4, 1911.	Feb. 3, 1912.	Feb. 1, 1913.	Averages in 5th Week of the 10 years, 1904-1913.	Deaths of Persons of the Ages of										
	0	0	0	0	0	0	0	0	0	0	0	Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
Mean Temperature.	37.0	43.9	44.3	37.7	41.8	44.4	38.1	35.9	30.6	40.2	39.4	44.1										
ALL CAUSES.	233	183	187	193	208	196	239	200	184	158	198.1	201	15	26	8	7	11	11	30	46	21	26
Enteric Fever, ...	1	.	1	3	1	.	.6
Typhus,
Small-pox,
Measles,	5	.	.	2	7	.	2	2	1	1.9	3	.	1	2
Scarlet Fever,	1	1	2	.	.4	1	.	.	.	1
Whooping-cough, ...	9	2	2	2	2	1	2	4	1	1	2.6	2	.	.	1	1
Diphtheria, ...	1	1	1	.	.	3	2	5	2	.	1.5	1	.	.	.	1
Croup,	11
Influenza, ...	3	2	.	6	6	.	4	3	2	2	2.8	2	1	.	1	.
Dysentery,	1
Erysipelas, ...	1	2	.	1	.	.	.4
Other Epidemic Diseases,	11
Pyæmia and Septicæmia (non-puerperal).	.	1	.	.	.	1	13	1	1
Tetanus,
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	23	28	29	24	28	24	26	19	25	15	24.1	25	2	2	14	6	.	.
Tuberculous Meningitis, ...	4	4	2	3	3	1	4	2	2	2	2.7	4	.	1
Abdominal Tuberculosis, ...	3	2	.	1	.	2	1	.	.	1	1.0	2	.	1	1
Tuberculosis of the Vertebral Column.	1	1
Tuberculosis of Joints, ...	4	5	7	8	6	5	12	2	.	1	5.4
Tuberculosis of other Organs, Scrofula,
Disseminated Tuberculosis,	5	.	.	1	1	2	.	1	.	.	.
Venereal Diseases, ...	1	1	1	2	1	1	29	1	.	1
Cancer, ...	11	8	8	10	6	4	19	16	6	7	9.5	7	3	4	.	.	.
Tumour, situation undefined,
Rheumatic Fever, ...	1	1	.	2	.4
Diabetes,	1	1	1	.	1	2	2	.8	1	1	.	1	.
Anæmia, Leucocythæmia,	1	1	.	.	2	1
Other General Diseases,	1	.	.	2	1	1
Alcoholism,	1	1	1	.3
Chronic Poisonings,
Cerebro-spinal Fever,	1	.	.	.1
Simple Meningitis,	3	.	.	3	.	2	.	.	.	1
Cerebral Hæmorrhage, Apoplexy,	5	3	.	5	3	1	1	.
Softening of Brain,	2
Paralysis, without specified cause,	1	2	.	3	1	1	1	.
Epilepsy,	2	1
Convulsions (non-puerperal),	4	6	.	2	1	1
Other Diseases of Nervous System.	47	41	45	41	41	43	42	45	2	3	41.0	3	3	.	.	.
Pericarditis,
Acute Endocarditis,	1	1
Organic Diseases of the Heart, Embolism and Thrombosis (including Cerebral)	15	14	.	15	2	1	3	3	6	.
Other Diseases of Circulatory System.	1
Diseases of the Larynx,
Bronchitis, ...	32	25	24	40	41	33	43	26	37	29	33.0	29	1	6	1	1	.	.	1	10	4	5
Broncho-pneumonia, ...	4	7	11	6	9	8	12	11	10	4	8.2	9	.	3	1	1	1
Lobar pneumonia,	2	.	1	2	3	1	3	3	3	1.5	1
Pneumonia (type not distinguished)	12	2	8	6	8	12	7	4	6	4	6.9	7	.	1	3	3	.	1
Pleurisy,
Pulmonary Congestion, Pulmonary Apoplexy, ...	3	7	3	4	2	3	.	4	1	1	3.2	1	1	.	.	.
Other Diseases of Respiratory System.	3	.	.	1	1

FIFTH WEEK, ending Saturday, 31st January, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 5th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 31st January, 1914.																														
	Feb. 6, 1904.	Feb. 4, 1905.	Feb. 3, 1906.	Feb. 2, 1907.	Feb. 1, 1908.	Feb. 6, 1909.	Feb. 5, 1910.	Feb. 4, 1911.	Feb. 3, 1912.	Feb. 1, 1913.		Deaths of Persons of the Ages of																														
												0-5.																														
Mean Temperature ...	37.0	43.9	44.3	37.7	41.8	44.4	38.1	35.9	30.6	40.2	39.4	44.1	Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																				
Diseases of the Pharynx, Tonsillitis.	1	.	.1																				
Diseases of Stomach, ...	—	—	—	—	—	—	—	2	1	.	.	2	.	.	.	1	.	1																				
Diarrhoea and Enteritis of Children under 2 years.	1	5	3	5	8	.	11	8	2	5	4.4	5	1	4																				
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																							2	1
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	1	.	.	—	1	1	.																				
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	1	1	.	—																				
Cirrhosis of Liver, ...	2	1	.	.	.	1	.	1	1	1	.7	1	1	.	.																				
Other Diseases of Liver, ...	3	.	.	.	2	1	.	.	.	2	.8																				
Peritonitis (cause unknown),	2	.	.	.	1	1	2	1	.	2	.9	2	1	.	1	.	.	.																				
Other Diseases of Digestive System.	5	4	4	1	4	1	2	.	.	.	2.1																				
Acute Nephritis, ...	8	4	9	5	5	7	8	4	.	2	6.8	5	2	1	2																				
Chronic Bright's Disease, ...																							5	5	
Urinary Calculi,
Uterine Tumour (non-cancerous).																						
Ovarian Tumour (non-cancerous)																						
Other Diseases of Genito-urinary System.	2	3	.	.	2	1	.	1	.	.																					
Puerperal Septicæmia, &c.,	1	.	1	.	.	1	.3	2	1	1	.	.	.																				
Other Causes incident to Pregnancy and Childbirth.	2	.	1	1	3	1	19	1	1	1	.	.	.																				
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	1	2	2	—	2	2																				
Diseases of Locomotor System.	—	—	—	—	—	—	—	.	1	.	—	.	1																				
Congenital Malformations, ...	—	—	—	—	—	—	—	.	1	3	—	2	1																				
Premature Birth, ...	9	7	6	3	7	4	6	4	7	11	6.4	5	5	1																				
Congenital Debility, ...	—	—	—	—	—	—	—	5	3	2	—	5	1	4																				
Old Age, ...	18	5	8	4	6	9	8	6	1	5	7.0	10	5	3	7	.																				
Other Specified Diseases, ...	—	—	—	—	—	—	—	1	.	.	—	2	2																				
ACCIDENT :																																										
Poisons or Poisonous Vapours.	.	.	1	1	.	1	3																				
Conflagration, ...	11																				
Burns and Scalds, ...	3	2	2	2	1	2	1	1	2	.	1.6	3	.	.	1	.	1	.	1	.	.	.																				
Drowning, ...	2	.	.	1	1	.	2	3	1	1	1.1																				
Suffocation in Bed,	11																				
Other Deaths by Accident, ...	2	1	1	1	.	.	2	1	3	.	1.1	2	1	1	.	.																				
Total Deaths from Accident,	8	4	4	4	2	2	5	6	6	2	4.3	5	.	.	1	.	1	.	2	1	.	.																				
Included in above are Deaths in connection with—																																										
Railways,	1	.	.1																				
Vehicles and Horses, ...	11																				
Ships, Boats, Docks,																				
Building Operations,																				
VIOLENCE OTHER THAN ACCIDENTAL :																																										
Homicide,	1	12																				
Suicide,	1	.	.	1	.	.	.2																				
Execution,																				
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	1	5	3	—	5	.	1	2	1	1	.																				

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1913-4—WEEK ENDING																											
		Aug. 9.	Aug. 15.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.		
No. of weeks in Annual Series,		32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5		
BIRTHS registered.		199	212	205	187	239	167	255	232	225	177	211	220	202	190	232	165	209	194	212	185	140	168	246	203	241	234		
Average Births in corresponding week of previous 10 years, ...		209	225	221	209	240	206	215	246	200	192	211	194	220	213	193	184	213	187	204	179	186	225	222	212	215	241		
DEATHS registered, ...		144	157	168	164	157	193	143	177	163	159	148	162	174	158	164	148	164	153	147	167	137	250	210	205	236	201		
Annual Death-rate per 1,000, ...		18.6	20.3	21.7	21.2	20.3	25.4	18.5	22.9	21.1	20.6	19.1	21.0	22.5	20.4	21.2	19.1	21.2	19.8	19.0	21.6	17.7	32.1	27.0	26.3	30.3	25.8		
Average Deaths in corresponding week of previous 10 years, ...		144	158	161	153	158	153	164	155	155	154	159	149	168	167	173	171	178	181	171	173	166	193	189	194	197	198		
Ages, { Under 5 years, 5-15 " 15-25 " 25-45 " 45-65 " 65-75 " 75 and upwards, ...		41	63	55	58	66	62	45	69	58	66	50	57	54	50	49	47	28	55	49	55	47	63	46	45	69	56		
		7	7	7	4	8	6	6	2	5	4	9	4	7	6	9	7	9	6	8	8	6	11	12	6	7	11		
		7	7	8	12	7	16	4	11	6	8	4	11	9	6	8	6	6	4	3	6	6	12	9	4	16	11		
		26	24	28	30	21	37	18	22	18	17	16	23	29	24	26	15	33	23	31	31	31	19	32	31	32	29		
		34	29	36	29	33	38	32	40	39	33	39	34	37	33	35	35	47	26	26	34	37	25	43	55	50	46		
		18	22	19	17	17	18	20	20	23	19	17	23	18	26	24	23	22	26	15	15	20	20	31	36	32	34	21	
		11	7	15	12	5	19	18	13	14	12	13	10	20	13	13	15	9	13	7	10	14	23	28	31	31	26		
		Deaths from:—
		Enteric Fever,
		Typhus,
Small-pox,		
Measles, ...	1	1	1		
Scarlet Fever,		
Whooping-cough,		
Diphtheria, ...	2		
Influenza,		
Dysentery,		
Tuberculosis { Pulmonary ...	17	17	20	18	20	24	15	18	13	16	12	19	18	18	22	14	17	15	16	23	12	24	20	19	22	25			
Other Forms, ...	9	10	10	8	8	5	1	4	6	7	6	6	13	6	5	6	6	5	5	5	11	12	8	4	10	12			
Cancer, ...	11	8	8	6	14	13	9	13	11	7	11	10	11	10	8	12	11	7	6	7	7	7	8	12	9	7			
Diseases of Circulatory System, ...	23	6	22	11	7	18	17	18	15	10	15	18	15	21	12	9	17	11	17	18	19	26	15	23	25	16			
Diseases of Respi- (Pneumonia	8	3	9	7	2	6	12	6	4	7	6	8	12	13	12	14	14	18	17	18	19	22	19	21	26	17			
ratory System, { Others, ...	9	12	13	7	9	10	10	14	13	13	15	13	15	14	12	20	22	22	17	22	16	17	51	48	80	43	32		
Diarrhoea and Enteritis, under		
2 years, ...	18	27	21	29	31	37	25	33	26	29	23	16	14	7	8	9	7	5	4	8	5	3	2	6	5	5			
Diarrhoea, 2 years and upwards, ...	2	2	2	2	4	1	1	1	2	2	1	1	1	2	4	4	5	6	4	3	1	2	6	12	4	9	5		
Violent Deaths, ...	7	3	7	2	5	6	9	5	4	2	3	5	2	5	3	3	6	4	4	3	1	2	6	12	4	9	5		
Number of Uncertified Deaths, ...	2	3	2	3	2	2	3	...	3	2	3	5	7	2	4	6	3	4	6	4	4	3	14	10	2	5	4		
Mean Temperature of the Air	55.4	61.8	56.5	57.0	55.3	54.9	49.5	56.5	56.6	51.4	52.9	43.5	50.9	44.4	46.6	46.6	47.6	44.4	46.0	44.1	37.7	34.6	44.3	39.5	38.6	44.1			
(Phoenix Park) in degrees, ...	58.4	57.3	56.2	56.5	54.5	52.3	52.6*	52.4	51.6	50.4	49.8	45.7	45.2	44.6	42.0	41.9	41.5	42.2	42.5	42.4	41.5	41.9	41.1	40.0	39.6	39.4			
Average Mean Temperature in		
corresponding week of previous		
10 years,		
Rainfall in inches, ...	185	845	205	000	005	1.540	1.435	1.115	0.60	2.730	1.40	580	1.040	710	645	640	150	1.065	1.65	0.65	620	035	445	260	090	485			
Mean Humidity of the Air, com-		
plete Saturation 1.0, ...	79	83	81	86	84	85	90	88	92	90	86	86	86	80	90	88	90	93	93	87	90	90	88	81	81	94			

* For 9 years only

Registration of Births and Deaths, Ireland.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1913-4. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncer- tified Deaths.		
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteric Fever in Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	Dec. 27 Jan. 3	13.9 41.4	. 1.7	8 24 1	1 4	. 1	2 .	1 3	1 6 2
	" 10 " 17	27.6 31.1	1.7 .	16 18	1	1 1	. 1	. .	3 3	5 1	1 1
Population in 1914 (Est.) 30,206.	" 24 " 31	36.3 15.5	5.2 1.7	21 9	1 .	2 .	. .	2 1	1 1	2 .	4 2	. 1
North City, No. 1 (W.) (Office, Summer-hill.)	Dec. 27 Jan. 3	30.6 34.1	1.3 .	24 27	5 4	. 1	. 1	. .	1 2	1 5	. .	1 .	1 .	2 3
	" 10 " 17	29.1 26.5	. .	23 21	1 1	1	5 1	5 2	4 .	4 .
Population in 1914 (Est.) 41,278.	" 24 " 31	25.3 37.9	3.8 2.5	20 30	1	3 7	. 2	1 1	1 .	6 1	2 2	3 1	1 1
North City, No. 2. (Office, Lisburn-street.)	Dec. 27 Jan. 3	18.7 46.8	1.9 5.6	10 25 1	. .	2 2	3 6	1 3 2
	" 10 " 17	22.4 22.4	. .	12 12	1 .	. 2	. 2	2 2	2 2
Population in 1914 (Est.) 27,883.	" 24 " 31	41.1 37.4	1.9 1.9	22 20	1 .	1	1 3	1 3	1 1	1 3	5 3	1 .
North City, No. 3. (Office, Benburb-street.)	Dec. 27 Jan. 3	10.4 47.0	. .	7 32	2 .	2 .	2 .	. .	5 7	1 .
	" 10 " 17	24.9 29.3	. 2.9	17 20	. 1 1	1 4	1 1	1 2	. .	6 1
Population in 1914 (Est.) 35,536.	" 24 " 31	13.2 11.7	1.5 1.5	9 8	1 .	. .	1 1	. 2	. .	1 1	3 1	. 1
Clontarf and Howth No. 1 (part of).	Dec. 27 Jan. 3	28.8 19.0	. .	3 2	1	1
	" 10 " 17	9.5 9.5	. .	1 1
Population in 1914 (Est.) 5,485.	" 24 " 31	1
Coolock and Drumcondra (part of).	Dec. 27 Jan. 3	23.1 7.6	. .	6 2	2
	" 10 " 17	22.9 19.1	. .	6 5 1	2 1
Population in 1914 (Est.) 13,685.	" 24 " 31	11.4 19.1	. .	3 5 1	1
Finglas and Glasnevin (part of).	Dec. 27 Jan. 3	4.9 .	. .	1
	" 10 " 17	9.7 19.5	. .	2 4	1 2	1
Population in 1914 (Est.) 10,723.	" 24 " 31	14.6 19.5	. .	3 4	1	1	1 .
South City, No. 1. (Office, Sth. Earl-street.)	Dec. 27 Jan. 3	20.7 23.0	2.6 .	16 18	1	1 2	2 3	1 .	1 .	4 5	1 6	1 2
	" 10 " 17	29.4 26.9	1.3 2.6	23 21	1	3 3	5 1	6 2	. 2	. .	1 .	1 .	2 .
Population in 1914 (Est.) 40,768.	" 24 " 31	34.5 26.9	1.3 1.3	27 21	1	3 1	2 1	. 1	4 1	4 4	4 1	. .	1 .	1 .	1 .
South City, No. 2. (Office, Castle-street.)	Dec. 27 Jan. 3	19.9 48.3	. 2.8	7 17	. 1 1	3 .	1 .	1 .	3 6	1 .	1 .	1 .
	" 10 " 17	54.0 34.1	. .	19 12	3 2	. .	1 .	4 .	2 4	2 .	1 .	1 .
Population in 1914 (Est.) 18,341.	" 24 " 31	37.0 39.8	. .	13 14	3 3	1 2	. 1	. 2	4 1	1 .	1 .	. .
South City, No. 3. (Office, Peter-street.)	Dec. 27 Jan. 3	19.4 27.5	2.4 1.2	16 23 1	. .	1 5	1 .	. .	3 3	2 6	2 5	2 1
	" 10 " 17	35.9 33.5	2.4 1.2	30 28	1	5 3	. .	. 2	. 1	5 8	1 1	. .	1
Population in 1914 (Est.) 43,540.	" 24 " 31	38.3 21.6	3.6 1.2	32 18 1	3 4	1 1	1 1	3 1	6 4	2 .	. .	2 .	1 .	1 .
South City, No. 4. (Office, Grand Canal-st.)	Dec. 27 Jan. 3	18.9 36.2	3.1 4.7	12 23 1	1 1	1 .	1 2	2 3	3 3	. 1	1 .	1 .
	" 10 " 17	23.6 14.1	3.1 1.6	15 9	. 1	1 1	. 3	2 3	3 1	2 4
Population in 1914 (Est.) 33,171.	" 24 " 31	42.4 34.6	4.7 .	27 22	2 2	1	3 2	3 .	2 .	2 4	6 6	1 .	1 .	1 .
New Kilmainham.	Dec. 27 Jan. 3	16.0 21.2	. .	3 4 1	1 3	1 .	. .
	" 10 " 17	31.8 10.6	. 5.3	6 2	1	1 3
Population in 1914 (Est.) 9,851.	" 24 " 31	26.5 21.2	10.6 5.3	5 4	2 1	3 1

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS	1913-4. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Farrhoes, 2 years of age and upwards.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District.	Dec. 27 Jan. 3 " 10 " 17	12.1 20.0 18.6 25.3	2.7 . . .	9 15 14 19	1 2 2 1	. 2 1 .	. . 1 2	. . . 3	1 4 2 3	1 . . .		
Population in 1914 (Est.) 39,155.	" 24 " 31	17.3 24.0	. .	13 18	1 1	3 1	1 4		
Pembroke Urban District.	Dec. 27 Jan. 3 " 10 " 17	7.0 20.7 24.1 13.8	1.7 1.7 5.2 6.9	4 12 14 8	. . 1 1	1 1 .	. . 1	1 2 . 1	1 2 . 2	. . . 2	1 1 1 2	1 . . 3		
Population in 1914 (Est.) 30,240	" 24 " 31	27.6 13.8	3.4 .	16 8	1	1 .	. .	1 1	. .	2 .	2 .	2 1	. .	1 .		
Blackrock Urban District.	Dec. 27 Jan. 3 " 10 " 17	5.7 28.3 11.3 17.0	1 5 2 3 1 1	. . . 1	. . . 1		
Population in 1914 (Est.) 9,197.	" 24 " 31	22.7 22.7	. .	4 4 1	1 2		
Kingstown Urban District.	Dec. 27 Jan. 3 " 10 " 17	15.4 24.6 15.4 12.3	5 8 5 4	1 . 1 1	. . . 1	. 1 1 .	. 1 1		
Population in 1911 16,941.	" 24 " 31	18.5 15.4	. .	6 5 1	. .	1 2	1 .		
Belfast.	Dec. 27 Jan. 3 " 10 " 17	19.8 25.4 26.5 22.7	2.0 1.7 3.4 2.1	150 194 203 174	. 1 2	1 . 1 .	6 3 12 10	7 6 3 1	. 2 4 2	15 15 14 17	9 8 8 5	6 3 10 8	28 23 29 23	15 36 28 27	1 1 2 3	. . 2 .		
Population in 1914 (Est.) 399,000.	" 24 " 31	23.8 25.7	1.6 0.9	182 197	1	1 .	2 3	5 1	15 12	6 3	6 10	29 26	26 45	1 2	2 1		
Cork.	Dec. 27 Jan. 3 " 10 " 17	10.9 28.6 29.2 19.7	. 0.7 2.0 .	16 42 43 29	. . 1	2 5 6 3	. 5 1 .	2 2 . 3	2 2 1 5	2 4 8 6	. 1 1 1	. . 1 .		
Population in 1911 76,673.	" 24 " 31	24.5 19.7	0.7 .	36 29	3 5	. 3	3 .	5 2	6 3	1 .	. .		
Londonderry.	Dec. 27 Jan. 3 " 10 " 17	11.4 21.6 14.0 12.7	. 1.3 . .	9 17 11 10 1	1 2 1 1	. 1 1 .	. 2 . .	1 2 1 2	2 1 4 4		
Population in 1914 (Est.) 41,160.	" 24 " 31	16.5 22.8	. .	13 18	5 .	. 1	4 5		
Limerick.	Dec. 27 Jan. 3 " 10 " 17	13.5 12.2 16.2 29.8	1.4 . 1.4 .	10 9 12 22	1 . 1	1 1 . 1	. . . 1 4 4	4 5 1 5	. . 1 1		
Population in 1911 38,518.	" 24 " 31	14.9 24.4	. .	11 18	2 2	1 3	1 3	. .	1 .		
Waterford.	Dec. 27 Jan. 3 " 10 " 17	11.4 17.1 30.4 15.2	. . 3.8 .	6 9 16 8	3 2 2 2	. . 1 .	1 1	1 2 1 1	. . 2		
Population in 1911 27,464.	" 24 " 31	17.1 32.3	. .	9 16	2 2	. 1	. 1	. .	1 3		

* See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1913-4—WEEK ENDING																									
	Aug. 9.	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.
No. of weeks in Annual Series,	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5
BIRTHS registered, ...	195	232	192	193	214	234	173	234	197	192	201	191	179	231	182	170	186	136	205	196	130	284	195	254	208	215
DEATHS registered, ...	115	159	142	175	157	135	160	148	100	127	111	115	102	133	139	126	112	117	137	141	150	194	203	174	182	197
Annual Death-rate per 1,000 of estimated population, ...	15.1	20.9	18.7	23.0	20.7	20.4	21.1	19.5	13.2	16.7	14.6	15.1	13.4	17.5	18.3	16.6	14.7	15.4	18.0	18.6	19.8	25.4	26.5	22.7	23.8	25.7
AGES, {	35	46	47	54	42	59	44	42	24	29	22	24	15	39	31	19	19	14	23	27	28	42	45	24	43	45
Under 1 year, ...	15	32	17	20	21	13	21	20	15	16	11	19	12	21	15	24	14	24	26	17	29	23	36	24	22	21
1-5 years, ...	11	15	16	18	15	13	25	13	11	20	15	12	14	13	14	14	8	15	12	16	25	14	17	14	24	13
5-25 " ...	17	23	19	34	23	23	18	16	17	17	13	15	20	13	24	15	21	20	22	32	20	25	26	30	23	34
25-45 " ...	17	28	22	27	29	30	26	31	20	25	23	23	18	24	32	29	24	27	29	32	30	39	47	36	35	41
45-65 " ...	20	15	21	22	27	17	26	26	13	20	24	22	23	23	23	25	26	17	25	17	18	51	31	46	35	43
65 and upwards, ...																										
Deaths from :—																										
Enteric Fever, ...		3	1				2	1		1				1		1	2	1				1			1	
Typhus, ...						1																				
Small-pox, ...																										
Measles, ...					1							2			1	1	3				1		1		1	
Scarlet Fever, ...	1	3	2	1	1	3	4	3	3	1	3	7	5	7	7	9	4	8	8	5	6	3	12	10	2	3
Whooping-cough, ...		2	1	1	1										3	2		3	3	3	7	6	3	1	5	1
Diphtheria, ...				2		2	3	1		2	1	1			2		1		2	1		2	4	2		
Dysentery, ...																										
Tuberculosis, {	7	12	18	26	10	15	16	13	10	14	12	8	13	13	22	9	8	10	8	12	15	15	14	17	15	12
Pulmonary, ...																										
Other Forms, ...	7	9	2	5	7	5	5	3	3	6	3	6	7	6	2	5	3	6	5	2	9	8	8	5	6	3
Cancer, ...	6	8	4	5	4	4	3	9	4	5	9	6	5	8	8	10	6	3	7	10	6	3	10	8	6	10
Diseases of Respi- ratory System, {	7	11	5	5	11	10	10	16	8	8	9	6	5	10	16	9	10	13	25	14	28	23	29	23	29	26
Pneumonia, ...	7	13	13	9	8	4	11	15	7	15	7	15	15	13	15	11	12	14	10	14	15	36	28	27	26	45
Others, ...																										
Diarrhoea and Enteritis, under 2 years, ...	25	25	33	39	30	41	37	22	15	9	9	2	5	3	1	6		1		1	1	1	2	3	1	2
Diarrhoea, 2 years and upwards, ...	3	2	3	6	1	3		5	1		1	1	1	1					1				2		2	1
Violent Deaths, ...	2	5	3	3	5	1	2	1	1	2	2	1		4	4	9	1	3	2	1	3	5		1	6	4
Number of Uncertified Deaths, ...			1		3			1		4	3	2	1	2	6	1	1	1		3	1		5	4	3	2
Mean Temperature of the Air in degrees.	57.0	58.4	58.5	57.1	57.4	56.0	51.8	57.0	55.7	52.0	54.5	47.7	49.5	44.4	46.7	46.6	48.3	43.1	45.4	43.3	40.0	32.3	41.1	38.7	38.4	44.1
Rainfall, in inches, ...	0.01	0.19	0.51	0.18	0.00	0.51	2.90	0.71	0.04	0.33	0.81	0.74	2.13	1.22	1.65	0.92	0.26	1.51	0.78	0.07	0.82	0.41	1.83	0.00	0.28	0.55

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Jan. 31,	2,207	1,557	18·0	3	.	7	3	13	13	29
EDINBURGH, ...	321,900	" 31,	115	117	19·0	.	.	8	2	.	4	1
GLASGOW, ...	1,047,000	" 31,	497	386	19·2	.	.	19	3	3	4	3
CALCUTTA, ...	896,067	Dec. 20,	.	602	34·9	89*	.	.	.	1	.	130† ^a
BOMBAY ...	979,445	" 27,	455	563	29·9	59*	3	10	.	.	.	63† ^a
MADRAS ...	518,660	" 27,	320	464	46·5	64*	.	.	?	?	?	139 ^a
CAIRO, ...	715,609	Nov. 25,	571	418	30·5	4	3	.	.	?	18†	56
PARIS, ...	2,847,229	Jan. 17,	916	1,043	18·7	5	.	2	1	2	4†	13
BRUSSELS, ...	767,252	" 10,	264	207	14·0	1	10
ANTWERP, ...	312,884	" 10,	106	73	12·2	4†	2
AMSTERDAM, ...	595,258	" 10,	272	168	14·1	1	.	1	.	5	.	.
COPENHAGEN, ...	483,000	" 10,	256	143	15·4	.	.	1	1	.	.	1
STOCKHOLM, ...	376,171	" 10,	162	100	13·8	1
CHRISTIANIA, ...	250,423	" 17,	114	62	12·9	1	1 ^a
ST. PETERSBURG ...	1,708,600	Dec. 27,	646	681	20·8	11	.	23	17	5	16	26
MOSCOW, ...	1,694,000	" 20,	.	663	20·4	4	1	25	14	10	19†	54 ^a
BERLIN, ...	2,057,715	" 27,
HAMBURG, ...	1,030,983	Jan. 10,	.	275	13·9	.	.	3	2	3	9	19
BRESLAU, ...	543,405	" 10,	.	207	19·9	.	.	.	3	2	1	12 ^a
MUNICH, ...	640,000	" 10,	.	206	16·8	.	.	3	.	.	2†	6
VIENNA (with suburbs),	2,132,523	" 10,	650	632	15·4	.	.	.	2	.	8†	22
BUDA-PESTH, ...	950,784	" 10,	436	367	20·1	.	.	10	11	.	5†	17
PRAGUE and Faubourgs,	498,496	Dec. 20,	150	175	18·3	1	5†	2
TRIESTE, ...	242,595	" 27,
ROME, ...	582,565	Aug. 9,
NEW YORK, ...	5,372,983	Dec. 20,	2,269	1,439	14·0	8	.	9	6	3	32†	34
PHILADELPHIA, ...	1,631,960	" 13,	.	463	14·8	5	.	.	2	3	9†	12
BOSTON, ...	750,768	Jan. 10,	.	262 ^b	18·2	2	.	.	3	.	3	.

* Deaths from "fever," including 6 from enteric fever in Calcutta; and 3 from enteric fever and one from plague in Bombay.

† Including deaths from croup.

‡ Including 45 deaths from cholera in Calcutta, and 2 in Bombay.

^a Deaths from diarrhoeal diseases at all ages.

^b Corrected figures, i.e., non-residents deducted, 228 (including one death from enteric fever), rate 15·8 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 31st January, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	1	.	.	.	2	.	.	.	1	.	.	.	2	6
" " 1, West, ...	3	.	.	.	1	.	.	.	3	.	1	.	5	13
" " 2, ...	1	.	.	.	1	.	.	.	1	.	.	.	2	12
" " 3, ...	2	.	.	.	3	.	.	1	2	.	.	.	4	12
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),	1	1
Finglas and Glasnevin (part of),
South City No. 1, ...	3	1	.	.	.	3	7
" " 2,	3	3
" " 3, ...	1	.	.	.	2	.	.	1	1	.	.	.	6	11
" " 4, ...	2	.	.	.	1	.	.	.	1	.	.	.	1	5
New Kilmainham,
Total, ...	13	.	.	.	11	.	.	2	10	.	1	.	33	70

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 31st January, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 31st January.			
	Jan. 10.	Jan. 17.	Jan. 24.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	41	42	34	4	8	.	30
Typhus, ...	3	1	1	.	.	.	1
Small-pox,
Measles, ...	18	18	14	2	3	1	12
Scarlet Fever, ...	117	109	118	21	17	1	121*
Diphtheria, ...	51	53	53	19	8	1	63
Pneumonia, ...	25	25	29	23	6	2	44

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 31st January, 1914:—

"Throughout this closing week of January the weather in the United Kingdom was of the southwesterly or oceanic type—changeable, squally, mild, and showery. This was brought about by the presence of primary atmospheric depressions in the far N.W. and N. (Greenland—Iceland—Lapland), and by the passage of secondary low pressure systems in a northeasterly direction outside the Irish and Scottish coasts. On Sunday morning one of these secondaries was centred on the Atlantic in lat. 50° N., long. 20° W. It passed rapidly northeastwards, reaching the N. of Scotland in the evening and becoming merged, on Monday morning, in a large primary, near the centre of which the barometer was below 28·8 inches at 7 a.m. in the North of Scandinavia. While the disturbance was passing, S.W. gales, showers, and high temperatures prevailed—on Sunday afternoon the thermometer rose to 55° at Aberdeen, Leith, and Dublin. A lull occurred on Monday, which was a bright, cool day in Dublin. But at night the weather broke again as a deep depression arrived over Iceland just as a ridge of high pressure stretched from the Azores to Germany. Wednesday was fine in Dublin till evening, when rain fell as a "secondary" spread over Ireland from S.W. During the remainder of the week squally S.W. winds—strong to a gale—prevailed, as barometric gradients became ever steeper over the British Islands. On Saturday morning the barometer was down to 28·41 inches at Seydisfjord, Iceland, and up to 30·45 inches at Lyons. The wind was very gusty on Friday and Saturday, and very high temperatures for the season were reported from many districts. Drenching rain fell in a "line-squall" at 2 p.m. of Saturday, after which the weather moderated, becoming clear and much colder. In Dublin the mean height of the barometer was 29·875 inches, the range of pressure being from 30·188 inches at 9 p.m. of Tuesday (wind, W.) to 29·419 inches at 1 p.m. of Saturday (wind, S.S.W.). The corrected mean temperature was 46·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 45·7°. The screened thermometers fell to 35·1° on Tuesday and rose to 56·0° on Saturday. The wind was generally W. or S.W. Rain fell on 6 days to the amount of ·392 inch, ·164 inch being measured on Saturday."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29·874 inches. The highest reading (30·190) was on Tuesday, at 9 p.m., wind W.N.W., the lowest (29·474) on Saturday, at 9 a.m., wind S.S.W.

The mean temperature for the week was 44·1°, being 4·7° above the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Friday and Saturday, on which days the thermometer registered 55°, and was lowest on Saturday, the mercury having fallen to 33°. The mean of the Dry Bulb for the week was 44·3° and of the Wet Bulb, 43·4°. The mean humidity of the air was ·94, complete saturation being represented by 1·0. The rainfall during the week measured 0·485 inch.

At Greenwich the mean temperature for the week was 43·6°, the maximum 52·5°, and the minimum 33·0°; at Glasgow the maximum was 53·0°, the minimum 34·5°, and the mean 43·9°; and at Edinburgh the maximum was 53·1°, the minimum 33·8°, and the mean 43·1°. The rainfall at Greenwich measured 0·07 in., at Glasgow 1·09 ins.; and at Edinburgh 0·68 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.			BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
			Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1·0.					
			(1.) In.	(2.) ○	(3.) ○	(4.) ○	(5.) ○	(6.) ○	(7.)	(8.)	(9.)	(10.) Ins.	9 A.M.	9 P.M.
Sunday,	January	25,	29·810	54	39	46·5	48·9	47·5	·90	·7	0·0	·035	S.W.	W.S.W.
Monday,	„	26,	30·120	46	36	41·0	37·0	36·0	·92	·7	5·5	·040	W.S.W.	W.
Tuesday,	„	27,	30·180	48	35	41·5	41·9	41·4	·96	·7	0·0	·085	W.	W.N.W.
Wednesday,	„	28,	30·010	48	38	43·0	42·7	41·8	·94	·7	0·4	·040	S.W.	W S.W.
Thursday,	„	29,	29·740	51	38	44·5	45·7	45·4	·98	·7	0·0	·080	Calm.	S.W.
Friday,	„	30,	29·680	55	41	48·0	51·8	50·8	·93	·7	0·1	·005	S.W.	S.W.
Saturday,	„	31,	29·580	55	33	44·0	42·2	41·2	·93	·7	0·0	·200	S.S.W.	Calm.
Mean,	29·874	51·0	37·1	44·1	44·3	43·4	·94	·7	Total 6·0	Total ·485	Prevailing Wind, S.W.	

Sunday—Day cloudy, light showers at intervals p.m.; night clear. Monday—A fine day; night clear till 3.30 a.m., light rain from 5.0 to 6.30 a.m. Tuesday—Day overcast, light showers a.m.; night cloudy. Wednesday—Day cloudy, light showers p.m.; night cloudy. Thursday—Day overcast, light showers a.m. and p.m.; night cloudy. Friday—A dull day, light shower; night cloudy. Saturday—Day cloudy, heavy showers p.m.; night overcast, light showers a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 31st January, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, January 25,	54·0	43·0	43·5	56	46	51	hrs. —	ins. ·020
Monday, " 26,	40·0	43·5	44·0	47	37	42	5·2	·025
Tuesday, " 27,	41·0	42·0	44·0	49	34	41·5	—	·054
Wednesday, " 28,	43·5	42·0	44·0	49	39	44	—	·036
Thursday, " 29,	43·0	42·6	44·0	52	41	46·5	—	·105
Friday, " 30,	53·6	43·4	44·0	56	42	49	0·2	—
Saturday, " 31,	53·6	45·0	44·1	51	42	46·5	—	·164
Weekly Mean,	47·0	43·1	43·9	51·4	40·1	45·8	Total 5·4	Total. ·404

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 7TH FEBRUARY, 1914.

[No. 6.

General Register Office Charlemont House
Dublin, 9th February, 1914.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 21·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Jan. 17	Jan. 24	Jan. 31	Feb. 7	
27 Town Districts, (a)	21·7	23·8	24·1	21·9	22·9
Dublin Reg. Area ...	24·0	28·4	24·4	25·3	25·5
Dublin City ...	25·7	30·6	26·0	26·9	27·3
Belfast ...	22·7	23·8	25·7	21·4	23·4
Cork ...	19·7	24·5	19·7	21·8	21·4
Londonderry ...	12·7	16·5	22·8	16·5	17·1
Limerick ...	29·8	14·9	24·4	24·4	23·4
Waterford ...	15·2	17·1	32·3	11·4	19·0

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 1·7 per 1,000. Among the 164 deaths from all causes for Belfast are one from enteric fever, 7 from scarlet fever, 2 from whooping-cough, one from dysentery, and 4 from diarrhoeal diseases. Included in the 13 deaths from all causes for Londonderry are one from enteric fever and one from diarrhoea. One of the 18 deaths from all causes for Limerick is from scarlet fever. Of the 3 deaths from all causes for Lisburn one is from diphtheria. Of the 12 deaths from all causes for Sligo one is from enteric fever. Included in the 5 deaths from all causes for Newtownards are 2 from whooping-cough. One of the 3 deaths from all causes for Coleraine is from scarlet fever, and included in the 5 deaths from all causes for Armagh are 3 from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 279—149 boys and 130 girls—and the deaths to 214—101 males and 113 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 17) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 25·3 per 1,000 of the population. During the six weeks, ending with Saturday last, the death-rate averaged 26·5, and was 1·9 above the mean rate for the corresponding portions of the ten years, 1904—1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 214, represent an annual rate of 27·5 per 1,000; the annual rate for the past six weeks was 28·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·8 per 1,000 of the mean population for all deaths registered.

The deaths included one from enteric fever, 5 from measles, one from scarlet fever, 2 from whooping-cough, one from diphtheria, 3 from diarrhoea and enteritis of children under 2 years of age, and one death from cerebro-spinal fever. In each of the three preceding weeks, deaths from enteric fever were 3, 2, and 0; deaths from measles were one, 4, and 3; deaths from scarlet fever were 2, 0, and one; deaths from whooping-cough were 0, 2, and 2; deaths from diphtheria were 0, 6, and one; and deaths from diarrhoea and enteritis of children under 2 years were 6, 5, and 5.

The 31* deaths from tuberculous disease include 24 deaths from pulmonary tuberculosis, 3 from tuberculous meningitis, and 4 from other forms of the disease. In the 3 weeks preceding the total deaths from all forms of tuberculous disease were 23, 32, and 37.

There were 20 deaths from pneumonia (all forms), including 11 deaths from broncho-pneumonia, one death from lobar pneumonia, and 8 deaths from pneumonia (type not distinguished).

The deaths of 10* persons were attributed to cancer.

Convulsions was the registered cause of deaths of 8 infants under one year of age, and one aged one year and ten months. The deaths of 13 infants were accounted for by prematurity, and 2 were caused by congenital debility.

Organic diseases of the heart caused the deaths of 10 persons, and the deaths from bronchitis amounted to 28.

Of 4 deaths from accident or negligence, one was by drowning, and one was by a street accident.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under 5 years of age (including 2 infants under one year old), and the death of one person aged 90 years.

Seventy-two of the persons whose deaths were registered during the week were under 5 years of age (48 being infants under one year, of whom 24 were under one month old) and 51 were aged 65 years and upwards, including 28 persons aged 70 and upwards; among the latter were 13 aged 75 and upwards, of whom one (a female) was stated to have been aged 90 years.

Eighty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse, 21 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·3 per 1,000; the rate in the City was 26·9 (North City Districts, 25·0; South, 29·0) and in the Suburbs 20·2.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 1·5 (in the North City Districts 1·9, and in the South 1·1), and for the Suburbs 2·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (18) are equal to an annual rate of 31·1 per 1,000. Among them are one death from whooping-cough, 2 from pulmonary tuberculosis, one from broncho-pneumonia, 4 from bronchitis, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (24) are equal to an annual rate of 30·3 per 1,000, and include one death each from enteric fever, whooping-cough, and cerebro-spinal fever, 3 deaths from tuberculous disease, 2 from broncho-pneumonia, 3 from bronchitis, one death of a child under 2 years of age from diarrhoea and enteritis, and 3 deaths caused by violence (one attributed to homicide and 2 to accident).

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 18·7 per 1,000. There were 3 deaths from tuberculous disease, one death from pneumonia, 2 from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

No. 3 North City District (Benburb-street).—The deaths (19) represent an annual rate of 27·9 per 1,000. One death from diphtheria, one from pulmonary tuberculosis, one from pneumonia, and 3 from bronchitis were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·0 per 1,000 inhabitants; Coolock and Drumcondra, part of, 15·2; and Finglas and Glasnevin, part of, 9·7. One of the 2 deaths recorded for Clontarf and Howth, part of, was caused by broncho-pneumonia; the 4 deaths from all causes for Coolock and Drumcondra, part of, include one death from bronchitis and one accidental death; and the 2 deaths for Finglas and Glasnevin, part of, were caused by tuberculous disease.

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 25·6 per 1,000. There were 4 deaths from tuberculous disease, 2 deaths from pneumonia, and 2 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000. Three deaths were caused by tuberculous disease, one by pneumonia, and one by bronchitis.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 26·3 per 1,000. Among them are 3 deaths from pulmonary tuberculosis, 2 from pneumonia, 4 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 4 South City District (Grand Canal Street).—The deaths (19) are equivalent to an annual rate of 29·9 per 1,000. One death from scarlet fever, four deaths from pulmonary tuberculosis, one from broncho-pneumonia, and 2 from bronchitis were recorded.

New Kilmainham District.—The deaths (10) are equal to an annual rate of 52·9 per 1,000, and include one death from measles, one from pulmonary tuberculosis, 2 from broncho-pneumonia, and 3 from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·0; Pembroke, 25·9; Blackrock, 17·0; and Kingstown, 21·5. The deaths from the principal epidemic diseases tabulated for these districts comprise 4 deaths from measles for Pembroke, the 15 deaths from all causes for that district including also one death from pulmonary tuberculosis, 2 deaths from broncho-pneumonia, and 2 from bronchitis; of the 3 deaths from all causes for Blackrock one was from pneumonia and one from bronchitis; and the 7 deaths from all causes for Kingstown include one from pulmonary tuberculosis, and one from broncho-pneumonia.

ENGLAND AND SCOTLAND

The mortality last week in 97 large English towns (including London, in which the rate was 16·6), was equal to an average annual death-rate of 16·5 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 18·4 per 1,000, the rate for Glasgow being 18·3, and for Edinburgh 20·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 7th February. From this Report it appears that of a total of 82 cases notified, 30 were scarlet fever, 28 phthisis, 14 diphtheria, 9 erysipelas, and one enteric fever. Among the 618 cases of infectious diseases in hospital at the close of the week were 294 cases of scarlet fever, 179 of phthisis, 66 of diphtheria, 48 of measles, 9 of erysipelas, 6 of enteric fever, and one of puerperal fever.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 7th February, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Jan. 17,	.	—	—	13	.	.	9	.	.	5	5	.	—	—	.	—	.	24	56
	Jan. 24,	.	—	—	15	.	.	11	.	.	6	5	.	—	—	.	—	.	31	68
	Jan. 31,	.	—	—	13	.	.	11	.	.	2	10	.	—	—	1	—	.	33	70
	Feb. 7,	.	—	—	20	.	.	14	.	.	3	4	.	—	—	.	—	.	38	79
Rathmines and Rathgar Urban District.	Jan. 17,	.	—	—	3	.	.	3	.	.	.	1	.	—	—	—	—	—	—	3
	Jan. 24,	.	—	—	3	.	.	2	.	.	.	1	.	—	—	—	—	—	—	6
	Jan. 31,	.	—	—	3	.	.	3	.	.	1	.	.	—	—	—	—	—	—	7
	Feb. 7,	.	—	—	5	.	.	2	.	.	.	1	.	—	—	—	—	—	—	8
Pembroke Urban District.	Jan. 17,	.	17	—	—	—	—	—	.	17
	Jan. 24,	.	18	.	4	.	.	1	.	.	1	.	.	—	—	—	—	—	1	27
	Jan. 31,	.	15	1	—	2	—	—	—	1	17
	Feb. 7,	.	68	.	4	—	.	—	—	—	1	72
Blackrock Urban District.	Jan. 17,	.	—	—	—	—	.	—	—	—	.
	Jan. 24,	.	—	—	—	—	.	—	—	—	.
	Jan. 31,	.	—	—	—	—	.	—	—	—	.
	Feb. 7,	.	—	—	—	—	.	—	—	—	.
Kingstown Urban District.	Jan. 17,	.	—	—	1	—	—	—	—	—	4	5
	Jan. 24,	.	—	—	—	—	—	—	—	.	.
	Jan. 31,	.	—	—	—	—	—	—	—	.	.
	Feb. 7,	.	—	—	—	—	—	—	—	.	.
City of Belfast.	Jan. 17,	.	—	—	54	.	.	8	.	.	4	7	1	—	—	.	.	11	85	
	Jan. 24,	.	—	—	44	.	.	11	.	.	4	3	.	—	—	.	.	9	71	
	Jan. 31,	.	—	—	52	.	.	11	1	.	1	1	.	—	—	.	.	4	70	
	Feb. 7,	.	—	—	37	.	.	5	.	.	3	6	.	—	—	.	.	3	54	
City of Cork.	Jan. 17,	.	.	—	.	.	.	2	.	1	.	2	.	—	—	—	.	—	—	4
	Jan. 24,	.	.	—	1	.	3	.	—	—	—	.	—	—	4
	Jan. 31,	.	.	—	1	.	.	.	—	—	—	.	—	—	1
	Feb. 7,	.	.	—	.	.	.	1	.	.	1	1	.	—	—	—	.	—	—	3
City of Londonderry.	Jan. 17,	.	—	—	2	1	.	.	—	—	—	—	—	—	3
	Jan. 24,	.	—	—	1	1	1	.	—	—	—	—	—	—	3
	Jan. 31,	.	—	—	3	1	.	—	—	—	—	—	—	4
	Feb. 7,	.	—	—	2	—	—	—	—	—	—	2
City of Limerick.	Jan. 17,	.	—	—	5	1	.	.	—	—	—	—	—	—	6
	Jan. 24,	.	—	—	1	—	—	.	—	—	—	1
	Jan. 31,	.	—	—	1	—	—	.	—	—	—	1
	Feb. 7,	.	—	—	1	—	—	.	—	—	—	1
City of Waterford.	Jan. 17,	.	—	—	1	.	.	—	—	—	—	—	—	1
	Jan. 24,	.	—	—	—	—	—	—	—	—	.
	Jan. 31,	.	—	—	.	.	.	2	.	.	.	1	.	—	—	—	—	—	—	3
	Feb. 7,	.	—	—	—	—	—	—	—	—	.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 7th February, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of enteric fever were admitted to hospital during the week, 7 were discharged, and 25 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 42, 34, and 30.

One case of typhus was discharged, and no case remained under treatment in hospital at the close of the week.

Six cases of measles were admitted to hospital, 4 were discharged, there was one death, and 13 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 18, 14, and 12 respectively.

Thirty-two cases of scarlet fever were admitted to hospital, 20 were discharged, there was one death, and 132* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 109, 118, and 121, respectively.

Sixteen cases of diphtheria were admitted to hospital during the week, 10 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 53, 53, and 63 respectively, were 67 at the close of last week.

In addition to the above-named diseases, 2 cases of pneumonia were admitted to hospital, 11 were discharged, and 35 cases remained under treatment at the end of the week.

See note () at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 7th February, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 28 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the Temperature and Rainfall for the week, and for each of the two Weeks immediately preceding.

REGISTRATION—WEEK ENDING SATURDAY, 7TH FEBRUARY, 1914.										METEOROLOGY. (d)																																	
NUMBERS REGISTERED.										WEEK ENDING 7TH FEBRUARY, 1914.										WEEK ENDING 31ST JANUARY, 1914.										WEEK ENDING 24TH JANUARY, 1914.													
Census Statistics of Districts.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
POPULATION.		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other.		Diarrhoe											

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1914. (b) See note (a.) at foot of first page. (c) Exclusive of 17 deaths of persons (including 3 under one year old and 4 at 65 years or upwards) admitted to hospital from localities outside the Area; included in the 17 deaths are 3 from pulmonary tuberculosis and 2 from cancer. (d) It having been found impracticable to obtain Meteorological Observations from some of the towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Invermay and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phoenix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 7th of February, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES' &c.		DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.		
		CITY OF DUBLIN.														URBAN DISTRICTS OF					
		REGISTRATION DISTRICTS IN																			
		Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.												
		NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).		SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.			
Enteric Fever,			1																	1	
Typhus,																					
Small-pox,																					
Measles,																4				5	
Scarlet Fever,																				1	
Whooping-cough,		1	1										1							2	
Diphtheria,					1															1	
Croup,																					
Influenza,																					
Dysentery,																					
Tuberculosis, { Pulmonary,		2	1	2	1			1	2	2	3	4	1		1			1	21	3	
Other Forms,			2	1				1	2	1									7		
Cancer,		1					1		1			1			2			2	8	2	
Diseases of Nervous System,		1	1	1	3				5	1	5	3	1	4			1	2	28	3	
Organs of Special Sense,																					
Circulatory System,		1		1	3		1		1		2		1	2			1	18	1		
Respiratory System. { Pneumonia,		1	2	1	1	1			2	1	2	1	2		2	1	1	18	2		
Others,		4	4	2	4		1		2	2	4	2	3		2	1		31			
Diarrhoea and Enteritis, under 2 years,			1	1								1						3			
Digestive System. { Diarrhoea, 2 years and upwards,																					
Enteritis, 2 years and upwards,																					
Others,									1	1	2				1			1	1		
Genito-urinary System,			1								1				1			5	3		
Puerperal Septicæmia, etc.,																					
Other Causes incident to Pregnancy and Childbirth,		1																1			
Diseases of the Skin and Cellular Tissue,																					
Locomotor System,																					
Other specified Causes,		4	6	1	5	1			3	2	1	6	1	2	3			35	2		
Violent Deaths,		1	3				1											5			
Ill-defined, &c. Causes,		1	1		1				1		1	1						6			
Deaths from All Causes		18	24	10	19	2	4	2	20	10	22	19	10	12	15	3	7	197	17		
Annual Rate of Mortality from All Causes in every 1,000 of the population.		31.1	30.3	18.7	27.9	19.0	15.2	9.7	25.6	28.4	26.3	29.9	52.9	16.0	25.9	17.0	21.5	25.3			
		25.0							29.0					20.2							
		26.9																			
Ages at Death.	Under 1 year,	8	1	3	7	1			8	2	5	5		2	1	1	1	45	3		
	1 and under 2 years,	2	3	1						1	1	1	4			1		14			
	2 " 5 "								2	1			3				10				
	5 " 15 "		1		1			1			1	1			2		7	1			
	15 " 25 "		3	2						1	3	1					10	2			
	25 " 45 "	3	4	1	1		1	1	1	1	2	3	1	1	2		22	5			
	45 " 65 "	4	5	3	4		2		6	2	3	4	2	1	3		42	2			
	65 and upwards,	1	7		6	1	1		3	1	7	5		8	4	1	47	4			
Number of Uncertified Deaths,			1								2			1				4			
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																					
Public Hospitals, Prisons, and Lunatic Asylums,		3	5	3	3		2		2	2	3	8		2	5			38	14		
Workhouse Hospitals,			5	4	5				6	2	5	2	1		2		1	33	3		

SIXTH WEEK, ending Saturday, 7th February, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 6th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 7th February, 1914.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	Feb. 13, 1904.	Feb. 11, 1905.	Feb. 10, 1906.	Feb. 9, 1907.	Feb. 8, 1908.	Feb. 13, 1909.	Feb. 12, 1910.	Feb. 11, 1911.	Feb. 10, 1912.	Feb. 8, 1913.		Deaths of Persons of the Ages of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
												Under 1 month.	0-5.									15-25.	25-45.	45-65.	65-75.	75 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
													1 month and under a year.	1-2.	2-5.	5-15.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Mean Temperature ...	38·3	44·4	37·4	34·0	44·7	38·6	43·7	37·0	41·1	44·6	40·4	48·1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1913-4—WEEK ENDING																				Jan. 31.	Jan. 7.				
		Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.			Jan. 3.	Jan. 10.	Jan. 17.	
No. of weeks in Annual Series,		33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
Births registered.		212	205	187	239	167	255	232	225	177	211	220	202	190	232	165	209	194	212	185	140	168	246	203	241	234	279
Average Births in corresponding week of previous 10 years, ...		225	221	209	240	206	215	246	200	192	211	194	220	213	193	184	213	187	204	179	186	225	222	212	215	241	214
Deaths registered, ...		157	168	164	157	193	143	177	163	159	148	162	174	168	164	148	164	153	147	167	137	250	210	205	236	201	214
Annual Death-rate per 1,000, ...		20.3	21.7	21.2	20.3	25.4	18.5	22.9	21.1	20.6	19.1	21.0	22.5	20.4	21.2	19.1	21.2	19.8	19.0	21.6	17.7	32.1	27.0	26.3	30.3	25.8	27.5
Average Deaths in corresponding week of previous 10 years, ...		158	161	153	158	153	164	155	155	154	159	149	168	167	173	171	178	181	171	173	166	193	189	194	197	198	197
Ages, { Under 5 years, ...		63	55	58	66	62	45	69	58	66	50	57	54	50	49	47	38	55	49	55	47	63	46	45	69	56	72
5-15 " ...		5	7	4	8	6	6	2	5	4	9	4	7	6	9	7	9	6	8	8	6	11	12	6	7	11	8
15-25 " ...		7	8	12	7	16	4	11	6	8	4	11	9	6	8	6	6	4	3	6	6	12	9	4	16	11	12
25-45 " ...		24	28	30	21	37	18	22	18	17	16	23	29	24	26	15	38	23	31	31	19	32	31	32	29	30	27
45-65 " ...		29	36	29	33	38	32	40	39	33	33	34	37	33	35	35	47	26	34	37	25	78	48	55	50	46	44
65-75 " ...		22	19	19	17	18	20	20	23	19	17	23	18	26	24	23	22	26	15	20	20	31	36	32	34	21	38
{ 75 and upwards, ...		7	15	12	5	19	18	13	14	12	13	10	20	13	13	15	9	13	7	10	14	23	28	31	31	26	13
Deaths from:—																											
Enteric Fever, ...				2	2	6	1	1	2	1		1			2		1	4	3	1		1	3	3	2		1
Typhus, ...																											
Small-pox, ...																											
Measles, ...		1		1	1	1	2			1	1	2	2	1	1	1	1	1	2	1	1	2	1	1	4	3	5
Scarlet Fever, ...		3	1						2	1	1			1		1	1	3		3	1			2	1	1	2
Whooping-cough, ...									1	1	1			1							1				2	2	1
Diphtheria, ...									3	2	2			1	5	1	2	1	4	6	2	4	2		6	1	1
Influenza, ...			1		1		1	1	1		1		1	2			3			2	2	3	3	1	4	2	
Dysentery, ...										1																	
Tuberculosis { Pulmonary ...		17	20	18	20	24	15	18	13	16	12	19	18	18	22	14	17	15	16	23	12	24	20	19	22	25	24
Other Forms, ...		10	10	8	8	5	1	4	6	7	6	6	13	6	5	6	6	5	5	7	5	11	8	4	10	12	7
Cancer, ...		8	8	6	14	13	9	13	11	7	11	10	11	10	8	12	11	7	6	7	7	8	12	9	7	10	10
Diseases of Circulatory System, ...		6	22	11	7	18	17	18	15	10	15	18	15	21	12	9	17	11	17	18	19	26	15	23	25	16	14
Diseases of Respi. { Pneumonia		3	9	7	2	6	12	6	4	7	6	8	12	13	12	14	14	18	19	18	22	22	19	21	26	17	20
ratory System, { Others, ...		12	13	7	9	10	10	14	13	13	15	13	15	14	12	20	22	17	22	16	17	51	48	30	43	32	31
Diarrhoea and Enteritis, under																											
2 years, ...		27	21	29	31	37	25	33	26	29	23	16	14	7	8	9	7	5	4	8	5	3	2	6	5	5	3
Diarrhoea, 2 years and upwards,																											
Violent Deaths, ...		2	2	2	4	1	1	1	2	2	1				4						2	6			5		5
Number of Uncertified Deaths, ...		3	7	2	5	6	9	5	4	2	3	5	2	5	3	5	6	4	3	1	2	6	12	4	9	5	4
Mean Temperature of the Air																											
(Phoenix Park) in degrees, ...		61.8	56.5	57.0	55.3	54.9	49.5	56.5	56.6	51.4	52.9	43.5	50.9	44.4	46.6	46.6	47.6	44.4	46.0	44.1	37.7	34.6	44.3	39.5	38.6	44.1	48.1
Average Mean Temperature in																											
corresponding week of previous																											
10 years, ...		57.3	56.2	56.5	54.5	52.3	52.6*	52.4	51.6	50.4	49.8	45.7	45.2	44.6	42.0	41.9	41.5	42.2	42.5	42.4	41.5	41.9	41.1	40.0	39.6	39.4	40.4
Rainfall in inches, ...		345	205	200	205	1,540	1,435	1,115	1,060	2,730	1,140	530	1,040	710	645	640	150	1,065	1,165	1,065	620	385	445	260	290	435	305
Mean Humidity of the Air, com-																											
plete Saturation 1.0, ...		83	81	86	84	85	90	88	92	90	86	86	86	86	90	88	90	93	93	87	90	88	88	81	81	84	92

* For 9 years only

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 7th February, 1914; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 7TH FEBRUARY, 1914.																													
CLASS.			OCCUPATION OR SOCIAL POSITION (The 3138 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.)		AGES.										CAUSES OF DEATH														
					Annual Death Rate per 1,000 of the Population in 1911.										Total Number of Deaths.														
					(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
ALL PERSONS.																													
CLASSES.																													
Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...																												
II.	MIDDLE CLASS, ...																												
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...																												
IV.	GENERAL SERVICE CLASS, ...																												
V.	INMATES OF WORKHOUSES, ...																												
PROFESSIONAL AND INDEPENDENT CLASS.																													
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...																												
2. Merchants and Manufacturers, Higher Class																													
3. Persons of Rank and Property, not otherwise described, ...																													
MIDDLE CLASS.																													
II.	4. General Body of Officials—Civil Service, Banking, &c., ...																												
5. Traders (except Petty Shopkeepers), Business Managers &c., ...																													
6. Clerks and Commercial Assistants, ...																													
7. Miscellaneous—including all Household-ers in Second Class Localities not included in above, ...																													
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...																													
9. Building and Furnishing Trades, ...																													
10. Clothing Trades, ...																													
11. Food Supply Trades ...																													
12. Other Trades and Callings ranking with Trades, ...																													
13. Petty Shopkeepers ...																													
IV.	GENERAL SERVICE CLASS.																												
14. Army, Police, Postal Delivery and Prison Services, &c., ...																													
15. Domestic Servants, ...																													
16. Coach and Car Drivers, Valet, &c., ...																													
17. Hawkers, Porters, Labourers, &c., ...																													
INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...																												

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Unce- rtified Deaths.
		FROM ALL CAUSES	CERTAIN EPIDEMIC DIS- EASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteric Fever in Children under 5 years of age.	Diarrhoea, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.				Other.	
North City, No. 1 (E.) (Office Clarence St. Nth.)	Jan. 3	41.4	1.7	24	1	.	4	1	.	3	6	.	.	2	1
	" 10	27.6	1.7	16	1	.	1	1	.	2	5	.	.	1	2
	" 17	31.1	.	18	1	1	.	3	1	.	.	1	.
	" 24	36.3	5.2	21	1	2	.	2	1	.	2	4
Population in 1914 (Est.) 30,206.	" 31	15.5	1.7	9	1	1	.	.	2	1	.	.	.
	Feb. 7	31.1	1.7	18	1	.	.	2	.	1	1	4	.	.	1	.
North City, No. 1 (W.) (Office, Summer-hill.)	Jan. 3	34.1	.	27	4	1	1	2	5	.	.	.	3
	" 10	29.1	.	23	1	1	.	1	5	.	.	4	4
	" 17	26.5	.	21	1	.	.	5	2
	" 24	25.3	3.8	20	3	.	1	6	2	3	.	.	1
Population in 1914 (Est.) 41,278.	" 31	37.9	2.5	30	1	.	.	.	7	2	1	1	2	1	.	1	1
	Feb. 7	30.3	3.8	24	1	1	.	.	1	2	.	2	4	1	.	3	1
North City, No. 2. (Office, Lisburn-street.)	Jan. 3	46.8	5.6	25	1	.	2	6	3	.	.	2
	" 10	22.4	.	12	1	.	2	.	2
	" 17	22.4	.	12	2	.	2	2
	" 24	41.1	1.9	22	1	.	1	1	.	1	5	.	.	.	1
Population in 1914 (Est.) 27,883.	" 31	37.4	1.9	20	1	.	.	3	3	1	3	3
	Feb. 7	18.7	1.9	10	2	1	.	1	2	1	.	.	.
North City, No. 3. (Office, Benburb-street.)	Jan. 3	47.0	.	32	2	2	.	5	7	.	.	.	1
	" 10	24.9	.	17	1	1	1	2	6
	" 17	29.3	2.9	20	1	.	.	1	4	1	2	.	1
	" 24	13.2	1.5	9	1	.	.	.	3
Population in 1914 (Est.) 35,536.	" 31	11.7	1.5	8	1	2	.	1	1	1	.	.	.
	Feb. 7	27.9	1.5	19	1	.	1	.	.	1	4
Clontarf and Howth No. 1 (part of).	Jan. 3	19.0	.	2	1	.
	" 10	9.5	.	1
	" 17	9.5	.	1
Population in 1914 (Est.) 5,485.	" 24	1
	" 31
	Feb. 7	19.0	.	2	1
Coolock and Drumcondra (part of).	Jan. 3	7.6	.	2
	" 10	22.9	.	6	1	.	.	2
	" 17	19.1	.	5	1	.	.	.	1
	" 24	11.4	.	3	1
Population in 1914 (Est.) 13,685.	" 31	19.1	.	5	1
	Feb. 7	15.2	.	4	1	.	1	.	.	1	.
Finglas and Glasnevin (part of).	Jan. 3
	" 10	9.7	.	2	1
	" 17	19.5	.	4	2	.	.	1	.
	" 24	14.6	.	3	1
Population in 1914 (Est.) 10,723.	" 31	19.5	.	4	1	.	.	.	1
	Feb. 7	9.7	.	2	1	1
South City, No. 1. (Office, Stth. Earl-street.)	Jan. 3	23.0	.	18	2	.	.	.	5	.	.	.	2
	" 10	29.4	1.3	23	1	3	1	.	5	6	.	.	1	2
	" 17	26.9	2.6	21	3	.	.	1	2	2	.	1	.
	" 24	34.5	1.3	27	1	3	2	.	4	4	.	.	1	1
Population in 1914 (Est.) 40,768.	" 31	26.9	1.3	21	1	1	1	2	4	1	.	1	.
	Feb. 7	25.6	.	20	2	2	1	2	2
South City, No. 2. (Office, Castle-street.)	Jan. 3	48.3	2.8	17	1	1	3	1	1	3	.	.	1	1
	" 10	54.0	.	19	3	.	.	.	6	.	.	2	1
	" 17	34.1	.	12	2	.	1	4	2	.	.	1	1
	" 24	37.0	.	13	3	1	.	.	4	.	.	1	.
Population in 1914 (Est.) 18,341.	" 31	39.8	.	14	3	2	1	2	1
	Feb. 7	28.4	.	10	2	1	.	1	2
South City, No. 3. (Office, Peter-street.)	Jan. 3	27.5	1.2	23	1	.	5	.	.	3	6
	" 10	35.9	2.4	30	1	5	1	.	3	5	1	.	1	.
	" 17	33.5	1.2	28	3	.	2	1	8
	" 24	38.3	3.6	32	3	1	1	3	6	2	.	2	1
Population in 1914 (Est.) 43,540.	" 31	21.6	1.2	18	1	.	.	4	1	1	1	4	.	.	1	1
	Feb. 7	26.3	1.2	22	3	.	.	2	4	1	.	.	2
South City, No. 4. (Office, Grand Canal-st.)	Jan. 3	36.2	4.7	23	.	.	.	1	.	.	2	.	1	1	2	4	5	.	.	1	1
	" 10	23.6	3.1	15	.	.	.	1	2	2	3	3	1	.	.	.
	" 17	14.1	1.6	9	1	1	.	.	1	2
	" 24	42.4	4.7	27	.	.	.	2	3	3	.	2	4	.	.	1	.
Population in 1914 (Est.) 33,171.	" 31	34.6	3.1	22	.	.	.	2	2	.	2	4	6	.	.	.	1
	Feb. 7	29.9	1.6	19	1	.	.	.	4	.	1	1	2
New Kilmainham.	Jan. 3	21.2	.	4	1	.	.	.	1	.	.	1	.
	" 10	31.8	.	6	1	.	.	.	3
	" 17	10.6	5.3	2	1	1
Population in 1914 (Est.) 9,851.	" 24	26.5	10.6	5	.	.	.	2	3
	" 31	21.2	5.3	4	.	.	.	1	1
	Feb. 7	52.9	5.3	10	.	.	.	1	1	.	.	2	3

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths.
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles	Scarlet Fever	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Typhoid, 2 years of age and upwards.	Violence.		
													Pulmonary.	Other Forms		Pneumonia.	Other.					
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Jan. 3	20.0	.	15	2	2	1	.	4	
	" 10	18.6	.	14	2	1	1	.	2	
	" 17	25.3	.	19	1	.	2	2	3	
	" 24	17.3	.	13	1	.	.	3	1	
	" 31	24.0	.	18	1	.	.	1	4	.	.	.	1	
Feb. 7	16.0	.	12	2	
Pembroke Urban District. Population in 1914 (Est.) 30,240	Jan. 3	20.7	1.7	12	.	.	.	1	1	.	1	.	.	.	1	
	" 10	24.1	5.2	14	1	1	1	.	2	.	2	.	1	1	.	.	.	
	" 17	13.8	6.9	8	1	1	3	.	.	.	
	" 24	27.6	3.4	16	1	1	.	1	.	2	2	2	.	.	.	1	
	" 31	13.8	.	8	1	.	.	1	1	
Feb. 7	25.9	6.9	15	.	.	.	4	1	.	.	.	2	2	
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Jan. 3	28.3	.	5	1	
	" 10	11.3	.	2	1	
	" 17	17.0	.	3	1	1	
	" 24	22.7	.	4	1	
	" 31	22.7	.	4	1	.	2	
Feb. 7	17.0	.	3	1	1	
Kingstown Urban District. Population in 1911 16,941.	Jan. 3	24.6	.	8	1	1	.	.	.	1	
	" 10	15.4	.	5	1	1	
	" 17	12.3	.	4	1	.	1	1	
	" 24	18.5	.	6	1	1	1	
	" 31	15.4	.	5	2	
Feb. 7	21.5	.	7	1	.	2	1	
Belfast. Population in 1914 (Est.) 399,000.	Jan. 3	25.4	1.7	194	1	.	.	.	3	6	2	.	15	8	3	23	36	1	.	5	.	
	" 10	26.5	3.4	203	.	2	.	1	12	3	4	.	14	8	10	29	28	2	2	.	5	
	" 17	22.7	2.1	174	10	1	2	.	17	5	8	23	27	3	.	1	4	
	" 24	23.8	1.6	182	1	.	.	1	2	5	.	.	15	6	6	29	26	1	2	6	3	
	" 31	25.7	0.9	197	3	1	.	.	12	3	10	26	45	2	1	4	2	
Feb. 7	21.4	2.0	164	1	.	.	.	7	2	.	1	14	7	8	21	32	3	1	3	.	.	
Cork. Population in 1911 76,673.	Jan. 3	28.6	0.7	42	5	5	2	2	4	1	.	.	.	
	" 10	29.2	2.0	43	1	6	1	.	1	8	1	1	.	2	
	" 17	19.7	.	29	7	2	.	7	7	
	" 24	24.5	0.7	36	3	.	3	5	6	1	.	.	1	
	" 31	19.7	.	29	5	3	.	2	3	
Feb. 7	21.8	.	32	6	3	1	.	7	
Londonderry. Population in 1914 (Est.) 41,100.	Jan. 3	21.6	1.3	17	1	.	2	1	2	2	1	.	.	2	.	
	" 10	14.0	.	11	1	1	.	2	
	" 17	12.7	.	10	1	.	.	1	4	
	" 24	16.5	.	13	2	4	.	.	.	1	
	" 31	22.8	.	18	5	.	1	.	5	.	.	.	2	
Feb. 7	16.5	2.5	13	1	1	1	.	.	4	1	.	.	.	1	
Limerick. Population in 1911 38,518.	Jan. 3	12.2	.	9	1	.	.	.	5	.	.	.	2	
	" 10	16.2	1.4	12	1	4	1	.	.	.	5	
	" 17	29.8	.	22	1	.	.	4	5	
	" 24	14.9	.	11	2	1	.	1	1	.	.	1	2	
	" 31	24.4	.	18	2	.	.	.	3	.	.	.	3	
Feb. 7	24.4	1.4	18	1	.	.	.	2	.	1	1	8	.	.	1	.	1	
Waterford. Population in 1911 27,464.	Jan. 3	17.1	.	9	2	.	1	2	.	
	" 10	30.4	3.8	16	2	1	.	.	2	2	.	.	3	
	" 17	15.2	.	8	2	.	.	1	1	.	.	.	1	
	" 24	17.1	.	9	2	.	1	.	1	.	.	.	1	
	" 31	32.3	.	17	2	1	1	.	3	.	.	.	1	
Feb. 7	11.4	.	6	2	2	

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 7th February, 1914. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				All Causes.	Certain Epi- demic Diseases. [†]	Under 1 year.					5 and under 25 years.					25 and under 45 years.					45 and under 65 years.							65 years and upwards.					Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
						(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)			(23)	(24)	(25)	(26)	(27)									(28)	(29)		(30)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
City of Belfast.		BELFAST URBAN No. 1 DISTRICT.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1913-4—WEEK ENDING																									
	Aug. 16.	Aug. 23.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.
No. of weeks in Annual Series,	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
BIRTHS registered, ...	232	192	193	214	234	173	234	197	192	201	191	179	231	182	170	186	136	205	196	130	284	195	254	208	215	187
DEATHS registered, ...	159	142	175	157	165	160	148	100	127	111	115	102	133	139	126	112	117	137	141	150	194	203	174	182	197	164
Annual Death-rate per 1,000 of estimated population, ...	20.9	18.7	23.0	20.7	20.4	21.1	19.5	13.2	16.7	14.6	15.1	13.4	17.5	18.3	16.6	14.7	15.4	18.0	18.6	19.8	25.4	26.5	22.7	23.9	25.7	21.4
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,	46	47	54	42	59	44	42	24	29	22	24	15	39	31	19	19	14	23	27	28	42	46	24	43	45	38
	32	17	20	21	13	21	20	15	16	11	19	12	21	15	24	14	24	26	17	29	23	36	24	22	21	16
	15	16	18	15	13	25	13	11	20	15	12	14	13	14	14	8	15	12	16	25	14	17	14	24	13	18
	23	19	34	23	23	18	16	17	17	13	15	20	18	24	15	21	20	22	32	20	25	26	30	23	34	24
	23	22	27	29	30	26	31	20	25	23	23	18	24	32	29	24	27	29	32	30	39	47	36	35	41	37
Deaths from:—	15	21	22	27	17	26	26	13	20	24	22	23	23	23	25	26	17	25	17	18	51	31	46	35	43	36
Enteric Fever, ...	3	1	.	.	.	2	1	.	1	.	.	.	1	.	1	2	1	.	.	.	1	.	.	1	.	1
Typhus,	1	2
Small-pox,
Measles,	1	.	1	2	.	.	1	1	3	.	.	.	1	.	1	.	1	.	.
Scarlet Fever, ...	3	2	1	1	3	4	3	3	1	3	7	5	7	7	9	4	8	8	5	6	3	12	10	2	8	7
Whooping-cough, ...	2	1	1	1	.	1	3	2	.	3	3	3	7	6	3	1	5	1	2
Diphtheria,	2	.	2	3	1	.	2	1	1	.	.	2	.	1	.	2	1	.	2	4	2	.	.	.
Dysentery,	1
Tuberculosis, { Pulmonary, Other Forms,	12	18	26	10	15	16	13	10	14	12	8	13	13	22	9	8	10	8	12	15	15	14	17	15	12	14
	9	2	5	7	5	5	3	3	6	3	6	7	6	2	5	3	6	5	2	9	8	8	5	6	3	7
Cancer, ...	8	4	5	4	4	3	9	4	5	3	6	5	8	8	10	6	3	7	10	6	3	10	8	6	10	8
Diseases of Respiratory System, { Pneumonia, Others, ...	11	5	5	11	10	10	16	8	8	9	6	5	10	16	9	10	13	25	14	28	23	29	23	29	26	21
Diarrhoea and Enteritis, under 2 years, ...	13	13	9	8	4	11	15	7	15	7	15	15	13	15	11	12	14	10	14	15	36	28	27	26	45	32
Diarrhoea, 2 years and upwards, ...	25	33	39	30	41	37	22	15	9	9	2	5	3	1	6	.	1	.	1	1	1	2	3	1	2	3
Violent Deaths, ...	2	3	6	1	3	.	5	1	.	1	1	1	1	1	.	.	.	2	.	2	1	1
Number of Uncertified Deaths, ...	5	3	8	5	1	2	1	1	2	2	1	.	4	4	9	1	3	2	1	3	5	.	1	6	4	3
Mean Temperature of the Air in degrees, ...	58.4	57.1	57.4	56.0	56.0	51.8	57.0	55.7	52.0	54.5	47.7	49.5	41.4	46.7	46.6	48.3	43.1	45.4	43.3	40.0	32.3	41.1	38.7	38.4	44.1	48.1
Rainfall, in inches, ...	0.19	0.51	0.18	0.00	0.51	2.90	0.74	0.04	0.33	0.81	0.74	2.13	1.22	1.65	0.92	0.26	1.51	0.78	0.07	0.82	0.41	1.83	0.00	0.28	0.55	0.32

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ...	4,516,612	Feb. 7,	2,235	1,441	16·6	8	.	7	5	19	19	21	
EDINBURGH, ...	321,900	" 7,	125	125	20·3	.	.	3	1	.	1	1	
GLASGOW, ...	1,047,000	" 7,	587	367	18·3	1	.	18	4	4	4	3	
CALCUTTA, ...	896,067	Dec. 27,	.	560	32·4	70*	3	1	.	.	1†	116† ^a	
BOMBAY, ...	979,445	Jan. 3,	457	643	34·1	61*	4	9	.	1	.	74 ^a	
MADRAS, ...	518,660	" 3,	364	496	49·7	54*	.	1	?	?	?	142 ^a	
CAIRO, ...	715,609	Dec. 2,	547	446	32·5	6	2	.	.	?	18†	53	
PARIS, ...	2,847,229	Jan. 24,	909	1,118	20·1	17	.	.	1	3	2†	9	
BRUSSELS, ...	767,252	" 17,	246	187	12·7	1	.	.	1	1	2	8	
ANTWERP, ...	312,884	" 17,	131	78	13·0	2	.	1	1	.	2†	5	
AMSTERDAM, ...	595,258	" 17,	285	145	12·7	.	.	3	.	2	.	2	
COPENHAGEN, ...	483,000	" 17,	186	136	14·7	.	.	.	3	4	2†	6	
STOCKHOLM, ...	376,171	" 17,	173	106	14·7	1	
CHRISTIANIA, ...	250,423	" 24,	109	84	17·4	.	.	.	2	2	.	2 ^a	
ST. PETERSBURG ...	1,708,600	" 3,	727	692	21·1	9	.	30	13	4	8	27	
MOSCOW, ...	1,694,000	Dec. 27,	.	734	22·6	.	1	23	21	6	10†	63 ^a	
BERLIN, ...	2,057,715	" 27,	
HAMBURG, ...	1,030,983	Jan. 17,	.	260	13·1	1	.	2	1	3	8	9 ^a	
BRESLAU, ...	543,405	" 17,	.	211	20·2	.	.	2	.	3	1	14 ^a	
MUNICH, ...	640,000	" 17,	.	192	15·6	.	.	4	.	1	.	7	
VIENNA (with suburbs),	2,132,523	" 17,	682	613	14·9	.	.	1	2	4	5†	19	
BUDA-PESTH, ...	950,784	" 17,	438	359	19·6	1	.	8	10	2	8†	10	
PRAGUE and Faubourgs,	498,496	Dec. 27,	
TRIESTE, ...	242,595	Jan. 3,	
ROME, ...	582,565	Aug. 9,	278	150	13·4	1	1	24	
NEW YORK, ...	5,372,983	Dec. 27,	2,419	1,357	13·2	5	.	12	5	2	22†	26	
PHILADELPHIA, ...	1,631,960	" 20,	.	526	16·8	4	.	1	4	1	11†	9	
BOSTON, ...	750,768	Jan. 17,	.	257 ^b	17·9	3	.	.	3	2	2	6	

* Deaths from "fever," including 5 from enteric fever in Calcutta; and one from enteric fever and 2 from plague in Bombay.

† Including deaths from croup.

‡ Including 46 deaths from cholera in Calcutta.

^a Deaths from diarrhoeal diseases at all ages.

^b Corrected figures, i.e., non-residents deducted, 229 (including 2 deaths from enteric fever, and 5 from diarrhoeal diseases), rate 15·9 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th February, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	...	2	2	4
" " 1, West,	...	1	1	4	6
" " 2,	2	.	.	1	10	13
" " 3,	2	1	1	.	.	.	2	6
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),	4	4
Finglas and Glasnevin (part of),
South City No. 1, ...	—	1	.	.	2	.	.	1	1	.	.	.	3	8
" " 2,	1	1	.	.	.	4	6
" " 3,	9	.	.	5	.	.	.	1	.	.	.	8	23
" " 4,	2	.	.	2	5	9
New Kilmainham,
Total,	20	.	.	14	.	.	3	4	.	.	.	38	79

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 7th February, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 7th February.			
	Jan. 17.	Jan. 24.	Jan. 31.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	42	34	30	2	7	.	25
Typhus, ...	1	1	1	.	1	.	.
Small-pox,
Measles, ...	18	14	12	6	4	1	13
Scarlet Fever, ...	109	118	121	32	20	1	132*
Diphtheria, ...	53	53	63	16	10	2	67
Pneumonia, ...	25	29	44	2	11	.	35

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Lerry METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 7th February, 1914:—

"This week is remarkable for the unusual warmth which prevailed up to Friday—in Dublin the mean temperature of the first five days of the period was 52·5°, the extreme temperatures being 41·9° and 58·0°. Until Thursday steep isobars for southerly and southwesterly winds stretched in long lines from lat. 30 to lat. 60 degs. N. On Wednesday morning the isobars ran from the Azores to Spitzbergen. The effect of this distribution of atmospheric pressure was to carry a strong warm current of air all along the western shores of Europe from Portugal almost to the North Cape. All this time an anticyclonic system, with the barometer up to 30·50 inches in its centre, remained stationary over Central Europe, reaching to the Bay of Biscay towards the west and to the Black Sea towards the east. Within the confines of the high-pressure area steady cold prevailed, the minimum temperatures at Munich, for example, being 25°, 19°, 20°, 18°, 16°, 17° and 19°, respectively. Another and still colder region was Spitzbergen, with minima as follow,—35°,—38°,—40°,—40°,—33°,—35° and —31° ! The sky was clearer in England than in Ireland, and in consequence the diurnal range of temperature was greater—for instance, at Kew the thermometer fell to 35° and rose to 54° within a few hours on Wednesday. The rainfall along the west coast of Ireland was frequent and heavy—at Valentia up to Saturday morning the measurement was 3·41 inches ; at Blacksod Point, ·82 inch was recorded on Monday morning and 1·32 inches on Friday morning. In the Dublin district the weather was dry from Tuesday morning to Saturday morning. In this City the mean height of the barometer was 29·668 inches, the range being from 29·830 inches at 9 a.m. of Thursday (wind, S.S.W.) to 28·847 inches at midnight of Saturday (wind, S.). The mean temperature was 50·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 50·7°. The screened thermometers rose to 58·0° on Tuesday and fell to 40·1° on Saturday. The wind was almost constantly S.W. or S.S.W. Rain fell on 4 days to the amount of ·352 inch, of which ·190 inch was recorded on Saturday."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29.682 inches. The highest reading (29.999) was on Thursday, at 9 a.m., wind S.S.W., the lowest (29.046) on Saturday, at 9 p.m., wind S.S.E.

The mean temperature for the week was 48.1°, being 7.7° above the average for the corresponding period of the 10 years, 1904-1913. The temperature* was highest on Sunday and Tuesday, on which days the thermometer registered 56°, and was lowest on Sunday, the mercury having fallen to 28°. The mean of the Dry Bulb for the week was 50.0° and of the Wet Bulb, 48.8°. The mean humidity of the air was .92, complete saturation being represented by 1.0. The rainfall during the week measured 0.305 inch.

At Greenwich the mean temperature for the week was 46.4°, the maximum 56.6°, and the minimum 36.6°; at Glasgow the maximum was 54.0°, the minimum 35.0°, and the mean 47.2°; and at Edinburgh the maximum was 53.2°, the minimum 37.0°, and the mean 46.7°. The rainfall at Greenwich measured 0.16 in., at Glasgow 0.50 in.; and at Edinburgh 0.20 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155.3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.	BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 10.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	Mean, daily readings cor- rected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humi- dity, complete Satura- tion = 1.0.					
Sunday, February 1,	(1.) In. 29.680	(2.) ° 56	(3.) ° 28	(4.) ° 42.0	(5.) ° 52.9	(6.) ° 52.2	(7.) ° .95	(8.) ° .8	(9.) ° 0.4	(10.) Ins. .030	9 A.M. W.S.W.	9 P.M. S.S.W.
Monday, " 2,	29.725	55	50	52.5	53.2	52.7	.96	.7	0.3	.180	S.S.W.	S.S.W.
Tuesday, " 3,	29.790	56	45	50.5	52.3	52.0	.99	.7	2.5	.000	S.W.	S.S.W.
Wednesday, " 4,	29.905	55	50	52.5	51.4	50.0	.91	.7	0.7	.000	S.S.W.	S.S.W.
Thursday, " 5,	29.895	55	50	52.5	51.5	48.9	.83	.7	0.5	.000	S.S.W.	S.S.W.
Friday, " 6,	29.605	54	38	46.0	44.1	42.6	.90	.7	4.0	.015	S.S.E.	W.S.W.
Saturday, " 7,	29.175	50	31	40.5	44.9	43.2	.87	.7	2.8	.080	S.	S.S.E.
Mean,	29.682	54.4	41.7	48.1	50.0	48.8	.92	.7	Total 11.2	Total .305	Prevailing Wind, S.S.W.	

Sunday—Day overcast, light showers a.m. and p.m.; night cloudy. Monday—A dull day; night overcast, light showers 2.0 to 7.0 a.m. Tuesday—Day cloudy, fine; night cloudy. Wednesday—Day cloudy; night cloudy. Thursday—Day cloudy; night cloudy. Friday—A beautiful bright day; night clear till 3.15 a.m., light rain 4.0 to 5.15 a.m. Saturday—Day bright, cloudy, light showers at intervals a.m. and p.m.; night clear.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatolog Station, Trinity College, Dublin, in the Week ending Saturday, 7th February, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.R.C.D., for information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell- Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, February 1,	55.2	45.0	44.6	57	42	49.5	hrs. 0.8	ins. —
Monday, " 2,	54.1	46.6	44.8	57	52	54.5	0.4	.076
Tuesday, " 3,	53.8	47.1	45.0	59	46	52.5	3.2	—
Wednesday, " 4,	52.8	47.5	45.1	56	49	52.5	0.1	—
Thursday, " 5,	53.5	47.5	45.5	57	48	52.5	0.1	—
Friday, " 6,	49.5	47.1	45.8	55	41	48	3.6	.050
Saturday, " 7,	44.5	46.0	46.0	51	39	45	2.3	.171
Weekly Mean, .	51.9	46.7	45.3	56	45.3	50.5	Total 10.5	Total .297

DUBLIN: Printed for His Majesty's Stationery Office, By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 14TH FEBRUARY, 1914.

[No. 7.

*General Register Office, Charlemont House,
Dublin, 16th February, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 18·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Jan. 24	Jan. 31	Feb. 7	Feb. 14	
27 Town Districts, (a)	23·8	24·1	21·9	18·9	22·2
Dublin Reg. Area ...	28·4	24·4	25·3	20·4	24·6
Dublin City ...	30·6	26·0	26·9	18·6	25·5
Belfast ...	23·8	25·7	21·4	18·6	22·4
Cork ...	24·5	19·7	21·8	19·0	21·3
Londonderry ...	16·5	22·8	16·5	5·1	15·2
Limerick ...	14·9	24·4	24·4	23·0	21·7
Waterford ...	17·1	32·3	11·4	28·5	22·3

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 1·5 per 1,000. Among the 142 deaths from all causes for Belfast are 6 from scarlet fever, 6 from whooping-cough, and one from diarrhœa and enteritis of a child under 2 years. One of the 17 deaths from all causes for Limerick is from enteric fever. Included in the 6 deaths from all causes for Drogheda is one from diphtheria. Among the 7 deaths from all causes for Newtownards is one from each of scarlet fever and whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 217—107 boys and 110 girls—and the deaths to 171—68 males and 103 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·4 per 1,000 of the population. During the seven weeks, ending with Saturday last, the death-rate averaged 25·6, and was 0·9 above the mean rate for the corresponding portions of the ten years, 1904—1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 171, represent an annual rate of 22·0 per 1,000; the annual rate for the past seven weeks was 27·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·9 per 1,000 of the mean population for all deaths registered.

The above total, 171, includes one death from enteric fever, 5 deaths from measles, 2 from each of scarlet fever and whooping cough, one death from each of diphtheria and influenza, and 5 deaths from diarrhoea and enteritis of children under 2 years of age. In each of the three preceding weeks, deaths from enteric fever were 2, 0, and one; deaths from measles were 4, 3, and 5; deaths from scarlet fever were 0, one, and one; deaths from whooping-cough were 2, 2, and 2; deaths from diphtheria were 6, one, and one; deaths from influenza were 4, 2, and 0; and deaths from diarrhoea and enteritis of children were 5, 5, and 3.

Deaths from all forms of tuberculous disease, which had been 32, 37, and 31 in the 3 previous weeks, were 30 in the week under notice; this latter figure includes 25 deaths from pulmonary tuberculosis, one from tuberculous meningitis, 3 from abdominal tuberculosis, and one from disseminated tuberculosis.

Of 13 deaths from pneumonia, 5 were attributed to broncho-pneumonia, and 8 to pneumonia (type not distinguished).

The deaths of 5 persons were assigned to cancer.

There were 13 deaths of which the registered cause was convulsions; of this figure 3 were of infants under one month, 8 were between the ages of one month and one year, one was aged one year, and another 2 years; there were 5 deaths of infants from prematurity, and 4 from congenital debility.

Organic diseases of the heart accounted for 9 deaths, and the number caused by bronchitis was 23.

Of 2 deaths from accident or negligence, one was that of a child aged 7 years from burns.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 6 children under 5 years of age, including 5 infants under one year old.

Forty-nine of the persons whose deaths were registered during the week were under 5 years of age (32 being infants under one year, of whom 8 were under one month old) and 42 were aged 65 years and upwards, including 24 persons aged 70 and upwards; among the latter were 17 aged 75 and upwards, of whom 4 (one male and 3 females) were stated to have been aged 95, 92, 96 and 97 years respectively.

Fifty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·4 per 1,000; the rate in the City was 18·6 (North City Districts, 19·3; South, 17·9) and in the Suburbs 26·2.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the City being 1·8 (in the North City Districts 2·2, and in the South 1·4), and for the Suburbs 2·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (15) are equal to an annual rate of 25·9 per 1,000. There were 2 deaths from pulmonary tuberculosis, one death from pneumonia, 3 deaths from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

No. 1 *North City District, West* (Summer-hill).—The deaths (23) are equal to an annual rate of 29·1 per 1,000. Among them are one death from measles, 2 deaths from scarlet fever, one from whooping cough, 2 from pulmonary tuberculosis, 2 from pneumonia, and 3 from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 22·4 per 1,000, and include one death from influenza, 3 from pulmonary tuberculosis, and 4 from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (7) represent an annual rate of 10·3 per 1,000. One death from pulmonary tuberculosis and 2 deaths from bronchitis were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 11·4 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 4·9. Of the 3 deaths from all causes for Coolock and Drumcondra, part of, one is from diphtheria, one from pneumonia, and one from diarrhoea and enteritis of a child under 2 years.

No. 1 *South City District* (South Earl-street).—The deaths (16) represent an annual rate of 20·5 per 1,000. There were 6 deaths from tuberculous disease, one from broncho-pneumonia, one from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000. Tuberculous disease and bronchitis each caused 2 deaths.

No. 3 *South City District* (Peter-street).—The deaths (14) are equal to an annual rate of 16·8 per 1,000, and include one death from whooping-cough, 2 deaths from pneumonia, 2 from bronchitis, one death of a child under 2 years of age from diarrhoea and enteritis, and one accidental death.

No. 4 *South City District* (Grand Canal Street).—The deaths (8) are equivalent to an annual rate of 12·6 per 1,000. Four deaths were caused by pulmonary tuberculosis and 2 by pneumonia.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·6 per 1,000. One of the deaths was that of a child under 2 years of age from diarrhoea and enteritis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 21·3; Pembroke, 41·4; Blackrock, 0·0; and Kingstown, 24·6. The deaths from the principal epidemic diseases tabulated for these districts comprise one from enteric fever and 4 from measles for Pembroke. Among the 16 deaths from all causes for Rathmines and Rathgar are 2 from tuberculous disease, one from pneumonia, and one from bronchitis. Of the 24 deaths from all causes for Pembroke there are 5 from pulmonary tuberculosis, one from broncho-pneumonia, 2 from bronchitis, and one accidental death. Included in the 8 deaths from all causes for Kingstown are 2 from tuberculous disease, one from pneumonia, and 2 from bronchitis.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 14·4), was equal to an average annual death-rate of 15·6 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·9 per 1,000, the rate for Glasgow being 16·8, and for Edinburgh 19·1.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 14th February. From this Report it appears that of a total of 71 cases notified, 28 were scarlet fever, 24 phthisis, 15 diphtheria, 3 erysipelas, and one puerperal fever. Among the 632 cases of infectious diseases in hospital at the close of the week were 291 cases of scarlet fever, 193 of phthisis, 70 of diphtheria, 46 of measles, 11 of erysipelas, 4 of enteric fever, and 2 of whooping-cough.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 14th February, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Jan. 24,	.	—	—	15	.	.	11	.	.	6	5	.	—	—	.	—	.	31	68
	Jan. 31,	.	—	—	13	.	.	11	.	.	2	10	.	—	—	1	—	.	33	70
	Feb. 7,	.	—	—	20	.	.	14	.	.	3	4	.	—	—	.	—	.	38	79
	Feb. 14,	.	—	—	12	1	.	7	.	.	6	7	.	—	—	1	—	.	41	75
Rathmines and Rathgar Urban District.	Jan. 24,	.	—	—	3	.	.	2	.	.	.	1	.	—	—	—	—	—	—	6
	Jan. 31,	.	—	—	3	.	.	3	.	.	1	.	.	—	—	—	—	—	—	7
	Feb. 7,	.	—	—	5	.	.	2	.	.	.	1	.	—	—	—	—	—	—	8
	Feb. 14,	.	—	—	4	.	.	2	—	—	—	—	—	—	6
Pembroke Urban District.	Jan. 24,	.	18	.	4	.	.	1	.	.	1	.	.	—	2	—	—	—	1	27
	Jan. 31,	.	15	1	—	.	—	—	—	1	17
	Feb. 7,	.	68	.	4	—	.	—	—	—	.	72
	Feb. 14,	.	33	1	.	.	—	4	—	—	—	1	39
Blackrock Urban District.	Jan. 24,	.	—	—	—	—	.	—	—	—	.
	Jan. 31,	.	—	—	—	—	.	—	—	—	.
	Feb. 7,	.	—	—	—	—	.	—	—	—	.
	Feb. 14,	.	—	—	—	—	.	—	—	—	.
Kingstown Urban District.	Jan. 24,	.	—	—	—	—	—	—	—	.	.
	Jan. 31,	.	—	—	—	—	—	—	—	.	.
	Feb. 7,	.	—	—	—	—	—	—	—	.	.
	Feb. 14,	.	—	—	3	—	—	—	—	—	.	3
City of Belfast.	Jan. 24,	.	—	—	44	.	.	11	.	.	4	3	.	—	—	.	—	.	9	71
	Jan. 31,	.	—	—	52	.	.	11	1	.	1	1	.	—	—	.	—	.	4	70
	Feb. 7,	.	—	—	37	.	.	5	.	.	3	6	.	—	—	.	—	.	3	54
	Feb. 14,	.	—	—	59	.	.	14	.	1	4	5	.	—	—	.	—	.	11	94
City of Cork.	Jan. 24,	.	.	—	1	.	3	.	—	—	—	—	—	—	4
	Jan. 31,	.	.	—	1	.	.	.	—	—	—	—	—	—	1
	Feb. 7,	.	.	—	.	.	.	1	.	.	1	1	.	—	—	—	—	—	—	3
	Feb. 14,	.	1	—	1	.	.	1	1	—	—	—	—	—	—	4
City of Londonderry.	Jan. 24,	.	—	—	1	1	1	.	—	—	—	—	—	—	3
	Jan. 31,	.	—	—	3	1	.	—	—	—	—	—	—	4
	Feb. 7,	.	—	—	2	—	—	—	—	—	—	2
	Feb. 14,	.	—	—	—	—	—	—	—	—	.
City of Limerick.	Jan. 24,	.	—	—	1	—	—	.	—	—	—	1
	Jan. 31,	.	—	—	1	—	—	.	—	—	—	1
	Feb. 7,	.	—	—	1	—	—	.	—	—	—	1
	Feb. 14,	.	—	—	1	—	—	.	—	—	—	1
City of Waterford.	Jan. 24,	.	—	—	—	—	—	—	—	—	.
	Jan. 31,	.	—	—	.	.	.	2	.	.	.	1	.	—	—	—	—	—	—	3
	Feb. 7,	.	—	—	—	—	—	—	—	—	.
	Feb. 14,	.	—	—	—	—	—	—	—	—	.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 14th February, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Eleven cases of enteric fever were admitted to hospital during the week, 8 were discharged, there was one death, and 27 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 34, 30, and 25.

One case of typhus was admitted to hospital and remained under treatment at the close of the week.

Seven cases of measles were admitted to hospital, 3 were discharged, there was one death, and 16 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 14, 12, and 13 respectively.

Twenty-five cases of scarlet fever were admitted to hospital, 21 were discharged, there were 2 deaths, and 134* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 118, 121, and 132, respectively.

Thirteen cases of diphtheria were admitted to hospital during the week, 25 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 53, 63, and 67 respectively, were 52 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 12 were discharged, and 29 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 14th February, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **TEMPERATURE** and **RAINFALL** for the week, and for each of the two Weeks immediately preceding.

[illegible]

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1914. (b) See note (4.) at foot of first page.

(c) Exclusive of 12 deaths of persons (including 3 at 65 years or upwards) admitted to hospital from localities outside the Area: included in the 12 deaths are one from abdominal tuberculosis, and 2 from cancer.

(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee are those at Donaghadee, those at Armagh for Lishurn, Lurgan, Newry and Tortadown, those at Markree for Sligo, and those at Kesh for Carrickmacross. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phoenix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 14th of February, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	.	.	1	.
Typhus,
Small-pox,	.	.	1	4	.	.	5	.
Measles,	.	1	2	.
Scarlet Fever,	.	1	1	2	.
Whooping-cough,	1	1	.
Diphtheria,
Croup,	.	.	1	1	.
Influenza,
Dysentery,
Tuberculosis, { Pulmonary,	2	2	3	1	.	.	5	1	.	4	.	1	5	.	.	1	25	.
Other Forms,	1	1	.	.	.	1	.	.	.	1	4	1
Cancer,	.	.	1	1	.	.	.	1	3	2
Diseases of Nervous System,	3	3	1	1	.	.	3	2	2	.	1	6	4	.	.	.	26	2
" Organs of Special Sense,
" Circulatory System,	.	3	.	1	.	.	2	.	1	1	.	.	1	.	.	.	9	1
" Respiratory System, { Pneumonia,	1	2	.	.	.	1	1	.	2	2	.	1	1	.	1	1	12	1
" "																		

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the
in the corresponding Week of the Ten Years

Deaths from all causes Registered in the Week ending Saturday											In the Week ending Saturday, 14th February, 1914.												
CAUSES OF DEATH.	Feb. 20, 1904.	Feb. 18, 1905.	Feb. 17, 1906.	Feb. 16, 1907.	Feb. 15, 1908.	Feb. 20, 1909.	Feb. 19, 1910.	Feb. 18, 1911.	Feb. 17, 1912.	Feb. 15, 1913.	Averages in 7th Week of the 10 years, 1904-1913.	Deaths of Persons of the Ages of											
												0-5.											
												Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.		
Mean Temperature.	37·7	45·5	36·4	40·4	44·7	39·5	42·3	46·4	42·9	40·6	41·6	43·6											
ALL CAUSES.	223	175	149	239	194	211	211	208	197	175	198·2	171	8	24	10	7	12	10	23	35	25	17	
Enteric Fever, ...	3	3	.	.	.	1	.	2	.	.	·9	1	1	
Typhus,	
Small-pox,	
Measles, ...	1	2	.	3	1	4	.	2	3	1	1·7	5	.	.	2	1	1	1	
Scarlet Fever,	1	2	6	.	1	1·0	2	.	.	.	1	1	
Whooping-cough, ...	9	1	.	4	1	2	1	6	1	2	2·7	2	.	.	.	1	1	
Diphtheria, ...	1	1	.	1	1	2	.	3	1	1	1·1	1	
Croup,	1	.	.	1	.	1	.	.	·3	
Influenza, ...	5	3	2	9	13	.	2	5	4	2	4·5	1	1	.	.	.	
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	
Erysipelas, ...	1	.	1	1	.	1	.	2	.	1	·3	
Other Epidemic Diseases, ...	1	.	1	1	.	3	1	.	.	.	·7	
Pyæmia and Septicæmia (non- puerperal).	1	2	.	.	1	.	1	2	1	1	·9	
Tetanus,	1	.	·1	
TUBERCULOSIS:																							
Pulmonary Tuberculosis, ...	27	28	23	27	29	28	19	22	22	21	24·6	25	.	.	1	.	1	5	11	5	2	.	
Tuberculous Meningitis,	2	2	2	2	6	2	4	1	4	2·5	1	.	1	
Abdominal Tuberculosis, ...	3	2	2	1	4	1	6	1	2	5	2·7	3	1	1	.	1	.	.	
Tuberculosis of the Vertebral Column.									1	
Tuberculosis of Joints, ...	4	8	6	7	9	8	6	3	.	1	5·7	
Tuberculosis of other Organs, Scrofula,	1		
Disseminated Tuberculosis, ...									1	3		1	1	
Venereal Diseases, ...	1	3	1	1	2	1	1	.	1	1	1·2	
Cancer, ...	5	6	6	6	7	11	8	4	5	15	7·3	5	2	3	.	
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever,	1	1	1	·3	
Diabetes, ...	4	.	1	.	.	1	.	1	2	2	1·1	
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	1	1	—	4	1	.	3	.	.	.	
Other General Diseases, ...	—	—	—	—	—	—	—	1	5	1	—	1	.	.	.	
Alcoholism,	1	1	.	1	·3	1	
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	.	.	—	
Cerebro-spinal Fever,	2	1	1	·4	
Simple Meningitis,	
Cerebral Hæmorrhage, Apo- plexy.									2	1		3	.	.	1	.	2	.	.	3	.	3	
Softening of Brain,	
Paralysis, without specified cause.									2	2		5	1	1	.	.	
Epilepsy,	
Convulsions (non-puerperal),									7	.		13	3	8	1	1	.	.	1	.	.	.	
Other Diseases of Nervous System.	48	47	36	58	39	42	52	46	2	5	43·2	3	1	2	.	.	.	
Pericarditis,		1	
Acute Endocarditis,	1		9	1	.	.	.	
Organic Diseases of the Heart, Embolism and Thrombosis (including Cerebral)									12	11		3	2	3	.	
Other Diseases of Circulatory System.									.	1		
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	1	.	—	
Bronchitis, ...	38	18	25	36	23	33	37	43	36	20	30·9	23	.	.	2	1	1	1	1	7	6	3	
Broncho-pneumonia, ...	7	4	5	8	8	7	15	6	15	6	8·1	5	1	1	3	
Lobar pneumonia, ...	1	.	2	4	1	.	1	.	1	1	1·1	
Pneumonia (type not distin- guished)	8	7	4	7	4	5	4	9	13	9	7·0	8	.	2	1	.	.	1	2	2	.	.	
Pleurisy,	
Pulmonary Congestion, Pul- monary Apoplexy.	5	3	1	4	6	9	4	1	.	.	3·5	1	1	.	
Other Diseases of Respiratory System.									2	.		2	

SEVENTH WEEK, ending Saturday, 14th February, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 7th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 14th February, 1914.																														
	Feb. 20, 1904.	Feb. 18, 1905.	Feb. 17, 1906.	Feb. 16, 1907.	Feb. 15, 1908.	Feb. 20, 1909.	Feb. 19, 1910.	Feb. 18, 1911.	Feb. 17, 1912.	Feb. 15, 1913.		Deaths of Persons of the Ages of																														
												0-5.																														
Mean Temperature ...	37.7	45.5	36.4	40.4	44.7	39.5	42.3	46.4	42.9	40.6	41.6	43.6	Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																				
Diseases of the Pharynx, Tonsillitis.																				
Diseases of Stomach, ...	—	—	—	—	—	—	—	1	4	3	—	5	.	.	.	1	.	.	.	1	3	.																				
Diarrhoea and Enteritis of Children under 2 years.	7	2	2	3	5	3	6	4	4	4	4.1	5	.	5																				
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards		—	—	—	—	—	—	—					—	1	1	1	1	.	.	.	1	.	.	1	.	1																
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	.	1	1	1	1	1																				
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	1	1	1	—	1	1	.	.																				
Cirrhosis of Liver,	2	.	2	2	.	4	1.0	2	1	1	.	.																				
Other Diseases of Liver, ...	1	3	1	2	.	.	.7																				
Peritonitis (cause unknown),	.	.	1	.	.	1	.	.	1	.	.3																				
Other Diseases of Digestive System.	4	3	1	9	4	7	2	1	2	.	3.3																				
Acute Nephritis, ...	4	5	8	8	4	4	9	4	.	.	5.8																				
Chronic Bright's Disease, ...																							2	.	.	1	1	
Urinary Calculi,
Uterine Tumour (non-cancerous).																						
Ovarian Tumour (non-cancerous)																						
Other Diseases of Genito-urinary System.	2																				
Puerperal Septicæmia, &c., ...	1	.	2	1	.	1	.5																				
Other Causes incident to Pregnancy and Childbirth.	1	1																				
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	2	.	.	—	1	1	.	.																				
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	1	.	.	—																				
Premature Birth, ...	5	2	1	6	6	4	4	1	5	5	3.9	5	3	2																				
Congenital Debility, ...	—	—	—	—	—	—	—	6	2	6	—	4	1	3																				
Old Age, ...	10	6	5	9	6	7	6	4	2	2	5.7	9	4	5																				
Other Specified Diseases, ...	—	—	—	—	—	—	—	.	.	4	—																				
ACCIDENT :																																										
Poisons or Poisonous Vapours.																				
Conflagration,																				
Burns and Scalds, ...	1	.	.	4	1	3	2	1	2	1	1.5	1	1																				
Drowning,	1	1	13																				
Suffocation in Bed,	11																				
Other Deaths by Accident, ...	2	.	.	.	2	.	4	1	5	1	1.5	2	1	.	.	1	.																				
Total Deaths from Accident,	3	.	.	5	4	5	6	2	7	2	3.4	3	1	.	1	.	.	1																				
Included in above are Deaths in connection with—																																										
Railways,	1	.1																				
Vehicles and Horses,	1	.1	1	1																				
Ships, Boats, Docks,																				
Building Operations,	1	.1																				
VIOLENCE OTHER THAN ACCIDENTAL :																																										
Homicide,																				
Suicide,	22																				
Execution,																				
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	4	3	8	—	1	1																				

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1913-4—WEEK ENDING																									
		Aug. 28.	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.
No. of weeks in Annual Series.		34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7
Births registered.		205	187	239	167	255	232	225	177	211	220	202	190	232	165	209	194	212	185	140	246	246	203	241	234	279	217
Average Births in corresponding week of previous 10 years.		221	209	240	206	215	246	200	192	211	194	220	213	193	184	213	187	204	179	186	222	212	215	241	214	214	217
Deaths registered.		163	164	157	196	143	177	163	159	148	162	174	158	164	148	164	153	147	167	137	250	210	205	236	201	214	171
Annual Death-rate per 1,000.		21.7	21.2	20.3	25.4	18.5	22.9	21.1	20.6	19.1	21.0	22.5	20.4	21.2	19.1	21.2	19.8	19.0	21.6	17.7	32.1	27.0	26.3	30.3	25.8	27.5	22.0
Average Deaths in corresponding week of previous 10 years.		161	153	158	153	164	155	155	154	159	149	168	167	173	171	178	181	171	173	166	193	189	194	197	198	197	198
Ages, { Under 5 years, 5-15 " 15-25 " 25-45 " 45-65 " 65-75 " 75 and upwards,	Under 5 years,	55	53	66	62	45	69	58	66	50	57	54	50	49	47	38	55	49	55	47	63	46	45	89	56	72	49
	5-15 "	7	4	8	6	6	2	5	4	9	4	7	6	8	7	9	6	8	6	6	11	12	6	7	11	8	12
	15-25 "	8	12	7	16	4	11	6	8	4	11	9	6	6	6	6	4	3	6	6	12	9	4	16	11	12	10
	25-45 "	28	30	21	37	18	22	18	17	16	23	29	24	26	15	33	23	31	31	19	32	31	32	29	80	27	23
	45-65 "	36	29	33	38	32	40	39	33	39	34	37	33	35	35	47	26	34	37	25	78	43	55	50	46	44	35
	65-75 "	19	19	17	18	20	20	23	19	17	23	18	26	24	23	22	26	15	20	20	31	36	32	34	21	23	25
	75 and upwards,	15	12	5	19	18	13	14	12	13	10	20	13	13	15	9	13	7	10	14	23	28	31	31	26	13	17
	Deaths from:—																										
	Enteric Fever,		2		6	1	1	2	1					2			4	3	1		1	3	8	2		1	1
	Typhus, ...																										
	Small-pox,																										
	Measles ...		1		1				1	1	2	2	1	1	1	1	1	2	1	1	2	1	1	4	3	5	5
	Scarlet Fever,				2			2	1	1															1	1	2
	Whooping-cough,				1			1	1	1															2	2	2
	Diphtheria,				1			3	2	2				5	1	2	1	4	6	2	1	2	6	1	1	1	1
	Influenza,				1			1	1	1															2		
	Dysentery,					1		1																			
	Tuberculosis { Pulmonary ...	20	18	20	24	15	18	13	16	12	19	18	18	22	14	17	15	16	23	12	24	20	19	22	25	24	25
	{ Other Forms,	10	8	8	5	1	4	6	7	6	6	13	6	5	6	6	5	5	7	5	11	8	4	10	12	7	5
	Cancer, ...	8	6	14	13	9	13	11	7	11	10	11	10	8	12	11	7	6	7	7	8	12	9	9	7	10	5
	Diseases of Circulatory System.	22	11	7	18	17	18	15	10	15	18	15	21	12	9	17	11	17	18	19	26	15	23	25	16	14	10
	Diseases of Respi- (Pneumonia	9	7	2	6	12	6	4	7	6	8	12	13	12	14	14	18	19	18	12	22	19	21	26	17	20	13
	ratory System, { Others,	13	7	9	10	10	14	13	13	15	13	15	14	12	20	22	17	22	16	17	51	48	30	43	32	31	25
	Diarrhoea and Enteritis, under																										
	2 years,	21	29	31	37	25	33	26	29	23	16	14	7	8	9	7	5	4	8	5	3	2	6	5	5	3	5
	Diarrhoea, 2 years and upwards,	2	2	4	1	1	1	1	1	1				4													
	Violent Deaths,	7	2	5	6	9	5	4	2	3	5	2	5	3	5	6	4	3	1	2	6	12	4	9	5	5	3
	Number of Uncertified Deaths,	2	3	2	2	3		3	2	3	5	7	2	4	6	3	4	6	4	3	14	10	2	5	4	4	8
	Mean Temperature of the Air																										
	(Phoenix Park) in degrees, ...																										
	Average Mean Temperature in	56.5	57.0	55.3	54.9	49.5	50.5	56.6	51.4	52.9	43.5	50.9	44.4	46.6	46.6	47.6	44.4	46.0	44.1	37.7	34.6	44.3	39.5	38.6	44.1	42.1	43.6
	corresponding week of previous																										
	10 years, ...	56.2	56.5	54.5	52.3	52.6*	52.4	51.6	50.4	49.8	45.7	45.2	44.6	42.0	41.9	41.5	42.2	42.5	42.4	41.5	41.1	40.0	39.6	39.4	39.4	40.4	41.6
	Rainfall in inches, ...	2.05	2.00	2.005	1.540	1.435	1.115	2.730	1.40	1.40	1.590	1.040	1.710	1.645	1.640	1.50	1.065	1.65	1.065	.820	.445	.260	.090	.485	.305	.615	
	Mean Humidity of the Air, com-																										
	plete Saturation 1.0,	.81	.86	.84	.85	.90	.88	.92	.90	.86	.86	.86	.86	.90	.88	.90	.93	.93	.87	.90	.88	.81	.81	.94	.94	.92	.85

* For 9 years only.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal admitted ; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.	
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.			
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.) Population in 1914 (Est.) 30,206.	Jan. 10 " 17 " 24 " 31 Feb. 7 " 14	27.6 31.1 36.3 15.5 31.1 25.9	1.7 . 5.2 1.7 1.7 1.7	16 18 21 9 18 15 1	1 . 2 1 .	1 1 1 1 2 2	. 1 . 1 1 .	2 3 2 . 1 3	5 1 4 2 4 3	. . . 1	1 . . . 1 .	2 1 . . . 2	
North City, No. 1 (W.) (Office, Summer-hill.) Population in 1914 (Est.) 41,278.	Jan. 10 " 17 " 24 " 31 Feb. 7 " 14	29.1 26.5 25.3 37.9 30.3 29.1	. . 3.8 2.5 3.8 5.1	23 21 20 30 24 23 1 1 1 2 1	1 1 3 7 1 2	1 . . 2 2 1 1 . .	1 5 6 1 2 2	5 2 2 2 4 3	. . . 3 . 1	1 . . 1 3 .	4 . . 1 1 3 .	
North City, No. 2. (Office, Lisburn-street.) Population in 1914 (Est.) 27,883.	Jan. 10 " 17 " 24 " 31 Feb. 7 " 14	22.4 22.4 41.1 37.4 18.7 22.4	. . 1.9 1.9 1.9 .	12 12 22 20 10 12 1 1	1 2 3 3 2 3	. 2 1 . 3 1	2 . . 1 1 . .	2 2 1 3 3 4	2 2 5 3 2 1 1 2 .	1 . . .
North City, No. 3. (Office, Benburb-street.) Population in 1914 (Est.) 35,536.	Jan. 10 " 17 " 24 " 31 Feb. 7 " 14	24.9 29.3 13.2 11.7 27.9 10.3	. 2.9 1.5 1.5 1.5 .	17 20 9 8 19 7	. 1 1 1	1 4 1 1 1 1	1 1 . 2 . .	1 2	2 . . 1 1 4 2	6 1 3 1 4 1 1
Clontarf and Howth No. 1 (part of). Population in 1914 (Est.) 5,485.	Jan. 10 " 17 " 24 " 31 Feb. 7 " 14	9.5 9.5 . . 19.0	1 1 . . 2	1 1
Coolock and Drumcondra (part of). Population in 1914 (Est.) 13,685.	Jan. 10 " 17 " 24 " 31 Feb. 7 " 14	22.9 19.1 11.4 19.1 15.2 11.4 7.6	6 5 3 5 4 3 1 1 1 1 1 1 .	2 1 1 . 1 1 1 1 .
Finglas and Glasnevin (part of). Population in 1914 (Est.) 10,723.	Jan. 10 " 17 " 24 " 31 Feb. 7 " 14	9.7 19.5 14.6 19.5 9.7 4.9	2 1 3 4 2 1 1 1 1 .	1 2 . 1	1 . 1 .
South City, No. 1. (Office, Stth. Earl-street.) Population in 1914 (Est.) 40,768.	Jan. 10 " 17 " 24 " 31 Feb. 7 " 14	29.4 26.9 34.5 26.9 25.6 20.5	1.3 2.6 1.3 1.3 . 1.3	23 21 27 21 20 16	1 . 1	3 3 3 1 2 5	1 . 2 1 2 1	. . . 1 2 .	5 1 4 4 2 1	6 2 4 4 2 1	. . . 1 2 . 1 .	1 1 1 1 . .	2 . 1 1 2
South City, No. 2. (Office, Castle-street.) Population in 1914 (Est.) 18,341.	Jan. 10 " 17 " 24 " 31 Feb. 7 " 14	54.0 34.1 37.0 39.8 28.4 28.4	19 12 13 14 10 10	3 2 3 3 2 1	. . 1 1 2 1	. . . 1 2 4 2 1 .	6 2 4 4 1 2 1 1 .	. .
South City, No. 3. (Office, Peter-street.) Population in 1914 (Est.) 43,540.	Jan. 10 " 17 " 24 " 31 Feb. 7 " 14	35.9 33.5 38.3 21.6 26.3 16.8	2.4 1.2 3.6 1.2 1.2 2.4	30 28 32 18 22 14	1 1 . 1	5 3 3 4 3 .	1 . 1 1 1 . .	. 2 1 1 . .	3 1 3 6 2 2	5 8 6 4 4 2	1 1 2 1 1 1 .	. 2 1 1 .	. 1 2 1
South City, No. 4. (Office, Grand Canal-st.) Population in 1914 (Est.) 33,171.	Jan. 10 " 17 " 24 " 31 Feb. 7 " 14	23.6 14.1 42.4 34.6 29.9 12.6	3.1 1.6 4.7 3.1 1.6 .	15 9 27 22 19 8	. 1 2 2 2 1 1 3 2 4 4	2 3 2 . 1 .	2 . 2 1 2 .	3 3 2 4 1 2	3 2 4 6 2 .	1 1 .	. .
New Kilmainham. Population in 1914 (Est.) 9,851.	Jan. 10 " 17 " 24 " 31 Feb. 7 " 14	31.8 10.6 26.5 21.2 52.9 10.6	. 5.3 10.6 5.3 5.3 5.3	6 2 5 4 10 2 2 1 2 1	1 . . . 1 2	3 1 3 1 3 1 1

* See note (§) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths.	
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District.	Jan. 10 " 17 " 24 " 31	18.6 25.3 17.3 24.0	14 19 13 18	2 1 1 1	1 . . .	1 2 . .	. 2 3 1	2 3 1 4	1 . . 1
Population in 1914 (Est.) 39,155.	Feb. 7 " 14	16.0 21.3	. .	12 16	1 1	1 1	2 1	. 1	. 2
Pembroke Urban District.	Jan. 10 " 17 " 24 " 31	24.1 13.8 27.6 13.8	5.2 6.9 3.4 .	14 8 16 8	1 1 1	1 . . .	1 . 1	2 . 1 5	2 . 2 .	. . 2 1	1 1 2 3	. 3	1 . 1 1
Population in 1914 (Est.) 30,240	Feb. 7 " 14	25.9 41.4	6.9 8.6	15 24	. 1	4 4	1 5	2 1	2 3	1 1	1 1
Blackrock Urban District.	Jan. 10 " 17 " 24 " 31	11.3 17.0 22.7 22.7	2 3 4 4 1 1	. 1 . .	. 1 1 2
Population in 1914 (Est.) 9,197.	Feb. 7 " 14	17.0 .	. .	3	1 1	1
Kingstown Urban District.	Jan. 10 " 17 " 24 " 31	15.4 12.3 18.5 15.4	5 4 6 5 1 1 .	. 1 . .	1 1 2 1	1 . . 2	1 1
Population in 1911 16,941.	Feb. 7 " 14	21.5 24.6	. .	7 8	1 1	. 1	2 1	1 1	2
Belfast.	Jan. 10 " 17 " 24 " 31	26.5 22.7 23.8 25.7	3.4 2.1 1.6 0.9	203 174 182 197	. 1 . .	2	1 . . .	12 10 2 3	3 1 5 1	4 2	14 17 15 12	8 5 6 3	10 8 6 10	29 23 29 26	28 27 26 45	2 3 1 2	2 3 2 1	. 1 2 1	5 4 3 2
Population in 1914 (Est.) 399,000.	Feb. 7 " 14	21.4 18.6	2.0 1.7	164 142	1	7 6	2 6	. .	1 .	14 21	7 4	8 9	21 13	32 23	3 1	1 .	3 2	. .
Cork.	Jan. 10 " 17 " 24 " 31	29.2 19.7 24.5 19.7	2.0 . 0.7 .	43 29 36 29	1	6 7 3 5	1 2 . 3	. . 3 3	1 . 5 2	8 7 6 3	1 . 1 .	1 1 . .	2 6 3 .
Population in 1911 76,673.	Feb. 7 " 14	21.8 19.0	. .	32 28	6 3	3 1	1 1	7 5	3 .
Londonderry.	Jan. 10 " 17 " 24 " 31	14.0 12.7 16.5 22.8	11 10 13 18	1 1 . 5	1 1 .	2 1 2 .	. 4 4 5 1 . .
Population in 1914 (Est.) 41,100.	Feb. 7 " 14	16.5 5.1	2.5 1.3	13 4	1	1 .	1	1 1
Limerick.	Jan. 10 " 17 " 24 " 31	16.2 29.8 14.9 24.4	1.4 . . .	12 22 11 18	1 1 2 2	. . 1 1	4 4 1 1	1 5 1 3 1 . .	. 5 3 1
Population in 1911 38,518.	Feb. 7 " 14	24.4 23.0	1.4 1.4	18 17	. 1	1	1 .	. .	1 .	8 6	1 .	3 .
Waterford.	Jan. 10 " 17 " 24 " 31	30.4 15.2 17.1 32.3	3.8 . . .	16 8 9 17	2 2 2 2	1 . 1 2	. . 1 .	. 1 . .	2 1 1 3	2 1 .
Population in 1911 27,464.	Feb. 7 " 14	11.4 28.5	. .	6 15	2 2	2 2	. .	2 2	1 2

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 14th February, 1912, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.										DEATHS FROM														No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				All Causes.	Certain Epi- demic Diseases,†	Under 1 year.						5 and under 25 years.				25 and under 45 years.				45 and under 65 years.				65 years and upwards.				Typhus.	Small-pox.			Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS.		Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
						(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)										(25)	(26)		(27)	(28)					(29)	(30)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
City of Belfast.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
BELFAST URBAN No. 1 DISTRICT.	15,879	4	13.1	1.1	4	27	1.1	27	1	3	7	2	3	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Feb. 14,	2,115	1,250	14·4	7	.	9	4	27	11	17
EDINBURGH, ...	321,900	" 14,	131	118	19·1	.	.	8	2	.	3	.
GLASGOW, ...	1,047,000	" 14,	560	338	16·8	2	.	20	2	4	3	5
CALCUTTA, ...	896,087	Jan. 3,	.	631	36·6	86*	5	2	.	.	1†	122‡a
BOMBAY, ...	979,445	" 10,	438	646	34·3	70*	2	6	.	.	.	70‡a
MADRAS, ...	518,660	" 10,	376	552	55·3	92*	.	3	?	?	?	153‡a
CAIRO, ...	715,609	Dec. 9,	637	455	33·2	4	3	2	.	?	21†	58
PARIS, ...	2,847,229	Jan. 31,	995	1,111	19·9	5	.	2	1	6	5†	12
BRUSSELS, ...	767,252	" 24,	253	206	14·0	1	.	.	2	1	3	7
ANTWERP, ...	312,884	" 24,	125	95	15·8	2†	14
AMSTERDAM, ...	595,258	" 24,	289	165	14·5	1	.	1	.	2	2†	3
COPENHAGEN, ...	483,000	" 24,	205	137	14·8	.	.	1	1	4	.	2
STOCKHOLM, ...	376,171	" 24,	128	95	13·1	1	.	1	.	.	1	3
CHRISTIANIA, ...	250,423	" 31,	92	60	12·5	.	.	.	1	.	1	.
ST. PETERSBURG, ...	1,708,600	" 10,	1,169	764	23·3	11	1	28	22	6	10	44
MOSCOW, ...	1,694,000	" 3,	.	728	22·4	4	.	28	18	7	13	46a
BERLIN, ...	2,057,715	Dec. 27,	706	570	14·3	.	.	5	7	.	16†	10
HAMBURG, ...	1,030,983	Jan. 24,	.	301	15·2	1	.	3	1	2	11	14
BRESLAU, ...	543,405	" 24,	.	204	19·6	.	.	1	.	6	2	10a
MUNICH, ...	640,000	" 24,	.	210	17·1	.	.	1	.	2	2†	1
VIENNA (with suburbs),	2,132,523	" 24,	637	667	16·3	.	.	2	5	2	9†	21
BUDA-PESTH, ...	950,784	" 24,	489	346	18·9	3	.	9	10	2	3†	9
PRAGUE and Faubourgs,	498,499	Dec. 27,	168	162	16·9	1	.	.	.	1	4†	9
TRIESTE, ...	242,595	Jan. 3,
ROME, ...	582,565	Aug. 23,	277	169	15·1	2	.	3	.	.	1	23
NEW YORK, ...	5,583,871	Jan. 24,	2,743	1,567	14·6	9	.	15	6	.	30†	29
PHILADELPHIA, ...	1,681,960	Dec. 27,	.	484	15·4	5	.	2	.	4	10†	10
BOSTON, ...	750,768	Jan. 24,	.	290b	20·1	2	.	1	1	.	4	9

* Deaths from "fever," including 3 from enteric fever and one from plague in Calcutta; one from enteric fever and 9 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 31 deaths from cholera in Calcutta, one in Bombay, and one in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 255 (including 3 deaths from diphtheria, and 6 from diarrhoeal diseases), rate 17·7 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th February, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	3	.	.	.	1	.	.	2	4	10
" " 1, West, ...	3	1	.	.	.	7	11
" " 2, ...	1	1	3	5
" " 3,	1	3	.	.	.	4	8
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),	1	1
Finglas and Glasnevin (part of),	1	1
South City No. 1, ...	2	.	.	.	1	.	.	2	7	12
" " 2, ...	1	6	7
" " 3, ...	1	1	.	.	2	.	.	.	2	.	1	.	8	15
" " 4, ...	1	.	.	.	2	1	4
New Kilmainham,	1	1
Total, ...	12	1	.	.	7	.	.	6	7	.	1	.	41	75

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 14th February, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 14th February.			
	Jan. 24.	Jan. 31.	Feb. 7.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	34	30	25	11	8	1	27
Typhus, ...	1	1	.	1	.	.	1
Small-pox,
Measles, ...	14	12	13	7	3	1	16
Scarlet Fever, ...	118	121	132	25	21	2	134*
Diphtheria, ...	53	63	67	13	25	3	52
Pneumonia, ...	29	44	35	6	12	.	29

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.B., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 14th February, 1914:—

"Very unsettled weather prevailed throughout the greater part of this week. The conditions were of the southerly, or equatorial, type—open, squally and rainy. Atmospheric pressure was low on the Atlantic off the northwestern shores of Europe, high over the Central and Southeastern Continental Countries. Along the eastern face of the Atlantic low-pressure area depression after depression travelled northwards or north-eastwards across Ireland, Scotland, and Norway to the Arctic regions. These systems caused gales, frequent rainfalls, and sudden and considerable changes of temperature. Even Spitzbergen felt the unsteady weather, for on Friday morning with a snowstorm and fresh gale from S.S.E. the thermometer stood at 9° F., or 46·0° above the reading recorded on Thursday morning, which was—37° F. At 7 a.m. of Sunday the barometer was below 29 inches over Connaught and the greater part of Ulster, as well as over nearly the whole of Scotland: fresh S. and S.W. gales blew over the British Isles, the north coast of France, Denmark, and the S.W. of Norway, while equally strong gales from N.E. were reported from Iceland. In Dublin that day was dry and bright, although stormy. Monday was dull and wet owing to the advance of another depression from S., and from that day onward there was a succession of strong winds, showers, and sudden changes of temperature. On Wednesday night hail, sleet, and snow fell heavily in the south and west of Ireland, accompanied by thunder and lightning in places. Next morning snow lay on the Dublin Mountains, and in the course of the day (Thursday) thunderstorms occurred in Wales and the S.W. of England. Broken weather lasted to the close of the week, the barometer falling to 28·5 inches at Thorshavn, Faeroe, on Saturday morning. In Dublin the mean height of the barometer was 29·425 inches, the range being from 29·710 inches at 9 a.m. of Monday (wind, S.E.) to 28·988 inches at 4 p.m. of Thursday (wind, S.). The mean air temperature was 45·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 44·6°. Southerly winds (between S.E. and S.W.) prevailed almost without interruption. The thermometer rose to 56·0° on Saturday, having fallen to 36·2° on Friday. Rain fell on 6 days to the amount of ·885 inch, of which ·294 inch was measured on Tuesday."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29·421 inches. The highest reading (29·705) was on Monday, at 9 a.m., the lowest (29·162) on Sunday, at 9 a.m.

The mean temperature for the week was 43·6°, being 2·0° above the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Saturday, on which day the thermometer registered 56°, and was lowest on Tuesday, the mercury having fallen to 31°. The mean of the Dry Bulb for the week was 44·7° and of the Wet Bulb, 42·7°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The rainfall during the week measured 0·615 inch.

At Greenwich the mean temperature for the week was 47·9°, the maximum 59·0°, and the minimum 38·6°; at Glasgow the maximum was 52·2°, the minimum 34·2°, and the mean 43·7°; and at Edinburgh the maximum was 50·8°, the minimum 34·0°, and the mean 42·6°. The rainfall at Greenwich measured 1·10 ins., at Glasgow 0·75 in.; and at Edinburgh 0·67 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.	BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 10.	Sunshine in hours and decimals.	Rain Gauge.
	Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation = 1·0.			
	(1.) In.	(2.)	(3.)	(4.)	(5.)	(6.)	(7.)	(8.)	(9.)	(10.) Ins.
Sunday, February 8,	29·300	52	38	45·0	45·6	42·8	·80	·7	7·6	·000
Monday, " 9,	29·660	46	34	40·0	39·3	39·0	·98	·4	0·0	·240
Tuesday, " 10,	29·540	52	31	41·5	47·8	45·5	·84	·6	0·7	·090
Wednesday, " 11,	29·335	53	40	46·5	42·5	40·3	·82	·6	6·2	·120
Thursday, " 12,	29·230	46	36	41·0	39·5	37·7	·86	·6	0·5	·020
Friday, " 13,	29·440	55	32	43·5	47·7	45·4	·83	·7	4·7	·005
Saturday, " 14,	29·445	56	39	47·5	50·4	48·1	·85	·8	1·0	·140
Mean,	29·421	51·4	35·7	43·6	44·7	42·7	·85	·6	Total 20·7	Total ·615

Sunday—A beautiful bright day; night cloudy. Monday—Day overcast, heavy rain from 9.15 a.m. to 12.15 p.m.; night clear. Tuesday—Day cloudy; night cloudy, drizzling m.n. to 3.0 a.m. Wednesday—A beautiful bright day, cloudy at intervals; night cloudy, heavy rain 2.0 to 3.0 a.m. Thursday—Day overcast, light showers at intervals a.m. and p.m.; night clear. Friday—Day bright, cloudy, light showers p.m.; night cloudy. Saturday—Day cloudy; night cloudy, heavy rain at intervals a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 a.m. and 9 p.m.

The Meteorological Office has decided to dismantle Anemograph, on account of the trees in the neighbourhood.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 14th February, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Tem- perature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell- Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, February 8,	46·8	45·5	46·1	52	40	46	hrs. 5·9	ins. —
Monday, " 9,	42·0	44·8	46·0	47	37	42	—	·200
Tuesday, " 10,	46·6	43·8	46·1	53	35	44	0·3	·238
Wednesday, " 11,	47·4	44·2	46·0	53	41	47	4·7	·170
Thursday, " 12,	42·5	44·0	46·0	49	36	42·5	—	·084
Friday, " 13,	45·3	43·0	45·7	55	35	45	4·0	—
Saturday, " 14,	48·0	44·0	45·7	56	42	49	1·1	·100
Weekly Mean,	45·5	44·2	45·9	52·1	38·0	45·1	Total 16·0	Total ·792

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 21ST FEBRUARY, 1914.

[No. 8.]

General Register Office, Charlemont House,
Dublin, 23rd February, 1914.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 19·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Jan. 31	Feb. 7	Feb. 14	Feb. 21	
27 Town Districts, (a)	24·1	21·9	18·9	19·1	21·0
Dublin Reg. Area ...	24·4	25·3	20·4	20·7	22·7
Dublin City ...	26·0	26·9	18·8	22·2	23·4
Belfast ...	25·7	21·4	18·6	18·8	21·1
Cork ...	19·7	21·8	19·0	19·0	19·9
Londonderry ...	22·8	16·5	5·1	10·1	13·6
Limerick ...	24·4	24·4	23·0	23·0	23·7
Waterford ...	32·3	11·4	28·5	17·1	22·3

The deaths from certain epidemic diseases† registered in the 27 town districts during last week* were equal to an annual rate of 1·2 per 1,000. Among the 144 deaths from all causes for Belfast are one from scarlet fever, one from whooping-cough, 2 from diphtheria, and one from diarrhoea and enteritis of a child under 2 years. Included in the 28 deaths from all causes for Cork is one from each of scarlet fever, whooping-cough, and diphtheria. Of the 17 deaths from all causes for Limerick there is one from each of scarlet fever and diarrhoea. One of the 7 deaths from all causes for Kilkenny is from diphtheria. Included in the 9 deaths from all causes for Tralee are 2 from diarrhoea and enteritis of children under 2 years, and one of the 7 deaths from all causes for Newtownards is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 217—116 boys and 101 girls—and the deaths to 175—89 males and 86 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·7 per 1,000 of the population. During the eight weeks, ending with Saturday last, the death-rate averaged 25·0, and was 0·2 above the mean rate for the corresponding portions of the ten years, 1904—1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.
(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 175, represent an annual rate of 22·5 per 1,000; the annual rate for the past eight weeks was 26·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·0 per 1,000 of the mean population for all deaths registered.

Included in the total number of deaths, there were 3 from measles, 3 from whooping-cough, one death from influenza, and 4 deaths from diarrhoea and enteritis of children under 2 years of age. In the three preceding weekly periods, deaths from measles were 3, 5, and 5; deaths from whooping-cough were 2, 2, and 2; deaths from influenza were 2, 0, and one; and deaths from diarrhoea and enteritis of children under 2 years were 5, 3, and 5, respectively.

Tuberculous disease in its various forms caused the deaths of 35* persons. The total includes 25 deaths from pulmonary tuberculosis, 4 from tuberculous meningitis, 3 from abdominal tuberculosis, and 3 from other forms of the disease. In each of the 3 preceding weeks, this disease caused 37, 31, and 30 deaths.

Of 14 deaths from pneumonia, 10 were attributed to broncho-pneumonia, and 4 to pneumonia (type not distinguished).

There were 5 deaths assigned to cancer.

The deaths of 8 infants under one year were stated to be caused by convulsions; at this age there was one death from a congenital malformation, there were 5 deaths from prematurity, and 3 from congenital debility.

Organic diseases of the heart accounted for the deaths of 12 persons, and 16 deaths were from bronchitis.

Of 2 deaths from accident or negligence, one was by scalds of a child aged 4 years.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under 5 years of age, and the deaths of 2 persons aged 65 years and upwards.

Fifty-two of the persons whose deaths were registered during the week were under 5 years of age (37 being infants under one year, of whom 10 were under one month old) and 43 were aged 65 years and upwards, including 30 persons aged 70 and upwards; among the latter were 16 aged 75 and upwards, of whom 4 (2 males and 2 females) were stated to have been aged 93, 95, 90 and 95 years respectively.

Seventy-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·7 per 1,000; the rate in the City was 22·2 (North City Districts, 19·6; South, 25·1) and in the Suburbs 15·8.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the City being 1·0 (in the North City Districts 0·9, and in the South 1·1), and for the Suburbs 2·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·2 per 1,000, and include one from each of whooping-cough, pulmonary tuberculosis, pneumonia, and bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 18·9 per 1,000. Pulmonary tuberculosis caused 3 deaths, broncho-pneumonia one death, and bronchitis 2 deaths.

No. 2 North City District (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 37·4 per 1,000. Included in the total are one from whooping-cough, 4 from tuberculous disease, 2 from broncho-pneumonia, and one from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (6) represent an annual rate of 8·8 per 1,000. Tuberculous disease caused 3 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 28·5 per 1,000 inhabitants; Coolock and Drumcondra, part of, 11·4; and Finglas and Glasnevin, part of, 4·9. Of the 3 deaths for Clontarf and Howth, No. 1, part of, there is one from each of pulmonary tuberculosis and pneumonia; and one of the 3 deaths for Coolock and Drumcondra, part of, is from diarrhoea and enteritis of a child under 2 years.

No. 1 South City District (South Earl-street).—The deaths (15) represent an annual rate of 19·2 per 1,000, and include 3 from pulmonary tuberculosis, 2 from broncho-pneumonia, and one from bronchitis.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 19·9 per 1,000. Tuberculous disease caused 4 deaths and bronchitis one death.

No. 3 South City District (Peter-street).—The deaths (24) are equal to an annual rate of 28·7 per 1,000. Included in the total are 5 from tuberculous disease, one from broncho-pneumonia, and 5 from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (19) are equivalent to an annual rate of 29·9 per 1,000. Measles caused one death, tuberculous disease 4 deaths, broncho-pneumonia 3 deaths, pneumonia one death, bronchitis one death, one death of an infant under 2 years of age from diarrhoea and enteritis, and there was one accidental death.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 26·5 per 1,000, and include one from broncho-pneumonia, 2 from bronchitis, and one from diarrhoea and enteritis of a child under 2 years.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·6; Pembroke, 22·4; Blackrock, 5·7; and Kingstown, 12·3. The deaths from the principal epidemic diseases tabulated for these districts comprise one from whooping-cough for Rathmines and Rathgar, 2 from measles, and one from diarrhoea and enteritis of a child under 2 years for Pembroke. Among the 11 deaths from all causes for Rathmines and Rathgar are 2 from pulmonary tuberculosis, and one death of a child aged 4 years from scalds. Among the 13 deaths from all causes for Pembroke are 2 from bronchitis. The one death for Blackrock is from influenza; and of the 4 deaths from all causes for Kingstown one is from pulmonary tuberculosis.

ENGLAND AND SCOTLAND

The mortality last week in 97 large English towns (including London, in which the rate was 14·2), was equal to an average annual death-rate of 15·0 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·5 per 1,000, the rate for Glasgow being 15·6, and for Edinburgh 15·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 21st February. From this Report it appears that of a total of 74 cases notified, 46 were scarlet fever, 15 phthisis, 6 diphtheria, 6 erysipelas, and one puerperal fever. Among the 629 cases of infectious diseases in hospital at the close of the week were 293 cases of scarlet fever, 192 of phthisis, 64 of diphtheria, 52 of measles, 10 of erysipelas, 3 of enteric fever, one of whooping-cough, and one of puerperal fever.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 21st February, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Jan. 31,	.	—	—	13	.	.	11	.	.	2	10	.	—	—	1	—	.	33	70
	Feb. 7,	.	—	—	20	.	.	14	.	.	3	4	.	—	—	—	—	.	38	79
	Feb. 14,	.	—	—	12	1	.	7	.	.	6	7	.	—	—	1	—	.	41	75
	Feb. 21,	.	—	—	12	.	.	13	.	.	1	4	.	—	—	.	—	.	28	58
Rathmines and Rathgar Urban District.	Jan. 31,	.	—	—	3	.	.	3	.	.	1	.	.	—	—	—	—	—	—	7
	Feb. 7,	.	—	—	5	.	.	2	.	.	.	1	.	—	—	—	—	—	—	8
	Feb. 14,	.	—	—	4	.	.	2	—	—	—	—	—	—	6
	Feb. 21,	.	—	—	1	.	.	1	—	—	—	—	—	—	2
Pembroke Urban District.	Jan. 31,	.	15	1	—	—	—	—	—	1	17
	Feb. 7,	.	68	.	4	—	—	—	—	—	38	72
	Feb. 14,	.	33	1	.	.	—	4	—	—	—	1	39
	Feb. 21,	.	43	.	1	—	.	—	—	—	2	46
Blackrock Urban District.	Jan. 31,	.	—	—	—	—	—	—	—	—	.
	Feb. 7,	.	—	—	—	—	—	—	—	—	.
	Feb. 14,	.	—	—	—	—	—	—	—	—	.
	Feb. 21,	.	—	—	—	—	—	—	—	—	.
Kingstown Urban District.	Jan. 31,	.	—	—	—	—	—	—	—	.	.
	Feb. 7,	.	—	—	—	—	—	—	—	.	.
	Feb. 14,	.	—	—	3	—	—	—	—	—	3	3
	Feb. 21,	.	—	—	1	1	1	.	—	—	—	—	—	3	6
City of Belfast.	Jan. 31,	.	—	—	52	.	.	11	1	.	1	1	.	—	—	—	—	.	4	70
	Feb. 7,	.	—	—	37	.	.	5	.	.	3	6	.	—	—	—	—	.	3	54
	Feb. 14,	.	—	—	59	.	.	14	.	1	4	5	.	—	—	—	—	.	11	94
	Feb. 21,	.	—	—	39	.	.	8	.	.	1	6	1	—	—	—	—	.	11	66
City of Cork.	Jan. 31,	.	.	—	1	.	.	.	—	—	—	—	—	—	1
	Feb. 7,	.	.	—	.	.	.	1	.	.	1	1	.	—	—	—	—	—	—	3
	Feb. 14,	.	1	—	1	.	.	1	1	—	—	—	—	—	—	4
	Feb. 21,	.	1	—	2	—	—	—	—	—	—	3
City of Londonderry.	Jan. 31,	.	—	—	3	1	.	—	—	—	—	—	—	4
	Feb. 7,	.	—	—	2	—	—	—	—	—	—	2
	Feb. 14,	.	—	—	—	—	—	—	—	—	.
	Feb. 21,	.	—	—	—	—	—	—	—	—	.
City of Limerick.	Jan. 31,	.	—	—	1	—	—	—	—	—	—	1
	Feb. 7,	.	—	—	1	—	—	—	—	—	—	1
	Feb. 14,	.	—	—	1	—	—	—	—	—	—	1
	Feb. 21,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
City of Waterford.	Jan. 31,	.	—	—	.	.	.	2	.	.	.	1	.	—	—	—	—	—	—	3
	Feb. 7,	.	—	—	—	—	—	—	—	—	.
	Feb. 14,	.	—	—	—	—	—	—	—	—	.
	Feb. 21,	.	—	—	—	—	—	—	—	—	.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 21st February, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of enteric fever were admitted to hospital during the week, 3 were discharged, and 26 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 30, 25, and 27.

One case of typhus remained under treatment in hospital at the close of the week.

Three cases of measles were admitted to hospital, 2 were discharged, and 17 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 12, 13, and 16 respectively.

Fifteen cases of scarlet fever were admitted to hospital, 16 were discharged, there was one death, and 132* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 121, 132, and 134, respectively.

Twenty-four cases of diphtheria were admitted to hospital during the week, and 11 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 63, 67, and 52 respectively, were 65 at the close of last week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 10 were discharged, there were 5 deaths, and 24 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 21st of February, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.									
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	OOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	
Typhus,	
Small-pox,	
Measles,	1	.	.	2	.	.	3	
Scarlet Fever,	
Whooping-cough,	1	.	1	1	3	
Diphtheria,	
Croup,	
Influenza,	1	.	.	1	
Dysentery,	
Tuberculosis, { Pulmonary,	2	3	3	2	1	.	3	3	4	1	.	2	.	.	.	1	24	
{ Other Forms,	1	1	1	1	3	7	
Cancer,	2	.	.	2	1	.	.	.	5	
Diseases of Nervous System,	2	1	3	1	.	1	3	.	3	2	1	.	1	.	1	.	19	
Organs of Special Sense,	1	1	
Circulatory System,	2	3	2	.	.	.	2	1	3	1	.	.	2	.	.	.	16	
Respiratory { Pneumonia,	1	1	2	.	1	.	2	.	1	4	1	13	
{ Others,	3	3	1	.	.	.	1	1	5	1	2	.	2	.	.	.	17	
Digestive System, { Diarrhoea and Enteritis, under 2 years,	1	.	.	.	1	1	.	1	.	.	.	4	
{ Diarrhoea, 2 years and upwards,	
{ Enteritis, 2 years and upwards,	1	3	1	.	.	.	1	5	
Genito-urinary System,	1	1	1	3	
Puerperal Septicæmia, etc.,	
Other Causes incident to Pregnancy and Childbirth,	
Diseases of the Skin and Cellular Tissue,	1	.	1	2	
Locomotor System,	
Other specified Causes,	5	2	2	2	.	1	3	.	2	3	.	3	3	.	1	.	27	
Violent Deaths,	1	.	1	2	
Ill-defined, &c. Causes,	2	.	1	.	.	.	3	.	.	.	1	.	1	.	8	
Deaths from All Causes	14	15	20	6	3	3	1	15	7	24	19	5	11	13	1	4	161	
Annual Rate of Mortality from All Causes in every 1,000 of the population,	24.2	18.9	37.4	8.8	28.5	11.4	4.9	19.2	19.9	28.7	29.9	26.5	14.6	22.4	5.7	12.3	20.7	
	19.6							25.1							15.8			
	22.2																	
Ages at Death. { Under 1 year,	5	3	4	.	.	3	1	6	.	1	4	3	1	1	.	1	33	
1 and under 2 years,	1	.	2	.	1	.	.	2	.	.	2	.	.	2	.	.	10	
2 " 5 "	1	1	1	.	1	1	.	.	5	
5 " 15 "	2	1	.	3	6	
15 " 25 "	1	2	1	3	.	.	1	.	.	1	9	
25 " 45 "	3	4	5	1	1	.	2	1	5	3	.	1	1	.	.	.	27	
45 " 65 "	2	3	2	3	.	.	3	3	4	2	2	2	3	.	.	.	29	
65 and upwards,	3	3	5	.	1	.	2	1	10	4	.	5	5	1	2	.	42	
Number of Uncertified Deaths,	2	4	1	.	.	1	.	.	8	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	5	6	2	.	.	.	2	.	7	3	.	2	1	.	.	31	
Workhouse Hospitals,	3	4	1	.	.	.	4	3	4	3	2	1	1	.	.	26	

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 8th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 21st February, 1914.											
	Feb. 27, 1904.	Feb. 25, 1905.	Feb. 24, 1906.	Feb. 23, 1907.	Feb. 22, 1908.	Feb. 27, 1909.	Feb. 26, 1910.	Feb. 25, 1911.	Feb. 24, 1912.	Feb. 22, 1913.		Deaths of Persons of the Ages of											
												0-5.											
												Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.		
Mean Temperature.	42.6	36.3	36.3	39.0	45.5	41.2	39.2	43.4	42.9	37.8	40.4	42.1											
ALL CAUSES.	206	194	185	209	202	197	228	195	194	200	201.0	175	10	27	10	5	8	11	28	33	27	16	
Enteric Fever, ...	2	.	1	2	1	3	1	2	1	1	1.4	
Typhus,	
Small-pox,	
Measles, ...	2	3	.	.	.	1	.	3	2	.	1.1	3	.	.	2	1		
Scarlet Fever, ...	1	.	1	.	.	.	1	2	2	1	.8		
Whooping-cough, ...	11	1	1	3	3	7	7	4	4	4	4.1	3	.	1	2		
Diphtheria,	1	1	.	.	2	2	1	2	.9		
Croup,	1	1	.	1	1	.4		
Influenza, ...	2	4	1	4	10	4	2	7	2	5	4.1	1	1	.		
Dysentery,		
Erysipelas,	1	.	12		
Other Epidemic Diseases,	1	.	12		
Pyæmia and Septicæmia (non-puerperal).	2	.	1	1	.	2	1	2	.	.	.9	1	.	1		
Tetanus,		
TUBERCULOSIS:																							
Pulmonary Tuberculosis, ...	20	35	29	18	22	19	23	18	20	37	24.1	25	2	5	14	4	.	.	
Tuberculous Meningitis, ...	1	8	5	8	5	3	4	3	1	4	4.2	4	.	2	.	.	1	1	.	.	.		
Abdominal Tuberculosis, ...	4	.	.	1	5	2	1	3	.	4	2.0	3	2	1	.	.	.		
Tuberculosis of the Vertebral Column.	2	1		
Tuberculosis of Joints, ...	9	6	7	7	9	3	8	1	1	.	6.0	1	1	.	.	.		
Tuberculosis of other Organs,	1	1	.	.	.		
Scrofula,	2	3	.	1	1	.		
Disseminated Tuberculosis,		
Venereal Diseases,	33	1	.	1		
Cancer, ...	11	5	13	7	7	8	14	6	11	7	8.9	5	2	1	1		
Tumour, situation undefined,		
Rheumatic Fever,	1	.	12	2	1	.	1	.	.		
Diabetes,	1	1	.	.	1	2	2	.	2	.9	3	1	1	1		
Anæmia, Leucocythæmia,	2	.	2	.	1	1	1	1		
Other General Diseases,	1	1	4	.	3	1	1	1		
Alcoholism, ...	2	1	14		
Chronic Poisonings,		
Cerebro-spinal Fever,	22	1		
Simple Meningitis,	3	.	6		
Cerebral Hæmorrhage, Apoplexy.	5	6	1	5	.		
Softening of Brain,	1		
Paralysis, without specified cause.	2	1	1	1	.	.		
Epilepsy,	1	.	1		
Convulsions (non-puerperal),	11	2	9	.	8	.	1	.	.	1	.	.		
Other Diseases of Nervous System.	43	41	39	41	55	48	44	38	.	3	41.6	2	1	1	.		
Pericarditis,	1		
Acute Endocarditis,	2	.	12	1	.	.	.		
Organic Diseases of the Heart,	15	12	8	5	5	2		
Embolism and Thrombosis (including Cerebral)	1	3	2	1	.		
Other Diseases of Circulatory System.	1	1	2	1	1		
Diseases of the Larynx,		
Bronchitis, ...	31	22	27	38	24	32	38	27	33	21	29.3	16	.	3	5	3	3		
Broncho-pneumonia, ...	9	7	10	8	7	5	15	13	10	11	9.5	10	.	3	3	1	1	.	1	1	.		
Lobar pneumonia, ...	2	1	.	2	2	.	2	3	4	.	1.6	1	1	.		
Pneumonia (type not distinguished)	8	6	3	13	6	7	5	5	7	6	6.6	4	.	1	.	.	.	1	1	1	.		
Pleurisy,		
Pulmonary Congestion, Pulmonary Apoplexy.	4	3	4	3	2	3	2	1	1	.	2.8		
Other Diseases of Respiratory System.	3	1	1	1	.	.	.		

EIGHTH WEEK, ending Saturday, 21st February, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 8th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 21st February, 1914.											
	Feb. 27, 1904.	Feb. 25, 1905.	Feb. 24, 1906.	Feb. 23, 1907.	Feb. 22, 1908.	Feb. 27, 1909.	Feb. 26, 1910.	Feb. 25, 1911.	Feb. 24, 1912.	Feb. 22, 1913.		Deaths of Persons of the Ages of—											
												0-5.											
Mean Temperature ...	42·6	36·3	36·3	39·0	45·5	41·2	39·2	43·4	42·9	37·8	40·4	42·1	Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
Diseases of the Pharynx, Tonsillitis.		1				1			1	1	·4												
Diseases of Stomach, ...	—	—	—	—	—	—	—	2	2	2	—	3		1	1				1				
Diarrhoea and Enteritis of Children under 2 years.	}	5	4	5	1	9	7	5	}	2	6	}	4	1	3								
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																							
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—					—											
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	4	2	3	—												
Cirrhosis of Liver, ...	3	2			2	1	1	1	1	1	1·2	1								1			
Other Diseases of Liver, ...	1	1	1			1		1		1	·6												
Peritonitis (cause unknown),			2			2		2	2		·6	1					1						
Other Diseases of Digestive System.	2	7	1	9	4	4	7	1	2		3·7												
Acute Nephritis, ...	}	5	5	9	6	7	6	12	10	}	2	3	}	1	1								
Chronic Bright's Disease, ...																							
Urinary Calculi, ...																							
Uterine Tumour (non-cancerous).																							
Ovarian Tumour (non-cancerous).																							
Other Diseases of Genito-urinary System.																							
Puerperal Septicæmia, &c., ...			1			1		1	1		·3												
Other Causes incident to Pregnancy and Childbirth.							1	1			·2												
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	2			—	2		1						1			
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—			2	—	1											
Premature Birth, ...	3	2		4	4	4	3	3	4	5	3·2	5	5										
Congenital Debility, ...	—	—	—	—	—	—	—	4	3	7	—	3	1	2									
Old Age, ...	9	8	6	4	3	3	12	6	7	3	6·1	8									4	4	
Other Specified Diseases, ...	—	—	—	—	—	—	—		1	1	—	3	2						1				
ACCIDENT:																							
Poisons or Poisonous Vapours.				1							·1												
Conflagration, ...																							
Burns and Scalds, ...	2	1	2	1	1	1	5	2	1	1	1·7	1				1							
Drowning, ...				1	2				1		·5												
Suffocation in Bed, ...				2					1		·3												
Other Deaths by Accident, ...	2	1	2	1	1	2	1	1	2	2	1·5	2							1	1			
Total Deaths from Accident,	4	2	4	6	4	3	6	5	3	4	4·1	3				1			1	1			
Included in above are Deaths in connection with—																							
Railways, ...		1					1			1	·3												
Vehicles and Horses, ...			1			1				1	·3	1							1				
Ships, Boats, Docks, ...																							
Building Operations, ...						1					·1												
VIOLENCE OTHER THAN ACCIDENTAL:																							
Homicide, ...											·2												
Suicide, ...				1	1																		
Execution, ...																							
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	2	5	7	—	10			1	1			2	2	2	2	

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1913-4—WEEK ENDING																										
		Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	
No. of weeks in Annual Series,		35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	
Births registered.		187	239	187	255	232	225	177	211	220	202	190	232	165	209	194	212	185	140	168	246	208	241	234	279	217	217	
Average Births in corresponding week of previous 10 years, ...		209	240	206	215	246	200	192	211	194	220	213	193	184	213	187	204	179	186	225	222	212	215	241	214	217	204	
Deaths registered, ...		164	157	193	143	177	163	159	148	162	174	158	164	148	164	153	147	167	137	250	210	205	236	201	214	171	175	
Annual Death-rate per 1,000, ...		21.2	20.3	25.4	18.5	22.9	21.1	20.6	19.1	21.0	22.5	20.4	21.2	19.1	21.2	19.8	19.0	21.6	17.7	32.1	27.0	26.3	30.3	25.8	27.5	22.0	22.5	
Average Deaths in corresponding week of previous 10 years, ...		153	158	153	164	155	155	154	159	149	168	167	173	171	178	181	171	173	166	193	189	194	197	198	197	198	201	
Ages, { Under 5 years, ...		58	66	62	45	69	58	66	50	57	54	50	49	47	38	55	49	55	47	63	46	45	69	56	72	49	52	
5-15 " ...		4	8	6	6	2	5	4	9	4	7	6	9	7	7	6	8	8	6	11	12	6	7	11	8	12	8	
15-25 " ...		12	7	16	4	11	6	8	4	11	9	6	8	6	6	4	3	6	6	12	9	4	16	11	12	10	11	
25-45 " ...		30	21	37	18	22	18	17	16	23	29	24	26	15	33	23	31	31	19	32	31	32	29	30	27	23	28	
45-65 " ...		29	33	38	32	40	39	33	39	34	37	33	35	35	47	26	34	37	25	78	48	55	50	46	44	35	33	
65-75 " ...		19	17	18	20	20	23	19	17	23	18	26	24	23	22	26	15	20	20	31	36	32	34	21	28	25	27	
75 and upwards, ...		12	5	19	18	13	14	12	13	10	20	13	13	15	9	13	7	10	14	23	28	31	31	26	13	17	16	
Deaths from:—		2	6	1	1	1	2	1	1	1	1	1	2	1	1	4	3	1	1	1	3	3	2	1	1	1	1	
Enteric Fever, ...		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Small-pox, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Measles, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Scarlet Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Whooping-cough, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Diphtheria, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Influenza, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dysentery, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Tuberculosis { Pulmonary ...		18	20	24	15	18	13	16	12	19	18	18	22	14	17	15	16	23	12	24	20	19	22	25	24	25	25	
" { Other Forms, ...		8	8	5	1	4	6	7	6	6	13	6	5	6	6	5	5	7	5	11	8	4	10	12	7	5	10	
Cancer, ...		6	14	13	9	13	11	7	11	10	11	10	8	12	11	7	6	7	7	7	8	12	9	7	10	5	5	
Diseases of Circulatory System, ...		11	7	18	17	18	15	10	15	18	15	21	12	9	17	11	17	18	19	26	15	23	25	16	14	10	18	
Diseases of Respi- (Pneumonia		7	2	6	12	6	4	7	6	8	12	13	12	14	14	18	19	18	12	22	19	21	26	17	20	13	14	
ratory System, { Others, ...		7	9	10	10	14	13	13	15	13	15	14	12	20	22	17	22	16	17	51	48	30	43	32	31	25	17	
Diarrhoea and Enteritis, under		29	31	37	25	33	26	29	23	16	14	7	8	9	7	5	4	8	5	3	2	6	5	5	3	5	4	
2 years, ...		2	4	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Diarrhoea, 2 years and upwards,		2	4	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Violent Deaths, ...		2	5	6	9	5	4	2	3	5	2	5	3	5	6	4	3	1	2	6	12	4	9	5	5	3	3	
Number of Uncertified Deaths,		3	2	2	3	1	3	2	3	5	7	2	4	6	3	4	6	4	3	14	10	2	5	4	4	8	8	
Mean Temperature of the Air		57.0	55.3	54.9	49.5	56.5	56.6	51.4	52.9	48.5	50.9	44.4	46.6	46.6	47.6	44.4	46.0	44.1	37.7	34.6	44.3	39.5	38.6	44.1	42.1	43.6	42.1	
(Phoenix Park) in degrees, ...		56.5	54.5	52.3	52.6	52.4	51.6	50.4	49.8	45.7	45.2	44.6	42.0	41.9	41.5	42.2	42.5	42.4	41.5	41.9	41.1	40.0	39.6	39.4	40.4	41.6	40.4	
Average Mean Temperature in		0.00	0.05	1.540	1.435	1.115	0.60	2.730	1.140	5.80	1.040	7.10	6.45	6.40	1.50	1.065	1.05	0.65	0.60	0.85	4.45	2.60	0.90	4.85	3.05	6.15	8.10	
corresponding week of previous		0.00	0.05	1.540	1.435	1.115	0.60	2.730	1.140	5.80	1.040	7.10	6.45	6.40	1.50	1.065	1.05	0.65	0.60	0.85	4.45	2.60	0.90	4.85	3.05	6.15	8.10	
10 years, ...		0.00	0.05	1.540	1.435	1.115	0.60	2.730	1.140	5.80	1.040	7.10	6.45	6.40	1.50	1.065	1.05	0.65	0.60	0.85	4.45	2.60	0.90	4.85	3.05	6.15	8.10	
Rainfall in inches, ...		86	84	85	90	88	92	90	86	86	86	90	90	88	90	98	98	87	90	90	88	81	84	94	92	85	89	
Mean Humidity of the Air, com-																												
plete Saturation 1.0, ...																												

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 21st February, 1914; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 31ST FEBRUARY, 1914.																																	
OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).			Popula- tion in each Class and Group in 1911.	AGES.										CAUSES OF DEATH										Number of Deaths									
				Total Number of Deaths.										DISEASES OF THE RESPIRATORY SYSTEM																			
CLASS.	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)			
	ALL PERSONS.	397,957	—	175	52	8	11	28	33	27	16	.	.	.	3	.	3	.	.	.	10	5	9	14	17	4	.	3	82	8			
	CLASSES																																
I.	Deaths in Families of the—																																
II.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,058	10.7	3	3	2	6	2	5	9	1	.	.	.	5	1	3	2	2	.	.	.	1	21	3		
III.	MIDDLE CLASS, ...	101,798	18.4	36	9	3	2	6	12	5	2	2	.	.	.	3	1	1	2	4	1	.	.	18	4	.		
IV.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	17.3	36	7	2	2	6	10	9	2	.	.	.	2	10	5	1	6	7	1	.	.	2	27	4	.		
V.	GENERAL SERVICE CLASS, ...	167,479	22.7	73	32	2	5	13	10	9	2	
	INMATES OF WORKHOUSES, ...	5,602	—	27	4	1	2	3	9	5	3	7	1	.	.	4	2	.	.	.	13	.	.		
I.	PROFESSIONAL AND INDEPENDENT CLASS.																																
	1. Clerical, Medical, Legal, and other Pro- fessions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	13.3	2	
	2. Merchants and Manufacturers, Higher Class	1,347	
	3. Persons of Rank and Property, not other- wise described, ...	5,443	9.6	1	
II.	MIDDLE CLASS.																																
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	16.4	3	1	1	1	1	.	.	1	1	.	.	
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	8.3	4	.	.	1	3	2	1	1	2	.	1	.	.	.	3	.	.	.	
	6. Clerks and Commercial Assistants, ...	33,249	20.4	13	5	.	1	3	2	1	1	1	8	.	.	.	
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	24.7	16	3	3	1	2	.	1	6	3	1	2	1	9	.	.	
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																																
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	8.9	2	1	1	1	1	5	2	.
	9. Building and Furnishing Trades, ...	28,823	16.3	9	1	1	1	3	2	1	2	1	1	.	.
	10. Clothing Trades, ...	20,026	13.0	5	2	.	2	1	1	1	1	.	.
	11. Food Supply Trades	8,952	11.6	2	.	.	.	1	1	1	1	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	26.0	16	3	1	.	4	6	1	1	1	.	.	2	1	1	1	9	1	.	.	
	13. Petty Shopkeepers	6,772	15.4	2	1	1	1	1	1	.	.
IV.	GENERAL SERVICE CLASS.																																
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	20.1	5	.	.	1	.	2	2	1	1	.	.	1	1	3	.	.	
	15. Domestic Servants, ...	36,041	4.3	3	.	.	2	1	1	.	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	23.7	7	3	.	2	.	2	1	1	.	.	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	29.3	58	29	2	2	11	6	7	1	.	.	.	2	9	3	.	5	10	6	.	.	1	22	4	.	.	
	INMATES OF WORKHOUSES.																																
V.	Workhouse Inmates, ...	5,602	—	27	4	1	2	3	9	5	3	7	1	.	.	.	4	2

Registration of Births and Deaths, Ireland.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.	
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis under 2 years of age.	Diarrhoea, 2 years and upwards.			
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.) Population in 1914 (Est.) 30,206.	Jan. 17	31.1	.	18	1	1	.	3	1	.	.	.	1	1
	" 24	36.3	5.2	21	1	2	.	2	1	.	2	4
	" 31	15.5	1.7	9	1	1	.	2	2	1
	Feb. 7	31.1	1.7	18	1	.	.	2	.	1	1	4	.	.	1	.	1
	" 14	25.9	1.7	15	2	.	.	1	3	1	.	.	.	2
" 21	24.2	1.7	14	1	.	.	1	.	.	1	1
North City, No. 1 (W.) (Office, Summer-hill.) Population in 1914 (Est.) 41,278.	Jan. 17	26.5	.	21	1	.	.	5	2
	" 24	25.3	3.8	20	3	.	1	6	2	.	3	.	.	1
	" 31	37.9	2.5	30	1	.	.	.	7	2	1	1	2	1	1	.	1	1
	Feb. 7	30.3	3.8	24	1	1	.	.	1	2	.	2	4	1	.	3	.	1
	" 14	29.1	5.1	23	.	.	.	1	2	1	.	.	2	.	.	2	3
" 21	18.9	.	15	3	.	.	1	3
North City, No. 2. (Office, Lisburn-street.) Population in 1914 (Est.) 27,883.	Jan. 17	22.4	.	12	2	.	2	2
	" 24	41.1	1.9	22	1	.	1	1	.	1	5	1
	" 31	37.4	1.9	20	3	3	1	3	3
	Feb. 7	18.7	1.9	10	2	1	.	1	2	1	.	1	.	.
	" 14	22.4	.	12	3	.	1	.	4	1
" 21	37.4	1.9	20	1	.	.	3	1	.	2	1	2
North City, No. 3. (Office, Benburb-street.) Population in 1914 (Est.) 35,536.	Jan. 17	29.3	2.9	20	1	.	.	1	4	1	2	.	1
	" 24	13.2	1.5	9	1	.	.	.	3
	" 31	11.7	1.5	8	1	2	.	1	1	1
	Feb. 7	27.9	1.5	19	1	.	1	.	.	1	4
	" 14	10.3	.	7	1	.	.	.	2
" 21	8.8	.	6	2	1
Clontarf and Howth No. 1 (part of). Population in 1914 (Est.) 5,485.	Jan. 17	9.5	.	1	1
	" 24
	" 31
	Feb. 7	19.0	.	2	1
	" 14
" 21	28.5	.	3	1	.	.	1
Coolock and Drumcondra (part of). Population in 1914 (Est.) 13,685.	Jan. 17	19.1	.	5	1	.	.	.	1
	" 24	11.4	.	3	1
	" 31	19.1	.	5	1
	Feb. 7	15.2	.	4	1	.	1	.	.	.	1	.
	" 14	11.4	7.6	3	1	1	.	1
" 21	11.4	3.8	3	1
Finglas and Glasnevin (part of). Population in 1914 (Est.) 10,723.	Jan. 17	19.5	.	4	2	.	.	.	1	.
	" 24	14.6	.	3	1
	" 31	19.5	.	4	1	.	.	.	1	.
	Feb. 7	9.7	.	2	1	1
	" 14	4.9	.	1
" 21	4.9	.	1
South City, No. 1. (Office, Sth. Earl-street.) Population in 1914 (Est.) 40,768.	Jan. 17	26.9	2.6	21	3	.	.	1	2	2	.	1	.	.
	" 24	34.5	1.3	27	1	3	2	.	4	4	.	.	1	1	1
	" 31	26.9	1.3	21	1	1	1	2	4	1
	Feb. 7	25.6	.	20	2	2	1	2	2
	" 14	20.5	1.3	16	5	1	.	1	1	1	1	.	.	2
" 21	19.2	.	15	3	.	.	2	1	
South City, No. 2. (Office, Castle-street.) Population in 1914 (Est.) 18,341.	Jan. 17	34.1	.	12	2	.	1	4	2	.	.	.	1	1
	" 24	37.0	.	13	3	1	.	.	4
	" 31	39.8	.	14	3	2	1	2	1
	Feb. 7	28.4	.	10	2	1	.	1	2
	" 14	28.4	.	10	1	1	.	.	2
" 21	19.9	.	7	3	1	.	.	1
South City, No. 3. (Office, Peter-street.) Population in 1914 (Est.) 43,540.	Jan. 17	33.5	1.2	28	3	.	2	1	8	1
	" 24	38.3	3.6	32	1	.	3	1	1	3	6	2	.	2	1	1
	" 31	21.6	1.2	18	1	.	4	1	1	1	4	.	.	1	1	2
	Feb. 7	26.3	1.2	22	3	.	.	2	4	1	.	.	.	1
	" 14	16.8	2.4	14	1	2	2	1	.	1	.	1
" 21	28.7	.	24	4	1	2	1	5	4	
South City, No. 4. (Office, Grand Canal-st.) Population in 1914 (Est.) 33,171.	Jan. 17	14.1	1.6	9	1	1	.	.	1	2
	" 24	42.4	4.7	27	.	.	.	2	3	3	2	2	4	.	.	.	1	.
	" 31	34.6	3.1	22	.	.	.	2	2	.	.	4	6	1
	Feb. 7	29.9	1.6	19	1	.	.	.	4	.	1	1	2
	" 14	12.6	.	8	4	.	.	2
" 21	29.9	3.1	19	.	.	.	1	1	3	.	4	1	1	.	1	.	1	1
New Kilmainham. Population in 1914 (Est.) 9,851.	Jan. 17	10.6	5.3	2	1	1
	" 24	26.5	10.6	5	.	.	.	2	3
	" 31	21.2	5.3	4	.	.	.	1	1
	Feb. 7	52.9	5.3	10	1	.	.	.	1	.	.	2	3
	" 14	10.6	5.3	2	1
" 21	26.5	5.3	5	1	2	1

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Marasmus and Emaciation of Children under 2 years of age.	Hæmorrhage, 2 years of age and upwards.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District.	Jan. 17 " 24 " 31 Feb. 7	25.3 17.3 24.0 16.0	19 13 18 12	1 1 1 1	2 . . 2	2 3 1 4	3 1 4	
Population in 1914 (Est.) 39,155.	" 14 " 21	21.3 14.6	. 1.3	16 11 1	. .	1 2	1 .	1 2	1 .	2	
Pembroke Urban District.	Jan. 17 " 24 " 31 Feb. 7	13.8 27.6 13.8 25.9	6.9 3.4 . 6.9	8 16 8 15	1 1 4 1 1 1 1 5 2 . . 1	. 2 . 2	1 2 1 2	3	
Population in 1914 (Est.) 30,240	" 14 " 21	41.4 22.4	8.6 5.2	24 13	1	4 2	5 .	. 1	. .	1 2	3 2	1	
Blackrock Urban District.	Jan. 17 " 24 " 31 Feb. 7	17.0 22.7 22.7 17.0	3 4 4 3 1 . . .	1 1 . 1	. . 1 .	. 1 2 1	
Population in 1914 (Est.) 9,197.	" 14 " 21	. 5.7	. .	. 1	
Kingstown Urban District.	Jan. 17 " 24 " 31 Feb. 7	12.3 18.5 15.4 21.5	4 6 5 7	1 . . 1	1 1 2 2	1 1 1 1	. . . 2	
Population in 1911 16,941.	" 14 " 21	24.6 12.3	. .	8 4	1 1	1 .	1 .	1 .	2	
Belfast.	Jan. 17 " 24 " 31 Feb. 7	22.7 23.8 25.7 21.4	2.1 1.6 0.9 2.0	174 182 197 164	. 1 . 1 1 . .	10 2 3 7	1 5 1 2	2 1	17 15 12 14	5 6 3 7	8 6 10 8	23 29 26 21	27 26 45 32	3 1 2 3	. 2 1 1	
Population in 1914 (Est.) 399,600.	" 14 " 21	18.6 18.8	1.7 0.7	142 144	6 1	6 1	. 2	. .	21 17	4 4	9 9	13 14	23 18	1 1	
Cork.	Jan. 17 " 24 " 31 Feb. 7	19.7 24.5 19.7 21.8	. 0.7 . .	29 36 29 32	7 3 5 6	2 . 3 3	. 3 . 1	. 5 2 2	7 6 3 7	. 1	
Population in 1911 76,673.	" 14 " 21	19.0 19.0	. 2.0	28 28 1	. 1	. 1	. .	3 4	1 1	1 .	2 3	5 4	
Londonderry.	Jan. 17 " 24 " 31 Feb. 7	12.7 16.5 22.8 16.5	. . . 2.5	10 13 18 13	. . . 1	1 . 5 1	. . . 1	. . 1 .	1 2 . 4	4 4 5 4	. . . 1	
Population in 1914 (Est.) 41,100.	" 14 " 21	5.1 10.1	1.3 1.3	4 8	2 .	. 1	. .	. 3	1	
Limerick.	Jan. 17 " 24 " 31 Feb. 7	29.8 14.9 24.4 24.4	. . . 1.4	22 11 18 18 1	1 2 2 2	. 1 1 .	4 1 3 8	5 1 3 6	
Population in 1911 38,518.	" 14 " 21	23.0 23.0	1.4 2.7	17 17	1 1	1 4	. .	. 1	1 1	1 1	. .	. 1	. .	
Waterford.	Jan. 17 " 24 " 31 Feb. 7	15.2 17.1 32.3 11.4	8 9 17 6	2 2 2 2	. 1 1 2	. 1 . .	1 . . 2	1 3 . 2	
Population in 1911 27,464.	" 14 " 21	28.5 17.1	. 1.9	15 9	2 1	2 1	. .	2 .	2 2	. 1	

* See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1913-4—WEEK ENDING																									
	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.
No. of weeks in Annual Series,	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8
BIRTHS registered, ...	193	214	234	173	234	197	192	201	191	179	231	182	170	186	136	205	196	130	284	195	254	208	215	187	224	210
DEATHS registered, ...	175	157	155	160	148	100	127	111	115	102	133	139	126	112	117	137	141	150	194	203	174	182	197	164	142	144
Annual Death-rate per 1,000 of estimated population, ...	23.0	20.7	20.4	21.1	19.5	13.2	16.7	14.6	15.1	13.4	17.5	18.3	16.6	14.7	15.4	18.0	18.6	19.8	25.4	26.5	22.7	23.8	25.7	21.4	18.6	18.8
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,	54	42	59	44	42	24	29	22	24	15	39	31	19	13	14	23	27	28	42	46	24	43	45	33	28	25
	20	21	13	21	20	15	16	11	19	12	21	15	24	14	24	26	17	29	23	26	24	22	21	16	20	10
	18	15	13	25	13	11	20	15	12	14	13	14	14	8	15	12	16	25	14	17	14	24	13	18	15	12
	34	23	23	18	16	17	17	13	15	20	13	24	15	21	20	22	32	20	25	26	30	23	34	24	26	21
	27	29	30	26	31	20	25	26	23	18	24	32	29	24	27	29	32	30	39	47	36	35	41	37	31	42
Deaths from :—	22	27	17	26	26	13	20	24	22	23	23	23	25	26	17	25	17	18	51	31	46	35	43	36	22	34
Enteric Fever,	2	1	...	1	1	...	1	2	1	1	1
Typhus,	1	2
Small-pox,
Measles,	1	...	1	2	1	1	3	1	...	1	...	1
Scarlet Fever, ...	1	1	3	4	3	3	1	3	7	5	7	7	9	4	8	8	5	6	3	12	10	2	3	7	6	1
Whooping-cough, ...	1	1	...	1	3	2	...	3	3	3	7	6	8	1	5	1	2	6	1
Diphtheria, ...	2	...	2	3	1	...	2	1	1	2	...	1	...	2	1	...	2	4	2	2
Dysentery,
Tuberculosis, { Pulmonary,	26	10	15	16	13	10	14	12	8	13	13	22	9	8	10	8	12	15	15	14	17	15	12	14	21	17
Other Forms,	5	7	5	5	3	3	6	3	6	7	6	2	5	3	6	5	2	9	8	8	5	6	3	7	4	4
Cancer, ...	5	4	4	3	9	4	5	9	6	5	8	8	10	6	3	7	10	6	3	10	8	6	10	8	9	9
Diseases of Respi- (Pneumonia,	5	11	10	10	16	8	8	9	6	5	10	16	9	10	13	25	14	28	23	29	23	29	26	21	13	14
ratory System, { Others, ...	9	8	4	11	15	7	13	7	15	15	13	15	11	12	14	10	14	15	36	28	27	26	45	32	23	18
Diarrhoea and Enteritis, under
2 years,	39	30	41	37	22	15	9	9	2	5	3	1	6	...	1	...	1	1	1	2	3	1	2	3	1	1
Diarrhoea, 2 years and upwards,	6	1	3	...	5	1	...	1	1	1	1	1	2	...	2	1	1
Violent Deaths, ...	3	5	1	2	1	1	2	2	1	...	4	4	9	1	3	2	1	3	5	...	1	6	4	3	2	3
Number of Uncertified Deaths,	3	1	...	4	3	2	1	2	6	1	1	1	...	3	1	...	5	4	3	2	...	4	1
Mean Temperature of the Air in degrees,	57.1	57.4	56.0	51.8	57.0	55.7	52.0	54.5	47.7	49.5	44.4	46.7	46.6	48.3	43.1	45.4	43.3	40.0	32.3	41.1	38.7	38.4	44.1	48.1	41.2	41.0
Rainfall, in inches, ...	0.18	0.00	0.51	2.90	0.74	0.04	0.33	0.81	0.74	2.13	1.22	1.65	0.92	0.26	1.51	0.78	0.07	0.82	0.41	1.83	0.00	0.28	0.55	0.32	0.72	0.93

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1918-14 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Feb. 21,	2,168	1,229	14·2	5	.	7	4	20	11	27
EDINBURGH, ...	321,900	" 21,	126	97	15·7	.	.	9	1	.	1	1
GLASGOW, ...	1,047,000	" 21,	583	314	15·6	.	.	25	2	1	4	6
CALCUTTA, ...	896,067	Jan. 10,	.	534	30·9	63*	7	.	.	1	2†	115‡a
BOMBAY, ...	979,445	" 17,	455	662	35·4	88*	5	12	.	.	.	75a
MADRAS ...	518,660	" 17,	324	571	57·2	87*	.	3	?	?	?	166a
CAIRO, ...	715,609	Dec. 16,	620	435	31·7	6	4	.	1	?	10†	52
PARIS, ...	2,847,229	Feb. 7,	934	1,159	20·8	11	.	6	.	3	5†	16
BRUSSELS, ...	767,252	Jan. 31,	254	216	14·6	3	.	11
ANTWERP, ...	312,884	" 31,	147	87	14·5	1	.	.	2	1	1†	5
AMSTERDAM, ...	595,258	" 31,	301	184	16·1	1	.	2	.	6	1†	3
COPENHAGEN, ...	483,000	" 31,	242	150	16·2	.	.	.	2	1	1	2
STOCKHOLM, ...	376,171	" 31,	155	113	15·6	1	.	.	.	1	1	1a
CHRISTIANIA, ...	250,423	Feb. 7,	154	64	13·3	1	.	.
ST. PETERSBURG ...	1,708,600	Jan. 17,	519	720	21·9	7	.	27	22	5	8	34
MOSCOW, ...	1,694,000	" 10,	.	700	21·5	3	.	35	14	20	10	52a
BERLIN, ...	2,057,715	" 3,	697	601	15·1	1	.	1	9	3	13†	22
HAMBURG, ...	1,030,983	" 31,	.	294	14·8	.	.	2	1	4	4	17
BRESLAU, ...	543,405	" 31,	.	200	19·2	.	.	1	1	3	2	8a
MUNICH, ...	640,000	" 31,	.	188	15·3	.	.	2	1	1	.	1
VIENNA (with suburbs),	2,132,523	" 31,	673	663	16·2	1	1	3	2	3	4†	18
BUDA-PESTH, ...	950,784	" 31,	488	373	20·4	2	.	13	9	1	2†	6
PRAGUE and Faubourgs,	498,498	" 3,	151	171	17·9	1	4†	2
TRIESTE, ...	242,595	" 3,
ROME, ...	582,565	Aug. 30,
NEW YORK, ...	5,583,871	Jan. 1,	2,592	1,628	15·2	5	.	12	11	6	50†	37
PHILADELPHIA, ...	1,631,960	" 3,
BOSTON, ...	750,768	" 31,	.	307b	21·3	4	.	1	2	.	6	5

* Deaths from "fever," including 3 from enteric fever in Calcutta; one from enteric fever and 13 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 30 deaths from cholera in Calcutta.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 278 (including 5 deaths from diphtheria), rate 19·3 per thousand. Nineteen unknown victims of the Arcadia fire, December 3rd, 1913, are included in the week's totals.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st February, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	1	2	.	.	.	3	6
" " 1, West,	2	.	.	7	.	.	.	2	.	.	.	9	20
" " 2,	4	2	6
" " 3,	2	1	1	4
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),
Finglas and Glasnevin (part of),
South City No. 1,	4	4
" " 2,	1	2	3
" " 3,	2	.	.	1	3
" " 4,	2	.	.	1	6	9
New Kilmainham,	2	1	3
Total,	12	.	.	13	.	.	1	4	.	.	.	28	58

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 21st February, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 21st February.			
	Jan. 31.	Feb. 7.	Feb. 14.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	30	25	27	2	3	.	26
Typhus, ...	1	.	1	.	.	.	1
Small-pox,
Measles, ...	12	13	16	3	2	.	17
Scarlet Fever, ...	121	132	134	15	16	1	132*
Diphtheria, ...	63	67	52	24	11	.	65
Pneumonia, ...	44	35	29	10	10	5	24

* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 21st February, 1914:—

"Once more the record is of very changeable, unsettled weather, with still prevalent south-westerly winds, but generally lower temperature—nor was the rainfall so frequent as in the previous week—at least in the Dublin district. The track of the Atlantic depressions lay between Iceland, the British Isles, and Norway. In the first-named country, accordingly, northerly and north-easterly winds prevailed, often blowing with gale force. They were accompanied by low temperatures—for example, at Reykjavik, the capital, the thermometer readings at 7 a.m. were 28°, 17°, 24°, 22°, 24°, 32° and 28°, respectively. The week opened with a large and deep atmospheric depression off the north of Scotland, the barometer ranging in the morning from 28·82 inches at Thorshavn, in the Faeroe, to 30·41 inches at Nice. Strong squalls and frequent showers prevailed in Dublin and temperature fell sharply in the evening. At Southport gusts of 75 miles per hour were registered on Sunday afternoon. Monday was fine with occasional lightning at night, but a new depression had already appeared over Portugal. This passed on to France and dispersed, while another and more serious disturbance passed across the upper Atlantic to the north of Scotland, reaching Sutherland on Wednesday morning. As this system approached, strong S.W. winds and gales sprang up in many districts, but the wind lulled when pressure became more uniform owing to the arrival of yet another depression off the W. of Ireland on Thursday morning. But the largest and deepest depression of the week came in from the Atlantic on Friday—in it and its secondaries the barometer remained below 29 inches in Dublin from 3 p.m. of Friday to the close of the week, falling to 28·574 inches at midnight of Saturday and to the exceptionally low level of 28·047 inches at 9 a.m. of Sunday, February 22nd. In Dublin the mean atmospheric pressure for the week was 29·422 inches, the range being from 30·030 inches at 9 p.m. of Monday (wind, W.) to 28·574 inches at midnight of Saturday (wind, S.E.). The mean temperature was 43·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 41·5°. On Sunday the screened thermometers rose to 55·7°, on Tuesday they fell to 35·0°. S.W. winds prevailed. Rainfall amounted to ·832 inch on 4 days, ·462 inch being recorded on Saturday. Lightning was seen on Monday night."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29.424 inches. The highest reading (30.026) was on Monday, at 9 p.m., the lowest (28.766) on Saturday, at 9 p.m.

The mean temperature for the week was 42.1°, being 1.7° above the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Sunday, on which day the thermometer registered 54°, and was lowest on Tuesday, the mercury having fallen to 29°. The mean of the Dry Bulb for the week was 41.1° and of the Wet Bulb, 39.6°. The mean humidity of the air was .89, complete saturation being represented by 1.0. The rainfall during the week measured 0.810 inch.

At Greenwich the mean temperature for the week was 43.0°, the maximum 55.6°, and the minimum 33.1°; and at Edinburgh the maximum was 52.8°, the minimum 31.8°, and the mean 40.2°. The rainfall at Greenwich measured 0.74 in., and at Edinburgh 0.66 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155.3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.	BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1.0.	Sunshine in hours and decimals.	Rain Gauge.
	Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1.0.			
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday, February 15,	29.500	54	39	46.5	43.2	41.3	.87	.7	3.7	.110
Monday, " 16,	29.980	48	35	41.5	37.1	35.9	.90	.6	5.8	.000
Tuesday, " 17,	29.720	49	29	39.0	42.0	40.2	.87	.7	0.0	.180
Wednesday, " 18,	29.440	47	33	40.0	37.2	35.6	.86	.6	8.0	.000
Thursday, " 19,	29.410	45	37	41.0	40.9	39.9	.93	.6	0.7	.000
Friday, " 20,	29.075	51	36	43.5	47.5	45.7	.88	.7	0.1	.020
Saturday, " 21,	28.845	49	37	43.0	39.9	38.8	.92	.8	4.9	.500
Mean,	29.424	49.0	35.1	42.1	41.1	39.6	.89	.7	Total 23.2	Total .810

Sunday—Day bright, cloudy, heavy showers a.m. and p.m.; night clear. Monday—A beautiful bright day; night clear. Tuesday—Day overcast, heavy rain 10.0 a.m. to 1.0 p.m.; night clear. Wednesday—A beautiful bright day; night cloudy. Thursday—A dull day; night clear. Friday—Day cloudy, light shower a.m.; night clear. Saturday—A bright day, cloudy at intervals; night overcast, heavy and light showers 11.15 p.m. to 8.30 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 21st February, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.R.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, February 15,	48.0	45.1	45.8	56	41	48.5	hrs. 3.5	ins. .082
Monday, " 16,	41.0	44.0	45.7	49	37	43	4.9	—
Tuesday, " 17,	41.0	42.8	45.8	50	34	42	—	.137
Wednesday, " 18,	38.6	42.5	45.6	45	34	39.5	7.1	—
Thursday, " 19,	42.5	42.0	45.4	46	37	41.5	—	—
Friday, " 20,	47.8	42.0	45.2	52	39	45.5	—	.121
Saturday, " 21,	41.0	42.9	45.1	47	37	42	4.1	.496
Weekly Mean, .	42.8	43.0	45.5	49.3	37.0	43.1	Total 19.6	Total .836

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 28TH FEBRUARY, 1914.

[No. 9.]

*General Register Office, Charlemont House,
Dublin, 2nd March, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 20·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Feb. 7	Feb. 14	Feb. 21	Feb. 28	
27 Town Districts, (a)	21·9	18·9	19·1	20·3	20·2
Dublin Reg. Area ...	25·3	20·4	20·7	22·3	22·2
Dublin City ...	26·9	18·6	22·2	23·3	22·7
Belfast ...	21·4	18·6	18·8	20·0	19·7
Cork ...	21·8	19·0	19·0	17·0	19·2
Londonderry ...	16·5	5·1	10·1	21·6	13·3
Limerick ...	24·4	23·0	23·0	29·8	25·0
Waterford ...	11·4	28·5	17·1	15·2	18·1

The deaths from certain epidemic diseases† registered in the 27 town districts during last week* were equal to an annual rate of 1·6 per 1,000. Among the 153 deaths from all causes for Belfast are 6 from scarlet fever, 4 from whooping-cough, and 4 from diarrhœa and enteritis of children under 2 years of age. Included in the 25 deaths from all causes for Cork are 2 from diarrhœa and enteritis of children under 2 years of age. One of the 5 deaths from all causes for Lisburn is from measles. The 3 deaths recorded for Clonmel include one from enteric fever, and one of the 3 deaths from all causes for Newtownards is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 202—111 boys and 91 girls—and the deaths to 187—89 males and 98 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·3 per 1,000 of the population. During the nine weeks, ending with Saturday last, the death-rate averaged 24·7, and was 0·2 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 187, represent an annual rate of 24·0 per 1,000; the annual rate for the past nine weeks was 26·4 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·1 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are 7 from measles, 2 from scarlet fever, one from whooping-cough, 2 from diphtheria, 2 deaths from diarrhoea and enteritis of children under 2 years of age, and one from cerebro-spinal meningitis. In the three preceding weeks, deaths from measles were 5, 5, and 3; deaths from scarlet fever were one, 2, and 0; deaths from whooping-cough were 2, 2, and 3; deaths from diphtheria were one, one, and 0; and deaths from diarrhoea and enteritis of children under 2 years of age were 3, 5, and 4, respectively.

Deaths from all forms of tuberculous disease, which in the three preceding weeks numbered 31, 30, and 35, respectively, fell to 27* last week, the latter including 23 from pulmonary tuberculosis, one from tuberculous meningitis, and 3 from other forms of the disease.

The 13 deaths from pneumonia include 10 deaths from broncho-pneumonia, one from lobar pneumonia, and 2 from pneumonia (type not distinguished).

Ten* deaths were ascribed to cancer.

Of the deaths of infants under one year of age 5 were assigned to convulsions, 2 to congenital malformations, 6 to premature birth, and 4 to congenital debility.

Organic diseases of the heart caused 17 deaths, and bronchitis 24 deaths.

There were 4 accidental deaths, including 2 caused by vehicles.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old, and the deaths of 2 persons aged 65 years and upwards.

Fifty-six of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 14 were under one month old) and 51 were aged 65 years and upwards, including 33 persons aged 70 and upwards; among the latter were 14 aged 75 and upwards.

Seventy-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 6 took place in the North Dublin Union Workhouse, and 20 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·3 per 1,000; the rate in the City was 23·3 (North City Districts, 23·1; South, 23·6) and in the Suburbs 19·1.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 2·4 (in the North City Districts 3·2, and in the South 1·4), and for the Suburbs 0·5 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·3 per 1,000. Two deaths were caused by broncho-pneumonia, one by bronchitis, and one death of a child under 2 years of age by diarrhoea and enteritis.

No. 1 *North City District, West* (Summer-hill).—The deaths (25) are equal to an annual rate of 31·6 per 1,000. Among them are one death each from measles and whooping-cough, 3 deaths from tuberculous disease, 2 from broncho-pneumonia, 5 from bronchitis, one death from diarrhoea and enteritis of a child under 2 years of age, and one accidental death.

No. 2 *North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 28·1 per 1,000. There were 2 deaths from measles, 3 from tuberculous disease, 2 from broncho-pneumonia, and 3 from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (11) represent an annual rate of 16·1 per 1,000. One of the deaths was from scarlet fever, one from diphtheria, 3 were from pulmonary tuberculosis, and 2 from bronchitis.

Other *North City Districts*.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·5 per 1,000 inhabitants; Coolock and Drumcondra, part of, 22·9; and Finglas and Glasnevin, part of, 24·3. The only death recorded for the first-named district was one from measles; of the 6 deaths from all causes for Coolock and Drumcondra, part of, one was from bronchitis; and the 5 deaths from all causes for Finglas and Glasnevin, part of, included one from diphtheria, one from pulmonary tuberculosis, and one from broncho-pneumonia.

No. 1 *South City District* (South Earl-street).—The deaths (19) represent an annual rate of 24·3 per 1,000, and include one death each from enteric fever, measles, pulmonary tuberculosis, cerebro-spinal meningitis, and pneumonia, and 4 deaths from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 22·7 per 1,000. One of the deaths was from pulmonary tuberculosis and one from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (21) are equal to an annual rate of 25·1 per 1,000. One death from scarlet fever, 4 deaths from pulmonary tuberculosis, one from broncho-pneumonia, and one from bronchitis were recorded.

No. 4 *South City District* (Grand Canal Street).—The deaths (16) are equivalent to an annual rate of 25·2 per 1,000. Among them are one death each from measles and broncho-pneumonia, and 3 deaths from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·6 per 1,000. Pulmonary tuberculosis caused one death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·3; Pembroke, 27·6; Blackrock, 17·0; and Kingstown, 18·5. The only death from any of the principal epidemic diseases tabulated for these districts was one from measles for Pembroke. Of the 10 deaths from all causes for Rathmines and Rathgar 2 were caused by pulmonary tuberculosis and one by broncho-pneumonia. The 16 deaths from all causes for Pembroke include 2 from tuberculous disease, 2 from pneumonia, and 3 from bronchitis. One of the 3 deaths from all causes† for Blackrock was ascribed to pulmonary tuberculosis; and of the 6 deaths from all causes for Kingstown 3 were caused by pulmonary tuberculosis and one by accident.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 14·1), was equal to an average annual death-rate of 15·1 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 17·5 per 1,000, the rate for Glasgow being 17·5, and for Edinburgh 20·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 28th February. From this Report it appears that of a total of 85 cases notified, 46 were scarlet fever, 20 phthisis, 10 diphtheria, and 9 erysipelas. Among the 609 cases of infectious diseases in hospital at the close of the week were 276 cases of scarlet fever, 192 of phthisis, 61 of diphtheria, 49 of measles, 10 of erysipelas, 3 of enteric fever, and one of chicken-pox.

* See note (c) at foot of Table II.

† See Columns 10–17 and 23–4 of Table II.

STATE OF INFECTIOUS DISEASE

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 28th February, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Feb. 7,	.	—	—	20	.	.	14	.	.	3	4	.	—	—	.	—	.	38	79
	Feb. 14,	.	—	—	12	1	.	7	.	.	6	7	.	—	—	1	—	.	41	75
	Feb. 21,	.	—	—	12	.	.	13	.	.	1	4	.	—	—	.	—	.	28	58
	Feb. 28,	.	—	—	9	.	.	8	.	.	2	2	.	—	—	.	—	.	26	47
Rathmines and Rathgar Urban District.	Feb. 7,	.	—	—	5	.	.	2	.	.	.	1	.	—	—	—	—	—	—	8
	Feb. 14,	.	—	—	4	.	.	2	—	—	—	—	—	—	6
	Feb. 21,	.	—	—	1	.	.	1	—	—	—	—	—	—	2
	Feb. 28,	.	—	—	5	.	.	2	.	.	2	.	.	—	—	—	—	—	—	9
Pembroke Urban District.	Feb. 7,	.	68	.	4	—	.	—	—	—	.	72
	Feb. 14,	.	33	1	.	.	—	4	—	—	—	1	39
	Feb. 21,	.	43	.	1	—	.	—	—	—	2	46
	Feb. 28,	.	28	4	—	.	—	—	—	.	32
Blackrock Urban District.	Feb. 7,	.	—	—	—	—	—	—	—	—	.
	Feb. 14,	.	—	—	—	—	—	—	—	—	.
	Feb. 21,	.	—	—	—	—	—	—	—	—	.
	Feb. 28,	.	—	—	—	—	—	—	—	—	.
Kingstown Urban District.	Feb. 7,	.	—	—	—	—	—	—	—	.	.
	Feb. 14,	.	—	—	3	—	—	—	—	—	.	3
	Feb. 21,	.	—	—	1	1	1	.	—	—	—	—	3	.	6
	Feb. 28,	.	—	—	—	—	—	—	—	.	.
City of Belfast.	Feb. 7,	.	—	—	37	.	.	5	.	.	3	6	.	—	—	.	—	.	3	54
	Feb. 14,	.	—	—	59	.	.	14	.	1	4	5	.	—	—	.	—	11	94	
	Feb. 21,	.	—	—	39	.	.	8	.	.	1	6	1	—	—	.	—	11	66	
	Feb. 28,	.	—	—	33	.	.	6	.	.	3	4	.	—	—	.	—	6	52	
City of Cork.	Feb. 7,	.	.	—	1	.	.	1	.	.	1	1	.	—	—	—	—	—	—	3
	Feb. 14,	.	1	—	1	.	.	1	1	—	—	—	—	—	—	4
	Feb. 21,	.	1	—	2	—	—	—	—	—	—	3
	Feb. 28,	.	.	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
City of Londonderry.	Feb. 7,	.	—	—	2	—	—	—	—	—	—	2
	Feb. 14,	.	—	—	—	—	—	—	—	—	.
	Feb. 21,	.	—	—	—	—	—	—	—	—	.
	Feb. 28,	.	—	—	5	—	—	—	—	—	—	5
City of Limerick.	Feb. 7,	.	—	—	1	—	—	—	—	—	—	1
	Feb. 14,	.	—	—	1	—	—	—	—	—	—	1
	Feb. 21,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	Feb. 28,	.	—	—	1	.	.	—	—	—	—	—	—	1
City of Waterford.	Feb. 7,	.	—	—	—	—	—	—	—	—	.
	Feb. 14,	.	—	—	—	—	—	—	—	—	.
	Feb. 21,	.	—	—	1	—	—	—	—	—	—	1
	Feb. 28,	.	—	—	—	—	—	—	—	—	.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 28th February, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Seven cases of enteric fever were admitted to hospital during the week, 4 were discharged, and 29 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 25, 27, and 26.

One case of typhus remained under treatment in hospital at the close of the week.

Thirteen cases of measles were admitted to hospital, 9 were discharged, there were 2 deaths, and 19 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 13, 16, and 17 respectively.

Twelve cases of scarlet fever were admitted to hospital, 9 were discharged, there was one death, and 134* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 132, 134, and 132, respectively.

Four cases of diphtheria were admitted to hospital during the week, 9 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 67, 52, and 65 respectively, were 59 at the close of last week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 6 were discharged, one died, and 25 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 28th of February, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
		CITY OF DUBLIN.																	
		REGISTRATION DISTRICTS IN																	
		Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.									
		NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLOUTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	1			
Typhus,			
Small-pox,			
Measles,	1	2	1	1	1			
Scarlet Fever,	1			
Whooping-cough,			
Diphtheria,	1	1			
Croup,	1			
Influenza,			
Dysentery,			
Tuberculosis, { Pulmonary,	2	1	3	1	1	1	4	1	2	1	1	3			
Other Forms,	1	2	1			
Cancer,	1	1	1	1	1	2			
Diseases of Nervous System,	1	3	2	1	3	1	3	1	1			
Organs of Special Sense,			
Circulatory System,	2	1	1	2	1	3	2	1	2	3			
Respiratory { Pneumonia,	2	2	2	1	1	1	1	1	2			
System. { Others,	1	7	3	3	1	5	1	2	3	4			
Diarrhoea and Enteritis, under 2 years,	1	1			
Diarrhoea, 2 years and upwards,			
Enteritis, 2 years and upwards,	1	1	1			
Others,	1	1	1	1	2	1			
Genito-urinary System,	2			
Puerperal Septicæmia, etc.,	1			
Other Causes incident to Pregnancy and Childbirth,			
Diseases of the Skin and Cellular Tissue,	1			
Locomotor System,			
Other specified Causes,	2	4	1	2	1	1	1	3	6	1	2	2	1	1			
Violent Deaths,	1	1			
Ill-defined, &c. Causes,	1	1	1	1	1	1			
Deaths from All Causes	10	25	15	11	1	6	5	19	8	21	16	2	10	16	3	6			
Annual Rate of Mortality from All Causes in every 1,000 of the population.	17.3	31.6	23.1	16.1	9.5	22.9	24.3	24.3	22.7	25.1	25.2	10.6	13.3	27.6	17.0	18.5			
	23.1							23.6							19.1				
	23.3																		
Ages at Death. { Under 1 year,	3	5	6	1	1	1	1	1	2	4	2	2	3			
1 and under 2 years,	4	3	1	2	2			
2 " 5 "	1	3	2	1	1	1	1	2			
5 " 15 "	1	1	1			
15 " 25 "	1	1	2			
25 " 45 "	1	3	3	1			
45 " 65 "	2	5	2	2	4	4	2	8	2	4	1	1			
65 and upwards,	3	4	1	5	2	7	2	7	4	5	4	2	2			
Number of Uncertified Deaths,	1	1	1	1	1	1			
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,	6	2	1	2	3	1	3	6	4	5	2	1			
Workhouse Hospitals,	2	2	2	3	4	4	3	1	1	3			

NINTH WEEK, ending Saturday, 28th February, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 9th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 28th February, 1914.										
	Mar. 5, 1904.	Mar. 4, 1905.	Mar. 3, 1906.	Mar. 2, 1907.	Feb. 29, 1908.	Mar. 6, 1909.	Mar. 5, 1910.	Mar. 4, 1911.	Mar. 2, 1912.	Mar. 1, 1913.		Deaths of Persons of the Ages of										
	0	0	0	0	0	0	0	0	0	0		0-5.										
Mean Temperature ...	36.1	39.2	40.6	41.8	40.4	32.8	44.0	46.5	49.4	43.7	41.5	43.1	Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.
Diseases of the Pharynx, Tonsillitis.	11
Diseases of Stomach, ...	—	—	—	—	—	—	—	4	1	1	—	2	.	1	1	.	.	.
Diarrhoea and Enteritis of Children under 2 years.	5	4	1	3	6	3	6	4	4	6	4.3	2	.	1	1
Diarrhoea 2 years and upwards.	—	—	—	—	—	—	—	.	1	1	—	1
Enteritis 2 years and upwards	—	—	—	—	—	—	—	2	1	6	—	1	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	.	1	1	—
Hernia and Intestinal Obstructions.	3	.	1	1	.	2	3	1	1	1	1.3	1
Cirrhosis of Liver,	1	1	2	.	1	2	.	.	1	.8	1	1	.	.	1
Other Diseases of Liver,	1	.	2	.	.	36	1
Peritonitis (cause unknown),	6	3	4	5	3	6	3	.	.	2	3.2	1	1	.	.	.
Other Diseases of Digestive System.																						
Acute Nephritis, ...	7	3	5	6	8	4	6	4	1	2	5.6
Chronic Bright's Disease, ...									4	4		7	1	6	.	.
Urinary Calculi,
Uterine Tumour (non-cancerous).								
Ovarian Tumour (non-cancerous)									.	2	
Other Diseases of Genito-urinary System.								
Puerperal Septicæmia, &c.,	1	1	.	1	1	.4	1	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	2	.	1	1	1	.6
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	.	2	1	—	1	1	.	.
Diseases of Locomotor System.	—	—	—	—	—	—	—	1	1	2	—	2	.	1
Congenital Malformations, ...	—	—	—	—	—	—	—	1	1	2	—	6	.	4	2
Premature Birth, ...	4	5	.	5	6	1	3	1	6	6	3.7	6	4	2
Congenital Debility, ...	—	—	—	—	—	—	—	6	2	2	—	4	1	3
Old Age, ...	11	2	5	3	3	4	5	5	3	9	5.0	8	3	5	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	1	4	1	—	3	3
ACCIDENT :																						
Poisons or Poisonous Vapours.
Conflagration, ...	2	3	3	2	.	.	1	.	1	.	1.2
Burns and Scalds, ...	2	1	36
Drowning,	1	.	.	.	1	.	.	.2
Suffocation in Bed, ...	2	1	2	1	1	3	3	1	3	2	1.9	4	1	2	1	.
Other Deaths by Accident, ...	6	5	8	3	2	3	4	2	4	2	3.9	4	1	2	1	.
Total Deaths from Accident,																						
Included in above are Deaths in connection with—																						
Railways,	1	.	12	1	.	1	.
Vehicles and Horses, ...	1	12	2
Ships, Boats, Docks,
Building Operations,
VIOLENCE OTHER THAN ACCIDENTAL :																						
Homicide,	1	.	.	.	1	.	1	.	.3
Suicide,	11
Execution,
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	5	5	3	—	6	.	.	1	2	2	1

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913-4—WEEK ENDING																									
	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.
No. of weeks in Annual Series, Births registered.	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9
Average Births in corresponding week of previous 10 years, ...	239	167	255	232	225	177	211	220	202	190	232	165	209	194	212	185	140	168	246	203	241	234	279	217	217	202
DEATHS registered.	240	206	215	246	200	192	211	194	220	213	193	184	213	187	204	179	186	225	222	212	215	241	214	217	204	232
Annual Death-rate per 1,000, ...	157	196	143	177	163	159	148	162	174	158	164	148	164	153	147	167	137	250	210	205	236	201	214	171	175	187
Average Deaths in corresponding week of previous 10 years, ...	20.3	25.4	18.5	22.9	21.1	20.6	19.1	21.0	22.5	20.4	21.2	19.1	21.2	19.8	19.0	21.6	17.7	32.1	27.0	26.8	30.8	25.8	27.5	22.0	22.5	24.0
Ages, { Under 5 years, 5-15 " 15-25 " 25-45 " 45-65 " 65-75 " 75 and upwards, ...	158	153	164	155	155	154	159	149	168	167	173	171	178	181	171	173	166	193	189	194	197	198	197	198	201	204
	68	62	45	69	58	66	50	57	54	50	49	47	28	55	49	55	47	63	46	45	69	56	72	49	52	56
	8	6	6	2	5	4	9	4	7	6	9	7	9	6	8	8	6	11	12	6	11	11	8	12	8	5
	7	16	4	11	6	8	4	11	9	6	8	6	6	4	8	6	6	12	9	4	16	11	12	10	11	8
	21	37	18	22	18	17	16	23	29	24	26	15	38	23	31	31	19	32	31	32	29	30	27	23	28	27
Deaths from:— Enteric Fever, ... Typhus, ... Small-pox, ... Measles, ... Scarlet Fever, ... Whooping-cough, ... Diphtheria, ... Influenza, ... Dysentery, ... Tuberculosis { Pulmonary ... Other Forms, ... Cancer, ... Diseases of Circulatory System, ... Diseases of Respi. { Pneumonia ratory System, { Others, ... Diarrhoea and Enteritis, under 2 years, ... Diarrhoea, 2 years and upwards, ... Violent Deaths, ... Number of Uncertified Deaths, ... Mean Temperature of the Air (Phoenix Park) in degrees, ... Average Mean Temperature in corresponding week of previous 10 years, ... Rainfall in inches, ... Mean Humidity of the Air, complete Saturation 1.0, ...	17	18	20	20	23	19	17	23	18	26	24	28	22	26	15	20	20	31	86	32	34	21	28	25	27	37
	5	19	18	13	14	12	13	10	20	13	13	15	9	13	7	10	14	23	28	81	81	26	31	17	16	14
	2	6	1	1	2	1	1	1	1	2	2	1	1	4	3	1	1	1	3	3	2	2	1	1	1	1
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
55.3	54.9	49.5	56.5	56.6	51.4	52.9	43.5	50.9	44.4	46.6	46.6	47.6	47.6	44.4	46.0	44.1	37.7	34.6	44.3	39.5	38.6	44.1	42.1	43.6	42.1	43.1
54.5	52.3	52.6*	52.4	51.6	50.4	49.8	45.7	45.2	44.6	42.0	41.9	41.5	41.5	42.2	42.5	42.4	41.5	41.9	41.1	40.0	39.6	39.4	40.4	41.6	40.4	41.5
.005	1.540	1.435	1.115	.080	2.780	.140	.580	1.040	.710	.645	.640	.150	.640	1.065	.105	.065	.620	.035	.445	.260	.090	.485	.305	.615	.810	.475
.84	.85	.90	.88	.92	.90	.86	.86	.86	.90	.88	.90	.88	.90	.93	.93	.87	.90	.90	.88	.81	.84	.94	.92	.85	.89	.91

* For 9 years only

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Un- certified Deaths.				
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 3 years of age.	Diarrhoea, 2 years and upwards.	Violence.					
													Pulmonary.	Other Forms.		Pneumonia.	Other.								
North City, No. 1 (E.) (Office Clarence St. Nth.)	Jan. 24 31 Feb. 7 14 Population in 1914 (Est.) 30,206.	36.3 15.5 31.1 25.9 24.2 17.3	5.2 1.7 1.7 1.7 1.7 1.7	21 9 18 15 14 10	1	2	.	2 1 2 2 1	1 1 .	.	2 1 1 1 2	4 2 4 3 1 1	.	1	
North City, No. 1 (W.) (Office, Summer-hill.)	Jan. 24 31 Feb. 7 14 Population in 1914 (Est.) 41,278.	25.3 37.9 30.3 29.1 18.9 31.6	3.8 2.5 3.8 5.1 .	20 30 24 23 15 25	1	.	.	.	3 7 1 2 3 2	.	1 2 .	6 1 2 2 1 2	2 2 4 3 3 7	3 1 1 .	.	.	1 3 1	.	.	1 1 1 1	
North City, No. 2. (Office, Lisburn-street.)	Jan. 24 31 Feb. 7 14 Population in 1914 (Est.) 27,883.	41.1 37.4 18.7 22.4 37.4 28.1	1.9 1.9 1.9 .	22 20 10 12 20 15	1	.	1 3 2 3 1	1 3 1 1 1 2	.	1 1 1 1 2 2	5 3 2 4 1 3	.	1 3 1	1 2 1		
North City, No. 3. (Office, Benburb-street.)	Jan. 24 31 Feb. 7 14 Population in 1914 (Est.) 35,536.	13.2 11.7 27.9 10.3 8.8 16.1	1.5 1.5 1.5 .	9 8 19 7 6 11	1	.	1 2 1 1 2 3	.	.	1 1 1 4 2 3	.	1 1	1
Clontarf and Howth No. 1 (part of).	Jan. 24 31 Feb. 7 14 Population in 1914 (Est.) 5,485.
Coolock and Drumcondra (part of).	Jan. 24 31 Feb. 7 14 Population in 1914 (Est.) 13,685.	11.4 19.1 15.2 11.4 11.4 22.9	.	3 5 4 3 3 6	1 .	1 1 1	1	1
Finglas and Glasnevin (part of).	Jan. 24 31 Feb. 7 14 Population in 1914 (Est.) 10,723.	14.6 19.5 9.7 4.9 4.9 24.3	.	3 4 2 1 1 5	1 1	1	1
South City, No. 1. (Office, Sth. Earl-street.)	Jan. 24 31 Feb. 7 14 Population in 1914 (Est.) 40,768.	34.5 26.9 25.6 20.5 19.2 24.3	1.3 1.3 .	27 21 20 16 15 19	1	3 1 2 5 3 1	2 1 2 2 1 .	.	4 2 1 1 2 1	4 4 2 1 1 5	.	1 1	1	1 .	
South City, No. 2. (Office, Castle-street.)	Jan. 24 31 Feb. 7 14 Population in 1914 (Est.) 18,341.	37.0 39.8 28.4 28.4 19.9 22.7	.	13 14 10 10 7 8	3 3 2 1 3 1	1 2 1 1 1 .	.	.	4 1 2 2 1 1	1	.	
South City, No. 3. (Office, Peter-street.)	Jan. 24 31 Feb. 7 14 Population in 1914 (Est.) 43,540.	38.3 21.6 26.3 16.8 28.7 25.1	3.6 1.2 1.2 2.4 .	32 18 22 14 24 21	1	.	.	3 4 3 .	1 1 .	1 1 .	3 1 2 2 1 2	6 4 4 2 1 5	2	2 1 1 .	1 1 2 1	
South City, No. 4. (Office, Grand Canal-st.)	Jan. 24 31 Feb. 7 14 Population in 1914 (Est.) 33,171.	42.4 34.6 29.9 12.6 29.9 25.2	4.7 3.1 1.6 .	27 22 19 8 19 16	.	.	.	2 2	.	.	1	.	3 2 4 1 .	3 2 .	2 1 .	2 4 2 4 1 1	4 6 2	1 .	.	
New Kilmainham.	Jan. 24 31 Feb. 7 14 Population in 1914 (Est.) 9,851.	26.5 21.2 52.9 10.6 26.5 10.6	10.6 5.3 5.3 5.3 .	5 4 10 2 5 2	.	.	.	2 1 1	3 1 2	1

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Violence.	Number of Uncertified Deaths.		
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Scarlet, 2 years of age and upwards.							
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.			Other.						
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Jan. 24 " 31 Feb. 7 " 14 " 21 " 28	17.3 24.0 16.0 21.3 14.6 13.3 1.3 .	13 18 12 16 11 10	1 1 1 1 2 2	.	.	3 1 2 1 2 1	1 4 2 2	1 . . . 1 .	.		
Pembroke Urban District. Population in 1914 (Est.) 30,240	Jan. 24 " 31 Feb. 7 " 14 " 21 " 28	27.6 13.8 25.9 41.4 22.4 27.6	3.4 .8 6.9 8.6 5.2 1.7	16 8 15 24 13 16	1 . . 1	1 1 1 5 . 1	.	.	2 2 . 1 . 2	2 1 2 3 2 4	1 . . . 1 .	.		
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Jan. 24 " 31 Feb. 7 " 14 " 21 " 28	22.7 22.7 17.0 . 5.7 17.0	4 4 3 . 1 3	1 2 1 . . .	1 2 1	
Kingstown Urban District. Population in 1911 16,941.	Jan. 24 " 31 Feb. 7 " 14 " 21 " 28	18.5 15.4 21.5 24.6 12.3 18.5	6 5 7 8 4 6	1 1 1 3	.	.	1 2 1 1 2	1 . . . 1	.
Belfast. Population in 1914 (Est.) 399,000.	Jan. 24 " 31 Feb. 7 " 14 " 21 " 28	23.8 25.7 21.4 18.6 18.8 20.0	1.6 0.9 2.0 1.7 0.7 1.8	182 197 164 142 144 153	1 . 1	1	2 3 7 6 1 6	5 1 2 6 1 4	.	.	15 12 14 21 17 31	6 3 7 4 4 8	6 10 8 9 9 4	29 26 21 13 14 15	26 45 32 23 18 18	1 2 3 1 1 4	2 1 1	6 4 3 2 3 4	3 2 4 1 3 3
Cork. Population in 1911 76,673.	Jan. 24 " 31 Feb. 7 " 14 " 21 " 28	24.5 19.7 21.8 19.0 19.0 17.0	0.7 .8 .8 . 2.0 1.4	36 29 32 28 28 25	3 5 6 3 4 4	.	3 3 3 1 . .	5 2 . 2 3 1	6 3 7 5 4 2	1 2	1 1	
Londonderry. Population in 1914 (Est.) 41,100.	Jan. 24 " 31 Feb. 7 " 14 " 21 " 28	16.5 22.8 16.5 5.1 10.1 21.6	. .8 2.5 1.3 1.3 .	13 18 13 4 8 17	5 1 . 2 1	.	1 . . 1 1	2 . . . 2 4	4 5 4 . 3 4	. . 1 1	1 2 1 1 . .
Limerick. Population in 1911 38,518.	Jan. 24 " 31 Feb. 7 " 14 " 21 " 28	14.9 24.4 24.4 23.0 23.0 29.8	. .8 1.4 1.4 2.7 .	11 18 18 17 17 22	1	2 2 2 1 4 3	1 . 1 . . 4	.	1 1 . 1 1 3	1 8 6 1 3 3	1 1	2 3 1 3 2 .	
Waterford. Population in 1911 27,464.	Jan. 24 " 31 Feb. 7 " 14 " 21 " 28	17.1 32.3 11.4 28.5 17.1 15.2	. .8 .8 . 1.9 .	9 17 6 15 9 8	2 2 . 2 2 1	.	1 1 . 2 1	1 3 . 2 2 1 1	1 . . . 1 .	1 1 2 1 1 1	

* See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1913-4—WEEK ENDING																									
	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.
No. of weeks in Annual Series,	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9
BIRTHS registered, ...	214	234	173	234	197	192	201	191	179	231	182	170	186	186	205	196	130	284	195	254	208	215	187	224	210	203
DEATHS registered, ...	157	155	160	148	100	127	111	115	102	133	139	126	112	117	137	141	150	194	208	174	182	197	164	142	144	153
Annual Death-rate per 1,000 of estimated population, ...	20.7	20.4	21.1	19.5	13.2	16.7	14.6	15.1	13.4	17.5	18.3	16.6	14.7	15.4	18.0	18.6	19.8	25.4	26.5	22.7	23.9	25.7	21.4	18.6	18.8	20.0
AGES { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 55 and upwards,	42	59	44	42	24	29	22	24	15	39	31	19	19	14	23	27	28	42	46	24	43	45	33	28	25	28
	21	13	21	20	15	16	11	19	12	21	15	24	14	24	26	17	29	23	36	24	22	21	16	20	10	16
	15	13	25	18	11	20	15	12	14	13	14	14	8	15	12	16	25	14	17	14	24	13	18	15	12	18
	23	23	18	16	17	17	13	15	20	13	24	15	21	20	22	32	20	25	26	30	23	34	24	26	21	29
	29	30	26	31	20	25	23	23	18	24	32	29	24	27	29	32	30	39	47	36	35	41	37	31	42	32
Deaths from :—	27	17	26	26	13	20	24	22	23	23	23	25	26	17	25	17	18	51	31	46	35	43	36	22	34	30
Enteric Fever,	2	1	.	1	.	.	.	1	.	1	2	1	.	.	.	1	.	.	.	1	1	.	.	.
Typhus,	1	2
Small-pox,
Measles, ...	1	.	1	2	.	.	1	1	3	.	.	.	1	.	1	.	1
Scarlet Fever, ...	1	3	4	3	3	1	3	7	5	7	7	9	4	8	8	5	6	3	12	10	2	3	7	6	1	6
Whooping-cough, ...	1	.	1	3	2	.	3	3	3	7	6	3	1	5	1	2	6	1	4
Diphtheria, ...	2	3	3	1	.	2	1	1	.	.	2	.	1	.	2	1	.	2	4	2	2	.
Dysentery,	1	.	.	.
Pulmonary, ...	10	15	16	13	10	14	12	8	13	13	22	9	3	10	8	12	15	15	14	17	15	12	14	21	17	31
Tuberculosis { Other Forms, ...	7	5	5	3	8	6	3	6	7	6	2	5	3	6	5	2	9	8	8	5	6	6	7	4	4	8
Cancer, ...	4	4	3	9	4	5	9	6	5	8	8	10	6	3	7	10	6	3	10	8	6	10	8	9	9	4
Diseases of Respiratory System, { Pneumonia, ...	11	10	10	16	8	8	9	6	5	10	16	9	10	13	25	14	28	23	29	23	29	26	21	13	14	15
Diarrhoea and Enteritis, under 2 years, ...	8	4	11	15	7	16	7	15	15	13	15	11	12	14	10	14	15	36	28	27	26	45	32	23	18	18
Diarrhoea, 2 years and upwards, ...	30	41	37	22	15	9	9	2	5	3	1	6	.	1	.	1	1	1	2	3	1	2	3	1	1	4
Diarrhoea, 2 years and upwards, ...	1	3	.	5	1	.	1	1	1	1	1	.	.	.	2	.	2	1	1	.	.	.
Violent Deaths, ...	5	1	2	1	1	2	2	1	.	4	4	9	1	3	2	1	3	5	.	1	6	4	3	2	3	4
Number of Uncertified Deaths, ...	3	.	.	1	.	4	3	2	1	2	6	1	1	1	.	3	1	.	5	4	3	2	4	4	1	3
Mean Temperature of the Air in degrees, ...	57.4	56.0	51.8	57.0	55.7	52.0	54.5	47.7	49.5	44.4	46.7	46.6	48.3	43.1	45.4	43.3	40.0	32.3	41.1	38.7	38.4	44.1	48.1	41.2	41.0	41.1
Rainfall, in inches, ...	0.00	0.51	2.90	0.71	0.04	0.33	0.81	0.74	2.13	1.22	1.65	0.92	0.26	1.51	0.78	0.07	0.82	0.41	1.83	0.00	0.28	0.55	0.32	0.72	0.93	0.82

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Feb. 28,	2,146	1,222	14.1	.	.	19	3	24	9	22
EDINBURGH, ...	321,900	" 28,	131	129	20.9	.	.	9	3	.	2	1
GLASGOW, ...	1,047,000	" 28,	617	351	17.5	.	.	28	4	7	4	7
CALCUTTA, ...	896,067	Jan. 17,	.	570	33.0	64*	4	1	.	1	1†	91‡a
BOMBAY, ...	979,445	" 24,	412	672	35.7	90*	4	9	.	.	.	63‡a
MADRAS ...	518,660	" 24,	345	544	54.5	82*	.	1	?	?	?	154‡a
CAIRO, ...	715,609	Dec. 23,	679	470	34.2	2	6	.	.	?	13†	56
PARIS, ...	2,847,229	Feb. 14,	1,036	1,077	19.3	4	.	2	1	5	4†	8
BRUSSELS, ...	767,252	" 7,	242	202	13.7	1	.	1	3	.	2†	13
ANTWERP, ...	312,884	" 7,	122	80	13.3	.	.	.	3	2	3†	6
AMSTERDAM, ...	595,258	" 7,	317	173	15.2	1	.	3	.	6	3†	4
COPENHAGEN, ...	483,000	" 7,	215	146	15.8	.	.	4	1	2	1†	6
STOCKHOLM, ...	376,171	" 7,	144	104	14.4	.	.	.	1	.	2	5
CHRISTIANIA, ...	250,423	" 14,	115	49	10.2	1
ST. PETERSBURG ...	1,728,200	Jan. 24,	1,136	744	22.4	6	.	26	14	6	10	26
MOSCOW, ...	1,694,000	" 17,	.	812	25.0	2	.	26	29	6	14	42a
BERLIN, ...	2,057,715	" 10,	703	581	14.6	1	.	4	8	3	11†	16
HAMBURG, ...	1,030,983	Feb. 7,	.	307	15.5	1	.	2	2	4	11	11a
BRESLAU, ...	543,405	" 14,	.	195	18.7	.	.	.	2	3	.	5a
MUNICH, ...	640,000	" 7,	.	195	15.9	.	.	4	1	2	3†	5a
VIENNA (with suburbs),	2,132,523	" 7,	690	692	16.9	1	.	2	.	2	12†	23
BUDA-PESTH, ...	950,784	" 7,	463	341	18.6	.	.	5	11	1	6†	16
PRAGUE and Faubourgs,	498,498	Jan. 10,	174	168	17.6	4†	4
TRIESTE, ...	242,595	" 3,	132	116	25.0	2	1	.
ROME, ...	582,565	Aug. 30,
NEW YORK, ...	5,583,871	Feb. 7,
PHILADELPHIA, ...	1,631,960	Jan. 10,
BOSTON, ...	750,768	Feb. 7,	.	233b	16.2	6	.	.	3	1	1	4a

* Deaths from "fever," including 4 from enteric fever in Calcutta; 3 from enteric fever and 17 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 40 deaths from cholera in Calcutta, one in Bombay, and 2 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 202 (including 3 deaths from diarrhoeal diseases), rate 14.0 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th February, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	1	1	2
" " 1, West,	...	4	3	7
" " 2,	1	.	.	2	.	.	.	1	.	.	.	6	10
" " 3,	1	2	3
Clontarf and Howth No. 1 (part of),	2	2
Coolock and Drumcondra (part of),	.	2	2
Finglas and Glasnevin (part of),	2	2
South City No. 1,	...	1	1	7	9
" " 2,	1	.	.	.	1	2
" " 3,	...	1	.	.	1	5	7
" " 4,	1	1
New Kilmainham,
Total,	...	9	.	.	8	.	.	2	2	.	.	.	26	47

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 28th February, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 28th February.			
	Feb. 7.	Feb. 14.	Feb. 21.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	25	27	26	7	4	.	29
Typhus,	1	1	.	.	.	1
Small-pox,
Measles, ...	13	16	17	13	9	2	19
Scarlet Fever, ...	132	134	132	12	9	1	134*
Diphtheria, ...	67	52	65	4	9	1	59
Pneumonia, ...	35	29	24	8	6	1	25

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 28th February, 1914:—

"This week opened with the deepest atmospheric depression experienced in Ireland for many years lying centrally over Leinster and St. George's Channel. In Dublin the barometer was as low as 28·047 inches from 9 to 10 a.m. of Sunday. This was the lowest pressure recorded in this City since December 8, 1886, when the memorable reading of 27·758 inches was noted at 2 p.m. On that day the minimum at the Ordnance Survey Office, Phoenix Park, was 27·766 inches, being the lowest reading recorded at that station since the year 1829. On November 28, 1838, the barometer fell to 27·769 inches at the Ordnance Survey Office at 8 p.m. On March 15, 1905, the extremely low reading of 28·077 inches was observed in Dublin—a near approach to the present remarkable depression. The week opened with a fresh S.E. gale and heavy rain. In the course of Sunday the cyclonic system passed northwards over the sea off the east coast of Ireland, the wind in Dublin backing from E. through N.E. to N. and finally (in the afternoon) to W. By Monday morning the centre of the depression had reached the Hebrides, but the barometer was not then lower than 28·45 inches at Castle Bay, Barra Island, and 28·50 inches at Stornoway. The system was, therefore, gradually filling up. Colder but comparatively good weather followed. Showers, however, fell frequently in Ireland and Scotland, less often in England. In Dublin a hoar frost occurred on Tuesday morning and fog prevailed till after 10 a.m. From that time onwards to the close of the week, changeable but very open weather prevailed—a depression in the far N.W. on Saturday causing fresh S.W. winds and afterwards clouds and showers. In Dublin the mean height of the barometer was 29·487 inches, pressure varying from 28·047 inches at 9 a.m. of Sunday (wind, E.) to 30·041 inches at 9 p.m. of Friday (wind, S.). The mean temperature was 44·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 42·8°. On Tuesday the screened thermometers fell to 32·6°, on Friday they rose to 57·0°. S.W. and W. were the most prevalent winds. Rain fell on 5 days to the amount of ·410 inch, of which ·259 inch was measured on Sunday. Sleet fell on the afternoon of that day. Tuesday was foggy. The rainfall in February was 2·479 inches on 19 rain-days."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29·481 inches. The highest reading (30·026) was on Friday, at 9 p.m., the lowest (28·066) on Sunday, at 9 a.m.

The mean temperature for the week was 43·1°, being 1·6° above the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Friday, on which day the thermometer registered 58°, and was lowest on Tuesday, the mercury having fallen to 26°. The mean of the Dry Bulb for the week was 42·4° and of the Wet Bulb, 41·2°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The rainfall during the week measured 0·475 inch.

At Greenwich the mean temperature for the week was 41·8°, the maximum 55·7°, and the minimum 29·2°; at Glasgow the maximum was 51·0°, the minimum 31·0°, and the mean 42·2°; and at Edinburgh the maximum was 53·7°, the minimum 32·8°, and the mean 41·6°. The rainfall at Greenwich measured 0·44 in., at Glasgow 0·92 in., and at Edinburgh 0·21 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.			BAROMETER.			THERMOMETER.*			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.
			Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)			Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1·0.			
			(1.) In.	(2.) In.	(3.) In.	(4.) In.	(5.) In.	(6.) In.	(7.) In.	(8.) In.	(9.) In.	(10.) In.		
Sunday,	February 22,		28·290	44	37	40·5	40·5	40·3	·98	·7	0·1	·225		
Monday,	" 23,		28·945	49	34	41·5	37·6	37·4	·94	·5	6·1	·010		
Tuesday,	" 24,		29·500	48	26	37·0	35·5	34·1	·87	·4	6·4	·000		
Wednesday,	" 25,		29·875	51	27	39·0	38·6	37·8	·94	·5	1·8	·050		
Thursday,	" 26,		29·850	53	34	43·5	44·2	42·7	·89	·4	0·5	·000		
Friday,	" 27,		30·010	58	45	51·5	50·8	48·7	·86	·5	8·8	·000		
Saturday,	" 28,		29·895	54	44	49·0	49·5	47·5	·87	·7	2·8	·190		
Mean,	29·481	51·0	35·3	43·1	42·4	41·2	·91	·5	Total 26·5	Total ·475		

Sunday—Day overcast, light and heavy showers a.m. and p.m.; night cloudy, light showers a.m. Monday—A bright day, cloudy at intervals, light shower 8.45 p.m.; night clear. Tuesday—A bright day, cloudy at intervals; night overcast, cloudy. Wednesday—Day cloudy, bright at intervals; night overcast, light rain 4.0 to 7.0 a.m. Thursday—Day cloudy; night cloudy. Friday—A beautiful bright day; night clear. Saturday—A dull day, heavy showers p.m.; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 a.m. and 9 p.m.

* The maximum and minimum temperatures are given in whole degrees; the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 28th February, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.		Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
			1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday,	February 22,	42·8	42·3	45·0	45	36	40·5	hrs. —	ins. ·264
Monday,	" 23,	42·0	42·1	45·0	49	38	43·5	5·0	—
Tuesday,	" 24,	33·4	41·8	45·0	48	29	38·5	4·3	—
Wednesday,	" 25,	40·8	41·8	45·0	50	33	41·5	0·8	·043
Thursday,	" 26,	44·8	41·8	45·0	55	39	47	0·7	—
Friday,	" 27,	46·7	42·6	45·0	59	44	51·5	8·2	—
Saturday,	" 28,	54·3	45·0	45·0	57	44	50·5	1·9	·104
Weekly Mean,	.	43·5	42·5	45·0	52	37·6	44·7	Total 20·9	Total ·411

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 7TH MARCH, 1914.

[No. 10.

*General Register Office, Charlemont House,
Dublin, 9th March, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 19·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Feb. 14	Feb. 21	Feb. 28	Mar. 7	
27 Town Districts, (a)	18·9	19·1	20·8	19·2	19·5
Dublin Reg. Area ...	20·4	20·7	22·3	20·9	21·1
Dublin City ...	18·6	22·2	23·3	22·3	21·6
Belfast ...	18·6	18·8	20·0	18·3	18·9
Cork ...	19·0	19·0	17·0	25·2	20·0
Londonderry ...	5·1	10·1	21·6	19·0	14·0
Limerick ...	23·0	23·0	29·8	23·0	24·7
Waterford ...	28·5	17·1	15·2	7·6	17·1

The deaths from certain epidemic diseases† registered in the 27 town districts during last week* were equal to an annual rate of 1·5 per 1,000. Among the 140 deaths from all causes for Belfast are one from typhus, 3 from scarlet fever, 5 from whooping-cough, one from diphtheria, and 8 from diarrhoeal diseases. One of the 17 deaths from all causes for Limerick is from enteric fever. One of the three deaths from all causes for Sligo is from diphtheria, and included in the 3 deaths from all causes for Tralee is one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 244—115 boys and 129 girls—and the deaths to 169—81 males and 88 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·9 per 1,000 of the population. During the ten weeks, ending with Saturday last, the death-rate averaged 24·3, and was 0·6 below the mean rate for the corresponding portions of the ten years, 1904—1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 169, represent an annual rate of 21·7 per 1,000; the annual rate for the past ten weeks was 25·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·1 per 1,000 of the mean population for all deaths registered.

The total deaths registered include one from enteric fever, 4 from measles, 3 from whooping-cough, one from diphtheria, 3 from influenza, and 5 from diarrhoea and enteritis of children under 2 years of age. In the three preceding weeks, deaths from enteric fever were one, 0, and one; deaths from measles were 5, 3, and 7; deaths from whooping-cough were 2, 3, and one; deaths from diphtheria were one, 0, and 2; deaths from influenza were one, one, and 0; and deaths from diarrhoea and enteritis of children under 2 years of age were 5, 4, and 2, respectively.

Tuberculous disease caused 23 deaths, comprising 21 deaths from pulmonary tuberculosis, and 2 from disseminated tuberculosis. In the three preceding weeks, deaths from tuberculous disease numbered 30, 35, and 27, respectively.

There were 3* deaths from cancer.

Broncho-pneumonia caused 9 deaths, lobar pneumonia 2 deaths, and pneumonia (type not distinguished) 4 deaths.

Seven deaths of infants under one year of age were attributed to convulsions, one to congenital malformation, 7 to premature birth, and 4 to congenital debility.

There were 16 deaths from organic diseases of the heart, and 16 from bronchitis.

The deaths caused by accident, numbering 4, include one death of an infant aged 9 weeks by suffocation in bed.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 infants under one year old.

Fifty-seven of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 14 were under one month old) and 40 were aged 65 years and upwards, including 29 persons aged 70 and upwards; among the latter were 18 aged 75 and upwards of whom 3 (one male and 2 females) were stated to have been aged 93, 90, and 91 years, respectively.

Sixty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·9 per 1,000; the rate in the City was 22·3 (North City Districts, 24·4; South, 20·0) and in the Suburbs 16·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 2·0 (in the North City Districts 2·8, and in the South 1·1), and for the Suburbs 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·0 per 1,000. There were 2 deaths from whooping-cough, one each from influenza, pulmonary tuberculosis, and broncho-pneumonia, and 3 from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (26) are equal to an annual rate of 32·8 per 1,000, and include one death from measles, 7 from pulmonary tuberculosis, 2 from broncho-pneumonia, one from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 2 *North City District* (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 35·5 per 1,000. Among them are one death each from enteric fever, measles, and diphtheria, 2 from tuberculous disease, 2 from pneumonia, one from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

No. 3 *North City District* (Benburb-street).—The deaths (14) represent an annual rate of 20·5 per 1,000. Three of the deaths were caused by pulmonary tuberculosis and one by pneumonia.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·5 per 1,000 inhabitants; Coolock and Drumcondra, part of, 11·4; and Finglas and Glasnevin, part of, 14·6. Of the 3 deaths from all causes for Coolock and Drumcondra, part of, one was from measles and one from broncho-pneumonia.

No. 1 *South City District* (South Earl-street).—The deaths (12) represent an annual rate of 15·3 per 1,000, and include one death from pulmonary tuberculosis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 2 *South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 22·7 per 1,000. Lobar pneumonia caused 2 deaths.

No. 3 *South City District* (Peter-street).—The deaths (15) are equal to an annual rate of 18·0 per 1,000. There were 3 deaths from pulmonary tuberculosis, one death from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

No. 4 *South City District* (Grand Canal Street).—The deaths (17) are equivalent to an annual rate of 26·7 per 1,000. One death from whooping-cough, 3 deaths from pulmonary tuberculosis, 2 from broncho-pneumonia, and 5 from bronchitis were recorded.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·2 per 1,000, and include 2 from bronchitis and one accidental death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 22·6; Pembroke, 15·5; Blackrock, 11·3; and Kingstown, 5·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one death from measles and one death of a child under 2 years of age from diarrhoea and enteritis for Rathmines and Rathgar. Among the 17 deaths from all causes for Rathmines and Rathgar are one from influenza, one from pulmonary tuberculosis, 4 from pneumonia, and one accidental death. The 9 deaths from all causes for Pembroke include 2 from pulmonary tuberculosis, 2 from bronchitis, and one accidental death; and of the 2 deaths recorded for Blackrock one is from influenza.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 15·6), was equal to an average annual death-rate of 15·8 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·6 per 1,000, the rate for Glasgow being 16·0, and for Edinburgh 16·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 7th March. From this Report it appears that of a total of 69 cases notified, 30 were scarlet fever, 27 phthisis, 9 diphtheria, and 3 erysipelas. Among the 568 cases of infectious diseases in hospital at the close of the week were 251 cases of scarlet fever, 196 of phthisis, 63 of diphtheria, 39 of measles, 4 of erysipelas, 3 of enteric fever, and one of chicken-pox.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II.

STATE OF INFECTIOUS DISEASE

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 7th March, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhical Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total
City of Dublin.	Feb. 14,	.	—	—	12	1	.	7	.	.	6	7	.	—	—	1	—	.	41	75
	Feb. 21,	.	—	—	12	.	.	13	.	.	1	4	.	—	—	—	—	.	28	58
	Feb. 28,	.	—	—	9	.	.	8	.	.	2	2	.	—	—	.	—	.	26	47
	Mar. 7,	.	—	—	9	.	.	5	.	1	7	6	.	—	—	.	—	.	33	61
Rathmines and Rathgar Urban District.	Feb. 14,	.	—	—	4	.	.	2	—	—	—	—	—	—	6
	Feb. 21,	.	—	—	1	.	.	1	—	—	—	—	—	—	2
	Feb. 28,	.	—	—	5	.	.	2	.	.	2	.	.	—	—	—	—	—	—	9
	Mar. 7,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	Feb. 14,	.	33	1	.	.	—	4	—	—	—	1	39
	Feb. 21,	.	43	.	1	—	—	—	—	—	2	46
	Feb. 28,	.	28	4	—	—	—	—	—	—	32
	Mar. 7,	.	21	—	—	—	—	—	2	23
Blackrock Urban District.	Feb. 14,	.	—	—	—	—	—	—	—	—	.
	Feb. 21,	.	—	—	—	—	—	—	—	—	.
	Feb. 28,	.	—	—	—	—	—	—	—	—	.
	Mar. 7,	.	—	—	—	—	—	—	—	—	.
Kingstown Urban District.	Feb. 14,	.	—	—	3	—	—	—	—	—	.	3
	Feb. 21,	.	—	—	1	1	1	.	—	—	—	—	3	6	
	Feb. 28,	.	—	—	—	—	—	—	.	—	.
	Mar. 7,	.	—	—	—	—	—	—	.	—	.
City of Belfast.	Feb. 14,	.	—	—	59	.	.	14	.	1	4	5	.	—	—	—	—	11	94	
	Feb. 21,	.	—	—	39	.	.	8	.	.	1	6	1	—	—	—	—	11	66	
	Feb. 28,	.	—	—	33	.	.	6	.	.	3	4	.	—	—	—	—	6	52	
	Mar. 7,	.	—	—	31	.	.	1	.	.	3	2	1	—	—	—	—	5	43	
City of Cork.	Feb. 14,	.	1	—	1	.	.	1	1	—	—	—	—	—	—	4
	Feb. 21,	.	1	—	2	—	—	—	—	—	—	3
	Feb. 28,	.	.	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	Mar. 7,	.	2	—	2	—	—	—	—	—	—	4
City of Londonderry.	Feb. 14,	.	—	—	—	—	—	—	—	—	.
	Feb. 21,	.	—	—	—	—	—	—	—	—	.
	Feb. 28,	.	—	—	5	—	—	—	—	—	—	5
	Mar. 7,	.	—	—	1	.	—	—	—	—	—	—	1
City of Limerick.	Feb. 14,	.	—	—	1	—	—	—	—	—	—	1
	Feb. 21,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	Feb. 28,	.	—	—	1	.	.	—	—	—	—	—	—	1
	Mar. 7,	.	—	—	3	—	—	—	—	—	—	3
City of Waterford.	Feb. 14,	.	—	—	1	—	—	—	—	—	—	1
	Feb. 21,	.	—	—	—	—	—	—	—	—	.
	Feb. 28,	.	—	—	—	—	—	—	—	—	.
	Mar. 7,	.	—	—	.	.	.	1	—	—	—	—	—	—	1

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 7th March, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of enteric fever were admitted to hospital during the week, 8 were discharged, and 24 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 27, 26, and 29.

One case of typhus was discharged from hospital during the week, and no case remained under treatment at its close.

Seventeen cases of measles were admitted to hospital, 3 were discharged, there was one death, and 32 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 16, 17, and 19 respectively.

Nine cases of scarlet fever were admitted to hospital, 21 were discharged, and 122* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 134, 132, and 134, respectively.

Seven cases of diphtheria were admitted to hospital during the week, 10 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 52, 65, and 59 respectively, were 55 at the close of last week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, one was discharged, and 33 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 7th of March, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

DEATHS IN DUBLIN REGISTRATION AREA.																				
CITY OF DUBLIN.																				
NAMES OF DISEASES &c.		REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the registration Area.	
		Dublin North Superintendent Registrar's District.						Dublin South Superintendent Registrar's District.												
		NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONRA (part of).	PTINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	TEMPEROME.	B. ACKEROCK.	KINGSTOWN.			
Enteric Fever,				1														1		
Typhus,																				
Small-pox,			1	1			1							1				4		
Measles,																				
Scarlet Fever,																				
Whooping-cough,		2											1					3		
Diphtheria,				1														1		
Croup,																				
Influenza,		1												1		1		3		
Dysentery,																				
Tuberculosis,	Pulmonary,	1	7	1	3				1		2	3		1	2			21		
	Other Forms,			1					1		1			1				2		
Cancer,									1	1		1		2				6	3	
Diseases of Nervous System,			2	2	2				4	2	2				1		2	17		
" Organs of Special Sense,																				
" Circulatory System,			4	4	2		1		4	1	1			2	1			20		
" Respiratory System.	Pneumonia,	1	2	2	1	1				2		2		4				15		
	Others,	3	3	1			1			1	1	5	3		2			20	1	
	Diarrhoea and Enteritis, under 2 years,		1	1					1		1			1				5		
Digestive System.	Diarrhoea, 2 years and upwards,																			
	Enteritis, 2 years and upwards,																			
	Others,		2	1								1		1				5		
" Genito-urinary System,		1					1			1	1	1		1	2			8		
Puerperal Septicæmia, etc.,																				
Other Causes incident to Pregnancy and Childbirth,											1							1		
Diseases of the Skin and Cellular Tissue,		1		1														2	1	
" Locomotor System.																				
Other specified Causes,		1	4	1	6	1	1		1		5	3		2				25		
Violent Deaths,													1	1	1			3	1	
Ill-defined, &c. Causes,																1		1		
Deaths from All Causes		11	26	19	14	1	3	3	12	8	15	17	4	17	9	2	2	163	6	
Annual Rate of Mortality from All Causes in every 1,000 of the population.		19.0	32.8	35.5	20.5	9.5	11.4	14.6	15.3	22.7	18.0	26.7	21.2	22.6	15.5	11.3	6.2	20.9		
		24.4							20.0					16.4						
		22.3																		
Ages at Death.	Under 1 year,	2	4	5	3		1		3	2	6	2	1	3	1		2	35	1	
	1 and under 2 years,	3	3				1	1				1		1				10		
	2 " 5 "	1	3	3							2	2						11		
	5 " 15 "	1	1															2		
	15 " 25 "	2	3	2	1		1			1	2	1			2			14		
	25 " 45 "		3		3				2	2	2	1	2	1	1			17	1	
	45 " 65 "	2	4	5	4		1		3	2	1	4		7	1	1		35	3	
	65 and upwards,		5	4	3	1	1		4	1	2		1	5	4	1		39	1	
Number of Uncertified Deaths,		1		1						1							2	5		
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																				
Public Hospitals, Prisons, and Lunatic Asylums,		2	7	7	5		1		1	2	3	3		2	2			35	5	
Workhouse Hospitals.		2	5	2	2				3	2	4	5		1				26	1	

TENTH WEEK, ending Saturday, 7th March, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 10th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 7th March, 1914.											
	Mar. 12, 1904.	Mar. 11, 1905.	Mar. 10, 1906.	Mar. 9, 1907.	Mar. 7, 1908.	Mar. 13, 1909.	Mar. 12, 1910.	Mar. 11, 1911.	Mar. 9, 1912.	Mar. 8, 1913.		Deaths of Persons of the Ages of											
												0-5.											
Mean Temperature ...	38.0	42.4	46.3	43.1	37.3	38.2	43.6	41.1	44.2	42.9	41.7	44.6	Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
Diseases of the Pharynx, Tonsillitis.	1	.	.1	
Diseases of Stomach, ...	—	—	—	—	—	—	—	2	2	4	—	2	.	2	
Diarrhoea and Enteritis of Children under 2 years.	4	3	4	2	3	5	10	5	6	3	4.6	5	1	4	
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																							
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	.	1	3	—	
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	2	2	2	—	
Cirrhosis of Liver, ...	1	1	2	1	2	3	1.0	2	2	.	.	
Other Diseases of Liver, ...	1	5	1	2	2	.	2	.	1	.	1.4	1	1	.	.	
Peritonitis (cause unknown), Other Diseases of Digestive System.	7	4	8	7	4	7	5	.	2	.	.6	
Acute Nephritis, ...	4	4	8	3	5	8	5	6	2	3	4.9	5	3	2	.	.
Chronic Bright's Disease, ...																							
Urinary Calculi, ...																							
Uterine Tumour (non-cancerous).																							
Ovarian Tumour (non-cancerous)																							
Other Diseases of Genito-urinary System.	3	.	1	1	1	.	.	
Puerperal Septicæmia, &c., ...	1	.	1	1	1	1	.5	
Other Causes incident to Pregnancy and Childbirth.	.	.	1	.	.	2	.	1	.	2	.6	1	1	
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	.	2	1	—	3	.	1	.	.	1	1	
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	2	1	.	—	1	
Premature Birth, ...	1	5	4	5	6	3	3	9	7	1	4.4	7	7	
Congenital Debility, ...	—	—	—	—	—	—	—	3	4	1	—	4	1	3	
Old Age, ...	3	5	6	5	4	6	5	7	7	6	5.4	7	2	5	.	
Other Specified Diseases, ...	—	—	—	—	—	—	—	1	1	3	—	1	
ACCIDENT:																							
Poisons or Poisonous Vapours.	
Conflagration,	
Burns and Scalds,	1	2	.	1	3	2	2	1.1	
Drowning,	22	
Suffocation in Bed,	11	1	1	
Other Deaths by Accident, ...	3	3	.	1	4	2	1	1	1	3	1.9	3	1	.	1	1	.	
Total Deaths from Accident,	3	3	.	2	9	2	2	4	3	5	3.3	4	.	1	.	.	.	1	.	1	1	.	
Included in above are Deaths in connection with—																							
Railways,	22	
Vehicles and Horses,	1	.	.	.	12	
Ships, Boats, Docks,	11	
Building Operations,	
VIOLENCE OTHER THAN ACCIDENTAL:																							
Homicide,	1	12	
Suicide,	1	1	1	.	.	.	2	2	.7	
Execution,	
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	3	5	4	—	1	1	.	.	

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1913-4.—WEEK ENDING																Mar. 7.									
		Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.		Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.
No. of weeks in Annual Series,		37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
Births registered.		167	255	232	225	177	211	220	202	190	232	165	209	194	212	185	140	168	246	203	241	234	279	217	202	244	
Average Births in corresponding week of previous 10 years, ...		206	215	246	200	192	211	194	220	213	193	184	213	187	204	179	186	225	222	212	215	241	214	217	204	232	222
Deaths registered.		196	143	177	163	159	148	162	174	158	164	148	164	153	147	167	137	250	210	205	236	201	214	171	187	169	
Annual Death-rate per 1,000, ...		25.4	18.5	22.9	21.1	20.6	19.1	21.0	22.5	20.4	21.2	19.1	21.2	19.8	19.0	21.6	17.7	32.1	27.0	26.3	30.3	25.8	27.5	22.0	24.0	21.7	
Average Deaths in corresponding week of previous 10 years, ...		153	164	155	155	154	159	149	168	167	173	171	178	181	171	173	166	193	189	194	197	198	197	201	204	199	
Ages, { Under 5 years, ...		62	45	69	58	66	50	57	54	50	49	47	38	55	49	55	47	63	46	45	69	56	72	49	52	57	
5-15 " ...		6	6	2	5	4	9	4	7	6	9	7	9	6	8	8	6	11	12	6	7	11	8	12	8	2	
15-25 " ...		16	4	11	6	8	4	11	9	6	8	6	6	4	3	6	6	12	9	4	16	11	12	10	11	8	
25-45 " ...		37	18	22	18	17	16	23	29	24	26	15	33	23	31	31	19	32	31	32	29	30	27	23	28	27	
45-65 " ...		38	32	40	39	33	39	34	37	33	35	47	47	26	34	37	25	78	48	55	50	46	44	35	33	40	
65-75 " ...		18	20	20	23	19	17	23	18	26	24	23	22	26	15	20	20	31	86	82	84	21	28	25	27	87	
75 and upwards, ...		19	18	13	14	12	13	10	20	13	13	15	9	13	7	10	14	23	28	31	31	26	18	17	16	18	
Deaths from:—		6	1	1	2	1	1	1	1	1	2	1	1	4	3	1	1	1	3	3	2	2	1	1	1	1	
Enteric Fever,	
Typhus,	
Small-pox,	
Measles, ...		1	2	
Scarlet Fever,	
Whooping-cough,	
Diphtheria,	
Influenza,	
Dysentery,	
Tuberculosis { Pulmonary ...		24	15	18	13	16	12	19	18	18	22	14	17	15	16	23	12	24	20	19	22	25	24	25	23	21	
{ Other Forms, ...		5	1	4	6	7	6	6	13	6	5	6	6	5	5	7	5	11	8	4	10	12	7	5	10	4	
Cancer, ...		13	9	13	11	7	11	10	11	10	8	12	11	7	6	7	7	7	7	8	9	7	10	5	10	9	
Diseases of Circulatory System, ...		18	17	18	16	10	15	18	15	21	12	9	17	11	17	18	19	26	15	23	25	16	14	10	18	20	
Diseases of Respi- (Pneumonia		6	12	6	4	7	6	8	12	13	12	14	14	18	19	18	12	22	19	21	28	17	20	18	14	13	
ratory System. { Others, ...		10	10	14	13	13	15	13	15	14	12	20	22	17	22	16	17	51	48	30	43	32	31	25	17	30	
Diarrhoea and Enteritis, under		
2 years, ...		37	25	33	26	29	23	16	14	7	8	9	7	5	4	8	5	3	2	6	5	5	3	5	4	5	
Diarrhoea, 2 years and upwards,		
Violent Deaths, ...		1	1	1	2	2	3	5	2	5	3	5	6	4	3	1	2	6	12	4	9	5	5	3	4	4	
Number of Uncertified Deaths, ...		6	9	5	4	2	3	5	2	5	3	5	6	4	3	1	2	6	12	4	9	5	5	3	4	4	
Mean Temperature of the Air		
(Phoenix Park) in degrees,	
Average Mean Temperature in		54.9	49.5	56.5	56.6	51.4	52.9	43.5	50.9	44.4	46.6	46.6	47.6	44.4	46.0	44.1	37.7	34.6	41.3	39.5	38.6	44.1	48.1	43.6	42.1	43.1	44.6
corresponding week of previous	
10 years, ...		52.3	52.6*	52.4	51.6	50.4	49.8	45.7	45.2	44.6	42.0	41.9	41.5	42.2	42.5	42.4	41.5	41.9	41.1	40.0	39.6	39.4	40.4	41.6	40.4	41.7	
Rainfall in inches, ...		1.540	1.435	1.115	.060	2.730	.140	.530	1.040	.710	.645	.640	.150	1.065	.165	.065	.620	.035	.445	.260	.090	.455	.810	.615	.810	.475	.675
Mean Humidity of the Air, com-	
plete Saturation 1.0,85	.90	.88	.92	.90	.86	.86	.86	.50	.90	.88	.90	.93	.93	.87	.90	.90	.88	.81	.84	.94	.92	.85	.89	.91	.89

* For 9 years only.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 7TH MARCH, 1914.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 3138 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).	Popula- tion in each Class and Group in 1911.	AGES.—										CAUSES OF DEATH										Violence. (27)	Other Causes. (28)	Number of Uncerti- fied Deaths (29)						
			Total Number of Deaths.										Diseases of the Respiratory System																		
			Under 5 years. (4)	5 and under 15. (5)	15 and under 25. (6)	25 and under 45. (7)	45 and under 65. (8)	65 and under 75. (9)	75 and upwards. (10)	Enteric Fever. (11)	Typhus. (12)	Small-pox. (13)	Measles. (14)	Scarlet Fever. (15)	Whooping-cough. (16)	Diphtheria. (17)	Dysentery. (18)	Pneumonia. (19)	Other Forms. (20)	Cancer. (21)	Convulsions. (22)	Other. (24)				Diarrhoea & Enteritis of children under 2 years of age. (25)	Durthra, 2 years of age and upwards. (26)				
ALL PERSONS.			(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
CLASSES.																															
I.	Deaths in Families of the—	14,658	21.3	6	169	57	2	14	18	38	22	18	1	1	1	1	1	1	1	1	1	2	2	1	2	1	2	1	12	2	
II.	PROFESSIONAL AND INDEPENDENT CLASS, ...	101,798	9.7	19	33	14	2	4	5	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	7	7	
III.	MIDDLE CLASS, ...	108,420	15.9	84	37	2	7	10	15	10	3	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19	19	
IV.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	167,479	26.2	84	37	2	7	10	15	10	3	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	36	36	
V.	GENERAL SERVICE CLASS, ...	5,602	—	27	3	1	1	13	5	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	12	12	
INNATES OF WORKHOUSES, ...			5,602	—	27	3	1	13	5	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	12	12	
I.	PROFESSIONAL AND INDEPENDENT CLASS.	7,868	26.5	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
	1. Clerical, Medical, Legal, and other Pro- fessions; Naval and Military Officers, and Heads of Public Departments, ...	1,347	—	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
	2. Merchants and Manufacturers, Higher Class	5,443	19.2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
	3. Persons of Rank and Property, not other- wise described, ...	9,523	11.0	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
II.	MIDDLE CLASS.	25,199	10.3	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
	4. General Body of Officials—Civil Service, Banking, &c., ...	33,249	11.0	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	33,827	7.7	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
III.	Miscellaneous—including all Household- ers in Second Class Localities not included in above, ...	11,777	13.3	8	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
	ARTISAN CLASS AND PETTY SHOPKEEPERS.	28,823	21.7	12	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	20,026	7.8	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
	9. Building and Furnishing Trades, ...	8,952	11.6	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
	10. Clothing Trades, ...	32,070	17.9	11	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
	11. Food Supply Trades	6,772	15.4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
IV.	Other Trades and Callings ranking with Trades, ...	12,977	12.1	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
	12. Petty Shopkeepers	36,041	8.7	6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
	GENERAL SERVICE CLASS.	15,380	33.9	10	6	2	6	7	12	9	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
	14. Army, Police, Postal Delivery and Prison Services &c., ...	103,081	32.9	65	26	2	1	13	5	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
	15. Domestic Servants, ...	5,602	—	27	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
	16. Coach and Car Drivers, Vanmen, &c., ...	5,602	—	27	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
	17. Hawkers, Porters, Labourers, &c., ...	5,602	—	27	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
V.	INNATES OF WORKHOUSES.	5,602	—	27	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
	18. Workhouse Inmates, ...	5,602	—	27	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the Occupations or Social Positions of the Persons whose Deaths were registered in the Dublin Registration Area during the Week ending Saturday, 7th March, 1914: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal admitted ; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncer- tified Deaths.	
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteric of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	Jan. 31	15.5	1.7	9	1	1	.	.	2	1	.	.	
	Feb. 7	31.1	1.7	18	1	.	.	2	.	1	1	4	.	.	1	
	" 14	25.9	1.7	15	2	.	.	1	3	1	.	2	
	" 21	24.2	1.7	14	1	.	.	1	.	.	1	1	.	.	1	
Population in 1914 (Est.) 30,206.	" 28	17.3	1.7	10	1	.	.	2	1	1	.	1	
	Mar. 7	19.0	3.5	11	2	.	.	1	.	.	1	3	.	.	1	
North City, No. 1 (W.) (Office, Summer-hill.)	Jan. 31	37.9	2.5	30	1	.	.	.	7	2	1	1	2	1	.	1	
	Feb. 7	30.3	3.8	24	1	1	.	.	1	2	.	2	4	1	.	1	
	" 14	29.1	5.1	23	.	.	.	1	2	1	.	.	2	.	.	2	3	.	.	1	
	" 21	18.9	.	15	3	.	.	1	3	.	.	1	
	" 28	31.6	3.8	25	.	.	.	1	.	1	.	.	2	1	1	2	7	1	.	1	
Population in 1914 (Est.) 41,278.	Mar. 7	32.8	2.5	26	.	.	.	1	7	.	.	2	3	1	.	1	
North City, No. 2. (Office, Lisburn-street.)	Jan. 31	37.4	1.9	20	1	.	.	3	3	1	3	3	.	.	.	
	Feb. 7	18.7	1.9	10	2	1	.	1	2	1	.	.	
	" 14	22.4	.	12	3	.	1	.	4	.	.	1	
	" 21	37.4	1.9	20	1	.	.	3	1	.	2	1	.	.	2	
	" 28	28.1	3.7	15	.	.	.	2	1	2	.	2	3	.	.	1	
Population in 1914 (Est.) 27,883.	Mar. 7	35.5	7.5	19	1	.	.	1	.	.	1	.	1	1	1	2	1	1	.	1	
North City, No. 3. (Office, Benburb-street.)	Jan. 31	11.7	1.5	8	1	2	.	1	1	1	.	.	
	Feb. 7	27.9	1.5	19	1	.	.	1	4	.	.	.	
	" 14	10.3	.	7	1	.	.	.	2	.	.	.	
	" 21	8.8	.	6	2	1	
	" 28	16.1	2.9	11	1	.	1	.	3	.	.	.	3	.	.	1	
Population in 1914 (Est.) 35,536.	Mar. 7	20.5	.	14	3	.	.	1	
Clontarf and Howth No. 1 (part of).	Jan. 31	
	Feb. 7	19.0	.	2	1	
	" 14	
	" 21	28.5	.	3	1	.	.	1	
Population in 1914 (Est.) 5,485.	" 28	9.5	9.5	1	.	.	.	1	
	Mar. 7	9.5	.	1	
Coolock and Drumcondra (part of).	Jan. 31	19.1	.	5	1	
	Feb. 7	15.2	.	4	1	.	1	.	.	1	
	" 14	11.4	7.6	3	1	1	.	1	.	.	
	" 21	11.4	3.8	3	1	.	.	
Population in 1914 (Est.) 13,685.	" 28	22.9	.	6	1	.	1	.	.	1	
	Mar. 7	11.4	3.8	3	.	.	.	1	1	
Finglas and Glasnevin (part of).	Jan. 31	19.5	.	4	1	1	.	.	1	.	.	1	
	Feb. 7	9.7	.	2	
	" 14	4.9	.	1	
	" 21	4.9	.	1	
Population in 1914 (Est.) 10,723.	" 28	24.3	4.9	5	1	.	1	.	1	1	
	Mar. 7	14.6	.	3	1	.	.	.	
South City, No. 1. (Office, St. Earl-street.)	Jan. 31	26.9	1.3	21	1	1	1	2	4	1	.	1	
	Feb. 7	25.6	.	20	2	2	1	2	2	.	.	.	
	" 14	20.5	1.3	16	5	1	.	1	1	1	.	2	
	" 21	19.2	.	15	3	.	.	2	1	.	.	.	
	" 28	24.3	2.6	19	1	.	.	1	1	.	1	1	5	.	.	.	
Population in 1914 (Est.) 40,768.	Mar. 7	15.3	1.3	12	1	.	1	.	.	1	.	.	
South City, No. 2. (Office, Castle-street.)	Jan. 31	39.8	.	14	3	2	1	2	1	.	.	.	
	Feb. 7	28.4	.	10	2	1	.	1	2	.	.	.	
	" 14	28.4	.	10	1	1	.	.	2	.	.	.	
	" 21	19.9	.	7	3	1	.	.	1	.	.	.	
	" 28	22.7	.	8	1	.	.	.	1	.	.	.	
Population in 1914 (Est.) 18,341.	Mar. 7	22.7	.	8	1	2	1	.	.	1	
South City, No. 3. (Office, Peter-street.)	Jan. 31	21.6	1.2	18	1	.	.	4	1	1	1	4	.	.	1	
	Feb. 7	26.3	1.2	22	3	.	.	2	4	1	.	2	
	" 14	16.8	2.4	14	1	2	2	.	.	1	
	" 21	28.7	.	24	4	1	2	1	5	.	.	4	
	" 28	25.1	1.2	21	1	.	.	.	4	.	1	1	2	.	.	1	
Population in 1914 (Est.) 43,540.	Mar. 7	18.0	1.2	15	2	1	.	.	1	1	.	.	
South City, No. 4. (Office, Grand Canal-st.)	Jan. 31	34.6	3.1	22	.	.	.	2	2	.	.	4	6	.	.	1	
	Feb. 7	29.9	1.6	19	1	.	.	.	4	.	1	1	2	.	.	.	
	" 14	12.6	.	8	4	.	.	2	
	" 21	29.9	3.1	19	.	.	.	1	1	3	.	4	1	1	.	1	
	" 28	25.2	1.6	16	.	.	.	1	1	1	3	.	.	.	
Population in 1914 (Est.) 33,171.	Mar. 7	26.7	1.6	17	1	.	.	3	.	1	2	5	.	.	.	
New Kilmainham.	Jan. 31	21.2	5.3	4	.	.	.	1	1	.	.	.	
	Feb. 7	52.9	5.3	10	.	.	.	1	1	.	.	2	3	.	.	.	
	" 14	10.6	5.3	2	
	" 21	26.5	5.3	5	1	2	1	.	.	
	" 28	10.6	.	2	1	
Population in 1914 (Est.) 9,851.	Mar. 7	21.2	.	4	3	.	.	1	

* See note (†) at foot of first page.

of DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncertified Deaths.	
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever	Typhus.	Small pox	Measles.	Scarlet Fever	Whooping-cough.	Diphtheria	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years age and upwards.			
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District.	Jan. 31 Feb. 7 " 14 " 21	24.0 16.0 21.3 14.6	. . . 1.3	18 12 16 11 1 1	1 1 1 2	. 1 2 2	. 2 1 2	1 1 1 2	4 2 2 2	. . . 1	1 1 1 1
Population in 1914 (Est.) 39,155.	" 28 Mar. 7	13.3 22.6	. 2.7	10 17 1	2 1	2 2	1 4 1	1 1	
Pembroke Urban District.	Jan. 31 Feb. 7 " 14 " 21	13.8 25.9 41.4 22.4	. 6.9 8.6 5.2	8 15 24 13 1 4 4 2	1 1 5 2 1	1 2 1	2 2 3 1	1 1 1	
Population in 1914 (Est.) 30,240	" 28 Mar. 7	27.6 15.5	1.7	16 9	1	1 2	1	2 4	4 2	2 2 1	1	
Blackrock Urban District.	Jan. 31 Feb. 7 " 14 " 21	22.7 17.0 5.7	4 3 1 2	2 1	. 1	
Population in 1914 (Est.) 9,197.	" 28 Mar. 7	17.0 11.3	3 2	1	
Kingstown Urban District.	Jan. 31 Feb. 7 " 14 " 21	15.4 21.5 24.6 12.3	5 7 8 4 1 1	. 1 1	. 2 1	2 1 1	. 2	. 2	
Population in 1911 16,941.	" 28 Mar. 7	18.5 6.2	6 2	3	1	2	
Belfast.	Jan. 31 Feb. 7 " 14 " 21	25.7 21.4 18.6 18.8	0.9 2.0 1.7 0.7	197 164 142 144	. 1	3 7 6 1	1 2 6 1 2	. 1	12 21 14	3 7 4	10 8 9	26 21 13	45 32 23	2 3 1	1 1	4 3 2	2 4 1	
Population in 1914 (Est.) 399,000.	" 28 Mar. 7	20.0 18.3	1.8 2.4	153 140 1	6 6 4 3	4 5	. 1	31 14	8 6	4 4	15 16	18 21	4 7	1	4 3 2	3 1 1	
Cork.	Jan. 31 Feb. 7 " 14 " 21	19.7 21.8 19.0 19.0 2.0	29 32 28 28	5 6 3	3 3 1	. 1 1	2 7 2	3 5 4 3 4	
Population in 1911 76,673.	" 28 Mar. 7	17.0 25.2	1.4	25 37 1	1	1	4 8	1 4	. 4	1 1	2 2	2 3	
Londonderry.	Jan. 31 Feb. 7 " 14 " 21	22.8 16.5 5.1 10.1	. 2.5 1.3 1.3	18 13 4 8	. 1	5 1	. 1	1	5 4	. 1	2 1 1	
Population in 1914 (Est.) 41,100.	" 28 Mar. 7	21.6 19.0	17 15	1	1	1	2 4	4	
Limerick.	Jan. 31 Feb. 7 " 14 " 21	24.4 24.4 23.0 23.0	. 1.4 1.4 2.7	18 18 17 17 1 1	2 2 1 1	. 1	3 8 6	3 1 3	
Population in 1911 38,518.	" 28 Mar. 7	29.8 23.0	. 1.4	22 17	. 1	3 2	4	1 1	3 2 2	
Waterford.	Jan. 31 Feb. 7 " 14 " 21	32.3 11.4 28.5 17.1 1.9	17 6 15 9	2 2 1	1 2 1	1 2	3 2 2	1 2 1	
Population in 1911 27,464.	" 28 Mar. 7	15.2 7.6	8 4	1 1	1 1 1	

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 7th March, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age PERIODS; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.													DEATHS FROM										No. of Deaths in Public Institutions.	Number of Uncertified Deaths.					
				All Causes.	Certain Epi- demic Diseases.†	Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.					DISEASES OF THE RESPIRATORY SYSTEM.						Violence.	Inquest Cases.			
																				Pneumonia.	Other.	Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Cancer.	Pulmonary.	Other Forms.	Other.	Diarrhoea and Enteritis of chil- dren under 2 years of age.					Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)					
City of Belfast.																																			
BELFAST URBAN No. 1 DISTRICT,	15,879	11	32.8	6.6	10	3	1	3	3	1	1	1	1	1	1	2	2	2	2	2	2	2	3	1	1	1	1	1	3	6	1	1			
Do. 2 do.	49,500	18	17.9	2.1	17	5	3	3	3	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4			
Do. 3 do.	50,032	21	12.5	4.2	12	1	4	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
Do. 4 do.	32,637	21	25.6	1.6	16	2	1	5	6	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
Do. 5 do.	16,112	15	19.4	3.2	6	2	2	1	1	1	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4		
Do. 6 do.	37,293	27	29.4	2.8	21	3	3	3	8	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4		
Do. 7 do.	2,681	3	8.7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 8 do.	5,964	5	23.5	3.6	11	2	2	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
Do. 9 do.	24,427	17	18.0	1.4	10	2	1	2	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
Do. 10 do.	28,958	14	11.9	2.2	9	2	1	1	2	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
Do. 11 do.	39,311	20	24.6	2.2	18	8	1	3	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
Do. 12 do.	38,076	22	6.7	1.4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 13 do.	23,233	15	13.8	4.6	6	1	2	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
Do. 14 do.	175	1	18.3	2.4	8	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 15 do.	22,669	8	18.3	2.4	140	28	15	14	27	33	23	1	1	1	3	5	1	1	1	6	4	16	21	2	1	2	2	2	44	1	1	1	1	1	
Total,	386,947	2.7	18.3	2.4	140	28	15	14	27	33	23	1	1	1	3	5	1	1	14	6	4	16	21	2	1	2	2	44	1	1	1	1	1	1	
City of Cork.																																			
CORK URBAN No. 1 DISTRICT,	12,867	3	7.8	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 2 do.	10,701	5	40.1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 3 do.	9,978	1	26.6	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 4 do.	8,666	5	28.5	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 5 do.	6,592	5	16.7	1	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 6 do.	10,702	4	27.0	1	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 7 do.	16,616	7	29.2	1	9	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Total,	76,122	30	25.2	1	37	2	4	2	6	12	11	1	1	1	1	1	1	1	8	4	4	1	2	1	1	1	1	1	17	1	1	1	1	1	

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year. † See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

1913-4--WEEK ENDING																												
BELFAST.		Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Mar. 7.		
No. of weeks in Annual Series,		37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	
BIRTHS registered, ...		234	173	234	197	192	201	191	179	231	182	170	186	136	205	196	130	284	195	254	208	215	187	224	210	203	217	
DEATHS registered, ...		155	160	148	100	127	111	115	102	133	139	126	112	117	137	141	150	194	203	174	182	197	164	142	144	153	140	
Annual Death-rate per 1,000 of estimated population, ...		20.4	21.1	19.5	13.2	16.7	14.6	15.1	13.4	17.5	18.3	16.6	14.7	15.4	18.0	18.6	19.8	25.4	26.5	22.7	23.9	25.7	21.4	18.6	18.8	20.0	18.3	
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 55 and upwards,		59	44	42	24	29	22	24	15	39	31	19	19	14	23	27	28	42	46	24	43	45	33	28	25	28	28	
		13	21	20	15	16	11	19	12	21	15	24	14	14	24	26	17	29	23	36	24	22	21	16	20	10	16	15
		13	25	13	11	20	15	12	14	13	14	14	8	8	15	12	16	25	14	17	14	24	13	18	15	12	18	14
		23	15	16	17	17	13	15	20	13	24	15	21	21	20	22	32	20	25	26	30	23	34	24	26	21	29	27
		30	26	31	20	25	26	23	18	24	32	29	24	24	27	29	32	30	39	47	36	35	41	37	31	42	32	33
Deaths from :—		17	26	26	13	20	24	22	23	23	23	25	26	17	25	17	13	51	31	46	35	43	36	22	34	30	23	
Enteric Fever, ...		2	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	2	1	1	1	1	1	1	1	1	
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	
Small-pox, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Measles, ...		3	4	8	3	1	3	7	5	7	7	9	4	8	8	5	6	3	12	10	2	3	7	6	1	6	3	
Scarlet Fever, ...		1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Whooping-cough, ...		2	3	1	1	2	1	1	1	1	2	1	1	1	2	1	1	2	4	2	1	1	2	6	1	4	5	
Diphtheria, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dysentery, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Tuberculosis. { Pulmonary,		15	16	13	10	14	12	8	13	13	22	9	8	10	8	12	15	15	14	17	15	12	14	21	17	31	14	
{ Other Forms,		5	5	3	3	6	3	6	7	6	2	5	3	6	5	2	9	8	8	5	6	3	7	4	4	8	6	
Cancer, ...		4	3	9	4	5	9	6	5	8	8	10	6	3	7	10	6	3	10	8	6	10	8	9	9	4	4	
Diseases of Respi- { Pneumonia,		10	10	16	8	8	9	6	5	10	16	9	10	13	25	14	28	23	29	23	29	26	21	13	14	15	16	
ratory System, { Others, ...		4	11	15	7	16	7	15	15	13	15	11	12	14	10	14	15	36	28	27	26	45	32	23	18	21	21	
Diarrhoea and Enteritis, under 2 years, ...		41	37	22	15	9	9	2	5	3	1	6	1	1	1	1	1	1	2	3	1	2	3	1	1	4	7	
Diarrhoea, 2 years and upwards, ...		3	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	2	1	1	1	1	1	1	
Violent Deaths, ...		1	2	1	1	1	2	1	1	4	4	9	1	3	2	1	3	5	1	6	4	4	3	2	3	4	2	
Number of Uncertified Deaths, ...		1	1	1	1	4	3	2	1	2	6	1	1	1	1	3	1	1	5	4	3	2	1	4	1	3	1	
Mean Temperature of the Air in degrees, ...		56.0	51.8	57.0	55.7	52.0	54.5	47.7	49.5	44.4	46.7	46.6	48.3	43.1	45.4	43.3	40.0	32.3	41.1	38.7	38.4	44.1	48.1	41.2	41.0	41.1	44.3	
Rainfall, in inches, ...		0.51	2.90	0.74	0.04	0.33	0.81	0.74	2.13	1.22	1.65	0.92	0.26	1.51	0.78	0.07	0.82	0.41	1.83	0.00	0.28	0.55	0.32	0.72	0.93	0.82	0.92	

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Mar. 7,	2,165	1,350	15·6	4	.	18	7	21	12	23
EDINBURGH, ...	321,900	" 7,	125	99	16·0	.	.	5	.	.	2	1
GLASGOW, ...	1,047,000	" 7,	583	321	16·0	.	.	24	2	6	1	3
CALCUTTA, ...	896,067	Jan. 24,	.	548	31·8	67*	15	1	.	.	2†	123‡a
BOMBAY, ...	979,445	" 31,	443	713	37·9	95*	2	15	.	.	.	89‡a
MADRAS, ...	518,660	" 31,	343	489	49·0	77*	1	1	?	?	?	148‡a
CAIRO, ...	715,609	Dec. 31,	730	508	37·0	2	3	.	1	?	13†	51
PARIS, ...	2,847,229	Feb. 21,	928	1,031	18·5	7	.	2	.	5	2†	17
BRUSSELS, ...	767,252	" 14,	250	206	14·0	2	.	.	1	.	2†	7
ANTWERP, ...	313,833	" 14,	121	96	16·0	.	.	2	1	4	4†	8
AMSTERDAM, ...	596,064	" 14,	285	174	15·2	.	.	2	.	4	3†	1
COPENHAGEN, ...	483,000	" 14,	276	153	16·5	.	.	5	3	4	.	2
STOCKHOLM, ...	376,171	" 14,	134	99	13·7
CHRISTIANIA, ...	250,423	" 21,	122	83	17·2	.	.	.	1	7	2	2a
ST. PETERSBURG, ...	1,728,200	Jan. 31,	638	663	20·0	7	.	15	13	6	15	32
MOSCOW, ...	1,694,000	" 24,	.	709	21·8	3	.	17	18	6	16	43a
BERLIN, ...	2,057,715	" 17,	771	561	14·1	.	.	4	6	5	11†	19a
HAMBURG, ...	1,030,983	Feb. 14,	.	297	15·0	.	.	3	2	3	8	11
BRESLAU, ...	543,405	" 21,	.	190	18·2	.	.	2	.	5	3	14a
MUNICH, ...	640,000	" 14,	.	208	16·9	.	.	2	.	2	3†	7a
VIENNA (with suburbs), ...	2,132,523	" 14,	679	682	16·6	.	.	4	2	2	8†	23
BUDA-PESTH, ...	950,784	" 14,	431	352	19·3	1	.	12	9	1	5†	7
PRAGUE and Faubourgs, ...	498,493	Jan. 17,	165	163	17·0	.	.	.	2	.	2†	6
TRIESTE, ...	242,595	" 10,	126	115	24·7	1	.	4	.	1	1†	1
ROME, ...	582,565	Aug. 30,	287	140	12·5	5	.	.	.	1	.	18a
		Sept. 6,	290	161	14·4	5	26
NEW YORK, ...	5,583,871	Feb. 7,	2,851	1,503	14·0	4	.	16	13	2	42†	22
PHILADELPHIA, ...	1,631,960	Jan. 10,
BOSTON, ...	750,768	Feb. 14,	.	236b	16·4	1	7a

* Deaths from "fever," including 3 from enteric fever in Calcutta; 4 from enteric fever and 19 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 28 deaths from cholera in Calcutta, 2 in Bombay, and 2 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 205 (including 6 deaths from diarrhoeal diseases), rate 14·2 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th March, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polionymelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	1	1	2
" " 1, West,	1	.	.	3	3	7
" " 2,	2	.	.	2	9	13
" " 3,	4	.	.	1	.	.	.	1	.	.	.	1	7
Clontarf and Howth No. 1 (part of),	.	2	2
Coolock and Drumcondra (part of),
Finglas and Glasnevin (part of),
South City No. 1,	1	1	.	.	.	6	8
" " 2,	4	4
" " 3,	2	1	1	2	.	.	.	3	9
" " 4,	1	7	8
New Kilmainham,	1	1
Total,	9	.	.	5	.	1	7	6	.	.	.	33	61

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 7th March, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 7th March.			
	Feb. 14.	Feb. 21.	Feb. 28.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	27	26	29	3	8	.	24
Typhus, ...	1	1	1	.	1	.	.
Small-pox,
Measles, ...	16	17	19	17	3	1	32
Scarlet Fever, ...	134	132	134	9	21	.	122*
Diphtheria, ...	52	65	59	7	10	1	55
Pneumonia, ...	29	24	25	9	1	.	33

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.S.C., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 7th March, 1914:—

"The weather was in a very troubled state during the greater part of this week. A high barometer (between 30·5 and 30·3 inches) was reported day by day from the Atlantic between the Azores and the Iberian Peninsula, whereas atmospheric pressure was very low and unsteady in Iceland, on the Norwegian Sea, and over Scandinavia and Northern Russia. The result of all this was a prevalence of strong and squally S.W. or W. winds, clouds, frequent showers, and very unstable temperature all over the British Isles and in many Continental regions. The most energetic and deepest depression of the period was central over the Shetlands on Friday morning. At 7 a.m. the barometer was down to 28·58 inches at Lerwick, whereas it stood as high as 30·29 inches at Lisbon. This steep baric gradient caused fresh to strong westerly gales in many parts of the United Kingdom—at Malin Head the wind blew from W.N.W. at 4 a.m. with a velocity of 60 miles an hour, and 63 miles an hour was reached at Liverpool in gusts between midnight and 7 a.m. In Dublin a fresh gale was felt on the forenoon of Friday. In this City a heavy shower of hail fell at 3·45 p.m. of Sunday. This was followed by a short-lived hoar frost early on Monday morning. Tuesday and the two following days were dull, rainy at times, and blustering. On Wednesday the thermometer rose to 54·8° in the screen, having fallen not lower than 46·4° during the previous night. The stormy weather culminated in a stiff westerly gale on Friday forenoon, but the weather thenceforward was drier until Saturday evening and colder. In Dublin the mean height of the barometer was 29·723 inches, the range being from 30·079 inches at 9 p.m. of Monday (wind, W.N.W.) to 29·357 inches at 9 a.m. of Friday (wind, W.). The corrected mean temperature was 45·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 43·9°. The screened thermometers fell to 34·2° on Monday and rose to 54·8° on Wednesday. Westerly winds prevailed. The rainfall was ·558 inch on 5 days, ·160 inch being measured on Tuesday, and ·172 inch on Saturday. Hail fell on Sunday."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29·719 inches. The highest reading (30·067) was on Monday, at 9 a.m., the lowest (29·370) on Thursday, at 9 p.m.

The mean temperature for the week was 44·6°, being 2·9° above the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Wednesday and Thursday, on which days the thermometer registered 53°, and was lowest on Monday, the mercury having fallen to 32°. The mean of the Dry Bulb for the week was 43·7° and of the Wet Bulb, 42·3°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The rainfall during the week measured 0·675 inch.

At Greenwich the mean temperature for the week was 45·8°, the maximum 57·0°, and the minimum 33·6°; at Glasgow the maximum was 49·8°, the minimum 33·1°, and the mean 41·9°; and at Edinburgh the maximum was 47·7°, the minimum 33·8°, and the mean 41·2°. The rainfall at Greenwich measured 0·35 in., at Glasgow 0·93 in., and at Edinburgh 0·26 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.			BAROMETER.			THERMOMETER.*			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.
			Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)			Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.			
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.) °	(8.) °	(9.) °	(10.) Ins.		
Sunday,	March	1,	29·975	47	34	40·5	38·2	36·5	·87	·7	·4	·060		
Monday,	"	2,	30·065	48	32	40·0	39·7	38·2	·88	·8	6·7	·000		
Tuesday,	"	3,	29·880	50	40	45·0	44·6	43·5	·91	·8	0·9	·220		
Wednesday,	"	4,	29·620	53	46	49·5	49·7	49·1	·95	·8	0·0	·060		
Thursday,	"	5,	29·480	53	43	48·0	48·0	47·3	·95	·7	0·0	·145		
Friday,	"	6,	29·470	52	40	46·0	43·0	40·5	·81	·6	5·6	·000		
Saturday,	"	7,	29·545	49	37	43·0	42·6	41·2	·89	·7	4·4	·190		
Mean,	29·719	50·3	38·9	44·6	43·7	42·3	·89	·7	Total 21·7	Total ·675		

Sunday—Day cloudy, bright at intervals, showers a.m. and p.m.; night clear. Monday—A beautiful bright day, cloudy p.m.; night cloudy. Tuesday—Day cloudy, showers at intervals a.m. and p.m.; night overcast, light rain m.n. to 7.0 a.m. Wednesday—Day overcast, light showers a.m. and p.m.; night cloudy, light showers a.m. Thursday—Day cloudy, heavy and light showers a.m. and p.m.; night cloudy. Friday—A beautiful bright day; night cloudy. Saturday—Day bright, cloudy, heavy shower 8.45 to 9.45 p.m.; night overcast, drizzling m.n. to 4.30 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 a.m. and 9 p.m.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 7th March, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.			Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
				1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday,	March	1,	42·4	45·0	45·0	46	36	41	hrs. 3·8	ins. ·034
Monday,	"	2,	41·0	43·2	45·0	48	33	40·5	5·6	—
Tuesday,	"	3,	44·2	43·6	45·0	50	40	45	0·8	·160
Wednesday,	"	4,	50·5	44·0	45·0	55	39	47	0·2	·037
Thursday,	"	5,	45·2	45·6	45·0	54	43	48·5	—	·146
Friday,	"	6,	46·6	46·3	45·1	53	40	46·5	6·8	—
Saturday,	"	7,	44·6	45·0	45·3	50	38	44	2·6	·178
Weekly Mean,	.	.	44·9	44·7	45·1	50·9	38·4	44·6	Total 19·8	Total ·555

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 14TH MARCH, 1914.

[No. 11.]

*General Register Office, Charlemont House,
Dublin, 16th March, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 20·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Feb. 21	Feb. 28	Mar. 7	Mar. 14	
27 Town Districts, (a)	19·1	20·3	19·2	20·0	19·8
Dublin Reg. Area ...	20·7	22·3	20·9	22·1	21·5
Dublin City ...	22·2	23·3	22·3	24·0	22·9
Belfast ...	18·8	20·0	13·3	19·1	19·1
Cork ...	19·0	17·0	25·2	17·0	19·6
Londonderry ...	10·1	21·6	19·0	15·2	16·5
Limerick ...	23·0	29·8	23·0	20·3	24·0
Waterford ...	17·1	15·2	7·6	15·2	13·8

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 1·6 per 1,000. Among the 146 deaths from all causes for Belfast are 3 from scarlet fever, 2 from whooping-cough, 2 from diphtheria, and 8 from diarrhoea and enteritis of children under two years of age. One of the 3 deaths from all causes for Dundalk was from enteric fever. The 2 deaths from all causes for Lurgan include one from diphtheria, and one death from measles occurred in each of Drogheda, Lisburn, and Queenstown.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 225—109 boys and 116 girls—and the deaths to 189—107 males and 82 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 17) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·1 per 1,000 of the population. During the eleven weeks, ending with Saturday last, the death-rate averaged 24·1, and was 0·8 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 189, represent an annual rate of 24·3 per 1,000; the annual rate for the past eleven weeks was 25·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·1 per 1,000 of the mean population for all deaths registered.

Included in the 189 deaths registered there are 5 from measles, 2 from whooping-cough, one from each of scarlet fever, diphtheria, influenza, and dysentery,* and 5 from diarrhoea and enteritis of children under 2 years of age. In the three weeks preceding, deaths from measles were 3, 7, and 4; deaths from whooping-cough were 3, one, and 3; deaths from scarlet fever were 0, 2, and 0; deaths from diphtheria were 0, 2, and one; deaths from influenza were one, 0, and 3; deaths from dysentery were 0, 0, and 0; and deaths from diarrhoea and enteritis of children under 2 years were 4, 2, and 5, respectively.

There were 35* deaths from tuberculous disease, comprising 26 from pulmonary tuberculosis, 5 from tuberculous meningitis, one from abdominal tuberculosis, one from tuberculosis of bone, and 2 from disseminated tuberculosis. In the three preceding weeks, deaths from all forms of tuberculous disease numbered 35, 27, and 23, respectively.

Cancer caused 7* deaths.

There were 7 deaths from broncho-pneumonia, 3 from lobar pneumonia, and 4 from pneumonia (type not distinguished).

Four deaths of infants under one year of age were attributed to convulsions, 4 to congenital debility, and 6 to premature birth.

Organic diseases of the heart caused the deaths of 16 persons, and there were 32 deaths from bronchitis.

There was one accidental death.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year of age, and the death of one person aged 75 years.

Sixty-one of the persons whose deaths were registered during the week were under 5 years of age (37 being infants under one year, of whom 14 were under one month old) and 36 were aged 65 years and upwards, including 25 persons aged 70 and upwards; among the latter were 18 aged 75 and upwards, of whom one (a male) was stated to have been aged 93 years.

Eighty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse, and 22 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·1 per 1,000; the rate in the City was 24·0 (North City Districts, 21·5; South, 26·8) and in the Suburbs 15·8.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 1·8 (in the North City Districts 1·9, and in the South 1·8), and for the Suburbs 1·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·4 per 1,000, and include one from whooping-cough, one from pulmonary tuberculosis, and 4 from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (32) are equal to an annual rate of 40·4 per 1,000. Included in the total are one from measles, one from whooping-cough, 6 from tuberculous disease, 4 from pneumonia, 4 from bronchitis, and 2 from diarrhoea and enteritis of children under 2 years.

No. 2 *North City District* (Lisburn-street).—The deaths (5) are equivalent to an annual rate of 9·4 per 1,000. Broncho-pneumonia caused one death.

No. 3 *North City District* (Benburb-street).—The deaths (9) represent an annual rate of 13·2 per 1,000, and include 2 from pulmonary tuberculosis, one from pneumonia, and 3 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth. No. 1, part of, 9·5 per 1,000 inhabitants; Coolock and Drumcondra, part of, 11·4; and Finglas and Glasnevin, part of, 24·3. Included in the 5 deaths from all causes for the last-named district are two from pneumonia, one from bronchitis, and one from diarrhoea and enteritis, of a child under 2 years of age.

No. 1 *South City District* (South Earl-street).—The deaths (18) represent an annual rate of 23·0 per 1,000, and include one from measles, 4 from tuberculous disease, and 3 from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 14·2 per 1,000. Lobar pneumonia caused one death, bronchitis 2 deaths, and there was one death of a child under 2 years from diarrhoea and enteritis.

No. 3 *South City District* (Peter-street).—The deaths (27) are equal to an annual rate of 32·3 per 1,000, and include one from scarlet fever, one from diphtheria, 7 from tuberculous disease, and 9 from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (19) are equivalent to an annual rate of 29·9 per 1,000. Included in the total is one from each of measles and pulmonary tuberculosis, and there are 2 deaths from bronchitis.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 31·8 per 1,000. Tuberculous disease caused 4 deaths and bronchitis one death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·3; Pembroke, 29·3; Blackrock, 11·3; and Kingstown, 9·2. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 from measles and one from diarrhoea and enteritis of a child under 2 years of age for Pembroke. Included in the 7 deaths from all causes for Rathmines and Rathgar is one from each of pulmonary tuberculosis, broncho-pneumonia, and bronchitis. Among the 17 deaths from all causes for Pembroke are 5 from tuberculous disease, 2 from pneumonia, and 2 from bronchitis. One of the 2 deaths for Blackrock is from influenza; and one accidental death is included in the 3 deaths for Kingstown.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 14·3), was equal to an average annual death-rate of 15·4 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 17·9 per 1,000, the rate for Glasgow being 19·5, and for Edinburgh 16·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 14th March. From this Report it appears that of a total of 85 cases notified, 37 were scarlet fever, 24 diphtheria, 17 phthisis, 5 erysipelas, one enteric fever, and one of cerebro-spinal fever. Among the 552 cases of infectious diseases in hospital at the close of the week were 251 cases of scarlet fever, 189 of phthisis, 61 of diphtheria, 34 of measles, 6 of erysipelas, and 2 of enteric fever.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II.

STATE OF INFECTIOUS DISEASE

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 14th March, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Bubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total
City of Dublin.	Feb. 21,	.	—	—	12	.	.	13	.	.	1	4	.	—	—	.	—	.	28	58
	Feb. 28,	.	—	—	9	.	.	8	.	.	2	2	.	—	—	.	—	.	26	47
	Mar. 7,	.	—	—	9	.	.	5	.	1	7	6	.	—	—	.	—	.	33	61
	Mar. 14,	.	—	—	2	.	.	6	.	2	4	4	.	—	—	.	—	.	32	50
Rathmines and Rathgar Urban District.	Feb. 21,	.	—	—	1	.	.	1	—	—	—	—	—	—	2
	Feb. 28,	.	—	—	5	.	.	2	.	.	2	.	.	—	—	—	—	—	—	9
	Mar. 7,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	Mar. 14,	.	—	—	2	—	—	—	—	—	—	3
Pembroke Urban District.	Feb. 21,	.	43	.	1	—	—	—	—	—	2	46
	Feb. 28,	.	28	4	—	—	—	—	—	.	32
	Mar. 7,	.	21	—	—	—	—	—	2	23
	Mar. 14,	.	30	—	—	—	—	—	.	30
Blackrock Urban District.	Feb. 21,	.	—	—	—	—	—	—	—	—	.
	Feb. 28,	.	—	—	—	—	—	—	—	—	.
	Mar. 7,	.	—	—	—	—	—	—	—	—	.
	Mar. 14,	.	—	—	—	—	—	—	—	—	.
Kingstown Urban District.	Feb. 21,	.	—	—	1	1	1	.	—	—	—	—	—	3	6
	Feb. 28,	.	—	—	—	—	—	—	—	.	.
	Mar. 7,	.	—	—	—	—	—	—	—	.	.
	Mar. 14,	.	—	—	.	.	.	1	—	—	—	—	—	4	5
City of Belfast.	Feb. 21,	.	—	—	39	.	.	8	.	.	1	6	1	—	—	—	—	—	11	66
	Feb. 28,	.	—	—	33	.	.	6	.	.	3	4	.	—	—	—	—	—	6	52
	Mar. 7,	.	—	—	31	.	.	1	.	.	3	2	1	—	—	—	—	—	5	43
	Mar. 14,	.	—	—	29	.	.	11	.	.	2	4	.	—	—	—	—	—	6	52
City of Cork.	Feb. 21,	.	1	—	2	—	—	—	—	—	—	3
	Feb. 28,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	Mar. 7,	.	2	—	2	—	—	—	—	—	—	4
	Mar. 14,	.	—	—	5	1	1	.	—	—	—	—	—	—	7
City of Londonderry.	Feb. 21,	.	—	—	—	—	—	—	—	—	.
	Feb. 28,	.	—	—	5	—	—	—	—	—	—	5
	Mar. 7,	.	—	—	1	.	—	—	—	—	—	—	1
	Mar. 14,	.	—	—	1	—	—	—	—	—	—	1
City of Limerick.	Feb. 21,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	Feb. 28,	.	—	—	1	.	.	—	—	—	—	—	—	1
	Mar. 7,	.	—	—	3	—	—	—	—	—	—	3
	Mar. 14,	.	—	—	1	—	—	—	—	—	—	1
City of Waterford.	Feb. 21,	.	—	—	1	—	—	—	—	—	—	1
	Feb. 28,	.	—	—	—	—	—	—	—	—	.
	Mar. 7,	.	—	—	.	.	.	1	—	—	—	—	—	—	1
	Mar. 14,	.	—	—	—	—	—	—	—	—	.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 14th March, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Nine cases of enteric fever were admitted to hospital during the week, 2 were discharged, and 31 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 26, 29, and 24.

Twenty-five cases of measles were admitted to hospital, 6 were discharged, there were two deaths, and 49 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 17, 19, and 32 respectively.

Fifteen cases of scarlet fever were admitted to hospital, 16 were discharged, there was one death and 120* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 132, 134, and 122, respectively.

Eight cases of diphtheria were admitted to hospital during the week, and 13 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 65, 59, and 55 respectively, were 50 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 14 were discharged, there were 2 deaths, and 24 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE III. —DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 14th of March, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

DEATHS IN DUBLIN REGISTRATION AREA.																		
CITY OF DUBLIN.																		
NAMES OF DISEASES &c.	REGISTRATION DISTRICTS IN										URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.		
	Dublin North Superintendent Registrar's District.						Dublin South Superintendent Registrar's District.											
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	PINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.			BLACKROCK.	KINGSTOWN.
Enteric Fever,	
Typhus,	
Small-pox,	
Measles,	1	1	2	.	.	5	
Scarlet Fever,	1	
Whooping-cough,	1	1	2	
Diphtheria,	1	1	
Croup,	
Influenza,	1	.	1	
Dysentery,	
Tuberculosis, { Pulmonary,	1	4	.	2	.	.	.	3	6	1	2	1	4	.	.	.	24	
{ Other Forms,	2	1	1	1	2	.	1	.	.	.	7	
Cancer,	1	.	1	.	1	.	.	.	1	.	.	.	1	.	.	5	
Diseases of Nervous System,	2	2	1	.	.	1	.	1	1	1	4	2	15	
" Organs of Special Sense,	
" Circulatory System,	1	2	.	1	.	.	.	3	.	2	4	.	2	2	.	.	17	
" Respiratory System. { Pneumonia,	4	1	1	.	2	.	.	1	.	.	.	1	2	.	.	12	
{ Others,	4	4	.	3	.	1	.	3	2	10	2	1	1	3	.	.	34	
" Digestive System. { Diarrhoea and Enteritis, under 2 years,	2	.	.	.	1	.	.	1	1	.	.	5	
{ Diarrhoea, 2 years and upwards,	
{ Enteritis, 2 years and upwards,	1	2	1	1	
{ Others,	2	4	1	.	1	1	.	1	2	.	.	11	
" Genito-urinary System,	1	3	.	1	.	1	.	1	.	.	.	1	1	.	.	.	11	
Puerperal Septicæmia, etc.,	
Other Causes incident to Pregnancy and Childbirth,	
Diseases of the Skin and Cellular Tissue,	
" Locomotor System,	
Other specified Causes,	1	2	1	.	.	.	1	5	.	1	6	.	1	.	.	.	18	
Violent Deaths,	1	.	
Ill-defined, &c. Causes,	1	1	
Deaths from All Causes	13	32	5	9	1	3	5	18	5	27	19	6	7	17	2	3	172	
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22.4	40.4	9.4	13.2	9.5	11.4	24.3	23.0	14.2	32.3	29.9	31.3	9.3	29.3	11.3	9.2	22.1	
	21.5					26.8					15.8					24.0		
Ages at Death. { Under 1 year,	2	9	1	.	.	1	4	2	4	8	1	1	1	1	.	35	
{ 1 and under 2 years,	3	2	1	1	.	1	1	.	.	1	.	2	2	.	.	15	
{ 2 " 5 "	1	2	1	.	.	.	1	.	1	.	1	.	3	.	.	9	
{ 5 " 15 "	3	2	.	.	.	1	.	.	7	
{ 15 " 25 "	1	1	2	.	3	.	1	.	1	.	.	9	
{ 25 " 45 "	6	1	2	1	1	1	1	2	3	2	.	3	1	1	24	
{ 45 " 65 "	4	5	.	3	1	.	6	1	9	6	1	1	2	1	1	41	
{ 65 and upwards,	2	4	1	3	1	2	3	1	6	1	.	3	4	.	1	32	
Number of Uncertified Deaths,	1	3	2	6	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	7	1	2	.	1	1	6	1	6	4	1	1	1	.	1	36	
Workhouse Hospitals,	1	5	1	1	.	.	.	6	2	7	3	.	.	2	.	.	28	

ELEVENTH WEEK, ending Saturday, 14th March, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes <i>Registered</i> in the Week ending Saturday										Averages in 11th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 14th March, 1914.																									
	Mar. 19, 1904.	Mar. 18, 1905.	Mar. 17, 1906.	Mar. 16, 1907.	Mar. 14, 1908.	Mar. 20, 1909.	Mar. 19, 1910.	Mar. 18, 1911.	Mar. 16, 1912.	Mar. 15, 1913.		Deaths of Persons of the Ages of																									
												0-5.																									
												Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																
Mean Temperature ...	42·6	43·5	43·3	43·8	41·0	39·6	39·8	38·0	44·6	41·1	41·7	41·7																									
Diseases of the Pharynx, Tonsillitis.	1	.	·1										
Diseases of Stomach, ...	—	—	—	—	—	—	—	2	3	1	—	4	.	.	2	.	.	1	1											
Diarrhoea and Enteritis of Children under 2 years.	1	4	4	5	2	4	4	6	4	5	4·2	5	2	3											
Diarrhoea 2 years and upwards.									
Enteritis 2 years and upwards	—	—	—	—	—	—	—	.	1	1	—	1	.	.	1											
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	.	2	.	—	2	1	1											
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	.	.	.	—											
Cirrhosis of Liver, ...	1	2	1	.	1	.	.	.	3	1	·9	1	1											
Other Diseases of Liver, ...	5	.	1	.	1	2	.	.	2	1	1·2	2	1	1	1												
Peritonitis (cause unknown),	.	.	1	1	·2	2	1	.	1												
Other Diseases of Digestive System.	4	6	7	6	7	1	2	.	1	.	3·4	3	1	2												
Acute Nephritis, ...	5	6	8	7	5	7	4	5	.	.	5·8	2	1											
Chronic Bright's Disease, ...																											6	4	7	.	.	1	.	1	4	2	.
Urinary Calculi,
Uterine Tumour (non-cancerous).																										
Ovarian Tumour (non-cancerous)																										
Other Diseases of Genito-urinary System.	1	1	.	.	3	1	.	1	1	.	.	.													
Puerperal Septicæmia, &c., ...	1	.	.	.	1	·2												
Other Causes incident to Pregnancy and Childbirth.	1	1	1	1	.	.	·4												
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	1	1	.	—												
Diseases of Locomotor System.	—	—	—	—	—	—	—	.	1	1	—												
Congenital Malformations, ...	—	—	—	—	—	—	—	.	.	1	—												
Premature Birth, ...	9	3	5	6	3	1	8	2	3	2	4·2	6	6												
Congenital Debility, ...	—	—	—	—	—	—	—	1	8	5	—	4	2	2												
Old Age, ...	6	10	3	3	4	8	2	10	5	7	5·8	4	4	2	2	2	.	.												
Other Specified Diseases, ...	—	—	—	—	—	—	—	.	.	3	—	1	.	1												
ACCIDENT:																																					
Poisons or Poisonous Vapours.	·2												
Conflagration, ...	2	·6												
Burns and Scalds, ...	1	1	.	.	1	1	.	1	1	.	·5												
Drowning,	1	1	1	.	1	1	.	.	·2												
Suffocation in Bed,	1	.	.	1	.	.	·2												
Other Deaths by Accident, ...	2	1	1	4	5	2	.	2	1	2	2·0	1	1													
Total Deaths from Accident,	5	2	2	5	8	3	1	5	2	2	3·5	1	1													
Included in above are Deaths in connection with—																																					
Railways,	1	1	·2												
Vehicles and Horses,	1	1	·2												
Ships, Boats, Docks,	1	·1													
Building Operations,												
VIOLENCE OTHER THAN ACCIDENTAL:																																					
Homicide, ...	1	·1												
Suicide,	1	.	.	.	2	·3												
Execution,												
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	.	4	3	—	3	2	.	1												

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1913-4—WEEK ENDING																									
		Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.
No. of weeks in Annual Series,		38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11
Births registered.		255	232	225	177	211	220	202	190	232	165	209	194	212	185	140	168	246	203	241	254	279	217	217	202	244	225
Average Births in corresponding week of previous 10 years, ...		215	246	200	192	211	194	220	213	193	184	213	187	204	179	186	225	222	212	215	241	214	217	204	232	222	206
Deaths registered, ...		143	177	163	159	148	162	174	158	164	148	164	153	147	167	137	250	210	205	236	201	214	171	175	187	169	189
Annual Death-rate per 1,000, ...		18.5	22.9	21.1	20.6	19.1	21.0	22.5	20.4	21.2	19.1	21.2	19.8	19.0	21.6	17.7	32.1	27.0	26.3	30.3	25.8	27.5	22.0	22.5	24.0	21.7	24.3
Average Deaths in corresponding week of previous 10 years, ...		164	155	155	154	159	149	168	167	173	171	178	181	171	173	166	193	189	194	197	198	197	198	201	204	199	196
Ages, { Under 5 years, ...		45	69	58	66	50	57	54	50	49	47	38	55	49	55	47	63	46	45	69	56	72	49	52	56	57	61
5-15 " "		6	2	5	4	9	4	7	6	9	7	9	6	8	8	6	11	12	6	7	11	8	12	8	5	2	7
15-25 " "		4	11	6	8	4	11	9	6	8	6	6	4	3	6	6	12	9	4	16	11	12	10	11	8	14	9
25-45 " "		18	22	18	17	16	23	29	24	26	15	33	23	31	31	19	32	31	32	29	30	27	23	28	27	18	30
45-65 " "		32	40	39	33	39	34	37	33	35	35	47	26	34	37	25	78	48	55	50	46	44	35	33	40	38	46
65-75 " "		20	20	23	19	17	23	18	26	24	23	22	15	15	20	20	31	36	32	34	21	28	25	27	37	22	18
75 and upwards, ...		18	13	14	12	13	10	20	13	13	15	9	13	7	10	14	23	28	31	31	26	13	17	16	14	18	18
Deaths from:—		1	1	2	1	1	1	1	1	2	1	1	4	3	1	1	1	3	3	2	1	1	1	1	1	1	1
Enteric Fever, ...		1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diphtheria, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis { Pulmonary ...		15	18	13	16	12	19	18	18	22	14	17	15	16	23	12	24	20	19	22	25	24	25	25	23	21	26
" " { Other Forms, ...		1	4	6	7	6	6	13	6	5	6	6	5	5	7	5	11	8	4	10	12	7	5	10	4	2	9
Cancer, ...		9	13	11	7	11	10	11	10	12	11	12	11	11	7	7	7	8	4	9	7	10	5	5	10	9	7
Diseases of Circulatory System, ...		17	18	15	10	15	18	15	21	12	9	17	11	17	18	19	26	15	23	25	16	14	10	18	19	20	17
Diseases of Respiratory System, ...		12	6	4	7	6	8	12	13	12	14	14	18	19	18	12	22	19	21	26	17	20	13	14	13	15	14
" " { Pneumonia ...		10	14	13	13	15	13	15	14	12	20	22	17	22	16	17	51	48	30	43	32	31	25	17	30	21	34
Diarrhea and Enteritis, under 2 years, ...		25	33	26	29	23	16	14	7	8	9	7	5	4	8	5	3	2	6	5	5	3	5	4	2	5	5
Diarrhea, 2 years and upwards, ...		1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Violent Deaths, ...		9	9	5	2	3	5	2	5	3	5	6	4	3	1	2	6	12	4	9	5	5	3	3	4	4	4
Number of Uncertified Deaths, ...		3	3	3	2	3	5	7	2	4	6	3	4	6	4	3	14	10	2	5	4	4	8	8	6	5	6
Mean Temperature of the Air (Phoenix Park) in degrees, ...		49.5	56.5	56.6	51.4	52.9	43.5	50.9	44.4	46.6	46.6	47.6	44.4	46.0	44.1	37.7	34.6	44.3	39.5	38.6	44.1	48.1	43.6	42.1	43.1	44.6	41.7
Average Mean Temperature in corresponding week of previous 10 years, ...		52.6*	52.4	51.6	50.4	49.8	45.7	45.2	44.6	42.0	41.9	41.5	42.2	42.5	42.4	41.5	41.9	41.1	40.0	39.6	39.4	40.4	41.6	40.4	41.5	41.7	41.7
Rainfall in inches, ...		1.435	1.115	.060	2.730	.140	.530	1.040	.710	.645	.640	.150	1.065	.165	.065	.620	.035	.445	.260	.040	.485	.303	.615	.810	.475	.675	.470
Mean Humidity of the Air, complete Saturation 1.0,90	.88	.92	.90	.86	.86	.86	.90	.90	.88	.90	.93	.93	.87	.90	.90	.88	.81	.84	.94	.92	.85	.89	.91	.89	.90

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 14th March, 1914; the Annual Death-rate represented by the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 14TH MARCH, 1914.																																	
CLASS.	OCCUPATION OR SOCIAL POSITION	Popula- tion in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths	AGES.										CAUSES OF DEATH												Violence.	Other Causes.	Number of Uncertified Deaths.				
					AGES.							CAUSES OF DEATH																					
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhea & Enteritis of children under 2 years of age.				Diarrhea, 2 years of age and upwards.			
				(3)	(1)	(2)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	
	ALL PERSONS.	397,957	—	189				61	7	9	30	46	18	18				5	1	2	1	1	26	9	7	4	14	34	5	1	79	6	
I.	CLASSES.																																
	Deaths in Families of the—																																
II.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	14.2	4																													
III.	MIDDLE CLASS, ...	101,798	15.9	31																													
IV.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	19.7	41																													
	GENERAL SERVICE CLASS, ...	167,479	25.5	82																													
V.	INMATES OF WORKHOUSES, ...	5,602	—	31																													
I.	PROFESSIONAL AND INDEPENDENT CLASS.																																
	1. Clerical, Medical, Legal, and other Professions: Naval and Military Officers, and Heads of Public Departments, ...	7,868	13.8	2																													
	2. Merchants and Manufacturers, Higher Class	1,347																															
	3. Persons of Rank and Property, not otherwise described, ...	5,443	19.2	2																													
II.	MIDDLE CLASS.																																
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	27.4	5																													
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	10.3	5																													
	6. Clerks and Commercial Assistants, ...	33,249	20.4	13																													
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	12.3	8																													
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																																
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	8.9	2																													
	9. Building and Furnishing Trades, ...	28,823	19.9	11																													
	10. Clothing Trades, ...	20,026	10.4	4																													
	11. Food Supply Trades	8,952	5.8	1																													
	12. Other Trades and Callings ranking with Trades, ...	32,070	30.9	19																													
	13. Petty Shopkeepers	6,772	30.8	4																													
IV.	GENERAL SERVICE CLASS.																																
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	36.2	9																													
	15. Domestic Servants, ...	36,041	8.7	6																													
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	17.0	5																													
	17. Hawkers, Porters, Labourers, &c., ...	103,081	31.4	62																													
V.	INMATES OF WORKHOUSES.																																
	18. Workhouse Inmates, ...	5,602	—	31																													

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncer- tified Deaths.		
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and enteric of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	Feb. 7 " 14 " 21 " 28	31.1 25.9 24.2 17.3	1.7 1.7 1.7 1.7	18 15 14 10	1	.	.	2 2 1 1	.	1	1 1 1 1	4 3 1 1	.	1 1 1 1	.	1	2 1 1 1
Population in 1914 (Est.) 30,206.	Mar. 7 " 14	19.0 22.4	3.5 1.7	11 13	2 1	.	.	1 1	.	.	.	3 4
North City, No. 1 (W.) (Office, Summer-hill.)	Feb. 7 " 14 " 21 " 28	30.3 29.1 18.9 31.6	3.8 5.1 . 3.8	24 23 15 25	1	.	.	1	2	1	.	.	1 2 3 2	2	.	2 2 1 1	4 3 3 7	1 . . 1	.	3	1 1 . .	
Population in 1914 (Est.) 41,278.	Mar. 7 " 14	32.8 40.4	2.5 5.1	26 32	.	.	.	1	.	1	.	.	7 4	1	1	2 4	3 4	1 2	.	1	.	.
North City, No. 2. (Office, Lisburn-street.)	Feb. 7 " 14 " 21 " 28	18.7 22.4 37.4 28.1	1.9 . 1.9 3.7	10 12 20 15	1	.	2 3 3 1	1	.	1 4 2 2	2 4 1 3	1	1 2 1 1	
Population in 1914 (Est.) 27,883.	Mar. 7 " 14	35.5 9.4	7.5 .	19 5	1	.	.	1	.	.	1	.	1 . . .	1	1	1 1	1 .	1
North City, No. 3. (Office, Benburb-street.)	Feb. 7 " 14 " 21 " 28	27.9 10.3 8.8 16.1	1.5 . . 2.9	19 7 6 11	1	.	1 1 2 3	.	.	1 . . .	4 2 . 3	.	.	.	1 . . .	
Population in 1914 (Est.) 35,536.	Mar. 7 " 14	20.5 13.2	14 9	14 9	3 2	.	1	1 3
Clontarf and Howth No. 1 (part of).	Feb. 7 " 14 " 21 " 28	19.0 . 28.5 9.5	. . . 9.5	2 . 3 1	1 . 1
Population in 1914 (Est.) 5,485.	Mar. 7 " 14	9.5 9.5	1 .	1 1
Coolock and Drumcondra (part of).	Feb. 7 " 14 " 21 " 28	15.2 11.4 11.4 22.9	. 7.6 3.8 .	4 3 3 6	1	.	1 . . 1	1 . . .	1 1 . .	.	1	.
Population in 1914 (Est.) 13,685.	Mar. 7 " 14	11.4 11.4	3.8 .	3 3	.	.	.	1	1	1	1
Finglas and Glasnevin (part of).	Feb. 7 " 14 " 21 " 28	9.7 4.9 4.9 24.3	. . . 4.9	2 1 1 5	1 . . 1	1
Population in 1914 (Est.) 10,723.	Mar. 7 " 14	14.6 24.3	3 5	3 5	1 2	1 1
South City, No. 1. (Office, St. Earl-street.)	Feb. 7 " 14 " 21 " 28	25.6 20.5 19.2 24.3	. 1.3 . 2.6	20 16 15 19	2 5 3 1	2	1	2 1 2 1	2 1 1 5	.	1 1 . 1	.	2	.
Population in 1914 (Est.) 40,768.	Mar. 7 " 14	15.3 23.0	1.3 1.3	12 18	1	.	.	1	1 3	.	1
South City, No. 2. (Office, Castle-street.)	Feb. 7 " 14 " 21 " 28	28.4 28.4 19.9 22.7	10 10 7 8	2 1 3 1	1	.	1 . . .	2 2 1 1
Population in 1914 (Est.) 18,341.	Mar. 7 " 14	22.7 14.2	8 2.8	8 5	1	2 1	1 2	1
South City, No. 3. (Office, Peter-street.)	Feb. 7 " 14 " 21 " 28	26.3 16.8 28.7 25.1	1.2 2.4 . 1.2	22 14 24 21	1	.	.	3 4 4 2	.	.	2 1 1 .	4 2 5 2	1 1 . 1	.	1	2
Population in 1914 (Est.) 43,540.	Mar. 7 " 14	18.0 32.3	1.2 2.4	15 27	1	.	1	.	6	1	1	.	10	3
South City, No. 4. (Office, Grand Canal-st.)	Feb. 7 " 14 " 21 " 28	29.9 12.6 29.9 25.2	1.6 . 3.1 1.6	19 8 19 16	.	.	.	1	4 4 1 .	.	1	3 4 1 .	2 1 3 5	.	.	1	1
Population in 1914 (Est.) 33,171.	Mar. 7 " 14	26.7 29.9	1.6 1.6	17 19	.	.	.	1	.	1	.	.	3 1	.	1	2 .	5 2	2
New Kilmainham.	Feb. 7 " 14 " 21 " 28	52.9 10.6 26.5 10.6	5.3 5.3 5.3 .	10 2 5 2	.	.	.	1	1 . . 1	.	.	.	2 1 . 3	3 1 . 1	.	1
Population in 1914 (Est.) 9,851.	Mar. 7 " 14	21.2 31.8	4 .	4 6	2	2	1	.	.	.

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914, Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths.		
		FROM ALL CAUSES	FROM CERTAIN ENDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Marasmus, 2 years age and upwards.	Violence.				
													Pulmonary.	Other Forms.		Pneumonia.	Other.							
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Feb. 7 " 14 " 21 " 28 Mar. 7 " 14	16.0 21.3 14.6 13.3 22.6 9.3	. . . 1.3 . . 2.7 . .	12 16 11 10 17 7 1 1 1 2 2 1 1	. 1	2 1 2 2 2 1	. . . 1 1 1 1	. 2 1 1 1 1	1 1 . .
Pembroke Urban District. Population in 1914 (Est.) 30,240	Feb. 7 " 14 " 21 " 28 Mar. 7 " 14	25.9 41.4 22.4 27.6 15.5 29.3	6.9 8.6 5.2 1.7 15.5 5.2	15 24 13 16 9 17	. 1	4 4 2 1 . . 2	1 5 . . 1 2 4 1 1 1	. . . 1	2 1 . . 2 2 2	2 3 2 4 2 3	. . . 1 1 1 1 1 1 . .	
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Feb. 7 " 14 " 21 " 28 Mar. 7 " 14	17.0 . . 5.7 17.0 11.3 11.3	3 . . 1 3 2 2 1 1	1	1	
Kingstown Urban District. Population in 1911 16,941.	Feb. 7 " 14 " 21 " 28 Mar. 7 " 14	21.5 24.6 12.3 18.5 6.2 9.2	7 8 4 6 2 3	1 1 1 3 1	2 1	1 1	1 2 1 1 . . 1		
Belfast. Population in 1914 (Est.) 399,000.	Feb. 7 " 14 " 21 " 28 Mar. 7 " 14	21.4 18.6 18.8 20.0 18.3 19.1	2.0 1.7 0.7 1.8 2.4 2.0	164 142 144 153 140 146	1 3 3	7 6 1 6 3 3	2 6 . . 4 5 2	. . . 2 . . 1 2	1	14 21 17 31 14 15	7 4 9 8 6 5	8 4 9 4 4 3	21 13 14 15 16 12	32 23 18 18 21 15	3 1 1 4 7 8	1 . . 1 . . 1	3 2 3 4 2 . .	. 4 1 3 1 1	
Cork. Population in 1911 76,673.	Feb. 7 " 14 " 21 " 28 Mar. 7 " 14	21.8 19.0 19.0 17.0 25.2 17.0	. . . 2.0 1.4	32 28 28 25 37 25 1 1 1	6 3 4 4 8 3	3 1 1 . . 4 . .	1 1 4 1	. 2 3 1 1 2	7 5 4 2 2 6 2 3 4 1 3 2		
Londonderry. Population in 1914 (Est.) 41,100.	Feb. 7 " 14 " 21 " 28 Mar. 7 " 14	16.5 5.1 10.1 21.6 19.0 15.2	2.5 1.3 1.3 1.3	13 4 8 17 15 12	1	1 2 1 2	1 . . 1 1 . . 2	. . . 1 1 1 1 2 1 1	4 . . 3 4 4 2	1 1 1 4 . . 1 1 1 1		
Limerick. Population in 1911 38,518.	Feb. 7 " 14 " 21 " 28 Mar. 7 " 14	24.4 23.0 23.0 29.8 23.0 20.3	1.4 1.4 . . 2.7 1.4 . .	18 17 17 22 17 15	. 1 1	1	2 1 4 3 2 1 1	1 1 1 1	8 6 1 1 1 4 1	1			
Waterford. Population in 1911 27,464.	Feb. 7 " 14 " 21 " 28 Mar. 7 " 14	11.4 28.5 17.1 15.2 7.6 15.2	. . . 1.9	6 15 9 8 4 8	2 1 1 1 1 2	2 1 . . 2 . . 1 1 1 1 2 1	2 1 1 1 . . 1		

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 14th March, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.										DEATHS FROM														No. of Deaths in Public Institutions.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																			
				All Causes.	Certain Epi- demic Diseases,†	(5)	(6)	(7)	(8)	(9)	(10)	(11)	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.				Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.					Violence.																		
																								Total Number of DEATHS.	(3)	(4)	(12)								(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																																																				
BELFAST URBAN No. 1 DISTRICT.	15,879	8	13.1	1.1	4	28	16	10	34	28	30																																									
Do. 2 do.	49,500	23	22.1	2.1	21	3	1	4	8	1	3	6																																								
Do. 3 do.	50,082	28	25.0	1.6	10	4	2	1	2	2	3	3																																								
Do. 4 do.	32,637	25	16.0	1.6	10	3	1	1	1	2	3	3																																								
Do. 5 do.	16,112	6	32.4	4.2	15	4	1	1	6	1	2	2																																								
Do. 6 do.	37,293	12	21.0	19.4	15	4	1	1	1	1	1	1																																								
Do. 7 do.	2,681	5	19.4	8.7	1	1	1	1	1	1	1	1																																								
Do. 8 do.	5,964	5	26.2	2.1	6	2	1	1	1	1	2	2																																								
Do. 9 do.	24,427	11	12.8	2.1	10	2	1	1	1	1	3	2																																								
Do. 10 do.	28,958	22	18.0	1.3	10	2	1	1	2	1	3	2																																								
Do. 11 do.	39,311	24	13.3	1.3	10	2	1	1	1	2	4	2																																								
Do. 12 do.	38,076	28	16.4	1.4	12	3	1	1	4	2	2	2																																								
Do. 13 do.	23,293	12	15.7	2.2	7	1	1	1	2	2	1	1																																								
Do. 14 do.	175	1	17.5	6.9	13	3	1	2	4	2	1	1																																								
Do. 15 do.	22,669	18	29.9	6.9	13	3	1	2	4	2	1	1																																								
Total,	386,947	222	19.1	2.0	146	28	16	10	34	28	30																																									
City of Cork.																																																				
CORK URBAN No. 1 DISTRICT.	12,867	3	7.8		2	1	1		1	1	2																																									
Do. 2 do.	10,701	7	25.1		5	1	1	1	1	1	2	2																																								
Do. 3 do.	9,978	4	21.8		4						1	1																																								
Do. 4 do.	8,666	7	5.7		1						1	1																																								
Do. 5 do.	6,592	5	16.7		2						1	1																																								
Do. 6 do.	10,702	2	18.0		4						1	1																																								
Do. 7 do.	16,616	8	22.7		7						4	2																																								
Total,	76,122	36	17.0		25	1	2	2	2	10	8																																									

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year

† See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

1913-4—WEEK ENDING																												
BELFAST.		Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	
No. of weeks in Annual Series,		38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	
BIRTHS registered, ...		173	234	197	192	201	191	179	231	182	170	186	136	205	196	130	284	195	254	208	215	187	224	210	203	217	222	
DEATHS registered, ...		160	148	100	127	111	115	102	133	139	126	112	117	137	141	150	194	203	174	182	197	164	142	144	153	140	146	
Annual Death-rate per 1,000 of estimated population, ...		21.1	19.5	13.2	16.7	14.6	15.1	13.4	17.5	18.3	16.6	14.7	15.4	18.0	18.6	19.8	25.4	26.5	22.7	23.8	25.7	21.4	18.6	18.8	20.0	18.3	19.1	
AGES, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,		44	42	24	29	22	24	15	39	31	19	19	14	23	27	28	42	46	24	43	45	38	28	25	28	28	28	
		21	20	15	16	11	19	12	21	15	24	14	14	24	26	17	29	23	36	24	22	21	16	20	10	16	15	16
		25	13	11	20	15	12	14	13	14	14	8	15	12	16	25	14	17	14	24	13	18	15	12	18	14	10	10
		15	16	17	17	13	15	20	13	24	15	21	20	22	32	20	25	26	30	23	34	24	26	21	29	27	34	34
		26	31	20	25	26	23	18	24	32	29	24	27	29	32	30	39	47	36	35	41	37	31	42	32	38	28	28
Deaths from:— Enteric Fever, Typhus, ... Small-pox, Measles, ... Scarlet Fever, Whooping-cough, Diphtheria, Dysentery,		26	26	13	20	24	22	23	23	23	25	26	17	25	17	18	51	31	46	35	43	36	22	34	30	23	30	
		2	1	.	1	1	.	1	2	1	.	.	.	1	.	.	1	.	1
		2	1
		2	.	.	.	1	1	3	.	.	.	1	.	1	.	1
		1	3	1	8	7	5	7	7	9	4	8	4	8	8	5	6	3	12	10	2	3	7	6	1	6	3	8
{ Pulmonary, Tuberculosis, { Other Forms, Cancer, ... Diseases of Respi- { ratory System, { Pneumonia, Others, ... Diarrhoea and Enteritis, under 2 years, ... Diarrhoea, 2 years and upwards, Violent Deaths, ... Number of Uncertified Deaths, ...		1	.	.	2	1	1	.	.	.	2	1	.	2	1	.	2	4	2	1	2
		16	13	10	14	12	8	13	13	22	9	3	3	10	8	12	15	15	14	17	15	12	14	21	17	31	14	15
		5	3	3	6	3	6	7	6	2	5	3	3	6	5	2	9	8	8	5	6	3	7	4	4	8	6	5
		3	9	4	5	9	6	5	8	8	10	6	3	7	10	6	3	10	8	6	10	8	9	9	4	4	3	3
		10	16	8	9	6	6	5	10	16	9	10	13	25	14	28	23	23	29	23	29	26	21	13	14	15	16	12
Mean Temperature of the Air in degrees. Rainfall, in inches, ...		11	15	7	16	7	15	15	13	15	11	12	14	10	14	15	36	28	27	26	45	32	23	18	18	21	15	
		37	22	15	9	9	2	5	3	1	6	.	1	.	1	1	1	1	2	3	1	2	3	1	4	7	8	
		.	5	1	.	1	1	1	1	1	2	.	2	1	1	.	.	.	1	.
		2	1	1	2	2	1	.	4	4	9	1	3	2	1	3	2	1	3	5	1	6	4	3	2	3	4	2
		1	.	.	4	3	3	2	1	2	6	1	1	1	.	3	1	.	5	4	3	2	.	4	1	3	1	1
51.8		57.0	55.7	52.0	54.5	47.7	49.5	44.4	46.7	46.6	48.3	43.1	45.4	43.3	40.0	32.3	41.1	38.7	38.4	44.1	43.1	41.2	41.0	41.1	44.3	39.9		
2.90		0.74	0.04	0.83	0.81	0.74	2.13	1.22	1.65	0.92	0.26	1.51	0.78	0.07	0.82	0.41	1.83	0.00	0.28	0.55	0.32	0.72	0.93	0.82	0.92	1.40		

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ...	4,516,612	Mar. 14,	2,053	1,240	14·3	.	.	11	1	19	10	19	
EDINBURGH, ...	321,900	" 14,	110	99	16·0	1	.	4	1	.	2	1	
GLASGOW, ...	1,047,000	" 14,	572	392	19·5	2	.	24	4	8	3	2	
CALCUTTA, ...	896,067	Jan. 31,	.	550	31·9	63*	10	122†a	
BOMBAY, ...	979,445	Feb. 7,	421	704	37·3	82*	5	14	.	1	.	70a	
MADRAS, ...	518,660	" 7,	312	490	49·1	78*	.	1	?	?	?	115a	
CAIRO, ...	721,303	Jan. 7,	652	475	34·3	2	7	.	.	?	14†	50	
PARIS, ...	2,847,229	Feb. 28,	1,007	988	17·7	3	.	5	.	8	4†	16	
BRUSSELS, ...	767,252	" 21,	243	192	13·0	1	.	3	1	.	.	7	
ANTWERP, ...	318,833	" 21,	121	86	14·3	.	.	2	2	.	1†	7	
AMSTERDAM, ...	596,064	" 1,	275	148	12·9	.	.	3	.	4	.	2	
COPENHAGEN, ...	483,000	" 21,	253	117	12·6	.	.	3	1	.	1	1	
STOCKHOLM, ...	376,171	" 21,	148	92	12·7	.	.	.	1	2	1	3	
CHRISTIANIA, ...	250,428	" 28,	138	81	16·8	.	.	.	3	2	.	1a	
ST. PETERSBURG, ...	1,728,200	" 7,	798	684	20·6	3	2	25	14	4	3	36	
MOSCOW, ...	1,694,000	Jan. 31,	.	757	23·3	2	.	30	15	8	10	56a	
BERLIN, ...	2,078,267	Feb. 14,	.	583	14·6	.	.	3	11	4	12†	9a	
HAMBURG, ...	1,030,983	" 21,	.	301	15·2	.	.	5	6	2	11	16a	
BREBLAU, ...	543,405	" 28,	.	190	18·2	.	.	1	2	3	1	18a	
MUNICH, ...	640,000	" 21,	.	217	17·7	.	.	2	1	1	.	4a	
VIENNA (with suburbs),	2,132,528	" 21,	765	707	17·2	.	.	6	4	1	10†	26	
BUDA-PESTH, ...	950,784	" 21,	493	367	20·1	.	.	11	7	2	2†	13	
PRAGUE and Faubourgs,	498,490	Jan. 24,	188	197	20·6	.	.	.	2	.	.	4	
TRIESTE, ...	242,595	" 17,	116	127	27·3	.	.	9	.	1	4	3	
		" 24,	91	144	31·0	.	.	5	.	3	.	.	
ROME, ...	582,565	Sept. 13,	263	144	12·9	3	2	24	
NEW YORK, ...	5,583,871	Feb. 14,	2,851	1,553	14·5	4	.	12	14	6	40†	29	
PHILADELPHIA, ...	1,681,960	Jan. 10,	
BOSTON, ...	750,768	Feb. 21,	.	260b	18·1	4	.	.	1	1	5	8a	

* Deaths from "fever," including 4 from enteric fever in Calcutta; 2 from enteric fever and 19 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 34 deaths from cholera in Calcutta.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 232 (including 4 deaths from diphtheria and 4 diarrhoeal diseases), rate 16·1 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th March, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Kryaipeles.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	5	5
" " 1, West,	1	.	.	2	3	6
" " 2,	1	2	3
" " 3,	1	.	2	1	3	7
Clontarf and Howth No. 1 (part of),	1	1
Coolock and Drumcondra (part of),
Finglas and Glasnevin (part of),
South City No. 1,	2	.	.	.	6	8
" " 2,	1	1
" " 3,	1	.	.	.	6	7
" " 4,	3	.	.	.	1	.	.	.	3	7
New Kilmainham,	...	2	3	5
Total,	...	2	.	.	6	.	2	4	4	.	.	.	32	50

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 14th March, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 14th March.			
	Feb. 21.	Feb. 28.	Mar. 7.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	26	29	24	9	2	.	31
Typhus,	1	1
Small-pox,
Measles,	17	19	32	25	6	2	49
Scarlet Fever,	132	134	122	15	16	1	120*
Diphtheria,	65	59	55	8	13	.	50
Pneumonia,	24	25	33	7	14	2	24

* Exclusive of 6 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.S.C., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 14th March, 1914:—

"Unsettled throughout, this week presented two very different types of weather—in Ireland especially. Until Wednesday a northerly current of air prevailed as a complex series of atmospheric depressions moved away in an easterly direction across Great Britain and the North Sea to the Continent. During the first two days cirrus cloud drifted rapidly across the sky from S.W. at a great height, while the undercurrent was westerly to northerly. Rain fell in large quantities over the south and east of England, whereas frost was reported from Scotland—the thermometer falling to 23° at Nairn on Monday morning—and cold but chiefly fine weather held in Ireland. In Dublin heavy showers of hail, sleet or snow fell on the afternoons of both Monday and Tuesday and night frosts followed. By Wednesday morning a depression had reached the S.W. coast of Ireland and was spreading towards the northwestern shores of the British Isles. This system and its secondaries brought rain, fresh S. to W. winds, and higher temperatures. Early on Thursday morning a fine though partial eclipse of the moon (of which the magnitude was .916, taking the moon's diameter as unity) was seen under unfavourable weather conditions in Dublin. Fortunately the sky cleared shortly after the greatest phase was reached at 3.48 a.m. The S.W. type of weather now became firmly established, and culminated in a fierce storm from S. to W.S.W. in the course of Friday night and Saturday morning. At 4 a.m. of the latter day the Holyhead anemometer registered a velocity of 77 miles per hour in gusts of wind from S. Between 9 p.m. of Friday and 3 a.m. of Saturday the barometer fell from 29.507 inches to 28.930 inches; by 9 p.m. of Saturday it had risen again to 29.511 inches. In Dublin the mean atmospheric pressure was 29.604 inches, the range being from 29.971 inches at 9 a.m. of Wednesday (wind, W.) to 28.930 inches at 3 a.m. of Saturday (wind, S.W.). The corrected mean temperature was 43.7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 42.2°. On Wednesday the screened thermometers fell to 31.0°, on Friday they rose to 55.0°. Rain fell daily to the total amount of .453 inch, .158 inch being measured on Thursday. Hail and sleet or snow fell on Monday and Tuesday. A lunar halo was seen on Sunday night."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29·601 inches. The highest reading (29·964) was on Wednesday, at 9 a.m., the lowest (29·132) on Saturday, at 9 a.m.

The mean temperature for the week was 41·7°, being equal to the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Thursday, on which day the thermometer registered 55°, and was lowest on Wednesday, the mercury having fallen to 28°. The mean of the Dry Bulb for the week was 41·8° and of the Wet Bulb, 40·4°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured 0·470 inch.

At Greenwich the mean temperature for the week was 43·9°, the maximum 57·5°, and the minimum 29·3°; at Glasgow the maximum was 50·0°, the minimum 26·0°, and the mean 38·5°; and at Edinburgh the maximum was 48·4°, the minimum 27·7°, and the mean 38·0°. The rainfall at Greenwich measured 2·21 ins., at Glasgow 0·99 in., and at Edinburgh 0·76 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.			BAROMETER.			THERMOMETER.*			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.
			Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)			Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation = 1·0.			
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.) °	(8.) °	(9.) °	(10.) Ins.		
Sunday,	March	8,	29·395	48	38	43·0	41·6	40·3	·90	·6	3·2	·000		
Monday,	"	9,	29·575	46	32	39·0	37·7	37·0	·95	·6	6·6	·000		
Tuesday,	"	10,	29·815	45	29	37·0	32·9	32·3	·93	·7	9·0	·015		
Wednesday,	"	11,	29·775	46	28	37·0	40·1	38·7	·89	·3	3·3	·030		
Thursday,	"	12,	29·730	55	36	45·5	42·9	41·3	·89	·6	9·0	·185		
Friday,	"	13,	29·570	54	35	44·5	50·6	48·9	·88	·6	1·0	·120		
Saturday,	"	14,	29·350	53	39	46·0	46·7	44·6	·86	·7	3·6	·070		
Mean,	29·601	49·6	33·9	41·7	41·8	40·4	·90	·6	35·7	·470		

Sunday—A bright day, cloudy at intervals; night cloudy. Monday—A bright day, cloudy at intervals; night clear. Tuesday—A beautiful bright day; night clear. Wednesday—Day cloudy, bright at intervals, light shower p.m.; night cloudy, showers at intervals a.m. Thursday—A beautiful bright day; night overcast, heavy and light rain 1·0 to 5·30 a.m. Friday—Day cloudy; night cloudy, heavy and light rain from 1·0 to 6·0 a.m. Saturday—Day bright, cloudy at intervals, heavy shower p.m.; night clear.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 14th March, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.			Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
				1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday,	March	8,	44·4	45·0	45·4	50	39	44·5	hrs. 3·9	ins. —
Monday,	"	9,	37·2	44·5	45·5	47	33	40	4·7	·015
Tuesday,	"	10,	35·6	43·2	45·6	44	31	37·5	7·0	—
Wednesday,	"	11,	38·5	42·0	45·6	47	30	38·5	1·1	·122
Thursday,	"	12,	49·7	43·2	45·6	56	41	48·5	4·8	·168
Friday,	"	13,	52·4	44·6	45·5	56	43	49·5	0·4	·096
Saturday,	"	14,	48·2	45·0	45·4	53	42	47·5	4·8	·064
Weekly Mean,	.	.	43·7	43·9	45·5	50·4	37·0	43·7	Total 26·7	Total ·465

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 21ST MARCH, 1914.

[No. 12.]

*General Register Office, Charlemont House,
Dublin, 23rd March, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 20·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Feb. 28	Mar. 7	Mar. 14	Mar. 21	
27 Town Districts, (a)	20·3	19·2	20·0	20·3	20·1
Dublin Reg. Area ...	22·3	20·9	22·1	22·3	21·9
Dublin City ...	23·3	22·3	24·0	24·9	23·6
Belfast ...	20·0	18·3	19·1	21·3	19·7
Cork ...	17·0	25·2	17·0	24·5	20·9
Londonderry ...	21·6	19·0	15·2	19·0	18·7
Limerick ...	29·8	23·0	20·3	17·6	22·7
Waterford ...	15·2	7·6	15·2	24·7	15·7

The deaths from certain epidemic diseases† registered in the 27 town districts during last week* were equal to an annual rate of 2·0 per 1,000. Among the 163 deaths from all causes for Belfast are one from enteric fever, 3 from scarlet fever, 7 from whooping-cough, one from diphtheria, and 3 from diarrhoea and enteritis of children under 2 years of age. Of the 36 deaths from all causes for Cork, one was due to scarlet fever, and one to whooping-cough. One of the 13 deaths from all causes for Limerick was from enteric fever; one of the 3 deaths from all causes for Lurgan was from measles; and of the 2 deaths recorded for Lisburn, one was due to measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 210—117 boys and 93 girls—and the deaths to 183—103 males and 80 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·3 per 1,000 of the population. During the twelve weeks, ending with Saturday last, the death-rate averaged 24·0, and was 0·9 below the mean rate for the corresponding portions of the ten years, 1904—1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (a) Table II.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.
(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 183; represent an annual rate of 23·5 per 1,000; the annual rate for the past twelve weeks was 25·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·1 per 1,000 of the mean population for all deaths registered.

Among the deaths there were from measles 14 deaths, from enteric fever one death, from scarlet fever 2 deaths, from whooping-cough 3 deaths, from each of diphtheria and croup* one death, from diarrhoea and enteritis of children under 2 years 6* deaths, and from intermittent fever one death. In each of the three weeks preceding, deaths from measles were 7, 4, and 5; deaths from enteric fever were one, one, and 0; deaths from scarlet fever were 2, 0, and one; deaths from whooping-cough were one, 3, and 2; deaths from diphtheria were 2, one, and one; and deaths from diarrhoea and enteritis of children under 2 years were 2, 5, and 5.

The number of deaths from tuberculous disease was 29,* including 21 deaths from pulmonary tuberculosis, 4 deaths from abdominal tuberculosis, and 4 deaths from disseminated tuberculosis. In each of the three preceding weeks, deaths from all forms of the above-mentioned disease were 27, 23, and 35.

There were 6* deaths from cancer.

The deaths of 4 persons were attributed to broncho-pneumonia, and the same number to pneumonia (type not distinguished).

Included in the mortality of infants there were 2 deaths from convulsions, one from congenital malformation, 3 from premature birth, and 3 from congenital debility.

Thirteen deaths were from organic disease of the heart, and 32 deaths were caused by bronchitis.

Of 3 deaths from accident or negligence, one, of a child aged 5 years, was from burning.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these relate to a child under 5 years of age, and to a person aged 76 years.

Seventy of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 16 were under one month old), and 33 were aged 65 years and upwards, including 25 persons aged 70 and upwards; among the latter were 12 aged 75 and upwards.

Eighty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, 23 in the South Dublin Union Workhouse, and 3 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·3 per 1,000; the rate in the City was 24·9 (North City Districts, 23·4; South, 26·5) and in the Suburbs 14·2.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 3·3 per 1,000 inhabitants, the rate for the City being 4·0 (in the North City Districts 5·1, and in the South 2·9), and for the Suburbs 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·8 per 1,000. One death from measles, one death from pulmonary tuberculosis, and 3 deaths from bronchitis were recorded.

No. 1 *North City District, West* (Summer-hill).—The deaths (26) are equal to an annual rate of 32·8 per 1,000, and include one death from enteric fever, 5 deaths from measles, one death from whooping-cough, 2 deaths from tuberculous disease, 2 deaths from broncho-pneumonia, 3 deaths from bronchitis, two deaths of children under 2 years of age from diarrhoea and enteritis, and one accidental death.

No. 2 *North City District* (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 26·2 per 1,000. Among them are one death from measles, 3 from tuberculous disease, one from broncho-pneumonia, 4 from bronchitis, and 2 from diarrhoea and enteritis of children under 2 years of age.

No. 3 *North City District* (Benburb-street).—The deaths (17) represent an annual rate of 24·9 per 1,000, and include one death from measles, 5 from pulmonary tuberculosis, 2 from pneumonia, and one from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·0 per 1,000 inhabitants; Coolock and Drumcondra, part of, 26·7; and Finglas and Glasnevin, part of, 0·0. Among the 7 deaths for Coolock and Drumcondra, part of, are one death from measles, 4 from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

No. 1 *South City District* (South Earl-street).—The deaths (21) represent an annual rate of 26·9 per 1,000. There were 2 deaths from measles, 5 from tuberculous disease, and one from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 25·6 per 1,000. One death from scarlet fever, one from pulmonary tuberculosis, and 4 deaths from bronchitis were recorded.

No. 3 *South City District* (Peter-street).—The deaths (22) are equal to an annual rate of 26·3 per 1,000. Five deaths were caused by tuberculous disease, one by pneumonia, and 5 by bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (17) are equivalent to an annual rate of 26·7 per 1,000. Among them are 2 deaths from measles, one death each from scarlet fever, whooping-cough, and diphtheria, 3 deaths from tuberculous disease, one death from broncho-pneumonia, and 2 from bronchitis.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 26·5 per 1,000. Bronchitis caused 3 deaths,

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·0; Pembroke, 19·0; Blackrock, 11·3; and Kingstown, 12·3. The deaths from the principal epidemic diseases tabulated for these districts comprise one from whooping-cough for Rathmines and Rathgar, and one from measles for Pembroke. Among the 9 deaths from all causes for Rathmines and Rathgar are one from pulmonary tuberculosis and one from pneumonia. Of the 11 deaths from all causes for Pembroke 2 were from pulmonary tuberculosis and 2 from bronchitis; and the 4 deaths from all causes from Kingstown include one death caused by burns.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 14·2), was equal to an average annual death-rate of 15·2 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·6 per 1,000, the rate for Glasgow being 16·1, and for Edinburgh 19·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 21st March. From this Report it appears that of a total of 80 cases notified, 33 were scarlet fever, 27 phthisis, 11 diphtheria, and 9 erysipelas. Among the 551 cases of infectious diseases in hospital at the close of the week were 251 cases of scarlet fever, 187 of phthisis, 62 of diphtheria, 34 of measles, 7 of erysipelas, and 2 of enteric fever.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II.

STATE OF INFECTIOUS DISEASE

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford. during the week ended 21st March, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Oroup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Feb. 28,	.	—	—	9	.	.	8	.	.	2	2	.	—	—	.	—	.	26	47
	Mar. 7,	.	—	—	9	.	.	5	.	1	7	6	.	—	—	.	—	.	33	61
	Mar. 14,	.	—	—	2	.	.	6	.	2	4	4	.	—	—	.	—	.	32	50
	Mar. 21,	.	—	—	14	.	.	5	.	1	5	4	.	—	—	.	—	.	17	46
Rathmines and Rathgar Urban District.	Feb. 23,	.	—	—	5	.	.	2	.	.	2	.	.	—	—	—	—	—	—	9
	Mar. 7,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	Mar. 14,	.	—	—	2	.	.	1	—	—	—	—	—	—	3
	Mar. 21,	.	—	—	5	—	—	—	—	—	—	5
Pembroke Urban District.	Feb. 28,	.	28	4	—	.	—	—	—	.	32
	Mar. 7,	.	21	—	.	—	—	—	2	23
	Mar. 14,	.	30	—	.	—	—	—	.	30
	Mar. 21,	.	25	.	2	—	2	—	—	—	.	29
Blackrock Urban District.	Feb. 28,	.	—	—	—	—	.	—	—	—	.
	Mar. 7,	.	—	—	—	—	.	—	—	—	.
	Mar. 14,	.	—	—	—	—	.	—	—	—	.
	Mar. 21,	.	—	—	—	—	.	—	—	—	.
Kingstown Urban District.	Feb. 28,	.	—	—	—	—	—	—	—	.	.
	Mar. 7,	.	—	—	—	—	—	—	—	.	.
	Mar. 14,	.	—	—	.	.	.	1	—	—	—	—	—	4	5
	Mar. 21,	.	—	—	1	—	—	—	—	—	.	1
City of Belfast.	Feb. 28,	.	—	—	33	.	.	6	.	.	3	4	.	—	—	.	—	.	6	52
	Mar. 7,	.	—	—	31	.	.	1	.	.	3	2	1	—	—	.	—	.	5	43
	Mar. 14,	.	—	—	29	.	.	11	.	.	2	4	.	—	—	.	—	.	6	52
	Mar. 21,	.	—	—	41	.	.	7	.	.	.	1	.	—	—	.	—	.	2	51
City of Cork.	Feb. 28,	.	.	—	2	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	Mar. 7,	.	2	—	2	—	—	—	—	—	—	4
	Mar. 14,	.	.	—	5	1	1	.	—	—	—	—	—	—	7
	Mar. 21,	.	.	—	3	.	.	.	1	.	.	.	1	—	—	—	—	—	—	5
City of Londonderry.	Feb. 28,	.	—	—	5	—	—	—	—	—	—	5
	Mar. 7,	.	—	—	1	.	—	—	—	—	—	1	1
	Mar. 14,	.	—	—	1	—	—	—	—	—	—	.
	Mar. 21,	.	—	—	—	—	—	—	—	—	.
City of Limerick.	Feb. 28,	.	—	—	1	.	.	—	—	—	—	—	—	1
	Mar. 7,	.	—	—	3	—	—	—	—	—	—	3
	Mar. 14,	.	—	—	1	—	—	—	—	—	—	1
	Mar. 21,	.	—	—	—	—	—	—	—	—	.
City of Waterford.	Feb. 28,	.	—	—	—	—	—	—	—	—	1
	Mar. 7,	.	—	—	—	—	—	—	—	—	.
	Mar. 14,	.	—	—	—	—	—	—	—	7	7
	Mar. 21,	.	—	—	—	—	—	—	—	—	7

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 21st March, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of enteric fever were admitted to hospital during the week, 3 were discharged, there was one death, and 29 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 29, 24, and 31.

Twenty-one cases of measles were admitted to hospital, 3 were discharged, there were 3 deaths, and 64 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 19, 32, and 49 respectively.

Eighteen cases of scarlet fever were admitted to hospital, 21 were discharged, there was one death and 116* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 134, 122, and 120, respectively.

Four cases of diphtheria were admitted to hospital during the week, 11 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 59, 55, and 50 respectively, were 42 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 9 were discharged, there were 2 deaths, and 19 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 21st of March, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

DEATHS IN DUBLIN REGISTRATION AREA.																			
CITY OF DUBLIN.																			
NAMES OF DISEASES &c.	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.	
	Dublin North Superintendent Registrar's District.						Dublin South Superintendent Registrar's District.												
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.			
Enteric Fever,		1															1		
Typhus,																			
Small-pox,																			
Measles,	1	5	1	1		1		2			2						14		
Scarlet Fever,									1		1						2		
Whooping-cough,		1									1		1				3		
Diphtheria,											1						1		
Croup,																		1	
Influenza,																			
Dysentery,																			
Tuberculosis, { Pulmonary,	1	1	2	5				3	1	4	1		1	2			21		
Other Forms,		1	1					2		1	2						7	1	
Cancer,		2								2	1						5	1	
Diseases of Nervous System,		1			1	1		1			1		1	3		1	10		
Organs of Special Sense,																			
Circulatory System,	1	1		1	1			1	1	3	1	2	1		1	2	16	1	
Respiratory System. { Pneumonia,		2	1	2						1	1		1				8		
Others,	3	4	4	2		4		1	4	5	2	3		2			34	1	
Diarrhoea and Enteritis, under 2 years,		2	2			1											5	1	
Digestive System. { Diarrhoea, 2 years and upwards,																			
Enteritis, 2 years and upwards,																			
Others,			1					1		2	1		1	1			7		
Genito-urinary System,			1	1				3	1	3	1			1			11	1	
Puerperal Septicæmia, etc.,										1							1		
Other Causes incident to Pregnancy and Childbirth,																			
Diseases of the Skin and Cellular Tissue,		1													1		1		
Locomotor System,																			
Other specified Causes,	2	5	1	5				5	1		1		2	1			21	1	
Violent Deaths,		1														1	2	1	
Ill-defined, &c. Causes,								2					1				3		
Deaths from All Causes	8	26	14	17	2	7		21	9	22	17	5	9	11	2	4	174	9	
Annual Rate of Mortality from All Causes in every 1,000 of the population.	13.8	32.8	26.2	24.9	19.0	26.7		26.9	25.6	26.3	26.7	26.5	12.0	19.0	11.3	12.3	22.3		
	23.4							26.5					14.2						
	24.9																		
Ages at Death.	Under 1 year,	1	7	2	5		1	5	1	2	4	2	1	2			33	2	
1 and under 2 years,	2	4	3			2		3		1	2	1	1	2			21		
2 " 5 "		3	1	2				2	1	1	3			1			14		
5 " 15 "	1	1	2					1		1	1	1	2		1		7		
15 " 25 "									1	1	1						6	1	
25 " 45 "		2	3	5				5		7	1		1	1			25	3	
45 " 65 "	1	6	3	3		1		1	4	7	4	1	3	2			36	2	
65 and upwards,	2	3		2	2	3		4	2	3	2		2	3	1	3	32	1	
Number of Uncertified Deaths,		1									1						2		
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,	1	7	3	7				2	1	4	5		3		1	1	35	8	
Workhouse Hospitals		4	5	3		1		8	3	6	3			2	1	2	38	1	

TWELFTH WEEK, ending Saturday, 21st March, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 12th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 21st March, 1914.											
	Mar. 26, 1904.	Mar. 25, 1905.	Mar. 24, 1906.	Mar. 23, 1907.	Mar. 21, 1908.	Mar. 27, 1909.	Mar. 26, 1910.	Mar. 25, 1911.	Mar. 23, 1912.	Mar. 22, 1913.		Deaths of Persons of the Ages of											
												0-5.											
Mean Temperature ...	°	°	°	°	°	°	°	°	°	°	°	°	Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
	43·6	43·8	40·3	43·9	37·7	43·5	43·4	41·7	40·8	39·5	41·8	39·8											
Diseases of the Pharynx, Tonsillitis.	.	.	.	1	3	1	·5	
Diseases of Stomach, ...	—	—	—	—	—	—	—	2	3	4	—	2	.	.	1	1	.	.	
Diarrhoea and Enteritis of Children under 2 years.	2	1	6	4	8	5	3	9	2	4	4·3	6	4	2	
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																							
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	2	.	.	—	1	1	
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	2	1	2	—	1	1	.	.	.	
Cirrhosis of Liver,	2	1	.	1	.	1	.	.	2	·7	
Other Diseases of Liver, ...	1	1	2	.	2	1	3	.	.	1	1·1	1	1	.	.	.	
Peritonitis (cause unknown),	10	5	7	5	5	4	11	.	.	.	4·7	2	1	.	1	
Other Diseases of Digestive System.																							
Acute Nephritis, ...	11	5	5	2	7	12	6	6	3	1	2	10	2	6	2	.	
Chronic Bright's Disease, ...																							
Urinary Calculi, ...																							
Uterine Tumour (non-cancerous).																							
Ovarian Tumour (non-cancerous)																							
Other Diseases of Genito-urinary System.									2	1		2	1	.	1	.	
Puerperal Septicæmia, &c., ...	1	1	1	.	1	.	.	1	2	.	·3	1	1	.	.	.	
Other Causes incident to Pregnancy and Childbirth.										1	·7	
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	1	2	.	—	1	1	.	.	
Diseases of Locomotor System.	—	—	—	—	—	—	—	2	.	.	—	1	1	
Congenital Malformations, ...	—	—	—	—	—	—	—	1	1	1	—	1	
Premature Birth, ...	6	4	2	4	2	1	3	3	4	5	8·4	3	2	1	
Congenital Debility, ...	—	—	—	—	—	—	—	3	8	3	—	3	3	
Old Age, ...	11	4	3	2	8	2	5	7	4	10	5·6	4	1	3	.	
Other Specified Diseases, ...	—	—	—	—	—	—	—	2	1	2	—	4	3	1	
ACCIDENT:																							
Poisons or Poisonous Vapours.	.	.	1	·1	
Conflagration, ...	1	1	1	.	.	.	1	2	.	1	·7	1	1	
Burns and Scalds, ...	2	1	·3	
Drowning,	1	1	.	.	.	1	.	.	·3	
Suffocation in Bed, ...	3	.	1	3	.	2	.	1	1	.	1·1	2	1	1	.	.	.	
Other Deaths by Accident, ...	6	2	4	4	.	2	1	4	1	1	2·5	3	1	1	1	.	.	.	
Total Deaths from Accident,																							
Included in above are Deaths in connection with—																							
Railways, ...	1	·1	
Vehicles and Horses, ...	1	.	1	1	.	.	·3	
Ships, Boats, Docks,	
Building Operations,	
VIOLENCE OTHER THAN ACCIDENTAL:																							
Homicide,	·3	
Suicide,	1	1	1	
Execution,	
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	2	6	3	—	3	1	1	.	1	.	

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal admitted ; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncer- tified Deaths.		
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	Feb. 14	25.9	1.7	15	2	.	.	.	1	3	1	.	.	2
	" 21	24.2	1.7	14	1	.	.	1	.	.	.	1	1	.	.	.	1
	" 28	17.3	1.7	10	2	1	1	.	.	.
	Mar. 7	19.0	3.5	11	2	1	3	1	.	.	1
Population in 1914	" 14	22.4	1.7	13	1	4	.	.	.	1
(Est.) 30,206.	" 21	13.8	1.7	8	.	.	.	1	1	3
North City, No. 1 (W.) (Office, Summer-hill.)	Feb. 14	29.1	5.1	23	.	.	.	1	2	1	.	.	2	.	.	.	2	3	.	.	.	1
	" 21	18.9	.	15	3	.	.	.	1	3
	" 28	31.6	3.8	25	.	.	.	1	.	1	.	.	2	1	1	.	2	7	1	.	1	1
	Mar. 7	32.8	2.5	26	.	.	.	1	7	.	.	.	2	3	1	.	.	.
Population in 1914	" 14	40.4	5.1	32	.	.	.	1	.	1	.	.	4	2	1	.	4	4	2	.	.	.
(Est.) 41,278.	" 21	32.8	11.4	26	1	.	.	5	.	1	.	.	1	1	2	.	2	4	2	.	1	1
North City, No. 2. (Office, Lisburn-street.)	Feb. 14	22.4	.	12	3	.	1	.	.	4	.	.	.	1
	" 21	37.4	1.9	20	3	1	.	.	2	1	.	.	.	2
	" 28	28.1	3.7	15	.	.	.	2	.	1	.	.	1	2	.	.	2	3	.	.	.	1
	Mar. 7	35.5	7.5	19	1	.	.	1	.	.	1	.	1	1	1	.	2	1	1	.	1	1
Population in 1914	" 14	9.4	.	5	1
(Est.) 27,883.	" 21	26.2	5.6	14	.	.	.	1	2	1	.	.	1	4	2	.	.	.
North City, No. 3. (Office, Benburb-street.)	Feb. 14	10.3	.	7	1	2
	" 21	8.8	.	6	2	1
	" 28	16.1	2.9	11	1	.	1	.	3	3	.	.	.	1
	Mar. 7	20.5	.	14	3	.	.	.	1
Population in 1914	" 14	13.2	.	9	2	.	1	.	1	3
(Est.) 35,536.	" 21	24.9	1.5	17	.	.	.	1	5	.	.	.	2	2
Clontarf and Howth No. 1 (part of).	Feb. 14
	" 21	28.5	.	3	1	.	.	.	1
	" 28	9.5	9.5	1	.	.	.	1
Population in 1914	Mar. 7	9.5	.	1
(Est.) 5,485.	" 14	9.5	.	1
	" 21	19.0	.	2
Coolock and Drumcondra (part of).	Feb. 14	11.4	7.6	3	1	1	.	1	.	.	.
	" 21	11.4	3.8	3	1	.	.	.
	" 28	22.9	.	6	1
	Mar. 7	11.4	3.8	3	.	.	.	1	1	1
Population in 1914	" 14	11.4	.	3
(Est.) 13,685.	" 21	26.7	7.6	7	.	.	.	1	4	1	.	.	.
Finglas and Glasnevin (part of).	Feb. 14	4.9	.	1
	" 21	4.9	.	1
	" 28	24.3	4.9	5	1	.	.	.	1
	Mar. 7	14.6	.	3	1	.	.	.	1	.	.	1
Population in 1914	" 14	24.3	4.9	5	2	1	1	.	.	.
(Est.) 10,723.	" 21
South City, No. 1. (Office, Sth. Earl-street.)	Feb. 14	20.5	1.3	16	5	1	.	.	1	1	1	.	.	2
	" 21	19.2	.	15	3	.	.	.	2	1
	" 28	24.3	2.6	19	1	.	.	1	1	.	1	.	1	5
	Mar. 7	15.3	1.3	12	1	.	1	.	.	.	1	.	.	.
Population in 1914	" 14	23.0	1.3	18	.	.	.	1	3	1	.	.	.	3
(Est.) 40,768.	" 21	26.9	2.6	21	.	.	.	2	3	2	.	.	.	1
South City, No. 2. (Office, Castle-street.)	Feb. 14	28.4	.	10	1	1	.	.	.	2
	" 21	19.9	.	7	3	1	.	.	.	1
	" 28	22.7	.	8	1	1
	Mar. 7	22.7	.	8	1	.	2	1	.	.	.	1
Population in 1914	" 14	14.2	2.8	5	1	1	2	1	.	.	.
(Est.) 18,341.	" 21	25.6	2.8	9	1	.	.	.	1	4
South City, No. 3. (Office, Peter-street.)	Feb. 14	16.8	2.4	14	1	2	2	1	.	1	1
	" 21	28.7	.	24	5	.	.	.	4
	" 28	25.1	1.2	21	1	.	.	.	4	1	1	.	1	2	.	.	.	1
	Mar. 7	18.0	1.2	15	2	1	.	.	.	1	1	.	.	.
Population in 1914	" 14	32.3	2.4	27	.	.	.	1	.	1	.	.	6	1	1	.	10	3
(Est.) 43,540.	" 21	26.3	.	22	4	1	2	1	.	5
South City, No. 4. (Office, Grand Canal-st.)	Feb. 14	12.6	.	8	4	.	.	.	2
	" 21	29.9	3.1	19	.	.	.	1	1	3	.	.	4	1	1	.	1	1
	" 28	25.2	1.6	16	.	.	.	1	1	.	1	3
	Mar. 7	26.7	1.6	17	1	.	.	3	.	1	.	2	5
Population in 1914	" 14	29.9	1.6	19	.	.	.	1	1	2	.	.	.	2
(Est.) 33,171.	" 21	26.7	7.9	17	.	.	.	2	1	1	1	.	1	2	1	.	1	2	.	.	.	1
New Kilmainham.	Feb. 14	10.6	5.3	2	1	.	.	.
	" 21	26.5	5.3	5	1	2
	" 28	10.6	.	2	1
Population in 1914	Mar. 7	21.2	.	4	3	.	.	1	.
(Est.) 9,851.	" 14	31.8	.	6	2	2	.	.	.	1
	" 21	26.5	.	5	3

* See note (†) at foot of first page.

of DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Other.	Malaria and Enteric of Children under 2 years of age.	Typhoid, 2 years of age and upwards.			
													Pulmonary.	Other Forms.		Pneumonia.	Other.						
Rathmines and Rathgar Urban District.	Feb. 14	21.3	.	16	1	1	1	1	2	
	" 21	14.6	1.3	11	1	.	.	2	.	2	1	2	1	.	.	.	1	.
	" 28	13.3	.	10	2	.	2	1
	Mar. 7	22.6	2.7	17	.	.	.	1	1	.	2	4	1	.	1
Population in 1914 (Est.) 39,155.	" 14	9.3	.	7	1	.	.	1	1
	" 21	12.0	1.3	9	1	.	.	1	.	.	.	1
Pembroke Urban District.	Feb. 14	41.4	8.6	24	1	.	.	4	5	.	.	.	1	3	.	.	.	1	1
	" 21	22.4	5.2	13	.	.	.	2	1	.	2	4	1	.	.	.	1
	" 28	27.6	1.7	16	.	.	.	1	1	.	1	.	2	2
	Mar. 7	15.5	.	9	2	.	2	4	2	2	.	.	.	1	.
Population in 1914 (Est.) 30,240	" 14	29.3	5.2	17	.	.	.	2	4	1	.	.	2	3	1
	" 21	19.0	1.7	11	.	.	.	1	2	.	.	.	2	3
Blackrock Urban District.	Feb. 14
	" 21	5.7	.	1
	" 28	17.0	.	3
Population in 1914 (Est.) 9,197.	Mar. 7	11.3	.	2	1
	" 14	11.3	.	2	1
	" 21	11.3	.	2
Kingstown Urban District.	Feb. 14	24.6	.	8	1	1	1	1	2
	" 21	12.3	.	4	1
	" 28	18.5	.	6	3	1	.
	Mar. 7	6.2	.	2	2
Population in 1911 16,941.	" 14	9.2	.	3	1	.
	" 21	12.3	.	4	1	.
Belfast.	Feb. 14	18.6	1.7	142	.	.	.	6	6	.	.	.	21	4	9	13	23	1	.	.	.	2	4
	" 21	18.8	0.7	144	.	.	.	1	1	2	.	.	17	4	9	14	18	1	.	.	.	3	1
	" 28	20.0	1.8	153	.	.	.	6	4	.	.	.	31	8	4	15	18	4	.	.	.	4	3
Population in 1914 (Est.) 399,000.	Mar. 7	18.3	2.4	140	.	1	.	3	5	1	.	.	14	6	4	16	21	7	1	.	.	2	1
	" 14	19.1	2.0	146	.	.	.	3	2	2	.	.	15	5	3	12	15	8	1
	" 21	21.3	2.0	163	1	.	.	3	7	1	.	.	16	6	7	9	31	3	.	.	.	2	1
Cork.	Feb. 14	19.0	.	28	3	1	1	2	5	3
	" 21	19.0	2.0	28	.	.	.	1	1	1	.	.	4	1	.	3	4	4
	" 28	17.0	1.4	25	4	.	.	1	2	2	1
Population in 1911 76,673.	Mar. 7	25.2	.	37	8	4	4	1	2	3
	" 14	17.0	.	25	3	.	1	2	6	2
	" 21	24.5	1.4	36	.	.	.	1	1	.	.	.	3	2	2	2	3	.	.	.	1	.	3
Londonderry.	Feb. 14	5.1	1.3	4	1	1
	" 21	10.1	1.3	8	2	.	1	.	3	1
	" 28	21.6	.	17	1	1	1	2	4
Population in 1914 (Est.) 41,100.	Mar. 7	19.0	.	15	1	4
	" 14	15.2	1.3	12	2	2	1	2	2	.	1	.	.	.	1
	" 21	19.0	.	15	1	.	.	3
Limerick.	Feb. 14	23.0	1.4	17	1	1	.	.	.	6	3
	" 21	23.0	2.7	17	.	.	.	1	4	.	.	1	1	.	1
	" 28	29.8	.	22	3	.	4	1	3	.	.	1	.	.	2
Population in 1911 38,518.	Mar. 7	23.0	1.4	17	1	2	.	.	1	2	2
	" 14	20.3	.	15	1	.	1	1	4	4
	" 21	17.6	1.4	13	1	1	.	.	.	4	2
Waterford.	Feb. 14	28.5	.	15	2	2	.	2	2	1	2
	" 21	17.1	1.9	9	1	1	.	.	1	.	1	.	.	.	1
	" 28	15.2	.	8	1	2	.	.	1
Population in 1911 27,464.	Mar. 7	7.6	.	4	1	1
	" 14	15.2	.	8	2	1	.	.	2	1
	" 21	24.7	.	13	1	.	.	2	.	.	.	2	.	.

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 21st March, 1914. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted: with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.													DEATHS FROM													No. of Deaths in Public Institutions.	Inquest Cases.	Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
						Total Number of DEATHS.						Enteric Fever.							Typhus.							Small-pox.									Measles.							Scarlet Fever.							Whooping-cough.							Diphtheria.							Dysentery.							Pulmonary.							Other Forms.							Cancer.							Pneumonia.							Other.							Diarrhoea and Enteritis of children under 2 years of age.							Diarrhoea 2 years of age and upwards.							Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
						Ages at Death.													Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
						Ages at Death.													Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				</

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year

† See note (t) at foot of first page

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1913-4—WEEK ENDING																									
	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.
No. of weeks in Annual Series,	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
Births registered, ...	234	197	192	201	191	179	231	182	170	186	186	205	196	180	284	195	254	208	215	187	224	210	203	217	222	196
Deaths registered, ...	148	100	127	111	115	102	133	139	126	112	117	137	141	150	194	203	174	182	197	164	142	144	153	140	146	163
Annual Death-rate per 1,000 of estimated population, ...	19.5	13.2	16.7	14.6	15.1	13.4	17.5	18.3	16.6	14.7	15.4	18.0	18.6	19.8	25.4	26.5	22.7	23.8	25.7	21.4	18.6	18.8	20.0	18.3	19.1	21.3
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,	42	24	29	22	24	15	39	31	19	19	14	23	27	28	42	46	24	43	45	33	28	25	28	28	28	32
	20	15	16	11	19	12	21	15	24	14	24	26	17	29	23	36	24	22	21	16	20	10	16	15	16	21
	13	11	20	15	12	14	13	14	14	8	15	12	16	25	14	17	14	24	18	18	15	12	18	14	10	19
	16	17	17	13	15	20	13	24	15	21	20	22	32	20	25	26	30	23	34	24	26	21	29	27	34	26
	31	20	25	23	23	18	24	32	29	24	27	29	32	30	39	47	36	35	41	37	31	42	32	33	38	30
Deaths from :—	26	13	20	24	22	23	23	23	25	26	17	25	17	18	51	31	46	35	43	36	22	34	30	23	30	35
Enteric Fever, ...	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhus, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...	3	3	1	3	7	5	7	7	9	4	8	8	5	6	3	12	10	2	3	7	6	1	6	3	3	3
Whooping-cough, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diphtheria, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis, { Pulmonary, { Other Forms,	13	10	14	12	8	13	13	22	9	3	10	8	12	15	15	14	17	15	12	14	21	17	31	14	15	16
Cancer, ...	3	3	6	3	6	7	6	2	5	3	6	5	2	9	8	8	5	6	3	7	4	4	8	6	5	6
Diseases of Respi- ratory System, { Pneumonia, { Others, ...	16	8	8	9	6	5	10	16	9	10	13	25	14	28	23	29	23	29	26	21	13	14	15	16	12	9
Diarrhoea and Enteritis, under 2 years, ...	22	15	9	9	2	5	3	1	6	1	1	1	1	1	1	2	3	1	2	3	1	1	4	7	8	3
Diarrhoea, 2 years and upwards, ...	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	2	1	1	1	1	1	1	1	1
Violent Deaths, ...	1	1	2	2	1	1	4	4	9	1	3	2	1	3	5	1	1	6	4	3	2	3	4	2	1	2
Number of Uncertified Deaths, ...	1	1	4	3	2	1	2	6	1	1	1	1	3	1	1	5	4	3	2	4	1	1	3	1	1	1
Mean Temperature of the Air in degrees.	57.0	55.7	52.0	54.5	47.7	49.5	44.4	46.7	46.6	48.3	43.1	45.4	43.3	40.0	32.3	41.1	38.7	38.4	44.1	48.1	41.2	41.0	41.1	44.3	39.9	40.8
Rainfall, in inches, ...	0.71	0.04	0.33	0.81	0.74	2.13	1.22	1.65	0.92	0.26	1.51	0.78	0.07	0.82	0.41	1.83	0.00	0.28	0.55	0.32	0.72	0.93	0.82	0.92	1.40	0.65

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ...	4,516,612	Mar. 21,	2,110	1,228	14·2	4	.	15	8	28	16	17	
EDINBURGH, ...	321,900	„ 21,	128	121	19·6	.	.	7	2	.	.	.	
GLASGOW, ...	1,047,000	„ 21,	584	323	16·1	.	.	24	3	8	3	3	
CALCUTTA, ...	896,067	Feb. 7,	.	492	28·5	58*	15	1	.	.	.	84†a	
BOMBAY, ...	979,445	„ 14,	373	699	37·1	97*	9	12	.	.	.	68a	
MADRAS, ...	518,660	„ 14,	310	476	47·7	57*	1	3	?	?	?	136a	
CAIRO, ...	721,303	Jan. 14,	637	486	35·1	1	5	2	.	?	12†	56	
PARIS, ...	2,847,229	Mar. 7,	1,016	1,021	18·3	4	.	1	.	3	2†	29	
BRUSSELS, ...	767,252	Feb. 28,	237	210	14·2	2	.	1	1	.	2	13	
ANTWERP, ...	313,833	„ 28,	139	73	12·1	.	.	2	.	.	4†	5	
AMSTERDAM, ...	596,064	„ 28,	282	149	13·0	.	.	2	.	1	2†	2	
COPENHAGEN, ...	483,000	„ 28,	203	152	16·4	.	.	4	2	4	1	4	
STOCKHOLM, ...	376,171	„ 28,	127	113	15·6	1	1	3a	
CHRISTIANIA, ...	250,423	Mar. 7,	99	67	13·9	1	.	.	
ST. PETERSBURG, ...	1,728,200	Feb. 14,	1,041	640	19·3	3	1	17	15	3	9	38	
MOSCOW, ...	1,694,000	„ 7,	.	661	20·3	4	1	33	27	9	9	38a	
BERLIN, ...	2,078,267	„ 21,	.	606	15·2	.	.	6	6	2	15†	23a	
HAMBURG, ...	1,030,983	„ 28,	.	274	13·8	.	.	.	2	1	6	11	
BRESLAU, ...	543,405	Mar. 7,	.	206	19·8	.	.	2	1	3	1	14a	
MUNICH, ...	640,000	Feb. 28,	.	198	16·1	.	.	.	1	2	3†	7a	
VIENNA (with suburbs),	2,132,523	„ 28,	677	682	16·6	.	.	6	4	3	10†	27	
BUDA-PESTH, ...	950,784	„ 28,	557	348	19·0	3	.	10	7	2	4†	13	
PRAGUE and Faubourgs,	498,498	Jan. 31,	155	184	19·2	.	.	.	2	.	2†	5	
TRIESTE, ...	242,595	„ 31,	152	137	29·4	.	1	1	.	2	2†	3	
		Feb. 7,	151	127	27·3	.	1	.	.	1	1†	2	
ROME, ...	582,565	Sept. 20,	268	148	13·2	2	21	
NEW YORK, ...	5,583,871	Feb. 21,	2,756	1,768	16·5	4	.	13	22	5	35†	42	
PHILADELPHIA, ...	1,631,960	Jan. 10,	
BOSTON, ...	750,768	Feb. 28,	.	248b	17·2	6	7a	

* Deaths from "fever," including 4 from enteric fever and 9 from plague in Calcutta; 2 from enteric fever and 24 from plague in Bombay, and one from plague in Madras.

† Including deaths from croup.

‡ Including 34 deaths from cholera in Calcutta.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 215 (including 5 deaths from diphtheria), rate 14·9 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st March, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polionyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	1	1	1	2	5
" " 1, West, ...	3	.	.	.	1	.	.	2	2	.	.	.	1	9
" " 2,	1	.	.	.	3	4
" " 3, ...	1	.	.	.	1	.	.	.	1	3
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),	2	2
Finglas and Glasnevin (part of),
South City No. 1, ...	2	.	.	.	2	.	.	1	2	7
" " 2, ...	1	3	4
" " 3, ...	1	1	5	7
" " 4, ...	1	.	.	.	1	1	3
New Kilmainham, ...	2	2
Total, ...	14	.	.	.	5	.	1	5	4	.	.	.	17	46

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 21st March, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 21st March.			
	Feb. 28.	Mar. 7.	Mar. 14.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	29	24	31	2	3	1	29
Typhus, ...	1
Small-pox,
Measles, ...	19	32	49	21	3	3	64
Scarlet Fever, ...	134	122	120	18	21	1	116*
Diphtheria, ...	59	55	50	4	11	1	42
Pneumonia, ...	25	33	24	6	9	2	19

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.S.C., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 21st March, 1914:—

"The atmosphere over the Atlantic north of the forty-fifth parallel, as well as in Northern and Western Europe, was in a state of very unstable equilibrium throughout this week. The weather was, in consequence, extremely unsettled—cold, stormy, and rainy—with however some fine intervals. On Sunday morning a large depression—29·1 inches or less—lay on the Norwegian Sea, while another disturbance had already arrived off the Kerry Coast. The latter system caused a fresh S.W. to N.W. gale as it passed northeastwards across Ireland, England, and the North Sea to the Baltic. Rain also fell generally, hail-showers in several places, including Dublin. On Tuesday a sheet of cirro-stratus cloud and a solar halo foreboded a renewal of bad weather, which was not slow to arrive. In the evening rain and sleet or snow fell heavily in Dublin, and on Wednesday morning the ranges of the Dublin and Wicklow Mountains were covered with snow from end to end. This state of things kept temperature low on Wednesday and Thursday, the maximum recorded in Dublin on the latter day being only 41·8°. A sharp frost followed at night in this City, the thermometer falling to 29·8° in the screen and 27·7° on the ground. At this time, a very sudden decrease of atmospheric pressure took place at the mouth of the English Channel, the barometer falling at 7 a.m. to 28·63 inches at Portland Bill and 28·59 inches at Ushant. This system travelled up the English Channel and across southern England to the North Sea. It caused heavy falls of cold rain, sleet, hail and snow over Great Britain, whereas conditions, while cold, were generally dry and bright in Ireland. Thunderstorms however occurred at Valentia, and lightning was seen on Friday night at Roche's Point and Scilly. Saturday was again unsettled and rainy in southern England, but chiefly fine and dry though cold in Ireland. In Dublin the mean height of the barometer was 29·359 inches, pressure ranging from 30·036 inches at 9 p.m. of Monday (wind, N.W.) to 28·978 inches at 9 a.m. of Friday (wind, N.W.). The corrected mean temperature was 41·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 39·6°. The screened thermometers rose to 51·9° on Sunday and fell to 29·8° on Friday. S.W. and N.W. winds prevailed. Rain fell to the amount of 4·91 inch on 6 days, 1·85 inch being measured on Sunday."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29·363 inches. The highest reading (30·128) was on Monday, at 9 p.m., the lowest (28·980) on Friday, at 9 a.m.

The mean temperature for the week was 39·8°, being 2·0° below the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Sunday, on which day the thermometer registered 51°, and was lowest on Friday, the mercury having fallen to 22°. The mean of the Dry Bulb for the week was 38·9° and of the Wet Bulb, 37·7°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The rainfall during the week measured 0·450 inch.

At Greenwich the mean temperature for the week was 40·5°, the maximum 51·0°, and the minimum 31·9°; at Glasgow the maximum was 47·4°, the minimum 32·7°, and the mean 39·3°; and at Edinburgh the maximum was 46·4°, the minimum 30·4°, and the mean 38·8°. The rainfall at Greenwich measured 0·96 in., at Glasgow 1·13 ins., and at Edinburgh 1·28 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.		BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.
		Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation = 1·0.			
		(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday,	March 15,	29·565	51	39	45·0	45·9	44·6	·91	·6	0·0	·180
Monday,	" 16,	29·905	49	36	42·5	39·5	38·3	·90	·7	7·8	·020
Tuesday,	" 17,	29·520	49	33	41·0	38·2	37·3	·93	·7	0·0	·115
Wednesday,	" 18,	29·150	44	32	38·0	37·2	35·9	·90	·3	4·9	·010
Thursday,	" 19,	29·080	43	29	36·0	33·5	33·0	·97	·5	1·8	·125
Friday,	" 20,	29·045	45	22	33·5	37·9	36·2	·87	·7	4·7	·000
Saturday,	" 21,	29·325	50	35	42·5	40·1	38·6	·88	·6	8·4	·000
Mean,	29·363	47·3	32·3	39·8	38·9	37·7	·91	·6	Total 27·6	Total ·450

Sunday—Day overcast, heavy showers a.m. and p.m.; night overcast, light rain at intervals a.m. Monday—A beautiful bright day, light showers p.m.; night cloudy. Tuesday—A dull day, heavy shower p.m., snow 9.10 to 9.40 p.m.; night cloudy, light shower 3.10 to 3.20 a.m. Wednesday—Day bright, cloudy at intervals, hail showers p.m.; night clear. Thursday—Day cloudy, heavy showers and hail a.m. and p.m.; night clear. Friday—Day bright, cloudy; night clear. Saturday—A beautiful bright day; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 a.m. and 9 p.m.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 21st March, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.		Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
			1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday,	March 15,	44·4	45·2	45·4	53	39	46	hrs. —	ms. ·197
Monday,	" 16,	43·0	44·7	45·5	49	37	43	6·4	—
Tuesday,	" 17,	43·6	44·0	45·5	50	36	43	0·3	·146
Wednesday,	" 18,	39·6	43·6	45·7	44	32	38	6·1	—
Thursday,	" 19,	39·5	43·0	45·6	43	34	38·5	2·1	·093
Friday,	" 20,	36·6	42·0	45·5	46	26	37·5	5·5	—
Saturday,	" 21,	43·8	42·2	45·6	51	35	43	7·4	—
Weekly Mean,	.	41·5	43·5	45·5	48	34·6	41·3	Total 27·8	Total ·436

WEEKLY RETURN of BIRTHS and DEATHS

IN THE
DUBLIN REGISTRATION AREA,
 CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
 AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
 AND IN
TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
 E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
 WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
 H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
 or from the Agencies in the British Colonies and Dependencies,
 the United States of America, the Continent of Europe and Abroad of
 T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 28TH MARCH, 1914.

[No. 13.]

*General Register Office, Charlemont House,
 Dublin, 30th March, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 22·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Mar. 7	Mar. 14	Mar. 21	Mar. 28	
27 Town Districts, (a)	19·2	20·0	20·3	22·8	20·6
Dublin Reg. Area ...	20·9	22·1	22·3	27·2	23·1
Dublin City ...	22·3	24·0	24·9	31·1	25·6
Belfast ...	18·3	19·1	21·3	19·6	19·6
Cork ...	25·2	17·0	24·5	22·4	22·3
Londonderry ...	19·0	15·2	19·0	11·4	16·2
Limerick ...	23·0	20·3	17·6	29·8	22·7
Waterford ...	7·6	15·2	24·7	19·0	16·6

The deaths from certain epidemic diseases† registered in the 27 town districts during last week* were equal to an annual rate of 3·0 per 1,000. Among the 150 deaths from all causes for Belfast are 2 from scarlet fever, 5 from whooping-cough, and 2 from diarrhoea and enteritis of children under 2 years of age. Of the 33 deaths from all causes for Cork, one was due to measles, 3 to whooping-cough, and one of a child under 2 years of age to diarrhoea and enteritis. One of the 22 deaths from all causes for Limerick was from measles and one from whooping-cough. Among the 6 deaths from all causes for Lurgan, one was from scarlet fever; and of the 5 deaths from all causes for Drogheda, one was due to enteric fever. Among the 9 deaths from all causes for Lisburn, 5 were from measles and one was from scarlet fever. One of the 14 deaths from all causes for Kilkenny was from diphtheria, and one of the 6 deaths from all causes for Larne was from the same disease.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 208—115 boys and 93 girls—and the deaths to 219—102 males and 117 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 27·2 per 1,000 of the population. During the thirteen weeks, ending with Saturday last, the death-rate averaged 24·2, and was 0·7 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 219, represent an annual rate of 28·1 per 1,000; the annual rate for the past thirteen weeks was 25·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·1 per 1,000 of the mean population for all deaths registered.

The deaths included 27 from measles, 2 from scarlet fever, 3 from whooping-cough, 4 from diphtheria, 4 from diarrhoea and enteritis of children under 2 years of age, 2 deaths from influenza, and one* from cerebro-spinal fever. Deaths from measles in the three preceding weeks were 4, 15, and 14, *rising to 27 deaths in the week under notice*; from scarlet fever 0, one, and 2; from whooping-cough 3, 2, and 3; from diphtheria one, one, and one; from diarrhoea and enteritis of children under 2 years 5, 5, and 6; and from influenza 3, one, and 0, respectively.

The deaths from all forms of tuberculous disease numbered 27,* this figure comprises 21 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, and 4 from other forms of the disease; in the three preceding weeks, deaths from all forms of tuberculous disease were 23, 35, and 29.

Eighteen* deaths were assigned to cancer as the cause.

Of 20 deaths from pneumonia, 14 were from broncho-pneumonia, and 6 were from pneumonia (type not distinguished).

There were 5 deaths of infants from convulsions, one from premature birth, and 3 from congenital debility.

Organic disease of the heart accounted for the deaths of 11 persons, and the deaths from bronchitis amounted to 32.

There was only one death attributed to violence, namely:—an accidental death caused in the streets by a dray.

In 7 instances the cause of death was “uncertified,” there having been no medical attendant during the last illness; these cases include the deaths of 2 children under one year of age (including one infant under one month old).

Eighty-two of the persons whose deaths were registered during the week were under 5 years of age (32 being infants under one year, of whom 7 were under one month old), and 40 were aged 65 years and upwards, including 26 persons aged 70 and upwards; among the latter were 16 aged 75 and upwards, of whom one (a male) was stated to have been aged 92 years.

Ninety-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 21 took place in the North Dublin Union Workhouse, and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 27·2 per 1,000; the rate in the City was 31·1 (North City Districts, 34·2; South, 27·6) and in the Suburbs 14·7.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 5·4 per 1,000 inhabitants, the rate for the City being 6·7 (in the North City Districts 8·9, and in the South 4·3), and for the Suburbs 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (34) are equal to an annual rate of 58·7 per 1,000. There were 6 deaths from measles, one from whooping-cough, 4 from tuberculous disease, 4 from pneumonia, 7 from bronchitis, and 2 from diarrhoeal diseases.

No. 1 *North City District, West* (Summer-hill).—The deaths (31) are equal to an annual rate of 39·2 per 1,000. Seven deaths were caused by measles, one by scarlet fever, 5 by tuberculous disease, 5 by pneumonia, and 8 by bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 33·7 per 1,000. Among them are 3 from measles, 4 from tuberculous disease, 3 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 3 *North City District* (Benburb-street).—The deaths (18) represent an annual rate of 26·4 per 1,000. Three deaths from measles, one death each from scarlet fever and diphtheria, 4 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, one from bronchitis, and one accidental death were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·5 per 1,000 inhabitants; Coolock and Drumcondra, part of, 11·4; and Finglas and Glasnevin, part of, 14·6. The only death recorded for the first-named district was one from measles; and among the 3 deaths from all causes for Coolock and Drumcondra, part of, was one from diphtheria.

No. 1 *South City District* (South Earl-street).—The deaths (18) represent an annual rate of 23·0 per 1,000, and include 3 deaths from measles, 2 from pneumonia, 5 from bronchitis, and one death by suicide.

No. 2 *South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 14·2 per 1,000. Measles, tuberculous meningitis and bronchitis each caused one death.

No. 3 *South City District* (Peter-street).—The deaths (23) are equal to an annual rate of 27·5 per 1,000. There were 2 deaths from measles, one from diphtheria, 2 each from pulmonary tuberculosis and broncho-pneumonia, and 3 from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (25) are equivalent to an annual rate of 39·3 per 1,000. One death each from measles, whooping-cough, and diphtheria. 3 deaths from pulmonary tuberculosis, 2 from broncho-pneumonia, 3 from bronchitis, and 2 from diarrhoeal diseases were recorded.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 31·8 per 1,000. Pneumonia caused 2 deaths.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·7; Pembroke, 17·2; Blackrock, 17·0; and Kingstown, 18·5. The deaths from the principal epidemic diseases tabulated for these districts comprise one death from whooping-cough and one death from diarrhoea and enteritis of a child under 2 years of age for Rathmines and Rathgar, the 8 deaths from all causes for this district including also 2 deaths from pulmonary tuberculosis. Of the 10 deaths from all causes for Pembroke one was from influenza and one from bronchitis. The 3 deaths from all causes for Blackrock include one from pulmonary tuberculosis; and of the 5 deaths from all causes for Kingstown one is from influenza and one from pneumonia.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 16·5), was equal to an average annual death-rate of 16·5 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·5 per 1,000, the rate for Glasgow being 16·1, and for Edinburgh 17·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 28th March. From this Report it appears that of a total of 74 cases notified, 28 were scarlet fever, 26 phthisis, 11 diphtheria, and 9 erysipelas. Among the 560 cases of infectious diseases in hospital at the close of the week were 244 cases of scarlet fever, 187 of phthisis, 67 of diphtheria, 41 of measles, 11 of erysipelas, 2 of enteric fever, and one of chicken-pox.

* See note (c) at foot of Table II.

† See Columns 10–17 and 23–4 of Table II

STATE OF INFECTIOUS DISEASE

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford. during the week ended 28th March, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrheal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Mar. 7,	.	—	—	9	.	.	5	.	1	7	6	.	—	—	.	—	.	33	61
	Mar. 14,	.	—	—	2	.	.	6	.	2	4	4	.	—	—	.	—	.	32	50
	Mar. 21,	.	—	—	14	.	.	5	.	1	5	4	.	—	—	.	—	.	17	46
	Mar. 28,	.	—	—	7	.	.	10	.	.	1	3	.	—	—	.	—	.	21	42
Rathmines and Rathgar Urban District.	Mar. 7,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	Mar. 14,	.	—	—	2	.	.	1	—	—	—	—	—	—	3
	Mar. 21,	.	—	—	5	—	—	—	—	—	—	5
	Mar. 28,	.	—	—	4	.	.	1	.	.	.	2	.	—	—	—	—	—	—	7
Pembroke Urban District.	Mar. 7,	.	21	—	—	—	—	—	2	23
	Mar. 14,	.	30	—	—	—	—	—	.	30
	Mar. 21,	.	25	.	2	—	2	—	—	—	.	29
	Mar. 28,	.	16	.	2	—	1	—	—	—	2	21
Blackrock Urban District.	Mar. 7,	.	—	—	—	—	.	—	—	—	.
	Mar. 14,	.	—	—	—	—	.	—	—	—	.
	Mar. 21,	.	—	—	—	—	.	—	—	—	.
	Mar. 28,	.	—	—	—	—	.	—	—	—	.
Kingstown Urban District.	Mar. 7,	.	—	—	—	—	—	—	—	.	.
	Mar. 14,	.	—	—	.	.	.	1	—	—	—	—	—	4	5
	Mar. 21,	.	—	—	1	—	—	—	—	—	.	1
	Mar. 28,	.	—	—	—	—	—	—	—	.	.
City of Belfast.	Mar. 7,	.	—	—	31	.	.	1	.	.	3	2	1	—	—	.	—	.	5	43
	Mar. 14,	.	—	—	29	.	.	11	.	.	2	4	.	—	—	.	—	.	6	52
	Mar. 21,	.	—	—	41	.	.	7	.	.	.	1	.	—	—	.	—	.	2	51
	Mar. 28,	.	—	—	35	.	.	7	1	1	1	4	.	—	—	.	—	.	5	54
City of Cork.	Mar. 7,	.	2	—	2	—	—	—	—	—	—	4
	Mar. 14,	.	.	—	5	1	1	.	—	—	—	—	—	—	7
	Mar. 21,	.	.	—	3	.	.	.	1	.	.	.	1	—	—	—	—	—	—	5
	Mar. 28,	.	1	—	7	.	.	1	1	1	.	2	.	—	—	—	—	—	—	13*
City of Londonderry.	Mar. 7,	.	—	—	1	.	—	—	—	—	—	—	1
	Mar. 14,	.	—	—	1	—	—	—	—	—	—	1
	Mar. 21,	.	—	—	—	—	—	—	—	—	.
	Mar. 28,	.	—	—	—	—	—	—	—	—	.
City of Limerick.	Mar. 7,	.	—	—	3	—	—	.	—	—	—	3
	Mar. 14,	.	—	—	1	—	—	.	—	—	—	1
	Mar. 21,	.	—	—	—	—	—	—	—	—	.
	Mar. 28,	.	—	—	1	—	—	—	—	—	—	1
City of Waterford.	Mar. 7,	.	—	—	.	.	.	1	—	—	—	—	—	.	1
	Mar. 14,	.	—	—	—	—	—	—	—	.	.
	Mar. 21,	.	—	—	—	—	—	—	—	7	7
	Mar. 28,	.	—	—	—	—	—	—	—	.	.

* Not including one case of anthrax and one case of varicella.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 28th March, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 26 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 24, 31, and 29.

Fifty-eight cases of measles were admitted to hospital, 12 were discharged, there were 11 deaths, and 99 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 32, 49, and 64 respectively.

Fifteen cases of scarlet fever were admitted to hospital, 25 were discharged, there was one death and 105* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 122, 120, and 116, respectively.

Fourteen cases of diphtheria were admitted to hospital during the week, 12 were discharged, and there were 4 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 55, 50, and 42 respectively, were 40 at the close of last week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 4 were discharged, and 20 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 28th March, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 23 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the Temperature and Rainfall for the week, and for each of the two Weeks immediately preceding.

REGISTRATION—WEEK ENDING SATURDAY, 28TH MARCH, 1914.																														METEOROLOGY.(d)												
NUMBERS REGISTERED.															WEEK ENDING 28TH MARCH, 1914.										WEEK ENDING 21ST MARCH, 1914.					WEEK ENDING 14TH MARCH, 1914.												
Census Statistics of Districts.		POPULATION.		Annual Rate per 1,000 Persons Represented by		BIRTHS.		DEATHS.										WEEK ENDING 28TH MARCH, 1914.					WEEK ENDING 21ST MARCH, 1914.					WEEK ENDING 14TH MARCH, 1914.														
								From all Causes.										From certain Epidemic Diseases.(b)					Air Temperature.					Air Temperature.					Air Temperature.									
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Rainfall in Inches.					Rainfall in Inches.					Rainfall in Inches.									
																							Mean.					Mean.					Mean.									
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				
																							Absolute Highest.					Absolute Lowest.					Absolute Highest.					Absolute Lowest.				

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1914. (b) See note (4.) at foot of first page. (c) Exclusive of 7 deaths of persons (including one at 72 years), admitted to hospital from localities outside the Area, amongst the 7 deaths is one from each of pulmonary tuberculosis, cancer, and cerebro-spinal fever. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Rockes Point for Carrickmacross. (e) Observations at Ordnance Survey Office, Phoenix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 28th of March, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public-Institutions are assigned to the Districts from which the deceased were admitted.*

DEATHS IN DUBLIN REGISTRATION AREA.																				
NAMES OF DISEASES &c.		CITY OF DUBLIN.													URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
		REGISTRATION DISTRICTS IN																		
		Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.					RATHMINES and RATHGAR.	P.EMBROKE.	BLACKROCK.	KINGSTOWN.		
		NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.							
Enteric Fever,
Typhus,
Small-pox,	.	6	7	3	3	1	.	.	3	1	2	1	27	.
Measles,	.	1	1	.	1	2	.
Scarlet Fever,	.	1	1	.	1	3	.
Whooping-cough,	1	1	1	4	.
Diphtheria,
Croup,
Influenza,	1	.	1	.	2	.
Dysentery,
Tuberculosis, { Pulmonary,	.	2	4	2	4	2	3	.	2	.	1	.	20	1	.
Other Forms,	.	2	1	2	2	1	6	.	.
Cancer,	.	5	1	1	2	.	3	1	.	.	2	1	1	17	1	.
Diseases of Nervous System,	.	.	.	1	1	.	.	1	2	1	3	2	1	1	2	.	1	16	2	.
Organs of Special Sense,	.	1	1	1	.	.	1	.	1	1	1	3	1	1	2	.	.	14	.	.
Circulatory System,	.	4	5	.	1	.	.	.	2	.	2	2	2	.	.	.	1	19	1	.
Respiratory System. { Pneumonia,	.	7	8	3	1	.	.	.	5	1	4	3	.	.	1	.	1	34	.	.
Others,
Diarrhoea and Enteritis, under 2 years,	.	1	.	1	1	.	1	.	.	.	4	.	.
Digestive System. { Diarrhoea, 2 years and upwards,	.	1	1	2	.	.
Enteritis, 2 years and upwards,	.	.	1	1	.	.
Others,	.	2	2	1	.	.	1	6	.	.
Genito-urinary System,	.	1	.	2	1	.	.	.	1	.	.	2	2	9	1	.
Puerperal Septicæmia, etc.,	.	1	1	2	.	.
Other Causes incident to Pregnancy and Childbirth,
Diseases of the Skin and Cellular Tissue,	1	1	2	.	.
Locomotor System,	1	.
Other specified Causes,	.	.	.	1	3	.	.	1	.	.	4	2	.	2	2	1	1	17	.	.
Violent Deaths,	1	.	.	.	1	2	.	.
Ill-defined, &c. Causes,	1	.	1	.	.	1	3	.	.
Deaths from All Causes	.	34	31	18	18	1	5	3	18	5	23	25	6	8	10	3	6	212	7	.
Annual Rate of Mortality from All Causes, in every 1,000 of the population.	.	58.7	39.2	33.7	26.4	9.5	11.4	14.6	23.0	14.2	27.5	39.3	31.8	10.7	17.2	17.0	18.5	27.2	.	.
	.	34.2						27.6						14.7						
	.	31.1																		
Ages at Death.	Under 1 year,	3	6	3	3	.	1	.	2	1	3	6	.	2	2	.	.	32	.	.
	1 and under 2 years,	9	4	2	2	.	.	.	3	1	3	2	.	1	1	.	.	27	.	.
	2 " 5 "	4	6	2	3	.	.	.	3	.	.	2	1	22	1	.
	5 " 15 "	1	.	1	1	1	.	.	1	.	1	1	1	8	1	.
	15 " 25 "	2	.	1	3	1	8	1	.
	25 " 45 "	5	5	2	.	.	1	.	2	2	5	6	.	2	3	.	.	33	2	.
	45 " 65 "	9	6	3	4	.	1	.	3	1	4	3	2	1	1	2	3	43	1	.
	65 and upwards,	1	4	4	2	.	2	1	4	.	7	5	1	2	3	.	3	39	1	.
Number of Uncertified Deaths,	.	1	1	.	1	.	.	1	1	.	.	2	7	.	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																				
Public Hospitals, Prisons, and Lunatic Asylums,	.	6	8	4	9	.	1	2	3	.	6	10	.	2	1	.	1	53	5	.
Workhouse Hospitals.	.	5	7	5	4	.	.	.	5	1	5	1	1	34	2	.

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the
in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 13th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 28th March, 1914.											
	Apr. 2, 1904.	Apr. 1, 1905.	Mar. 31, 1906.	Mar. 30, 1907.	Mar. 28, 1908.	Apr. 3, 1909.	Apr. 2, 1910.	Apr. 1, 1911.	Mar. 30, 1912.	Mar. 29, 1913.		Deaths of Persons of the Ages of											
												0-5.											
												Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.		
Mean Temperature.	42.1	44.8	39.4	47.2	43.9	43.8	39.7	42.7	43.3	41.1	43.3	39.7	Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
ALL CAUSES.	219	192	198	189	211	204	168	177	236	196	199.0	219	7	25	27	23	9	9	35	44	24	1	
Enteric Fever, ...	2	1	3	4	1	1	1.2	
Typhus,	2	1	.	.3	
Small-pox,	
Measles, ...	4	4	.	4	.	9	.	2	7	.	3.0	27	.	4	9	11	8		
Scarlet Fever, ...	1	1	1	.	.3	2	.	.	.	2	
Whooping-cough, ...	11	.	2	4	3	6	1	5	2	7	4.1	3	.	1	1	1	
Diphtheria,	1	3	1	1	4	.	1	6	6	2.3	4	.	.	2	.	1	1	
Croup,	1	1.1	
Influenza, ...	2	4	2	2	14	2	6	2	2	6	4.2	2	1	.	1	
Dysentery,	
Erysipelas, ...	1	12	1	.	1	
Other Epidemic Diseases, ...	1	1	13	
Pyæmia and Septicæmia (non-puerperal).	1	.	.	1	.	.	.	2	1	.	.5	1	1	
Tetanus,	1	12	
TUBERCULOSIS:																							
Pulmonary Tuberculosis, ...	27	45	25	27	27	29	14	16	15	22	24.7	21	5	11	5	.	.	.	
Tuberculous Meningitis, ...	7	4	5	2	3	2	2	7	5	2	3.9	2	.	1	.	1	
Abdominal Tuberculosis, ...	4	2	1	2	2	.	.	4	2	3	2.0	1	.	.	.	1	
Tuberculosis of the Vertebral Column.	
Tuberculosis of Joints, ...	6	7	9	7	4	12	2	2	1	.	5.8	1	1	
Tuberculosis of other Organs,	
Scrofula,	
Disseminated Tuberculosis,	6	2	.	2	.	1	1	
Venereal Diseases,	1	3	.	1	1	2	.	1	1	1.0	
Cancer, ...	3	4	4	8	7	4	14	13	9	12	7.8	18	3	8	7	.	.	
Tumour, situation undefined,	
Rheumatic Fever,	
Diabetes,	1	1	1	.	1	2	.	.	1	.7	1	1	
Anæmia, Leucocythæmia,	3	.	.	2	1	1	.	.	.	
Other General Diseases,	4	3	.	.	3	1	1	1	.	.	
Alcoholism, ...	1	.	1	2	.	1	.	.	1	.	.6	
Chronic Poisonings,	
Cerebro-spinal Fever,	1	.	.	.	1	
Simple Meningitis,	1	
Cerebral Hæmorrhage, Apoplexy.	9	3	.	5	4	1	.	.	
Softening of Brain,	1	
Paralysis, without specified cause.	1	1	.	3	1	1	.	1	.	
Epilepsy,	
Convulsions (non-puerperal),	7	4	.	5	3	2	.	.	.	1	
Other Diseases of Nervous System.	38	37	47	29	46	44	37	44	5	5	39.9	3	.	.	.	1	1	.	.	1	.	.	
Pericarditis,	
Acute Endocarditis,	
Organic Diseases of the Heart,	11	.	1	.	.	.	1	3	2	4	.	
Embolism and Thrombosis (including Cerebral)	1	1	.	
Other Diseases of Circulatory System.	3	1	.	2	1	1	.	
Diseases of the Larynx,	
Bronchitis, ...	31	22	25	27	35	23	22	.	1	
Broncho-pneumonia, ...	9	4	2	13	9	8	6	11	41	31	27.8	32	.	7	4	1	.	.	9	8	2	.	
Lobar pneumonia, ...	3	1	3	5	1	2	1	1	3	3	9.5	14	.	2	7	2	.	1	2	.	.	.	
Pneumonia (type not distinguished)	11	7	5	6	7	6	7	1	12	4	2.3	6	.	.	2	.	1	2	1	.	.	.	
Pleurisy,	
Pulmonary Congestion, Pulmonary Apoplexy.	3	2	2	4	3	2	1	3	2	1	2.9	1	1	
Other Diseases of Respiratory System.	1	

THIRTEENTH WEEK, ending Saturday, 28th March, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 13th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 28th March, 1914.														
	Apr. 2, 1904.	Apr. 1, 1905.	Mar. 31, 1906.	Mar. 30, 1907.	Mar. 28, 1908.	Apr. 3, 1909.	Apr. 2, 1910.	Apr. 1, 1911.	Mar. 30, 1912.	Mar. 29, 1913.		Deaths of Persons of the Ages of														
												0-5.														
												Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.					
Mean Temperature ...	42·1	44·8	39·4	47·2	48·9	43·8	39·7	42·7	48·3	41·1	43·3	39·7														
Diseases of the Pharynx, Ton-	1	.	.	.	·1	1	1
sillitis.	—	—	—	—	—	—	—	2	3	3	—	2	.	2	2
Diseases of Stomach, ...	2	6	4	4	2	8	.	1	.	.	3·7	4	2	2	
Diarrhoea and Enteritis of Children under 2 years.																										
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards	2	6	4	4	2	8	.	1	.	.	3·7	4	2	2	
Appendicitis and Typhlitis, ...																										
Hernia and Intestinal Ob-	—	—	—	—	—	—	—	.	2	.	—	1	1
structions.	—	—	—	—	—	—	—	.	.	.	—	
Cirrhosis of Liver, ...	1	.	.	.	2	.	1	1	2	1	·8	
Other Diseases of Liver, ...	3	2	1	1	1	.	2	.	1	.	1·1	
Peritonitis (cause unknown),	1	1	.	·2	2	1	1	
Other Diseases of Digestive System.	13	4	15	6	3	5	4	1	2	2	5·5	
Acute Nephritis, ...	6	5	3	2	11	10	8	2	4	5	5·7	9	3	4	1	1				
Chronic Bright's Disease, ...																										
Urinary Calculi, ...																										
Uterine Tumour (non-can-																										
cercous).																										
Ovarian Tumour (non-can-	6	5	3	2	11	10	8	2	.	.	5·7		
cercous)																										
Other Diseases of Genito-	6	5	3	2	11	10	8	2	.	1	5·7		
urinary System.																										
Puerperal Septicæmia, &c.,	1	.	.	1	.	2	.	.	.	·2	2	2	
Other Causes incident to Pregnancy and Childbirth.	.	.	1	2	1	1	2	.	.	.	·7	
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	1	.	3	—	2	.	.	.	1	.	.	1	
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	.	2	4	—	1	.	.	1	
Premature Birth, ...	3	3	3	2	6	4	7	3	1	3	3·5	1	1	
Congenital Debility, ...	—	—	—	—	—	—	—	3	3	4	—	3	1	2	
Old Age, ...	8	7	3	4	5	4	6	7	6	6	5·6	5	1	4		
Other Specified Diseases, ...	—	—	—	—	—	—	—	2	1	.	—	
ACCIDENT :																										
Poisons or Poisonous Vapours.	1	.	1	.	1	1	·4	
Conflagration,	
Burns and Scalds,	1	.	3	2	1	1	2	.	.	1·0	
Drowning, ...	2	1	1	1	2	·7	
Suffocation in Bed,	1	.	1	·2	
Other Deaths by Accident, ...	1	1	4	1	.	.	4	2	3	2	1·8	1	1		
Total Deaths from Accident,	4	3	5	5	3	3	5	5	4	4	4·1	1	.	.	.	1		
Included in above are Deaths in connection with—																										
Railways,	1	.	·1	1	
Vehicles and Horses,	1	.	.	.	1	.	.	.	·2	1	
Ships, Boats, Docks,	
Building Operations,	1	1	.	·2	
VIOLENCE OTHER THAN ACCIDENTAL :																										
Homicide, ...	1	1	.	·2	
Suicide,	1	1	
Execution,	
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	7	5	7	—	3	2	1	

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 28TH MARCH, 1914.

[illegible]

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal admitted ; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths.		
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.			
													Pulmonary.	Other Forms.	Pneumonia.	Other.						
North City, No. 1 (E.) (Office Clarence St. Nth.) Population in 1914 (Est.) 30,206.	Feb. 21 " 28 Mar. 7 " 14 " 21 " 28	24.2 17.3 19.0 22.4 13.8 58.7	1.7 1.7 3.5 1.7 1.7 15.5	14 10 11 13 8 34	1	.	.	1	.	.	1	1	1	.	.	.	1
North City, No. 1 (W.) (Office, Summer-hill.) Population in 1914 (Est.) 41,278.	Feb. 21 " 28 Mar. 7 " 14 " 21 " 28	18.9 31.6 32.8 40.4 32.8 39.2	.	15 25 26 32 26 31	3 2 7 4 1 4	.	.	1 1 2 1 2 1	3 7 2 4 4 8	.	1 1 2 2 4 .	.	.	1 1 1 1 1 .
North City, No. 2. (Office, Lisburn-street.) Population in 1914 (Est.) 27,883.	Feb. 21 " 28 Mar. 7 " 14 " 21 " 28	37.4 28.1 35.5 9.4 26.2 33.7	1.9 3.7 7.5 . 5.6 7.5	20 15 19 5 14 18	.	.	.	2	.	1	.	.	3 1 1 2 2 2	1	.	2 2 1 . . .	1 3 1 1 4 3	.	1 2 1 . 2 1	.	.	.
North City, No. 3. (Office, Benburb-street.) Population in 1914 (Est.) 35,536.	Feb. 21 " 28 Mar. 7 " 14 " 21 " 28	8.8 16.1 20.5 13.2 24.9 26.4	. 2.9 . . 1.5 7.3	6 11 14 9 17 18	1	.	.	1	2 3 3 2 5 4	1	.	.	. 3 . 1 3 2 1	1 1 . . . 1
Clontarf and Howth No. 1 (part of). Population in 1914 (Est.) 5,485.	Feb. 21 " 28 Mar. 7 " 14 " 21 " 28	28.5 9.5 9.5 9.5 19.0 9.5	. 9.5 . . . 9.5	3 1 1 1 2 1	.	.	.	1	1	1
Coolock and Drumcondra (part of). Population in 1914 (Est.) 13,685.	Feb. 21 " 28 Mar. 7 " 14 " 21 " 28	11.4 22.9 11.4 11.4 26.7 11.4	3.8 . 3.8 . 7.6 3.8	3 6 3 3 7 3	1	.	.	.	1 1 . 1 . .	1 . . . 4	1 . . 1 . . .
Finglas and Glasnevin (part of). Population in 1914 (Est.) 10,723.	Feb. 21 " 28 Mar. 7 " 14 " 21 " 28	4.9 24.3 14.6 24.3 . 14.6	4.9 . . 4.9 . .	1 5 3 5 . 3	1	.	.	1 1	1 . 1 2	1 . 1 1
South City, No. 1. (Office, Sth. Earl-street.) Population in 1914 (Est.) 40,768.	Feb. 21 " 28 Mar. 7 " 14 " 21 " 28	19.2 24.3 15.3 23.0 26.9 23.0	. 2.6 1.3 1.3 2.6 3.8	15 19 12 18 21 18	.	.	.	1	3 1 1 3 3 .	.	.	1 1 1 . 2 2	1 5 . 3 1 5	.	1 . 1 . . . 1	.	.	.
South City, No. 2. (Office, Castle-street.) Population in 1914 (Est.) 18,341.	Feb. 21 " 28 Mar. 7 " 14 " 21 " 28	19.9 22.7 22.7 14.2 25.6 14.2	. . . 2.8 2.8 2.8	7 8 8 5 9 5	1	.	3 1 . . 1 .	1	.	1 . 1 2 . . 1	1 1 1 2 4 1	.	1 . . 1
South City, No. 3. (Office, Peter-street.) Population in 1914 (Est.) 43,540.	Feb. 21 " 28 Mar. 7 " 14 " 21 " 28	28.7 25.1 18.0 32.3 26.3 27.5	. 1.2 1.2 2.4 . 3.6	24 21 15 27 22 23	1	.	.	1	4 4 2 6 4 2	1	2 1 1 1 1 3	2 1 . 1 2 3	5 2 1 10 5 4	.	1 . 1
South City, No. 4. (Office, Grand Canal-st.) Population in 1914 (Est.) 33,171.	Feb. 21 " 28 Mar. 7 " 14 " 21 " 28	29.9 25.2 26.7 29.9 26.7 39.3	3.1 1.6 1.6 1.6 7.9 7.9	19 16 17 19 17 25	.	.	.	1	1 . 3 1 1 3	3	1 . . 1 2 . 1	4 1 1 2 1 2	1 3 5 2 2 3	1 1	.	1	1 . 2 1 2
New Kilmainham. Population in 1914 (Est.) 9,851.	Feb. 21 " 28 Mar. 7 " 14 " 21 " 28	26.5 10.6 21.2 31.8 26.5 31.8	5.3	5 2 4 6 5 6	1 . . . 2 .	.	2	2 . . 1 3 . 2	1 . 3 1	1

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths.
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Feb. 21 " 28 Mar. 7 " 14 " 21 " 28	14.6 13.3 22.6 9.3 12.0 10.7	1.3 . 2.7 9.3 1.3 2.7	11 10 17 7 9 8	. .<																	

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 28th March, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.		DEATHS FROM												No. of Deaths in Public Institutions.	Number of Uncertified Deaths.														
					AGES AT DEATH.						DISEASES OF THE RESPIRATORY SYSTEM.																					
					Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from						TUBERCULOSIS.	Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.			Violence.	Inquest Cases.												
					All Causes. Certain Epi- demic Diseases.†																											
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
						Total Number of DEATHS.	Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.										
City of Belfast.																																
BELFAST URBAN No. 1 DISTRICT.		15,879	5	26.8	3.3	8	2	4	1	4	4	1	1	1	.	1	2	1	.	.	1	1	.	
Do. 2 do.		49,500	39	23.2	1.0	22	3	4	2	5	8	6	3	4	.	1	6	.	.	.	5	5	.	
Do. 3 do.		50,082	30	19.8	4.8	19	3	5	3	3	8	5	1	1	1	2	3	1	.	.	6	6	.	
Do. 4 do.		32,637	34	30.4	3.2	11	3	5	3	3	8	2	1	1	1	2	2	2	2	3	3	.	
Do. 5 do.		16,112	4	35.6	1.4	9	1	1	.	.	4	3	1	1	1	2	1	2	2	.	
Do. 6 do.		37,298	10	12.6									2	2	8	8	.	
Do. 7 do.		2,681	4	8.7		1	1
Do. 8 do.		5,964	3	2.1		7	1	3	1	1	1	1
Do. 9 do.		24,427	14	14.9			2	2	3	1	1	4	3
Do. 10 do.		28,953	28	23.4		13	2	2	1	1	1	4
Do. 11 do.		39,311	24	11.9		19	6	1	1	1	1	1
Do. 12 do.		38,076	23	24.6		18	4	4	1	3	4	2
Do. 13 do.		23,233	10	13.5		6	1	.	1	1	4	4
Do. 14 do.		175				8	1	1
Do. 15 do.		22,669	16	18.4	2.3	8	1	1
Total.		386,947	244	19.6	1.2	150	28	27	13	21	28	33	2	5	.	.	14	7	3	15	20	2	.	.	8	36	.	
City of Cork.																																
CORK URBAN No. 1 DISTRICT.		12,867	7	15.5		4	.	.	.	1	2	1	1	.	.	1
Do. 2 do.		10,701	7	20.1	5.0	4	1	1	.	1	1	1
Do. 3 do.		9,978	8	21.3		4	1	.	.	3	1
Do. 4 do.		8,666	4	17.1	5.7	3	2
Do. 5 do.		6,592	2	25.0		3	1	1	1	1	1
Do. 6 do.		10,702	2	27.0	4.5	6	.	1	.	2	1	2
Do. 7 do.		16,616	7	29.2	3.2	9	.	3	.	1	3	2
Total.		76,122	35	22.4	3.4	33	4	6	1	8	8	6	1	3	.	.	8	2	1	.	4	1	.	.	.	16	.	

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1913-4—WEEK ENDING																									
	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.
No. of weeks in Annual Series,	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13
BIRTHS registered, ...	197	192	201	191	179	231	182	170	186	186	205	196	180	284	195	254	208	215	187	224	210	203	217	222	196	244
DEATHS registered, ...	100	127	111	115	102	133	139	126	112	117	137	141	150	194	203	174	182	197	164	142	144	153	140	146	163	150
Annual Death-rate per 1,000 of estimated population, ...	13.2	16.7	14.6	15.1	13.4	17.5	18.3	16.6	14.7	15.4	18.0	18.6	19.8	25.4	26.5	22.7	23.9	25.7	21.4	18.6	18.8	20.0	18.3	19.1	21.3	19.6
AGES, {	24	29	22	24	15	39	31	19	19	14	23	27	28	42	46	24	43	45	33	28	25	28	28	28	32	28
Under 1 year, ...	15	16	11	19	12	21	15	24	14	24	26	17	29	23	36	24	22	21	16	20	10	16	15	16	21	27
1-5 years, ...	11	20	15	12	14	13	14	14	8	15	12	16	25	14	17	14	24	13	18	15	12	18	14	10	19	13
5-25 " ...	17	17	13	15	20	13	24	15	21	20	22	32	20	25	26	30	23	34	24	26	21	29	27	34	26	21
25-45 " ...	20	25	26	23	18	24	32	29	24	27	29	32	30	39	47	36	35	41	37	31	42	32	33	28	30	28
45-65 " ...	13	20	24	22	23	23	23	25	26	17	25	17	18	51	31	46	35	43	36	22	34	30	23	30	35	33
65 and upwards,
Deaths from:—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Enteric Fever,
Typhus,
Small-pox,
Measles,
Scarlet Fever, ...	3	1	3	7	5	7	7	9	4	8	8	5	6	3	12	10	2	3	7	6	1	6	3	3	3	2
Whooping-cough,
Diphtheria,	2	1	1	2	...	1	...	2	1	...	2	4	2	2	...	1	2	1	...
Dysentery,
Tuberculosis. { Pulmonary, ...	10	14	12	8	13	13	22	9	3	10	8	12	15	15	14	17	15	12	14	21	17	31	14	15	16	14
Other Forms, ...	3	6	3	6	7	6	2	5	3	6	5	2	9	8	8	5	6	3	7	4	4	8	6	5	6	7
Cancer, ...	4	5	9	6	5	8	8	10	6	3	7	10	6	3	10	8	6	10	8	9	9	4	4	3	7	3
Diseases of Respi. { Pneumonia, ...	8	8	9	6	5	10	16	9	10	13	25	14	28	23	29	23	29	26	21	13	14	15	16	12	9	15
ratory System, { Others, ...	7	15	7	15	15	13	15	11	12	14	10	14	15	36	28	27	26	45	32	23	18	18	21	15	31	20
Diarrhoea and Enteritis, under 2 years, ...	15	9	9	2	5	3	1	6	...	1	...	1	1	1	2	3	1	2	3	1	1	4	7	8	3	2
Diarrhoea, 2 years and upwards, ...	1	...	1	1	1	1	1	2	...	2	1	1	1
Violent Deaths, ...	1	2	2	1	...	4	4	9	1	3	2	1	3	5	...	1	6	4	3	2	3	4	2	...	2	2
Number of Uncertified Deaths,	4	3	2	1	2	6	1	1	1	...	3	1	...	5	4	3	2	...	4	1	3	1	1	1	...
Mean Temperature of the Air in degrees.	55.7	52.0	54.5	47.7	49.5	41.4	46.7	46.6	48.3	43.1	45.4	43.3	40.0	32.3	41.1	38.7	38.4	44.1	43.1	41.2	41.0	41.1	44.3	39.9	40.8	41.0
Rainfall, in inches, ...	0.04	0.33	0.81	0.74	2.13	1.22	1.65	0.92	0.26	1.51	0.78	0.07	0.82	0.41	1.83	0.00	0.28	0.55	0.32	0.72	0.93	0.82	0.92	1.40	0.65	0.07

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping- cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Mar. 28,	2,309	1,433	16·5	1	.	22	10	33	12	17
EDINBURGH, ...	321,900	" 28,	126	105	17·0	.	.	2	1	1	1	1
GLASGOW, ...	1,047,000	" 28,	577	323	16·1	1	.	21	5	5	4	9
CALCUTTA, ...	896,067	Feb. 14,	.	538	31·2	64*	14	147†a
BOMBAY, ...	979,445	" 21,	380	725	38·5	102*	6	15	.	.	.	75a
MADRAS ...	518,660	" 21,	324	447	44·8	63*	2	4	?	?	?	115a
CAIRO, ...	721,303	Jan. 21,	550	491	35·5	4	2	.	.	?	18†	55
PARIS, ...	2,847,229	Mar. 14,	1,006	987	17·7	6	.	7	1	3	3†	14
BRUSSELS, ...	767,252	" 7,	236	183	12·4	2†	11
ANTWERP, ...	313,833	" 7,	135	69	11·5	.	.	1	.	.	5†	11
AMSTERDAM, ...	596,828	" 7,	296	132	11·5	.	.	3	.	3	1†	1
COPENHAGEN, ...	483,000	" 7,	247	155	16·7	.	.	6	1	2	1	3a
STOCKHOLM, ...	376,171	" 7,	177	115	15·9	1	2	2
CHRISTIANIA, ...	250,423	" 14,	124	77	16·0	5	3	1a
ST. PETERSBURG ...	1,728,200	Feb. 21,	865	682	20·6	3	16	16	16	6	6	44
MOSCOW, ...	1,694,000	" 14,	.	681	21·0	2	1	19	28	10	10†	52a
BERLIN, ...	2,078,267	" 28,	.	570	14·3	.	.	4	8	3	11†	15a
HAMBURG, ...	1,030,983	Mar. 7,	.	283	14·3	.	.	1	3	6	11	2
BRESLAU, ...	543,405	" 14,
MUNICH, ...	640,000	" 7,	.	174	14·2	.	.	1	1	1	1†	5a
VIENNA (with suburbs),	2,132,523	" 7,	704	658	16·0	.	.	5	.	4	5†	18
BUDA-PESTH, ...	950,784	" 7,	474	345	18·9	1	.	8	.	8	1†	12
PRAGUE and Faubourgs,	498,499	Feb. 7,	172	185	19·4	1	.	.	1	1	2†	6
TRIESTE, ...	242,443 {	" 14,	147	123	26·5	1	.	1	.	1	.	1
		" 21,	121	128	27·5	1	.	.	3	2	1†	1
ROME, ...	582,565	Sept. 27,	296	176	15·8	6	1	29
NEW YORK, ...	5,583,871	Feb. 28,	2,549	1,812	16·9	6	.	12	16	4	49†	33
PHILADELPHIA, ...	1,631,960	Jan. 10,
BOSTON, ...	750,768	Mar. 7,	.	272b	18·9	.	.	.	2	1	5	6a

* Deaths from "fever," including 4 from enteric fever and 2 from plague in Calcutta; 3 from enteric fever and 30 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from droup.

‡ Including 81 deaths from cholera in Calcutta.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 236 (including one death from scarlet fever, 3 deaths from diphtheria, one from whooping-cough, and 5 from diarrhoeal diseases), rate 16·4 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th March, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	...	1	1
" " 1, West,	1	.	.	.	2	3
" " 2,	1	1	.	.	.	4	6
" " 3,	2	.	.	1	.	.	1	1	5
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),	2	2
Finglas and Glasnevin (part of),...	1	1
South City No. 1,	...	2	4	6
" " 2,	5	5
" " 3,	4	.	.	.	1	.	.	.	2	7
" " 4,	1	.	.	2	2	5
New Kilmainham,	1	1
Total,	...	7	.	.	10	.	.	1	3	.	.	.	21	42

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 28th March, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 28th March.			
	Mar. 7.	Mar. 14.	Mar. 21.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	24	31	29	3	6	.	26
Typhus,
Small-pox,
Measles, ...	32	49	64	58	12	11	99
Scarlet Fever, ...	122	120	116	15	25	1	105*
Diphtheria, ...	55	50	42	14	12	4	40
Pneumonia, ...	33	24	19	5	4	.	20

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 28th March, 1914:—

“Low atmospheric pressure and low air-temperature were the leading features of this week. On Sunday morning the highest readings of the barometer at any stations in the British Isles were 29·46 inches at Valentia, Co. Kerry, and 29·44 inches at Roche’s Point, Cork Harbour; the lowest readings were 29·13 inches at Lerwick, in the Shetlands, and 29·14 inches at Aberdeen. Gradients, therefore, were slight for winds between W. and N., and temperature was low. In Dublin a heavy shower of hail fell at 5·15 p.m., but the evening was fair and cold. Monday broke dull and rainy, as a new and complex area of low atmospheric pressure spread in over Ireland from the Atlantic. The S.W. winds of this system sent the thermometer up to 53·0° in Dublin, but by night temperature had again given way. Yet another depression arrived from the westward on Tuesday, yet the weather remained relatively fine because the reduction of pressure was uniform—hail showers, however, fell in various places. The deepest depression of the week reached the Kerry and Cork coasts early on Wednesday, the barometer at 7 a.m. reading 28·92 inches at Valentia and 28·96 inches at Roche’s Point. At 4 p.m. 28·922 inches was recorded in Dublin, and at 6 p.m. 28·86 inches in the Scilly Islands. A westerly gale blew in the English Channel, and strong squalls from E.S.E. were reported from Lerwick. By Thursday morning the centre of this system had reached the Straits of Dover. In the course of the day named showers of rain and hail fell in most districts and thunderstorms, or thunder only, occurred in several isolated localities. Very majestic clouds were seen on the afternoon of this day. Friday proved very fine, but in the early morning hours of Saturday the sky became overcast as a new depression arrived from the Atlantic, and the day proved chiefly dull and rainy. In Dublin the mean height of the barometer was 29·444 inches, the range being from 28·922 inches at 4 p.m. of Wednesday (wind, E.S.E.) to 29·975 inches at 9 p.m. of Friday (wind, S.E.). The corrected mean temperature was 42·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 41·6°. The screened thermometers rose to 53·0° on Monday and fell to 32·1° on Wednesday. The dominant wind was S.E. Hail fell on Sunday. Thunder was heard on Thursday. The rainfall was ·433 inch on 5 days, ·239 inch being measured on Saturday.”

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29·458 inches. The highest reading (29·971) was on Friday, at 9 p.m., the lowest (28·991) on Wednesday, at 9 p.m.

The mean temperature for the week was 39·7°, being 3·6° below the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Monday, on which day the thermometer registered 54°, and was lowest on Wednesday, the mercury having fallen to 24°. The mean of the Dry Bulb for the week was 40·1° and of the Wet Bulb, 39·0°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The rainfall during the week measured 0·140 inch.

At Greenwich the mean temperature for the week was 42·3°, the maximum 56·8°, and the minimum 27·8°; at Glasgow the maximum was 52·0°, the minimum 30·0°, and the mean 41·9°; and at Edinburgh the maximum was 48·3°, the minimum 31·8°, and the mean 40·2°. The rainfall at Greenwich measured 0·31 in., at Glasgow 0·36 in., and at Edinburgh 0·11 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.		BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.
		Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1·0.			
		(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday,	March 22,	29·465	51	31	41·0	37·6	36·5	·92	·6	8·6	·070
Monday,	„ 23,	29·365	54	31	42·5	42·7	41·6	·92	·5	3·4	·060
Tuesday,	„ 24,	29·265	51	30	40·5	35·4	35·0	·96	·4	7·2	·000
Wednesday,	„ 25,	29·015	46	24	35·0	43·1	40·8	·83	·5	1·3	·000
Thursday,	„ 26,	29·395	48	32	40·0	37·5	36·6	·93	·5	0·5	·000
Friday,	„ 27,	29·900	50	31	40·5	38·2	37·6	·95	·3	3·0	·000
Saturday,	„ 28,	29·800	48	29	38·5	46·0	44·7	·91	·8	0·0	·010
Mean,	29·458	49·7	29·7	39·7	40·1	39·0	·92	·5	Total 24·0	Total ·140

Sunday—A beautiful bright day; night cloudy, light showers a.m. Monday—Day cloudy, bright at intervals, heavy showers p.m.; night bright, cloudy. Tuesday—A bright day, cloudy at intervals; night clear. Wednesday—A dull day; night cloudy, thunder and lightning a.m. Thursday—A dull day; night cloudy. Friday—Day cloudy, bright at intervals; night clear. Saturday—A dull day, light showers p.m.; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 28th March, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.		Air Tem- perature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell- Stokes Recorder) read at 9 p.m.	Rainfall.
			1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday,	March 22,	40·6	42·4	45·4	50·8	32·2	41·5	hrs. 8·2	ins. ·025
Monday,	„ 23,	46·0	42·7	45·1	53·9	36·5	45·2	3·4	·120
Tuesday,	„ 24,	41·4	43·4	45·2	50·5	33·0	41·7	6·0	—
Wednesday,	„ 25,	43·7	43·0	45·1	48·0	28·0	38·0	1·9	·030
Thursday,	„ 26,	42·8	43·6	45·0	48·2	38·0	43·1	—	·005
Friday,	„ 27,	44·0	43·1	45·1	48·1	36·8	42·4	4·8	—
Saturday,	„ 28,	45·5	43·4	45·0	47·5	33·0	40·2	—	·175
Weekly Mean,	..	43·4	43·1	45·1	49·6	33·9	41·7	Total 24·3	Total. ·355

DUBLIN: Printed for His Majesty's Stationery Office.
By ALEX THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

Quarterly Summary of the Weekly Returns OF BIRTHS AND DEATHS

IN THE
DUBLIN REGISTRATION AREA,
AND IN TWENTY-SIX OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE:

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEXANDER THOM & CO. LIMITED, ABBEY-STREET, DUBLIN.

1914.

Price 1½d.

VOL. LI.]

QUARTER ENDING SATURDAY, 28TH MARCH, 1914.

[No. 13A]

DUBLIN REGISTRATION AREA. — BIRTHS. — In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,743 statute acres, and the population, estimated to the middle of 1914, 406,000, there were registered during the thirteen weeks ended on Saturday, 28th March, 1914, 2,894 births—1,513 boys and 1,381 girls—being equal to an annual ratio of 1 in 35·1, or 28·5 in every 1,000 of the population.

The number of births registered in the city was 2,492, equivalent to an annual rate of 32·1 in every 1,000 of the population; and in the urban districts named above, 402, equal to an annual rate of 16·8 in every 1,000 of the population.

There were registered in London during the same period 28,436 births—being equal to an annual birth-rate of 25·2 in every 1,000 of the estimated population; in Glasgow there were registered 7,497, being equal to 28·6 per 1,000; and in Edinburgh, 1,644—a number affording an annual birth-rate of 20·4 in every 1,000 of the estimated population.

DEATHS.—Omitting the deaths (157) of persons admitted into public institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 2,452, are equivalent to an annual rate of 24·2 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 24·9. The total number of deaths registered in the Dublin Registration Area during the quarter was 2,609—1,281 males and 1,328 females—affording an annual ratio of 1 in 38·9 or 25·7 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the first quarter of the ten years, 1904–1913, in the Dublin Registration Area was 26·1 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the north city districts registered last quarter was 1,026, representing an annual mortality of 24·9 in every 1,000 of the population; and the number in the south city districts was 982, equivalent to a rate of 27·0 per 1,000. In the urban districts the number of deaths registered was 444, being equal to an annual death-rate of 18·6 in every 1,000.

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

The number of deaths registered in London during the same period was 18,384, a number equal to an annual rate of mortality of 16·3 in every 1,000 of the inhabitants ; in Glasgow the number was 4,745 equal to 18·1 in every 1,000 ; and in Edinburgh 1,514, affording an annual death-rate of 18·8 in every 1,000 of the estimated population.

DISEASES.—The number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area during last quarter was 214, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 2·11.

The following tabular statement shows the mortality from some of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1904–1913 :—

NAMES OF DISEASES.	No. of Deaths in March Quarter, 1914.	Average No. of Deaths in March Quarters, 1904–1913.
Enteric Fever,	14	16
Typhus,	—	1
Small-pox,	—	—
Measles,	81	30
Scarlet Fever,	13	9
Whooping-cough,	24	45
Diphtheria,	24	17

ENTERIC FEVER.—To enteric fever 14 deaths were ascribed, being 2 under the average (16) for the corresponding quarter of the preceding 10 years. In the three preceding quarters, deaths from this disease numbered 6, 12, and 14, respectively ; and in the first quarter of 1913 the number was 11.

Of the 14 deaths for the quarter, 4 appertained to the North City districts, 6 to the South City districts, and 4 to the Pembroke urban district.

From Table I. it will be observed that 60 cases of the disease were admitted to Dublin hospitals, that 80 were discharged, that 6 died in hospitals, and that 26 remained under treatment at the close of the quarter.

TYPHUS.—There was no mortality from this cause, but 5 cases were treated in hospitals ; no case of the disease, however, was under treatment therein at the end of the quarter.

SMALL-POX.—There was no mortality from this cause, nor was there any case of the disease reported during the quarter.

MEASLES.—During the quarter the deaths from measles amounted to 81, affording an annual rate of 0·80 per 1,000 of the population. This number is the highest recorded for the Dublin Registration Area (as at present constituted) in any first quarter, beginning with that of the year 1901, the next highest number occurring in the first quarter of the year 1909, when 75 deaths were registered. In the corresponding quarter of 1901 only 7 deaths from measles occurred, the number registered in the corresponding quarter of 1913 being 3, while the average number for the March quarter of the 10 years, 1904–13, was 30.

Of the 81 deaths from measles during the quarter under notice, 39 belonged to North City districts, 26 to South City districts, one to Rathmines and Rathgar urban district, and 15 to Pembroke urban district.

It would appear from Table I. that 170 cases of measles were admitted to hospital during the quarter, that 58 were discharged, that 23 died in hospitals, and that 99 cases remained under treatment at its close, as compared with 10 at the end of the preceding quarter.

SCARLET FEVER.—The deaths from scarlet fever amounted to 13, being 4 under the average (9) for the corresponding period of the preceding 10 years, as against 8, 8, and 12, respectively, in the three preceding quarterly periods. Of the 13 deaths, 12 appertained to city districts, and one was that of a person admitted to hospital from a locality outside the Area. The number of cases of scarlet fever treated in Dublin hospitals during the quarter was 370.

* See note (*) p. 208h.

WHOOPIING-COUGH.—Twenty-four deaths from this disease were registered, as compared with 45, the average number for the corresponding quarter of the preceding 10 years. Of the 24 deaths 14 appertained to North City districts, 6 to South City districts, 3 to Rathmines and Rathgar, and one to Pembroke.

In the second, third, and fourth quarters of 1913 deaths from whooping-cough in the Dublin Registration Area numbered 30, 15, and 7, respectively.

DIPHTHERIA.—There were 24 deaths from this cause (equivalent to an annual rate of 0·24 per 1,000 of the estimated population), being 7 over the average (17) for the first quarter of the preceding 10 years. In the three quarters preceding, deaths from diphtheria were 21, 13, and 31, respectively.

Of the 24 deaths, 13 were recorded for North City districts, 8 for South City districts, and 2 for Pembroke urban district, and one death in an institution was that of a person admitted from without the Area. There were 223 cases of diphtheria under treatment in Dublin hospitals, and of these 162 were discharged, 21 died, and 40 cases remained under treatment at the end of the period.

DIARRHŒAL DISEASES.—The number of deaths under this heading was 57, including 55 deaths of children under 2 years of age, the latter affording an annual rate of 0·54 per 1,000 of the population.

INFLUENZA.—The deaths registered as from influenza, numbering 21, represent an annual rate of 0·21 per 1,000, and are 24 below the average for the March quarter of the 10 years, 1904–13. In the three preceding quarters, 31, 7, and 12 deaths, respectively, were recorded.

CEREBRO-SPINAL FEVER.—There were 3 deaths attributed to cerebro-spinal fever or cerebro-spinal meningitis. Only one death from this cause was registered during the six preceding quarters, this death having been recorded in the second quarter of 1913.

PNEUMONIA.—The number of deaths from pneumonia (all forms) was 222, being equivalent to 2·19 per 1,000 of the estimated population. Of the 222 deaths, 125 were from broncho-pneumonia, 14 from lobar-pneumonia, and 83 from pneumonia (type not distinguished).

TUBERCULOSIS.—There were 392 deaths from tuberculous disease (all forms) affording an annual rate of 3·86 per 1,000 of the estimated population, as against a rate of 3·94 per 1,000 for the corresponding quarter of 1913. The 392 deaths comprise 296 deaths from pulmonary tuberculosis, 34 from tuberculous meningitis, 23 from abdominal tuberculosis, 4 from tuberculosis of the vertebral column, 3 from tuberculosis of joints, 3 from tuberculosis of other organs, and 29 from dissiminated tuberculosis.

The annual rate per 1,000 of the population represented by deaths from all forms of tuberculous disease for the city of Dublin was 4·12 (North city 3·76, and South city, 4·53); for Rathmines and Rathgar urban district 2·15; for Pembroke, 2·78; for Blackrock, 1·30; and for Kingstown urban district, 1·89.

CANCER.—The deaths under this heading amounted to 113, which number is equivalent to an annual rate of 1·11 per 1,000 of the estimated population.

DISEASES OF THE BRAIN AND NERVOUS SYSTEM.—To this group 262 deaths were attributed, and are represented by an annual rate of 2·58 per 1,000. These deaths include 69 from convulsions of children under 5 years of age, of which 63 were deaths of infants under one year of age.

DISEASES OF CIRCULATORY SYSTEM.—The total number of deaths from these causes registered during the quarter was 234, being equal to an annual rate of 2·31 per 1,000.

BRONCHITIS.—This disease caused 384 deaths, representing an annual rate of 3·78 per 1,000.

CONGENITAL MALFORMATIONS, PREMATURE BIRTH, CONGENITAL DEBILITY.—To congenital malformations 16 deaths were attributed; to premature birth, 70 deaths; and to congenital debility, 50 deaths.

VIOLENCE.—Fifty-six deaths were caused by accident, including 2 by poisons or poisonous vapours, 12 by burns or scalds (4 being deaths of children under 5 years of age), 4 by drowning, 6 by vehicles and horses, and 2 deaths of infants by suffocation in bed.

Two deaths were ascribed to homicide and 3 to suicide.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) ended **Saturday, 28th March, 1914.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever,	52	60	80	6	26
Typhus,	4	1	5	—	—
Small-pox,	—	—	—	—	—
Measles,	10	170	58	23	99
Scarlet Fever,	124	246	254	11	105*
Diphtheria,	65	158	162	21	40
Pneumonia,	26	106	93	19	20

* Exclusive of 13 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 81 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 81 cases, 36 (or 44 per cent.) were deaths of children under 5 years of age; these 36 deaths form 4·6 per cent. of the total number of deaths of children of that age-period. Of the deaths of 173 infants under one month old registered, there were 12 (or 6·9 per cent.) regarding which the cause was uncertified.

From Table II., on page 208*f*, it will be seen that, excluding 157 deaths of persons admitted into public institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,452, equal to an annual rate of 24·2 per 1,000 of the estimated population, and that 209 of these deaths, representing an annual rate of 2·1 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 25·9 per 1,000, and for the urban districts 18·6 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 2·3, and in the urban districts 1·4, the rates for the several districts varying from 0·0 in each of Blackrock and Kingstown, to 3·7 in North city No. 1, W., the 323 deaths from all causes for that district including 2 from enteric fever, 16 from measles, 4 from scarlet fever, 5 from whooping-cough and 11 from diarrhoea and enteritis of children under 2 years of age.

OCCUPATIONS.—Table III., on page 208*g*, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 14·7 per 1,000 of the persons in that class according to the Census of 1911; in the "Middle Class" the death-rate was 17·2 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 22·0; and in the "General Service Class" it was 25·3.

AGES.—Of the 2,609 persons whose deaths were registered in the Dublin Registration Area during the quarter, 778 were under 5 years of age, including 469 infants under one year of age, the latter representing a rate of 162·1 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 76·1 in every 1,000 children at that age (according to the Census of 1911); 105 were between the ages of 5 and 15, representing an annual rate of 5·9 per 1,000 persons at that age-period; 132 were between the ages of 15 and 25, equivalent to an annual rate of 6·6 per 1,000; the total number under 25 years being equal to an annual mortality of 21·1 per 1,000 of the population at that age-period (according to the Census of 1911); 370, or 11·9 per 1,000 persons, were between 25 and 45; 595, or 40·4 per 1,000, between 45 and 65; 366, or 86·7 per 1,000, between 65 and 75; and 263, or 188·1 per 1,000, were aged 75 and upwards, including 22 persons aged 90 and upwards.

PUBLIC INSTITUTIONS.—Of the 2,609 deaths recorded during the quarter, 1,097 or 42·0 per cent., occurred in public institutions, viz., 633 in the various hospitals, prisons, and lunatic asylums; 186 in the North Dublin Union Workhouse; 274 in the South Dublin Union Workhouse; and 4 (those of persons admitted from within the Dublin registration area) in the Rathdown Union Workhouse.

WEATHER.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phoenix Park, was 41·9. At Greenwich, for the quarter, it was 41·6°; at Glasgow 40·5°; and at Edinburgh, 39·8°.

The rainfall at Dublin during the thirteen weeks measured 5·29 inches; at Greenwich, 6·79 inches; at Glasgow, 9·69 inches; and at Edinburgh, 6·36 inches.

† See note (*) p. 208*h*.

TABLE showing the Mean Weekly Values and the difference from their average Values of the meteorological elements at the Phoenix Park, Dublin,* for the thirteen weeks ended 28th March, 1914.

Prepared in the Meteorological Office under the direction of W. N. SHAW, Esq., LL.D., Sc.D., F.R.S.

1914. WEEK ENDED.	BAROMETER.		THERMOMETER.						HYGROMETER.			OZONE.	BRIGHT SUNSHINE.			RAINFALL.		WIND.				
	Mean at 32° F. Mean Sea Level and Stan- dard Gravity. Lat. 45°.	Difference from Average.	Mean of		Mean of A. and B.	Difference from Average.	° F.	° F.	° F.	° F.	Mean of Dry Bulb.	Mean of Wet Bulb.	Mean Humidity.	Ozone.	Mean Daily Amount in Hours.	Difference from Average.	Percentage of Possible.	Total Amount.	Inches.	Inches.	Number of Days.	Mean Force (Beaufort Scale 0-12).
			Maximum A.	Minimum B.																		
January 3rd,	...	Inches. 30-326	Inches. —	° F. 40-1	° F. 29-1	° F. 34-6	° F. —	° F. 48	° F. 19	° F. 33-4	° F. 32-5	Per cent. 89	0-5	2-3	+0-6	31	0-04	—	—	2	1-2	
" 10th,	...	29-954	—	49-6	39-0	44-3	—	56	27	43-7	42-4	89	0-5	1-6	-0-2	22	45	—	—	5	2-5	
" 17th,	...	30-353	—	42-7	36-3	39-5	—	48	33	38-9	36-6	81	0-1	0-0	-1-8	0	26	—	—	1	1-0	
" 24th,	...	30-050	—	42-0	35-3	38-7	—	52	32	38-8	36-9	84	0-5	0-4	-1-5	5	09	—	—	1	1-5	
" 31st,	...	29-873	—	51-0	37-9	44-5	—	55	33	44-3	43-4	94	0-7	0-9	-1-1	11	49	—	—	7	3-1	
February 7th,	...	29-658	—	54-4	41-7	48-1	—	56	28	50-0	48-8	92	0-7	1-6	-0-6	19	31	—	—	4	4-0	
" 14th,	...	29-422	—	51-4	35-7	43-6	—	56	31	44-7	42-7	85	0-6	3-0	+0-6	33	62	—	—	6	3-3	
" 21st,	...	29-424	—	48-9	35-1	42-0	—	54	29	41-1	39-6	89	0-7	3-3	+0-8	34	81	—	—	4	2-7	
" 28th,	...	29-483	—	51-0	35-2	43-2	—	58	26	42-7	41-5	91	0-5	3-3	+1-0	38	48	—	—	4	1-3	
March 7th,	...	29-720	—	50-3	38-9	44-6	—	53	32	43-7	42-3	89	0-7	3-1	0-0	29	63	—	—	5	2-5	
" 14th,	...	29-598	—	49-6	33-9	41-7	—	55	28	41-8	40-4	90	0-6	5-1	+1-6	46	47	—	—	5	2-0	
" 21st,	...	29-355	—	47-3	32-3	39-8	—	51	22	38-9	37-7	90	0-6	3-9	+0-1	34	45	—	—	5	1-8	
" 28th,	...	29-444	—	49-7	29-7	39-7	—	54	24	40-1	39-0	92	0-5	3-4	-0-8	28	14	—	—	3	0-9	
Mean,	...	29-743	-0-177	48-3	35-4	41-9	+1-0	53	19	41-7	40-3	89	0-6	2-5	-0-1	25	5-29	-0-87	—	52	2-1	

* Height above Mean Sea Level, Station H = 155 feet; Barometer H₀ = 153 feet.

NOTE.—The information under the headings Barometer Hygrometer, and Wind is the mean of observations taken at 9 a.m. and 9 p.m.; the quarterly difference from average for these elements being for the calendar months January to March. For remarks on the Weather of the Quarter see "Quarterly Return."

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 28th March, 1914**, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases* ; with the Mortality from some of the principal causes ; also the Deaths at certain age-periods, and the number of Uncertified Deaths ; the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.

REGISTRARS' DISTRICTS, &c.		QUARTER (13 WEEKS) ENDED 28TH MARCH, 1914.													DEATHS.										Number of Uncertified Deaths.								
		ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.		CAUSED BY											DISEASES OF RESPIRATORY SYSTEM.																		
				TOTAL DEATHS.											CAUSED BY																		
		POPULATION, ESTIMATED TO MIDDLE OF 1913.†	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	
North City.																																	
North City, No. 1, E.,		30,206		27.9	3.0	211	50	32	9	8	15	19	43	35	2	2			7	4	7	4		19	6	20	44	4	1	5	10		
" 1, W.,		41,278		31.3	3.7	323	60	26	26	20	16	47	64	64	1				16	4	5	2		40	8	35	52	11		10	14		
" 2,		27,883		29.3	2.9	204	42	18	16	6	11	27	48	36	1	1			7	2	2	4		15	6	17	36	8		8	8		
" 3,		35,536		21.0	1.5	187	34	9	10	6	9	28	45	46	1	1			5	2				30	7	14	33	1		1	3		
" 4,		5,485		10.9	1.5	15	3	2		1		2	1	6					2					2		2				1			
CLONTARF AND HOWTH, No. 1,																																	
part of.																																	
COOLOK AND DRUMCONDRA, part of,		13,685		15.5	2.0	53	10	3	2	2		6	15	17					2			2		1	4	2	10	3		1	1	2	
FINGLAS AND GLASNEVIN, part of,		10,723		12.3	0.7	33	4	3	1		2	4	7	9										2	2	1	3	6	1				
South City.																																	
South City, No. 1,		40,768		24.4	1.5	249	62	13	14	7	7	32	60	54		3			7	1				30	10	20	39	5			5	8	
" 2,		18,341		29.9	0.9	137	20	6	3	7	9	30	38	24		1								10	4	11	30	1			5	4	
" 3,		43,540		27.5	1.7	299	53	11	9	13	17	52	63	81		1			2	2	3	3		45	7	20	62	7			5	13	
" 4,		33,171		28.5	3.3	236	47	26	17	9	3	29	55	50		1			12	2	3	5		24	11	27	38	3			3	8	
NEW KILMAINHAM,		9,851		24.8	2.8	61	10	8	8	3	5	8	13	6					4	1				6	2	5	21	2			2		
Urban Districts.																																	
RATHMINES AND RATHGAR,		39,155		17.3	0.6	169	21	4	4	2	7	12	40	79					1		3			17	4	13	17	17	2		4	2	
PEMBROKE,		30,240		22.9	3.6	173	23	14	10	8	9	23	30	56		4			15		1	2		19	2	9	25	5			4	4	
BLACKROCK,		9,197		14.8	—	34	5		1	1	2	1	10	14										3	4	2	4				1	1	
KINGSTOWN,		16,941		16.1	—	68	7	2		1	6	8	19	25										7	1	6	9	5			5	3	
Total		164,796		24.9	2.5	1,026	203	93	64	43	54	133	223	213		4			39	6	14	13		113	42	29	181	28		1	19	38	
City.		145,671		27.0	1.9	982	192	64	51	39	41	151	229	215		6			26	6	6	8		125	40	34	190	18		1	20	33	
North and South,		310,467		25.9	2.3	2,008	395	157	115	82	95	284	452	428		10			65	12	20	21		238	82	63	371	46		2	39	71	
Total Urban Districts,		95,833		18.6	1.4	444	56	20	15	12	24	44	99	174		4			16		4	2		46	7	31	51	7			13	10	
Total Registration Area,		406,000		24.2	2.1	2,452	451	177	130	94	119	328	551	602		14			81	12	24	23		284	89	94	422	53		2	52	81	
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).						157	18	1	1	11	13	42	44	27						1			1	7	19	12	9	2			9		

† See note (*) on page 2081.

* See note (*) on page 2081.

TABLE III.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITIONS of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) ended **Saturday, 28th March, 1914**; the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.		OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.]	REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 28TH MARCH, 1914.													CAUSES OF DEATH.											Number of Uncertified Deaths.				
			AGES.													CAUSES OF DEATH.															
			Popu- lation in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	(1)	(2)	(3)	Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary Other Forms.	Cancer.	Convulsions.	Pneumonia.		Other. Diseases of the Respiratory System.	Diarrhoea and Enteritis of chil- dren under 5 years of age.	Diarrhoea 2 years of age and upwards.	Violence.
I.	ALL PERSONS,	397,957	—	2,649	778	105	132	370	595	366	263	14	.	.	.	81	13	24	24	1	296	96	113	69	222	431	55	2	61	1,107	81
II.	Deaths in Families of the—																														
III.	PROFESSIONAL AND INDEPENDENT CLASS, MIDDLE CLASS, ARTISAN CLASS AND PETTY SHOPKEEPERS, GENERAL SERVICE CLASS,	14,658 101,798 108,420 167,479	14.7 17.2 22.0 25.3	54 438 595 1,053	59 14 27 461	1 14 33 55	4 63 96 140	5 102 153 180	22 89 64 92	366 84 32 72	263 84 32 72	3 4 4 7	.	.	.	3 21 56	2 2 9	4 4 9	4 4 10	.	2 40 68 111	13 15 21 38	5 36 24 29	.	3 30 56 121	3 60 85 163	5 9 29	.	10 10 39	41 923 266 385	6 28 47
IV.	INMATES OF WORKHOUSES,	5,602	—	464	73	8	14	67	150	99	53	.	.	.	1	.	.	1	.	.	75	30	19	.	12	120	12	.	2	192	.
V.	PROFESSIONAL AND INDEPENDENT CLASS, 1. Clerical, Medical, Legal and Other Profes- sions : Naval and Military Officers, and Heads of Public Departments, 2. Merchants and Manufacturers, Higher Class 3. Persons of Rank and Property, not other- wise described,	7,868 1,347 5,443	18.3 5.9 11.8	36 2 16	.	1	.	4	1	14	13	2	.	1	.	2	3	.	.	.	28 2	.
VI.	MIDDLE CLASS, 4. General Body of Officials—Civil Service, Banking, &c., 5. Traders (except Petty Shopkeepers), Busi- ness Managers, &c., 6. Clerks and Commercial Assistants, 7. Miscellaneous—including all Household- ers in Second Class Localities, not included in above,	9,523 25,199 33,249 33,827	18.1 15.4 14.3 21.2	43 97 119 179	10 14 23 12	1 4 17 8	1 3 1	7 10 25 21	9 20 26 47	11 22 16 40	4 24 11 45	.	.	.	1	.	.	3	.	2	.	6	.	3	3	2	.	1	22	.	
VII.	ARTISAN CLASS AND PETTY SHOPKEEPERS, 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, 9. Building and Furnishing Trades, 10. Clothing Trades, 11. Food Supply Trades, 12. Other Trades and Callings ranking with Trades, 13. Petty Shopkeepers,	11,777 28,823 20,026 8,952 32,070 6,772	17.7 20.0 11.6 23.2 29.4 22.4	52 144 73 52 236 38	20 54 21 18 62 10	2 9 2 4 5 5	4 23 10 11 39 7	13 33 19 11 77 5	4 15 7 3 28 7	1 6 15 3 15 3	1 6 7 3 13 3	.	.	.	1 8 4 1 5 2	1 1 1 1 1 2	3 1 1 1 3 1	3	.	.	9 21 7 4 25 2	5 4 1 2 7 1	2 4 2 3 14 1	5 8 17 7 21 5	1 2 1 1 5 7	.	2 1 3 2 2 2	25 66 26 20 113 16	3 6 3 4 11 1		
VIII.	GENERAL SERVICE CLASS, 14. Army, Police, Postal Delivery, and Prison Services, &c., 15. Domestic Servants, 16. Coach and Car Drivers, Vanmen, &c., 17. Hawkers, Porters, Labourers, &c.,	12,977 36,041 15,380 103,081	19.4 10.2 24.4 31.5	63 92 94 809	17 21 43 380	2 11 6 46	6 18 16 98	18 20 16 126	6 9 4 73	6 12 9 49	6 12 9 49	.	.	.	4 1 3 46	1 1 1 1	1 1 1 6	1 9 7	.	8 10 6 83	1 3 6 28	5 3 1 17	.	3 14 15 99	6 10 14 132	1 2 3 23	.	5 5 30	30 48 31 286	5 4 3 35	
IX.	INMATES OF WORKHOUSES, 18. Workhouse Inmates,	5,602	—	464	73	8	14	67	150	99	53	.	.	.	1	.	.	1	.	.	75	30	19	.	12	120	12	.	2	192	.

TWENTY-SEVEN PRINCIPAL TOWN DISTRICTS OF IRELAND.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-six of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 21·8 per 1,000 of the population, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest:—Bray, 9·9; Bangor, 12·3; Coleraine, 12·8; Portadown, 13·0; Queenstown, 13·6; Londonderry, 15·8; Lurgan, 15·9; Newry, 16·7; Clonmel, 17·2; Athlone, 18·7; Dundalk, 18·9; Waterford, 19·2; Wexford, 19·8; Lisburn, 20·0; Ballymena, 20·4; Sligo, 20·4; Drogheda, 20·8; Larne, 21·4; Belfast, 21·6; Galway, 21·7; Cork, 22·1; Limerick, 22·1; Kilkenny, 22·8; Dublin Registration Area, 24·2; Armagh, 25·0; Tralee, 25·2; and Newtownards, 25·9;

The average annual rate represented by the deaths from the principal epidemic diseases* in the 27 districts is 1·7 per 1,000 of the population, the rates varying from 0·0 in three of the districts to 10·3 in Armagh, the 46 deaths from all causes for that district including 19 from measles.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-six provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter:—

ENTERIC FEVER.—Four deaths each were recorded for Belfast and Limerick, and one death each for Cork, Londonderry, Dundalk, Drogheda, Sligo, and Clonmel.

TYPHUS.—The mortality from this cause consisted of 3 deaths, all appertaining to Belfast county borough.

SMALL-POX.—There was no death from small-pox.

MEASLES.—Of 37 deaths attributed to measles, 19 appertained to Armagh, 8 to Lisburn, and 2 to Belfast.

SCARLET FEVER.—Sixty-one deaths from scarlet fever were recorded for Belfast, 2 each for Cork, Limerick, and Clonmel, and one each for Lurgan, Lisburn, Newry. Newtownards, and Coleraine.

WHOOPING-COUGH.—Of 72 deaths registered, 48 belonged to Belfast, 9 to Newtownards 5 each to Cork and Tralee, 2 to Galway, and one each to Limerick, Lisburn, and Larne.

DIPHTHERIA.—Among the 24 deaths from this cause were 14 returned as appertaining to Belfast, 2 each to Lisburn and Kilkenny, and one each to Cork, Londonderry, Lurgan, Drogheda, Sligo, and Larne.

DIARRHŒA AND ENTERITIS OF CHILDREN UNDER 2 YEARS OF AGE.—Of 63 deaths returned under this heading, 38 belonged to Belfast, 6 to Cork, 4 to Waterford, and 3 each to Londonderry and Tralee.

PHTHISIS.—The annual death-rate from phthisis for the 27 towns in the aggregate was 2·4 per 1,000 of the estimated population; for the Dublin Registration Area it was 2·8 per 1,000, for Belfast county borough 2·2 per 1,000, and for the urban districts collectively (exclusive of Dublin Registration Area and Belfast), it was 2·2 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

* The population given for the Dublin Registration Area and its component parts and the cities of Belfast and Londonderry, is that estimated to the middle of 1914; that for each of the other districts is the population according to the Census of 1911.

* The population given for the Dublin Registration Area and its component parts and the cities of Belfast and Londonderry, is that estimated to the middle of 1914: that for each of the other districts is the population according to the Census of 1911.

† See note (*) on page 208h.

‡ Including 2 deaths from cerebro-spinal fever or cerebro-spinal meningitis.

* The population given for the Dublin Registration Area and its component parts and the cities of Belfast and Londonderry, is that estimated to the middle of 1914; that for each of the other districts is the population according to the Census of 1911.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of Births and Deaths in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the Quarter (13 weeks) ended 28th March, 1914, Deaths in Public Institutions of persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of MORTALITY per 1,000 of the Population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE-PERIODS; the Number of Deaths from the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS DISTRICTS.		Census Population in 1911	No. of BIRTHS.	AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Number of Uncertified Deaths.							
				Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		Total Number of DEATHS.					AGES AT DEATH.					DISEASES OF THE RESPIRATORY SYSTEM.																
				All Causes.	Certain Epidemic Diseases†	(4)	(5)	AGES AT DEATH.					Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.	(28)(29)	(30)		
								(6)	(7)	(8)	(9)	(10)								(11)	(12)		(13)	(14)							(15)	(16)
COLS.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
City of Belfast.																																
BELFAST URBAN No. 1 DISTRICT,		15,879	111	25.9	1.3	103	17	22	10	23	18	13	1	1	1	1	2	5	2	14	7	5	12	16	2	1	2	7	36	2		
Do. 2 do.		49,500	341	24.1	1.1	298	55	35	28	44	68	73	1	1	1	1	2	4	2	33	4	12	24	66	2	2	4	10	77	9		
Do. 3 do.		50,032	354	21.1	1.8	264	61	24	18	48	58	55	1	1	1	1	7	9	1	30	5	12	33	43	4	4	3	6	60	9		
Do. 4 do.		32,637	323	24.0	1.8	196	43	16	23	34	42	38	.	.	.	3	3	1	18	9	6	18	28	7	1	1	3	6	92	2		
Do. 5 do.		16,112	110	29.3	2.5	118	82	11	7	17	24	27	.	.	.	1	5	2	7	12	2	14	15	2	2	.	4	4	88	.		
Do. 6 do.		37,293	199	18.9	1.7	176	27	11	12	38	44	44	1	1	1	8	2	.	20	2	16	26	24	4	4	.	.	1	38	1		
Do. 7 do.		2,681	18	14.9	—	10	7	7	2	2	4	4	1	1	.	1	1	8	
Do. 8 do.		5,964	47	18.1	5.4	27	7	7	2	3	8	5	.	.	.	3	2	.	1	1	9	4	5	15	16	3	1	3	2	29	3	
Do. 9 do.		24,427	161	18.0	1.5	110	16	15	15	14	24	26	1	1	1	4	1	1	2	9	4	5	15	16	1	1	3	5	7	38	.	
Do. 10 do.		28,958	239	22.5	1.4	163	33	16	18	24	36	36	1	1	1	7	1	1	17	6	9	18	17	1	1	3	4	11	44	1		
Do. 11 do.		39,311	297	20.2	2.5	199	46	34	21	26	30	42	.	.	.	8	9	3	13	8	6	30	39	2	2	3	4	11	44	1		
Do. 12 do.		38,076	350	25.7	2.4	245	55	47	26	36	53	28	2	2	2	11	6	.	27	7	5	34	44	3	1	2	12	57	3			
Do. 13 do.		23,233	145	13.1	1.2	76	11	9	7	13	11	25	.	.	.	4	2	.	10	2	1	5	13	4	7	2		
Do. 14 do.		175	1	—	—	1	1	1	1	15	11	5	20	10	8	5	10	.	53	2	
Do. 15 do.		22,669	163	29.3	2.6	166	27	20	14	24	49	32	.	.	.	3	2	1	1	15	11	5	20	10	8	5	10	.	53	2		
Total,		386,947	2,859	21.6	1.8	2,152	430	267	201	346	459	449	4	3	2	61	48	14	1	215	77	84	245	340	38	7	34	77	574	25		
City of Cork.																																
CORK URBAN No. 1 DISTRICT,		13,455	70	14.3	—	48	7	4	4	6	9	18	5	4	.	3	5	1	15	1	
Do. 2 do.		10,399	77	24.2	1.5	63	10	6	5	11	17	14	.	.	1	.	.	.	12	4	2	2	6	.	.	.	1	2	25	5		
Do. 3 do.		9,793	62	22.1	1.2	54	6	4	2	14	15	13	1	.	.	1	.	.	11	3	3	1	8	1	1	1	.	1	24	3		
Do. 4 do.		9,139	52	21.4	0.9	49	6	2	2	8	16	15	.	.	.	1	.	.	3	1	4	1	1	12	1	.	.	2	23	1		
Do. 5 do.		6,250	32	24.3	1.3	38	9	3	6	8	10	9	.	.	.	1	.	.	11	4	1	1	6	1	.	.	.	2	22	1		
Do. 6 do.		11,581	59	22.8	0.3	66	5	4	5	8	20	24	1	.	.	11	3	1	4	8	.	.	2	27	1	1		
Do. 7 do.		16,056	122	26.2	1.2	105	11	14	7	14	30	29	.	.	.	1	3	.	12	5	8	5	16	1	.	1	1	3	32	8		
Total,		76,673	474	22.1	0.9	423	47	37	31	69	117	122	1	.	1	2	5	1	65	24	15	21	61	6	1	2	11	168	19			

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
2nd May, 1914.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (*) on page 208h.

WILLIAM J. THOMPSON,
Registrar-General.

WEEKLY RETURN of BIRTHS and DEATHS
IN THE
DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 4TH APRIL, 1914.

[No. 14.]

General Register Office, Charlemont House,
Dublin, 6th April, 1914.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 21·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Mar. 14	Mar. 21	Mar. 28	April 4	
27 Town Districts, (a)	20·0	20·3	22·8	21·7	21·2
Dublin Reg. Area ...	22·1	22·3	27·2	26·1	24·4
Dublin City ...	24·0	24·9	31·1	26·7	26·7
Belfast ...	19·1	21·3	19·6	17·8	19·5
Cork ...	17·0	24·5	22·4	21·1	21·2
Londonderry ...	15·2	19·0	11·4	14·0	14·9
Limerick ...	20·3	17·6	29·8	17·6	21·3
Waterford ...	15·2	24·7	19·0	36·1	23·7

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 2·1 per 1,000. Among the 136 deaths from all causes for Belfast are one from measles, 2 from scarlet fever, 3 from whooping-cough, 2 from diphtheria, and one from diarrhoea and enteritis of a child under 2 years of age. Included in the 31 deaths from all causes for Cork, are 3 from whooping-cough, one from diphtheria, and one from diarrhoea and enteritis of a child under 2 years of age. Of the 3 deaths from all causes for Lurgan one was from measles and one from scarlet fever. Among the 5 deaths from all causes for Lisburn, one was from measles, and of the 3 deaths from all causes for Bray, one was also due to that disease. One of the 4 deaths from all causes for Tralee was from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 227—117 boys and 110 girls—and the deaths to 212—97 males and 115 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 26·1 per 1,000 of the population. During the fourteen weeks, ending with Saturday last, the death-rate averaged 24·3, and was 0·7 below the mean rate for the corresponding portions of the ten years, 1904—1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 212, represent an annual rate of 27·2 per 1,000; the annual rate for the past fourteen weeks was 25·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·2 per 1,000 of the mean population for all deaths registered.

Among the deaths registered during the week there were 22 from measles, 3 from whooping-cough, one from diarrhoea and enteritis of a child under 2 years of age, and 3 deaths from influenza. Deaths from measles, which had risen from 5 in the week ending 14th March to 14 in the week ending 21st March, and to 27 in the week ending 28th March, declined to 22 in the week under notice; deaths from whooping-cough in the 3 preceding weeks were 2, 3, and 3; deaths from diarrhoea and enteritis of children under 2 years were 5, 6, and 4; and deaths from influenza were one, 0, and 2.

Altogether the deaths from tuberculous disease amounted to 31, namely:—from pulmonary tuberculosis, 22 deaths; from tuberculous meningitis, 3 deaths; and from other forms of the disease, 6 deaths; in each of the 3 weeks preceding, deaths from tuberculous disease were 35, 29, and 27.

The deaths attributed to cancer numbered 6.*

Pneumonia caused the deaths of 19 persons; of this figure 12 deaths were attributed to broncho-pneumonia, 3 to lobar pneumonia, and 4 to pneumonia (type not distinguished).

There were 4 deaths from simple meningitis, 3 deaths of infants from convulsions, 3 from congenital malformations, one from premature birth and one from congenital debility.

The number of deaths caused by organic disease of the heart was 21, and the deaths from bronchitis amounted to 33.

Of 2 deaths from accident or negligence, one was caused by scalds and one by a motor car, both being those of children under 5 years of age.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of an infant under one year old and the deaths of 2 persons aged 65 years and upwards.

Fifty-five of the persons whose deaths were registered during the week were under 5 years of age (20 being infants under one year, of whom 5 were under one month old), and 61 were aged 65 years and upwards, including 45 persons aged 70 and upwards; among the latter were 26 aged 75 and upwards, of whom one (a female) was stated to have been aged 93 years.

Ninety-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse, 30 in the South Dublin Union Workhouse, and 1 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 26·1 per 1,000; the rate in the City was 26·7 (North City Districts, 23·4; South, 30·4) and in the Suburbs 24·0.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 3·3 per 1,000 inhabitants, the rate for the City being 3·9 (in the North City Districts 4·9, and in the South 2·9), and for the Suburbs 1·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (15) are equal to an annual rate of 25·9 per 1,000. Six deaths were attributed to measles, 2 to pulmonary tuberculosis, 3 to pneumonia, and 3 to bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (23) are equal to an annual rate of 29·1 per 1,000. There were 2 deaths from measles, 4 deaths from tuberculous disease, 2 from broncho-pneumonia, and 3 from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 31·8 per 1,000. Six deaths were caused by measles, 4 by tuberculous disease, one by broncho-pneumonia, and 2 by bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (10) represent an annual rate of 14·7 per 1,000. One death each from measles and pulmonary tuberculosis, 2 deaths from pneumonia, and 3 from bronchitis were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 28·5 per 1,000 inhabitants; Coolock and Drumcondra, part of, 0·0; and Finglas and Glasnevin, part of, 29·2. Of the 3 deaths from all causes for Clontarf and Howth, No. 1, part of, one was from tuberculous disease and one from bronchitis; and the 6 deaths from all causes for Finglas and Glasnevin, part of, include one death caused by pulmonary tuberculosis and one death by suicide.

No. 1 *South City District* (South Earl-street).—The deaths (26) represent an annual rate of 33·3 per 1,000. Among them are one death each from measles, whooping-cough, and influenza, 4 deaths from pulmonary tuberculosis, 2 from pneumonia, and 7 from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 34·1 per 1,000, and include one death from measles, 3 deaths from tuberculous disease, one death from broncho-pneumonia, 3 deaths from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

No. 3 *South City District* (Peter-street).—The deaths (22) are equal to an annual rate of 26·3 per 1,000. Two deaths from measles, 5 deaths from tuberculous disease, 4 deaths from pneumonia, and 4 deaths from bronchitis were recorded.

No. 4 *South City District* (Grand Canal Street).—The deaths (21) are equivalent to an annual rate of 33·0 per 1,000. There were 2 deaths from measles, 3 deaths from tuberculous disease, one death from pneumonia, 3 deaths from bronchitis, and one accidental death.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·2 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·3; Pembroke, 32·8; Blackrock, 22·7; and Kingstown, 24·6. The deaths from the principal epidemic diseases tabulated for these districts comprise one death from whooping-cough for Rathmines and Rathgar, and one death each from measles and whooping-cough for Pembroke. Among the 13 deaths from all causes for Rathmines and Rathgar are one death from influenza, 2 from pulmonary tuberculosis, and 2 from bronchitis. The 19 deaths from all causes for Pembroke include one death each from influenza and pulmonary tuberculosis, 3 deaths from broncho-pneumonia, one from bronchitis, and one accidental death; and of the 4 deaths from all causes for Blackrock one was from bronchitis.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 15·5), was equal to an average annual death-rate of 16·2 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 18·6 per 1,000, the rate for Glasgow being 19·0, and for Edinburgh 19·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 4th April. From this Report it appears that of a total of 81 cases notified, 46 were scarlet fever, 15 phthisis, 13 diphtheria, and 7 erysipelas. Among the 559 cases of infectious diseases in hospital at the close of the week were 242 cases of scarlet fever, 189 of phthisis, 70 of diphtheria, 38 of measles, 11 of erysipelas, 2 of enteric fever, and 2 of chicken-pox.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II

STATE OF INFECTIOUS DISEASE

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 4th April, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin un- certain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tub- erculosis.	Total
City of Dublin.	Mar. 14,	.	—	—	2	.	.	6	.	2	4	4	.	—	—	.	—	.	32	50
	Mar. 21,	.	—	—	14	.	.	5	.	1	5	4	.	—	—	.	—	.	17	46
	Mar. 28,	.	—	—	7	.	.	10	.	.	1	3	.	—	—	.	—	.	21	42
	April. 4,	.	—	—	6	.	.	12	.	.	7	2	.	—	—	.	—	.	29	56
Rathmines and Rathgar Urban District.	Mar. 14,	.	—	—	2	.	.	1	—	—	—	—	—	—	3
	Mar. 21,	.	—	—	5	—	—	—	—	—	—	5
	Mar. 28,	.	—	—	4	.	.	1	.	.	.	2	.	—	—	—	—	—	—	7
	April. 4,	.	—	—	2	1	.	1	—	—	—	—	—	—	4
Pembroke Urban District.	Mar. 14,	.	30	—	.	—	—	—	.	30
	Mar. 21,	.	25	.	2	—	2	—	—	—	2	29
	Mar. 28,	.	16	.	2	—	1	—	—	—	2	21
	April. 4,	.	15	.	4	.	.	2	—	6	—	—	—	1	28
Blackrock Urban District.	Mar. 14,	.	—	—	—	—	—	—	—	—	.
	Mar. 21,	.	—	—	—	—	—	—	—	—	.
	Mar. 28,	.	—	—	—	—	—	—	—	—	.
	April. 4,	.	—	—	—	—	—	—	—	—	.
Kingstown Urban District.	Mar. 14,	.	—	—	.	.	.	1	—	—	—	—	—	4	5
	Mar. 21,	.	—	—	1	—	—	—	—	—	.	1
	Mar. 28,	.	—	—	—	—	—	—	—	.	.
	April. 4,	.	—	—	—	—	—	—	—	.	.
City of Belfast.	Mar. 14,	.	—	—	29	.	.	11	.	.	2	4	.	—	—	—	—	.	6	52
	Mar. 21,	.	—	—	41	.	.	7	.	.	1	1	.	—	—	—	—	2	51	
	Mar. 28,	.	—	—	35	.	.	7	1	1	1	4	.	—	—	—	—	5	54	
	April. 4,	.	—	—	42	.	.	13	.	.	.	4	.	—	—	—	—	6	65	
City of Cork.	Mar. 14,	.	.	—	5	1	1	.	—	—	—	—	—	—	7
	Mar. 21,	.	.	—	3	.	.	.	1	.	.	.	1	—	—	—	—	—	5	5
	Mar. 28,	.	1	—	7	.	.	1	1	1	.	2	.	—	—	—	—	—	—	13*
	April. 4,	.	1	—	1	.	.	.	1	.	1	.	.	—	—	—	—	—	—	4
City of Londonderry.	Mar. 14,	.	—	—	1	—	—	—	—	—	—	1
	Mar. 21,	.	—	—	—	—	—	—	—	—	.
	Mar. 28,	.	—	—	—	—	—	—	—	—	.
	April. 4,	.	—	—	1	.	.	1	—	—	—	—	—	—	2
City of Limerick.	Mar. 14,	.	—	—	1	—	—	—	—	—	—	1
	Mar. 21,	.	—	—	—	—	—	—	—	—	.
	Mar. 28,	.	—	—	1	—	—	—	—	—	—	1
	April. 4,	.	—	—	1	.	.	—	—	—	—	—	—	1
City of Waterford.	Mar. 14,	.	—	—	—	—	—	—	—	.	7
	Mar. 21,	.	—	—	—	—	—	—	—	7	.
	Mar. 28,	.	—	—	—	—	—	—	—	.	.
	April. 4,	.	—	—	—	—	—	—	3	.	3

* Not including one case of anthrax and one case of varicella.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th April, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Seven cases of enteric fever were admitted to hospital during the week, 3 were discharged, and 30 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 31, 29, and 26.

One case of typhus was admitted to hospital during the week and remained under treatment at its close.

Forty-seven cases of measles were admitted to hospital, 19 were discharged, there was 1 death, and 126 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 49, 64, and 99 respectively.

Twenty-one cases of scarlet fever were admitted to hospital, 25 were discharged, and 101* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 120, 116, and 105, respectively.

Eleven cases of diphtheria were admitted to hospital during the week, and 4 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 50, 42, and 40 respectively, were 47 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 5 were discharged, there were 3 deaths, and 18 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE II.—BIRTHS AND DEATHS registered during the week ending Saturday, 4th April, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 23 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **TEMPERATURE** and **RAINFALL** for the week, and for each of the two Weeks immediately preceding.

REGISTRATION—WEEK ENDING SATURDAY, 4TH APRIL, 1914.										METEOROLOGY. (d)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
NUMBERS REGISTERED.										WEEK ENDING 4TH APRIL, 1914					WEEK ENDING 28TH MARCH, 1914.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		BIRTHS.		DEATHS.		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Tuberculosis.		Diseases of the Respiratory System.		Diarrhoea and Enteritis of children under 2 years of age.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
POPULATION.		From all Causes.		From certain Epidemic Diseases. (b)		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.		TOTAL NUMBER.			

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 4th of April, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.				
		CITY OF DUBLIN.																				
		REGISTRATION DISTRICTS IN										URBAN DISTRICTS OF										
		Dublin North Superintendent Registrar's District.					Dublin South Superintendent Registrar's District.															
		NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.								SOUTH CITY NO. 4.	NEW KILMAINHAM.		
RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.																			
Enteric Fever,
Typhus,
Small-pox,
Measles,	6	2	6	1	.	.	.	1	1	2	2	.	.	1	22	.	
Scarlet Fever,	1	1	3	.	
Whooping-cough,	1	1	
Diphtheria,	1	1	3	.	
Croup,	1	1	1	
Influenza,	
Dysentery,	
Tuberculosis, { Pulmonary,	2	3	2	1	.	1	4	2	3	1	2	2	.	2	1	22	.	
{ Other Forms,	.	1	2	.	1	.	.	1	2	2	9	.	
Cancer,	2	1	.	.	4	2	
Diseases of Nervous System,	1	5	1	1	.	.	.	1	1	.	3	1	.	4	.	1	19	1	.	.		
" Organs of Special Sense,		
" Circulatory System,	.	1	1	1	.	1	6	1	.	2	2	1	3	3	1	23	2	.	.			
" Respiratory System. { Pneumonia,	3	2	1	2	.	.	2	1	4	1	.	.	3	.	.	19	.	.				
{ Others,	3	3	2	3	1	.	7	4	4	3	.	.	2	1	1	35	.	.				
" Digestive System. { Diarrhoea and Enteritis, under 2 years,	1	1	.	.				
{ Diarrhoea, 2 years and upwards,				
{ Enteritis, 2 years and upwards,	.	1	2	1	1	5	4				
{ Others,	.	1	2	1	5	.	.				
" Genito-urinary System,	.	1	1	.	.	.	1	.	.	.	1	1	.	.	.	5	.	.				
Puerperal Septicæmia, etc.,			
Other Causes incident to Pregnancy and Childbirth,	1	.	1	.	.	1	.	.				
Diseases of the Skin and Cellular Tissue,			
" Locomotor System,			
Other specified Causes,	.	3	1	1	1	.	2	2	.	3	1	.	3	3	.	3	23	.	.			
Violent Deaths,	1	.	.	.	1	.	.	1	.	.	3	.	.			
Ill-defined, &c. Causes,	3	.	.	1	.	.	.	4	.	.			
Deaths from All Causes	15	23	17	10	3	.	6	26	12	22	21	4	13	19	4	3	203	9	.			
Annual Rate of Mortality from All Causes in every 1,000 of the population.	25·9	29·1	31·8	14·7	28·5	.	29·2	33·3	34·1	26·3	33·0	21·2	17·3	32·8	22·7	24·6	26·1	.	.			
	23·4					30·4					24·0					26·7						
Ages at Death. { Under 1 year,	2	2	4	1	1	.	.	3	.	1	1	1	2	2	.	.	20	.	.			
1 and under 2 years,	4	1	4	2	.	.	.	2	3	4	20	.	.			
2 " 5 "	2	4	2	1	2	2	.	.	2	.	.	15	.	.			
5 " 15 "	.	3	1	2	2	2	.	.	2	.	.	12	.	.			
15 " 25 "	1	3	.	2	.	.	.	3	.	1	1	11	3	.			
25 " 45 "	3	2	2	.	1	.	2	3	3	1	3	.	4	1	.	.	25	1	.			
45 " 65 "	2	4	3	2	1	.	2	10	2	2	4	2	2	2	.	3	41	3	.			
65 and upwards,	1	4	1	3	.	.	2	5	1	9	8	1	5	10	4	5	59	2	.			
Number of Uncertified Deaths,	.	1	.	1	.	.	.	1	.	1	2	.	.	1	.	1	8	.	.			
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																						
Public Hospitals, Prisons, and Lunatic Asylums,	3	9	5	4	1	.	1	3	3	7	3	.	2	2	.	1	44	9	.			
Workhouse Hospitals,	.	4	3	1	.	.	.	10	6	5	5	.	4	.	1	.	39	.	.			

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 14th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 4th April, 1914.											
	Apr. 9, 1904.	Apr. 8, 1905.	Apr. 7, 1906.	Apr. 6, 1907.	Apr. 4, 1908.	Apr. 10, 1909.	Apr. 9, 1910.	Apr. 8, 1911.	Apr. 6, 1912.	Apr. 5, 1913.		Deaths of Persons of the Ages of											
												0-5.											
												Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.		
Mean Temperature.	45·9	44·2	42·9	42·1	44·7	44·5	41·7	39·4	48·4	44·2	43·8	50·9											
ALL CAUSES.	226	190	159	219	207	205	186	191	205	232	202·0	212	5	15	20	15	12	14	26	44	35	2	
Enteric Fever, ...	3	1	.	.	1	2	1	3	2	.	1·3
Typhus,	1	1	·2
Small-pox,
Measles, ...	4	.	1	3	1	6	.	1	11	.	2·7	22	.	1	10	6	5
Scarlet Fever,	1	.	.	1	.	.	1	1	1	·5
Whooping-cough, ...	8	1	2	8	1	7	.	3	2	2	3·4	3	.	3
Diphtheria, ...	2	1	.	3	.	1	1	4	4	5	2·1
Croup,	1	·1
Influenza, ...	5	2	2	5	7	3	3	2	4	5	3·8	3	1	.	.	.	1	1	.
Dysentery,
Erysipelas,	1	1	.	·2
Other Epidemic Diseases, ...	1	1	·2
Pyæmia and Septicæmia (non-puerperal).	1	.	.	·1
Tetanus,	1	1	.	·2
TUBERCULOSIS:																							
Pulmonary Tuberculosis, ...	34	31	23	29	30	24	21	29	25	37	28·3	22	.	.	.	2	2	3	10	5	.	.	.
Tuberculous Meningitis, ...	2	3	3	8	7	5	1	2	3	2	3·6	3	.	.	1	1	1
Abdominal Tuberculosis, ...	3	4	2	1	6	6	.	4	.	.	2·6	1
Tuberculosis of the Vertebral Column.	3
Tuberculosis of Joints, ...	9	11	10	13	5	7	9	4	1	.	7·8	1
Tuberculosis of other Organs,	2	1	.	1
Scrofula,
Disseminated Tuberculosis,	3	.	4	.	1	1	.	1	1
Venereal Diseases, ...	3	2	3	.	.	2	2	1	1	2	1·6	1	.	1
Cancer, ...	11	10	4	5	13	10	7	11	11	9	9·1	6	2	2	2	.
Tumour, situation undefined,
Rheumatic Fever,	1	.	·1
Diabetes, ...	1	3	3	.	.	1	.	1	.	1	1·0	3	1	1	1	.	.
Anæmia, Leucocythæmia,	1
Other General Diseases,	2	3	2	.	1	1
Alcoholism, ...	2	1	.	.	2	2	1	1	.	.	·9
Chronic Poisonings,
Cerebro-spinal Fever,	1	.	.	3	·4
Simple Meningitis,	2	.	4	.	.	.	1	.	3
Cerebral Hæmorrhage, Apoplexy.	4	10	.	5	2	2	1	.	.
Softening of Brain,
Paralysis, without specified cause.	1	2	.	4	4
Epilepsy,	1
Convulsions (non-puerperal),	2	3	.	3	1	2	1	.	.	.
Other Diseases of Nervous System.	38	46	40	49	43	32	46	37	2	4	40·2	3	.	.	.	1	.	.	1	1	1	.	.
Pericarditis,
Acute Endocarditis,	3	.	2	1	.	.	1	.	.
Organic Diseases of the Heart,	13	21	.	21	.	.	.	1	1	1	1	9	4	5	.
Embolism and Thrombosis (including Cerebral)	2	1	.	1	1	.	.	.
Other Diseases of Circulatory System.	1	.	.	1	1
Diseases of the Larynx,	1	1
Bronchitis, ...	29	23	22	29	24	31	32	21	31	21	26·3	33	.	1	2	.	.	.	2	11	11	6	.
Broncho-pneumonia, ...	5	8	4	10	3	10	8	9	24	14	9·5	12	.	3	4	2	.	.	.	1	2	.	.
Lobar pneumonia, ...	1	.	1	2	1	.	1	2	2	2	1·2	3	.	1	1	.	.	1	.
Pneumonia (type not distinguished)	10	2	3	5	11	10	8	7	5	9	7·1	4	.	.	1	.	.	1	.	2	.	.	.
Pleurisy,
Pulmonary Congestion, Pulmonary Apoplexy.	2	2	1	4	1	2	6	2	.	.	2·0	1	.	.	.	1
Other Diseases of Respiratory System.	1	1	.	.	.

FOURTEENTH WEEK, ending Saturday, 4th April, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 14th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 4th April, 1914.																
	Apr. 9, 1904.	Apr. 8, 1905.	Apr. 7, 1906.	Apr. 6, 1907.	Apr. 4, 1908.	Apr. 10, 1909.	Apr. 9, 1910.	Apr. 8, 1911.	Apr. 6, 1912.	Apr. 5, 1913.		Deaths of Persons of the Ages of																
												Under 1 month.	1 month and under a year.	0-5.										15-25.	25-45.	45-65.	65-75.	75 and upwards.
														1-2.	2-5.	5-15.												
Mean Temperature ...	45·9	44·2	42·9	42·1	44·7	44·5	41·7	39·4	48·4	44·2	43·8	50·9																
Diseases of the Pharynx, Ton- sillitis.	2	2			
Diseases of Stomach, ...	—	—	—	—	—	—	—	2	3	5	—	1	1			
Diarrhoea and Enteritis of Children under 2 years.	2	4	2	3	6	3	7	6	2	7	4·6	1	.	.	1			
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																												
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	.	1	1	—	1	1			
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	—	.	.	1	—	2	1	1			
Cirrhosis of Liver, ...	1	.	1	1	1	1	1	2	.	1	·9	1	1			
Other Diseases of Liver, ...	3	2	3	.	1	.	1	.	.	.	1·0			
Peritonitis (cause unknown),	.	.	1	.	.	1	·2	1	1			
Other Diseases of Digestive System.	16	9	6	6	7	3	2	1	1	1	5·2	1	1			
Acute Nephritis, ...	6	4	5	6	9	8	4	5	1	2	6·7	1	1	1	1			
Chronic Bright's Disease, ...																												
Urinary Calculi, ...																												
Uterine Tumour (non-can- cerous).																												
Ovarian Tumour (non-can- cerous)																												
Other Diseases of Genito- urinary System.	2	3				
Puerperal Septicæmia, &c., ...	2	.	1	.	1	.	.	.	1	2	·4	1	1			
Other Causes incident to Pregnancy and Childbirth.	1	·4			
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	2	.	1	—	1	1			
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	.	.	1	—	3	1	2			
Premature Birth, ...	5	1	.	3	4	3	3	3	1	6	2·9	1	1			
Congenital Debility, ...	—	—	—	—	—	—	—	2	4	6	—	1	1			
Old Age, ...	3	5	2	5	5	4	3	6	8	5	4·6	12	5	7	.	.	.			
Other Specified Diseases, ...	—	—	—	—	—	—	—	2	.	1	—	1	1			
ACCIDENT:																												
Poisons or Poisonous Vapours.	1	.	.	.	·1			
Conflagration, ...	1	2	1	3	1	1	·9	1	.	.	.	1			
Burns and Scalds,	1	1	.	1	1	1	.	1	·6			
Drowning,	1	.	.	1	.	.	·2			
Suffocation in Bed, ...	1	2	.	2	.	1	2	1	3	3	1·5	1	.	.	.	1			
Other Deaths by Accident, ...	2	2	1	3	1	4	5	6	4	5	3·3	2	.	.	.	2			
Total Deaths from Accident,																												
Included in above are Deaths in connection with—																												
Railways,	1	.	.	.	1			
Vehicles and Horses,	·1	1			
Ships, Boats, Docks,	·1			
Building Operations,	1			
VIOLENCE OTHER THAN ACCIDENTAL:																												
Homicide,	1	1	1	1	·4	1	1			
Suicide,			
Execution,			
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	1	7	9	—	4	3	.	1	.	.	.			

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913-4—WEEK ENDING																									
	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.
No. of weeks in Annual Series,	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14
BIRTHS REGISTERED.																										
Average Births in corresponding week of previous 10 years, ...	177	211	220	202	190	232	165	209	194	212	185	140	168	246	203	241	234	279	217	217	202	244	225	210	208	227
DEATHS REGISTERED.																										
Annual Death-rate per 1,000, ...	192	211	194	220	213	193	184	213	187	204	179	186	225	222	212	215	241	214	217	204	232	222	206	215	230	214
Average Deaths in corresponding week of previous 10 years, ...	159	148	162	174	158	164	148	164	153	147	167	137	250	210	205	236	201	214	171	175	187	169	189	183	219	212
AGES.																										
Under 5 years, ...	20.6	19.1	21.0	22.5	20.4	21.2	19.1	21.2	19.8	19.0	21.6	17.7	32.1	27.0	26.3	30.3	25.8	27.5	22.0	22.5	24.0	21.7	24.3	23.5	28.1	27.2
5-15 " " " "	154	159	149	168	167	173	171	178	181	171	173	166	193	189	194	197	198	197	198	201	204	199	196	196	199	202
15-25 " " " "	66	50	57	54	50	49	47	38	55	49	55	47	63	46	45	69	56	72	49	52	56	57	61	70	82	55
25-45 " " " "	4	9	4	7	6	9	7	9	6	8	8	6	11	12	6	7	11	8	12	8	5	12	7	7	9	12
45-65 " " " "	17	16	23	29	24	26	15	33	23	31	31	19	32	31	32	29	30	27	23	28	27	18	30	28	35	26
65-75 " " " "	33	39	34	37	38	35	35	47	26	84	37	25	78	43	55	50	46	44	35	33	40	38	46	38	44	41
75 and upwards, ...	12	13	10	20	13	13	15	9	13	7	10	14	23	28	31	31	26	13	17	16	14	18	12	12	16	26
Deaths from:—																										
Enteric Fever, ...	1		1			2			4	3	1		1	3	3	2		1	1		1	1		1		
Typhus, ...			1					1		1																
Small-pox, ...																										
Measles, ...	1	1	2	2	1	1	1	1	1	2	1	1	2	1	1	4	3	5	5	3	7	4	5	14	27	22
Scarlet Fever, ...	1	1			1		1	1	3		3				2		1	1	2	3	1	3	2	3	3	3
Whooping-cough, ...	2	2		2	1	5	1	2	1	4	6	2	4	2		6	1	2	2	3	2	1	1	1	1	4
Diphtheria, ...	1	1		1	2			3			2	2	3	3	1	4	2		1	1		3	1	1	2	8
Influenza, ...																										
Dysentery, ...	1	1		1	1			1																		
Tuberculosis { Pulmonary ...	16	12	19	18	18	22	14	17	15	16	23	12	24	20	19	22	25	24	25	25	23	21	26	21	21	22
Other Forms, ...	7	6	6	13	6	5	6	6	5	5	7	5	11	8	4	10	12	7	5	10	4	2	9	8	6	9
Cancer, ...	7	11	10	11	10	8	12	11	7	6	7	7	7	8	12	9	16	10	5	5	10	9	7	6	18	6
Diseases of Circulatory System, ...	10	15	18	15	21	12	9	17	11	17	18	19	26	15	23	25	16	14	10	18	19	20	17	17	14	25
Diseases of Respi. { Pneumonia	7	6	8	12	13	12	14	14	18	19	18	12	22	19	21	26	17	20	13	14	13	15	14	8	20	19
ratory System, { Others, ...	13	15	13	15	14	12	20	22	17	22	16	17	51	48	30	43	32	31	25	17	30	21	34	35	34	35
Diarrhoea and Enteritis, under																										
2 years, ...	29	23	16	14	7	8	9	7	5	4	3	5	3	2	6	5	5	3	5	4	2	5	5	6	4	1
Diarrhoea, 2 years and upwards,																										
Violent Deaths, ...	2	3	5	2	5	4	5	6	4	3	1	2	6	12	4	9	5	5	3	3	4	4	1	3	2	3
Number of Uncertified Deaths,	2	3	5	7	2	4	6	3	4	6	4	3	14	10	2	5	4	4	8	8	6	5	6	2	7	8
Mean Temperature of the Air																										
(Phoenix Park) in degrees, ...	51.4	52.9	43.5	50.9	44.4	46.6	46.6	47.6	44.4	46.0	44.1	37.7	34.6	44.3	39.5	38.6	44.1	48.1	43.6	42.1	43.1	44.6	41.7	39.8	39.7	50.9
Average Mean Temperature in																										
corresponding week of previous																										
10 years, ...	50.4	49.8	45.7	45.2	44.6	42.0	41.9	41.5	42.2	42.5	42.4	41.5	41.9	41.1	40.0	39.6	39.4	40.4	41.6	40.4	41.5	41.7	41.7	41.8	43.3	43.8
Rainfall in inches, ...	2.780	1.140	.530	1.040	.710	.845	.640	1.50	1.065	.165	.065	.620	.035	.445	.260	.090	.485	.305	.615	.810	.475	.675	.470	.450	.140	.575
Mean Humidity of the Air, com-																										
plete Saturation 1.0,90	.86	.86	.86	.50	.90	.88	.90	.93	.93	.87	.90	.90	.88	.81	.84	.94	.92	.85	.89	.91	.89	.90	.91	.92	.85

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 4th April, 1914; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 4TH APRIL, 1914.																															
CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).	Popula- tion in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.										CAUSES OF DEATH																
					AGES.										CAUSES OF DEATH																
					AGES.										CAUSES OF DEATH																
					AGES.										CAUSES OF DEATH																
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	

Registration of Births and Deaths, Ireland.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal admitted ; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM														Violence.	Number of Uncer- tified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhea and Enteritis of Children under 2 years of age.			Diarrhea, 2 years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
													Pulmonary.	Other Forms.		Pneumonia.	Other.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
North City, No. 1 (E.) (Office Clarence St. Nth.)	Feb. 28 Mar. 7 " 14 " 21 Population in 1914 (Est.) 30,206.	17.3 19.0 22.4 13.8 58.7 25.9	1.7 3.5 1.7 1.7 15.5 10.4	10 11 13 8 34 15	2 1 1 1 2 2	1 3 4 3 4 3	1 . . . 1 1	1 1 1 1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
North City, No. 1 (W.) (Office, Summer-hill.)	Feb. 28 Mar. 7 " 14 " 21 Population in 1914 (Est.) 41,278.	31.6 32.8 40.4 32.8 39.2 29.1	3.8 2.5 5.1 11.4 10.1 2.5	25 26 32 26 31 23	.	.	.	1	.	1	2 7 4 1 4 3	1 1 2 1 1 1	2 2 4 4 5 2	7 3 4 4 8 3	1 1 2 2 2	1 1 1 1 1 .	1	1	1 1 1 1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
North City, No. 2. (Office, Lisburn-street.)	Feb. 28 Mar. 7 " 14 " 21 Population in 1914 (Est.) 27,883.	28.1 35.5 9.4 26.2 33.7 31.8	3.7 7.5 . 5.6 7.5 11.2	15 19 5 14 18 17	1	1 1 . 2 2 2	2 1 1 . 1 1	2 2 1 . 1 1	3 1 1 4 3 2	.	1	2	1	4	2	1	.	1 1	1 1	1 1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
North City, No. 3. (Office, Benburb-street.)	Feb. 28 Mar. 7 " 14 " 21 Population in 1914 (Est.) 35,536.	16.1 20.5 13.2 24.9 26.4 14.7	2.9 . . 1.5 7.3 1.5	11 14 9 17 18 10	1	.	1	.	.	.	3 3 2 5 4 1	.	.	1 1 1 2 1 2	3 . 3 2 1 1 3	1 1 1	1	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
Clontarf and Howth No. 1 (part of).	Feb. 28 Mar. 7 " 14 " 21 Population in 1914 (Est.) 5,485.	9.5 9.5 9.5 19.0 9.5 28.5	9.5 . . . 9.5 .	1 1 1 2 1 3	1

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914, Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncertified Deaths.
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.		
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Feb. 28	13.3	.	10	2	.	2	1
	Mar. 7	22.6	2.7	17	.	.	.	1	1	.	2	4	1	1	.	1	.
	" 14	9.3	.	7	1	.	.	1	1
	" 21	12.0	1.3	9	1	.	.	1	.	.	1
	" 28	10.7	2.7	8	1	.	.	2	1	.	.	.
Apr. 4	17.3	1.3	13	1	.	.	2	.	.	.	2
Pembroke Urban District. Population in 1914 (Est.) 30,240	Feb. 28	27.6	1.7	16	.	.	.	1	1	1	.	2	4
	Mar. 7	15.5	.	9	2	.	.	.	2	3	1	.	1
	" 14	29.3	5.2	17	.	.	.	2	4	1	.	2	3
	" 21	19.0	1.7	11	.	.	.	1	2	.	.	.	2
	" 28	17.2	.	10	2	.	1
Apr. 4	32.8	5.2	19	.	.	.	1	.	1	.	.	.	1	.	.	3	1	.	.	1	1
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Feb. 28	17.0	.	3	1
	Mar. 7	11.3	.	2
	" 14	11.3	.	2	1
	" 21	11.3	.	2
	" 28	17.0	.	3	1	.	1	.	1
Apr. 4	22.7	.	4	1
Kingstown Urban District. Population in 1911 16,941.	Feb. 28	18.5	.	6	3	1	.
	Mar. 7	6.2	.	2	1	2
	" 14	9.2	.	3	1	.
	" 21	12.3	.	4	1	.
	" 28	18.5	.	6	1	1	1	.	.	1	1
Apr. 4	24.6	.	8	1	.	1	.	.	.	1
Belfast. Population in 1914 (Est.) 399,000.	Feb. 28	20.0	1.8	153	6	4	.	.	31	8	4	15	18	4	.	4	3
	Mar. 7	18.3	2.4	140	.	1	.	.	3	5	1	.	14	6	4	16	21	7	1	2	1
	" 14	19.1	2.0	146	3	2	2	.	15	5	3	12	15	8	.	.	.
	" 21	21.3	2.0	163	1	.	.	.	3	7	1	.	16	6	7	9	31	3	.	2	1
	" 28	19.6	1.2	150	2	5	.	.	14	7	3	15	20	2	.	2	.
Apr. 4	17.8	1.2	136	.	.	.	1	2	3	2	.	.	10	5	5	6	23	1	.	.	3
Cork. Population in 1911 76,673.	Feb. 28	17.0	1.4	25	4	.	.	1	2	.	.	.	1
	Mar. 7	25.2	.	37	8	4	4	1	2	.	.	.	3
	" 14	17.0	.	25	3	.	1	2	6	.	.	2	2
	" 21	24.5	1.4	36	.	.	.	1	1	.	.	.	3	2	2	2	3	.	.	1	3
	" 28	22.4	3.4	33	.	.	1	.	3	.	.	.	8	2	1	4	1
Apr. 4	21.1	3.4	31	3	1	.	.	5	1	2	4	2	1	.	.	1
Londonderry. Population in 1914 (Est.) 41,100.	Feb. 28	21.6	.	17	1	1	1	2	4
	Mar. 7	19.0	.	15	1	4
	" 14	15.2	1.3	12	2	2	1	.	3	.	1	.	1
	" 21	19.0	.	15	1	.	.	1
	" 28	11.4	.	9	4	1	1	.	1
Apr. 4	14.0	1.3	11	2	.	1	.	4	1	.	1	.
Limerick. Population in 1911 38,518.	Feb. 28	29.8	.	22	3	.	4	1	3	.	.	.	2
	Mar. 7	23.0	1.4	17	1	2	.	.	1	2	.	.	.	2
	" 14	20.3	.	15	1	.	1	1	4	.	.	.	4
	" 21	17.6	1.4	13	1	1	.	.	4	4	.	.	.	2
	" 28	29.8	2.7	22	.	.	1	.	1	.	.	.	1	1	1	2	6	.	.	3	3
Apr. 4	17.6	.	13	1	.	.	1	3	.	.	.	4
Waterford. Population in 1911 27,464.	Feb. 28	15.2	.	8	1	2	.	.	1	.	.	.	1
	Mar. 7	7.6	.	4	1	1	1
	" 14	15.2	.	8	2	.	.	.	2
	" 21	24.7	.	13	1	.	.	2	.	.	2	.
	" 28	19.0	1.9	10	2	.	1	.	1	1	.	2	.
Apr. 4	36.1	1.9	19	1	.	2	1	.	.	2	.	1

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 4th April, 1914. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.			Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Inquest Cases.	(29)	(30)		
					All Causes.	Certain Epi- demic Diseases.†	Total Number of DEATHS.						TUBER- CULOSIS.				DISEASES OF THE RESPIR- ATORY SYSTEM.		Violence.													
							Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Pneumonia.	Other.		Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.											
																						Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.					65 years and upwards.	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)			
City of Belfast.																																
BELFAST URBAN No. 1 DISTRICT.																																
Do. 2 do.	15,879	13	23.0	.	7	8	1	3	1	2	5	3	4	1	2	1	2	4	.	.	.	1	8	1		
Do. 3 do.	49,500	24	24.2	.	23	1	3	5	4	5	5	4	1	1	1	1	1	4	.	.	.	4	4	1		
Do. 4 do.	50,032	24	15.6	1.6	15	2	3	4	1	4	4	1	1	1	1	1	2	.	.	.	3	3	1		
Do. 5 do.	32,637	30	16.0	3.2	10	3	.	1	1	4	5	3	1	1	1	1	1	.	.	.	1	3	.		
Do. 6 do.	16,112	13	22.7	1.4	7	2	1	2	5	3	3	3	1	1	1	8	.	.	.	3	3	1		
Do. 7 do.	37,293	16	18.2	.	13	2	.	1	2	5	3	3	1	1	1	8	.	.	.	1	3	.		
Do. 8 do.	2,681	1	35.0	8.7	4	1	1	1	1	1	1	1	
Do. 9 do.	5,964	1	10.7	.	5	1	2	.	1	1	1	1	1	.	1	
Do. 10 do.	24,427	15	10.8	.	6	3	3	4	2	2	1	1	1	1	1	1	1	2	.	.	.	2	2	.	.	
Do. 11 do.	28,958	21	14.6	2.7	11	5	3	4	2	2	2	2	2	2	2	2	1	2	.	.	.	1	4	1	.	
Do. 12 do.	39,311	31	20.5	1.4	15	1	3	1	5	2	2	1	1	3	.	.
Do. 13 do.	38,076	30	15.7	2.2	7	3	.	2	1	2	1	2	1	3	.	.
Do. 14 do.	23,233	18	29.9	2.3	13	3	2	2	4	2	2	2	1	1	3	.	.
Do. 15 do.	175	12	29.9	2.3	13	3	.	2	4	2	2	2	1	3	.	.
Do. 15 do.	22,669	12	29.9	2.3	13	3	.	2	4	2	2	2	1	3	.	.
Total,	386,947	243	17.8	1.2	136	28	9	16	24	30	29	.	.	1	2	3	2	.	10	5	5	6	23	1	.	.	4	35	3	3	3	
City of Cork.																																
CORK URBAN No. 1 DISTRICT.																																
Do. 2 do.	12,867	5	3.9	5.0	1	1	.	.	2	1	1	1	1
Do. 3 do.	10,701	14	25.1	.	5	2	1	1	1	2	2	2	1	1	1
Do. 4 do.	9,978	10	10.6	5.7	6	1	.	2	1	2	1	2	2	1	1	1
Do. 5 do.	8,666	9	34.2	.	2	.	.	2	1	1	1	1	1	1	1
Do. 6 do.	6,592	4	8.8	.	1	2	.	2	3	1	3	1	2	2	2	2
Do. 7 do.	10,702	14	36.0	9.0	8	2	1	1	2	2	2	2	1	1	1	2	1	3	3	3	
Do. 7 do.	16,616	20	26.0	3.2	8	2	1	.	2	2	2	2	1	1	1	2	1	3	3	3	
Total,	76,122	76	21.1	3.4	31	4	7	1	5	9	5	3	1	.	5	1	2	4	2	1	8	1	1	

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year

† See note (†) at foot of first page

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Apr. 4,	2,240	1,344	15·5	3	.	13	7	37	11	16
EDINBURGH, ...	321,900	„ 4,	106	117	19·0	.	.	5	.	1	.	1
GLASGOW, ...	1,047,000	„ 4,	622	381	19·0	2	.	21	4	8	3	3
CALCUTTA, ...	896,067	Feb. 21,	.	588	34·1	76*	24	1	.	.	.	180†a
BOMBAY, ...	979,445	„ 28,	360	758	40·2	130*	6	19	.	.	.	66a
MADRAS ...	518,660	„ 28,	282	419	42·0	57*	4	4	?	?	?	130†a
CAIRO, ...	721,303	Jan. 28,	629	478	34·6	3	1	.	.	?	9†	47
PARIS, ...	2,847,229	Mar. 21,	949	996	17·9	5	.	7	1	6	3†	23
BRUSSELS, ...	767,252	„ 14,	248	200	13·6	4	.	.	.	1	2†	9
ANTWERP, ...	313,833	„ 14,	130	71	11·8	.	.	1	.	.	3†	4
AMSTERDAM, ...	596,828	„ 14,	293	152	13·3	1	.	10	.	7	.	.
COPENHAGEN, ...	483,000	„ 14,	213	142	15·3	.	.	1	.	6	.	6
STOCKHOLM, ...	376,171	„ 14,	128	121	16·7	1	.	.	.	1	.	2a
CHRISTIANIA, ...	250,423	„ 21,	115	78	16·2	.	.	.	3	3	2	2a
ST. PETERSBURG ...	1,728,200	Feb. 28,	1,149	699	21·1	7	.	22	17	5	11	27
MOSCOW, ...	1,694,000	„ 21,	.	690	21·2	5	2	19	16	16	14	51a
BERLIN, ...	2,078,267	Mar. 7,	.	510	12·8	1	.	5	7	4	7†	21a
HAMBURG, ...	1,030,983	„ 14,	.	262	13·2	.	.	2	5	1	4	11a
BRESLAU, ...	541,606	„ 14,	.	206	19·7	.	.	.	1	3	2	12
MUNICH, ...	640,000	„ 14,	.	195	15·9	.	.	1	.	5	3†	5
VIENNA (with suburbs),	2,132,523	„ 14,	740	641	15·6	.	.	5	2	5	3†	29
BUDA-PESTH, ...	950,784	„ 14,	458	369	20·2	.	.	10	2	.	6†	8
PRAGUE and Faubourgs,	498,499	Feb. 14,	213	167	17·5	.	.	.	2	.	2†	4
TRIESTE, ...	242,443	„ 28,	158	84	18·1	2	.	1	.	1	.	2
ROME, ...	591,943	Oct. 4,	295	152	13·4	5	3	15
NEW YORK, ...	5,583,871	Mar. 7,	3,013	1,957	18·3	2	.	16	13	5	51†	35
PHILADELPHIA, ...	1,631,960	Jan. 10,
BOSTON, ...	750,768	Mar. 14,	.	242b	16·8	2	.	.	2	1	1	6a

* Deaths from "fever," including 4 from enteric fever and 6 from plague in Calcutta; one from enteric fever and 42 from plague in Bombay, and 3 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 121 deaths from cholera in Calcutta, and one in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 214 (including 2 deaths from diarrhoeal diseases), rate 14·9 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4th April, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	1	.	.	2	5	8
" " 1, West,	3	.	.	1	1	.	.	.	6	11
" " 2,	5	5
" " 3,	1	1
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),	1	1
Finglas and Glasnevin (part of),
South City No. 1,	2	.	.	2	.	.	1	5
" " 2,	1	.	.	1	3	5
" " 3,	2	.	.	4	.	.	1	1	.	.	.	5	13
" " 4,	1	1	4	6
New Kilmainham,	1	1
Total,	6	.	.	12	.	.	7	2	.	.	.	29	56

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 4th April, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 4th April.			
	Mar. 14.	Mar. 21.	Mar. 28.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	31	29	26	7	3	.	30
Typhus,	1	.	.	1
Small-pox,
Measles, ...	49	64	99	47	19	1	126
Scarlet Fever, ...	120	116	105	21	25	.	101*
Diphtheria, ...	50	42	40	11	4	.	47
Pneumonia, ...	24	19	20	6	5	3	18

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.S.C., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 4th April, 1914:—

"Changeable, but favourable, springlike weather prevailed during this week, the amount of bright sunshine being a marked feature of the period. Atmospheric depressions still lay on the Atlantic, their secondary systems skirting the western shores of Ireland and Scotland on their northeastern journey. But baric gradients were by no means steep, and so the winds were of moderate force from points between S.E. and S.W. or W. The month of March 'went out like a lamb,' the closing day being of quite exceptional mildness—in Dublin and at Birr Castle the thermometer rose to 59°, but over the southern half of England 65° was reached at a number of stations—66° at Camden Square, London, and at Hampstead. April 1 was a beautiful, springlike day in many parts of the United Kingdom, but showers or light rains fell in Ireland, Scotland, and the south-west of England. On that day the thermometer rose to 60·1° in Dublin, to above 60° at most stations in the English midlands and on the east coast of England, and to 67° at Greenwich and Camden Square, London. Thursday and Friday were chiefly fine, but not settled—on the afternoon of the former day beautiful cirrus cloud crossed the sky in feathery lines from W., and a splendid rainbow was seen from Dublin. Lower night-temperatures were experienced after Thursday, but the sun's power by day was very marked and vegetation made singularly rapid progress. Atmospheric depressions of no great depth moved in upon the Irish coasts in quick succession on the last two days of the week, which closed with an unsettled appearance. In Dublin the mean height of the barometer was 29·835 inches, pressure ranging between 30·033 inches at 4 p.m. of Tuesday (wind, S.) and 29·542 inches at 9 p.m. of Saturday (wind likewise S.). The corrected mean temperature was 51·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 49·9°. The screened thermometers fell to 43·0° on Sunday and rose to 60·1° on Wednesday. The prevalent winds were S.S.W. and W. Rain fell on 5 days to the amount of ·424 inch, the largest measurement in 24 hours being ·197 inch on Friday."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29·833 inches. The highest reading (29·999) was on Tuesday, at 9 p.m., the lowest (29·633) on Saturday, at 9 p.m.

The mean temperature for the week was 50·9°, being 7·1° above the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Sunday, Wednesday, and Friday, on which days the thermometer registered 60°, and was lowest on Friday, the mercury having fallen to 39°. The mean of the Dry Bulb for the week was 51·1° and of the Wet Bulb, 48·8°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The rainfall during the week measured 0·575 inch.

At Greenwich the mean temperature for the week was 50·0°, the maximum 66·8°, and the minimum 38·2°; at Glasgow the maximum was 58·0°, the minimum 37·0°, and the mean 49·4°; and at Edinburgh the maximum was 58·0°, the minimum 38·0°, and the mean 48·1°. The rainfall at Greenwich measured 0·18 in., at Glasgow 1·00 in., and at Edinburgh 0·58 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.	BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.
	Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1·0.			
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday, March 29,	29·745	60	41	50·5	51·4	48·2	·80	·6	9·1	·000
Monday, „ 30,	29·765	58	46	52·0	53·7	50·9	·82	·6	3·9	·170
Tuesday, „ 31,	29·995	59	46	52·5	52·4	50·4	·87	·5	5·2	·010
Wednesday, April 1,	29·860	60	47	53·5	51·1	49·3	·88	·8	6·6	·000
Thursday, „ 2,	29·850	57	41	49·0	49·0	47·3	·89	·7	8·9	·000
Friday, „ 3,	29·870	60	39	49·5	50·6	48·3	·84	·5	7·4	·260
Saturday, „ 4,	29·745	56	42	49·0	49·4	47·5	·87	·8	5·9	·135
Mean,	29·833	58·6	43·1	50·9	51·1	48·8	·85	·6	Total 47·0	Total ·575

Sunday—A beautiful bright day; night clear. Monday—Day cloudy, bright at intervals; night cloudy, heavy rain 11.45 p.m. to 3.45 a.m. Tuesday—A bright day, cloudy at intervals, light shower p.m.; night clear. Wednesday—A bright day, cloudy at intervals; night clear. Thursday—A beautiful bright day; night clear. Friday—A beautiful bright day; night overcast, heavy and light rain m.n. to 5.30 a.m. Saturday—A bright day, cloudy at intervals; night cloudy, showers at intervals p.m. and a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 4th April, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Tem- perature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell- Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, March 29,	54·1	44·1	45·1	58·2	43·0	50·6	hrs. 5·4	ins. —
Monday, „ 30,	54·0	45·5	45·2	58·3	44·6	51·4	2·5	·140
Tuesday, „ 31,	55·8	46·8	45·7	61·2	46·0	53·6	3·6	—
Wednesday, April 1,	56·1	47·8	45·7	60·9	48·0	54·4	7·1	—
Thursday, „ 2,	54·2	48·6	45·8	58·8	45·8	52·3	7·5	—
Friday, „ 3,	53·3	48·5	46·0	58·4	42·2	50·3	7·0	·200
Saturday, „ 4,	48·9	49·0	46·4	58·2	40·3	49·2	5·8	·055
Weekly Mean,	53·8	47·2	45·7	59·1	44·3	51·7	Total 38·9	Total. ·395

WEEKLY RETURN of BIRTHS and DEATHS

IN THE
DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

Vol. LI.]

WEEK ENDING SATURDAY, 11TH APRIL, 1914.

[No. 15.]

General Register Office, Charlemont House,
Dublin, 14th April, 1914.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 20·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Mar. 21	Mar. 28	April 4	April 11	
27 Town Districts, (a)	20·3	22·8	21·7	20·3	21·3
Dublin Reg. Area ...	22·3	27·2	26·1	24·1	24·9
Dublin City ...	24·9	31·1	26·7	28·7	27·8
Belfast ...	21·3	19·6	17·8	18·6	19·3
Cork ...	24·5	22·4	21·1	19·7	21·9
Londonderry ...	19·0	11·4	14·0	22·8	16·8
Limerick ...	17·6	29·8	17·6	16·2	20·3
Waterford ...	24·7	19·0	36·1	11·4	22·8

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 2·9 per 1,000. Among the 142 deaths from all causes for Belfast are 2 from measles, 3 from scarlet fever, 6 from whooping-cough, one from diphtheria, and 5 from diarrhoeal diseases. One of the 29 deaths from all causes for Cork is from whooping-cough, and the 12 deaths from all causes for Limerick include one from measles and one from diarrhoea and enteritis of a child under 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 173—93 boys and 80 girls—and the deaths to 194—101 males and 93 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 24·1 per 1,000 of the population. During the fifteen weeks, ending with Saturday last, the death-rate averaged 24·3, and was 0·6 below the mean rate for the corresponding portions of the ten years, 1904-1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 194, represent an annual rate of 24·9 per 1,000; the annual rate for the past fifteen weeks was 25·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·1 per 1,000 of the mean population for all deaths registered.

The deaths registered include one from enteric fever, 34 from measles, 3 from scarlet fever, 2 from whooping-cough, one from diphtheria and 2 from diarrhoea and enteritis of children under 2 years of age. Deaths from measles, which numbered 14, 27, and 22 in the three preceding weeks, rose to 34 in the week under notice; deaths from enteric fever in the three preceding weeks were one 0 and 0; deaths from scarlet fever were 2, 2, and 0; deaths from whooping-cough were 3, 3, and 3; deaths from diphtheria were one, 4, and 0; and deaths from diarrhoea and enteritis of children under 2 years of age were 6, 4, and one, respectively.

Deaths from all forms of tuberculous disease which in the three preceding weeks numbered 29, 27, and 31 respectively, rose last week to 33,* the latter including 28 deaths from pulmonary tuberculosis, 3 from tuberculous meningitis, and 2 from abdominal tuberculosis.

There were 13 deaths from cancer.

Of 19 deaths from pneumonia (all forms), 11 were caused by broncho-pneumonia, and 8 by pneumonia (type not distinguished).

Among deaths of infants under one year of age, 3 were attributed to convulsions, and 2 to premature birth.

There were 13 deaths from organic disease of the heart, and 26 from bronchitis.

One death was ascribed to shock.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 persons aged 65 years and upwards.

Seventy-four of the persons whose deaths were registered during the week were under 5 years of age (24 being infants under one year, of whom 4 were under one month old), and 30 were aged 65 years and upwards, including 24 persons aged 70 and upwards; among the latter were 14 aged 75 and upwards, of whom one (a female) was stated to have been aged 90 years.

Eighty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse, and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·1 per 1,000; the rate in the City was 28·7 (North City Districts, 30·4; South, 26·8) and in the Suburbs 9·3.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 5·7 per 1,000 inhabitants, the rate for the City being 7·4 (in the North City Districts 10·1, and in the South 4·3), and for the Suburbs 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·7 per 1,000. Four deaths from measles, one from scarlet fever, 3 from pneumonia, and 2 from bronchitis were recorded.

No. 1 *North City District, West* (Summer-hill).—The deaths (30) are equal to an annual rate of 37·9 per 1,000. Among them are one death from enteric fever, 8 from measles, one from whooping-cough, 4 from pulmonary tuberculosis, 3 from broncho-pneumonia, 5 from bronchitis, and one from diarrhoea and enteritis of a child under 2 years of age.

No. 2 *North City District* (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 35·5 per 1,000. There were 5 deaths from measles, one from whooping-cough, 4 from tuberculous disease, 2 from broncho-pneumonia, and 3 from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (25) represent an annual rate of 36·7 per 1,000, and include 5 deaths from measles, one from scarlet fever, 4 from tuberculous disease, one from pneumonia, and 5 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth. No. 1, part of, 19·0 per 1,000 inhabitants; Coolock and Drumcondra, part of, 15·2; and Finglas and Glasnevin, part of, 19·5. Of the 4 deaths from all causes for Coolock and Drumcondra, part of, 2 were from measles and one from pneumonia; and the 4 deaths from all causes for Finglas and Glasnevin, part of, include one death from measles and one from tuberculous disease.

No. 1 *South City District* (South Earl-street).—The deaths (18) represent an annual rate of 23·0 per 1,000. Three deaths from measles, one from scarlet fever, 4 from pulmonary tuberculosis, 2 from pneumonia, 2 from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age were recorded.

No. 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 34·1 per 1,000, and include one death from measles, 3 from pulmonary tuberculosis, and one from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (28) are equal to an annual rate of 27·5 per 1,000. There were 3 deaths from measles, 3 from pulmonary tuberculosis, 2 from pneumonia, and 5 from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (18) are equivalent to an annual rate of 28·3 per 1,000. Among them are 2 from measles, 5 from tuberculous disease, 2 from pneumonia, and one from bronchitis.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·2 per 1,000, and include one death each from diphtheria and pulmonary tuberculosis, and 2 from pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·3; Pembroke, 15·5; Blackrock, 0·0; and Kingstown, 3·1. There was no death from any of the principal epidemic diseases tabulated for these districts. Of the 9 deaths from all causes for Pembroke 2 were from pulmonary tuberculosis, one from broncho-pneumonia, and 2 from bronchitis; and the only death recorded for Kingstown was one from pulmonary tuberculosis.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 13·5), was equal to an average annual death-rate of 15·0 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·5 per 1,000, the rate for Glasgow being 16·6, and for Edinburgh 16·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D.; B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 11th April. From this Report it appears that of a total of 78 cases notified, 36 were scarlet fever, 21 phthisis, 11 erysipelas, 7 diphtheria, 2 puerperal fever, and one enteric fever. Among the 544 cases of infectious diseases in hospital at the close of the week were 235 cases of scarlet fever, 185 of phthisis, 65 of diphtheria, 34 of measles, 12 of erysipelas, 3 of enteric fever, 2 of chicken-pox and one of whooping-cough.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II

STATE OF INFECTIOUS DISEASE

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 11th April, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain) — Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Mar. 21,	.	—	—	14	.	.	5	.	1	5	4	.	—	—	.	—	.	17	46
	Mar. 28,	.	—	—	7	.	.	10	.	.	1	3	.	—	—	.	—	.	21	42
	April. 4,	.	—	—	6	.	.	12	.	.	7	2	.	—	—	.	—	.	29	56
	April. 11,	.	—	—	11	.	.	9	.	.	4	3	1	—	—	.	—	.	20	48
Rathmines and Rathgar Urban District.	Mar. 21,	.	—	—	5	—	—	—	—	—	—	5
	Mar. 28,	.	—	—	4	.	.	1	.	.	.	2	.	—	—	—	—	—	—	7
	April. 4,	.	—	—	2	1	.	1	—	—	—	—	—	—	4
	April. 11,	.	—	—	—	—	—	—	—	—	.
Pembroke Urban District.	Mar. 21,	.	25	.	2	—	2	—	—	—	.	29
	Mar. 28,	.	16	.	2	—	1	—	—	—	2	21
	April. 4,	.	15	.	4	.	.	2	—	6	—	—	—	1	28
	April. 11,	.	7	—	3	—	—	—	2	12
Blackrock Urban District.	Mar. 21,	.	—	—	—	—	—	—	—	—	.
	Mar. 28,	.	—	—	—	—	—	—	—	—	.
	April. 4,	.	—	—	—	—	—	—	—	—	.
	April. 11,	.	—	—	—	—	—	—	—	—	.
Kingstown Urban District.	Mar. 21,	.	—	—	1	—	—	—	—	—	.	1
	Mar. 28,	.	—	—	—	—	—	—	—	.	.
	April. 4,	.	—	—	—	—	—	—	—	.	.
	April. 11,	.	—	—	1	2	.	—	—	—	—	—	.	3
City of Belfast.	Mar. 21,	.	—	—	41	.	.	7	.	.	.	1	.	—	—	.	—	2	51	
	Mar. 28,	.	—	—	35	.	.	7	1	1	1	4	.	—	—	.	—	5	54	
	April. 4,	.	—	—	42	.	.	13	.	.	.	4	.	—	—	.	—	6	65	
	April. 11,	.	—	—	52	.	.	4	1	1	2	7	.	—	—	.	—	4	71	
City of Cork.	Mar. 21,	.	.	—	3	.	.	.	1	.	.	.	1	—	—	—	—	—	—	5
	Mar. 28,	.	1	—	7	.	.	1	1	1	.	2	.	—	—	—	—	—	—	13*
	April. 4,	.	1	—	1	.	.	.	1	.	1	.	.	—	—	—	—	—	—	4
	April. 11,	.	2	—	2	1	1	—	—	—	—	—	—	6
City of Londonderry.	Mar. 21,	.	—	—	—	—	—	—	—	—	.
	Mar. 28,	.	—	—	—	—	—	—	—	—	.
	April. 4,	.	—	—	1	.	.	1	—	—	—	—	—	—	2
	April. 11,	.	—	—	1	—	—	—	—	—	—	1
City of Limerick.	Mar. 21,	.	—	—	—	—	—	—	—	—	1
	Mar. 28,	.	—	—	1	—	—	—	—	—	—	1
	April. 4,	.	—	—	1	.	.	—	—	—	—	—	—	1
	April. 11,	.	—	—	1	—	—	—	—	—	—	1
City of Waterford.	Mar. 21,	.	—	—	—	—	—	—	—	7	7
	Mar. 28,	.	—	—	—	—	—	—	—	.	.
	April. 4,	.	—	—	—	—	—	—	3	3	.
	April. 11,	.	—	—	—	—	—	—	.	.	.

* Not including one case of anthrax and one case of varicella.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th April, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of enteric fever were admitted to hospital during the week, 5 were discharged, there was one death, and 27 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 29, 26, and 30.

One case of typhus remained under treatment at the close of the week.

Fifty-five cases of measles were admitted to hospital, 23 were discharged, there were 10 deaths, and 143 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 64, 99, and 126 respectively.

Seventeen cases of scarlet fever were admitted to hospital, 20 were discharged, there were 4 deaths and 94* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 116, 105, and 101, respectively.

Eleven cases of diphtheria were admitted to hospital during the week, 7 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 42, 40, and 47 respectively, were 50 at the close of last week.

In addition to the above-named diseases, 16 cases of pneumonia were admitted to hospital, 6 were discharged, there were two deaths, and 26 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 11th April, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature and Rainfall** for the week, and for each of the two Weeks immediately preceding.

REGISTRATION—WEEK ENDING SATURDAY, 11TH APRIL, 1914.									
NUMBERS REGISTERED.									
DEATHS.									
Caused by									
BIRTHS.									
DEATHS.									
Annual Rate per 1,000 Persons Represented by									
Statistics of Districts.									
POPULATION.									
Per-sons to an Acre.									
Total (a)									
COLS.									
TOTAL OF 27 TOWN DISTRICTS, DUBLIN REGISTRATION AREA:—									
TOTAL (C.)									
CITY OF DUBLIN,									
RATHMINES & RATHFARNEY,									
PRINCETOWN,									
BLANCHARDSTOWN,									
KINGSTOWN,									
BELFAST									
CORK									
LONDON DERRY									
LIMERICK									
WATERFORD									
GALWAY									
DUNDALK									
LURGAN									
DROGHEDA									
LISBURN									
NEWRY									
PORTADOWN									
WEXFORD									
BALLYMENA									
SLIGO									
KILKENNY									
TRALEE									
CLOMEL									
NEW TOWNARDS									
QUEENSTOWN									
LARNE									
COLERAINE									
BANGOR									
BRAY									
ATHLONE									
ARMAGH									

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1914. (i) See note (z.) at foot of first page.

(c) Exclusive of 6 deaths of persons (including 2 under one year old and one at 72 years), admitted to hospital from localities outside the Area: one of the 6 deaths was from pulmonary tuberculosis.

(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Market for Sligo, and those at Kesh for Carrickmacree. (e) Observations at Donaghadee are supplied by Mungret College. (f) Observations at Phoenix Park. (g) Observations at Fitzwilliam-square. (h) Observations by Sir Frederick W. Moore taken at Potanie Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 11th of April, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.		
		CITY OF DUBLIN.												URBAN DISTRICTS OF						
		REGISTRATION DISTRICTS IN																		
		Dublin North Superintendent Registrar's District.						Dublin South Superintendent Registrar's District.												
		NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.						RATHMINES and RATHGAR.	PEMBROKE.
Enteric Fever,		1															1			
Typhus,																				
Small-pox,																				
Measles,		4	8	5	5		2	1	3	1	3	2					34			
Scarlet Fever,		1			1				1								3			
Whooping-cough,			1	1													2			
Diphtheria,													1				1			
Croup,																				
Influenza,																				
Dysentery,																				
Tuberculosis, { Pulmonary,			4	3	2				4	3	3	4	1		2		1	27	1	
Other Forms,				1	2			1				1					5			
Cancer,		1	1		4	1				1		3		1	1		13			
Diseases of Nervous System,			3	1			1		4	1	1	1		2	1		15			
Organs of Special Sense,																		1		
Circulatory System,		1	1	2	2					2	2	1		2	1		14	1		
Respiratory System. { Pneumonia,		3	3	2	1		1		2		2	2	2		1		19			
Others,		2	5	3	7			1	2	2	5	1			2		30			
Diarrhoea and Enteritis, under 2 years,			1						1								2			
Digestive System. { Diarrhoea, 2 years and upwards,								1									1			
Enteritis, 2 years and upwards,																				
Others,			1	1											1		3	1		
Genito-urinary System,			1									2	2				5	1		
Puerperal Septicæmia, etc.,																				
Other Causes incident to Pregnancy and Childbirth,																				
Diseases of the Skin and Cellular Tissue,																				
Locomotor System,																				
Other specified Causes,					1				1	2	4			1			9	1		
Violent Deaths,												1					1			
Ill-defined, &c. Causes,						1					1			1			3			
Deaths from All Causes		12	30	19	25	2	4	4	18	12	23	18	4	7	9		1	188	6	
Annual Rate of Mortality from All Causes in every 1,000 of the population.		20.7	37.9	35.5	36.7	19.0	15.2	19.5	23.0	34.1	27.5	28.3	21.2	9.3	15.5		3.1	24.1		
		30.4						26.8						9.3						
		28.7																		
Ages at Death. { Under 1 year,		1	5	2	3		1		3	2	4	1					22	2		
1 and under 2 years,		3	6	7	2		1	1	4			1	1	1			27			
2 " 5 "		3	5	3	5				1	1	2	2	1				23			
5 " 15 "			1		2				1		1	1					7			
15 " 25 "					3			1	1								5			
25 " 45 "		1	3		1			2	4	3	4	3	1		4		26	1		
45 " 65 "		4	7	4	7	1	2		3	5	5	7		3	1		49	2		
65 and upwards,			3	3	2	1			1	1	7	3	1	3	4		29	1		
Number of Uncertified Deaths,			2		1						1						4			
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																				
Public Hospitals, Prisons, and Lunatic Asylums,		2	7	3	7	1	1		4	6	3	5	3	1			43	6		
Workhouse Hospitals,		2	6	2	5				2	5	5	5		1	1		34			

FIFTEENTH WEEK, ending Saturday, 11th April, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 15th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 11th April, 1914.										
	Apr. 16, 1904.	Apr. 15, 1905.	Apr. 14, 1906.	Apr. 13, 1907.	Apr. 11, 1908.	Apr. 17, 1909.	Apr. 16, 1910.	Apr. 15, 1911.	Apr. 13, 1912.	Apr. 12, 1913.		Deaths of Persons of the Ages of										
												0-5.										
												Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
Mean Temperature ...	47·3	43·1	44·2	42·7	41·6	48·6	43·0	43·7	43·9	45·4	44·4	45·9										
Diseases of the Pharynx, Ton- sillitis.
Diseases of Stomach, ...	—	—	—	—	—	—	—	6	1	2	—	4	.	.	1	.	.	2	1	.	.	
Diarrhoea and Enteritis of Children under 2 years.	2	3	2	2	4	4	4	5	6	6	4·2	2	.	2	
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards		—	—	—	—	—	—	1	2	1		1	.	.	.	1	
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	1	1	1	—	
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	—	1	1	1	—	
Cirrhosis of Liver. ...	1	.	2	1	1	2	.	.	1	.	·8	
Other Diseases of Liver, ...	1	.	1	1	3	.	1	1	1	2	1·1	
Peritonitis (cause unknown),	.	1	.	.	.	1	2	2	2	.	·6	
Other Diseases of Digestive System.	2	8	3	5	6	2	6	.	2	1	3·5	
Acute Nephritis, ...	9	8	2	8	5	5	3	3	.	4	6·1	
Chronic Bright's Disease, ...												5		
Urinary Calculi,		
Uterine Tumour (non-can- cerous).												1		
Ovarian Tumour (non-can- cerous)													
Other Diseases of Genito- urinary System.													
Puerperal Septicæmia, &c.,	1	.	.	.	1	1	.	1	1	·3	
Other Causes incident to Pregnancy and Childbirth.	1	1	.	1	1	·5	
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	.	.	1	—	
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	.	.	.	—	
Premature Birth, ...	7	5	3	5	3	4	4	2	2	6	4·1	2	2	
Congenital Debility,	—	—	—	—	—	—	—	5	5	7	—	
Old Age, ...	6	5	6	4	3	4	7	4	4	5	4·8	4	4	
Other Specified Diseases, ...	—	—	—	—	—	—	—	2	4	2	—	2	1	1	
ACCIDENT:																						
Poisons or Poisonous Vapours.	
Conflagration,	
Burns and Scalds, ...	1	.	2	.	1	.	2	.	.	1	·7	
Drowning,	1	1	1	.	.	.	1	·4	
Suffocation in Bed,	1	·1	
Other Deaths by Accident, ...	3	2	1	1	3	2	1	1	.	1	1·5	1	1	.	.	
Total Deaths from Accident,	4	2	3	2	5	3	3	1	.	4	2·7	1	1	.	.	
Included in above are Deaths in connection with—																						
Railways,	
Vehicles and Horses, ...	2	.	.	.	1	·3	
Ships, Boats, Docks,	2	·2	
Building Operations,	
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide,	1	·1	
Suicide, ...	1	1	·2	
Execution,	
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	1	4	10	—	3	.	1	1	1	.	

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1913-4—WEEK ENDING																									
		Oct. 13.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.
No. of weeks in Annual Series,	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
Births registered.	211	220	202	190	232	165	209	194	212	185	140	168	246	203	241	234	279	217	202	244	225	210	203	227	173		
Average Births in corresponding week of previous 10 years, ...	211	194	220	213	193	184	213	187	204	179	186	225	222	212	215	241	214	217	204	232	222	206	215	230	214	220	
Deaths registered. ...	148	162	174	158	164	148	164	153	147	187	137	137	250	210	205	236	201	214	171	187	189	183	219	212	194		
Annual Death-rate per 1,000, ...	19.1	21.0	22.5	20.4	21.2	19.1	21.2	19.8	19.0	21.6	17.7	32.1	27.0	26.3	30.3	25.8	27.5	22.0	22.5	24.0	21.7	24.3	23.5	28.1	27.2	24.9	
Average Deaths in corresponding week of previous 10 years, ...	159	149	168	167	173	171	178	181	171	173	166	193	189	194	197	198	197	198	201	204	199	196	199	202	192		
Deaths from :— Enteric Fever, ... Typhus, ... Small-pox, ... Measles, ... Scarlet Fever, ... Whooping-cough, ... Diphtheria, ... Influenza, ... Typhoid, ... Tuberculosis { Pulmonary, ... { Other Forms, ... Cancer, ... Diseases of Circulatory System, ... Diseases of Respi- { Pneumonia, ... { Others, ... ratory System, ... Diarrhoea and Enteritis, under 2 years, ... Diarrhoea, 2 years and upwards, ... Violent Deaths, ... Number of Uncertified Deaths, ... Mean Temperature of the Air (Phoenix Park) in degrees, ... Average Mean Temperature in corresponding week of previous 10 years, ...	50	57	54	50	49	47	38	55	49	55	47	63	46	45	69	56	72	49	52	56	61	70	82	55	74		
	9	4	7	6	9	7	9	6	8	8	6	11	12	6	7	11	8	12	8	5	7	7	9	9	12	7	
	15-25	11	9	6	8	6	6	4	3	6	6	12	9	4	16	11	12	10	11	8	14	9	7	9	14	5	
	25-45	16	23	29	24	26	15	33	23	31	31	19	32	31	29	30	27	23	28	27	18	30	28	35	26	27	
	45-65	39	34	37	33	35	35	47	26	34	37	25	78	41	55	50	46	35	33	40	38	46	38	44	44	51	
	65-75	17	23	18	26	24	22	26	15	20	20	31	36	32	34	21	28	25	27	37	22	18	21	24	35	16	
	75 and upwards, ...	13	10	20	13	13	15	13	7	10	14	23	28	31	31	31	26	13	17	16	14	18	12	16	26	14	
	Enteric Fever, ...	1	1	1	1	2	1	4	3	1	1	1	3	3	2	2	1	1	1	1	1	1	1	1	1	1	
	Typhus, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Small-pox, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Measles, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Scarlet Fever, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Whooping-cough, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Diphtheria, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Influenza, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Typhoid, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Tuberculosis { Pulmonary, ...	12	19	18	18	22	14	17	16	23	12	24	20	19	22	25	24	25	23	23	21	26	21	21	22	28	
	{ Other Forms, ...	6	6	13	6	5	6	6	5	7	5	11	8	4	10	12	7	5	10	4	2	9	8	6	9	5	
	Cancer, ...	11	10	11	10	8	12	11	7	6	7	7	8	12	9	9	10	5	5	10	9	7	6	18	6	13	
	Diseases of Circulatory System, ...	15	18	15	21	12	9	17	11	17	18	19	26	15	23	25	16	14	10	18	19	20	17	14	25	15	
	Diseases of Respi- { Pneumonia, ...	6	8	12	13	12	14	14	18	19	18	12	22	19	21	26	17	20	13	14	13	15	14	8	20	19	
	{ Others, ...	15	13	15	14	12	20	22	17	22	16	17	51	48	30	43	32	31	25	17	30	34	35	34	35	30	
	Diarrhoea and Enteritis, under 2 years, ...	23	16	14	7	8	9	7	5	4	8	5	3	2	6	5	5	3	4	2	5	5	6	4	1	2	
	Diarrhoea, 2 years and upwards, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Violent Deaths, ...	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
	Number of Uncertified Deaths, ...	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
	Mean Temperature of the Air (Phoenix Park) in degrees, ...	52.9	43.5	50.9	44.4	46.6	46.6	47.6	44.4	46.0	44.1	37.7	34.6	44.3	39.5	38.6	44.1	42.1	43.6	42.1	43.1	41.7	39.8	39.7	50.9	45.9	
	Average Mean Temperature in corresponding week of previous 10 years, ...	49.8	45.7	45.2	44.6	42.0	41.9	41.5	42.2	42.5	42.4	41.5	41.9	41.1	40.0	39.6	39.4	40.4	41.6	40.4	41.5	41.7	41.8	43.3	43.8	44.4	
	Rainfall in inches, ...	1.40	.530	1.040	.710	.645	.640	.150	1.065	.165	.065	.620	.035	.445	.260	.090	.485	.305	.615	.810	.475	.675	.450	.140	.575	.400	
	Mean Humidity of the Air, complete Saturation 1.0,86	.86	.86	.86	.90	.88	.90	.93	.93	.87	.90	.90	.88	.81	.84	.94	.92	.85	.89	.91	.90	.91	.92	.85	.90	

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 11th April, 1914; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 11TH APRIL, 1914.																																			
CLASS.		OCCUPATION OR SOCIAL POSITION (The 3138 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.)		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.										CAUSES OF DEATH																		
							Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculo- sis.		Diseases of the Respiratory System.		Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Un- certi- fied Deaths.					
				(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)			
ALL PERSONS.																																			
Cols.																																			
397,957																																			
14,658																																			
101,798																																			
108,420																																			
167,479																																			
5,602																																			
34																																			
1																																			
7																																			
5																																			
27																																			
51																																			
16																																			
14																																			
1																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			
.																																			

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal admitted ; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM														Violence.	Number of Uncer- tified Deaths.			
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteric of Children under 2 years of age.	Diarrhoea, 2 years and upwards.					
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.					Other.		
North City, No. 1 (E.) (Office Clarence St. Nth.)	Mar. 7 " 14 " 21 " 28	19.0 22.4 13.8 58.7	3.5 1.7 1.7 15.5	11 13 8 34	2	.	.	1	.	.	1	3	.	.	.	1		
Population in 1914 (Est.) 30,206.	Apr. 4 " 11	25.9 20.7	10.4 8.6	15 12	.	.	.	6 4	.	1	.	.	2 2	2 1	5 1	4 3	7 2	1 1	.	.	.		
North City, No. 1 (W.) (Office, Summer-hill.)	Mar. 7 " 14 " 21 " 28	32.8 40.4 32.8 39.2	2.5 5.1 11.4 10.1	26 32 26 31	.	.	.	1 1 5 7	.	.	1	2 2 1 1	3 4 4 8	1 2 2 5	
Population in 1914 (Est.) 41,278.	Apr. 4 " 11	29.1 37.9	2.5 13.9	23 30	.	.	.	2 8	.	1	.	.	3 4	1 .	1 .	2 3	3 5	1 1	.	.	.	2	
North City, No. 2. (Office, Lisburn-street.)	Mar. 7 " 14 " 21 " 28	35.5 9.4 26.2 33.7	7.5 . 5.6 7.5	19 5 14 18	1	.	.	1 . 1 3	.	.	1	.	.	1	1	1 . 2 2	1 . 4 2	1 . 3 1	1 . 2	1
Population in 1914 (Est.) 27,883.	Apr. 4 " 11	31.8 35.5	11.2 11.2	17 19	.	.	.	6 5	2 3	2 1	.	1 2	2 3	
North City, No. 3. (Office, Benburb-street.)	Mar. 7 " 14 " 21 " 28	20.5 13.2 24.9 26.4	. . 1.5 7.3	14 9 17 18 1 3	1 1 2 1	. 3 2 1	. . 2 1	
Population in 1914 (Est.) 35,536.	Apr. 4 " 11	14.7 36.7	1.5 8.8	10 25	.	.	.	1 5	1	.	1	.	1 2	.	4	2 1	3 7	.	.	.	1	1	
Clontarf and Howth No. 1 (part of).	Mar. 7 " 14 " 21 " 28	9.5 9.5 19.0 9.5	. . . 9.5	1 1 2 1 1	
Population in 1914 (Est.) 5,485.	Apr. 4 " 11	28.5 19.0	. .	3 2	1 1	.	.	1	
Coolock and Drumcondra (part of).	Mar. 7 " 14 " 21 " 28	11.4 11.4 26.7 11.4	3.8 . 7.6 3.8	3 3 7 3	.	.	.	1 . 1	1 . 4 .	. . 1 .	.	1	.	.	
Population in 1914 (Est.) 13,685.	Apr. 4 " 11	15.2 7.6	7.6 .	4	.	.	.	2	1	
Finglas and Glasnevin (part of).	Mar. 7 " 14 " 21 " 28	14.6 24.3 . 14.6	. 4.9 . .	3 5 . 3	1 2 . .	. 1 . .	. 1	
Population in 1914 (Est.) 10,723.	Apr. 4 " 11	29.2 19.5	6 9.7	6 4 1	1 .	1 1	.	.	1 .	. . 1 .	.	1	.	.	
South City, No. 1. (Office, St. Earl-street.)	Mar. 7 " 14 " 21 " 28	15.3 23.0 26.9 23.0	1.3 1.3 2.6 3.8	12 18 21 18 1 2 3	1 3 3	1 2 .	.	. 1 5 7	1	
Population in 1914 (Est.) 40,768.	Apr. 4 " 11	33.3 23.0	2.6 6.4	26 18	.	.	.	1 3	1	1	.	.	4 4	.	.	2 2	2 2	. 1	
South City, No. 2. (Office, Castle-street.)	Mar. 7 " 14 " 21 " 28	22.7 14.2 25.6 14.2	. 2.8 2.8 2.8	8 5 9 5 1	.	1	.	.	.	1 . 1 4 1 .	. 1 . .	. 1	
Population in 1914 (Est.) 18,341.	Apr. 4 " 11	34.1 34.1	5.7 2.8	12 12	.	.	.	1 1	2 3	1 1	1 .	1 2	4 2	1	
South City, No. 3. (Office, Peter-street.)	Mar. 7 " 14 " 21 " 28	18.0 32.3 26.3 27.5	1.2 2.4 . 3.6	15 27 22 23 2	.	1	.	1	.	2 4 2 3	1 1 2 2	.	. 1 5 4	1	
Population in 1914 (Est.) 43,540.	Apr. 4 " 11	26.3 27.5	2.4 3.6	22 23	.	.	.	2 3	3 3	2 .	2 .	4 5	1	
South City, No. 4. (Office, Grand Canal-st.)	Mar. 7 " 14 " 21 " 28	26.7 29.9 26.7 39.3	1.6 1.6 7.9 7.9	17 19 17 25 1 2 1	.	1	.	1	.	3 1 3 1	.	1 1 1 .	5 2 3 3	. . . 1	. . . 1	.	.	.	
Population in 1914 (Est.) 33,171.	Apr. 4 " 11	33.0 28.3	3.1 3.1	21 18	.	.	.	2 2	1 4	2 1	3 .	1 2	3 1	. .	.	1	1	.	
New Kilmainham.	Mar. 7 " 14 " 21 " 28	21.2 31.8 26.5 31.8	4 6 5 6	3 1 3	
Population in 1914 (Est.) 9,851.	Apr. 4 " 11	21.2 21.2	5.3	4 4	1	.	1 .	.	.	2 2	

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncer- tified Deaths.
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District.	Mar. 7 " 14 " 21 " 28	22.6 9.3 12.0 10.7	2.7 . 1.3 2.7	17 7 9 8	1 1 1	1 1 1 2	2 . . .	4 1 1 1	. 1 . .	1 . . 1	1 . . .	
Population in 1914 (Est.) 39,155.	Apr. 4 " 11	17.3 9.3	1.3 .	13 7	1	2 .	. .	1 .	. .	2	
Pembroke Urban District.	Mar. 7 " 14 " 21 " 28	15.5 29.3 19.0 17.2	. 5.2 1.7 .	9 17 11 10 2 1	2 4 2 2	. 1 2	. . 2 3	2 3 2 1	1	1 . . .	
Population in 1914 (Est.) 30,240	Apr. 4 " 11	32.8 15.5	3.4 .	19 9	1 .	. .	1	1 2	. .	1 .	3 1	1 2	1 .	
Blackrock Urban District.	Mar. 7 " 14 " 21 " 28	11.3 11.3 11.3 17.0	2 2 2 3 1 1	
Population in 1914 (Est.) 9,197.	Apr. 4 " 11	22.7 .	. .	4	1	1	
Kingstown Urban District.	Mar. 7 " 14 " 21 " 28	6.2 9.2 12.3 18.5	2 3 4 6 1	. . . 1	. . . 1 1 .	
Population in 1911 16,941.	Apr. 4 " 11	24.6 3.1	. .	8 1	1 .	. .	1 .	. .	1	
Belfast.	Mar. 7 " 14 " 21 " 28	18.3 19.1 21.3 19.6	2.4 2.0 2.0 1.2	140 146 163 150	. . 1 .	1	3 3 3 2	5 2 7 5	1 2 1	14 15 16 14	6 5 6 7	4 3 7 3	16 12 9 15	21 15 31 20	7 8 3 2	1	2 2 2 3	
Population in 1914 (Est.) 399,000.	Apr. 4 " 11	17.8 18.6	1.2 2.2	136 142	1 2	2 3	3 6	2 1	. .	10 12	5 4	5 9	6 19	23 11	1 4	1 .	. .	3 .	
Cork.	Mar. 7 " 14 " 21 " 28	25.2 17.0 24.5 22.4	. . 1.4 3.4	37 25 36 33 1	8 3 3 8	4 . 2 2	4 1 2 1	1 2 2 3	2 6 4 3	. . . 1 1 . .	
Population in 1911 76,673.	Apr. 4 " 11	21.1 19.7	3.4 0.7	31 29	3 1	1 .	. .	5 5	1 4	2 .	4 1	2 1	1 2	
Londonderry.	Mar. 7 " 14 " 21 " 28	19.0 15.2 19.0 11.4	. 1.3 . .	15 12 15 9 2 1 4	. 2 1	. 1 1	1 1 .	4 2 3 1	
Population in 1914 (Est.) 41,100.	Apr. 4 " 11	14.0 22.8	1.3 .	11 18	2 3	. .	1 .	. 1	4 3	1 .	. .	1 .	. 2	
Limerick.	Mar. 7 " 14 " 21 " 28	23.0 20.3 17.6 29.8	1.4 . 1.4 2.7	17 15 13 22	1 1	2 1 1 1	. 1 1	. 1 1	1 1 2 3	2 4 4 6	
Population in 1911 38,518.	Apr. 4 " 11	17.6 16.2	. 2.7	13 12 1	1 2	. .	. 1	. .	3 1	1	
Waterford.	Mar. 7 " 14 " 21 " 28	7.6 15.2 24.7 19.0	. . . 1.9	4 8 13 10	1 2 2 1	1 1 .	. . 1	. . .	2 2 1 4	. . 1 2 .	
Population in 1911 27,464.	Apr. 4 " 11	36.1 11.4	1.9 .	19 6	1 .	. .	2 .	1 1	4 2	1 .	. .	2 .	1 .	

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 11th April, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.												DEATHS FROM												No. of Deaths in Public Institutions.	Inquest Cases.	Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
				All Causes.	Certain Epi- demic Diseases.†	1 year and under 5 years.						5 and under 25 years.		25 and under 45 years.		45 and under 65 years.		65 years and upwards.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.				Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
						Total Number of DEATHS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
						(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)																				(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
City of Belfast.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1913-4—WEEK ENDING																									
	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.
No. of weeks in Annual Series,	43	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS registered,	201	191	179	231	182	186	136	205	196	130	284	185	254	208	215	187	224	210	203	217	222	196	244	243	163
DEATHS registered,	111	115	102	133	139	112	117	137	141	150	194	203	174	182	197	164	142	144	153	140	146	163	150	136	142
Annual Death-rate per 1,000 of estimated population, ...	14.6	15.1	13.4	17.5	18.3	16.6	14.7	15.4	18.0	18.6	19.8	25.4	26.5	22.7	23.3	25.7	21.4	18.6	18.8	20.0	18.3	19.1	21.3	19.6	17.8	18.6
AGES, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,	22	24	15	39	31	19	19	14	23	27	28	42	46	24	43	45	33	28	25	28	28	28	32	28	25	29
	11	19	12	21	15	24	14	24	26	17	29	23	36	24	22	21	16	20	10	16	15	16	21	27	9	18
	15	12	14	13	14	14	8	15	12	16	25	14	17	14	24	13	18	15	12	18	14	10	19	13	16	11
	13	15	20	13	24	15	21	20	22	32	20	25	26	30	23	34	24	26	21	29	27	34	26	21	24	20
	23	23	18	24	32	29	24	27	29	32	30	39	47	36	35	41	37	31	42	32	33	28	30	28	30	30
	24	22	23	23	23	25	26	17	25	17	18	51	31	46	35	48	36	22	34	30	23	30	35	33	29	34
Deaths from:—																										
Enteric Fever,	1	...	1	2	1	1	1	...	1	1
Typhus,	2	1
Small-pox,
Measles,	2	1	1	3	1	...	1	...	1	1	2
Scarlet Fever, ...	8	7	5	7	7	9	4	8	8	5	6	3	12	10	2	3	7	6	1	6	3	3	3	2	2	3
Whooping-cough,	3	2	...	3	3	3	7	6	3	1	5	1	2	6	1	4	5	2	7	5	3	6
Diphtheria, ...	1	1	2	...	1	...	2	1	...	2	4	2	2	...	1	2	1	...	2	1
Dysentery,	1
Tuberculosis. { Pulmonary, ...	12	8	13	13	22	9	8	10	8	12	15	15	14	17	15	12	14	21	17	31	14	15	16	14	10	12
Other Forms, ...	3	6	7	6	2	5	3	6	5	2	9	8	8	5	6	3	7	4	4	8	6	5	6	7	5	4
Cancer, ...	9	6	5	8	8	10	6	3	7	10	6	3	10	8	6	10	8	9	9	4	4	3	7	3	5	9
Diseases of Respi- ratory System, { Pneumonia, ...	9	6	5	10	16	9	10	13	25	14	28	23	29	23	29	26	21	13	14	15	16	12	9	15	6	19
Others, ...	7	15	15	13	15	11	12	14	10	14	15	36	28	27	26	45	32	23	18	18	21	15	31	20	23	11
Diarrhoea and Enteritis, under 2 years, ...	9	2	5	3	1	6	...	1	...	1	1	1	2	3	1	2	3	1	1	4	7	8	3	2	1	4
Diarrhoea, 2 years and upwards, ...	1	1	1	1	1	2	...	2	1	1	1	1
Violent Deaths, ...	2	1	...	4	4	9	1	3	2	1	3	5	...	1	6	4	3	2	3	4	2	...	2	2	...	3
Number of Uncertified Deaths, ...	3	2	1	2	6	1	1	1	...	3	1	...	5	4	3	2	...	4	1	3	1	1	1	...	3	1
Mean Temperature of the Air in degrees, ...	54.5	47.7	49.5	44.4	46.7	46.6	48.3	43.1	45.4	43.3	40.0	32.3	41.1	38.7	38.4	44.1	43.1	41.2	41.0	41.1	44.3	39.9	40.8	41.0	49.7	47.1
Rainfall, in inches, ...	0.81	0.74	2.13	1.22	1.65	0.92	0.26	1.51	0.78	0.07	0.82	0.41	1.83	0.00	0.28	0.55	0.32	0.72	0.93	0.82	0.92	1.40	0.65	0.07	0.78	1.00

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Apr. 11,	1,883	1,170	13·5	1	.	21	2	23	9	13
EDINBURGH, ...	321,900	" 11,	131	99	16·0	.	.	6
GLASGOW, ...	1,047,000	" 11,	544	333	16·6	3	.	22	3	4	3	1
CALCUTTA, ...	896,067	Feb. 28,	.	569	33·0	74*	18	1	.	.	.	153 ^a
BOMBAY, ...	979,445	Mar. 7,	344	780	41·4	137*	13	18	.	.	.	73 ^a
MADRAS, ...	518,660	" 7,	318	418	41·9	84*	.	.	?	?	?	92 ^a
CAIRO, ...	721,303	Feb. 4,	622	413	29·9	1	5	1	.	?	5†	38
PARIS, ...	2,847,229	Mar. 28,	1,069	973	17·5	10	.	9	.	7	6†	21
BRUSSELS, ...	767,252	" 21,	229	177	12·0	1	.	1	1	.	1†	14
ANTWERP, ...	313,833	" 21,	112	77	12·8	5†	6
AMSTERDAM, ...	596,828	" 21,	293	166	14·5	.	.	7	.	6	2†	4
COPENHAGEN, ...	483,000	" 21,	241	154	16·6	2	.	.
STOCKHOLM, ...	376,171	" 21,	150	101	14·0	1	1	.
CHRISTIANIA, ...	250,423	" 28,	91	67	13·9	5	.	.
ST. PETERSBURG, ...	1,728,200	" 7,	700	711	21·5	4	3	22	10	6	12	28
MOSCOW, ...	1,694,000	Feb. 28,	.	712	21·9	3	1	16	9	13	7†	46 ^a
BERLIN, ...	2,078,267	Mar. 14,	.	526	13·2	.	.	3	4	2	8†	13 ^a
HAMBURG, ...	1,030,983	" 21,	.	273	13·8	1	.	3	3	2	6	11 ^a
BRISLAU, ...	541,606	" 21,	.	189	18·2	.	.	1	1	.	.	9 ^a
MUNICH, ...	640,000	" 21,	.	196	16·0	.	.	4	.	3	.	3
VIENNA (with suburbs),	2,132,523	" 21,	666	685	16·7	2	.	10	4	1	7†	17
BUDA-PESTH, ...	950,784	" 21,	459	385	21·0	.	.	6	12	1	5†	13
PRAGUE and Faubourgs,	498,498	Feb. 21,	188	163	17·0	.	.	1	1	2	3†	6
TRIESTE, ...	242,443	Mar. 7,	144	95	20·4	3	.	2	.	.	1†	3
ROME, ...	591,943	Oct. 11,	299	164	14·4	1	.	.	1	.	1	22
		" 18,	273	161	14·2	6	27
NEW YORK, ...	5,583,871	Mar. 14,
PHILADELPHIA, ...	1,631,960	Jan. 10,
BOSTON, ...	750,768	Mar. 21,	.	245 ^b	17·0	.	.	.	2	1	2	6 ^a

* Deaths from "fever," including 5 from enteric fever and 4 from plague in Calcutta; and 4 from enteric fever and 59 from plague in Bombay.

† Including deaths from croup.

‡ Including 86 deaths from cholera in Calcutta.

^a Deaths from diarrhoeal diseases at all ages.

^b Corrected figures, i.e., non-residents deducted, 220 (including one death from scarlet fever), rate 15·3 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th April, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	8	.	.	.	2	2	7
" " 1, West, ...	8	.	.	.	1	3	7
" " 2,	1	.	.	1	1	.	.	.	3	6
" " 3, ...	1	.	.	.	1	.	.	.	1	3
Clontarf and Howth No. 1 (part of),	1	1
Coolock and Drumcondra (part of),	1	1
Finglas and Glasnevin (part of),
South City No. 1, ...	1	2	3
" " 2,	2	2
" " 3, ...	3	.	.	.	3	.	.	1	1	.	.	.	4	12
" " 4,	1	4	5
New Kilmainham,	1	.	.	.	1
Total, ...	11	.	.	.	9	.	.	4	3	1	.	.	20	48

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 11th April, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 11th April.			
	Mar. 21.	Mar. 28	April 4.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	29	26	30	3	5	1	27
Typhus,	1	.	.	.	1
Small-pox,
Measles, ...	64	99	126	55	23	10	148
Scarlet Fever, ...	116	105	101	17	20	4	94*
Diphtheria, ...	42	40	47	11	7	1	50
Pneumonia, ...	19	20	18	16	6	2	26

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 11th April, 1914:—

"Very changeable, squally, showery weather prevailed throughout this week. Air-temperature also showed a falling off when compared with the previous period—the mean (47·6°) being 4·1° lower than that of the week ended April 4. On Sunday morning a large and deep atmospheric depression was centred on the Atlantic to the north westward of Ireland and west of the outer Hebrides. The atmosphere was in very active movement all over Northwestern Europe, the wind blowing strongly in squalls from S.E. and S. in Great Britain, from S.W. and W. in Ireland, and from N. in Iceland. By Monday morning the centre of low pressure had reached the Hebrides and the North of Scotland, at 7 a.m. the barometer read 28·77 inches at Stornoway and 28·81 inches at Wick. During the day strong winds or gales and showers of rain and hail were very prevalent. The primary depression remained nearly stationary off the north of Scotland until Tuesday night, when it moved away in a north-easterly direction and began to lessen in intensity. The advance of secondary disturbances from the Atlantic, however, kept the weather in a changeable, showery state. On Thursday morning also another large and deep depression, stretching from beyond the western coasts of the British Isles to the S.W. of Iceland, brought a renewal of squally, showery weather. On the afternoon of this day festooned clouds were observed from Dublin, and thunder and lightning occurred locally in England. During Friday and Saturday the barometer rose considerably, but the weather remained unsettled with passing showers and fine intervals. Two features of interest in this week were the frequent hail showers and the splendid rainbows of the afternoon-hours on successive days. In Dublin the mean height of the barometer was 29·468 inches, the range being from 29·212 inches at 4 p.m. of Tuesday (wind, W.S.W.) to 30·014 inches at 9 p.m. of Saturday (wind, S.W.). The corrected mean temperature was 47·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 46·9°. On Tuesday the screened thermometers fell to 39·1° on Thursday they rose to 57·5°. The rain fall was ·351 inch on 7 days, ·103 inch being recorded on Sunday. Fresh to strong S.W. winds prevailed. Hail fell daily from Monday to Friday inclusive. Fine rainbows often developed. A lunar halo appeared on Friday evening."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29·465 inches. The highest reading (30·007) was on Saturday, at 9 p.m., the lowest (29·263) on Tuesday, at 9 a.m.

The mean temperature for the week was 45·9°, being 1·5° above the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Thursday and Friday, on which days the thermometer registered 56°, and was lowest on Thursday, the mercury having fallen to 32°. The mean of the Dry Bulb for the week was 44·6° and of the Wet Bulb, 42·9°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured 0·400 inch.

At Greenwich the mean temperature for the week was 48·2°, the maximum 60·8°, and the minimum 36·0°; at Glasgow the maximum was 55·0°, the minimum 37·0°, and the mean 44·3°; and at Edinburgh the maximum was 52·4°, the minimum 34·0°, and the mean 44·8°. The rainfall at Greenwich measured 1·02 ins., at Glasgow 0·96 in, and at Edinburgh 0·73 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.			BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.
			Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation = 1·0.			
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday,	April	5,	29·385	55	44	49·5	50·2	48·3	·90	·8	4·7	·055
Monday,	"	6,	29·405	53	41	47·0	43·9	42·5	·90	·7	8·3	·060
Tuesday,	"	7,	29·270	51	38	44·5	41·3	40·4	·90	·7	10·3	·010
Wednesday,	"	8,	29·555	50	33	41·5	39·4	37·0	·90	·7	3·2	·000
Thursday,	"	9,	29·275	56	32	44·0	46·3	45·0	·91	·6	5·2	·210
Friday,	"	10,	29·495	56	43	49·5	47·0	45·2	·87	·6	9·9	·065
Saturday,	"	11,	29·870	54	37	45·5	43·5	42·2	·91	·7	6·4	·000
Mean,	29·465	53·6	38·3	45·9	44·6	42·9	·90	·7	Total 48·0	Total ·400

Sunday—A dull day, bright at intervals, light showers p.m.; night cloudy, light showers a.m. Monday—A bright day, cloudy at intervals, heavy showers a.m. and p.m.; night clear, light showers a.m. Tuesday—A beautiful bright day, light shower a.m.; night cloudy, light shower a.m. Wednesday—Day cloudy, bright at intervals; night cloudy. Thursday—Day bright, cloudy at intervals; heavy showers a.m. and p.m.; night clear. Friday—A beautiful bright day, heavy showers p.m.; night clear. Saturday—Day bright, cloudy at intervals; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 11th April, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.			Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
				1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday,	April	5,	53·0	49·3	46·7	56·9	44·2	50·6	hrs. 6·1	ins. ·080
Monday,	"	6,	52·0	48·8	46·9	53·2	41·0	47·1	7·7	·045
Tuesday,	"	7,	50·0	47·7	47·0	45·7	32·7	39·2	9·1	·031
Wednesday,	"	8,	49·6	47·6	48·1	45·8	37·1	41·5	1·5	·080
Thursday,	"	9,	49·8	47·0	47·5	53·8	37·7	45·8	4·5	·160
Friday,	"	10,	50·3	47·9	42·3	51·3	40·0	45·7	8·3	·010
Saturday,	"	11,	50·3	47·7	47·2	54·4	39·5	47·0	4·5	·010
Weekly Mean,	.	.	50·7	48·0	46·5	51·6	38·9	45·3	Total 41·7	Total ·416

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 18TH APRIL, 1914.

[No. 16.]

*General Register Office, Charlemont House,
Dublin, 20th April, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 22·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Mar. 28	April 4	April 11	April 18	
27 Town Districts, (a)	22·8	21·7	20·3	22·5	21·8
Dublin Reg. Area ...	27·2	26·1	24·1	26·1	25·9
Dublin City ...	31·1	26·7	28·7	29·4	29·0
Belfast ...	19·6	17·8	18·6	21·2	19·3
Cork ...	22·4	21·1	19·7	27·9	22·8
Londonderry ...	11·4	14·0	22·8	17·8	16·5
Limerick ...	29·8	17·6	16·2	27·1	22·7
Waterford ...	19·0	36·1	11·4	32·3	24·7

The deaths from certain epidemic diseases† registered in the 27 town districts during last week* were equal to an annual rate of 3·4 per 1,000. Among the 162 deaths from all causes for Belfast are 2 from measles, 5 from scarlet fever, 9 from whooping-cough, one from diphtheria, and 3 from diarrhoeal diseases. Of the 41 deaths from all causes for Cork one was from enteric fever, and one from whooping-cough. One of the 3 deaths from all causes for Dundalk was due to enteric fever, and included in the 4 deaths from all causes for Lurgan is one death from measles. Among the 17 deaths from all causes for Waterford are 2 from diarrhoeal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 218—116 boys and 102 girls—and the deaths to 212—106 males and 106 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 26·1 per 1,000 of the population. During the sixteen weeks, ending with Saturday last, the death-rate averaged 24·4, and was 0·5 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 212, represent an annual rate of 27·2 per 1,000; the annual rate for the past sixteen weeks was 25·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·1 per 1,000 of the mean population for all deaths registered.

The 212 deaths registered include one death from enteric fever, 39 deaths from measles, 4 from whooping-cough, one death each from influenza and dysentery, and 7 deaths from diarrhoea and enteritis of children under 2 years of age. Deaths from measles, which in the week ended 28th March, numbered 27, declined to 22 in the week ending 4th April, but rose to 34 in the week ending 11th April, further rose, as already stated, to 39 last week. In the three preceding weeks, deaths from enteric fever were 0, 0, and one; deaths from whooping-cough were 3, 3, and 2; deaths from influenza were 2, 3, and 0; and deaths of children under 2 years of age from diarrhoea and enteritis numbered 4, one, and 2, respectively.

There were 32* deaths from tuberculous disease (all forms), including 22 deaths from pulmonary tuberculosis, 5 from tuberculous meningitis, 2 from abdominal tuberculosis, and 3 from disseminated tuberculosis. In the 3 preceding weeks, deaths from tuberculous disease were 21, 22 and 28.

Cancer caused 8* deaths.

Of 16 deaths from pneumonia (all forms), 9 were ascribed to broncho-pneumonia, 2 to lobar pneumonia, and 5 to pneumonia (type not distinguished).

Included in the number of deaths of infants under one year of age, are 2 from convulsions, 2 from premature birth, and one from congenital debility.

Nineteen deaths were attributed to organic diseases of the heart, and 24 to bronchitis.

There were 4 accidental deaths, including 2 caused by drowning.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under 5 years of age (including one infant under one year old) and the death of one person aged 74 years.

Eighty-nine of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 7 were under one month old), and 42 were aged 65 years and upwards, including 23 persons aged 70 and upwards; among the latter were 13 aged 75 and upwards, of whom one (a female) was stated to have been aged 97 years.

Eighty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 26·1 per 1,000; the rate in the City was 29·4 (North City Districts, 29·1; South, 29·7) and in the Suburbs 15·3.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 6·8 per 1,000 inhabitants, the rate for the City being 8·6 (in the North City Districts 10·4, and in the South 6·4), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·0 per 1,000. Four of the deaths were from measles, one death each from whooping-cough and pulmonary tuberculosis, and 2 from pneumonia.

No. 1 North City District, West (Summer-hill).—The deaths (34) are equal to an annual rate of 42·9 per 1,000. There were 8 deaths from measles, 3 from whooping-cough, one from influenza, 6 from tuberculous disease, 5 from pneumonia, one from bronchitis, and 2 from diarrhoea and enteritis of children under 2 years of age.

No. 2 North City District (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 39·3 per 1,000. Among them are 4 from measles, 5 from tuberculous disease, 2 each from broncho-pneumonia and bronchitis, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (20) represent an annual rate of 29·3 per 1,000, and include 10 deaths from measles, 3 from tuberculous disease, 2 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·0 per 1,000 inhabitants; Coolock and Drumcondra, part of, 11·4; and Finglas and Glasnevin, part of, 4·9. Of the 2 deaths recorded for Clontarf and Howth, No. 1, part of, one was from broncho-pneumonia; and among the 3 deaths from all causes for Coolock and Drumcondra, part of, 2 were from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (23) represent an annual rate of 29·4 per 1,000. One death from enteric fever, 4 from measles, 4 from pulmonary tuberculosis, 2 from pneumonia, 3 from bronchitis, and 2 deaths from diarrhoea and enteritis of children under 2 years of age were recorded.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·6 per 1,000. Among them are one from measles, 3 from pulmonary tuberculosis, one from bronchitis, and one accidental death.

No. 3 South City District (Peter-street).—The deaths (34) are equal to an annual rate of 40·7 per 1,000. There were 4 deaths from measles, 5 from tuberculous disease, 3 from pneumonia, 5 from bronchitis, 2 from diarrhoeal diseases, and 2 accidental deaths.

No. 4 South City District (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 23·6 per 1,000, and include 3 from measles, one from pulmonary tuberculosis, 4 from bronchitis, and one, that of a child under 2 years of age, from diarrhoea and enteritis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·6 per 1,000. The 2 deaths were caused by bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·3; Pembroke, 10·3; Blackrock, 22·7; and Kingstown, 15·4. The deaths from the principal epidemic diseases tabulated for these districts comprise one from measles for Blackrock and one from dysentery for Rathmines and Rathgar. Among the 13 deaths from all causes for the last-named district are one from pulmonary tuberculosis and 2 from bronchitis. Of the 6 deaths from all causes for Pembroke one is from bronchitis; and the 5 deaths from all causes for Kingstown include one from pneumonia.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 14·5), was equal to an average annual death-rate of 14·9 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·0 per 1,000, the rate for Glasgow being 16·5, and for Edinburgh 16·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 18th April. From this Report it appears that of a total of 66 cases notified, 32 were scarlet fever, 17 phthisis, 9 diphtheria, 7 erysipelas, and one enteric fever. Among the 559 cases of infectious diseases in hospital at the close of the week were 241 cases of scarlet fever, 200 of phthisis, 57 of diphtheria, 35 of measles, 10 of erysipelas, 4 of enteric fever, and one of whooping-cough.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II

STATE OF INFECTIOUS DISEASE

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 18th April, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Mar. 28,	.	—	—	7	.	.	10	.	.	1	3	.	—	—	.	—	.	21	42
	April. 4,	.	—	—	6	.	.	12	.	.	7	2	.	—	—	.	—	.	29	56
	April. 11,	.	—	—	11	.	.	9	.	.	4	3	1	—	—	.	—	.	20	48
	April. 18,	.	—	—	3	.	.	8	.	1	2	2	.	—	—	.	—	.	27	43
Rathmines and Rathgar Urban District.	Mar. 28,	.	—	—	4	.	.	1	.	.	.	2	.	—	—	—	—	—	—	7
	April. 4,	.	—	—	2	1	.	1	—	—	—	—	—	—	4
	April. 11,	.	—	—	—	—	—	—	—	—	.
	April. 18,	.	—	—	8	.	.	2	.	.	.	2	.	—	—	—	—	—	—	7
Pembroke Urban District.	Mar. 28,	.	16	.	2	—	1	—	—	—	2	21
	April. 4,	.	15	.	4	.	.	2	—	6	—	—	—	1	28
	April. 11,	.	7	—	3	—	—	—	2	12
	April. 18,	.	2	.	6	.	.	4	.	.	.	1	.	—	—	—	—	—	.	13
Blackrock Urban District.	Mar. 28,	.	—	—	—	—	—	—	—	—	.
	April. 4,	.	—	—	—	—	—	—	—	—	.
	April. 11,	.	—	—	—	—	—	—	—	—	.
	April. 18,	.	—	—	—	—	—	—	—	—	.
Kingstown Urban District.	Mar. 28,	.	—	—	—	—	—	—	—	.	.
	April. 4,	.	—	—	—	—	—	—	—	.	.
	April. 11,	.	—	—	1	2	.	—	—	—	—	—	.	3
	April. 18,	.	—	—	—	—	—	—	6	6	6
City of Belfast.	Mar. 28,	.	—	—	35	.	.	7	1	1	1	4	.	—	—	—	—	.	5	54
	April. 4,	.	—	—	42	.	.	13	.	.	.	4	.	—	—	—	—	.	6	65
	April. 11,	.	—	—	52	.	.	4	1	1	2	7	.	—	—	—	—	.	4	71
	April. 18,	.	—	—	27	.	.	2	1	.	5	4	.	—	—	—	—	.	2	41
City of Cork.	Mar. 28,	.	1	—	7	.	.	1	1	1	.	2	.	—	—	—	—	—	—	13*
	April. 4,	.	1	—	1	.	.	.	1	.	1	.	.	—	—	—	—	—	—	4
	April. 11,	.	2	—	2	1	1	—	—	—	—	—	—	6
	April. 18,	.	1	—	2	.	.	1	.	.	5	.	.	—	—	—	—	—	—	9
City of Londonderry.	Mar. 28,	.	—	—	—	—	—	—	—	—	.
	April. 4,	.	—	—	1	.	.	1	—	—	—	—	—	—	2
	April. 11,	.	—	—	1	—	—	—	—	—	—	1
	April. 18,	.	—	—	1	—	—	—	—	—	—	1
City of Limerick.	Mar. 28,	.	—	—	1	1	.	.	—	—	—	—	—	—	1
	April. 4,	.	—	—	—	—	—	—	—	—	1
	April. 11,	.	—	—	1	—	—	—	—	—	—	1
	April. 18,	.	—	—	1	—	—	—	—	—	—	1
City of Waterford.	Mar. 28,	.	—	—	—	—	—	—	—	.	.
	April. 4,	.	—	—	—	—	—	—	3	3	3
	April. 11,	.	—	—	—	—	—	—	—	—	.
	April. 18,	.	—	—	—	—	—	—	1	1	1

* Not including one case of anthrax and one case of varicella.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th April, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Four cases of enteric fever were admitted to hospital during the week, 6 were discharged, there was one death, and 24 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 26, 30, and 27.

One case of typhus remained under treatment at the close of the week.

Fifty-three cases of measles were admitted to hospital, 28 were discharged, there were 7 deaths, and 166 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 99, 126, and 148 respectively.

Eighteen cases of scarlet fever were admitted to hospital, 8 were discharged, and 104* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 105, 101, and 94, respectively.

Eight cases of diphtheria were admitted to hospital during the week, and 19 were discharged, The cases in hospital, which at the close of the 3 preceding weeks numbered 40, 47, and 50 respectively, were 39 at the close of last week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 5 were discharged, there was one death, and 23 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE II.—BIRTHS AND DEATHS registered during the week ending Saturday, 18th April, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the Temperature and Rainfall for the week, and for each of the two Weeks immediately preceding.

REGISTRATION—WEEK ENDING SATURDAY, 18TH APRIL, 1914.										METEOROLOGY. (d)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Census Statistics of Districts.		NUMBERS REGISTERED.										WEEK ENDING 18TH APRIL, 1914.					WEEK ENDING 11TH APRIL, 1914.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
		BIRTHS.		DEATHS.		DEATHS.						Air Temperature.					Air Temperature.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
POPULATION.		Annual Rate per 1,000 Persons Represented by		From all Causes.		From certain Epidemic Diseases. (b)		Caused by						Rainfall in Inches.					Rainfall in Inches.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Total. (a)		Per-sons to an Acre.		BIRTHS.		DEATHS.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other Forms.		Tuber-culosis.		Diseases of the Respiratory System.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
(1)		(2)		(3)		(4)		(5)		(6)		(7)		(8)		(9)		(10)		(11)		(12)		(13)		(14)		(15)		(16)		(17)		(18)		(19)		(20)		(21)		(22)		(23)		(24)		(25)		(26)		(27)		(28)		(29)		(30)		(31)		(32)		(33)		(34)		(35)		(36)		(37)		(38)		(39)		(40)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
1,205,280		19.1		27.0		22.5		3.4		623		519		72		129		40		1		3		

TABLE III. —DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 18th of April, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES; &c.		DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
		CITY OF DUBLIN.																	
		REGISTRATION DISTRICTS IN																	
		Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
		NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	.
Typhus,
Small-pox,
Measles,	4	8	4	10	.	.	4	1	4	3	1	.	39	.	
Scarlet Fever,
Whooping-cough,	1	3	4	.	
Diphtheria,
Croup,
Influenza,	.	1	1	.	.
Dysentery,	1	.	.
Tuberculosis, { Pulmonary,	1	5	2	2	.	2	5	3	1	1	.	1	1	.	.	.	21	1	.
{ Other Forms,	.	1	3	1	.	.	1	.	4	10	.	.
Cancer,	.	.	.	1	.	.	1	.	1	.	.	.	1	1	.	.	5	3	.
Diseases of Nervous System,	.	2	1	2	2	.	.	1	1	.	1	10	1	.	.
" Organs of Special Sense,
" Circulatory System,	2	1	2	.	.	1	3	1	4	2	.	4	.	.	1	21	1	.	.
" Respiratory System. { Pneumonia,	2	5	2	.	1	.	2	.	3	1	16	.	.	.
{ Others,	.	2	2	2	.	.	3	1	6	4	2	3	1	.	1	27	1	.	.
{ Diarrhoea and Enteritis, under 2 years,	.	2	.	1	.	.	2	.	1	1	7	.	.	.
" Digestive System. { Diarrhoea, 2 years and upwards,	1	1	.	.	.
{ Enteritis, 2 years and upwards,
{ Others,	.	.	1	.	.	1	2	.	.	1	5	1	.	.
" Genito-urinary System,	.	1	2	.	.	.	2	.	1	8	1	.	.
Puerperal Septicæmia, etc.,
Other Causes incident to Pregnancy and Childbirth,	1	1	.	2	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	1	1	.	.	.	1	3	.	.	.
" Locomotor System,
Other specified Causes,	1	3	2	.	.	.	1	1	3	1	.	2	.	2	.	16	.	.	.
Violent Deaths,	.	.	1	1	2	4	.	.	.
Ill-defined, &c. Causes,	1	1	.	.	.
Deaths from All Causes	11	34	21	20	2	3	1	23	9	34	15	2	13	6	4	5	203	9	.
Annual Rate of Mortality from All Causes in every 1,000 of the population.	19.0	42.9	39.3	29.3	19.0	11.4	4.9	29.4	25.6	40.7	23.6	10.6	17.3	10.3	22.7	15.4	26.1	.	.
	29.1							29.7					15.3						
	29.4																		
Ages at Death. { Under 1 year,	1	7	3	3	.	.	.	6	.	4	2	.	1	1	.	1	29	.	.
1 and under 2 years,	.	7	3	8	.	.	.	6	.	5	2	31	.	.
2 " 5 "	3	4	4	4	1	1	.	1	1	6	2	.	.	.	1	1	29	.	.
5 " 15 "	2	1	3	2	.	1	1	10	1	.
15 " 25 "	1	1	1	1	.	.	.	2	.	1	.	.	1	.	.	.	8	2	.
25 " 45 "	.	6	4	2	1	3	4	1	4	1	1	.	27	1	.
45 " 65 "	2	3	1	3	1	1	.	1	4	7	2	.	2	1	.	1	29	3	.
65 and upwards,	2	5	2	1	.	1	1	3	3	7	3	1	5	3	2	1	40	2	.
Number of Uncertified Deaths,	.	.	1	1	3	5	.	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,	3	7	6	9	.	1	.	5	1	4	2	.	2	.	1	1	42	9	.
Workhouse Hospitals.	.	5	3	2	.	.	.	5	3	7	4	29	.	.

SIXTEENTH WEEK, ending Saturday, 18th April, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 16th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 18th April, 1914.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	Apr. 23, 1904.	Apr. 22, 1905.	Apr. 21, 1906.	Apr. 20, 1907.	Apr. 18, 1908.	Apr. 24, 1909.	Apr. 23, 1910.	Apr. 22, 1911.	Apr. 20, 1912.	Apr. 19, 1913.		Deaths of Persons of the Ages of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
												0-5.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
												Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Mean Temperature ...	46.0	44.0	44.3	42.5	42.6	48.9	49.6	50.5	48.1	44.5	46.1	45.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Un- certified Deaths.
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.) Population in 1914 (Est.) 30,206.	Mar. 14 " 21 " 28 Apr. 4 " 11 " 18	22.4 13.8 58.7 25.9 20.7 19.0	1.7 1.7 15.5 10.4 8.6 8.6	13 8 34 15 12 11	1	.	.	1	.	.	.	4	.	.	.	1
North City, No. 1 (W.) (Office, Summer-hill.) Population in 1914 (Est.) 41,278.	Mar. 14 " 21 " 28 Apr. 4 " 11 " 18	40.4 32.8 39.2 29.1 37.9 42.9	5.1 11.4 10.1 2.5 13.9 16.4	32 26 31 23 30 34	.	.	.	1	.	1	.	.	4	2	1	4	4	2	.	.	1
North City, No. 2. (Office, Lisburn-street.) Population in 1914 (Est.) 27,883.	Mar. 14 " 21 " 28 Apr. 4 " 11 " 18	9.4 26.2 33.7 31.8 35.5 39.3	.	5 14 18 17 19 21	1
North City, No. 3. (Office, Benburb-street.) Population in 1914 (Est.) 35,536.	Mar. 14 " 21 " 28 Apr. 4 " 11 " 18	13.2 24.9 26.4 14.7 36.7 29.3	.	9 17 18 10 25 20	.	.	.	1	2	.	1	1	3	.	.	.
Clontarf and Howth No. 1 (part of). Population in 1914 (Est.) 5,485.	Mar. 14 " 21 " 28 Apr. 4 " 11 " 18	9.5 19.0 9.5 28.5 19.0 19.0	.	1 2 1 3 2 2
Coolock and Drumcondra (part of). Population in 1914 (Est.) 13,685.	Mar. 14 " 21 " 28 Apr. 4 " 11 " 18	11.4 26.7 11.4 15.2 11.4	.	3 7 3 4 3	.	.	.	1	1	.	.	4	1	.	.
Finglas and Glasnevin (part of). Population in 1914 (Est.) 10,723.	Mar. 14 " 21 " 28 Apr. 4 " 11 " 18	24.3 14.6 29.2 19.5 4.9	4.9 . . 9.7 .	5 . 3 6 4 1	2	1	1	.	.
South City, No. 1. (Office, St. Earl-street.) Population in 1914 (Est.) 40,768.	Mar. 14 " 21 " 28 Apr. 4 " 11 " 18	23.0 26.9 23.0 33.3 23.0 29.4	1.3 2.6 3.8 2.6 6.4 9.0	18 21 18 26 18 23	.	.	.	1	3	1	.	3	1	.	.	.
South City, No. 2. (Office, Castle-street.) Population in 1914 (Est.) 18,341.	Mar. 14 " 21 " 28 Apr. 4 " 11 " 18	14.2 25.6 14.2 34.1 34.1 25.6	2.8 2.8 2.8 5.7 2.8 2.8	5 9 5 12 12 9	1	1	4	1	.	.
South City, No. 3. (Office, Peter-street.) Population in 1914 (Est.) 43,540.	Mar. 14 " 21 " 28 Apr. 4 " 11 " 18	32.3 26.3 27.5 26.3 27.5 40.7	2.4 . 3.6 2.4 3.6 7.2	27 22 23 22 23 34	1	.	1	.	.	6	1	1	.	10	.	.	3
South City, No. 4. (Office, Grand Canal-st.) Population in 1914 (Est.) 33,171.	Mar. 14 " 21 " 28 Apr. 4 " 11 " 18	29.9 26.7 39.3 33.0 28.3 23.6	1.6 7.9 7.9 3.1 3.1 6.3	19 17 25 21 18 15	.	.	.	1	.	1	1	.	.	1	2	1	1	2	.	.	2
New Kilmainham. Population in 1914 (Est.) 9,851.	Mar. 14 " 21 " 28 Apr. 4 " 11 " 18	31.8 26.5 31.8 21.2 21.2 10.6	.	6 5 6 4 4 2	2	2	.	1

* See note (†) at foot of first page.

Deaths in Dublin, Belfast, Cork, Londonderry, Limerick and Waterford.

251

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncertified Deaths.
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diphtheria, 2 years of age and upwards.	Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Mar. 14	9.3	.	7	1	.	.	1	1
	" 21	12.0	1.3	9	1	.	.	1	.	.	1
	" 28	10.7	2.7	8	1	.	.	2	.	.	.	1
	Apr. 4	17.3	1.3	13	1	.	.	2	.	.	2
	" 11	9.3	.	7	1	.	.	1	.	3
" 18	17.3	1.3	1	1	.	.	.	3
Pembroke Urban District. Population in 1914 (Est.) 30,240	Mar. 14	29.3	5.2	17	.	.	.	2	4	1	.	2	3	1	.	.	.
	" 21	19.0	1.7	11	.	.	.	1	2	.	.	2	1
	" 28	17.2	.	10	2	.	1
	Apr. 4	32.8	3.4	19	.	.	.	1	.	1	.	.	1	.	.	3	1	.	.	1	1
	" 11	15.5	.	9	2	.	1	1	2
" 18	10.3	.	6	1	1	1
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Mar. 14	11.3	.	2	1
	" 21	11.3	.	2
	" 28	17.0	.	3	1	.	1	.	1
	Apr. 4	22.7	.	4	1
	" 11
" 18	22.7	5.7	4	.	.	.	1	1
Kingstown Urban District. Population in 1911 16,941.	Mar. 14	9.2	.	3	1	.
	" 21	12.3	.	4	1	.
	" 28	18.5	.	6	1	1	1
	Apr. 4	24.6	.	8	1	.	1	.	.	.	1
	" 11	3.1	.	1	1
" 18	15.4	.	5	1	1
Belfast. Population in 1914 (Est.) 399,000.	Mar. 14	19.1	2.0	146	3	2	2	.	15	5	3	12	15	8	.	.	1
	" 21	21.3	2.0	163	1	.	.	.	3	7	1	.	16	6	7	9	31	3	.	2	1
	" 28	19.6	1.2	150	2	5	.	.	14	7	3	15	20	2	.	2	.
	Apr. 4	17.8	1.2	136	.	.	.	1	2	3	2	.	10	5	5	6	23	1	.	.	3
	" 11	18.6	2.2	142	.	.	.	2	3	6	1	.	12	4	9	19	11	4	1	3	1
" 18	21.2	2.6	162	.	.	.	2	5	9	1	.	11	13	4	12	27	2	1	3	3	
Cork. Population in 1911 76,673.	Mar. 14	17.0	.	25	3	.	1	2	6	.	.	.	2
	" 21	24.5	1.4	36	1	1	.	.	3	2	2	2	3	.	.	1	3
	" 28	22.4	3.4	33	.	.	.	1	.	3	.	.	8	2	1	4	4	1	.	.	1
	Apr. 4	21.1	3.4	31	3	1	.	5	1	2	4	2	1	.	.	2
	" 11	19.7	0.7	29	1	.	.	5	4	.	1	1	.	.	.	1
" 18	27.9	1.4	41	1	1	.	.	11	2	1	4	7	1
Londonderry. Population in 1914 (Est.) 41,100.	Mar. 14	15.2	1.3	12	2	2	1	.	2	.	1	.	1
	" 21	19.0	.	15	1	.	.	1	3
	" 28	11.4	.	9	4	1	1	.	1
	Apr. 4	14.0	1.3	11	2	.	1	.	4	1	.	1	.
	" 11	22.8	.	18	3	.	.	1	3	.	.	.	2
" 18	17.8	.	14	2	2	2	.	1	.	.	.	1	
Limerick. Population in 1911 38,518.	Mar. 14	20.3	.	15	1	.	1	1	4	.	.	.	4
	" 21	17.6	1.4	13	1	1	.	.	4	2
	" 28	29.8	2.7	22	.	.	.	1	.	1	.	.	1	1	1	2	6	.	.	.	3
	Apr. 4	17.6	.	13	1	.	.	1	3	.	.	.	4
	" 11	16.2	2.7	12	.	.	.	1	2	.	1	.	1	1	.	.	3
" 18	27.1	.	20	2	2	.	6	.	.	.	3	
Waterford. Population in 1911 27,464.	Mar. 14	15.2	.	8	2	1	.	.	2	.	.	.	1
	" 21	24.7	.	13	1	.	.	2	.	.	2	.
	" 28	19.0	1.9	10	2	.	1	.	1	1	.	.	.
	Apr. 4	36.1	1.9	19	1	.	2	1	4	1	.	2	1
	" 11	11.4	.	6	1	2
" 18	32.3	3.8	17	2	.	.	2	5	1	1	.	.	1

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 18th April, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.														DEATHS FROM														No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
				All Causes.	Certain Epidemic Diseases.†	1 year and under 5 years.						5 and under 25 years.		25 and under 45 years.		45 and under 65 years.		65 years and upwards.		Enteric fever.	Typhus.	Small-pox.	Measles.	Scarlet fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.		Diarrhoea and Enteritis of children under 2 years of age.			Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
						Total Number of DEATHS.	Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	TUBERCULOSIS.	Pneumonia.	Other.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
																(1)	(2)	(3)	(4)												(5)	(6)							(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
City of Belfast.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year

† See note (t) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1913-4—WEEK ENDING																									
		Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.
No. of weeks in Annual Series,		43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
BIRTHS registered, ...		191	179	231	182	170	186	186	205	196	130	284	195	254	208	215	187	224	210	203	217	222	196	244	243	163	219
DEATHS registered, ...		115	102	133	139	126	112	117	137	141	150	194	203	174	182	197	164	142	144	153	140	146	163	150	136	142	162
Annual Death-rate per 1,000 of estimated population, ...		15.1	13.4	17.5	18.3	16.6	14.7	15.4	18.0	18.6	19.8	25.4	26.5	22.7	23.9	25.7	21.4	18.6	18.8	20.0	18.3	19.1	21.3	19.6	17.8	18.6	21.2
AGES, { Under 1 year, ...		24	15	39	31	19	19	14	23	27	28	42	46	24	43	45	33	28	25	28	28	28	32	29	28	29	
{ 1-5 years, ...		19	12	21	15	24	14	24	26	17	29	23	26	24	22	21	16	20	10	16	15	16	21	27	9	18	
{ 5-25 " ...		12	14	13	14	14	8	15	12	16	25	14	17	14	24	13	18	15	12	18	14	10	19	13	16	11	
{ 25-45 " ...		15	20	13	24	15	21	20	22	32	20	25	26	30	23	34	24	26	21	29	27	34	26	21	24	20	
{ 45-65 " ...		23	18	24	32	29	24	27	29	32	30	39	47	36	35	41	37	31	42	32	33	38	30	28	30	31	
{ 55 and upwards, ...		22	23	23	23	25	26	17	25	17	18	51	31	46	35	43	36	22	34	30	23	30	35	33	29	34	
Deaths from:—																											
Enteric Fever,	1	.	1	2	1	.	.	.	1	.	.	1	.	1	1
Typhus,	2	1	
Small-pox,	
Measles, ...		2	.	.	1	1	3	.	.	.	1	.	1	.	1	1	2	2	
Scarlet Fever, ...		7	5	7	7	9	4	8	8	5	6	3	12	10	2	3	7	6	1	6	3	3	3	2	2	3	
Whooping-cough,	3	2	.	3	3	3	7	6	3	1	5	1	2	6	1	4	5	2	7	5	3	6	
Diphtheria, ...		1	.	.	2	.	1	.	2	1	.	2	4	2	2	.	1	2	1	.	2	1	
Dysentery,	1	
Tuberculosis. { Pulmonary, ...		8	13	13	22	9	8	10	8	12	15	15	14	17	15	12	14	21	17	31	14	15	16	14	10	12	
{ Other Forms, ...		6	7	6	2	5	3	6	5	2	9	8	8	5	6	3	7	4	4	8	6	5	6	7	5	4	
Cancer, ...		6	5	8	8	10	6	3	7	10	6	3	10	8	6	10	8	9	9	4	4	3	7	3	5	9	
Diseases of Respi- { Pneumonia, ...		6	5	10	16	9	10	13	25	14	28	23	29	23	29	26	21	13	14	15	16	12	9	15	6	19	
ratory System, { Others, ...		15	15	13	15	11	12	14	10	14	15	36	28	27	26	45	32	23	18	13	21	15	31	20	23	11	
Diarrhoea and Enteritis, under 2 years, ...		2	5	3	1	6	.	1	.	1	1	1	2	3	1	2	3	1	1	4	7	8	3	2	1	4	
Diarrhoea, 2 years and upwards, ...		1	1	1	1	.	.	.	2	.	2	1	1	.	.	.	1	.	.	.	1	1	
Violent Deaths, ...		1	.	4	4	9	1	3	2	1	3	5	.	1	6	4	3	2	3	4	2	.	2	.	3	3	
Number of Uncertified Deaths, ...		2	1	2	6	1	1	1	.	3	1	.	5	4	3	2	.	4	1	3	1	1	1	.	3	1	
Mean Temperature of the Air in degrees, ...		47.7	49.5	44.4	46.7	46.6	48.3	43.1	45.4	43.3	40.0	32.3	41.1	38.7	38.4	44.1	48.1	41.2	41.0	41.1	44.3	39.9	40.8	41.0	49.7	47.1	43.5
Rainfall, in inches, ...		0.74	2.13	1.22	1.65	0.92	0.26	1.51	0.78	0.07	0.82	0.41	1.83	0.00	0.28	0.55	0.32	0.72	0.93	0.82	0.92	1.40	0.65	0.07	0.78	1.00	0.34

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Apr. 18,	2,229	1,255	14·5	3	.	18	7	26	11	15
EDINBURGH, ...	321,900	„ 18,	161	103	16·7	.	.	2	.	.	1	.
GLASGOW, ..	1,047,000	„ 18,	656	332	16·5	.	.	15	5	5	2	6
CALCUTTA, ..	896,067	Mar. 7,	.	586	34·0	66*	23	2	.	.	.	158½ ^a
BOMBAY, ...	979,445	„ 14,	323	719	38·2	161*	9	15	.	.	.	59½ ^a
MADRAS ...	518,660	„ 14,	337	394	39·5	59*	3	3	?	?	?	105½ ^a
CAIRO, ...	721,303	Feb. 11,	584	393	28·4	4	4	1	.	?	10†	26
PARIS, ...	2,847,229	Apr. 4,	958	1,014	18·2	8	.	9	1	13	5†	22
BRUSSELS, ...	767,252	Mar. 28,	270	189	12·6	.	.	1	1	.	2†	10
ANTWERP, ...	313,833	„ 28,	122	78	13·0	.	.	1	1	2	4†	11
AMSTERDAM, ...	596,828	„ 28,	298	141	12·3	1	.	8	.	5	2†	1
COPENHAGEN, ...	483,000	„ 28,	226	142	15·3	.	.	3	.	3	1	2
STOCKHOLM, ...	376,171	„ 28,	145	122	16·9	1	.	2	.	2	.	2
CHRISTIANIA, ...	250,423	Apr. 4,	115	76	15·8	.	.	.	2	5	.	.
ST. PETERSBURG ...	1,728,200	Mar. 14,	774	685	20·7	6	1	22	8	4	18	29
MOSCOW, ...	1,694,000	„ 7,	.	738	22·7	5	2	36	7	15	7	46 ^a
BERLIN, ...	2,079,156	„ 21,	.	489	12·2	2	.	3	4	1	10†	14
HAMBURG, ...	1,080,983	„ 28,	.	262	13·2	.	.	2	4	2	2	9
BRESLAU, ...	541,606	„ 28,	.	211	20·3	.	.	.	1	4	.	11 ^a
MUNICH, ...	640,000	„ 28,	.	180	14·7	.	.	3	.	1	1	10 ^a
VIENNA (with suburbs),	2,132,523	„ 28,	694	664	16·2	.	.	13	.	4	7†	20
BUDA-PESTH, ...	950,784	„ 28,	461	342	18·7	1	.	10	1	3	3†	13
PRAGUE and Faubourgs,	498,498	Feb. 28,	194	177	18·5	1	.	6
TRIESTE, ...	242,443	Mar. 14,	128	77	16·6	.	.	1	.	2	.	1
ROME, ...	591,943	Oct. 25,	285	182	16·0	5	.	2	.	.	1	27
		Nov. 1,	291	175	15·4	6	.	1	.	1	.	22
NEW YORK,...	5,583,871	Mar. 14,	.	1,705	15·9	2	.	19	11	5	33	?
PHILADELPHIA, ...	1,657,815	Feb. 7,	.	566	17·8	4	.	.	5	4	14	15
BOSTON, ...	750,768	Mar. 28,	.	258½	17·9	2	.	2	4	2	6	7 ^a

* Deaths from "fever," including 7 from enteric fever and 9 from plague in Calcutta; one from enteric fever and 81 from plague in Bombay; and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 106 deaths from cholera in Calcutta, one in Bombay, and one in Madras.

^a Deaths from diarrhoeal diseases at all ages.

^b Corrected figures, i.e., non-residents deducted, 224 (including 2 deaths from scarlet fever, 4 from diphtheria and 6 from diarrhoeal diseases), rate 15·6 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18th April, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	2	1	3
„ „ 1, West,	1	.	.	1	1	.	.	.	5	8
„ „ 2,	1	1
„ „ 3,	2	.	.	2	.	1	5	10
Clontarf and Howth No. 1 (part of),	1	1
Coolock and Drumcondra (part of),
Finglas and Glasnevin (part of),
South City No. 1,	1	9	10
„ „ 2,
„ „ 3,	1	.	.	.	1	.	.	.	3	5
„ „ 4,	1	.	.	1	2	4
New Kilmainham,	1	1
Total,	3	.	.	8	.	1	2	2	.	.	.	27	43

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 18th April, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 18th April.			
	Mar. 28.	April 4.	April 11.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	26	30	27	4	6	1	24
Typhus,	1	1	.	.	.	1
Small-pox,
Measles, ...	99	126	148	53	28	7	166
Scarlet Fever, ...	105	101	94	18	8	.	104*
Diphtheria, ...	40	47	50	8	19	.	39
Pneumonia, ...	20	18	26	3	5	1	23

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.S.C., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 18th April, 1914:—

"This week witnessed a vast improvement in the weather, which was in the main fine, bright, and dry. Only on Monday morning and forenoon did rain fall in considerable amount (·111 inch in the Dublin metropolitan district) over the west and north of Ireland and the west of Scotland. This precipitation was connected with the advance from mid-Atlantic of an atmospheric depression secondary to a large and deep 'primary,' in the centre area of which the barometer was as low as 28·75 inches at Reykjavik (Iceland) on Sunday morning. As the secondary, or subsidiary, disturbance neared the Irish coasts in the course of Sunday afternoon and the following night the wind became very strong and squally from S.W., gales being reported from Scotland. A brisk increase of barometric pressure took place on Monday, when a large anticyclone advanced over Ireland from the Atlantic. This system developed considerable intensity and also staying power, so that its influence over the weather continued almost uninterrupted to the end of the week—only on Friday did the barometer fall below 30 inches in the extreme S.W. of Ireland in connection with a shallow depression centred off Corunna on the morning of that day. In the period between Tuesday and Friday the central area of the anticyclone drifted slowly eastwards across the British Isles and North Sea to Denmark and the south of Scandinavia. As is usual in spring anticyclones the diurnal range of temperature was large at inland stations—for example at Birr Castle the thermometer rose from 35° to 62° on Wednesday and from 35° to 63° on Thursday: at Nairn, on Friday the minimum was 35°, the maximum, 70°. Even in Dublin the range on Wednesday was from 37° to 58°. The large amount of bright sunshine was a notable feature of this week. In Dublin the mean height of the barometer was 30·231 inches. The mercury fell to 29·893 inches at 9 p.m. of Sunday (wind, S.W.) and rose to 30·564 inches at 9 a.m. of Wednesday (wind, calm). The corrected mean temperature was 48·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 48·4°. On Thursday the screened thermometers fell to 36·9°, on Saturday they rose to 61·0°. Up to and including Tuesday the wind was from some westerly point, thenceforward it was from some easterly quarter. Rain fell on 2 days to the amount of ·111 inch, ·100 inch being recorded on Sunday. On that day swallows were seen in and near Dublin."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 30.217 inches. The highest reading (30.529) was on Wednesday, at 9 a.m., the lowest (29.890) on Sunday, at 9 p.m.

The mean temperature for the week was 45.6°, being 0.5° below the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Saturday, on which day the thermometer registered 61°, and was lowest on Thursday, the mercury having fallen to 27°. The mean of the Dry Bulb for the week was 46.4° and of the Wet Bulb, 44.8°. The mean humidity of the air was .89, complete saturation being represented by 1.0. The rainfall during the week measured 0.120 inch.

At Greenwich the mean temperature for the week was 49.1°, the maximum 66.3°, and the minimum 33.9°; at Glasgow the maximum was 68.0°, the minimum 31.5°, and the mean 48.1°; and at Edinburgh the maximum was 63.0°, the minimum 35.5°, and the mean 48.2°. The rainfall at Glasgow measured 0.25 in., and at Edinburgh 0.10 in. There was no rainfall recorded at Greenwich.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155.3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.		BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1.0.	Sunshine in hours and decimals.	Rain Gauge.
		Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1.0.			
		(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday,	April 12,	29.945	56	32	44.0	48.0	45.8	.85	.7	3.0	.100
Monday,	" 13,	30.035	56	41	48.5	43.7	42.7	.93	.7	4.6	.020
Tuesday,	" 14,	30.430	56	34	45.0	41.5	40.7	.93	.4	11.3	.000
Wednesday,	" 15,	30.520	57	29	43.0	44.7	42.8	.87	.0	12.1	.000
Thursday,	" 16,	30.400	55	27	41.0	45.6	44.4	.93	.6	12.1	.000
Friday,	" 17,	30.080	59	34	46.5	52.4	49.8	.83	.5	12.9	.000
Saturday,	" 18,	30.110	61	42	51.5	48.9	47.1	.88	.4	11.0	.000
Mean,	30.217	57.1	34.1	45.6	46.4	44.8	.89	.5	Total 67.0	Total .120

Sunday—A dull day, bright at intervals; night cloudy, light rain 4.0 to 9.0 a.m. Monday—Day cloudy, bright at intervals, light rain 9.0 to 9.45 a.m.; night clear. Tuesday—A beautiful bright day; night clear. Wednesday—A beautiful bright day; night clear. Thursday—A beautiful bright day; night clear. Friday—A beautiful bright day; night clear. Saturday—A beautiful bright day; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 a.m. and 9 p.m.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 18th April, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.R.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.		Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
			1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday,	April 12,	51.0	47.3	47.2	55.4	46.0	50.7	hrs. 2.1	ins. .096
Monday,	" 13,	47.1	47.6	47.2	54.8	43.0	48.9	3.1	.001
Tuesday,	" 14,	49.7	47.5	47.9	57.8	38.5	48.1	9.9	.000
Wednesday,	" 15,	53.3	47.4	47.6	56.5	35.7	46.1	9.4	.060
Thursday,	" 16,	51.6	47.9	47.7	54.4	40.7	45.5	9.9	.000
Friday,	" 17,	53.4	48.6	47.5	54.7	38.6	46.6	11.4	.000
Saturday,	" 18,	54.2	49.2	47.6	55.7	40.4	48.0	9.7	.000
Weekly Mean,	.	51.5	47.9	47.5	55.6	40.4	47.7	Total 55.5	Total .097

DUBLIN: Printed for His Majesty's Stationery Office,
By ALRX THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

Vol. LI.]

WEEK ENDING SATURDAY, 25TH APRIL, 1914.

[No. 17.]

*General Register Office, Charlemont House,
Dublin, 27th April, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 25·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	April 4	April 11	April 18	April 25	
27 Town Districts, (a)	21·7	20·3	22·5	25·3	22·4
Dublin Reg. Area ...	26·1	24·1	26·1	27·9	26·0
Dublin City ...	26·7	28·7	29·4	30·9	28·9
Belfast ...	17·8	18·6	21·2	23·4	20·3
Cork ...	21·1	19·7	27·9	33·3	25·5
Londonderry ...	14·0	22·8	17·8	16·5	17·8
Limerick ...	17·6	16·2	27·1	28·4	22·3
Waterford ...	36·1	11·4	32·3	24·7	26·1

The deaths from certain epidemic diseases† registered in the 27 town districts during last week* were equal to an annual rate of 3·1 per 1,000. Among the 179 deaths from all causes for Belfast are one from measles, 6 from scarlet fever, 8 from whooping-cough, and 3 from diarrhoeal diseases. Of the 49 deaths from all causes for Cork one was from enteric fever, one from whooping-cough, and 2 from diarrhoeal diseases. One of the 21 deaths from all causes for Limerick was from scarlet fever and one death from whooping-cough is included in the 3 deaths from all causes for Athlone. Among the 7 deaths from all causes for Lisburn are one from enteric fever and one from measles, and of the 3 deaths from all causes for Ballymena one was from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 207—95 boys and 112 girls—and the deaths to 231—129 males and 102 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 27·9 per 1,000 of the population. During the seventeen weeks, ending with Saturday last, the death-rate averaged 24·6, and was 0·2 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 231, represent an annual rate of 29·7 per 1,000; the annual rate for the past seventeen weeks was 26·1 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·1 per 1,000 of the mean population for all deaths registered.

The deaths included 35 from measles, 2 from whooping-cough, 3 from diphtheria, and 3 from diarrhoea and enteritis of children under 2 years of age. In each of the three preceding weeks, deaths from measles were 22, 34 and 39; deaths from whooping-cough were 3, 2 and 4; deaths from diphtheria, were 0, one, and 0, and deaths from diarrhoea and enteritis of children under 2 years were one, 2 and 7.

Of 33* deaths from tuberculous disease, 25 were from pulmonary tuberculosis, 3 from tuberculous meningitis, and 5 from abdominal tuberculosis; in each of the 3 preceding weeks, deaths from tuberculous disease were 31, 33 and 32.

The deaths of 13* persons were assigned to cancer.

Of 17 deaths from pneumonia, 6 were attributed to broncho-pneumonia, 3 to lobar pneumonia, and 8 to pneumonia (type not distinguished).

There were 10 deaths from convulsions; of these 3 were children between the ages of 2 years and 5 years, and 7 were under 2 years of age, including 6 deaths of infants under one year. Seven deaths of infants were ascribed to prematurity, and 4 to congenital debility.

There were 18 deaths from bronchitis and 17 from organic diseases of the heart.

Of 5 deaths from accident or negligence one was caused by a motor bicycle, and 4 were by burns; of these one was under 2 years of age, and 2 were between the ages of 5 years and 15 years. There was one suicidal death.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 8 children under 5 years of age (including 6 infants under one year old).

Ninety-two of the persons whose deaths were registered during the week were under 5 years of age (40 being infants under one year, of whom 14 were under one month old), and 42 were aged 65 years and upwards, including 30 persons aged 70 and upwards; among the latter were 19 aged 75 and upwards, of whom 4 (2 males and 2 females) were stated to have been aged 93, 93, 90, and 93 years respectively.

Ninety-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse, and 15 in the South Dublin Union Workhouse, and 4 in the Rathdown Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 27·9 per 1,000; the rate in the City was 30·9 (North City Districts, 33·9; South, 27·6) and in the Suburbs 18·0.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 5·5 per 1,000 inhabitants, the rate for the City being 6·9 (in the North City Districts 7·0, and in the South 6·8), and for the Suburbs 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (19) are equal to an annual rate of 32·8 per 1,000. Among them are 2 deaths from measles, one death each from whooping-cough and diphtheria, 3 from tuberculous disease, 2 deaths from bronchitis, and one death by suicide.

No. 1 *North City District, West* (Summer-hill).—The deaths (27) are equal to an annual rate of 34·1 per 1,000. There were 4 deaths from measles, 6 from pulmonary tuberculosis, 2 from pneumonia, one from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

No. 2 *North City District* (Lisburn-street).—The deaths (29) are equivalent to an annual rate of 54·2 per 1,000. Six deaths from measles, 5 from tuberculous disease, one from pneumonia, one death from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis were recorded.

No. 3 *North City District* (Benburb-street).—The deaths (20) represent an annual rate of 29·3 per 1,000. To measles 5 deaths were attributed, to bronchitis 2 deaths, and to accidental burns 2 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 57·0 per 1,000 inhabitants; Coolock and Drumcondra, part of, 15·2; and Finglas and Glasnevin, part of, 9·7. Of the 6 deaths from all causes for Clontarf and Howth, No. 1, part of, one is from measles, one from pulmonary tuberculosis, and one from pneumonia; the 4 deaths from all causes for Coolock and Drumcondra, part of, include one from pulmonary tuberculosis and one from bronchitis; and among the 2 deaths recorded for Finglas and Glasnevin, part of, is one from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (25) represent an annual rate of 32·0 per 1,000. Five deaths were caused by measles, 3 by tuberculous disease, 4 by pneumonia, 3 by bronchitis, and 2 by accidental burns.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000. There were 2 deaths from measles, one death from abdominal tuberculosis, 2 from pneumonia, and 2 from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (25) are equal to an annual rate of 29·9 per 1,000. Among them are 8 deaths from measles, one death each from whooping-cough and diphtheria, 4 deaths from pulmonary tuberculosis, 3 from pneumonia, and one from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 20·4 per 1,000, and include one death each from measles and diphtheria, 4 deaths from tuberculous disease, and one death from bronchitis.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·2 per 1,000. Broncho-pneumonia caused one death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·0; Pembroke, 15·5; Blackrock, 11·3; and Kingstown, 21·5. The deaths from the principal epidemic diseases tabulated for these districts comprise one from measles and one from diarrhoea and enteritis of a child under 2 years of age for Rathmines and Rathgar, the 15 deaths from all causes for the last-named district including one from pulmonary tuberculosis, 2 from pneumonia, and one from bronchitis; the 9 deaths from all causes for Pembroke include one from broncho-pneumonia, one from bronchitis, and one accidental death. Of the 2 deaths recorded for Blackrock one is from pulmonary tuberculosis; and the 7 deaths from all causes for Kingstown include 2 from pulmonary tuberculosis and one from bronchitis.

ENGLAND AND SCOTLAND

The mortality last week in 97 large English towns (including London, in which the rate was 14·4), was equal to an average annual death-rate of 15·1 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·9 per 1,000, the rate for Glasgow being 16·9, and for Edinburgh 17·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 25th April. From this Report it appears that of a total of 71 cases notified, 37 were scarlet fever, 18 phthisis, 11 diphtheria, and 5 erysipelas. Among the 533 cases of infectious diseases in hospital at the close of the week were 238 cases of scarlet fever, 207 of phthisis, 41 of diphtheria, 26 of measles, 8 of erysipelas, 3 of enteric fever, and 2 of whooping-cough.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II

STATE OF INFECTIOUS DISEASE

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 25th April, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	April. 4.	.	—	—	6	.	.	12	.	.	7	2	.	—	—	—	—	.	29	56
	April. 11.	.	—	—	11	.	.	9	.	.	4	3	1	—	—	.	—	.	20	48
	April. 18.	.	—	—	3	.	.	8	.	1	2	2	.	—	—	.	—	.	27	43
	April. 25.	.	—	—	6	.	.	8	.	.	1	.	.	—	—	.	—	.	34	49
Rathmines and Rathgar Urban District.	April. 4.	.	—	—	2	1	.	1	—	—	—	—	—	—	4
	April. 11.	.	—	—	—	—	—	—	—	—	.
	April. 18.	.	—	—	3	.	.	2	.	.	.	2	.	—	—	—	—	—	—	7
	April. 25.	.	—	—	.	.	.	2	.	.	.	1	.	—	—	—	—	—	—	3
Pembroke Urban District.	April. 4.	.	15	.	4	.	.	2	—	6	—	—	—	1	28
	April. 11.	.	7	—	3	—	—	—	2	12
	April. 18.	.	2	.	6	.	.	4	.	.	.	1	.	—	—	—	—	—	.	13
	April. 25.	.	14	.	13	.	.	2	1	—	1	—	—	—	.	31
Blackrock Urban District.	April. 4.	.	—	—	—	—	—	—	—	—	.
	April. 11.	.	—	—	—	—	—	—	—	—	.
	April. 18.	.	—	—	—	—	—	—	—	—	.
	April. 25.	.	—	—	—	—	—	—	—	—	.
Kingstown Urban District.	April. 4.	.	—	—	—	—	—	—	—	.	3
	April. 11.	.	—	—	1	2	.	—	—	—	—	—	6	6
	April. 18.	.	—	—	—	—	—	—	—	.	.
	April. 25.	.	—	—	—	—	—	—	—	.	.
City of Belfast.	April. 4.	.	—	—	42	.	.	13	.	.	.	4	.	—	—	—	—	.	6	65
	April. 11.	.	—	—	52	.	.	4	1	1	2	7	.	—	—	—	—	.	4	71
	April. 18.	.	—	—	27	.	.	2	1	.	5	4	.	—	—	—	—	.	2	41
	April. 25.	.	—	—	24	.	.	3	.	.	1	4	.	—	—	—	—	.	3	35
City of Cork.	April. 4.	.	1	—	1	.	.	.	1	.	1	.	.	—	—	—	—	—	—	4
	April. 11.	.	2	—	2	1	1	—	—	—	—	—	—	6
	April. 18.	.	1	—	2	.	.	1	.	.	5	.	.	—	—	—	—	—	—	9
	April. 25.	.	2	—	4	1	3	1	.	—	—	—	—	—	—	11
City of Londonderry.	April. 4.	.	—	—	1	.	.	1	—	—	—	—	—	—	2
	April. 11.	.	—	—	1	—	—	—	—	—	—	1
	April. 18.	.	—	—	1	—	—	—	—	—	—	1
	April. 25.	.	—	—	1	1	.	—	—	—	—	—	—	2
City of Limerick.	April. 4.	.	—	—	1	.	.	—	—	—	—	—	—	1
	April. 11.	.	—	—	1	—	—	—	—	—	—	1
	April. 18.	.	—	—	1	—	—	—	—	—	—	1
	April. 25.	.	—	—	1	1	.	.	—	—	—	—	—	—	2
City of Waterford.	April. 4.	.	—	—	—	—	—	—	—	3	3
	April. 11.	.	—	—	—	—	—	—	—	.	.
	April. 18.	.	—	—	—	—	—	—	—	1	1
	April. 25.	.	—	—	—	—	—	—	—	2	2

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th April, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of enteric fever were admitted to hospital during the week, 2 were discharged, and 24 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 30, 27, and 24.

One case of typhus remained under treatment at the close of the week.

Thirty-three cases of measles were admitted to hospital, 43 were discharged, there were 13 deaths, and 143 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 126, 148, and 166 respectively.

Twenty cases of scarlet fever were admitted to hospital, 34 were discharged, and 90* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 101, 94, and 104, respectively.

Eleven cases of diphtheria were admitted to hospital during the week, 17 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 47, 50, and 39 respectively, were 31 at the close of last week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 7 were discharged, there were 2 deaths, and 24 cases remained under treatment at the end of the week.

See note () at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 25th of April, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

DEATHS IN DUBLIN REGISTRATION AREA.																		TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
NAMES OF DISEASES, &c.	CITY OF DUBLIN.																		
	REGISTRATION DISTRICTS IN																		
	Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PENROCK.	BLACKROCK.	KINGSTOWN.			
Enteric Fever,	
Typhus,	
Small-pox,	2	4	6	5	1	.	.	5	2	8	1	.	1	.	.	.	35		
Measles,	
Scarlet Fever,	1	1	2		
Whooping-cough,	1	1	1	3		
Diphtheria,		
Croup,		
Influenza,		
Dysentery,	2	6	2	.	1	1	.	2	.	4	2	.	1	.	1	2	24		
Tuberculosis, { Pulmonary,	1	.	3	1	1	.	2	8		
{ Other Forms,	2	2	1	.	.	.	2	1	1	.	.	9		
Cancer,		
Diseases of Nervous System,	4	2	1	2	1	.	.	3	.	4	2	1	1	3	.	1	25		
" Organs of Special Sense,	3		
" Circulatory System,	2	2	2	2	1	.	.	1	1	1	.	.	3	1	1	1	18		
" Respiratory System, { Pneumonia,	2	1	.	1	.	.	4	2	3	.	1	2	1	.	.	17		
{ Others,	2	1	1	3	.	2	1	3	2	1	1	.	1	1	.	1	20		
{ Diarrhoea and Enteritis, under 2 years,	1	1	1	.	.	.	3		
" Digestive System, { Diarrhoea, 2 years and upwards,		
{ Enteritis, 2 years and upwards,	1	1		
{ Others,	1	2	2	1	.	1	1	1	.	.	8		
" Genito-urinary System,	2	2	1	.	1	1	7		
Puerperal Septicæmia, etc.,	1	1		
Other Causes incident to Pregnancy and Childbirth,		
Diseases of the Skin and Cellular Tissue,	1		
" Locomotor System,		
Other specified Causes,	3	3	5	8	.	1	1	1	1	1	1	1	2	.	.	2	25		
Violent Deaths,	1	.	.	2	.	.	.	2	1	.	.	6		
Ill-defined, &c. Causes,	1	.	.	1	.	.	1	.	.	1	.	1	.	.	.	5		
Deaths from All Causes	19	27	29	20	6	4	2	25	10	25	13	4	15	9	2	7	217		
Annual Rate of Mortality from All Causes in every 1,000 of the population.	32·8	34·1	54·2	29·3	57·0	15·2	9·7	32·0	28·4	29·9	20·4	21·2	20·0	15·5	11·3	21·5	27·9		
	33·9							27·6				18·0							
	30·9																		
Ages at Death. { Under 1 year,	5	7	7	1	.	.	1	4	3	3	3	2	3	1	.	.	40		
1 and under 2 years,	1	1	5	4	1	1	.	4	1	10	1	1	1	1	.	.	32		
2 " 5 "	2	2	5	2	2	.	.	4	.	2	.	.	1	.	.	.	20		
5 " 15 "	1	.	.	1	.	.	.	1	1	.	4	8		
15 " 25 "	1	1	1	2	1	.	1	1	8		
25 " 45 "	4	4	4	.	1	1	.	3	.	5	2	.	2	2	1	1	30		
45 " 65 "	2	10	1	3	2	.	.	4	3	3	2	1	2	2	1	2	38		
65 and upwards,	3	2	6	9	.	2	1	3	1	2	.	.	6	3	.	3	41		
Number of Uncertified Deaths,	1	.	1	1	.	2	2	1	1	.	.	.	9		
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,	5	6	5	10	.	1	.	7	1	7	5	.	2	1	.	.	50		
Workhouse Hospitals,	3	3	8	1	.	.	1	4	.	4	2	1	3	1	2	2	35		

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 17th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 25th April, 1914.										
	Apr. 30, 1904.	Apr. 29, 1905.	Apr. 28, 1906.	Apr. 27, 1907.	Apr. 25, 1908.	May 1, 1909.	Apr. 30, 1910.	Apr. 29, 1911.	Apr. 27, 1912.	Apr. 26, 1913.		Deaths of Persons of the Ages of										
												0-5.										
												Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
Mean Temperature.	48·9	46·8	41·9	49·8	39·0	45·6	43·6	50·5	47·2	45·9	45·9	48·8*	Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.
ALL CAUSES.	158	165	174	262	168	179	193	181	192	209	188·1	231	14	26	32	20	10	9	33	45	23	1
Enteric Fever, ...	1	1	1	1	.	.	2	.	8	.	·9
Typhus,
Small-pox,
Measles, ...	2	2	1	10	3	2	.	5	16	.	4·1	25	.	8	17	10
Scarlet Fever,	1	1	.	.	1	1	·4
Whooping-cough, ...	3	1	2	15	2	13	4	2	2	2	4·6	2	.	2
Diphtheria, ...	1	.	2	1	.	.	.	1	1	1	·7	3	.	.	1	2
Croup,	1	·1
Influenza, ...	2	1	1	5	3	3	3	.	2	7	2·7
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—
Erysipelas,	1	1	.	.	1	.	2	.	·5
Other Epidemic Diseases,	1	2	.	1	1	.	.	.	·5
Pyæmia and Septicæmia (non-puerperal).	1	1	2	1	.	.	·5
Tetanus, ...	1	.	.	1	·2
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	19	21	22	34	27	27	25	22	17	35	24·9	25	4	18	3	.	.	.
Tuberculous Meningitis, ...	4	2	2	4	3	1	6	5	1	3	3·1	3	.	.	1	2
Abdominal Tuberculosis, ...	1	1	.	6	.	2	.	3	1	1	1·5	5	.	1	1	1	.	1
Tuberculosis of the Vertebral Column.
Tuberculosis of Joints, ...	9	7	8	10	9	3	6	2	.	2	5·9
Tuberculosis of other Organs,
Scrofula,
Disseminated Tuberculosis,	2	1
Venereal Diseases, ...	1	2	3	1	.	1	2	.	.	.	1·0
Cancer, ...	6	5	10	5	8	7	11	9	9	15	8·5	13	2	8	2	1	
Tumour, situation undefined, ...	—	—	—	—	—	—	—	.	.	1	—
Rheumatic Fever,	1	.	.	.	1	·2	1	1	.	.	.
Diabetes, ...	1	.	2	.	1	.	2	.	.	.	·6
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	.	2	1	—
Other General Diseases, ...	—	—	—	—	—	—	—	.	1	2	—	2	2	.	.
Alcoholism,	1	.	.	.	2	2	.	.	.	·5
Chronic Poisonings, ...	—	—	—	—	—	—	—	.	.	.	—
Cerebro-spinal Fever,	2	2	2	.	.	1	.	·7
Simple Meningitis,	4	1	1	.	.
Cerebral Hæmorrhage, Apoplexy.	3	2	5	.	1	.
Softening of Brain,	2
Paralysis, without specified cause.	2	3	1	1	1	.
Epilepsy,	1
Convulsions (non-puerperal),	5	7	.	10	5	1	1	3	.	1
Other Diseases of Nervous System.	28	51	36	55	42	34	42	44	1	3	40·8	2	1	1	.	.	.
Pericarditis,	1
Acute Endocarditis,	2	.	.	2
Organic Diseases of the Heart,	19	12	.	17	1	2	6	4	4
Embolism and Thrombosis (including Cerebral)	1
Other Diseases of Circulatory System.	2	5
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—
Bronchitis, ...	23	18	21	31	19	25	22	15	23	27	22·4	18	.	4	2	5	4	3
Broncho-pneumonia, ...	5	7	2	5	4	3	6	7	11	8	5·8	6	.	1	3	1	1	.
Lobar pneumonia,	3	1	1	2	3	1	.	1	1·2	3	.	.	.	1	2	.
Pneumonia (type not distinguished)	12	7	12	6	4	9	8	10	8	4	8·0	8	.	2	.	.	1	4	1	.	.	.
Pleurisy,
Pulmonary Congestion, Pulmonary Apoplexy.	4	.	2	2	3	3	3	1	1	1	2·4
Other Diseases of Respiratory System.	1	3	1	.	.

* For 6 days only

SEVENTEENTH WEEK, ending Saturday, 25th April, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

[illegible]

* For 6 days only

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1913-4—WEEK ENDING																									
	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.
No. of weeks in Annual Series,	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Births registered.	202	190	232	165	209	194	212	185	140	168	246	203	241	234	279	217	217	202	244	225	210	203	227	173	218	207
Average Births in corresponding week of previous 10 years, ...	220	213	193	184	213	187	204	179	186	223	222	212	215	241	214	217	204	232	222	206	215	230	214	220	221	218
Deaths registered, ...	174	158	164	148	164	153	147	167	137	250	210	205	236	201	214	171	175	187	169	189	183	219	212	194	212	231
Annual Death-rate per 1,000, ...	22.5	20.4	21.2	19.1	21.2	19.8	19.0	21.6	17.7	32.1	27.0	26.3	30.3	25.8	27.5	22.0	22.5	24.0	21.7	24.3	23.5	28.1	27.2	24.9	27.2	29.7
Average Deaths in corresponding week of previous 10 years, ...	168	167	173	171	178	181	171	173	166	193	189	194	197	198	197	198	201	204	199	196	196	199	202	192	198	188
Ages, { Under 5 years, 5-15 " 15-25 " 25-45 " 45-65 " 65-75 " 75 and upwards, ...	54	50	49	47	38	55	49	55	47	63	46	45	69	56	72	49	52	56	57	61	70	82	55	74	89	92
	7	6	9	7	9	6	8	6	6	11	12	6	7	11	8	12	8	5	2	7	7	9	12	7	11	10
	9	6	8	6	6	4	3	6	6	12	9	4	16	11	12	10	11	8	14	9	7	9	14	5	10	9
	29	24	26	15	33	23	31	31	19	32	31	32	29	30	27	23	33	27	18	30	28	35	26	27	28	33
	37	33	35	35	47	26	34	37	25	78	48	55	50	46	44	35	33	40	38	46	38	44	44	51	32	45
	18	26	24	23	22	26	15	20	20	31	36	32	34	21	28	25	27	37	22	18	21	24	35	16	29	23
	20	13	13	15	9	13	7	10	14	23	28	31	31	26	13	17	16	14	18	18	12	16	26	14	13	19
	Deaths from:—																									
	Enteric Fever, ...	2	2	2	2	4	3	1	1	1	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1
	Typhus, ...	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Small-pox, ...	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Measles, ...	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Scarlet Fever, ...	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Whooping-cough, ...	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Diphtheria, ...	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Influenza, ...	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Dysentery, ...	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Tuberculosis { Pulmonary ...	18	18	22	14	17	15	16	23	12	24	19	22	25	24	25	25	23	21	26	21	21	22	28	22	25
	Other Forms, ...	13	6	5	6	6	5	7	5	11	8	4	10	12	7	5	10	4	2	9	8	6	9	5	10	8
	Cancer, ...	11	10	8	12	11	7	7	7	7	7	8	9	7	10	5	5	10	9	7	6	13	6	13	8	13
	Diseases of Circulatory System, ...	15	21	12	9	17	11	17	18	19	26	15	23	25	16	14	10	19	20	17	17	14	25	15	22	19
	Diseases of Respi. (Pneumonia ...	12	13	12	14	14	18	19	12	22	19	21	26	17	20	13	14	13	15	14	8	20	19	19	16	17
	ratory System, { Others, ...	15	14	12	20	22	17	16	17	51	48	30	43	32	31	25	17	30	21	34	35	34	35	30	28	20
	Diarrhoea and Enteritis, under 2 years, ...	14	7	8	9	7	5	4	8	5	3	6	5	5	3	5	4	2	5	5	6	4	1	2	7	3
	Diarrhoea, 2 years and upwards, ...	2	5	4	5	6	4	3	2	6	12	4	9	5	5	3	3	4	4	1	3	2	8	1	1	1
	Violent Deaths, ...	7	2	3	5	6	4	1	2	6	12	4	5	5	5	3	3	4	4	1	3	2	8	1	1	1
	Number of Uncertified Deaths, ...	7	2	3	5	6	4	1	2	6	12	4	9	5	5	3	3	4	4	1	3	2	8	1	1	1
	Mean Temperature of the Air (Phoenix Park) in degrees, ...	50.9	44.4	46.6	46.6	47.6	44.4	46.0	37.7	34.6	44.3	39.5	38.6	44.1	48.1	43.6	42.1	43.1	44.6	41.7	39.8	39.7	50.9	45.9	45.6	48.8*
	Average Mean Temperature in corresponding week of previous 10 years, ...	45.2	44.6	42.0	41.9	41.5	42.5	42.4	41.5	41.9	41.1	40.0	39.6	39.4	40.4	41.6	40.4	41.5	41.7	41.7	41.8	43.3	43.8	44.4	46.1	45.9
	Rainfall in inches, ...	1.040	.710	.645	.640	.150	1.065	.165	.065	.035	.445	.260	.090	.485	.305	.615	.810	.475	.675	.470	.450	.140	.575	.400	.120	.010
	Mean Humidity of the Air, complete Saturation 1.0,86	.50	.90	.88	.90	.93	.87	.90	.90	.88	.81	.84	.94	.92	.85	.89	.91	.89	.90	.91	.92	.85	.90	.89	.88

* For 6 days only.

TABLE VI.—Showing in FIVE GENERAL CLASSES the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 25th April, 1914: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 25TH APRIL, 1914.																																
CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.)	Popula- tion in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.										CAUSES OF DEATH																	
					Under 5 years.										Diseases of the Respiratory System																	
					5 and under 15.										Diseases of the Respiratory System																	
					(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)		
		(1)	(2)	(3)	Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.		
ALL PERSONS.																																
CLASSES.																																
Deaths in Families of the—																																
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	28.5	8	5	1	1	3	2	1	2									1		1		1						5	5	
II.	MIDDLE CLASS, ...	101,798	15.9	31	5	1	1	4	13	5	2				1			1		3		5		4	5				12	12	4	
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	26.5	55	19	3	1	9	10	8	5				7		1			7	3	2	5	7	3	1			18	18	4	
IV.	GENERAL SERVICE CLASS, ...	167,479	31.8	102	62	6	4	9	11	5	5				27		1	2		7	5	5	5	4	8	1			33	33	5	
V.	INMATES OF WORKHOUSES, ...	5,602	—	35	6		3	8	9	4	5									7		1		1	4	1			21	21	1	
I.	PROFESSIONAL AND INDEPENDENT CLASS. 1. Clerical, Medical, Legal, and other Pro- fessions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	46.4	7				3	2	1	1									1				1						4	4	
II.	2. Merchants and Manufacturers, Higher Class 3. Persons of Rank and Property, not other- wise described, ...	1,347	9.6	1							1																			1	1	
III.	MIDDLE CLASS. 4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	11.0	2					2																					2	2	
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	12.4	6	1			2	2	1													1		3	2				2	2	
	6. Clerks and Commercial Assistants, 7. Miscellaneous—including all Household- ers in Second Class Localities not included in above, ...	33,249	14.1	9	4	1		2	2						1					2			1						1	1	1	
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS. 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	22.1	5	2			1		1	1				2					1	1	1		1	1					1	1	1
	9. Building and Furnishing Trades, ...	28,823	27.1	15	6			2	4	3	1				1					1	1	1		3	2	1				4	4	2
	10. Clothing Trades, ...	20,026	10.4	4	2			1			1				1					1	1	1		1	2					2	2	1
	11. Food Supply Trades, ...	8,952	40.8	7	2	1		1	2	1										2												
	12. Other Trades and Callings ranking with Trades, ...	32,070	26.0	16	3		1	4	2	3	8				3		1			2	1			1	3				9	1	1	
IV.	GENERAL SERVICE CLASS. 13. Petty Shopkeepers ...	6,772	61.6	8	4	2			2																							
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	24.1	6	2			1	1	1	1				2					1	1	1	2	1	1					3	3	1
	15. Domestic Servants, ...	36,041	15.9	11	5	1		1	3	1					4					1	1	1								4	4	1
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	33.9	10	8		1	1	1						21					1	1	1	2	4	3	7				23	23	3
	17. Hawkers, Porters, Labourers, &c., ...	103,081	37.9	75	47		3	7	6	3	4									5	3	2	4	3	7					4	4	1
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	35	6		3	8	9	4	5									7		1		4						21	21	1

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths.	
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.) Population in 1914 (Est.) 30,206.	Mar. 21	13.8	1.7	8	.	.	.	1	1	.	.	.	3
	" 28	58.7	15.5	34	.	.	.	6	.	1	.	.	2	2	5	4	7	1	1	.	1
	Apr. 4	25.9	10.4	15	.	.	.	6	2	.	.	3	3
	" 11	20.7	8.6	12	.	.	.	4	1	.	.	.	1	.	1	3	2
	" 18	19.0	8.6	11	.	.	.	4	.	1	.	.	1	.	.	2
" 25	32.8	6.9	19	.	.	.	2	.	1	1	.	.	2	1	.	2	2	.	.	1	1
North City, No. 1 (W.) (Office, Summer-hill.) Population in 1914 (Est.) 41,278.	Mar. 21	32.8	11.4	26	1	.	.	5	.	1	.	.	1	1	2	2	4	2	.	1	1
	" 28	39.2	10.1	31	.	.	.	7	1	.	.	.	4	1	1	5	8	.	.	.	1
	Apr. 4	29.1	2.5	23	.	.	.	2	3	1	.	2	3	.	.	.	1
	" 11	37.9	13.9	30	1	.	.	8	.	1	.	.	4	.	1	3	5	1	.	.	2
	" 18	42.9	16.4	34	.	.	.	8	.	3	.	.	5	1	.	5	2	2	.	.	.
" 25	34.1	6.3	27	.	.	.	4	6	.	2	2	1	1
North City, No. 2. (Office, Lisburn-street.) Population in 1914 (Est.) 27,883.	Mar. 21	26.2	5.6	14	.	.	.	1	2	1	.	1	4	2	.	.	.
	" 28	33.7	7.5	18	.	.	.	3	2	2	1	.	3	1	.	.	.
	Apr. 4	31.8	11.2	17	.	.	.	6	2	2	.	1	2
	" 11	35.5	11.2	19	.	.	.	5	.	1	.	.	3	1	.	2	3
	" 18	39.3	7.5	21	.	.	.	4	2	3	.	2	2	.	.	1	1
" 25	54.2	13.1	29	.	.	.	6	2	3	2	1	1	1	.	.	.	1
North City, No. 3. (Office, Benburb-street.) Population in 1914 (Est.) 35,536.	Mar. 21	24.9	1.5	17	.	.	.	1	.	.	1	.	5	.	.	2	2
	" 28	26.4	7.3	18	.	.	.	3	1	.	1	.	4	.	.	1	1	.	.	1	1
	Apr. 4	14.7	1.5	10	.	.	.	1	1	.	.	2	3	.	.	.	1
	" 11	36.7	8.8	25	.	.	.	5	1	.	.	.	2	2	4	1	7	.	.	.	1
	" 18	29.3	16.1	20	.	.	.	10	2	1	1	2	2	1	.	.	.
" 25	29.3	7.3	20	.	.	.	5	1	.	3	.	.	2	.	.
Clontarf and Howth No. 1 (part of). Population in 1914 (Est.) 5,485.	Mar. 21	19.0	.	2
	" 28	9.5	9.5	1	.	.	.	1
	Apr. 4	28.5	.	3	1	.	.	1
	" 11	19.0	.	2	1
	" 18	19.0	.	2	1
" 25	57.0	9.5	6	.	.	.	1	1	.	.	1
Coolock and Drumcondra (part of). Population in 1914 (Est.) 13,685.	Mar. 21	26.7	7.6	7	.	.	.	1	4	1	.	.	.
	" 28	11.4	3.8	3	1
	Apr. 4
	" 11	15.2	7.6	4	.	.	.	2	1
	" 18	11.4	.	3	2
" 25	15.2	.	4	1	.	.	2	
Finglas and Glasnevin (part of). Population in 1914 (Est.) 10,723.	Mar. 21
	" 28	14.6	.	3	1
	Apr. 4	29.2	.	6	1	.	1	1	.
	" 11	19.5	9.7	4	.	.	.	1	1	.	.	1	.	1	.	.
	" 18	4.9	.	1
" 25	9.7	.	2	1
South City, No. 1. (Office, Stth. Earl-street.) Population in 1914 (Est.) 40,768.	Mar. 21	26.9	2.6	21	.	.	.	2	3	2	.	.	1
	" 28	23.0	3.8	18	.	.	.	3	2	.	5	.	.	1	1
	Apr. 4	33.3	2.6	26	.	.	.	1	.	1	.	.	4	.	.	2	7	.	.	.	1
	" 11	23.0	6.4	18	.	.	.	3	1	.	.	.	4	.	.	2	2	1	.	.	.
	" 18	29.4	9.0	23	1	.	.	4	3	1	1	2	3	2	.	.	.
" 25	32.0	6.4	25	.	.	.	5	2	1	2	4	3	.	.	2	1	
South City, No. 2. (Office, Castle-street.) Population in 1914 (Est.) 18,341.	Mar. 21	25.6	2.8	9	1	.	.	.	1	.	.	.	4
	" 28	14.2	2.8	5	.	.	.	1	1	.	.	1
	Apr. 4	34.1	5.7	12	.	.	.	1	2	1	.	1	4	1	.	.	.
	" 11	34.1	2.8	12	.	.	.	1	3	.	1	.	2
	" 18	25.6	2.8	9	.	.	.	1	3	.	.	.	1	.	.	1	1
" 25	28.4	5.7	10	.	.	.	2	1	.	2	2
South City, No. 3. (Office, Peter-street.) Population in 1914 (Est.) 43,540.	Mar. 21	26.3	.	22	4	1	2	1	5
	" 28	27.5	3.6	23	.	.	.	2	.	.	1	.	2	.	3	2	4	.	.	.	1
	Apr. 4	26.3	2.4	22	.	.	.	2	3	2	2	4	4
	" 11	27.5	3.6	23	.	.	.	3	3	.	.	2	5	.	.	.	1
	" 18	40.7	7.2	34	.	.	.	4	1	4	1	3	6	1	1	2	3
" 25	29.9	12.0	25	.	.	.	8	.	1	1	.	4	.	.	3	1	2
South City, No. 4. (Office, Grand Canal-st.) Population in 1914 (Est.) 33,171.	Mar. 21	26.7	7.9	17	.	.	.	2	1	1	1	.	1	2	1	2	1
	" 28	39.3	7.9	25	.	.	.	1	.	1	1	.	3	.	1	2	3	1	1	.	2
	Apr. 4	33.0	3.1	21	.	.	.	2	1	2	.	1	3	.	.	1	.
	" 11	28.3	3.1	18	.	.	.	2	4	1	3	2	1
	" 18	23.6	6.3	15	.	.	.	3	1	.	.	.	4	1	.	.	.
" 25	20.4	3.1	13	.	.	.	1	.	.	1	.	2	2	.	.	1	2
New Kilmainham. Population in 1914 (Est.) 9,851.	Mar. 21	26.5	.	5	3
	" 28	31.8	.	6
	Apr. 4	21.2	.	4
	" 11	21.2	5.3	4	1	.	1	.	.	2
	" 18	10.6	.	2	2
" 25	21.2	.	4	1	1

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncertified Deaths.
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Mar. 21 " 28 Apr. 4 " 11 " 18 " 25	12.0 10.7 17.3 9.3 17.3 20.0	1.3 2.7 1.3 . 1.3 2.7	9 8 13 7 13 15 1 1	1 1 1 1 1 1	. . . 1 . 1	1 2 1	. . 2 . . 1 1	. . 2 . . 1 1	. . 1 . . 1
Pembroke Urban District. Population in 1914 (Est.) 30,240	Mar. 21 " 28 Apr. 4 " 11 " 18 " 25	19.0 17.2 32.8 15.5 10.3 15.5	1.7 . 3.4 . . .	11 10 19 9 6 9 1 1	2 . 1 2 1 1	. . . 1 1 1	. 2 . . 1 1	. . 3 1 1 1	2 1 1 2 1 1 1 . . 1
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Mar. 21 " 28 Apr. 4 " 11 " 18 " 25	11.3 17.0 22.7 . 22.7 11.3 5.7 .	2 3 4 . 4 2 1 1 . . . 1 1 1
Kingstown Urban District. Population in 1911 16,941.	Mar. 21 " 28 Apr. 4 " 11 " 18 " 25	12.3 18.5 24.6 3.1 15.4 21.5	4 6 8 1 5 7 1 . 2 1 1 1 . . 1 1	. 1 1 1 1 1	1
Belfast. Population in 1914 (Est.) 399,000.	Mar. 21 " 28 Apr. 4 " 11 " 18 " 25	21.3 19.6 17.8 18.6 21.2 23.4	2.0 1.2 1.2 2.2 2.6 2.4	163 150 136 142 162 179	1 2 1 2 6	3 2 2 3 5 6	7 5 3 6 9 8	1 . 2 1 1	16 14 10 12 11 32	6 7 5 4 13 4	7 3 5 9 4 5	9 15 6 19 12 22	31 20 23 9 27 15	3 2 1 4 2 2	. . . 1 2 1 1 1	2 2 . 3 3 1
Cork. Population in 1911 76,673.	Mar. 21 " 28 Apr. 4 " 11 " 18 " 25	24.5 22.4 21.1 19.7 27.9 33.3	1.4 3.4 3.4 0.7 1.4 2.7	36 33 31 29 41 49 1 1	1	1 3 3 1 1 1	. . . 1	3 8 5 5 11 6	2 2 1 4 2 1	2 1 2 1 1 3	2 . 4 1 4 6 3	3 4 2 1 7 3	. 1 1 . . 1 1	1
Londonderry. Population in 1914 (Est.) 41,100.	Mar. 21 " 28 Apr. 4 " 11 " 18 " 25	19.0 11.4 14.0 22.8 17.8 16.5	. . 1.3 . . .	15 9 11 18 14 13 2 3 2 2	. 1 . . 2 2	. 1 . 1 1 . .	1 1 4 3 1 2	3 1 4 3 1 2	. . 1 1 1 . 2
Limerick. Population in 1911 38,518.	Mar. 21 " 28 Apr. 4 " 11 " 18 " 25	17.6 29.8 17.6 16.2 27.1 28.4	1.4 2.7 . 2.7 . 1.4	13 22 13 12 20 21	1 1 . . 1 1	. 1 1 1 2 . 2	. 1 . . 2 1	. 1 . 1 . .	. 2 1 . 2 .	4 6 3 1 6 3	. . 3 1 1 3	. . . 1
Waterford. Population in 1911 27,464.	Mar. 21 " 28 Apr. 4 " 11 " 18 " 25	24.7 19.0 36.1 11.4 32.3 24.7	. 1.9 1.9 . 3.8 .	13 10 19 6 17 13 2 1 . 2 2	1 1	. 1 2 1 . . 1 2	. 2 1 1 2 4	2 1 4 2 5 4	. . 1 . 1 .	. . 1 . 1 1 1	2 2

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 25th April, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.			Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.												DEATHS FROM												No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																													
					All Causes.	Certain Epi- demic Diseases.†	Total Number of DEATHS.						Enteric Fever.						Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.	Pneumonia.	Other.			Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.																									
																										Other Forms.																																			
							Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.																																																	
City of Belfast.	BELFAST URBAN No. 1 DISTRICT.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)																														
		15,879	7	32.8	9.9	10	5	2	4	3	1	5	1	2	.	.	8	.	.	.	1	4	1																													
		Do. 2 do.	49,500	22	16.9	2.1	16	4	6	8	8	5	1	1	.	1	.	.	.	2	6	5																													
		Do. 3 do.	50,032	34	20.8	1.0	20	6	1	3	4	4	3	1	1	.	1	.	2	.	1	11	5																													
		Do. 4 do.	32,637	32	30.4	3.2	19	6	2	3	1	4	3	1	2	.	2	.	.	.	1	5	3																													
		Do. 5 do.	16,112	22	29.1	9.7	9	2	3	.	2	1	1	1	2	.	2	.	.	.	2	5	3																													
		Do. 6 do.	37,293	13	16.8	.	12	1	.	.	1	5	5	1	.	.	.	2																													
		Do. 7 do.	2,681	3	17.5	.	2	2																													
		Do. 8 do.	5,964	1	17.5	.	2	2																													
		Do. 9 do.	24,427	14	40.6	4.3	19	4	3	2	7	1	1	2	.	.	3	.	1	.	2	6	1																													
		Do. 10 do.	28,958	22	23.4	3.6	13	4	2	3	1	3	3	1	1	.	1	2	2	.	1	4	4																													
		Do. 11 do.	39,311	26	26.5	1.3	20	4	1	4	2	4	5	1	1	.	4	2	2	.	1	2	4																													
		Do. 12 do.	38,076	31	28.8	1.4	21	5	2	6	3	3	2	1	1	.	8	.	.	.	1	2	4																													
		Do. 13 do.	23,233	12	11.2	2.2	5	.	1	1	1	1	2	1	.	.	1	.	.	.	1	2	2																												
		Do. 14 do.	175	1	27.6	.	1	2	3	1	.	.	.	1	1	1																												
		Do. 15 do.	22,669	16	27.6	.	12	2	3	.	.	.	2	2	2																												
Total,	386,947	255	23.4	2.4	179	45	21	20	25	36	32	.	.	.	1	6	8	.	.	32	4	5	22	15	2	1	1	1	7	56	4																														
City of Cork.			CORK URBAN No. 1 DISTRICT.	Do. 2 do.	Do. 3 do.	Do. 4 do.	Do. 5 do.	Do. 6 do.	Do. 7 do.	Total,	2	7	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																													
12,867	2	19.4																															5	5	2	3	1	1	1	4	1	.	.	2	1	1	1
10,701	7	50.1																															10	10	1	1	1	8	3	6	.
9,978	5	47.9																															9	9	1	1	1	4	3	3	.
8,666	2	39.9																															7	7	1	1	.	2	3	1	.
6,592	1	16.7																															2	2	1	1	.	1	1	1	1
10,702	7	27.0																															6	6	1	1	2	1	1	1	1	4	.
16,616	10	32.5	10	10	3	2	1	2	1	1	1	4	.																														
Total,	76,122	34	33.3	2.7	49	7	8	4	5	12	13	1	1	.	.	6	1	3	6	3	1	1	.	.	1	17	.																														

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year

† See note (t) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1913-4—WEEK ENDING																									
	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.
No. of weeks in Annual Series,	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
BIRTHS registered, ...	179	231	182	170	186	186	205	196	130	284	195	254	208	215	187	224	210	203	217	222	196	244	243	163	219	255
DEATHS registered, ...	102	133	139	126	112	117	137	141	150	194	203	174	182	197	164	142	144	153	140	146	163	150	186	142	162	179
Annual Death-rate per 1,000 of estimated population, ...	13.4	17.5	18.3	16.6	14.7	15.4	18.0	18.6	19.8	25.4	26.5	22.7	23.8	25.7	21.4	18.6	18.8	20.0	18.3	19.1	21.8	19.6	17.8	18.6	21.2	23.4
AGES, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards, ...	15	39	31	19	19	14	23	27	28	42	46	24	43	45	33	28	25	28	28	28	32	23	28	29	29	45
	12	21	15	24	14	24	26	17	29	23	36	24	22	21	16	20	10	16	15	16	21	27	9	18	22	21
	14	13	14	14	8	15	12	16	25	14	17	14	24	13	18	15	12	18	14	10	19	13	16	11	17	20
	20	13	24	15	21	20	22	32	20	25	26	30	23	34	24	26	21	29	27	34	26	21	24	20	25	25
	18	24	32	29	24	27	29	32	30	39	47	36	35	41	37	31	42	32	33	28	30	28	30	30	31	33
Deaths from :—	23	23	23	25	26	17	25	17	18	51	31	46	35	43	36	22	34	30	23	30	35	33	29	34	38	32
Enteric Fever,	1	.	1	2	1	.	.	.	1	.	.	1	.	1	1
Typhus,	2	1
Small-pox,
Measles,	1	1	3	.	.	.	1	.	1	.	1	1	2	2	1
Scarlet Fever, ...	5	7	7	9	4	8	8	5	6	3	12	10	2	3	7	6	1	6	3	3	3	2	2	2	3	5
Whooping-cough,	3	2	.	3	3	3	7	6	3	1	5	1	2	6	1	4	5	2	7	5	3	6	9	8
Diphtheria,	2	.	1	.	2	1	.	2	4	2	2	.	1	2	1	.	2	1	1	.
Dysentery,	1
Tuberculosis. {	13	13	22	9	8	10	8	12	15	15	14	17	15	12	14	21	17	31	14	15	16	14	10	12	11	32
Pulmonary, ...	7	6	2	5	3	6	5	2	9	8	8	5	6	3	7	4	4	8	6	5	6	7	5	4	13	4
Cancer, ...	5	8	8	10	6	3	7	10	6	3	10	8	6	10	8	9	9	4	4	3	7	3	5	9	4	5
Diseases of Respi- ratory System, {	5	10	16	9	10	13	25	14	28	23	29	23	29	26	21	13	14	15	16	12	9	15	6	19	12	22
Pneumonia, ...	15	13	15	11	12	14	10	14	15	36	28	27	26	45	32	23	18	18	21	15	31	20	23	9	27	15
Diarrhoea and Enteritis, under 2 years, ...	5	3	1	6	.	1	.	1	1	1	2	3	1	2	3	1	1	4	7	8	3	2	1	4	2	2
Diarrhoea, 2 years and upwards, ...	1	1	1	.	.	.	2	.	2	1	1	.	.	.	1	1	1	1
Violent Deaths,	4	4	9	1	3	2	1	3	5	.	1	6	4	3	2	3	4	2	.	2	2	.	3	3	1
Number of Uncertified Deaths, ...	1	2	6	1	1	1	.	3	1	.	5	4	3	2	.	4	1	3	1	1	1	.	3	1	3	4
Mean Temperature of the Air in degrees,	49.5	44.4	46.7	46.6	48.3	43.1	45.4	43.3	40.0	32.3	41.1	38.7	38.4	44.1	48.1	41.2	41.0	41.1	44.3	39.9	40.8	41.0	49.7	47.1	43.5	52.7
Rainfall, in inches, ...	2.13	1.22	1.65	0.92	0.26	1.51	0.78	0.07	0.82	0.41	1.83	0.00	0.28	0.55	0.32	0.72	0.93	0.82	0.92	1.40	0.65	0.07	0.78	1.00	0.34	0.12

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ...	4,516,612	Apr. 25,	2,292	1,248	14·4	2	.	16	5	30	10	18	
EDINBURGH, ...	321,900	" 25,	130	109	17·7	.	.	3	.	.	2	.	
GLASGOW, ...	1,047,000	" 25,	596	389	16·9	2	.	20	2	8	4	10	
CALCUTTA, ...	896,067	Mar. 14,	.	557	32·3	85*	21	.	.	.	1†	168‡a	
BOMBAY, ...	979,445	" 21,	360	809	42·9	179*	16	16	.	.	.	70‡a	
MADRAS, ...	518,660	" 21,	348	387	38·8	63*	1	2	?	?	?	38a	
CAIRO, ...	721,303	Feb. 18,	558	410	29·6	1	2	.	.	?	8†	37	
PARIS, ...	2,847,229	Apr. 11,	1,136	965	17·3	5	.	8	.	5	4†	17	
BRUSSELS, ...	767,252	" 4,	236	205	13·9	1	.	1	1	1	2†	7	
ANTWERP, ...	313,833	" 4,	107	79	13·1	.	.	2	.	1	3†	11	
AMSTERDAM, ...	596,823	" 4,	294	155	13·5	.	.	7	1	4	.	2	
COPENHAGEN, ...	483,000	" 4,	221	132	14·3	.	.	4	.	.	.	4	
STOCKHOLM, ...	376,171	" 4,	135	101	14·0	.	.	2	.	.	1	.	
CHRISTIANIA, ...	250,428	" 11,	114	72	15·8	2	.	2a	
ST. PETERSBURG, ...	1,728,200	Mar. 21,	920	752	22·7	7	4	22	8	10	11	33	
MOSCOW, ...	1,694,000	" 14,	.	741	22·8	2	1	17	9	16	11	48a	
BERLIN, ...	2,081,253	" 28,	.	542	13·5	1	.	10	7	4	10†	12	
HAMBURG, ...	1,030,983	Apr. 4,	.	244	12·3	1	.	1	4	.	5	12a	
BRESLAU, ...	541,606	" 4,	.	189	18·2	1	1	10a	
MUNICH, ...	640,000	" 4,	.	206	16·8	.	.	4	2	.	.	14a	
VIENNA (with suburbs), ...	2,149,834	" 4,	661	677	16·4	.	.	18	3	3	9†	15	
BUDA-PESTH, ...	950,784	" 4,	502	403	22·0	.	.	13	6	1	6†	16	
PRAGUE and Faubourgs, ...	498,498	Mar. 7,	190	161	16·8	1†	4	
TRIESTE, ...	242,443	" 21,	128	84	18·1	.	.	2	.	2	1†	1	
ROME, ...	591,943	Nov. 8,	273	161	14·2	4	1†	18	
NEW YORK, ...	5,583,871	Mar. 21,	2,617	1,757	16·4	2	.	16	13	8	46	33	
PHILADELPHIA, ...	1,657,815	Feb. 14,	.	508	15·9	2	.	.	6	6	4	14	
		" 21,	.	492	15·4	2	.	1	5	8	6	9	
BOSTON, ...	750,768	Apr. 4,	.	286b	19·9	2	.	2	2	1	5	2a	

* Deaths from "fever," including 5 from enteric fever and 15 from plague in Calcutta; and two from enteric fever and 113 from plague in Bombay.

† Including deaths from croup.

‡ Including 123 deaths from cholera in Calcutta, and one in Bombay.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 243 (including one death from diarrhoea), rate 16·9 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th April, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	1	2	3
" " 1, West,	1	5	6
" " 2,	4	4
" " 3,	1	.	.	1	5	7
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),
Finglas and Glasnevin (part of),	1	1
South City No. 1,	3	5	8
" " 2,	4	4
" " 3,	6	.	.	1	6	13
" " 4,	3	3
New Kilmainham,
Total,	6	.	.	8	.	.	1	34	49

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 25th April, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 25th April.			
	April 4.	April 11.	April 18.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	30	27	24	2	2	.	24
Typhus, ...	1	1	1	.	.	.	1
Small-pox,
Measles, ...	126	148	166	33	43	13	143
Scarlet Fever, ...	101	94	104	20	34	.	90*
Diphtheria, ...	47	50	39	11	17	2	31
Pneumonia, ...	18	26	23	10	7	2	24

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 25th April, 1914:—

"The weather was again favourable—dry and bright at first, with a large diurnal range of temperature and calms or light variable airs; afterwards cloudy and breezy, with a considerable rainfall in Scotland on Thursday and Friday and showers at several Irish stations—more particularly in the west and north. Until Wednesday an anticyclone, which had developed during the previous week, maintained its position and intensity, stretching westward across the British Isles from North Germany. Very fine, sunny days were followed by hazy, calm, cold nights—especially at inland stations—for example, at Bath the screened thermometer rose to 72° on Monday and fell to 37° during the following night—a range of 35° in a few hours. At the very beginning of the week the barometer was already falling in Iceland and on Monday morning was as low as 29·22 inches at Reykjavik. By Wednesday morning another and yet deeper depression had reached the northwest coast of Iceland, the barometer being down to 29·06 inches at Isafjord. Owing to this reduction of pressure gradients for S.W. winds became steep on the Atlantic between Iceland and the Irish and Scotch coasts, and a series of windy, cloudy days set in. On Friday morning atmospheric pressure ranged from 28·96 inches in Spitzbergen to 30·54 inches at Brest, with the result that fresh to strong S.W. to W. winds swept across the shores of North-western Europe, accompanied by showers of rain and hail in Scotland. During the closing hours of the week a new anticyclone of great intensity spread in over the British Isles from the Atlantic, the wind drew into N. and fell light, with cool dry weather. In Dublin the mean height of the barometer was 30·324 inches, pressure ranging from 30·075 inches at 4 p.m. of Wednesday (wind, S.W.) to 30·592 inches at 9 p.m. of Saturday (wind, E.). The corrected mean temperature was 52·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 51·2°. On Monday the screened thermometers fell to 41·8°, on Tuesday they rose to 68·0°. The wind was light and variable at the beginning and end—westerly and fresh in the middle of the week. There was no measurable rainfall in Dublin."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 30·311 inches. The highest reading (30·595) was on Saturday, at 9 p.m., the lowest (30·139) on Wednesday, at 9 p.m.

The mean temperature for the week was 48·8° $\frac{1}{2}$, being 2·9° above the average for the corresponding period of the 10 years, 1904–1913. The temperature* was lowest on Sunday and Monday, the mercury having fallen to 33°. The mean of the Dry Bulb for the week was 50·0° and of the Wet Bulb, 48·0°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 0·010 inch.

At Greenwich the mean temperature for the week was 53·4°, the maximum 73·6°, and the minimum 37·1°; at Glasgow the maximum was 72·0°, the minimum 37·0°, and the mean 52·1°; and at Edinburgh the maximum was 70·8°, the minimum 39·7°, and the mean 52·2°. The rainfall at Greenwich measured 0·03 in.; at Glasgow 0·34 in.; and at Edinburgh 0·26 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.			BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.
			Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation = 1·0.			
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday,	April	19,	30·230	62	33	47·5	49·3	47·1	·87	·4	11·9	·000
Monday,	"	20,	30·310	64	33	48·5	50·2	47·2	·83	·3	10·5	·000
Tuesday,	"	21,	30·290	†	34	†	52·5	50·0	·86	·5	12·3	·000
Wednesday,	"	22,	30·145	66	35	50·5	52·5	50·1	·86	·7	8·4	·010
Thursday,	"	23,	30·305	57	38	47·5	47·8	46·3	·90	·7	7·7	·000
Friday,	"	24,	30·335	58	46	52·0	51·5	50·3	·92	·6	6·7	·000
Saturday,	"	25,	30·560	56	37	46·5	46·4	45·0	·90	·4	3·5	·000
Mean,	30·311	60·5 $\frac{1}{2}$	36·6	48·8 $\frac{1}{2}$	50·0	48·0	·88	·5	Total 55·5	Total ·010

Sunday—A beautiful bright day; night clear. Monday—A beautiful bright day; night clear. Tuesday—A beautiful bright day; night clear. Wednesday—A bright day, cloudy from 3.0 p.m.; night clear, light shower p.m. Thursday—A bright day, cloudy at intervals; night overcast. Friday—A dull day; night clear. Saturday—Day bright a.m., cloudy p.m.; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

† Maximum Thermometer was exposed to the sun on this date owing to a new stand having to be made for the screen.

‡ For six days only.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 25th April, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.			Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
				1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday,	April	19,	° 55·9	° 49·8	° 48·1	° 56	° 40	° 48	hrs. 10·5	ins. —
Monday,	"	20,	59·2	49·7	47·9	61	40	50·5	8·8	—
Tuesday,	"	21,	59·8	50·5	48·1	69	40	54·5	11·3	—
Wednesday,	"	22,	57·2	50·3	48·0	63	43	53	8·8	—
Thursday,	"	23,	50·4	50·2	48·7	55	41	48	2·3	—
Friday,	"	24,	54·2	50·9	48·7	58	46	52	0·3	—
Saturday,	"	25,	55·0	51·0	49·0	56	40	48	1·3	—
Weekly Mean,	.	.	56·0	50·3	48·4	59·7	41·4	50·6	Total 43·3	Total. —

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 2ND MAY, 1914.

[No. 18.]

*General Register Office, Charlemont House,
Dublin, 4th May, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 20·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	April 11	April 18	April 25	May 2	
27 Town Districts, (a)	20·3	22·5	25·3	20·6	22·2
Dublin Reg. Area ...	24·1	26·1	27·9	24·5	25·6
Dublin City ...	28·7	29·4	30·9	26·7	28·9
Belfast ...	18·6	21·2	23·4	18·2	20·4
Cork ...	19·7	27·9	33·3	23·1	26·0
Londonderry ...	22·8	17·8	16·5	19·0	19·0
Limerick ...	16·2	27·1	28·4	23·0	23·7
Waterford ...	11·4	32·3	24·7	20·9	22·3

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 2·8 per 1,000. Among the 139 deaths from all causes for Belfast are 3 from measles, one from scarlet fever, 3 from whooping-cough, and 6 from diarrhoeal diseases. Of the 34 deaths from all causes for Cork, 4 were from whooping-cough, and one from measles, and measles also accounts for one of the 5 deaths from all causes for Lurgan.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 288—159 boys and 129 girls—and the deaths to 203—103 males and 100 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 24·5 per 1,000 of the population. During the eighteen weeks, ending with Saturday last, the death-rate averaged 24·6, and was 0·1 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 203, represent an annual rate of 26·1 per 1,000; the annual rate for the past eighteen weeks was also 26·1 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·9 per 1,000 of the mean population for all deaths registered.

There were no less than 40 deaths of children from measles; of this figure 39 were under the age of 5 years. In each of the preceding 6 weeks, deaths from measles were 14, 27, 22, 34, 39, and 35. There were 2 deaths from whooping-cough, and 3 deaths from diarrhoea and enteritis of children under 2 years of age. In each of the three preceding weeks, deaths from whooping-cough were 2, 4, and 2; and deaths from diarrhoea and enteritis of children under 2 years were 2, 7, and 3.

Altogether tuberculous disease caused the deaths of 24* persons, including 14 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, 6 from abdominal tuberculosis; and 2 from other forms of the disease. In the 3 preceding weeks, deaths from all forms of tuberculous disease numbered 33, 32, and 33, respectively.

The deaths of 9 persons were attributed to cancer.

Convulsions was the registered cause of death of 7 children, including 6 aged under one year.

Of 19 deaths from pneumonia (all forms), 13 were from broncho-pneumonia, 3 were from lobar pneumonia, and 3 were from pneumonia (type not distinguished).

There were 16 deaths from organic diseases of the heart, and 13 persons succumbed to bronchitis.

Prematurity caused the deaths of 5 infants, one died from congenital malformations, and 3 from congenital debility.

The deaths of 3 persons were attributed to accident or negligence.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under 5 years of age (including 3 infants under one year old), and the death of one person aged 80 years.

Eighty-nine of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 11 were under one month old), and 39 were aged 65 years and upwards, including 29 persons aged 70 and upwards; among the latter were 17 aged 75 and upwards.

Seventy-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse, and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·5 per 1,000; the rate in the City was 26·7 (North City Districts, 29·4; South, 23·6) and in the Suburbs 17·5.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 5·8 per 1,000 inhabitants, the rate for the City being 6·7 (in the North City Districts 9·2, and in the South 3·9), and for the Suburbs 2·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (18) are equal to an annual rate of 31·1 per 1,000. Four deaths were caused by measles, 2 by tuberculous disease, one by broncho-pneumonia, 3 by bronchitis, and one death was that of a child under 2 years of age caused by diarrhoea and enteritis.

No. 1 *North City District, West* (Summer-hill).—The deaths (22) are equal to an annual rate of 27·8 per 1,000. There were 8 deaths from measles, 3 from tuberculous disease, 3 from pneumonia, and one accidental death.

No. 2 *North City District* (Lisburn-street).—The deaths (23) are equivalent to an annual rate of 43·0 per 1,000. Among them are 7 deaths from measles, one from whooping-cough, 4 from tuberculous disease, one from broncho-pneumonia, 2 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 3 *North City District* (Benburb-street).—The deaths (21) represent an annual rate of 30·8 per 1,000. Six deaths from measles, 2 from tuberculous disease, and one death each from broncho-pneumonia and bronchitis were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·5 per 1,000 inhabitants; Coolock and Drumcondra, part of, 19·1; and Finglas and Glasnevin, part of, 14·6. Among the 5 deaths from all causes for Coolock and Drumcondra, part of, are one from pulmonary tuberculosis, one from pneumonia, and one from bronchitis; and the 3 deaths from all causes for Finglas and Glasnevin, part of, include one from measles and one from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (19) represent an annual rate of 24·3 per 1,000. One death each from measles and pulmonary tuberculosis, and 3 from bronchitis were recorded.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000, and include one death each from measles and pulmonary tuberculosis, and 2 deaths from broncho-pneumonia.

No. 3 *South City District* (Peter-street).—The deaths (22) are equal to an annual rate of 26·3 per 1,000. Among them are 5 deaths from measles, one from tuberculous meningitis, 2 from broncho-pneumonia, 2 from bronchitis, one death of a child under 2 years of age from diarrhoea and enteritis, and one accidental death.

No. 4 *South City District* (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 20·4 per 1,000. Two deaths were ascribed to measles, one to whooping-cough, 2 to tuberculous disease, and 2 to pneumonia.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·6 per 1,000. Pulmonary tuberculosis caused one death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·0; Pembroke, 13·8; Blackrock, 5·7; and Kingstown, 24·6. The deaths from the principal epidemic diseases tabulated for these districts comprise 3 deaths from measles for Rathmines and Rathgar, one death from measles for Pembroke, and one death from measles for Blackrock. Among the 15 deaths from all causes for Rathmines and Rathgar are one from pulmonary tuberculosis, 3 from broncho-pneumonia, and one from bronchitis. Of the 8 deaths from all causes for Pembroke, one is attributed to pulmonary tuberculosis and one to pneumonia; and the 8 deaths from all causes for Kingstown include one from disseminated tuberculosis.

ENGLAND AND SCOTLAND

The mortality last week in 97 large English towns (including London, in which the rate was 12·9), was equal to an average annual death-rate of 14·2 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 15·2 per 1,000, the rate for Glasgow being 14·8, and for Edinburgh 15·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 2nd May. From this Report it appears that of a total of 78 cases notified, 40 were scarlet fever, 17 phthisis, 15 diphtheria, and 6 erysipelas. Among the 539 cases of infectious diseases in hospital at the close of the week were 245 cases of scarlet fever, 207 of phthisis, 52 of diphtheria, 16 of measles, 8 of erysipelas, 3 of whooping-cough, and 2 of enteric fever.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II

STATE OF INFECTIOUS DISEASE

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 2nd May, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	April. 11.	.	—	—	11	.	.	9	.	.	4	3	1	—	—	—	—	—	20	48
	April. 18.	.	—	—	3	.	.	8	.	1	2	2	.	—	—	—	—	—	27	43
	April. 25.	.	—	—	6	.	.	8	—	—	—	—	—	34	49
	May. 2.	.	—	—	5	.	.	11	.	.	3	1	.	—	—	—	—	—	29	49
Rathmines and Rathgar Urban District.	April. 11.	.	—	—	3	.	.	2	.	.	.	2	.	—	—	—	—	—	—	7
	April. 18.	.	—	—	.	.	.	2	—	—	—	—	—	—	3
	April. 25.	.	—	—	1	1	.	—	—	—	—	—	—	2
	May. 2.	.	—	—	—	—	—	—	—	—	2
Pembroke Urban District.	April. 11.	.	7	—	3	—	—	—	2	12
	April. 18.	.	2	.	6	.	.	4	.	.	.	1	.	—	—	—	—	—	.	13
	April. 25.	.	14	.	13	.	.	2	1	—	1	—	—	—	.	31
	May. 2.	.	3	.	2	.	.	2	1	—	—	—	—	—	1	9
Blackrock Urban District.	April. 11.	.	—	—	—	—	—	—	—	—	.
	April. 18.	.	—	—	—	—	—	—	—	—	.
	April. 25.	.	—	—	—	—	—	—	—	—	.
	May. 2.	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2
Kingstown Urban District.	April. 11.	.	—	—	1	2	.	—	—	—	—	—	.	3
	April. 18.	.	—	—	—	—	—	—	—	6	6
	April. 25.	.	—	—	—	—	—	—	—	.	1
	May. 2.	.	—	—	1	—	—	—	—	—	.	1
City of Belfast.	April. 11.	.	—	—	52	.	.	4	1	1	2	7	.	—	—	—	—	.	4	71
	April. 18.	.	—	—	27	.	.	2	1	.	5	4	.	—	—	—	—	.	2	41
	April. 25.	.	—	—	24	.	.	3	.	.	1	4	.	—	—	—	—	.	3	35
	May. 2.	.	—	—	26	.	.	1	.	.	2	3	1	—	—	—	—	.	3	36
City of Cork.	April. 11.	.	2	—	2	.	.	1	.	.	2	1	1	—	—	—	—	—	—	6
	April. 18.	.	1	—	2	5	.	.	—	—	—	—	—	—	9
	April. 25.	.	2	—	4	1	3	1	.	—	—	—	—	—	—	11
	May. 2.	.	4	—	2	.	.	1	1	—	—	—	—	—	—	8
City of Londonderry.	April. 11.	.	—	—	1	—	—	—	—	—	—	1
	April. 18.	.	—	—	1	—	—	—	—	—	—	1
	April. 25.	.	—	—	1	1	.	—	—	—	—	—	—	2
	May. 2.	.	—	—	2	.	.	1	—	—	—	—	—	—	3
City of Limerick.	April. 11.	.	—	—	1	—	—	—	—	—	—	1
	April. 18.	.	—	—	1	—	—	—	—	—	—	1
	April. 25.	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	May. 2.	.	—	—	—	—	—	—	—	—	.
City of Waterford.	April. 11.	.	—	—	—	—	—	—	—	.	.
	April. 18.	.	—	—	—	—	—	—	—	1	1
	April. 25.	.	—	—	—	—	—	—	—	2	2
	May. 2.	.	—	—	1	—	—	—	—	—	4	5

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd May, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Six cases of enteric fever were admitted to hospital during the week, 6 were discharged, there were 2 deaths and 22 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 27, 24, and 24.

One case of typhus remained under treatment at the close of the week.

Thirty-three cases of measles were admitted to hospital, 32 were discharged, there were 7 deaths, and 137 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 148, 166 and 143, respectively.

Twenty-one cases of scarlet fever were admitted to hospital, 6 were discharged, there was one death, and 104* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 94, 104, and 90, respectively.

Ten cases of diphtheria were admitted to hospital during the week, and 4 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 50, 39, and 31 respectively, were 37 at the close of last week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 5 were discharged, there was one death, and 26 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 2nd May, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the Temperature and Rainfall for the week, and for each of the two Weeks immediately preceding.

REGISTRATION—WEEK ENDING SATURDAY, 2ND MAY, 1914.										METEOROLOGY. (d)																																																																																									
NUMBERS REGISTERED.										WEEK ENDING 2ND MAY, 1914.					WEEK ENDING 25TH APRIL, 1914.					WEEK ENDING 18TH APRIL, 1914.																																																																															
DEATHS.										Air Temperature.					Air Temperature.					Air Temperature.																																																																															
Annual Rate per 1,000 Persons Represented by										Absolute Highest.					Absolute Lowest.					Mean.					Absolute Highest.					Absolute Lowest.					Mean.																																																																
BIRTHS.										No. of Deaths in Public Institutions.					No. of Uncertified Deaths.					Rainfall in Inches.					Rainfall in Inches.					Rainfall in Inches.																																																																					
DEATHS.										Violence.					Inquest Cases.					Diarrhoea and Enteritis of children under 2 years of age.					Diarrhoea, 2 years of age and upwards.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.																			
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.					Pulmonary.					Other Forms.					Dysentery.					Diphtheria.					Scarlet Fever.					Whooping-cough.					Measles.					Typhus.					Enteric Fever.					At 65 Years and upwards.					Under 1 Year of Age.					TOTAL NUMBER.					TOTAL NUMBER.				
BIRTHS.										Pneumonia.					Other.					Diseases of the Respiratory System.					Tuber- culosis.					Cancer.</																																																																					

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 2nd of May, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.	
	CITY OF DUBLIN.												URBAN DISTRICTS OF						
	REGISTRATION DISTRICTS IN																		
	Dublin North Superintendent Registrar's District.						Dublin South Superintendent Registrar's District.												
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.							
Enteric Fever,
Typhus,
Small-pox,
Measles,	4	8	7	6	.	.	1	1	1	5	12	.	3	1	1	.	40	.	
Scarlet Fever,
Whooping-cough,	1	1	2	.	.
Diphtheria,
Croup,
Influenza,
Dysentery,
Tuberculosis, { Pulmonary,	1	1	2	1	.	1	1	1	1	.	1	1	1	1	.	.	13	1	.
{ Other Forms,	1	2	2	1	1	1	1	9	1	.
Cancer,	1	3	1	.	2	.	.	1	.	.	1	9	.	.
Diseases of Nervous System,	3	1	1	3	.	.	.	3	1	1	.	.	3	1	.	.	17	2	.
" Organs of Special Sense,
" Circulatory System,	1	2	1	4	.	1	.	2	1	2	1	1	2	.	.	2	20	1	.
" Respiratory System. { Pneumonia,	1	3	1	1	.	1	.	.	2	2	2	.	3	1	.	.	17	2	.
{ Others,	4	.	2	1	.	1	.	3	.	2	.	.	1	1	.	.	15	.	.
" Digestive System. { Diarrhoea and Enteritis, under 2 years,	1	.	1	1	3	.	.
{ Diarrhoea, 2 years and upwards,
{ Enteritis, 2 years and upwards,	2	1	1	.	2	4	1	.
" Genito-urinary System,	1	1	2	1	2	1	.	.	1	.	1	10	.	1
Puerperal Septicæmia, etc.,	1
Other Causes incident to Pregnancy and Childbirth,
Diseases of the Skin and Cellular Tissue,
" Locomotor System,
Other specified Causes,	2	.	1	4	.	2	.	6	3	2	4	.	.	1	.	1	26	2	.
Violent Deaths,	1	1	2	1	.
Ill-defined, &c. Causes,	1	1	2	.	.
Deaths from All Causes	18	22	23	21	1	5	3	19	10	22	13	2	15	8	1	8	191	12	.
Annual Rate of Mortality from All Causes in every 1,000 of the population.	31.1	27.8	43.0	30.8	9.5	19.1	14.6	24.3	28.4	26.3	20.4	10.6	20.0	13.8	5.7	24.6	24.5	.	.
	29.4							23.6					17.5						
	26.7																		
Ages at Death. { Under 1 year,	3	2	2	9	.	1	1	4	5	3	2	.	2	.	1	.	35	1	.
{ 1 and under 2 years,	3	4	5	1	.	.	.	2	2	4	3	.	2	1	.	1	28	.	.
{ 2 " 5 "	6	5	3	2	1	.	.	1	.	4	1	.	1	1	.	.	25	.	.
{ 5 " 15 "	2	2	1	.	.	.	5	1	.
{ 15 " 25 "	1	1	.	1	.	2	1	.	1	.	.	7	2	.
{ 25 " 45 "	5	5	.	.	1	1	4	1	1	2	.	2	3	.	1	26	4	.
{ 45 " 65 "	3	5	4	.	.	.	1	1	5	2	.	1	.	.	4	26	4	.
{ 65 and upwards,	5	.	1	4	.	1	1	7	1	5	3	1	6	2	.	2	39	.	.
Number of Uncertified Deaths,	2	.	.	2	.	.	.	1	2	7	.	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,	2	4	6	3	.	.	.	2	2	7	3	.	2	1	.	1	33	10	.
Workhouse Hospitals,	2	5	4	3	.	.	.	4	3	5	1	1	28	2	.

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 18th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 2nd May, 1914.												
	May 7, 1904.	May 6, 1905.	May 5, 1906.	May 4, 1907.	May 2, 1908.	May 8, 1909.	May 7, 1910.	May 6, 1911.	May 4, 1912.	May 3, 1913.		Deaths of Persons of the Ages of												
												0-5.												
												Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.			
Mean Temperature.	46.7	46.4	44.3	44.1	48.5	50.4	46.1	49.6	47.9	47.1	47.1	44.9												
ALL CAUSES.	178	164	191	205	175	153	136	176	208	143	172.9	203	11	25	28	25	6	9	30	30	22	17		
Enteric Fever, ...	2	3	1	.	1	.	1	1	.	1	1.0	
Typhus,	
Small-pox,	
Measles, ...	4	3	.	3	1	2	.	8	15	.	3.6	40	.	8	17	14	1	
Scarlet Fever,	1	4	.	.5	
Whooping-cough, ...	11	1	1	10	3	4	1	3	4	1	3.9	2	.	2	
Diphtheria,	2	.	.	2	4	2	1.0	
Croup,	
Influenza, ...	1	2	2	2	2	3	1	3	1	2	1.9	
Dysentery,	
Erysipelas, ...	1	1	13	1	1	.	.	
Other Epidemic Diseases,	3	.	14	
Pyæmia and Septicæmia (non-puerperal).	.	1	12	
Tetanus,	
TUBERCULOSIS:																								
Pulmonary Tuberculosis, ...	22	25	36	39	16	23	14	21	26	24	24.6	14	3	9	2	.	.	.	
Tuberculous Meningitis, ...	2	2	3	3	3	3	4	4	4	5	3.3	2	.	1	.	.	1	
Abdominal Tuberculosis, ...	3	3	2	1	3	.	2	.	4	.	1.8	6	.	.	1	3	1	1	
Tuberculosis of the Vertebral Column.	1	1	
Tuberculosis of Joints, ...	7	6	10	10	8	3	5	2	1	.	5.5	
Tuberculosis of other Organs,	
Scrofula,	
Disseminated Tuberculosis,	3	.	.	1	.	.	1	
Venereal Diseases, ...	1	2	2	2	4	.	.	.	2	.	1.3	1	1	
Cancer, ...	4	8	6	3	6	8	6	6	8	6	6.1	9	3	5	1	.	.	.	
Tumour, situation undefined,	
Rheumatic Fever, ...	11	1	.	.	.	1	
Diabetes, ...	1	.	.	.	2	.	2	.	1	1	.7	
Anæmia, Leucocythæmia,	
Other General Diseases,	3	1	5	.	1	1	.	.	1	.	.	.	
Alcoholism,	2	.	1	.	.	1	.	2	.	.6	2	.	.	.	1	
Chronic Poisonings,	
Cerebro-spinal Fever,	22	
Simple Meningitis,	1	2	.	1	.	1	
Cerebral Hæmorrhage, Apoplexy.	1	1	.	5	1	2	.	2	.	.	
Softening of Brain,	3	1	.	2	
Paralysis, without specified cause.	
Epilepsy,	1	.	3	3	.	.	.	
Convulsions (non-puerperal),	5	4	.	7	3	3	.	1	
Other Diseases of Nervous System.	45	35	33	41	35	30	33	29	3	3	32.7	1	1	
Pericarditis,	1	
Acute Endocarditis,	9	7	.	16	
Organic Diseases of the Heart,	1	.	1	
Embolism and Thrombosis (including Cerebral)	
Other Diseases of Circulatory System.	1	2	.	4	2	2	
Diseases of the Larynx,	
Bronchitis, ...	15	16	33	16	22	13	17	31	24	17	20.4	13	.	1	2	2	1	.	1	4	1	1	1	
Broncho-pneumonia, ...	8	4	11	5	10	9	3	6	14	2	7.2	13	.	5	5	.	.	1	1	
Lobar pneumonia, ...	1	.	2	1	3	2	1	.	2	.	1.2	3	1	2	
Pneumonia (type not distinguished)	8	8	8	9	9	7	4	16	8	4	8.1	3	2	.	1	.	.	.	
Pleurisy,	
Pulmonary Congestion, Pulmonary Apoplexy.	1	
Other Diseases of Respiratory System.	2	4	3	3	2	.	.	2	2	3	2.3	1	1	

EIGHTEENTH WEEK, ending Saturday, 2nd May, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 18th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 2nd May, 1914.																														
	May 7, 1904.	May 6, 1905.	May 5, 1906.	May 4, 1907.	May 2, 1908.	May 8, 1909.	May 7, 1910.	May 6, 1911.	May 4, 1912.	May 3, 1913.		Deaths of Persons of the Ages of																														
												0-5.																														
Mean Temperature ...	46.7	46.4	44.3	44.1	48.5	50.4	46.1	49.6	47.9	47.1	47.1	44.9	Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																				
Diseases of the Pharynx, Tonsillitis.	22																				
Diseases of Stomach, ...	—	—	—	—	—	—	—	3	2	4	—	3	1	.	2																				
Diarrhoea and Enteritis of Children under 2 years.	3	2	.	7	5	2	7	4	4	3	4.4	3	1	.	2																				
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																							2	.	1	4	2	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Appendicitis and Typhilitis, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																				
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	.	3	1	—	1																				
Cirrhosis of Liver,	2	4	2	1	1	2	.	.	1	1.3	2	1	1	.	.																				
Other Diseases of Liver, ...	2	1	2	1	1	2	4	.	1	.	1.4	1	1	.	.	.																				
Peritonitis (cause unknown),	2	.	1	.	.	.	25																				
Other Diseases of Digestive System.	3	4	5	4	6	8	1	1	2	1	3.5																				
Acute Nephritis, ...	7	3	8	8	6	7	5	3	1	6	6.3	1	9	1	1	5	1	1																				
Chronic Bright's Disease, ...																							7	6
Urinary Calculi,
Uterine Tumour (non-cancerous).																						
Ovarian Tumour (non-cancerous)																						
Other Diseases of Genito-urinary System.	2																				
Puerperal Septicæmia, &c.,	11	1	1																				
Other Causes incident to Pregnancy and Childbirth.	.	2	1	.	.3																				
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	.	4	1	—																				
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	1	.	.	—																				
Premature Birth, ...	5	2	2	3	3	6	2	2	6	6	3.7	5	3	2																				
Congenital Debility, ...	—	—	—	—	—	—	—	6	2	2	—	3	1	2																				
Old Age, ...	5	3	5	5	3	2	3	4	4	7	4.1	12	4	8																				
Other Specified Diseases, ...	—	—	—	—	—	—	—	1	1	2	—	1	1																				
ACCIDENT:																																										
Poisons or Poisonous Vapours.	1	.	.1																				
Conflagration,																				
Burns and Scalds, ...	1	.	1	1	2	2	2	2	1	.	1.2																				
Drowning,	1	.	.	.2																				
Suffocation in Bed,																				
Other Deaths by Accident, ...	4	2	2	6	1	2	3	1	2	1	2.4	3	.	.	.	1	.	.	2	.	.	.																				
Total Deaths from Accident,	5	2	3	7	3	4	6	3	4	2	3.9	3	.	.	.	1	.	.	2	.	.	.																				
Included in above are Deaths in connection with—																																										
Railways, ...	1	.	.	12																				
Vehicles and Horses,	1	.	23																				
Ships, Boats, Docks, ...	1	12																				
Building Operations,																				
VIOLENCE OTHER THAN ACCIDENTAL:																																										
Homicide,																				
Suicide,																				
Execution,																				
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	4	10	4	—	2	.	.	.	2																				

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1913-4—WEEK ENDING																									
		Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.
No. of weeks in Annual Series,		45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
BIRTHS registered.		190	232	165	209	194	212	185	140	168	246	203	241	234	279	217	217	202	244	225	210	208	227	173	218	207	288
Average Births in corresponding week of previous 10 years, ...		213	193	184	213	187	204	179	186	225	222	212	215	241	214	217	204	232	222	206	215	230	214	220	221	218	264
DEATHS registered, ...		158	161	148	164	153	147	167	137	250	210	205	236	201	214	171	175	187	109	189	183	219	212	194	212	231	203
Annual Death-rate per 1,000, ...		20.4	21.2	19.1	21.2	19.8	19.0	21.6	17.7	32.1	27.0	26.3	30.3	25.8	27.5	22.0	22.5	24.0	21.7	24.3	23.5	28.1	27.2	24.9	27.2	29.7	26.1
Average Deaths in corresponding week of previous 10 years, ...		167	173	171	178	181	171	173	166	193	189	194	197	198	197	198	201	204	199	196	195	199	202	192	198	188	173
Ages, { Under 5 years, ...		50	49	47	38	55	49	55	47	63	46	45	69	56	72	49	52	56	57	61	70	82	55	74	89	92	89
5-15 " ...		6	8	7	6	6	8	6	6	11	12	6	7	11	8	12	8	5	2	7	7	9	12	7	11	10	6
15-25 " ...		24	26	15	33	23	31	19	32	31	31	32	29	30	27	23	28	27	18	30	28	35	26	27	28	33	9
25-45 " ...		33	35	85	47	26	34	37	25	78	43	55	50	46	44	35	33	40	38	46	38	44	35	51	32	45	30
45-65 " ...		26	24	23	22	26	15	20	20	31	36	32	34	21	28	25	27	37	22	18	21	24	35	16	29	23	22
65-75 " ...		13	13	15	9	13	7	10	14	23	28	31	31	26	13	17	16	14	18	18	12	16	26	14	13	19	17
75 and upwards, ...																											
Deaths from:—																											
Enteric Fever, ...		2				4	3	1		1	3	3	2		1	1		1	1		1			1	1		
Typhus, ...																											
Small-pox, ...																											
Measles, ...		2	1																								
Scarlet Fever, ...		1																									
Whooping-cough, ...		1																									
Diphtheria, ...		1																									
Influenza, ...		2																									
Dysentery, ...																											
Tuberculosis { Pulmonary ...		18	22	14	17	15	16	23	12	24	20	19	22	25	24	25	25	23	21	26	21	21	22	28	22	25	14
Other Forms, ...		6	5	6	6	5	5	7	5	11	8	4	10	12	7	5	10	4	2	9	8	6	9	5	10	8	10
Cancer, ...		10	8	12	11	7	6	7	7	7	8	12	9	7	10	5	5	10	9	7	7	18	6	13	8	13	9
Diseases of Circulatory System, ...		21	12	9	17	11	17	18	19	26	15	23	25	16	14	10	18	19	20	17	17	14	25	15	22	19	21
Diseases of Respi- (Pneumonia ...		13	12	14	14	18	19	18	12	22	19	21	26	17	20	13	14	13	15	14	8	20	19	19	16	17	19
ratory System, { Others, ...		14	12	20	22	17	22	16	17	51	48	30	43	32	31	25	17	30	21	34	35	34	35	30	28	20	15
Diarrhoea and Enteritis, under ...																											
2 years, ...		7	8	9	7	5	4	8	5	3	2	6	5	5	3	5	4	2	5	5	6	4	1	2	7	3	3
Diarrhoea, 2 years and upwards, ...																											
Violent Deaths, ...		5	3	5	6	4	3	1	2	6	12	4	9	5	5	3	3	4	4	1	3	2	3	1	1	1	3
Number of Uncertified Deaths, ...		2	4	6	3	4	6	4	3	14	10	2	5	4	4	8	8	6	5	6	2	7	8	4	5	6	7
Mean Temperature of the Air ...																											
(Phoenix Park) in degrees, ...																											
Average Mean Temperature in ...		44.4	46.6	46.6	47.6	44.4	46.0	44.1	37.7	34.6	44.3	39.5	38.6	44.1	48.1	43.6	42.1	43.1	44.6	41.7	39.8	39.7	50.9	45.9	45.6	48.8*	44.9
corresponding week of previous ...		44.6	42.0	41.9	41.5	42.2	42.5	42.4	41.5	41.9	41.1	40.0	39.6	39.4	40.4	41.6	40.4	41.5	41.7	41.7	41.8	43.3	43.8	44.4	46.1	45.9	47.1
10 years,710	.645	.640	.150	1.065	.195	.065	.620	.085	.445	.260	.090	.485	.805	.615	.810	.475	.675	.470	.450	.140	.575	.400	.129	.010	.000
Rainfall in inches, ...																											
Mean Humidity of the Air, com-90	.88	.90	.90	.93	.93	.87	.90	.90	.88	.81	.84	.94	.92	.85	.89	.91	.89	.90	.91	.92	.85	.90	.89	.88	.91
plete Saturation 1.0, ...																											

* For 6 days only

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncertified Deaths.	
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.			
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	Mar. 28 Apr. 4 " 11 " 18 " 25 May 2	58.7 25.9 20.7 19.0 32.8 31.1	15.5 10.4 8.6 8.6 6.9 8.6	34 15 12 11 19 18	.	.	.	6 6 4 4 2 4	.	1 .br/>.br/>1 1 .br/>.br/>1	.	.	.	2 2 1 2 2 1	2 .br/>.br/>1 1 1 1	5 .br/>1 .br/>.br/>1 1	4 3 3 2 2 1	7 3 2 2 2 4	1 .br/>.br/>.br/>.br/>1 1	1 .br/>.br/>.br/>.br/>.br/>1	.	1 .br/>.br/>.br/>.br/>.br/>1
North City, No. 1 (W.) (Office, Summer-hill.)	Mar. 28 Apr. 4 " 11 " 18 " 25 May 2	39.2 29.1 37.9 42.9 34.1 27.8	10.1 2.5 13.9 16.4 6.3 10.1	31 23 30 34 27 22	.	.	.	7 2 8 8 4 8	1 .br/>.br/>.br/>.br/>.br/>1	.	.	.	4 3 4 5 6 1	1 1 .br/>1 .br/>2 2	1 .br/>.br/>1 .br/>2 3	5 2 3 5 2 3	8 3 5 2 1 .	.	1 .br/>2 1 1 .	.	1 .br/>.br/>.br/>1	
North City, No. 2. (Office, Lisburn-street.)	Mar. 28 Apr. 4 " 11 " 18 " 25 May 2	33.7 31.8 35.5 39.3 54.2 43.0	7.5 11.2 11.2 7.5 13.1 16.8	18 17 19 21 29 23	.	.	.	3 6 5 4 6 7	2 2 3 2 2 2	2 2 1 3 3	1 2 .br/>2 2 3	1 1 2 2 1 1	3 2 3 2 1 2	1 2 3 2 1 1	1 .br/>.br/>.br/>1 1	.	1 .br/>.br/>.br/>1	
North City, No. 3. (Office, Benburb-street.)	Mar. 28 Apr. 4 " 11 " 18 " 25 May 2	26.4 14.7 36.7 29.3 29.3 30.8	7.3 1.5 8.8 16.1 7.3 8.8	18 10 25 20 20 21	.	.	.	3 1 5 10 5 6	1 .br/>1 .br/>.br/>.br/>1	.	.	1	4 1 2 2 1 1	.	4 2 1 1 1	1 2 1 .br/>1	1 3 7 2 3 1	.	1 .br/>.br/>1 2 .	1 .br/>.br/>2	1 1 1 .br/>2	
Clontarf and Howth No. 1 (part of).	Mar. 28 Apr. 4 " 11 " 18 " 25 May - 2	9.5 28.5 19.0 19.0 57.0 9.5	9.5 .br/>.br/>.br/>.br/>9.5	1 3 2 2 6 1	.	.	.	1 .br/>.br/>.br/>1	1 1 .br/>.br/>1	.	.	1 .br/>.br/>1	
Coolock and Drumcondra (part of).	Mar. 28 Apr. 4 " 11 " 18 " 25 May 2	11.4 .br/>.br/>15.2 11.4 15.2 19.1	3.8 .br/>7.6 .br/>.br/>.br/>.	3 .br/>4 3 4 5	1 .br/>.br/>2 1	
Finglas and Glasnevin (part of).	Mar. 28 Apr. 4 " 11 " 18 " 25 May 2	14.6 29.2 19.5 4.9 9.7 14.6	.	3 6 4 1 2 3	1 .br/>.br/>1	.	1 1 .br/>.br/>.	.	1 1 1 1	.	1 1	.	1	
South City, No. 1. (Office, Stth. Earl-street.)	Mar. 28 Apr. 4 " 11 " 18 " 25 May 2	23.0 33.3 23.0 29.4 32.0 24.3	3.8 2.6 6.4 9.0 6.4 1.3	18 26 18 23 25 19	.	.	.	3 1 3 4 5 1	.	1	.	.	4 4 3 1 2 1	.	2 .br/>1 1 2 1	2 2 2 3 4 3	5 7 2 3 3 3	.	1 2 .	1 2	1 1	
South City, No. 2. (Office, Castle-street.)	Mar. 28 Apr. 4 " 11 " 18 " 25 May 2	14.2 34.1 34.1 25.6 28.4 28.4	2.8 5.7 2.8 2.8 5.7 2.8	5 12 12 9 10 10	.	.	.	1 1 1 1 2 1	1 1 3 3 1	1 1 .br/>1	.	1 4 2 1 2 .	1 1 1 1 2	.	1 1	1 1	
South City, No. 3. (Office, Peter-street.)	Mar. 28 Apr. 4 " 11 " 18 " 25 May 2	27.5 26.3 27.5 40.7 29.9 26.3	3.6 2.4 3.6 7.2 12.0 7.2	23 22 23 34 25 22	.	.	.	2 2 3 4 8 5	.	.	.	1	.	2 3 3 1 4 1	.	3 2 2 1 2	2 4 2 3 3 2	4 4 5 6 1 2	.	1 1	2 1	
South City, No. 4. (Office, Grand Canal-st.)	Mar. 28 Apr. 4 " 11 " 18 " 25 May 2	39.3 33.0 28.3 23.6 20.4 20.4	7.9 3.1 3.1 6.3 3.1 4.7	25 21 18 15 13 13	.	.	.	1 2 2 3 1 2	.	1	1	.	3 1 4 1 2 1	.	1 2 1 3 2 1	2 1 2 2 .	3 3 1 4 1	1 1 1	1 1	.	2 2	
New Kilmainham.	Mar. 28 Apr. 4 " 11 " 18 " 25 May 2	31.8 21.2 21.2 10.6 21.2 10.6	.	6 4 4 2 4 2	2 .br/>.br/>1	.	2 2	.	.	1	

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncer- tified Deaths.	
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 5 years of age.	Marasmus, 2 years of age and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Mar. 28	10.7	2.7	8	1	.	.	2	1	.	.	.
	Apr. 4	17.3	1.3	13	1	.	.	2	.	.	.	2	.	.	.	
	" 11	9.3	.	7	1	
	" 18	17.3	1.3	13	1	1	.	.	.	3	.	.	.	
	" 25	20.0	2.7	15	.	.	.	1	1	.	1	2	1	1	.	1	
May 2	20.0	4.0	15	.	.	.	3	1	.	1	3	1	1	.	.	.	
Pembroke Urban District. Population in 1914 (Est.) 30,240	Mar. 28	17.2	.	10	2	.	1	.	.	.	
	Apr. 4	32.8	3.4	19	.	.	.	1	.	1	.	.	1	.	.	3	1	.	.	1	
	" 11	15.5	.	9	2	.	1	1	2	.	.	.	
	" 18	10.3	.	6	1	1	1	.	.	.	
	" 25	15.5	.	9	1	1	1	.	.	1	
May 2	13.8	1.7	8	.	.	.	1	1	.	.	1	1	1	.	.	.	
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Mar. 28	17.0	.	3	1	.	1	
	Apr. 4	22.7	.	4	1	.	.	.	
	" 11	
	" 18	22.7	5.7	4	.	.	.	1	1	.	1	
	" 25	11.3	.	2	
May 2	5.7	5.7	1	.	.	.	1	
Kingstown Urban District. Population in 1911 16,941.	Mar. 28	18.5	.	6	1	1	1	.	.	.	
	Apr. 4	24.6	.	8	1	.	1	.	.	1	
	" 11	3.1	.	1	1	.	.	.	1	.	.	.	
	" 18	15.4	.	5	1	1	.	.	.	
	" 25	21.5	.	7	2	.	.	.	1	.	.	2	
May 2	24.6	.	8	1	1		
Belfast. Population in 1914 (Est.) 399,000.	Mar. 28	19.6	1.2	150	2	5	.	.	14	7	3	15	20	2	.	2	
	Apr. 4	17.8	1.2	136	.	.	.	1	2	3	2	.	10	5	5	6	23	1	.	.	
	" 11	18.6	2.2	142	.	.	.	2	3	6	1	.	12	4	9	19	9	4	1	3	
	" 18	21.2	2.6	162	.	.	.	2	5	9	1	.	11	13	4	12	27	2	1	3	
	" 25	23.4	2.4	179	.	.	.	1	6	8	.	.	32	4	5	22	15	2	1	1	
May 2	18.2	1.7	139	.	.	.	3	1	3	.	.	18	4	6	8	17	4	2	2	1	
Cork. Population in 1911 76,673.	Mar. 28	22.4	3.4	33	.	.	.	1	.	3	.	.	8	2	1	.	4	1	.	.	
	Apr. 4	21.1	3.4	31	3	1	.	5	1	2	4	2	1	.	1	
	" 11	19.7	0.7	29	1	.	.	5	4	.	1	1	.	.	2	
	" 18	27.9	1.4	41	1	1	.	.	11	2	1	4	7	.	.	1	
	" 25	33.3	2.7	49	1	1	.	.	6	1	3	6	3	1	1	.	
May 2	23.1	3.4	34	.	.	.	1	.	4	.	.	6	1	2	1	5	.	.	.		
Londonderry. Population in 1914 (Est.) 41,100.	Mar. 28	11.4	.	9	4	1	1	.	1	.	.	.	
	Apr. 4	14.0	1.3	11	2	.	1	.	4	1	.	1	
	" 11	22.8	.	18	3	.	.	1	3	.	.	2	
	" 18	17.8	.	14	2	2	2	.	1	.	.	1	
	" 25	16.5	.	13	2	2	.	.	2	.	2	.	
May 2	19.0	.	15	2	.	.	1	2	.	.	1		
Limerick. Population in 1911 38,518.	Mar. 28	29.8	2.7	22	.	.	.	1	.	1	.	.	1	1	1	2	6	.	.	3	
	Apr. 4	17.6	.	13	1	.	.	1	3	.	.	4	
	" 11	16.2	2.7	12	.	.	.	1	2	.	1	.	1	.	.	3	
	" 18	27.1	.	20	2	2	.	6	.	.	3	
	" 25	28.4	1.4	21	1	.	.	.	2	.	.	2	3	.	.	4	
May 2	23.0	.	17	3	2	1	1	3	.	.	3		
Waterford. Population in 1911 27,464.	Mar. 28	19.0	1.9	10	2	.	1	.	1	.	.	.	
	Apr. 4	36.1	1.9	19	1	.	2	1	4	1	.	1	
	" 11	11.4	.	6	1	2	.	.	.	
	" 18	32.3	3.8	17	2	.	.	2	5	1	1	1	
	" 25	24.7	.	13	2	1	.	.	4	.	.	.	
May 2	20.9	.	11	2	.	.	.	4	.	.	.		

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS AND DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 2nd May, 1914, Deaths in Public Institutions of Persons admitted from *without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Inquest Cases.	(29)	(30)												
				Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		Total Number of DEATHS.										DISEASES OF THE RESPIRATORY SYSTEM.												DISEASES OF THE RESPIRATORY SYSTEM.											
All Causes.		Certain Epidemic Diseases.†		(4)	(3)	(2)	(1)	Cols.	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)								
City of Belfast.																																							
BELFAST URBAN No. 1 District,	15,879	4	23.0	3.3	7	2	7	1	2	2	1	1	.	.	.	1	.	.	.	1	1	1	1	2	.	.	.	1	1						
Do. 2 do.	49,500	19	12.6	1.0	12	7	1	6	2	2	2	1	.	.	.	2	2	1	1	1	.	.	.	2	6						
Do. 3 do.	50,032	31	18.8	1.6	18	1	1	1	4	4	6	1	1	1	1	3	1	.	.	.	6	6						
Do. 4 do.	32,637	24	24.0	.	15	2	2	1	3	3	1	1	1	1	1	1	4	.	.	.	2	2						
Do. 5 do.	16,112	11	32.4	.	10	1	1	1	2	5	3	1	1	1	1	1	.	.	.	1	1							
Do. 6 do.	37,293	12	18.2	.	13	.	2	1	2	1	8	1	1	1	1	1	.	.	.	2	2							
Do. 7 do.	2,681	1	19.4	.	1	3	.	1	1	1	1	1	1							
Do. 8 do.	5,964	4	52.5	.	6	8	.	1	1	1	1	2	1	1	1	1	.	.	.	1	1							
Do. 9 do.	24,427	11	14.9	2.1	7	3	2	1	2	1	1	3	2	2	1	1	.	.	.	3	3							
Do. 10 do.	28,958	19	12.6	1.8	7	1	2	1	3	1	1	4	.	.	1	2	1	.	.	.	4	4						
Do. 11 do.	39,811	18	18.3	2.7	10	6	2	3	5	1	1	.	.	.	2	.	1	4	.	.	1	2	1	.	.	.	5	5						
Do. 12 do.	38,076	33	26.0	2.7	19	6	3	3	1	1	1	1	1						
Do. 13 do.	23,233	2	6.7	.	3	.	1	.	1	1	1	.	.	.	1	1	.	.	1	1						
Do. 14 do.	175	1	25.3	9.2	11	3	1	3	1	2	1	.	.	.	1	.	1	1	.	.	1	2	1						
Do. 15 do.	22,669	10	25.3	9.2	11	3	1	3	1	2	1	.	.	.	1	.	1	1	.	.	1	2	1						
Total,	386,947	198	18.2	1.7	139	29	18	21	27	25	19	.	.	.	3	1	3	18	4	6	8	17	4	2	2	2	5	37	1						
City of Cork.																																							
CORK URBAN No. 1 District,	13,455	7	19.4	5.0	5	1	1	1	.	2	2	2	.	1	1	1	.	.	.	2	3	.						
Do. 2 do.	10,399	7	20.1	5.3	4	1	1	1	.	2	2	.	.	.	1	8						
Do. 3 do.	9,793	1	21.3	.	3	2	1	1	1	1	.	.	1	1	1	.						
Do. 4 do.	9,139	5	17.1	.	3	1	1	1	1	1	1	1	.	.	1						
Do. 5 do.	6,250	3	16.7	.	2	1	1	1	1	1	1	1	.	.	1	3	3	.						
Do. 6 do.	11,581	4	22.5	9.0	5	1	1	1	1	1	1	2	1	1	1	1	.						
Do. 7 do.	16,056	6	35.7	3.2	11	1	2	3	.	1	4	2	1	1	1	1	.						
Total,	76,673	33	23.1	3.4	34	7	5	5	2	6	9	.	.	.	1	.	4	6	1	2	1	5	1	10	.						

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year

† See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1913-4—WEEK ENDING																									
	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.
No. of weeks in Annual Series,	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
BIRTHS registered, ...	231	182	170	186	186	205	196	180	284	195	254	208	215	187	224	210	203	217	222	196	244	243	163	219	255	198
DEATHS registered, ...	133	139	126	112	117	137	141	150	194	203	174	182	197	164	142	144	153	140	146	163	150	136	142	162	179	139
Annual Death-rate per 1,000 of estimated population, ...	17.5	18.3	16.6	14.7	15.4	18.0	18.6	19.8	25.4	26.5	22.7	23.8	25.7	21.4	18.6	18.8	20.0	18.3	19.1	21.3	19.6	17.8	18.6	21.2	23.4	18.2
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 55 and upwards,	39	31	19	19	14	23	27	28	42	46	24	43	45	33	28	25	28	28	28	32	23	28	29	29	45	29
	21	15	24	14	24	26	17	29	23	36	24	22	21	16	20	10	16	15	16	21	27	9	18	22	21	18
	13	14	14	8	15	12	16	25	14	17	14	24	13	18	15	12	18	14	10	19	13	16	11	17	20	21
	13	24	15	21	20	22	32	20	25	26	30	23	34	24	26	21	29	27	34	26	21	24	20	25	25	27
	24	32	29	24	27	29	32	30	39	47	36	35	41	37	31	42	32	33	28	30	28	30	31	36	25	25
Deaths from:—	23	23	25	26	17	25	17	18	51	31	46	35	43	36	22	34	30	23	30	35	33	29	34	38	32	19
Enteric Fever, ...	1	.	1	2	1	.	.	.	1	.	.	1	.	1	1
Typhus,	2	1
Small-pox,
Measles,	1	1	3	.	.	.	1	.	1	.	1	1	2	2	1	3
Scarlet Fever, ...	7	7	9	4	8	8	5	6	3	12	10	2	3	7	6	1	6	3	3	3	2	2	3	5	6	1
Whooping-cough,	3	2	.	3	3	7	7	6	3	1	5	1	2	6	1	4	5	2	7	5	3	6	9	8	3
Diphtheria,	2	.	.	.	2	1	.	2	4	2	2	.	1	2	1	.	2	1	1	.	.
Dysentery,	1
Tuberculosis. { Pulmonary, ...	13	22	9	8	10	8	12	15	15	14	17	15	12	14	21	17	31	14	15	16	14	10	12	11	32	18
Other Forms, ...	6	2	5	3	6	5	2	9	8	8	5	6	3	7	4	4	8	6	5	6	7	5	4	13	4	4
Cancer, ...	8	8	10	6	3	7	10	6	3	10	8	6	10	8	9	9	4	4	3	7	3	5	9	4	5	6
Diseases of Respi- { Pneumonia, ...	10	16	9	10	13	25	14	28	23	29	23	29	26	21	13	14	15	16	12	9	15	6	19	12	22	8
ratory System, { Others, ...	13	15	11	12	14	10	14	15	36	28	27	26	45	32	23	18	18	21	15	31	20	23	9	27	15	17
Diarrhoea and Enteritis, under 2 years, ...	3	1	6	.	1	.	1	1	1	2	3	1	2	3	1	1	4	7	8	3	2	1	4	2	2	4
Diarrhoea, 2 years and upwards, ...	1	1	.	.	.	2	.	2	1	1	.	.	.	1	.	.	.	1	1	1	1	2
Violent Deaths, ...	4	4	9	1	3	2	1	3	5	.	1	6	4	3	2	3	4	2	.	2	2	.	3	3	1	2
Number of Uncertified Deaths, ...	2	6	1	1	1	.	3	1	.	5	4	3	2	.	4	1	3	1	1	1	.	3	1	3	4	1
Mean Temperature of the Air in degrees.	44.4	46.7	46.6	48.3	43.1	45.4	43.3	40.0	32.3	41.1	38.7	38.4	44.1	43.1	41.2	41.0	41.1	44.3	39.9	40.8	41.0	49.7	47.1	43.5	52.7	48.2
Rainfall, in inches, ...	1.22	1.65	0.92	0.26	1.51	0.78	0.07	0.82	0.41	1.83	0.00	0.28	0.55	0.32	0.72	0.93	0.82	0.92	1.40	0.65	0.07	0.78	1.00	0.34	0.12	0.00

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	May 2,	2,252	1,116	12·9	3	.	19	5	27	8	17
EDINBURGH, ...	321,900	„ 2,	133	97	15·7	.	.	3	.	.	2	.
GLASGOW, ...	1,047,000	„ 2,	587	297	14·8	1	.	11	1	8	2	8
CALCUTTA, ...	896,067	Mar. 21,	.	564	32·7	84*	23	1	.	.	.	136 ^{†a}
BOMBAY ...	979,445	„ 28,	338	828	43·9	206*	7	11	.	.	.	72 ^{†a}
MADRAS ...	518,660	„ 28,	285	379	38·0	47*	1	4	?	?	?	118 ^a
CAIRO, ...	721,303	Feb. 25,	622	375	27·1	4	7	1	1	?	5 [†]	32
PARIS, ...	2,847,229	Apr. 18,	882	1,013	18·2	7	.	9	1	7	2 [†]	26
BRUSSELS, ...	767,252	„ 11,	243	197	13·0	3 [†]	18
ANTWERP, ...	312,884	„ 11,	115	67	11·1	1	.	1	.	.	1 [†]	5
AMSTERDAM, ...	597,449	„ 11,	272	184	16·1	2	.	7	.	14	2 [†]	.
COPENHAGEN, ...	483,000	„ 11,	222	138	14·9	1	.	3	3	1	2 [†]	3
STOCKHOLM, ...	376,171	„ 11,	150	111	15·1	.	.	3	.	.	1	.
CHRISTIANIA, ...	250,423	„ 18,	121	70	14·5	.	.	.	1	3	1	2 ^a
ST. PETERSBURG ...	1,728,200	Mar. 28,	962	762	23·0	3	.	26	18	9	9	31
MOSCOW, ...	1,694,000	„ 21,	.	782	24·1	3	8	39	12	13	11	45 ^a
BERLIN, ...	2,081,253	Apr. 4,	.	611	15·3	1	.	8	2	5	9 [†]	21
HAMBURG, ...	1,030,983	„ 11,	.	263	13·3	1	.	3	3	8	9	11 ^a
BRISLAU, ...	541,606	„ 11,	.	152	14·6	.	.	1	.	2	1	8 ^a
MUNICH, ...	640,000	„ 11,	.	188	15·3	.	.	3	.	1	.	7 ^a
VIENNA (with suburbs),	2,149,834	„ 11,	710	633	15·3	1	.	13	3	3	5 [†]	14
BUDA-PESTH, ...	950,784	„ 11,	437	371	20·3	.	.	14	8	2	3 [†]	9
PRAGUE and Faubourgs,	498,496	Mar. 14,	191	168	17·6	.	.	.	2	.	4 [†]	6
TRIESTE, ...	242,443	„ 28,	123	112	24·1	1	.	1	.	1	1 [†]	1
ROME, ...	591,943	Nov. 15,
NEW YORK, ...	5,583,871	Mar. 28,	2,853	1,768	16·5	4	.	19	17	5	54	38
PHILADELPHIA, ...	1,657,815	Feb. 28,	.	687	21·6	4	.	3	6	5	9 [†]	9
BOSTON, ...	750,768	Apr. 11,	.	241 ^b	16·7	.	.	1	1	.	3	4 ^a

* Deaths from "fever," including 3 from enteric fever and 16 from plague in Calcutta; 4 from enteric fever and 129 from plague in Bombay; and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 87 deaths from cholera in Calcutta, and one in Bombay

^a Deaths from diarrhoeal diseases at all ages.

^b Corrected figures, i.e., non-residents deducted, 209 (including 2 deaths from diphtheria, and 3 from diarrhoeal diseases), rate 14·5 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd May, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polionyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	1	1	2
„ „ 1, West,	1	.	.	1	.	.	2	7	11
„ „ 2,	6	6
„ „ 3,	1	.	.	1	1	.	.	.	1	4
Clontarf and Howth No. 1 (part of),	.	1	1
Coolock and Drumcondra (part of),
Finglas and Glasnevin (part of),
South City No. 1,	1	.	.	2	8	11
„ „ 2,	1	1
„ „ 3,	2	.	.	5	2	9
„ „ 4,	1	3	4
New Kilmainham,
Total,	5	.	.	11	.	.	3	1	.	.	.	29	49

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 2nd May, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 2nd May.			
	April 11.	April 18.	April 25.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	27	24	24	6	6	2	22
Typhus, ...	1	1	1	.	.	.	1
Small-pox,
Measles, ...	148	166	143	33	32	7	137
Scarlet Fever, ...	94	104	90	21	6	1	104*
Diphtheria, ...	50	39	31	10	4	.	37
Pneumonia, ...	26	23	24	8	5	1	26

* Exclusive of 22 patients in "Benicavon," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 2nd May, 1914:—

"The leading feature of this week's weather was its continued and continuous dryness in most parts of the United Kingdom, including the Dublin district. On Thursday, however, rain fell in many localities in consequence of the development of a shallow atmospheric depression over the English Channel. This system afterwards travelled away eastwards to Central Europe. The rainfall measurements on Friday morning were in general small, but Worthing and Littlehampton had respectively 11·4 millimetres (·41 inch) and 11·9 m.m. (·47 inch). In Ireland, 5 m.m. (·02 inch) was recorded at Roche's Point, Co. Cork. During the first three days of the period an anticyclone, in the centre of which the barometer stood above 103·6 millibars (30·6 inches), stretched from E. to W. across England and Ireland. Quiet, brilliant weather prevailed—a large diurnal range of temperature being observed at inland stations, for instance at Birr Castle the thermometer fell in a few hours from 64° to 38°, and at Nottingham from 65° to 38°. After Sunday the barometer gave way slowly and rather uniformly and the atmosphere became damper on Tuesday evening. This was owing, apparently, to an indraught of air from a large and deep depression centred near Vardö in the extreme N. E. corner of Norway early on Wednesday morning, barometer reading at 7 a.m. 97·7 millibars (28·89 inches). Between Wednesday and Friday a new anticyclone spread southeastwards from Iceland to the British Isles, causing very cool easterly winds. On Friday night the wind freshened from S.E. as a depression approached Ireland from the Azores, and Saturday, while dry, was cold, squally and at times cloudy. In Dublin the mean height of the barometer was 30·285 inches (102·6 millibars), the range being from 30·615 inches at 9 a.m. of Sunday (wind, calm) to 30·031 inches at 9 p.m. of Saturday (wind, S.E.). The corrected mean temperature was 49·5°, the mean dry bulb reading was 49·3°. The screened thermometers fell to 41·0° and rose to 61·0° on Sunday, the extreme temperatures of the week thus falling upon the same day. The wind was all through from Easterly points (N.E. to S.E.). No rain fell in measurable quantity. Swifts were seen and heard in Dublin on Wednesday evening, April 29. In the course of Friday night the thermometer fell to 27° in the screen at Nairn and to 28° at Nottingham."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 30.281 inches. The highest reading (30.594) was on Sunday, at 9 a.m., the lowest (30.025) on Saturday, at 9 p.m.

The mean temperature for the week was 44.9°, being 2.2° below the average for the corresponding period of the 10 years, 1904-1913. The temperature* was highest on Sunday, on which day the thermometer registered 59.0°, and was lowest on Thursday, the mercury having fallen to 32°. The mean of the Dry Bulb for the week was 47.7° and of the Wet Bulb, 46.3°. The mean humidity of the air was .91, complete saturation being represented by 1.0. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 49.1°, the maximum 69.6°, and the minimum 31.7°; at Glasgow the maximum was 63.5°, the minimum 37.8°, and the mean 48.8°; and at Edinburgh the maximum was 65.7°, the minimum 37.1°, and the mean 48.1°. The rainfall at Glasgow measured 0.02 in.; and at Edinburgh 0.06 in. There was no rainfall recorded Greenwich

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155.3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.			BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.
			Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1·0.			
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday,	April	26,	30·580	59	33	46·0	53·1	51·4	·89	·4	6·6	·000
Monday,	„	27,	30·510	55	35	45·0	44·0	43·3	·95	·5	5·7	·000
Tuesday,	„	28,	30·285	54	34	44·0	47·7	47·3	·97	·6	6·1	·000
Wednesday,	„	29,	30·090	57	39	48·0	46·4	45·8	·96	·5	9·9	·000
Thursday,	„	30,	30·065	55	32	43·5	48·9	48·2	·95	·7	10·2	·000
Friday,	May	1,	20·295	52	38	45·0	46·9	45·0	·85	·6	10·0	·000
Saturday,	„	2,	30·140	49	36	42·5	46·6	43·3	·78	·7	2·1	·000
Mean,	30·281	54·4	35·3	44·9	47·7	46·3	·91	·6	Total 50·6	Total ·000

Sunday—Day bright a.m., cloudy p.m.; night clear. Monday—Day overcast a.m., bright p.m.; night clear to 3 a.m., cloudy from 3.15 a.m. Tuesday—Day cloudy, bright; night overcast, and fog. Wednesday—A beautiful bright day; night clear. Thursday—A beautiful bright day; night clear. Friday—A beautiful bright day; night clear. Saturday—A dull day; night cloudy.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 a.m. and 9 p.m.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 2nd May, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.R.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.		Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
			1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday,	April 26,	54.9	50.8	49.1	58	38	48	hrs. 7.3	ins. —
Monday,	" 27,	51.2	51.8	49.0	54	42	49	4.1	—
Tuesday,	" 28,	49.3	51.0	49.1	52	40	46	0.7	—
Wednesday,	" 29,	51.0	51.5	49.5	57	42	49.5	8.7	—
Thursday,	" 30,	51.8	52.0	49.7	55	41	48	6.4	—
Friday,	May 1,	50.0	52.0	49.8	54	42	48	9.2	—
Saturday,	" 2,	47.5	51.5	50.0	51	46	48.5	1.8	—
Weekly Mean,	.	50.8	51.5	49.5	54.4	41.6	48.0	Total 38.2	Total. —

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 9TH MAY, 1914.

[No. 19.

*General Register Office, Charlemont House,
Dublin, 11th May, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 18·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	April 18	April 25	May 2	May 9	
27 Town Districts, (a)	22·5	25·3	20·6	18·6	21·7
Dublin Reg. Area ...	26·1	27·9	24·5	21·7	25·0
Dublin City ...	29·4	30·9	26·7	22·0	27·2
Belfast ...	21·2	23·4	18·2	15·2	19·5
Cork ...	27·9	33·3	23·1	19·7	26·0
Londonderry ...	17·8	16·5	19·0	12·7	16·5
Limerick ...	27·1	28·4	23·0	19·0	24·4
Waterford ...	32·3	24·7	20·9	26·6	26·1

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 2·1 per 1,000. Among the 116 deaths from all causes for Belfast are one from measles, 3 from whooping-cough, one from diphtheria, and one from diarrhœa. Of the 29 deaths from all causes for Cork, 3 are from whooping-cough. Included in the 14 deaths from all causes for Waterford are 2 from diarrhœa and enteritis of children under 2 years of age; and one of the 5 deaths from all causes for Tralee is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 222—118 boys and 104 girls—and the deaths to 181—91 males and 90 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·7 per 1,000 of the population. During the nineteen weeks, ending with Saturday last, the death-rate averaged 24·5; the mean rate for the corresponding portions of the ten years, 1904—1913 being also 24·5.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 181, represent an annual rate of 23·2 per 1,000; the annual rate for the past nineteen weeks was 26·0 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·8 per 1,000 of the mean population for all deaths registered.

The total deaths include 29 from measles; 2 from each of scarlet fever and whooping-cough; 3* from diphtheria; one from diarrhoea and enteritis of a child under 2 years of age; and 2 from influenza. The deaths from measles declined from 40 in the preceding week; and for the six weeks preceding it, deaths from this disease were 14, 27, 22, 34, 39, and 35. In each of the three preceding weeks, deaths from scarlet fever were 0, 0, and 0; deaths from whooping-cough were 4, 2, and 2; deaths from diphtheria were 0, 3, and 0; deaths from diarrhoea and enteritis of children under 2 years were 7, 8, and 3; and deaths from influenza were one, 0, and 0.

In the aggregate all forms of tuberculous disease caused the deaths of 31* persons. This figure includes 22 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, 3 from abdominal tuberculosis, and 4 from other forms of the disease. In each of the 3 preceding weeks, deaths from tuberculous disease numbered 32, 33, and 24.

Eleven* deaths were assigned to cancer.

There was one death of an infant from convulsions. The deaths of 2 infants were attributed to each of congenital malformation and congenital debility.

There were 9 deaths from broncho-pneumonia, and 4 from pneumonia (type not distinguished).

Organic diseases of the heart caused 8 deaths, and bronchitis caused 12 deaths.

There was one accidental death by burns, and one suicidal death was recorded.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; both these cases were of infants under one year of age.

Sixty-two of the persons whose deaths were registered during the week were under 5 years of age (24 being infants under one year, of whom 6 were under one month old), and 24 were aged 65 years and upwards, including 15 persons aged 70 and upwards; among the latter were 10 aged 75 and upwards.

Sixty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, and 10 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·7 per 1,000; the rate in the City was 22·0 (North City Districts, 23·4; South, 20·4) and in the Suburbs 20·7.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 4·6 per 1,000 inhabitants, the rate for the City being 5·4 (in the North City Districts 6·0, and in the South 4·7), and for the Suburbs 2·2 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (18) are equal to an annual rate of 31·1 per 1,000. Three of the deaths were caused by measles, one each by whooping-cough and diphtheria, 5 by tuberculous disease, one by broncho-pneumonia, and 2 by bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 25·3 per 1,000, and include 2 from measles, 3 from tuberculous disease, 2 from broncho-pneumonia, 3 from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

No. 2 *North City District* (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 31·8 per 1,000. Among them are 4 from measles, 3 from tuberculous disease, and 2 from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (13) represent an annual rate of 19·1 per 1,000. Six deaths from measles and 4 from pulmonary tuberculosis were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·5 per 1,000 inhabitants; Coolock and Drumcondra, part of, 7·6; and Finglas and Glasnevin, part of, 14·6. The 2 deaths recorded for Coolock and Drumcondra, part of, comprise one death from diphtheria and one from pulmonary tuberculosis; and of the 3 deaths from all causes for Finglas and Glasnevin, part of, one was from abdominal tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (17) represent an annual rate of 21·7 per 1,000. There were 5 deaths from measles, one from pulmonary tuberculosis, 3 from pneumonia, and one from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 34·1 per 1,000. Among them are 2 from measles, one from abdominal tuberculosis, and 2 from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (14) are equal to an annual rate of 16·8 per 1,000, and include 3 deaths from measles, one from pulmonary tuberculosis, 5 from pneumonia, 2 from bronchitis, and one from accidental burns.

No. 4 *South City District* (Grand Canal Street).—The deaths (11) are equivalent to an annual rate of 17·3 per 1,000. Two of the deaths were from measles and one was from pulmonary tuberculosis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·9 per 1,000. Scarlet fever caused one death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 25·3; Pembroke, 17·2; Blackrock, 11·3; and Kingstown, 21·5. The deaths from the principal epidemic diseases tabulated for these districts comprise one death each from measles, scarlet fever and whooping-cough, for Rathmines and Rathgar, and one death from measles for Blackrock. Among the 19 deaths from all causes for Rathmines and Rathgar are one from influenza, 3 deaths from pulmonary tuberculosis, and one death by suicide. Of the 10 deaths from all causes for Pembroke 5 were caused by tuberculous disease and one by broncho-pneumonia; and the 7 deaths from all causes for Kingstown include one from influenza.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 13·8), was equal to an average annual death-rate of 14·1 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·2 per 1,000, the rate for Glasgow being 15·7, and for Edinburgh 17·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 9th May. From this Report it appears that of a total of 59 cases notified, 27 were scarlet fever, 16 phthisis, 8 diphtheria, 6 erysipelas, one enteric fever, and one puerperal fever. Among the 544 cases of infectious diseases in hospital at the close of the week were 237 cases of scarlet fever, 212 of phthisis, 52 of diphtheria, 17 of measles, 7 of erysipelas, 3 of whooping-cough, 3 of enteric fever, and one of puerperal fever.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II.

STATE OF INFECTIOUS DISEASE

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 9th May, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	April. 18.	.	—	—	3	.	.	8	.	1	2	2	.	—	—	.	—	.	27	43
	April. 25.	.	—	—	6	.	.	8	.	.	1	.	.	—	—	.	—	.	34	49
	May. 2.	.	—	—	5	.	.	11	.	.	3	1	.	—	—	.	—	.	29	49
	May. 9.	.	—	—	10	1	.	18	.	.	5	2	.	—	—	.	—	.	22	58
Rathmines and Rathgar Urban District.	April. 18.	.	—	—	3	.	.	2	.	.	.	2	.	—	—	—	—	—	—	7
	April. 25.	.	—	—	.	.	.	2	.	.	.	1	.	—	—	—	—	—	—	3
	May. 2.	.	—	—	1	1	.	—	—	—	—	—	—	2
	May. 9.	.	—	—	3	.	.	2	—	—	—	—	—	—	5
Pembroke Urban District.	April. 18.	.	2	.	6	.	.	4	.	.	.	1	.	—	—	—	—	.	.	13
	April. 25.	.	14	.	13	.	.	2	1	—	1	—	—	.	31	
	May. 2.	.	3	.	2	.	.	2	1	—	—	—	—	1	9	
	May. 9.	.	1	.	4	—	—	—	—	.	5	
Blackrock Urban District.	April. 18.	.	—	—	—	—	—	—	—	—	.
	April. 25.	.	—	—	—	—	—	—	—	—	.
	May. 2.	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2
	May. 9.	.	—	—	—	—	—	—	—	—	.
Kingstown Urban District.	April. 18.	.	—	—	—	—	—	—	.	6	6
	April. 25.	.	—	—	—	—	—	—	.	.	.
	May. 2.	.	—	—	1	—	—	—	—	.	1	.
	May. 9.	.	—	—	—	—	—	—	.	.	.
City of Belfast.	April. 18.	.	—	—	27	.	.	2	1	.	5	4	.	—	—	—	—	.	2	41
	April. 25.	.	—	—	24	.	.	3	.	.	1	4	.	—	—	—	—	.	3	35
	May. 2.	.	—	—	26	.	.	1	.	.	2	3	1	—	—	—	—	.	3	36
	May. 9.	.	—	—	35	.	.	6	.	1	4	4	.	—	—	—	—	.	9	59
City of Cork.	April. 18.	.	1	—	2	.	.	1	.	.	5	.	.	—	—	—	—	—	—	9
	April. 25.	.	2	—	4	1	3	1	.	—	—	—	—	—	—	11
	May. 2.	.	4	—	2	.	.	1	1	—	—	—	—	—	—	8
	May. 9.	.	8	—	1	1	.	.	.	—	—	—	—	—	—	10
City of Londonderry.	April. 18.	.	—	—	1	—	—	—	—	—	—	1
	April. 25.	.	—	—	1	1	.	—	—	—	—	—	—	2
	May. 2.	.	—	—	2	.	.	1	—	—	—	—	—	—	3
	May. 9.	.	—	—	—	—	—	—	—	—	.
City of Limerick.	April. 18.	.	—	—	1	—	—	—	—	—	—	1
	April. 25.	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	May. 2.	.	—	—	—	—	—	—	—	—	.
	May. 9.	.	—	—	1	—	—	—	—	—	—	1
City of Waterford.	April. 18.	.	—	—	—	—	—	—	—	1	1
	April. 25.	.	—	—	—	—	—	—	—	2	2
	May. 2.	.	—	—	1	—	—	—	—	—	4	5
	May. 9.	.	—	—	—	—	—	—	—	.	.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th May, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of enteric fever were admitted to hospital during the week, 5 were discharged, and 20 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 24, 24, and 22.

One case of typhus was discharged from hospital during the week, and no case remained under treatment at its close.

Thirty-one cases of measles were admitted to hospital, 30 were discharged, there were 6 deaths, and 132 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 166, 143 and 137, respectively.

Thirteen cases of scarlet fever were admitted to hospital, 22 were discharged, and 95* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 104, 90, and 104, respectively.

Nineteen cases of diphtheria were admitted to hospital during the week, 8 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 39, 31, and 37 respectively, were 46 at the close of last week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 4 were discharged, there were 3 deaths, and 24 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 9th of May, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,		
Typhus,		
Small-pox,		
Measles,	3	2	4	6	.	.	.	5	2	3	2	.	1	.	1	.		
Scarlet Fever,	1	.	.	.		
Whooping-cough,	1	1	.	.	.		
Diphtheria,	1	1		
Croup,		
Influenza,	1	.	.	1		
Dysentery,		
Tuberculosis, { Pulmonary,	3	2	1	4	.	1	.	1	.	1	1	.	3	4	.	.		
{ Other Forms,	2	1	2	.	.	1	.	.	1	1	.	.		
Cancer,	2	1	1	.	.	.	1	1	.	.	.	1	1	.	1		
Diseases of Nervous System,	2	3	.	1	3	.	4	1	.	14		
" Organs of Special Sense,		
" Circulatory System,	1	1	1	.	4	.	2	.	1	10		
" Respiratory { Pneumonia,	1	2	3	.	5	.	.	.	1	.	12		
System. { Others,	3	3	2	.	1	.	1	1	3	2	16		
Diarrhoea and Enteritis, under 2 years,	1	1		
" Digestive System. { Diarrhoea, 2 years and upwards,		
Enteritis, 2 years and upwards,		
Others,	1	2	1	.	.	1	1	1	.	1	1	1	.	1	12		
" Genito-urinary System,	1	1	1	2	1	.	1	1	.	2	10		
Puerperal Septicæmia, etc.,		
Other Causes incident to Pregnancy and Childbirth,		
Diseases of the Skin and Cellular Tissue,	1	1		
" Locomotor System,		
Other specified Causes,	2	1	2	3	2	.	10		
Violent Deaths,	1	.	.	1	.	.	2		
Ill-defined, &c. Causes,	1	1	.	.	2	.	.	5		
Deaths from All Causes	18	20	17	13	1	2	3	17	12	14	11	3	19	10	2	7		
Annual Rate of Mortality from All Causes in every 1,000 of the population.	31.1	25.3	31.8	19.1	9.5	7.6	14.6	21.7	34.1	16.8	17.3	15.9	25.3	17.2	11.3	21.5		
	23.4							20.4					20.7					
	22.0																	
Ages at Death. { Under 1 year,	4	3	5	3	1	2	.	1	2	2	.	1		
1 and under 2 years,	5	2	6	.	.	1	2	1	5	1	.	.	.	1	23		
2 " 5 "	5	2	2	.	.	1	.	2	1	.	1	.	3	.	.	15		
5 " 15 "	1	2	1	7		
15 " 25 "	2	1	1	.	.	.	2	.	.	1	.	7		
25 " 45 "	2	2	2	5	.	.	.	2	1	2	4	.	1	2	1	24		
45 " 65 "	2	7	3	1	1	.	1	5	5	2	2	1	10	4	.	47		
65 and upwards,	3	1	2	1	.	.	.	3	1	3	1	1	3	1	.	22		
Number of Uncertified Deaths,	1	.	.	2		
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	5	6	4	.	1	.	3	4	3	1	1	4	3	1	38		
Workhouse Hospitals,	2	3	2	2	.	.	.	3	2	2	1	.	2	.	.	19		

NINETEENTH WEEK, ending Saturday, 9th May, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 19th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 9th May, 1914.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
	May 14, 1904.	May 13, 1905.	May 12, 1906.	May 11, 1907.	May 9, 1908.	May 15, 1909.	May 14, 1910.	May 13, 1911.	May 11, 1912.	May 10, 1913.		Deaths of Persons of the Ages of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
												0-5.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
												Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Mean Temperature ...	49.7	49.9	50.2	50.3	52.5	45.8	44.7	52.6	56.1	45.4	49.7	49.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						</

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1913-4—WEEK ENDING																									
		Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.
No. of weeks in Annual Series.		46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
BIRTHS registered.		232	165	209	194	212	185	140	168	246	203	241	234	279	217	217	202	244	225	210	203	227	173	218	207	288	222
Average Births in corresponding week of previous 10 years.	
DEATHS registered.		193	184	213	187	204	179	186	225	222	212	215	241	214	217	204	232	222	206	215	230	214	220	221	218	264	237
Annual Death-rate per 1,000.	
Average Deaths in corresponding week of previous 10 years.	
Ages.		Under 5 years,	49	47	38	55	49	55	63	46	45	69	56	72	49	52	56	57	61	70	82	55	74	89	92	89	62
		5-15 "	9	7	9	6	8	6	11	12	6	7	11	8	12	8	5	2	7	7	9	12	7	11	10	6	10
		15-25 "	8	6	6	4	3	6	12	9	4	16	11	12	10	11	8	14	9	7	14	5	6	10	9	8	8
		25-45 "	26	15	38	23	31	31	32	31	32	29	30	27	23	28	27	18	30	28	35	26	27	28	38	30	27
		45-65 "	35	35	47	26	34	37	25	78	48	50	46	44	35	33	40	38	46	38	44	44	51	32	45	30	50
		65-75 "	24	23	22	26	15	20	31	36	32	34	21	28	25	27	37	22	18	21	24	35	16	29	23	22	14
		75 and upwards,	13	15	9	13	7	10	23	28	31	31	26	18	17	16	14	18	18	12	16	26	14	13	19	17	10
Deaths from:—		2
Enteric Fever,	
Typhus,
Small-pox,
Measles,
Scarlet Fever,
Whooping-cough,
Diphtheria,
Influenza,
Dysentery,
Tuberculosis. { Pulmonary ...		22	14	17	15	16	28	12	24	20	19	22	25	24	25	25	23	21	26	21	21	22	28	22	25	14	22
{ Other Forms, ...		5	6	6	5	5	7	5	11	8	4	10	12	7	5	10	4	2	9	8	6	9	5	10	8	10	9
Cancer, ...		8	12	11	7	6	7	7	7	8	12	9	7	10	5	5	10	9	7	6	18	6	13	8	13	9	11
Diseases of Circulatory System, ...		12	9	17	11	17	18	19	26	15	23	25	16	14	10	18	19	20	17	17	14	25	15	22	19	21	11
Diseases of Respi. { Pneumonia		12	14	14	18	19	18	12	22	19	21	26	17	20	13	14	13	15	14	8	20	19	19	16	17	19	13
ratory System, { Others, ...		12	20	22	17	22	16	17	51	48	30	43	32	31	25	17	30	21	34	35	34	35	30	28	20	15	17
Diarrhoea and Enteritis, under	
2 years, ...		8	9	7	5	4	8	5	3	2	6	5	5	3	5	4	2	5	5	6	4	1	2	7	3	3	1
Diarrhoea, 2 years and upwards,		4
Violent Deaths,
Number of Uncertified Deaths,	
Mean Temperature of the Air	
(Phoenix Park) in degrees,
Average Mean Temperature in	
corresponding week of previous	
10 years,
Rainfall in inches,
Mean Humidity of the Air, com-	
plete Saturation 1.0,

* For 6 days only

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal admitted ; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncer- tified Deaths.	
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 5 years of age.	Diarrhoea, 2 years and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	Apr. 4	25.9	10.4	15	.	.	.	6	2	.	.	.	3	3	.	.	.
	" 11	20.7	8.6	12	.	.	.	4	1	1	.	.	3	2	.	.	.
	" 18	19.0	8.6	11	.	.	.	4	.	1	.	.	2	.	.	.	2
	" 25	32.8	6.9	19	.	.	.	2	.	1	1	.	2	1	.	.	.	2	.	.	1
Population in 1914 (Est.) 30,206.	May 2	31.1	8.6	18	.	.	.	4	1	1	.	.	1	4	1	.	.
	" 9	31.1	8.6	18	.	.	.	3	.	1	1	.	3	2	.	.	1	3	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.)	Apr. 4	29.1	2.5	23	.	.	.	2	3	1	.	.	2	3	.	.	1
	" 11	37.9	13.9	30	1	.	.	8	.	1	.	.	4	.	1	.	3	5	1	.	2
	" 18	42.9	16.4	34	.	.	.	8	.	3	.	.	5	1	.	.	5	2	2	.	.
	" 25	34.1	6.3	27	.	.	.	4	6	.	2	.	2	1	1	.	.
Population in 1914 (Est.) 41,278.	May 2	27.8	10.1	22	.	.	.	8	1	2	1	.	3	.	.	.	1
	" 9	25.3	3.8	20	.	.	.	2	2	1	2	.	2	3	1	.	.
North City, No. 2. (Office, Lisburn-street.)	Apr. 4	31.8	11.2	17	.	.	.	6	2	2	.	.	1	2	.	.	.
	" 11	35.5	11.2	19	.	.	.	5	.	1	.	.	3	1	.	.	2	3	.	.	.
	" 18	39.3	7.5	21	.	.	.	4	2	3	.	.	2	2	.	.	1
	" 25	54.2	13.1	29	.	.	.	6	2	3	2	.	1	1	1	.	1
Population in 1914 (Est.) 27,883.	May 2	43.0	16.8	23	.	.	.	7	.	1	.	.	2	2	3	.	1	2	1	.	.
	" 9	31.8	7.5	17	.	.	.	4	1	2	1	.	.	2	.	.	.
North City, No. 3. (Office, Benburb-street.)	Apr. 4	14.7	1.5	10	.	.	.	1	1	.	.	.	2	3	.	.	1
	" 11	36.7	8.8	25	.	.	.	5	1	.	.	.	2	2	4	.	1	7	.	.	1
	" 18	29.3	16.1	20	.	.	.	10	2	1	1	.	.	2	1	.	.
	" 25	29.3	7.3	20	.	.	.	5	1	.	.	3	.	.	2
Population in 1914 (Est.) 35,536.	May 2	30.8	8.8	21	.	.	.	6	1	1	.	.	1	1	.	.	.
	" 9	19.1	8.8	13	.	.	.	6	4	.	1
Clontarf and Howth No. 1 (part of).	Apr. 4	28.5	.	3	1	.	.	.	1	.	.	.
	" 11	19.0	.	2	1
	" 18	19.0	.	2	1
Population in 1914 (Est.) 5,485.	" 25	57.0	9.5	6	.	.	.	1	1	.	.	.	1
	May 2	9.5	.	1
	" 9	9.5	.	1	1	.	.	.
Coolock and Drumcondra (part of).	Apr. 4
	" 11	15.2	7.6	4	.	.	.	2	1
	" 18	11.4	.	3	2
	" 25	15.2	.	4	1	2	.	.	.
Population in 1914 (Est.) 13,685.	May 2	19.1	.	5	1	.	.	.	1	1	.	.	.
	" 9	7.6	3.8	2	1	.	1
Finglas and Glasnevin (part of).	Apr. 4	29.2	.	6	1	.	1	1
	" 11	19.5	9.7	4	.	.	.	1	1	.	.	.	1	.	.	.
	" 18	4.9	.	1	1	.	.
	" 25	9.7	.	2	1	.	.	.
Population in 1914 (Est.) 10,723.	May 2	14.6	4.9	3	.	.	.	1	1	1	.	.	.
	" 9	14.6	.	3	1
South City, No. 1. (Office, St. Earl-street.)	Apr. 4	33.3	2.6	26	.	.	.	1	.	1	.	.	4	.	.	.	2	7	.	.	1
	" 11	23.0	6.4	18	.	.	.	3	1	.	.	.	4	.	.	.	2	2	1	.	.
	" 18	29.4	9.0	23	1	.	.	4	3	1	1	.	2	3	2	.	.
	" 25	32.0	6.4	25	.	.	.	5	2	1	2	.	4	3	.	.	2
Population in 1914 (Est.) 40,768.	May 2	24.3	1.3	19	.	.	.	1	1	.	1	.	3	3	.	.	1
	" 9	21.7	6.4	17	.	.	.	5	1	.	1	.	3	1	.	.	.
South City, No. 2. (Office, Castle-street.)	Apr. 4	34.1	5.7	12	.	.	.	1	2	1	.	.	1	4	1	.	.
	" 11	34.1	2.8	12	.	.	.	1	3	.	1	.	.	2	.	.	1
	" 18	25.6	2.8	9	.	.	.	1	3	.	.	.	1
	" 25	28.4	5.7	10	.	.	.	2	1	.	.	2	2	.	.	.
Population in 1914 (Est.) 18,341.	May 2	28.4	2.8	10	.	.	.	1	1	.	.	.	2
	" 9	34.1	5.7	12	.	.	.	2	1	1	.	.	3	.	.	.
South City, No. 3. (Office, Peter-street.)	Apr. 4	26.3	2.4	22	.	.	.	2	3	2	2	.	4	4	.	.	1
	" 11	27.5	3.6	23	.	.	.	3	3	.	.	.	5	5	.	.	1
	" 18	40.7	7.2	34	.	.	.	4	1	4	1	.	3	6	1	1	2
	" 25	29.9	12.0	25	.	.	.	8	.	1	1	.	4	.	.	.	3	1	.	.	2
Population in 1914 (Est.) 43,540.	May 2	26.3	7.2	22	.	.	.	5	1	2	.	2	2	1	.	1
	" 9	16.8	3.6	14	.	.	.	3	1	.	.	.	5	2	.	.	1
South City, No. 4. (Office, Grand Canal-st.)	Apr. 4	33.0	3.1	21	.	.	.	2	1	2	.	.	1	3	.	.	1
	" 11	28.3	3.1	18	.	.	.	2	4	1	3	.	2	1	.	.	1
	" 18	23.6	6.3	15	.	.	.	3	2	4	1	.	.
	" 25	20.4	3.1	13	.	.	.	1	.	.	1	.	1	2	.	.	.	1	.	.	.
Population in 1914 (Est.) 33,171.	May 2	20.4	4.7	13	.	.	.	2	.	1	.	.	1	1	.	.	2
	" 9	17.3	3.1	11	.	.	.	2	1
New Kilmainham.	Apr. 4	21.2	.	4
	" 11	21.2	5.3	4	1	.	.	.	2
	" 18	10.6	.	2	1
Population in 1914 (Est.) 9,851.	" 25	21.2	.	4	1	.	.	.	1
	May 2	10.6	.	2	1
	" 9	15.9	5.3	3	1

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncer- tified Deaths.	
		FROM ALL CAUSES.	CERTAIN INFECTIOUS DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.			
													Pulmonary.	Other Forms.		Pneumonia.	Other.						
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Apr. 4 " 11 " 18 " 25 May 2 " 9	17.3 9.3 17.3 20.0 20.0 25.3	1.3 . 1.3 2.7 4.0 4.0	13 7 13 15 15 19 3 1	. . . 1 . 1 1	1 1	2 .1 1 1 1 3	. .1 .1 .1 .1 .	. 1 .1 2 3 1	. .3 .2 3 . .	2 .3 1 1 1 .	. .1 .1 11 .1 11 .1 . . .	1 .1 .1 . . 1	. .1 .1 . . 1	
Pembroke Urban District. Population in 1914 (Est.) 30,240	Apr. 4 " 11 " 18 " 25 May 2 " 9	32.8 15.5 10.3 15.5 13.8 17.2	3.4 . . . 1.7 .	19 9 6 9 8 101 .1 .1 1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	1 2 .1 .1 1 4	. .1 .1 .1 .1 1	. 1 .1 1 . 1	3 1 1 1 1 1	1 2 1 1 1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	1 .1 1 . . .	1 .1 1 . . .	
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Apr. 4 " 11 " 18 " 25 May 2 " 9	22.7 . 22.7 11.3 5.7 11.3	. . 5.7 . 5.7 5.7	4 . 4 2 1 2	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 1 .1 .	. .1 1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	1 .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	
Kingstown Urban District. Population in 1911 16,941.	Apr. 4 " 11 " 18 " 25 May 2 " 9	24.6 3.1 15.4 21.5 24.6 21.5	8 1 5 7 8 7	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. 1 2 .11 .1 .1 1 1	1 .1 .1 1 .1 .	. .1 .1 1 .1 .	1 .1 1 1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	
Belfast. Population in 1914 (Est.) 399,000.	Apr. 4 " 11 " 18 " 25 May 2 " 9	17.8 18.6 21.2 23.4 18.2 15.2	1.2 2.2 2.6 2.4 1.7 0.8	136 142 162 179 139 116	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	1 2 2 1 3 1	2 3 5 6 1 .	3 6 9 8 3 3	2 1 1 .1 3 1	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	10 12 11 32 18 19	5 4 13 4 4 10	5 9 4 5 6 5	6 19 12 22 8 9	23 9 27 15 17 11	1 4 2 2 4 .	. 1 1 2 1 .	. 1 1 1 2 1	. 3 3 1 2 1	. 3 3 1 2 1	
Cork. Population in 1911 76,673.	Apr. 4 " 11 " 18 " 25 May 2 " 9	21.1 19.7 27.9 33.3 23.1 19.7	3.4 0.7 1.4 2.7 3.4 2.0	31 29 41 49 34 29	. .1 1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 1 .	. .1 .1 .1 .1 .	. .1 .1 .1 4 3	3 1 .1 .1 . 3	1 .1 .1 .1 .1 .	. .1 .1 .1 .1 .	5 5 11 6 6 5	1 4 2 1 1 .	2 . 1 3 2 .	4 1 4 6 1 2	2 1 7 3 5 3	1 .1 .1 1 .1 .	. .1 .1 1 .1 .	. .1 .1 1 .1 .	. .1 .1 1 .1 .	. 3 1 . . .	
Londonderry. Population in 1914 (Est.) 41,100.	Apr. 4 " 11 " 18 " 25 May 2 " 9	14.0 22.8 17.8 16.5 19.0 12.7	1.3	11 18 14 13 15 10	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	2 3 2 2 2 1	. 2 2 2 . 1	1 2 2 .1 3	. 1 .1 .1 . .	4 3 1 2 2 2	1 .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	1 .2 2 . . .	
Limerick. Population in 1911 38,518.	Apr. 4 " 11 " 18 " 25 May 2 " 9	17.6 16.2 27.1 28.4 23.0 19.0	. 2.7 . 1.4 . .	13 12 20 21 17 14	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. 1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	1 2 .1 2 3 2	. 2 2 2 1 .	. 1 2 .1 2	1 3 6 3 3 2	3 1 6 3 3 2	. 1 .1 .1 .1 .	. 1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	
Waterford. Population in 1911 27,464.	Apr. 4 " 11 " 18 " 25 May 2 " 9	36.1 11.4 32.3 24.7 20.9 26.6	1.9 . 3.8 . . 3.8	19 6 17 13 11 14	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	1 2 2 2 2 2	. .1 1 .1 .1 .	2 .1 .1 .1 1	1 1 2 4 .1 2	4 2 5 4 4 2	1 1 1 . .1 2	. .1 1 .1 .1 .	. 1 .1 .1 .1 .	. 1 .1 .1 .1 .	2 .1 . . 1	1 .1 .1 .1 1

* See note (†) at foot of first page

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1913-4—WEEK ENDING																									
	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.
No. of weeks in Annual Series,	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
BIRTHS registered, ...	182	170	186	136	205	196	130	284	195	254	208	215	187	224	210	203	217	222	196	244	243	163	219	255	198	222
DEATHS registered, ...	139	126	112	117	137	141	150	194	203	174	182	197	164	142	144	153	140	146	163	150	136	142	162	179	139	116
Annual Death-rate per 1,000 of estimated population, ...	18.3	16.6	14.7	15.4	18.0	18.6	19.8	25.4	26.5	22.7	23.9	25.7	21.4	18.6	18.8	20.0	18.8	19.1	21.3	19.6	17.8	18.6	21.2	23.4	18.2	15.2
Ages, { Under 1 year, 1—5 years, 5—25 " 25—45 " 45—65 " 65 and upwards,	31	19	19	14	23	27	28	42	46	24	43	45	33	23	25	28	28	28	32	28	28	29	29	45	29	21
	15	24	14	24	26	17	29	23	36	24	22	21	16	20	10	16	15	16	21	27	9	18	22	21	18	10
	14	14	8	15	12	16	25	14	17	14	24	13	18	15	12	18	14	10	19	13	16	11	17	20	21	13
	24	15	21	20	22	32	20	25	26	30	23	34	24	26	21	29	27	34	26	21	24	20	25	25	27	19
	32	29	24	27	29	32	30	39	47	36	35	41	37	31	42	32	33	28	30	28	30	30	31	36	25	28
	23	25	26	17	25	17	18	51	31	46	35	43	36	22	34	30	23	30	35	33	29	34	38	32	19	25
Deaths from:—																										
Enteric Fever,	1	2	1	.	.	.	1	.	.	1	.	1	1
Typhus,	2	1
Small-pox,
Measles, ...	1	1	3	.	.	.	1	.	1	.	1	1	2	2	1	3	1
Scarlet Fever, ...	7	9	4	8	8	5	6	3	12	10	2	3	7	6	1	6	3	3	3	2	2	3	5	6	1	.
Whooping-cough, ...	3	2	.	3	3	3	7	6	3	1	5	1	2	6	1	4	5	2	7	5	3	6	9	8	3	3
Diphtheria, ...	2	.	1	.	2	1	.	2	4	2	2	.	1	2	1	.	2	1	1	.	.	1
Dysentery,	1
Tuberculosis, { Pulmonary,	22	9	3	10	8	12	15	15	14	17	15	12	14	21	17	31	14	15	16	14	10	12	11	32	18	19
{ Other Forms,	2	5	3	6	5	2	9	8	8	5	6	3	7	4	4	8	6	5	6	7	5	4	13	4	4	10
Cancer, ...	8	10	6	3	7	10	6	3	10	8	6	10	8	9	9	4	4	3	7	3	5	9	4	5	6	5
Diseases of Respi- ratory System, { Pneumonia,	16	9	10	13	25	14	28	23	29	23	29	26	21	13	14	15	16	12	9	15	6	19	12	22	8	9
{ Others, ...	15	11	12	14	10	14	15	36	28	27	26	45	32	23	18	18	21	15	31	20	23	9	27	15	17	11
Diarrhoea and Enteritis, under 2 years, ...	1	6	.	1	.	1	1	1	2	3	1	2	3	1	1	4	7	8	3	2	1	4	2	2	4	.
Diarrhoea, 2 years and upwards,	1	.	.	.	2	.	2	1	1	.	.	.	1	1	1	1	2	1
Violent Deaths, ...	4	9	1	3	2	1	3	5	.	1	6	4	3	2	3	4	2	.	2	.	.	3	3	1	2	1
Number of Uncertified Deaths, ...	6	1	1	1	.	3	1	.	5	4	3	2	.	4	1	3	1	1	1	.	3	1	3	4	1	2
Mean Temperature of the Air in degrees.	46.7	46.6	48.3	43.1	45.4	43.3	40.0	32.3	41.1	38.7	38.4	44.1	48.1	41.2	41.0	41.1	44.3	39.9	40.8	41.0	49.7	47.1	43.5	52.7	48.2	48.2
Rainfall, in inches, ...	1.65	0.92	0.26	1.51	0.78	0.07	0.82	0.41	1.83	0.00	0.28	0.55	0.32	0.72	0.93	0.82	0.92	1.40	0.65	0.07	0.78	1.00	0.34	0.12	0.00	1.32

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	May 9,	2,189	1,197	13·8	2	.	26	6	24	13	12
EDINBURGH, ...	321,900	„ 9,	138	107	17·3	.	.	4	.	1	.	.
GLASGOW, ...	1,047,000	„ 9,	579	315	15·7	1	.	19	1	10	3	3
CALCUTTA, ...	896,067	Mar. 28,	.	597	34·6	114*	39	1	.	.	1†	121½
BOMBAY, ...	979,445	Apr. 4,	364	875	46·5	277*	12	10	.	.	.	72½
MADRAS ...	618,660	„ 4,	316	369	37·0	50*	8	2	?	?	?	97½
CAIRO, ...	721,303	Mar. 4,	618	358	25·9	2	1	.	1	?	7†	29
PARIS, ...	2,847,229	Apr. 25,	914	989	17·8	5	.	12	3	11	3†	22
BRUSSELS, ...	780,843	„ 18,	244	187	12·3	2	.	2	.	2	2†	11
ANTWERP, ...	313,833	„ 18,	104	73	12·1	.	.	.	1	1	.	8
AMSTERDAM, ...	597,449	„ 18,	278	165	14·4	.	.	7	.	3	.	1
COPENHAGEN, ...	483,000	„ 18,	261	178	19·2	.	.	4	1	2	.	6½
STOCKHOLM, ...	376,171	„ 18,	153	109	14·8	.	.	5	.	.	1	.
CHRISTIANIA, ...	250,423	„ 25,	126	77	16·0	1	.	1½
ST. PETERSBURG ...	1,728,200	„ 4,	675	826	24·9	8	4	22	9	8	6	43
MOSCOW, ...	1,694,000	Mar. 28,	.	846	26·0	2	1	46	14	21	17†	61½
BERLIN, ...	2,081,253	Apr. 11,	.	614	15·4	.	.	11	9	2	13†	20½
HAMBURG, ...	1,030,983	„ 18,	.	272	13·7	.	.	.	5	1	11	10
BRESLAU, ...	544,232	„ 18,	.	197	18·9	.	.	.	1	1	.	14½
MUNICH, ...	640,000	„ 18,	.	180	14·7	.	.	3	.	2	3†	5
VIENNA (with suburbs),	2,149,834	„ 18,	819	650	15·7	.	.	12	2	2	9†	31
BUDA-PESTH, ...	950,784	„ 18,	576	408	22·3	2	.	6	9	2	2†	8
PRAGUE and Faubourgs,	498,496	Mar. 21,	166	152	15·9	1	.	4
TRIESTE, ...	242,443	Apr 4,	130	106	22·8	.	.	2	.	.	2†	1
ROME, ...	591,943	Nov. 15,	303	175	15·4	8	.	.	1	1	2†	18½
NEW YORK, ...	5,583,871	Apr. 11,	2,729	1,612	15·1	4	.	22	17	5	40†	35
PHILADELPHIA, ...	1,657,815	Mar. 4,
BOSTON, ...	750,768	Apr. 18,	.	280½	19·5	1	.	.	2	.	1	4½

* Deaths from "fever," including 6 from enteric fever and 30 from plague in Calcutta; 8 from enteric fever and 198 from plague in Bombay; and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 75 deaths from cholera in Calcutta, and 3 in Bombay

^a Deaths from diarrhoeal diseases at all ages.

^b Corrected figures, i.e., non-residents deducted, 241 (including one death from scarlet fever, and 3 from diarrhoeal diseases), rate 16·7 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th May, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomylitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	1	4	5
" " 1, West,	3	.	.	3	2	8
" " 2,	2	.	.	.	2	4
" " 3,	2	1	.	2	4	9
Clontarf and Howth No. 1 (part of),	3	3
Coolock and Drumcondra (part of),	.	2	.	.	2	4
Finglas and Glasnevin (part of),
South City No. 1,	2	.	.	1	2	5
" " 2,	3	1	4
" " 3,	3	.	.	2	4	9
" " 4,	1	.	.	1	.	.	2	3	7
New Kilmainham,
Total,	10	1	.	18	.	.	5	2	.	.	.	22	58

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 9th May, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 9th May.			
	April 18.	April 25.	May 2.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	24	24	22	3	5	.	20
Typhus, ...	1	1	1	.	1	.	.
Small-pox,
Measles, ...	166	143	137	31	30	6	132
Scarlet Fever, ...	104	90	104	13	22	.	95*
Diphtheria, ...	39	31	37	19	8	2	46
Pneumonia, ...	23	24	26	5	4	3	24

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 9th May, 1914:—

ERRATUM in last week's Report (page 287): the word "millibars" should read "centibars," the decimal point having been inserted in error.

"The drought which began on April 13th drew to a close on the afternoon of Sunday of this week, a heavy shower falling at 4.40 p.m. of that day. This was followed by a succession of cloudy, squally, showery days, culminating in a spell of severe cold for the time of year—on Friday the thermometer ranged in Dublin from 39·4° to 50·2°, the mean temperature of the day being only 44·5°, or 11·2° below that of the previous Monday (55·7°). Saturday was still colder, the mean being 44·1°. The break in the weather was connected with the arrival over the British Isles of a series of atmospheric depressions, the first of which reached the Irish coast on the afternoon of Saturday, May 2. Coincidentally with the arrival of these disturbances, which swept eastwards across the United Kingdom and the North Sea, a system of high barometric pressure became established in the Greenland-Iceland region, accompanied by severe cold there and in Spitzbergen. In the latter island the thermometer fell to—13° F. early on Thursday morning, and sharp frost was reported from all stations in Iceland. The cold snap spread to the British and Irish coasts from those far northern regions in the form of strong and squally N.W. winds, which prevailed especially on Friday in the wake of the depressions as they travelled away to the eastward. Heavy showers of cold rain, sleet and hail fell in most districts and thunder and lightning occurred in many places, notably in Middlesex, Kent, and Essex on Thursday afternoon. Friday was very inclement in the Dublin area, but the weather moderated on Saturday, becoming fine and dry while continuing cold. In Dublin the mean height of the barometer was 29·646 inches, pressure being seen to range between 29·415 inches at 9 a.m. of Thursday (wind, W.N.W.) and 30·134 inches at 9 p.m. of Saturday (wind, S.W.). The corrected mean temperature was 50·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 49·3°. On Sunday the screened thermometers rose to 63·9°, on Friday they fell to 39·4°. S.W. to N.W. winds prevailed. Hail fell on Thursday and Friday. There was a gale on the latter day. The rainfall was 1·153 inches on 7 days, ·442 inch being recorded on Tuesday. A solar halo was seen on Saturday evening."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29·634 inches. The highest reading (30·053) was on Saturday, at 9 p.m., the lowest (29·407) on Wednesday, at 9 p.m.

The mean temperature for the week was 49·6°, being 0·1° below the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Sunday, on which day the thermometer registered 64°, and was lowest on Friday and Saturday, the mercury having fallen to 38°. The mean of the Dry Bulb for the week was 49·1° and of the Wet Bulb, 47·2°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The rainfall during the week measured 1·335 inches.

At Greenwich the mean temperature for the week was 52·0°, the maximum 66·9°, and the minimum 40·2°; at Glasgow the maximum was 59·0°, the minimum 38·8°, and the mean 48·1°; and at Edinburgh the maximum was 59·1°, the minimum 38·0°, and the mean 47·0°. The rainfall at Greenwich measured 0·97 in.; at Glasgow 0·97 in.; and at Edinburgh 1·21 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.	BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.
	Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation = 1·0.			
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday, May 3,	29·690	64	47	55·5	55·6	53·9	·89	·7	1·7	·060
Monday, " 4,	29·540	61	49	55·0	52·4	50·4	·87	·7	4·5	·300
Tuesday, " 5,	29·540	57	47	52·0	51·0	49·0	·87	·7	6·5	·400
Wednesday, " 6,	29·535	54	45	49·5	48·8	47·3	·90	·8	0·1	·165
Thursday, " 7,	29·450	53	42	47·5	46·9	45·5	·90	·7	0·6	·090
Friday, " 8,	29·630	50	38	44·0	45·0	43·1	·86	·7	2·6	·200
Saturday, " 9,	30·050	50	38	44·0	44·0	41·1	·78	·7	6·5	·120
Mean,	29·634	55·6	43·7	49·6	49·1	47·2	·87	·7	Total 22·5	Total 1·335

Sunday—A dull day, light passing showers p.m.; night cloudy, drizzling rain from m.n. to 1.15 a.m. *Monday*—A dull day, bright at intervals, heavy showers a.m. and p.m.; night overcast, rain 2.20 to 2.40 p.m. *Tuesday*—A dull day, bright at intervals, very heavy showers a.m. and p.m. Hail shower at 2.0 p.m. *Wednesday*—A very dull day, showers p.m.; night overcast, drizzling rain from m.n. to 2.0 a.m. *Thursday*—A very dull day, light showers a.m. and p.m.; night clear, light shower from 5.45 to 6.10 a.m. *Friday*—A dull day, heavy showers a.m. and p.m. Hail shower a.m.; night clear, bright at intervals. *Saturday*—Night overcast, drizzling rain from m.n. to 5.15 a.m.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 9th May, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.R.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, May 3,	56·5	51·0	50·0	65	46	55·5	hrs. 1·3	ins. —
Monday, " 4,	57·2	52·0	50·0	63	49	56	3·2	·095
Tuesday, " 5,	54·8	52·0	50·0	59	47	53	6·2	·382
Wednesday, " 6,	51·5	52·0	50·0	56	45	50·5	0·1	·145
Thursday, " 7,	49·0	52·0	50·0	53	43	48	0·3	·100
Friday, " 8,	45·2	51·5	50·0	51	38	44·5	3·1	·188
Saturday, " 9,	45·5	50·8	50·2	50	38	44	5·0	·115
Weekly Mean, .	51·4	51·5	50·0	56·7	43·7	50·2	Total 19·2	Total. 1·025

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 16TH MAY, 1914.

[No. 20.]

*General Register Office, Charlemont House,
Dublin, 18th May, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 18·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	April 25	May 2	May 9	May 16	
27 Town Districts, (a)	25·3	20·6	18·6	18·2	20·7
Dublin Reg. Area ...	27·9	24·5	21·7	19·5	23·4
Dublin City ...	30·9	26·7	22·0	21·8	25·3
Belfast ...	23·4	18·2	15·2	17·6	18·6
Cork ...	33·3	23·1	19·7	21·1	24·3
Londonderry ...	16·5	19·0	12·7	12·7	15·2
Limerick ...	28·4	23·0	19·0	10·8	20·3
Waterford ...	24·7	20·9	26·6	19·0	22·8

The deaths from certain epidemic diseases† registered in the 27 town districts during last week* were equal to an annual rate of 1·9 per 1,000. Among the 135 deaths from all causes for Belfast are 3 from measles, 2 from scarlet fever, 5 from whooping-cough, and 3 from diarrhoea and enteritis of children under 2 years. Of the 31 deaths from all causes for Cork one is from whooping-cough. Included in the 4 deaths from all causes for Lisburn are one from measles and one from diphtheria. Among the 6 deaths from all causes for Kilkenny one is from diphtheria; and one death from whooping-cough is included in the 3 deaths from all causes for Newtownards.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 197—96 boys and 101 girls—and the deaths to 160—78 males and 82 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·5 per 1,000 of the population. During the twenty weeks, ending with Saturday last, the death-rate averaged 24·2, and was 0·1 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 160, represent an annual rate of 20·5 per 1,000; the annual rate for the past twenty weeks was 25·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·6 per 1,000 of the mean population for all deaths registered.

Among the deaths from all causes registered are one from enteric fever, 17 from measles, one death from whooping-cough, 5 deaths from diarrhoea and enteritis of children under 2 years of age, one death from malaria, and one from influenza.

In the 8 weeks preceding, deaths from measles numbered 14, 27, 22, 34, 39, 35, 40, and 29, respectively. Deaths from enteric fever in the three preceding weeks were 0, 0, and 0; from whooping-cough, 2, 2, and 2; from diarrhoea and enteritis of children under 2 years of age, 3, 3, and one, and from influenza 0, 0, and 2 respectively.

Deaths from all forms of tuberculous disease which in the 3 preceding weeks numbered 33, 24, and 31, respectively, were 29* last week, the latter figure including 24 deaths from pulmonary tuberculosis, one death from abdominal tuberculosis, and 4 deaths from other forms of the disease.

Cancer caused 11* deaths.

Among deaths of infants under one year of age, 2 were ascribed to convulsions, 2 to congenital malformations, 6 to premature birth, and 2 to congenital debility.

Nine deaths were caused by broncho-pneumonia and 4 by pneumonia (type not distinguished).

There were 7 deaths from organic diseases of the heart and 15 from bronchitis.

To accidental causes 7 deaths were attributed, including 2 deaths of children from burns or scalds (aged respectively, 5 weeks and 4 years), and one death caused by drowning.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprised the deaths of one infant under one year old, and of one person aged 76 years.

Fifty-four of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 12 were under one month old), and 32 were aged 65 years and upwards, including 21 persons aged 70 and upwards; among the latter were 11 aged 75 and upwards.

Seventy-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·5 per 1,000; the rate in the City was 21·8 (North City Districts, 24·4; South, 19·0) and in the Suburbs 12·0.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 3·1 per 1,000 inhabitants, the rate for the City being 3·9 (in the North City Districts 3·8, and in the South 3·9), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·2 per 1,000, and include 2 deaths from measles, one from whooping-cough, 2 from broncho-pneumonia, one from bronchitis, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 25·3 per 1,000. There were 3 deaths from measles, 3 from pulmonary tuberculosis, 4 from broncho-pneumonia, 2 from bronchitis, and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 29·9 per 1,000. Two deaths from measles, 3 from pulmonary tuberculosis, one death from broncho-pneumonia, and 5 deaths from bronchitis were recorded.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 24·9 per 1,000. Among them are 4 from measles, 3 from tuberculous disease, one from broncho-pneumonia, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 30·5 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 9·7. Among the 8 deaths from all causes for Coolock and Drumcondra, part of, are 3 from tuberculous disease; and the 2 deaths recorded for Finglas and Glasnevin, part of, include one from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 24·3 per 1,000. One death from enteric fever, 3 deaths from measles, 2 deaths from pulmonary tuberculosis, one death from pneumonia, 4 deaths of children under 2 years of age from diarrhoea and enteritis, and 2 accidental deaths were recorded.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 19·9 per 1,000, and include one death from measles, 3 deaths from pulmonary tuberculosis, and one death from bronchitis.

No. 3 South City District (Peter-street).—The deaths (15) are equal to an annual rate of 18·0 per 1,000. Among them are one death from measles, 3 from tuberculous disease, one from pneumonia, one from bronchitis, and one accidental death.

No. 4 South City District (Grand Canal Street).—The deaths (10) are equivalent to an annual rate of 15·7 per 1,000. To measles one death was ascribed, to pneumonia 2 deaths, and to bronchitis 4 deaths.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·6 per 1,000. One of the deaths was from pulmonary tuberculosis and one from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·6; Pembroke, 8·6; Blackrock, 11·3; and Kingstown, 12·3. The only death from any of the principal epidemic diseases tabulated for these districts was one from diarrhoea and enteritis of a child under 2 years of age for Rathmines and Rathgar, the 11 deaths from all causes for that district including 3 from tuberculous disease. Of the 5 deaths from all causes for Pembroke one was caused by abdominal tuberculosis and one by accident. The 2 deaths recorded for Blackrock include one from pulmonary tuberculosis; and of the 4 deaths from all causes for Kingstown one was from influenza and one from pneumonia.

ENGLAND AND SCOTLAND

The mortality last week in 97 large English towns (including London, in which the rate was 13·4), was equal to an average annual death-rate of 14·1 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 15·3 per 1,000, the rate for Glasgow being 16·7, and for Edinburgh 13·1.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 16th May. From this Report it appears that of a total of 72 cases notified, 41 were scarlet fever, 14 phthisis, 11 diphtheria, 5 erysipelas, and one enteric fever. Among the 545 cases of infectious diseases in hospital at the close of the week were 247 cases of scarlet fever, 203 of phthisis, 55 of diphtheria, 14 of measles, 10 of erysipelas, 4 of enteric fever, 2 of whooping-cough, and one of chicken-pox.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II

STATE OF INFECTIOUS DISEASE

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 16th May, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	April 25.	.	—	—	6	.	.	8	.	.	1	.	.	—	—	.	—	.	34	49
	May 2.	.	—	—	5	.	.	11	.	.	3	1	.	—	—	.	—	.	29	49
	May 9.	.	—	—	10	1	.	18	.	.	5	2	.	—	—	.	—	.	22	53
	May 16.	.	—	—	12	.	.	5	.	.	3	5	.	—	—	.	—	.	35	60
Rathmines and Rathgar Urban District.	April 25.	.	—	—	.	.	.	2	.	.	.	1	.	—	—	—	—	—	—	3
	May 2.	.	—	—	1	1	.	—	—	—	—	—	—	2
	May 9.	.	—	—	3	.	.	2	—	—	—	—	—	—	5
	May 16.	.	—	—	1	1	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	April 25.	.	14	.	13	.	.	2	1	—	1	—	—	—	1	31
	May 2.	.	3	.	2	.	.	2	1	—	.	—	—	—	—	9
	May 9.	.	1	.	4	—	.	—	—	—	—	5
	May 16.	.	1	—	.	—	—	—	1	2
Blackrock Urban District.	April 25.	.	—	—	1	.	—	—	.	—	—	—	.
	May 2.	.	—	—	.	.	.	1	.	.	.	1	.	—	—	.	—	—	—	2
	May 9.	.	—	—	—	—	.	—	—	—	.
	May 16.	.	—	—	—	—	.	—	—	—	.
Kingstown Urban District.	April 25.	.	—	—	—	—	—	—	—	.	1
	May 2.	.	—	—	1	—	—	—	—	—	.	1
	May 9.	.	—	—	—	—	—	—	—	.	1
	May 16.	.	—	—	1	.	.	—	—	—	—	—	.	1
City of Belfast.	April 25.	.	—	—	24	.	.	3	.	.	1	4	.	—	—	.	—	.	3	35
	May 2.	.	—	—	26	.	.	1	.	.	2	3	1	—	—	.	—	.	3	36
	May 9.	.	—	—	35	.	.	6	.	1	4	4	.	—	—	.	—	.	9	59
	May 16.	.	—	—	27	3	.	5	1	1	1	6	.	—	—	.	—	2	8	54
City of Cork.	April 25.	.	2	—	4	1	3	1	.	—	—	—	—	—	—	11
	May 2.	.	4	—	2	.	.	1	1	—	—	—	—	—	—	8
	May 9.	.	8	—	1	1	.	.	.	—	—	—	—	—	—	10
	May 16.	.	2	—	2	1	.	1	.	—	—	—	—	—	—	6*
City of Londonderry.	April 25.	.	—	—	1	1	.	—	—	—	—	—	—	2
	May 2.	.	—	—	2	.	.	1	—	—	—	—	—	—	3
	May 9.	.	—	—	—	—	—	—	—	—	.
	May 16.	.	—	—	1	1	.	.	—	—	—	—	—	—	2
City of Limerick.	April 25.	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	May 2.	.	—	—	—	—	—	—	—	—	1
	May 9.	.	—	—	1	—	—	—	—	—	—	2
	May 16.	.	—	—	2	—	—	—	—	—	—	2
City of Waterford.	April 25.	.	—	—	—	—	—	—	—	2	2
	May 2.	.	—	—	1	—	—	—	—	—	4	5
	May 9.	.	—	—	—	—	—	—	—	—	1
	May 16.	.	—	—	1	.	.	—	—	—	—	—	—	2

*Not including 3 cases of whooping-cough.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th May, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Six cases of enteric fever were admitted to hospital during the week, 3 were discharged, and 23 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 24, 22, and 20.

Thirty-three cases of measles were admitted to hospital, 46 were discharged, there were 2 deaths, and 117 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 143, 137 and 132, respectively.

Sixteen cases of scarlet fever were admitted to hospital, 8 were discharged, and 103* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 90, 104, and 95, respectively.

Six cases of diphtheria were admitted to hospital during the week, and 8 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 31, 37, and 46 respectively, were 44 at the close of last week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 8 were discharged, there were 2 deaths, and 19 cases remained under treatment at the end of the week.

See note () at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 16th of May, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.		
		CITY OF DUBLIN.																			
		REGISTRATION DISTRICTS IN																			
		Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.										URBAN DISTRICTS OF	
		NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.				
Enteric Fever,	1	1	.			
Typhus,			
Small-pox,			
Measles,	2	3	2	4	.	.	3	1	1	1	17	.			
Scarlet Fever,	1	.			
Whooping-cough,	1			
Diphtheria,			
Croup,	1	1	.			
Influenza,			
Dysentery,			
Tuberculosis, { Pulmonary,	.	3	3	2	.	2	1	2	3	2	.	1	2	.	1	.	22	2			
Other Forms,	.	.	.	1	.	1	.	.	.	1	.	1	1	1	.	.	5	.			
Cancer,	1	1	.	1	.	1	1	.	.	1	1	.	1	.	.	1	9	2			
Diseases of Nervous System,	1	1	.	3	.	1	.	3	1	.	.	.	2	1	.	1	14	.			
Organs of Special Sense,			
Circulatory System,	1	.	1	1	.	1	.	1	.	2	2	.	1	.	.	.	9	2			
Respiratory { Pneumonia,	2	4	1	1	.	.	.	1	.	1	2	.	.	.	1	.	13	.			
System. { Others,	3	3	5	1	2	4	1	19	.			
Diarrhoea and Enteritis, under 2 years,	4	1	.	.	.	5	.			
Diarrhoea, 2 years and upwards,			
Enteritis, 2 years and upwards,			
Others,	.	1	1	1	1	.	.	1	1	.	.	4	1			
Genito-urinary System,	.	.	1	1	.	1	1	.	.	.	5	.			
Puerperal Septicæmia, etc.,			
Other Causes incident to Pregnancy and Childbirth,			
Diseases of the Skin and Cellular Tissue,	.	.	1	1	.	.	.	2	.			
Locomotor System,			
Other specified Causes,	2	3	2	2	.	1	.	1	.	2	1	.	1	1	1	.	17	1			
Violent Deaths,	1	1	.	1	.	.	.	2	.	1	.	.	.	1	.	.	7	.			
Ill-defined, &c. Causes,	1	1	.			
Deaths from All Causes	14	20	16	17	.	8	2	19	7	15	10	2	11	5	2	4	152	8			
Annual Rate of Mortality from All Causes in every 1,000 of the population.	24.2	25.3	29.9	24.9	.	30.5	9.7	24.3	19.9	18.0	15.7	10.6	14.6	8.6	11.3	12.3	19.5	.			
	24.4							19.0					12.0								
	21.8																				
Ages at Death. { Under 1 year,	3	5	3	3	.	.	.	7	.	1	1	.	4	1	1	.	29	1			
1 and under 2 years,	2	4	1	1	.	.	.	3	1	1	2	.	1	.	.	.	16	.			
2 " 5 "	1	1	.	2	.	.	.	2	.	1	1	8	.			
5 " 15 "	1	.	.	3	1	7	.			
15 " 25 "	1	2	.	1	.	1	.	.	1	.	.	.	2	1	.	.	9	.			
25 " 45 "	1	2	2	2	.	1	1	1	1	2	.	1	1	2	1	1	19	3			
45 " 65 "	2	2	6	1	.	1	1	3	3	6	5	.	1	.	.	1	32	4			
65 and upwards,	3	4	4	4	.	5	.	1	1	4	1	.	2	1	.	2	32	.			
Number of Uncertified Deaths,	1	.	.	1	.	.	.	2	.			
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																					
Public Hospitals, Prisons, and Lunatic Asylums,	4	4	2	4	.	3	.	11	2	5	3	.	3	1	.	.	42	8			
Workhouse Hospitals.	1	1	5	3	.	.	.	5	2	2	4	.	1	.	.	.	24	.			

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 20th Week of the 10 years, 1901-1913.	In the Week ending Saturday, 16th May, 1914.											
	May 21, 1904.	May 20, 1905.	May 19, 1906.	May 18, 1907.	May 16, 1908.	May 22, 1909.	May 21, 1910.	May 20, 1911.	May 18, 1912.	May 17, 1913.		Deaths of Persons of the Ages of											
												0-5.											
												Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.		
Mean Temperature.	49·3	50·1	46·8	47·3	50·1	50·2	51·4	49·5	49·4	50·0	49·4	49·3											
ALL CAUSES.	172	149	169	208	155	176	131	129	149	151	159·0	160	12	18	16	8	7	9	22	36	21	11	
Enteric Fever, ...	3	4	.	1	1	.	·9	1	1	
Typhus,	
Small-pox,	
Measles, ...	2	2	.	2	2	.	.	4	8	1	2·1	17	.	3	11	3	
Scarlet Fever, ...	1	1	.	2	.	·4	
Whooping-cough, ...	5	1	.	4	2	4	1	4	2	3	2·6	1	.	.	.	1	
Diphtheria, ...	1	.	2	1	2	1	.	1	2	1	1·1	
Croup,	
Influenza, ...	2	2	.	4	7	5	2	1	.	2	2·5	1	1	.	
Dysentery,	
Erysipelas, ...	1	.	2	1	·4	1	.	.	.	
Other Epidemic Diseases,	2	.	1	.	.	.	1	.	·4	1	
Pyæmia and Septicæmia (non-puerperal).	.	.	.	2	.	.	1	1	1	.	·5	
Tetanus,	
TUBERCULOSIS.																							
Pulmonary Tuberculosis, ...	23	18	16	29	22	17	15	25	17	23	20·5	24	1	4	11	6	2	.	
Tuberculous Meningitis, ...	4	4	4	5	4	3	1	3	1	3	3·2	
Abdominal Tuberculosis, ...	1	1	.	3	1	.	.	1	4	3	1·4	1	1	
Tuberculosis of the Vertebral Column.	3	
Tuberculosis of Joints, ...	3	5	12	12	3	8	8	2	.	1	6·1	1	1	.	
Tuberculosis of other Organs,	
Scrofula,	
Disseminated Tuberculosis	1	3	.	3	.	1	.	1	1	
Venereal Diseases, ...	1	3	2	2	.	1	1	1	2	.	1·3	1	1	
Cancer, ...	11	6	15	11	6	6	3	6	7	6	7·7	11	1	7	2	1	.	
Tumour, situation undefined,	
Rheumatic Fever,	3	·3	
Diabetes,	2	.	.	.	1	3	1	1	·8	
Anæmia, Ieucocythæmia,	1	1	1	.	1	1	
Other General Diseases,	3	3	3	.	1	1	.	
Alcoholism, ...	1	1	1	1	1	1	·6	1	
Chronic Poisonings,	
Cerebro-spinal Fever,	2	1	·3	
Simple Meningitis,	2	
Cerebral Hæmorrhage, Apoplexy.	5	4	.	3	.	.	1	.	.	.	1	2	.	.	
Softening of Brain,	
Paralysis, without specific cause.	1	4	.	5	1	.	4	.	.	
Epilepsy,	1	
Convulsions (non-puerperal),	2	2	.	3	1	1	1	
Other Diseases of Nervous System.	38	41	42	46	40	41	29	16	.	4	35·1	2	.	1	.	1	.	1	
Pericarditis,	1	.	1	1	.	.	.	
Acute Endocarditis,	1	.	2	1	1	.	.	
Organic Diseases of the Heart,	15	12	7	.	.	.	1	.	.	3	.	2	.	
Embolism and Thrombosis (including Cerebral).	1	
Other Diseases of Circulatory system.	1	2	.	1	1	
Diseases of the Larynx,	
Bronchitis, ...	19	14	13	16	21	21	15	14	16	16	16·5	15	.	1	7	2	2	.	
Broncho-pneumonia, ...	9	3	2	7	4	5	5	7	10	6	5·8	9	.	3	2	1	.	.	1	.	.	.	
Lobar pneumonia,	2	1	5	.	2	2	.	2	1	1·5	1	.	.	.	
Pneumonia (type not distinguished.)	6	3	10	11	10	9	6	5	6	5	7·1	4	.	.	1	.	.	2	1	.	.	.	
Pleurisy,	
Pulmonary Congestion, Pulmonary Apoplexy.	1	2	1	.	
Other Diseases of Respiratory System.	2	3	2	3	1	5	1	1	1	.	2·3	2	1	.	1	.	.	

TWENTIETH WEEK, ending Saturday, 16th May, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 20th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 16th May, 1914.																															
	May 21, 1904.	May 20, 1905.	May 19, 1906.	May 18, 1907.	May 16, 1908.	May 22, 1909.	May 21, 1910.	May 20, 1911.	May 18, 1912.	May 17, 1913.		Deaths of Persons of the Ages of																															
												—	0-5.																														
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																					
Mean Temperature ...	49.3	50.1	46.8	47.3	50.1	50.2	51.4	49.5	49.4	50.0	49.4	49.3	Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																					
Diseases of the Pharynx, Tonsillitis.	2	.	.	.2																					
Diseases of Stomach, ...	—	—	—	—	—	—	—	3	4	2	—																					
Diarrhoea and Enteritis of Children under 2 years.	6	4	2	4	1	2	6	3	1	5	3.7	5	2	2	1																					
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																							1	1	
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	.	.	.	—	1																					
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	.	.	.	1	—	1	1	.	.																					
Cirrhosis of Liver, ...	1	2	2	2	1	2	1	.	.	1	1.2	2	1	.	1																					
Other Diseases of Liver,	4	1	2	1	.	.	1	.	.	.9	1	1																					
Peritonitis (cause unknown),	1	.	.	1	.	.	13	1	1	.	.	.																					
Other Diseases of Digestive System.	5	5	4	8	1	7	3	.	1	2	3.6																					
Acute Nephritis, ...	7	5	5	7	7	4	7	.	.	.	5.8	1	4	1																					
Chronic Bright's Disease, ...																							4	.	7	
Urinary Calculi,
Uterine Tumour (non-cancerous).																						
Ovarian Tumour (non-cancerous)																						
Other Diseases of Genito-urinary System.	3	.	2																					
Puerperal Septicæmia, &c.,	1	1	1	1	1	.7																					
Other Causes incident to Pregnancy and Childbirth.	.	.	2	.	.	1	1	1	1	1																					
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	.	.	1	—	2	1	.	1																					
Diseases of Locomotor System.	—	—	—	—	—	—	—	.	.	.	—																					
Congenital Malformations, ...	—	—	—	—	—	—	—	1	2	1	—	2	1	1																					
Premature Birth, ...	2	2	7	2	4	4	4	4	3	3	3.5	6	6																					
Congenital Debility, ...	—	—	—	—	—	—	—	1	2	5	—	2	.	2																					
Old Age, ...	8	7	6	3	1	2	3	3	5	3	4.1	2	1	1	.																					
Other Specified Diseases, ...	—	—	—	—	—	—	—	1	.	1	—	1	1																					
ACCIDENT:																					
Poisons or Poisonous Vapours.	.	22																					
Conflagration,4																					
Burns and Scalds,	1	1	1	1	.	.1	2	1	1	.	.	.																					
Drowning,	12																					
Suffocation in Bed,	1	.	.	.	1	.	.9	1	1	2	.																					
Other Deaths by Accident, ...	3	2	2	2	2	4	.	.	1	3	1.9	4	2	1	2	.	.																					
Total Deaths from Accident,	3	5	4	2	3	4	.	1	3	3	2.8	7	.	1	.	1																					
Included in above are Deaths in connection with—																					
Railways,4	1	1	.																					
Vehicles and Horses,	1	.	.	1	2																					
Ships, Boats, Docks,1																					
Building Operations,	1																					
VIOLENCE OTHER THAN ACCIDENTAL:																					
Homicide,	1	12																					
Suicide,																					
Execution,																					
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	2	2	1	—	1	1																					

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

1913-4.—WEEK ENDING																									
DUBLIN REGISTRATION AREA.																									
Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.
N ^o . of weeks in Annual Series,																									
47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
BIRTHS registered.																									
165	209	194	212	185	140	168	246	203	241	234	279	217	217	202	244	225	210	208	227	173	218	207	288	222	197
184	213	187	204	179	186	225	222	212	215	241	214	217	204	232	222	206	215	230	214	220	221	218	264	237	214
AVERAGE BIRTHS IN CORRESPONDING WEEKS OF PREVIOUS 10 YEARS, ...																									
148	164	153	147	167	137	250	210	205	236	201	214	171	175	187	169	189	183	219	212	194	212	231	203	181	160
DEATHS registered, ...																									
19.1	21.2	19.8	19.0	21.6	17.7	32.1	27.0	26.3	30.3	25.8	27.5	22.0	22.5	24.0	21.7	24.3	23.5	28.1	27.2	24.9	27.2	29.7	26.1	23.2	20.5
AVERAGE DEATHS IN CORRESPONDING WEEKS OF PREVIOUS 10 YEARS, ...																									
171	178	181	171	173	166	193	189	194	197	198	197	198	201	204	199	196	195	199	202	192	198	188	173	179	159
Ages, { Under 5 years, ...																									
47	38	55	49	55	47	63	46	45	69	56	72	49	52	56	57	61	70	82	55	74	89	92	89	62	54
7	9	6	8	8	6	11	12	6	7	11	8	12	8	5	2	7	7	9	12	7	11	10	6	10	7
15-25	6	4	3	6	6	12	9	4	16	11	12	10	11	8	14	9	7	9	14	5	10	9	9	8	9
25-45	33	23	31	31	19	32	31	32	29	30	27	23	28	27	18	30	28	35	26	27	28	33	30	27	22
45-65	15	33	23	34	37	25	78	48	55	50	46	44	35	40	38	46	38	44	41	51	32	45	30	50	36
65-75	35	47	26	34	37	25	78	48	55	50	46	44	35	40	38	46	38	44	41	51	32	45	30	50	36
75 and upwards,	23	22	26	15	20	31	36	32	34	21	28	25	27	37	22	18	21	24	35	16	29	23	22	14	21
...	15	9	13	7	10	14	23	28	31	26	13	17	16	14	18	18	12	16	26	14	13	19	17	10	11
Deaths from :—																									
...	...	4	3	1	...	1	3	3	2	...	1	1	...	1	1	...	1	1	1
Enteric Fever,	1
Typhus,
Small-pox,
Measles,
Scarlet Fever,
Whooping-cough,
Diphtheria,
Influenza,
Dysentery,
Tuberculosis { Pulmonary ...	14	17	15	16	23	12	24	19	22	25	24	25	25	23	21	26	21	21	22	28	22	25	14	22	24
Other Forms, ...	6	6	5	5	7	5	11	8	10	12	7	5	10	4	2	9	8	6	9	5	10	8	10	9	5
Cancer, ...	12	11	7	6	7	7	7	8	9	7	10	5	5	10	9	7	6	18	6	13	8	13	9	11	11
Diseases of Circulatory System, ...	9	17	11	17	18	19	26	15	23	16	14	10	18	19	20	17	17	14	25	15	22	19	21	11	13
Diseases of Respi- (Pneumonia	14	14	18	19	18	12	22	19	21	26	17	20	13	14	15	14	8	20	19	19	16	17	19	13	13
ratory System, { Others, ...	20	22	17	22	16	17	51	48	43	32	31	25	17	30	21	34	35	34	35	30	28	20	15	17	19
Diarrhea and Enteritis, under
2 years, ...	9	7	5	4	8	5	3	2	5	5	3	5	4	2	5	5	6	4	4	1	2	3	3	1	5
Diarrhea, 2 years and upwards,
Violent Deaths,
Number of Uncertified Deaths,
Mean Temperature of the Air
(Phoenix Park) in degrees,
Average Mean Temperature in
corresponding week of previous
10 years, ...	41.9	41.5	42.2	42.5	41.5	41.9	41.1	40.0	39.6	39.4	40.4	41.6	40.4	41.5	41.7	41.7	41.8	43.3	43.8	44.4	46.1	45.9	44.9	49.6	49.3
Rainfall in inches,
Mean Humidity of the Air, com-
plete Saturation 1.0,

* For 6 days only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th May, 1914 : the Annual Death-rate represented by the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death ; also the Number of Uncertified Deaths.

[illegible]

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncer- tified Deaths.											
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and enteric fever, under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.												
													Pulmonary.	Other Forms.	Pneumonia.	Other.															
North City, No. 1 (E.) (Office Clarence St. Nth.) Population in 1914 (Est.) 30,206.	Apr. 11 " 18 " 25 May 2 " 9 " 16	20.7 19.0 32.8 31.1 31.1 24.2	8.6 8.6 6.9 8.6 8.6 5.2	12 11 19 18 18 14	.	.	.	4 4 2 4 3 2	1	1 . 1 . 1 .	.	.	1 2 1 1 3 .	.	1 1 2	3 2 . 1 3 3	2 . 2 4 3	1 1	.	.	.	1 1 2 . . .			
North City, No. 1 (W.) (Office, Summer-hill.) Population in 1914 (Est.) 41,278.	Apr. 11 " 18 " 25 May 2 " 9 " 16	37.9 42.9 34.1 27.8 25.3 25.3	13.9 16.4 6.3 10.1 3.8 5.8	30 34 27 22 20 20	1	.	.	8 8 4 8 2 3	.	1 3	4 5 6 1 2 3	.	1 . 2 1 2 1	3 5 2 3 2 4	5 2 1 . 3 3	1 2 1 . 3 .	.	1 2 1 . 1	1 1	.	.	.	2		
North City, No. 2. (Office, Lisburn-street.) Population in 1914 (Est.) 27,883.	Apr. 11 " 18 " 25 May 2 " 9 " 16	35.5 39.3 54.2 43.0 31.8 29.9	11.2 7.5 13.1 16.8 7.5 3.7	19 21 29 23 17 16	.	.	.	5 4 6 7 4 2	.	1 . . 1	3 2 2 2 1 3	1 3 3 2 2 .	.	2 . 2 3 1 . 1	2 2 1 1 2 5	3 2 1 1 2 .	.	1 . 1 2 1	1	1 1		
North City, No. 3. (Office, Benburb-street.) Population in 1914 (Est.) 35,536.	Apr. 11 " 18 " 25 May 2 " 9 " 16	36.7 29.3 29.3 30.8 19.1 24.9	8.8 16.1 7.3 8.8 8.8 5.9	25 20 20 21 13 17	.	.	.	5 10 5 6 6 4	1	.	.	.	2 2 7 1 4 2	2 1 . 1 . 1	4 1 . 1 . 1	1 . . 1 . . 1	7 2 3 1 . .	.	1 2 . 1	2 1	.	.	.	1 . 2			
Clontarf and Howth No. 1 (part of). Population in 1914 (Est.) 5,485.	Apr. 11 " 18 " 25 May 2 " 9 " 16	19.0 19.0 57.0 9.5 9.5 .	.	2 2 6 1 1	1	1
Coolock and Drumcondra (part of). Population in 1914 (Est.) 13,685.	Apr. 11 " 18 " 25 May 2 " 9 " 16	15.2 11.4 15.2 19.1 7.6 30.5	7.6 . . . 3.8 .	4 3 4 5 2 8	.	.	.	2	2 1 1 1 2	.	.	1 . . 1 .	.	2 1 1	
Finglas and Glasnevin (part of). Population in 1914 (Est.) 10,723.	Apr. 11 " 18 " 25 May 2 " 9 " 16	19.5 4.9 9.7 14.6 14.6 9.7	9.7 . . 4.9 . .	4 1 2 3 3 2	.	.	.	1 . . 1	1 . . 1 1	1 . . . 1	.	.	1 . . 1 .	.	1	1	
South City, No. 1. (Office, Sth. Earl-street.) Population in 1914 (Est.) 40,768.	Apr. 11 " 18 " 25 May 2 " 9 " 16	23.0 29.4 32.0 24.3 21.7 24.3	6.4 9.0 6.4 1.3 6.4 10.2	18 13 25 19 17 19	.	.	.	3 4 5 1 5 3	1	4 3 2 1 1 2	.	1 1 2 1 1 .	2 2 4 3 3 1	2 3 3 1 . 4	1 2	2 2	.	.	.	1 1 1 . . .	
South City, No. 2. (Office, Castle-street.) Population in 1914 (Est.) 18,341.	Apr. 11 " 18 " 25 May 2 " 9 " 16	34.1 25.6 28.4 28.4 34.1 19.9	2.8 2.8 5.7 2.8 5.7 2.8	12 9 10 10 12 7	.	.	.	1 1 2 1 2 1	3 3 . 1 . 3	.	1 . . . 1 .	.	2 1 2 2 3 1	
South City, No. 3. (Office, Peter-street.) Population in 1914 (Est.) 43,540.	Apr. 11 " 18 " 25 May 2 " 9 " 16	27.5 40.7 29.9 26.3 16.8 18.0	3.6 7.2 12.0 7.2 3.6 1.2	23 34 25 22 14 15	.	.	.	3 4 8 5 3 1	.	.	1	3 4 4 1 2 2	.	1 4 . 1 . 1	2 3 . 5 2 2	5 6 1 2 2 .	1 1 . 1 . .	.	1 1	2 . 1 1 . 1	.	.	.	1 3 2 . 1 1	
South City, No. 4. (Office, Grand Canal-st.) Population in 1914 (Est.) 33,171.	Apr. 11 " 18 " 25 May 2 " 9 " 16	28.3 23.6 20.4 20.4 17.3 15.7	3.1 6.3 3.1 4.7 3.1 1.6	18 15 13 13 11 10	.	.	.	2 3 1 2 2 1	.	.	1 . . 1	4 1 2 1 1 .	1 . 2 1 . . 1	3 2	2 . . 2 . . 4	1 4 1	1	1	
New Kilmainham. Population in 1914 (Est.) 9,851.	Apr. 11 " 18 " 25 May 2 " 9 " 16	21.2 10.6 21.2 10.6 15.9 10.6	5.3 . . . 5.3 .	4 2 4 2 3 2	1 . . 1 . 1	.	.	.	2 1 . . . 1	

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.		Enteric Fever.	Typhus.	Small pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Marasmus and Enteritis of Children under 2 years of age.	Hæmorrhages, 2 years of age and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District.	Apr. 11 " 18 " 25 May 2	9.3 17.3 20.0 20.0	. 1.3 2.7 4.0	7 13 15 15 1	. . . 3	. . . 1	. . . 1	. . . 1	. . 1 1	. 1 1 3	. . 1 1	1 . 1 1	. . 2 3	. 1 1 1	. . 1 1	. . 1 1	. . . 1	. . . 1	
Population in 1914 (Est.) 39,155.	" 9 " 16	25.3 14.6	4.0 1.3	19 11	1 .	1 .	1 2	3 1	1 1	1 1	. .	. 1	1 1	. 1	. .	1 1	
Pembroke Urban District.	Apr. 11 " 18 " 25 May 2	15.5 10.3 15.5 13.8	. . . 1.7	9 6 9 8 1	. . . 1	2 . . 1	. . . 1	1 . 1 1	1 1 1 1	1 1 1 1	2 1 1 1	. . . 1	. . . 1	. . . 1		
Population in 1914 (Est.) 30,240	" 9 " 16	17.2 8.6	. .	10 5 4	1 1	1 1	1 1 1	. .	
Blackrock Urban District.	Apr. 11 " 18 " 25 May 2	. 22.7 11.3 5.7	. 5.7 . 5.7	. 4 2 1 1 1	. . . 1 1 1	
Population in 1914 (Est.) 9,197.	" 9 " 16	11.3 11.3	5.7 .	2 2 1	
Kingstown Urban District.	Apr. 11 " 18 " 25 May 2	3.1 15.4 21.5 24.6	1 5 7 8	1 . 2 2	. . . 1	. . . 1	. . 1 1	. 1 1 1	. 1 1 1	. . 1 1 2	
Population in 1911 16,941.	" 9 " 16	21.5 12.3	. .	7 4	1 1	1 1	1 1	
Belfast.	Apr. 11 " 18 " 25 May 2	18.6 21.2 23.4 18.2	2.2 2.6 2.4 1.7	142 162 179 133	2 2 1 3	3 5 6 1	6 9 8 3	1 1 1 1	. . . 1	12 11 32 18	4 13 4 4	9 4 5 6	19 12 22 8	9 12 15 8	9 27 15 17	4 2 2 4	1 1 1 2	3 3 3 2		
Population in 1914 (Est.) 399,000.	" 9 " 16	15.2 17.6	0.8 1.7	116 135	1 3	. 2	3 5	19 26	10 12	5 8	9 14	11 16	. 3	. .	1 1	2 2		
Cork.	Apr. 11 " 18 " 25 May 2	19.7 27.9 33.3 23.1	0.7 1.4 2.7 3.4	29 41 49 34	. 1 1	. . . 1	1 1 1 4	. . . 3	. . . 1	5 11 6 6	4 2 1 1	. 1 3 2	1 4 6 2	1 7 3 5	. . 1 3	. . 1 1	. . 1 1	. . . 1		
Population in 1911 76,673.	" 9 " 16	19.7 21.1	2.0 0.7	29 31	1 1	5 10	2 2	1 1	1 1	3 5 1	. 1		
Londonderry.	Apr. 11 " 18 " 25 May 2	22.8 17.8 16.6 19.0	18 14 13 15	3 2 2 2	. 2 2 2	. 2 . .	1 . . 1	3 1 2 2	. . . 2	. . . 2	. . . 2	. . . 2		
Population in 1914 (Est.) 41,100.	" 9 " 16	12.7 12.7	. .	10 10	1 3	1 .	3 1	. 3	. 3	. 3	. 3	. 3	. 3		
Limerick.	Apr. 11 " 18 " 25 May 2	16.2 27.1 28.4 23.0	2.7 . 1.4 .	12 20 21 17	1 1	2 2 3 2	. 2 2 2	1 2 1 2	. 2 1 2	1 6 3 3	1 . . 2	. . . 2	. . . 2	. . . 2		
Population in 1911 38,518.	" 9 " 16	19.0 10.8	. .	14 8	2 2	. 2	2 2	2 2	2 2		
Waterford.	Apr. 11 " 18 " 25 May 2	11.4 32.3 24.7 20.9	. 3.8 . .	6 17 13 11	2 2 2 2	. 1	1 . . 1	2 5 4 4	. 1 . 2	. . . 2	. 1 . 1	. . . 1		
Population in 1911 27,464.	" 9 " 16	26.6 19.0	3.8 1.9	14 10	2 2	. 2	. .	. 2	2 2	. 1	. 1	. 1	. 1		

* See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1913-4—WEEK ENDING																									
	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.
No. of weeks in Annual Series, ...	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Births registered, ...	170	186	186	205	196	130	284	195	254	208	215	187	224	210	203	217	222	196	244	243	163	219	255	198	222	245
Deaths registered, ...	126	112	117	137	141	150	194	203	174	182	197	164	142	144	153	140	146	163	150	136	142	162	179	139	116	135
Annual Death-rate per 1,000 of estimated population, ...	16.6	14.7	15.4	18.0	18.6	19.8	25.4	26.5	22.7	23.3	25.7	21.4	18.6	18.8	20.0	18.3	19.1	21.3	19.6	17.8	18.6	21.2	23.4	18.2	15.2	17.6
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,	19	19	14	23	27	28	42	46	24	43	45	33	28	25	28	28	28	32	28	25	29	45	29	21	21	21
	24	14	24	26	17	29	23	26	24	22	21	16	20	10	16	15	16	21	27	9	18	22	21	18	10	21
	14	8	15	12	16	25	14	17	14	24	13	18	15	12	18	14	10	19	13	16	11	17	20	21	13	18
	15	21	20	22	32	20	25	26	30	23	34	24	26	21	29	27	34	26	21	24	20	25	25	27	19	23
	29	24	27	29	32	30	39	47	36	35	41	37	31	42	32	33	28	30	28	30	30	31	36	25	28	32
Deaths from :—	25	26	17	25	17	18	51	31	46	35	43	36	22	34	30	23	30	35	33	29	34	38	32	19	25	20
Enteric Fever, ...	1	2	1	.	.	.	1	.	.	1	.	1	1
Typhus,
Small-pox,
Measles, ...	1	3	.	.	.	1	.	1	.	1	1	2	2	1	3	1	3
Scarlet Fever, ...	9	4	8	8	5	6	3	12	10	2	3	7	6	1	6	3	3	3	2	2	3	5	6	1	2	2
Whooping-cough, ...	2	.	3	3	3	7	6	3	1	5	1	2	6	1	4	5	2	7	5	3	6	9	8	3	3	5
Diphtheria,	1	.	2	1	.	2	4	2	2	.	1	2	1	.	2	1	1	.	.	1	.
Dysentery,	1
Tuberculosis. { Pulmonary, ...	9	8	10	8	12	15	15	14	17	15	12	14	21	17	31	14	15	16	14	10	12	11	32	18	19	20
Other Forms, ...	5	3	6	5	2	9	8	8	5	6	3	7	4	4	8	6	5	6	7	5	4	13	4	4	10	12
Cancer, ...	10	6	3	7	10	6	3	10	8	6	10	8	9	9	4	4	3	7	3	5	9	4	5	6	5	8
Diseases of Respi- { Pneumonia, ...	9	10	13	25	14	28	23	29	23	29	26	21	13	14	15	16	12	12	9	15	6	19	12	8	9	14
ratory System, { Others, ...	11	12	14	10	14	15	36	28	27	26	45	32	23	18	18	21	15	31	20	23	9	27	15	17	11	16
Diarrhoea and Enteritis, under 2 years, ...	6	.	1	.	1	1	1	2	3	1	2	3	1	1	4	7	8	3	2	1	4	2	2	4	3	3
Diarrhoea, 2 years and upwards,	1	.	.	.	2	.	2	1	1	.	.	.	1	1	1	1	2	1	.
Violent Deaths, ...	9	1	3	2	1	3	5	.	1	6	4	3	2	3	4	2	.	2	2	.	3	3	1	2	1	2
Number of Uncertified Deaths, ...	1	1	1	.	3	1	.	5	4	3	2	.	4	1	3	1	1	1	.	3	1	3	4	1	2	1
Mean Temperature of the Air in degrees, ...	46.6	48.3	43.1	45.4	43.3	40.0	32.3	41.1	38.7	38.4	44.1	48.1	41.2	41.0	41.1	44.3	39.9	40.8	41.0	49.7	47.1	43.5	52.7	48.2	48.2	47.5
Rainfall, in inches, ...	0.92	0.26	1.51	0.78	0.07	0.82	0.41	1.83	0.00	0.28	0.55	0.32	0.72	0.93	0.82	0.92	1.40	0.65	0.07	0.78	1.00	0.34	0.12	0.00	1.32	0.16

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	May 16,	2,328	1,157	13·4	2	.	27	8	22	5	18
EDINBURGH, ...	321,900	" 16,	135	81	13·1	.	.	2
GLASGOW, ...	1,047,000	" 16,	587	336	16·7	2	.	13	3	9	1	2
CALCUTTA, ...	896,067	Apr. 4,	.	626	36·3	110*	40	3	.	1	1†	129 ^a
BOMBAY, ...	979,445	" 11,	343	921	48·9	30·*	7	12	.	.	.	77 ^a
MADRAS ...	618,660	" 11,	302	373	37·4	48*	2	4	?	?	?	100 ^a
CAIRO, ...	721,303	Mar. 11,	643	396	28·6	3	5	.	.	?	8†	35
PARIS, ...	2,847,229	May 2,	964	1,016	18·2	6	.	11	.	8	5†	15
BRUSSELS, ...	767,252	Apr. 25,	230	209	14·2	2	.	1	1	1	4†	9
ANTWERP, ...	313,633	" 25,	130	68	11·3	.	.	1	1	1	1†	3
AMSTERDAM, ...	597,449	" 25,	264	164	14·3	1	.	4	.	7	.	1
COPENHAGEN, ...	483,000	" 25,	235	130	14·0	.	.	3	.	.	.	3
STOCKHOLM, ...	376,171	" 25,	174	103	14·0	.	.	2	1	.	.	.
CHRISTIANIA, ...	250,423	May 2,	130	85	17·7	4	1	.
ST. PETERSBURG ...	1,728,200	Apr. 11,	655	828	25·0	3	2	32	14	7	7	40
MOSCOW, ...	1,694,000	" 4,	.	845	26·0	.	3	18	18	13	11†	63 ^a
BERLIN, ...	2,081,253	" 18,	.	511	12·8	2	.	7	8	8	10†	19
HAMBURG, ...	1,030,983	" 25,	.	292	14·7	1	.	1	4	2	7	19 ^a
BRESLAU, ...	544,232	" 25,	.	176	16·9	.	.	.	1	1	2	8 ^a
MUNICH, ...	640,000	" 25,	.	183	14·9	.	.	3	1	1	1†	5
VIENNA (with suburbs), ...	2,149,834	" 25,	761	639	15·5	1	.	9	3	5	13†	17
BUDA-PESTH, ...	950,784	" 25,	493	400	21·9	.	.	7	4	6	5†	7
PRAGUE and Faubourgs, ...	498,496	Mar. 28,	185	189	19·8	.	.	.	2	2	.	4
TRIESTE, ...	243,415	Apr. 11,	124	105	22·5	.	.	4	.	3	.	2
ROME, ...	591,943	Nov. 22,
NEW YORK, ...	5,583,871	Apr. 11,	2,334	1,603	15·0	4	.	18	15	6	47†	30
PHILADELPHIA, ...	1,657,815	Mar. 7,	.	732	22·4	1	.	4	5	11	13	10
BOSTON, ...	750,768	Apr. 25,	.	281 ^b	19·5	.	.	4	.	1	3	9 ^a

* Deaths from "fever," including 9 from enteric fever and 26 from plague in Calcutta; and 2 from enteric fever and 233 from plague in Bombay.

† Including deaths from croup.

‡ Including 94 deaths from cholera in Calcutta, and one in Bombay

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 246 (including 8 deaths from diarrhoeal diseases), rate 17·1 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th May, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomylitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	2	1	.	.	.	4	7
" " 1, West,	2	4	6
" " 2,	1	2	.	.	.	3	6
" " 3,	2	1	4	7
Clontarf and Howth No. 1 (part of),	.	2	2
Coolock and Drumcondra (part of),	1	1
Finglas and Glasnevin (part of),...	.	1	1
South City No. 1,	2	.	.	2	.	.	.	1	.	.	.	4	9
" " 2,	1	5	6
" " 3,	1	.	.	2	1	.	.	.	9	13
" " 4,	2	2
New Kilmainham,
Total,	12	.	.	5	.	.	3	5	.	.	.	35	60

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 16th May, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			- Week ended 16th May.			
	April 25.	May 2.	May 9.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	24	22	20	6	3	.	23
Typhus, ...	1	1
Small-pox,
Measles, ...	143	137	132	33	46	2	117
Scarlet Fever, ...	90	104	95	16	8	.	103*
Diphtheria, ...	31	37	46	6	8	.	44
Pneumonia, ...	24	26	24	5	8	2	19

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.S.C., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 16th May, 1914:—

"The earlier days of this week were changeable, cold and showery in keeping with the previous week and owing to the passage across the United Kingdom of shallow depressions secondary to a large and deep primary system in which the barometer was as low as 971·7 millibars (28·695 inches) at Vardö, Norway, at 7 a.m. of Monday. In Dublin Sunday was cloudy to fair, but cold, the thermometer ranging from 42·8° to 54·3°. On Monday there were heavy local showers of rain and hail at intervals; temperature did not rise above 52° in the screen and in the afternoon the wind veered to N., blowing in squally gusts at times. On the same day rather heavy rain, accompanied in some instances by thunder and hail, occurred in parts of Scotland. In the course of Monday night an anticyclone, in the form of a broad ridge of high atmospheric pressure, spread in a north-easterly direction from the Atlantic over Ireland first and subsequently across England also. Slight irregularities of pressure kept the weather still changeable in Ireland and Scotland, but a general improvement soon followed, and from Wednesday afternoon the weather was extremely fine save for a widespread prevalence of fog in the early morning hours of Friday. With the fine weather came also a decided rise of temperature—on Thursday the maximum in the screen reached 67° at Nottingham, 68° at Bath, Bournemouth, and some London stations, 70° at Greenwich, and 72° at Camden Square, London, N.W. Beautiful cirro-cumulus clouds were seen from Dublin on the afternoons of Thursday and Friday, and heavy cumulus formed on Saturday afternoon. In Dublin the mean height of the barometer was 30·224 inches, the range being from 29·885 inches at 9 a.m. of Sunday (wind, W.N.W.) to 30·360 inches at 9 p.m. of Saturday (wind, N.E.). The corrected mean temperature was 50·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 49·9°. The screened thermometers fell to 40·8° on Tuesday and rose to 67·1° on Saturday. The wind was at first N.W., afterwards E.N.E. Rain fell on the first three days to the amount of ·096 inch, ·040 inch being recorded on Monday, when hail showers occurred."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 30.209 inches. The highest reading (30.348) was on Saturday, at 9 p.m., the lowest (29.869) on Sunday, at 9 a.m.

The mean temperature for the week was 49.3°, being 0.1° below the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Saturday, on which day the thermometer registered 70°, and was lowest on Tuesday, the mercury having fallen to 37°. The mean of the Dry Bulb for the week was 49.4° and of the Wet Bulb, 47.8°. The mean humidity of the air was .89, complete saturation being represented by 1.0. The rainfall during the week measured 0.130 inch.

At Greenwich the mean temperature for the week was 51.4°, the maximum 70.2°, and the minimum 39.4°; and at Edinburgh the maximum was 62.0°, the minimum 33.6°, and the mean 48.2°. The rainfall at Greenwich measured 0.05 in.; and at Edinburgh 0.14 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155.3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.	BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1.0.	Sunshine in hours and decimals.	Rain Gauge.
	Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation = 1.0.			
	(1.) In.	(2.)	(3.)	(4.)	(5.)	(6.)	(7.)	(8.)	(9.)	(10.) Ins.
Sunday, May 10,	29.945	54	46	50.0	49.2	47.3	.86	.7	1.25	.025
Monday, „ 11,	30.005	53	41	47.0	46.2	44.2	.86	.6	8.30	.045
Tuesday, „ 12,	30.300	52	37	44.5	44.4	42.6	.88	.6	5.50	.060
Wednesday, „ 13,	30.230	61	40	50.5	52.3	51.3	.92	.7	3.90	.000
Thursday, „ 14,	30.320	59	42	50.5	46.8	45.6	.92	.7	9.25	.000
Friday, „ 15,	30.330	59	38	48.5	50.4	49.1	.92	.4	9.50	.000
Saturday, „ 16,	30.335	70	38	54.0	56.8	54.8	.88	.5	7.10	.000
Mean,	30.209	58.3	40.3	49.3	49.4	47.8	.89	.6	Total 44.80	Total .130

Sunday—A dull day, light showers p.m.; night cloudy. Monday—A bright day, cloudy at intervals, light showers a.m. and p.m.; night clear. Tuesday—A dull day, bright at intervals, light showers p.m.; night overcast, drizzling rain from 12.30 to 2.0 a.m. Wednesday—Day cloudy, a.m.; bright p.m.; night overcast. Thursday—A beautiful bright day; night clear. Friday—A beautiful bright day; night clear. Saturday—A bright day, cloudy at intervals; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 16th May, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.R.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, May 10,	53.5	50.0	50.1	55	41	48	hrs. 0.6	ins. —
Monday, „ 11,	50.0	50.1	50.1	53	44	48.5	6.9	.072
Tuesday, „ 12,	47.5	50.5	50.1	53	39	46	4.5	.032
Wednesday, „ 13,	52.8	50.6	50.0	63	40	51.5	4.3	—
Thursday, „ 14,	50.5	52.0	50.2	58	46	52	9.1	—
Friday, „ 15,	55.0	53.0	50.2	59	43	51	8.9	—
Saturday, „ 16,	56.6	54.3	50.3	70	45	57.5	7.0	—
Weekly Mean, „	52.3	51.5	50.1	58.7	42.6	50.6	Total 41.3	Total .104

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 23RD MAY, 1914.

[No. 21.]

*General Register Office, Charlemont House,
Dublin, 25th May, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 18·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	May 2	May 9	May 16	May 23	
27 Town Districts, (a)	20·6	18·6	18·2	18·9	19·1
Dublin Reg. Area ...	24·5	21·7	19·5	19·3	21·3
Dublin City ...	26·7	22·0	21·8	21·3	22·9
Belfast ...	18·2	15·2	17·6	17·9	17·2
Cork ...	23·1	19·7	21·1	19·7	20·9
Londonderry ...	19·0	12·7	12·7	16·5	15·2
Limerick ...	23·0	19·0	10·8	24·4	19·3
Waterford ...	20·9	26·6	19·0	19·0	21·4

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 2·2 per 1,000. Among the 137 deaths from all causes for Belfast are 5 from typhus, one from measles, 5 from scarlet fever, 5 from whooping-cough, and 2 from diarrhoea and enteritis of children under 2 years of age. One death from whooping-cough is included among the 29 deaths from all causes for Cork, and of the 6 deaths from all causes for Lurgan one was from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 207—100 boys and 107 girls—and the deaths to 166—91 males and 75 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 16) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·3 per 1,000 of the population. During the twenty-one weeks, ending with Saturday last, the death-rate averaged 24·0, and was 0·2 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 166, represent an annual rate of 21·3 per 1,000; the annual rate for the past twenty-one weeks was 25·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·4 per 1,000 of the mean population for all deaths registered.

The total number of deaths includes 16 deaths from measles; of these 4 were infants under one year of age, 5 were between the ages of one year and 2 years, and 7 were between the ages of 2 years and of 5 years. Scarlet fever and whooping-cough each caused one death; there were 5 deaths from diphtheria, and 7 deaths of children under 2 years of age from diarrhoea and enteritis.

During the past 9 weeks preceding that under notice, deaths from measles numbered 14, 27, 22, 34, 39, 35, 40, 29, and 17, altogether (including the 16 deaths in the week under notice), amounting to 273 deaths. In each of the three preceding weeks deaths from scarlet fever were 0, 2, and 0; deaths from whooping-cough were 2, 2, and one; deaths from diphtheria were 0, 3, and 0; and deaths from diarrhoea and enteritis of children under 2 years were 3, one, and 5.

Twenty-seven* deaths were caused by tuberculous disease; the total includes 21 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, and 4 from other forms of the disease. In the 3 preceding weeks, deaths from all forms of tuberculous disease numbered 24, 31 and 29 respectively.

There were 5† deaths from cancer.

Three of the deaths of children under 2 years of age were from convulsions; there were 2 deaths of infants from congenital malformations, 9 from premature birth, and 3 from congenital debility.

Ten deaths were attributed to broncho-pneumonia and 5 to pneumonia (type not distinguished).

Organic diseases of the heart accounted for 11 deaths and bronchitis for 15 deaths.

The 4 deaths from accident or negligence include one (that of a child aged 3 years) from burns; one by drowning, and one (an infant) by suffocation in bed.

There was one death by suicide.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases consist of the deaths of 8 children under 5 years of age (including 5 infants under one year old), and the death of one person aged 65 years.

Seventy-three of the persons whose deaths were registered during the week were under 5 years of age 41 being infants under one year, of whom 17 were under one month old, and 21 were aged 65 years and upwards, including 12 persons aged 70 and upwards; among the latter were 8 aged 75 and upwards.

Ninety-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·3 per 1,000; the rate in the City was 21·3 (North City Districts, 22·1; South, 20·4) and in the Suburbs 12·6.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 3·9 per 1,000 inhabitants, the rate for the City being 4·9 (in the North City Districts 5·1, and in the South 4·7), and for the Suburbs 0·5 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·4 per 1,000, and include one death from measles, 2 deaths from pulmonary tuberculosis, 2 from pneumonia, 4 from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

No. 1 *North City District, West* (Summer-hill).—The deaths (17) are equal to an annual rate of 21·5 per 1,000. There were 6 deaths from measles, 3 from pulmonary tuberculosis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 2 *North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 28·1 per 1,000. Among them are 2 deaths from tuberculous disease, 4 from broncho-pneumonia, 2 from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

No. 3 *North City District* (Benburb-street).—The deaths (18) represent an annual rate of 26·4 per 1,000. Three deaths from measles, one death from diphtheria, 4 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, and one accidental death were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 28·5 per 1,000 inhabitants; Coolock and Drumcondra, part of, 7·6; and Finglas and Glasnevin, part of, 9·7. Of the 3 deaths from all causes for Clontarf and Howth, No. 1, part of, one was from scarlet fever, one from pulmonary tuberculosis, and one from broncho-pneumonia; the 2 deaths recorded for Coolock and Drumcondra, part of, include one from diphtheria and one from pulmonary tuberculosis; and of the 2 deaths recorded for Finglas and Glasnevin, part of, one was caused by suicide.

No. 1 *South City District* (South Earl-street).—The deaths (21) represent an annual rate of 26·9 per 1,000. There were 3 deaths from measles, one from disseminated tuberculosis, one from broncho-pneumonia, 4 from bronchitis, 2 from diarrhoea and enteritis of children under 2 years of age, and 2 accidental deaths.

No. 2 *South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 25·6 per 1,000, and include 2 deaths from diphtheria, 3 from tuberculous disease, and 2 from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (17) are equal to an annual rate of 20·4 per 1,000. Among them are 2 from measles, one death each from whooping-cough and diphtheria, 4 deaths from pulmonary tuberculosis, one death from pneumonia, 2 deaths from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 4 *South City District* (Grand Canal Street).—The deaths (9) are equivalent to an annual rate of 14·1 per 1,000. One death from bronchitis, one (that of a child under 2 years of age) from diarrhoea and enteritis, and one accidental death, were recorded.

New Kilmainham District.—One death, equivalent to an annual rate of 5·3 per 1,000, was recorded.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·7; Pembroke, 12·1; Blackrock, 11·3; and Kingstown, 18·5. The only death from any of the principal epidemic diseases tabulated for these districts was one from measles for Rathmines and Rathgar, the 8 deaths from all causes for this district including 2 from tuberculous disease. Of the 7 deaths from all causes for Pembroke one was caused by abdominal tuberculosis and one by pneumonia. The 2 deaths recorded for Blackrock were caused by pneumonia; and among the 6 deaths from all causes for Kingstown was one from broncho-pneumonia.

ENGLAND AND SCOTLAND

The mortality last week in 97 large English towns (including London, in which the rate was 12·7), was equal to an average annual death-rate of 13·9 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·1 per 1,000, the rate for Glasgow being 17·8, and for Edinburgh 16·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 23rd May. From this Report it appears that of a total of 74 cases notified, 49 were scarlet fever, 14 phthisis, 7 diphtheria, and 4 erysipelas. Among the 541 cases of infectious diseases in hospital at the close of the week were 243 cases of scarlet fever, 203 of phthisis, 51 of diphtheria, 17 of measles, 9 of erysipelas, 4 of enteric fever, 3 of whooping-cough, and one of chicken-pox.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford. during the week ended 23rd May, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary ecchymosis.	Total.
City of Dublin.	May. 2,	.	—	—	5	.	.	11	.	.	3	1	.	—	—	—	—	—	29	49
	May. 9,	.	—	—	10	1	.	18	.	.	5	2	.	—	—	—	—	—	32	58
	May. 16,	.	—	—	12	.	.	5	.	.	3	5	.	—	—	—	—	—	35	60
	May. 23,	.	—	—	9	.	.	8	.	1	6	2	.	—	—	—	—	—	26	52
Rathmines and Rathgar Urban District.	May. 2,	.	—	—	1	1	.	—	—	—	—	—	—	2
	May. 9,	.	—	—	3	.	.	2	—	—	—	—	—	—	5
	May. 16,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	May. 23,	.	—	—	3	.	.	2	.	.	.	1	.	—	—	—	—	—	—	6
Pembroke Urban District.	May. 2,	.	3	.	2	.	.	2	1	—	—	—	—	—	1	9
	May. 9,	.	1	.	4	—	—	—	—	—	.	5
	May. 16,	.	1	—	—	—	—	—	1	2
	May. 23,	.	3	.	7	2	.	.	—	—	—	—	—	.	12
Blackrock Urban District.	May. 2,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2
	May. 9,	.	—	—	—	—	—	—	—	—	.
	May. 16,	.	—	—	—	—	—	—	—	—	.
	May. 23,	.	—	—	2	—	—	—	—	—	—	2
Kingstown Urban District.	May. 2,	.	—	—	1	—	—	—	—	—	.	1
	May. 9,	.	—	—	—	—	—	—	—	.	.
	May. 16,	.	—	—	1	.	.	—	—	—	—	—	.	1
	May. 23,	.	—	—	—	—	—	—	—	.	.
City of Belfast.	May. 2,	.	—	—	26	.	.	1	.	.	2	3	1	—	—	—	—	.	3	36
	May. 9,	.	—	—	35	.	.	6	.	1	4	4	.	—	—	—	—	.	9	59
	May. 16,	.	—	—	27	3	.	5	1	1	1	6	.	—	—	—	2	.	8	54
	May. 23,	.	—	—	42	9	.	1	.	1	3	3	.	—	—	—	.	.	9	68
City of Cork.	May. 2,	.	4	—	2	.	.	1	1	—	—	—	—	—	—	8
	May. 9,	.	8	—	1	1	.	.	.	—	—	—	—	—	—	10
	May. 16,	.	2	—	2	1	.	1	.	—	—	—	—	—	—	6*
	May. 23,	.	7	—	2	1	2	3	.	—	—	—	—	—	—	15
City of Londonderry.	May. 2,	.	—	—	2	.	.	1	—	—	—	—	—	—	3
	May. 9,	.	—	—	—	—	—	—	—	—	.
	May. 16,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	May. 23,	.	—	—	1	—	—	—	—	—	—	1
City of Limerick.	May. 2,	.	—	—	—	—	—	—	—	—	1
	May. 9,	.	—	—	1	—	—	—	—	—	—	2
	May. 16,	.	—	—	2	—	—	—	—	—	—	2
	May. 23,	.	—	—	2	—	—	—	—	—	—	2
City of Waterford.	May. 2,	.	—	—	1	—	—	—	—	—	4	5
	May. 9,	.	—	—	—	—	—	—	—	—	.
	May. 16,	.	—	—	1	.	.	—	—	—	—	—	1	2
	May. 23,	.	—	—	—	—	—	—	—	.	.

*Not including 3 cases of whooping-cough.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd May, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Seven cases of enteric fever were admitted to hospital during the week, 3 were discharged, and 27 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 22, 20, and 23.

Thirty-three cases of measles were admitted to hospital, 28 were discharged, there were 6 deaths, and 116 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 137, 132 and 117, respectively.

Twenty-six cases of scarlet fever were admitted to hospital, 24 were discharged, and 105* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 104, 95, and 103, respectively.

Eleven cases of diphtheria were admitted to hospital during the week, 12 were discharged, and there were 4 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 37, 46, and 44 respectively, were 39 at the close of last week.

In addition to the above-named diseases, 13 cases of pneumonia were admitted to hospital, 5 were discharged, there were 2 deaths, and 25 cases remained under treatment at the end of the week.

See note () at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 23rd of May, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.														TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.		
		CITY OF DUBLIN.												URBAN DISTRICTS OF					
		REGISTRATION DISTRICTS IN																	
		Dublin North Superintendent Registrar's District.						Dublin South Superintendent Registrar's District.											
		NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.						
RATHMINES and RATHGAR.	PENBROKE.	BLACKROCK.	KINGSTOWN.																
Enteric Fever,
Typhus,
Small-pox,
Measles,	1	6	.	3	.	.	.	3	.	2	.	.	1	.	.	.	16	.	.
Scarlet Fever,	1	1	1	.	.
Whooping-cough,	1	.	2	.	1	1	.	.
Diphtheria,	.	.	.	1	.	1	.	.	1	1	5	.	.
Croup,
Influenza,
Dysentery,
Tuberculosis, { Pulmonary,	2	3	1	4	1	1	.	2	4	.	.	.	1	.	.	.	19	2	.
Other Forms,	.	.	1	1	1	.	.	.	1	1	.	.	5	1	.
Cancer,	1	1	1	.	.	.	1	4	1	.
Diseases of Nervous System,	1	1	1	2	.	.	.	1	1	.	2	.	1	1	.	1	12	.	.
" Organs of Special Sense,
" Circulatory System,	.	1	2	2	.	1	.	1	.	2	.	.	1	1	.	.	12	1	.
" Respiratory { Pneumonia,	2	.	4	1	1	.	.	1	.	1	.	.	.	1	2	1	14	1	.
System. { Others,	5	.	2	4	2	2	1	16	1	.
" Digestive { Diarrhoea and Enteritis, under 2 years,	1	1	1	2	.	1	1	7	.	.
System. { Diarrhoea, 2 years and upwards,
" Enteritis, 2 years and upwards,
" Others,	.	.	1	2	.	1	4	2	.
" Genito-urinary System,	.	2	1	1	1	1	.	1	.	1	8	2	2	.
Puerperal Septicæmia, etc.,
Other Causes incident to Pregnancy and Childbirth,	.	.	1	1	2	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	1	1	.	.
" Locomotor System,
Other specified Causes,	.	2	1	2	.	.	.	3	.	1	2	.	2	1	.	2	16	4	.
Violent Deaths,	.	.	.	1	.	1	.	2	.	.	1	5	.	.
Ill-defined, &c. Causes,	1	.	1	2	1	.
Deaths from All Causes	13	17	15	18	3	2	2	21	9	17	9	1	8	7	2	6	150	16	.
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22.4	21.5	28.1	26.4	28.5	7.6	9.7	26.9	25.6	20.4	14.1	5.3	10.7	12.1	11.3	18.5	19.3	.	.
	22.1						20.4						12.6						
	21.3																		
Ages at Death. { Under 1 year,	2	3	4	3	1	.	.	8	2	3	4	.	1	2	1	4	38	3	.
" 1 and under 2 years,	1	3	.	2	.	.	.	6	.	1	1	.	.	1	.	.	15	.	.
" 2 " 5 "	2	3	2	2	1	.	.	.	1	4	1	.	1	.	.	.	17	.	.
" 5 " 15 "	1	.	1	.	.	1	.	.	1	4	.	.
" 15 " 25 "	.	.	2	1	1	.	1	1	1	.	.	6	3	.
" 25 " 45 "	4	3	1	3	.	1	.	.	.	3	.	.	1	1	.	1	18	4	.
" 45 " 65 "	1	4	3	5	.	.	1	4	3	4	2	1	3	2	.	.	33	4	.
" 65 and upwards,	2	1	2	2	.	.	.	3	2	2	1	.	1	1	1	1	19	2	.
Number of Uncertified Deaths,	.	2	2	.	1	1	3	9	.	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,	6	8	2	6	1	2	.	3	3	6	2	1	5	4	.	.	49	13	.
Workhouse Hospitals,	1	3	2	5	.	.	.	6	3	4	1	.	1	1	.	.	27	3	.

TWENTY-FIRST WEEK, ending Saturday, 23rd May, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 21st Week of the 10 years, 1904-1913.	In the Week ending Saturday, 23rd May, 1914.									
	May 26, 1904.	May 27, 1905.	May 26, 1906.	May 25, 1907.	May 23, 1908.	May 29, 1909.	May 28, 1910.	May 27, 1911.	May 25, 1912.	May 24, 1913.		Deaths of Persons of the Ages of									
												0-5.									
												Under 1 month.	Under 1 month and 1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.
Mean Temperature ...	50.5	50.5	47.3	45.0	52.8	53.8	55.1	55.3	48.4	52.8	51.1	55.4									
Diseases of the Pharynx, Tonsillitis.	11
Diseases of Stomach, ...	—	—	—	—	—	—	—	3	3	2	—	1
Diarrhoea and Enteritis of Children under 2 years.	2	2	4	1	5	2	4	3	4	6	3.5	7	1	5	1
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards	—	—	—	—	—	—	—	1	2	.	—	2
Appendicitis and Typhilitis, ...	—	—	—	—	—	—	—	2	3	1	—	1	1	.	1	.	.
Hernia and Intestinal Obstructions.	1	.	.	1	3	.	3	2	1	1	1.2	2	1	1	.	.
Cirrhosis of Liver,	1	.	.	3	1	1	.	.6
Other Diseases of Liver,	1	2	.	.	.	1	1	.	1	.6
Peritonitis (cause unknown), Other Diseases of Digestive System.	6	3	9	2	10	5	7	2	1	.	4.5
Acute Nephritis, ...	5	1	6	8	6	7	6	4	1	3	6.4	1	.	.	1
Chronic Bright's Disease,	3	10	.	8	1	5	1	1
Urinary Calculi,	1
Uterine Tumour (non-cancerous).
Ovarian Tumour (non-cancerous)	1
Other Diseases of Genito-urinary System.	3
Puerperal Septicæmia, &c.,	1	1	1	.	1	1	.	.	1	.1
Other Causes incident to Pregnancy and Childbirth.5	2	1	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	.	2	.	—	1	1
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	.	3	1	—	2	.	2
Premature Birth, ...	5	7	2	6	2	6	8	4	3	2	4.5	9	9
Congenital Debility, ...	—	—	—	—	—	—	—	1	.	9	.	3	3
Old Age, ...	4	2	1	4	3	3	2	4	2	4	2.9
Other Specified Diseases, ...	—	—	—	—	—	—	—	2	2	2	—	1	1
ACCIDENT:																					
Poisons or Poisonous Vapours.	11
Conflagration,
Burns and Scalds, ...	1	1	2	1	2	1	.	1	.	.	.9	1	.	.	1
Drowning,	1	2	1	.	.	.	2	1	.	.7	1	1	.	.
Suffocation in Bed,	11	1	.	1
Other Deaths by Accident, ...	1	3	1	2	2	4	2	2	1	.	1.8	1	1	.	.
Total Deaths from Accident,	2	5	5	4	6	5	2	5	2	.	3.6	4	.	1	.	1	.	.	2	.	.
Included in above are Deaths in connection with—																					
Railways,
Vehicles and Horses,	3	1	1	.	1	17
Ships, Boats, Docks,
Building Operations,
VIOLENCE OTHER THAN ACCIDENTAL:																					
Homicide,	11
Suicide, ...	1	.	.	1	.	.	14	1	1
Execution,
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	2	3	5	—	3	.	1	.	.	.	1	.	1	.

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1913-4—WEEK ENDING																									
		Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.
No. of weeks in Annual Series,		48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Births registered.		209	194	212	185	140	168	246	203	241	234	279	217	217	202	244	225	210	208	227	173	218	207	288	222	197	207
Average Births in corresponding week of previous 10 years, ...		213	187	204	179	186	225	222	212	215	241	214	217	204	232	222	206	215	230	214	220	221	218	264	237	214	213
Deaths registered, ...		164	153	147	167	137	250	210	205	236	201	214	171	175	187	169	189	183	219	212	194	212	231	203	181	160	166
Annual Death-rate per 1,000, ...		21.2	19.8	19.0	21.6	17.7	32.1	27.0	26.3	30.3	25.8	27.5	22.0	22.5	24.0	21.7	24.3	23.5	28.1	27.2	24.9	27.2	29.7	26.1	23.2	20.5	21.3
Average Deaths in corresponding week of previous 10 years, ...		178	181	171	173	166	193	189	194	197	198	197	198	201	204	199	196	196	199	202	192	198	188	173	179	159	168
Ages, { Under 5 years, ...		38	55	49	55	47	63	46	45	69	56	72	49	52	56	57	61	70	82	55	74	89	92	89	62	54	73
{ 5-15 " ...		9	6	8	8	6	11	12	6	7	11	8	12	8	5	2	7	7	9	12	7	11	10	6	10	7	4
{ 15-25 " ...		6	4	3	6	6	12	9	4	16	11	12	10	11	8	14	9	7	9	14	5	10	9	8	8	9	9
{ 25-45 " ...		33	23	31	31	19	32	31	32	29	30	27	23	28	27	18	30	28	35	26	27	28	33	30	27	22	22
{ 45-65 " ...		47	26	34	37	25	78	48	55	50	46	44	35	33	40	38	46	38	44	41	51	32	45	30	50	36	37
{ 65-75 " ...		22	26	15	20	20	31	36	32	34	21	28	25	27	37	22	18	21	24	35	16	29	23	22	14	21	13
Deaths from: { 75 and upwards, ...		9	13	7	10	14	23	28	31	31	26	13	17	16	14	18	18	12	16	26	14	13	19	17	10	11	8
Deaths from:—																											
Enteric Fever, ...		1	4	3	1	1	1	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough, ...		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diphtheria, ...		3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza, ...		3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis { Pulmonary ...		17	15	16	23	12	24	20	19	22	25	24	25	25	23	21	26	21	21	22	28	22	25	14	22	24	21
{ Other Forms, ...		6	5	5	7	5	11	8	4	10	12	7	5	10	4	2	9	8	6	9	5	10	8	10	9	5	5
Cancer, ...		11	7	6	7	7	7	8	12	9	7	10	5	5	10	9	7	6	18	6	13	8	13	9	11	11	5
Diseases of Circulatory System, ...		17	11	17	18	19	26	15	23	25	16	14	10	18	19	20	17	17	14	25	15	22	19	21	11	11	13
Diseases of Respi- (Pneumonia		14	18	19	18	12	22	19	21	26	17	20	13	14	13	15	14	8	20	19	19	16	17	19	13	13	15
ratory System, { Others, ...		22	17	22	16	17	51	48	30	43	32	31	25	17	30	21	34	35	34	35	30	28	20	15	17	19	17
Diarrhea and Enteritis, under																											
2 years, ...		7	5	4	8	5	3	2	6	5	5	3	5	4	2	5	5	6	4	4	2	7	3	3	1	5	7
Diarrhea, 2 years and upwards,																											
Violent Deaths, ...		6	4	3	1	2	6	12	4	9	5	5	3	3	4	4	1	3	2	3	1	1	6	3	2	7	5
Number of Uncertified Deaths, ...		3	4	6	4	3	14	10	2	5	4	4	8	8	6	5	6	2	7	8	4	5	9	7	2	2	9
Mean Temperature of the Air																											
(Phoenix Park) in degrees, ...		47.6	44.4	46.0	44.1	37.7	34.6	44.3	39.5	38.6	44.1	42.1	43.6	42.1	43.1	41.6	41.7	39.8	39.7	50.9	45.9	45.6	48.8*	44.9	49.6	49.3	55.4
Average Mean Temperature in		41.5	42.2	42.5	42.4	41.5	41.9	41.1	40.0	39.6	39.4	40.4	41.6	40.4	41.5	41.7	41.7	41.8	43.3	43.8	44.4	46.1	45.9	47.1	49.7	49.4	51.1
corresponding week of previous		150	1.065	1.165	.065	.620	.035	.445	.260	.090	.485	.305	.615	.810	.475	.675	.470	.450	.140	.575	.400	.120	.010	.000	1.335	.130	.515
10 years, ...																											
Rainfall in inches,90	.93	.93	.87	.90	.90	.88	.81	.81	.94	.92	.85	.89	.91	.89	.90	.91	.92	.85	.90	.89	.88	.91	.87	.89	.90
Mean Humidity of the Air, com-																											
plete Saturation 1.0, ...																											

* For 6 days only.

Registration of Births and Deaths, Ireland.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths.					
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.							
													Pulmonary.	Other Forms.		Pneumonia.	Other.										
North City, No. 1 (E.) (Office Clarence St. Nth.)	Apr. 18 " 25 May 2 " 9	19.0 32.8 31.1 31.1	8.6 6.9 8.6 8.6	11 19 18 18	.	.	.	4 2 4 3	.	1 1 . 1	.	.	1 2 1 3	.	2 1 2 2	.	2 1 1 3	.	2 4 3 3	.	1	1 . . .	1 2 . .			
Population in 1914 (Est.) 30,206.	" 16 " 23	24.2 22.4	5.2 3.5	14 13	.	.	.	2 1	.	1 .	.	.	2 .	.	1 .	.	2 5	.	1 .	.	1 .	.	1 .	.			
North City, No. 1 (W.) (Office, Summer-hill.)	Apr. 18 " 25 May 2 " 9	42.9 34.1 27.8 25.3	16.4 6.3 10.1 3.8	34 27 22 20	.	.	.	8 4 8 2	.	3	5 6 1 2	1 . 2 1	.	2 2 3 2	5 2 3 2	2 1 3 3	2 1 3 3	2 1 . 1	.	1	1 . 1 .	.	2 . . .	
Population in 1914 (Est.) 41,278.	" 16 " 23	25.3 21.5	3.8 8.8	20 17	.	.	.	3 6	3 3	.	1 1	.	4 .	3 .	3 .	1 .	.	1 .	.	1 .	2		
North City, No. 2. (Office, Lisburn-street.)	Apr. 18 " 25 May 2 " 9	39.3 54.2 43.0 31.8	7.5 13.1 16.8 7.5	21 29 23 17	.	.	.	4 6 7 4	.	.	.	1	2 3 3 1	2 1 1 .	2 1 2 2	1 1 2 2	.	1	1	1 . . .	
Population in 1914 (Est.) 27,883.	" 16 " 23	29.9 28.1	3.7 1.9	16 15	.	.	.	2	3 1	.	1 1	.	1 4	5 2	5 2	1 .	.	1 .	.	1 .	.	1 .	
North City, No. 3. (Office, Benburb-street.)	Apr. 18 " 25 May 2 " 9	29.3 29.3 30.8 19.1	16.1 7.3 8.8 8.8	20 20 21 13	.	.	.	10 5 6 6	2 . 1 4	1 . 1 .	1 . 1 .	.	2 . 1 1	2 3 1 .	1 . . .	1	1	2	2 . .	
Population in 1914 (Est.) 35,536.	" 16 " 23	24.9 26.4	5.9 5.9	17 18	.	.	.	4 3	.	.	.	1 .	2 4	1 .	1 .	1 1	1 1	1 1	1 .	.	.	1 .	.	1 1	.	1 .	
Clontarf and Howth No. 1 (part of).	Apr. 18 " 25 May 2 " 9	19.0 57.0 9.5 9.5	. 9.5 . .	2 6 1 1 1 1	1 . .	. 1 1
Population in 1914 (Est.) 5,485.	" 16 " 23	. 28.5	. 9.5	. 3	1 .	.	1	1	
Coolock and Drumcondra (part of).	Apr. 18 " 25 May 2 " 9	11.4 15.2 19.1 7.6	. . . 3.8	3 4 5 2	2 1 1 2 1 1	. . .	2 1 .	1 1
Population in 1914 (Est.) 13,685.	" 16 " 23	30.5 7.6	. 3.8	8 2	1 .	1 .	.	1 .	.	1	
Finglas and Glasnevin (part of).	Apr. 18 " 25 May 2 " 9	4.9 9.7 14.6 14.6	. . 4.9 .	1 2 3 3 1 1 1	1 1
Population in 1914 (Est.) 10,723.	" 16 " 23	9.7 9.7	. .	2 2	1 .	.	1 .	.	1	1	
South City, No. 1. (Office, St. Earl-street.)	Apr. 18 " 25 May 2 " 9	29.4 32.0 24.3 21.7	9.0 6.4 1.3 6.4	23 25 19 17	1 .	.	.	4 5 1 5	3 2 1 1	1 1 . .	1 2 1 .	2 4 3 1	3 3 3 1	2 . . 4	
Population in 1914 (Est.) 40,768.	" 16 " 23	24.3 26.9	10.2 6.4	19 21	1 .	.	.	3 3	2 4	.	1 1	1 4	1 2	4 2	2 .	2 .	.	2 2	.	2 2	2		
South City, No. 2. (Office, Castle-street.)	Apr. 18 " 25 May 2 " 9	25.6 28.4 28.4 34.1	2.8 5.7 2.8 5.7	9 10 10 12	.	.	.	1 2 1 2	3 1 . 3	.	. 1 .	. 1 .	1 2 . .	2 2 3 1	
Population in 1914 (Est.) 18,341.	" 16 " 23	19.9 25.6	2.8 5.7	7 9	.	.	.	1	2 .	2 1	.	.	.	2 2		
South City, No. 3. (Office, Peter-street.)	Apr. 18 " 25 May 2 " 9	40.7 29.9 26.3 16.8	7.2 12.0 7.2 3.6	34 25 22 14	.	.	.	4 8 5 3	.	.	1 .	1 .	1 4 . 1	4 . 1 .	1 2 .	3 2 5	6 1 2	1 2 2	1 1 2	1 1 2	1 .	1	
Population in 1914 (Est.) 43,540.	" 16 " 23	18.0 20.4	1.2 6.0	15 17	.	.	.	1 2	.	.	1 .	1 .	2 4	1 .	1 .	1 1	2 2	2 1	2 1	2 1	1		
South City, No. 4. (Office, Grand Canal-st.)	Apr. 18 " 25 May 2 " 9	23.6 20.4 20.4 17.3	6.3 3.1 4.7 3.1	15 13 13 11	.	.	.	3 1 2 2	.	.	1 .	1 .	1 1 . 1	2 1 .	. 1 2 .	4 . .	1	
Population in 1914 (Est.) 33,171.	" 16 " 23	15.7 14.1	1.6 1.6	10 9	.	.	.	1	1 .	2 1	4 1	1 1	1 1	.	1 .	.		
New Kilmainham.	Apr. 18 " 25 May 2 " 9	10.6 21.2 10.6 15.9	. . . 5.3	2 4 2 3 1	2	
Population in 1914 (Est.) 9,851.	" 16 " 23	10.6 5.3	. .	2 1	1 .	.	.	1 .	.	1 .	1 .	1		

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in the land.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncer- tified Deaths	
		FROM ALL CAUSES.	CERTAIN FROM EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District.	Apr. 18 " 25 May 2 " 9	17.3 20.0 20.0 25.3	1.3 2.7 4.0 4.0	13 15 15 19	1	1 1 1 3	.	.	1 1 1 3	3 1 1 1	.	1 1 1 1	.	.	
Population in 1914 (Est.) 39,155.	" 16 " 23	14.6 10.7	1.3 1.3	11 8	.	.	.	1	2 1	1 1	1 .	.	.	1 .	.	1 .	1 .	
Pembroke Urban District.	Apr. 18 " 25 May 2 " 9	10.3 15.5 13.8 17.2	.	6 9 8 10	1 1 1 1	.	1 1 1 1	1 1 1 .	.	.	1 .	
Population in 1914 (Est.) 30,240	" 16 " 23	8.6 12.1	.	5 7	1 1	.	.	1 .	.	.	1 .	.	
Blackrock Urban District.	Apr. 18 " 25 May 2 " 9 " 16 " 23	22.7 11.3 5.7 11.3 11.3 11.3	5.7 . 5.7 5.7 . .	4 2 1 2 2 2	.	.	.	1 . 1	1	
Kingstown Urban District.	Apr. 18 " 25 May 2 " 9 " 16 " 23	15.4 21.5 24.6 21.5 12.3 18.5	.	5 7 8 7 4 6	1 . 1 1 1 1	1 1 . . 1 .	1 1	
Belfast.	Apr. 18 " 25 May 2 " 9 " 16 " 23	21.2 23.4 18.2 15.2 17.6 17.9	2.6 2.4 1.7 0.8 1.7 2.4	162 179 139 116 135 137	.	.	.	2 1 3 1 3 1	5 6 1 . 2 5	9 8 3 3 5 5	1 . . 1	11 32 18 19 26 21	13 4 4 10 12 7	4 5 6 5 8 7	12 22 8 9 14 13	27 15 17 11 16 14	2 2 4 . 3 2	1 1 2 1 1 2	3 1 2 1 2 2	3 4 1 2 1 1	
Cork.	Apr. 18 " 25 May 2 " 9 " 16 " 23	27.9 33.3 23.1 19.7 21.1 19.7	1.4 2.7 3.4 2.0 0.7 0.7	41 49 34 29 31 29	1 1	1 1 . . 3 1	.	.	11 6 6 5 10 6	2 1 1 . 2 .	1 3 2 . 1 2	4 6 1 2 1 .	7 3 5 3 5 3	.	1 1	1 1 . . 1 .	1 . . . 1 . .
Londonderry.	Apr. 18 " 25 May 2 " 9 " 16 " 23	17.8 16.5 19.0 12.7 12.7 16.5	.	14 13 15 10 10 13	2 2 2 1 3 2	2 2 . 1 . 1	2 . . 3 1 1	.	1 2 . 2 3 3	.	.	.	2	
Limerick.	Apr. 18 " 25 May 2 " 9 " 16 " 23	27.1 28.4 23.0 19.0 10.8 24.4	.	20 21 17 14 8 18	1	2 3 2 2 6	2 . 2 . .	2 . 1 2 2 .	6 3 3 2 2 5	.	.	.	1 1	
Waterford.	Apr. 18 " 25 May 2 " 9 " 16 " 23	32.3 24.7 20.9 26.6 19.0 19.0	3.8 . . 3.8 1.9 .	17 13 11 14 10 10	2 2 2 2 2 1	.	1 1	2 . . 1 2 2 1	5 4 4 2 2 1	1 . . 2 1 . .	1	1 . . 1 . . .	

* See note (§) at foot of first page.

[illegible]

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

Belfast.	1913-4—WEEK ENDING																									
	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.
No. of weeks in Annual Series,	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
BIRTHS registered, ...	186	186	205	196	130	284	195	254	208	215	187	224	210	203	217	222	196	244	243	163	219	255	198	222	245	238
DEATHS registered, ...	112	117	137	141	150	194	203	174	182	197	164	142	144	153	140	146	163	150	136	142	162	179	139	116	135	137
Annual Death-rate per 1,000 of estimated population, ...	14.7	15.4	18.0	18.6	19.8	25.4	26.5	22.7	23.3	25.7	21.4	18.6	18.8	20.0	18.3	19.1	21.3	19.6	17.8	18.6	21.2	23.4	18.2	15.2	17.6	17.9
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,	19	14	23	27	28	42	46	24	43	45	33	28	25	28	28	28	32	28	25	29	29	45	29	21	21	17
	14	24	26	17	29	23	36	24	22	21	16	20	10	16	15	16	21	27	9	18	22	21	18	10	21	16
	8	15	12	16	25	14	17	14	24	13	18	15	12	18	14	10	19	13	16	11	17	20	21	13	18	20
	21	20	22	32	20	25	26	30	23	34	24	26	21	29	27	34	26	21	24	20	25	25	27	19	23	29
	24	27	29	32	30	39	47	36	35	41	37	31	42	32	33	28	30	28	30	30	31	36	25	28	32	28
Deaths from :—	26	17	25	17	18	51	31	46	35	43	36	22	34	30	23	30	35	33	29	34	38	32	19	25	20	27
Enteric Fever, ...	2	1	.	.	.	1	.	.	1	.	1	1
Typhus,	2
Small-pox,
Measles, ...	3	.	.	.	1	.	1	.	1	1	2	2	1	3	1	3	1
Scarlet Fever, ...	4	8	8	5	6	3	12	10	2	3	7	6	1	6	3	3	3	2	2	3	5	6	1	.	2	5
Whooping-cough,	3	3	3	7	6	3	1	5	1	2	6	1	4	5	2	7	5	3	6	9	8	3	3	5	5
Diphtheria, ...	1	.	2	1	.	2	4	2	2	.	1	2	1	.	2	1	1	.	.	1	.	.
Dysentery,	1
Tuberculosis. { Pulmonary,	8	10	8	12	15	15	14	17	15	12	14	21	17	31	14	15	16	14	10	12	11	32	18	19	20	21
Other Forms,	3	6	5	2	9	8	8	5	6	3	7	4	4	8	6	5	6	7	5	4	13	4	4	10	12	7
Cancer, ...	6	3	7	10	6	3	10	8	6	10	8	9	9	4	4	3	7	3	5	9	4	5	6	5	8	7
Diseases of Respi- ratory System, { Pneumonia,	10	13	25	14	28	23	29	23	29	26	21	13	14	15	16	12	9	15	6	19	12	22	8	9	14	13
Others, ...	12	14	10	14	15	36	28	27	26	45	32	23	18	18	21	15	31	20	23	9	27	15	17	11	16	14
Diarrhoea and Enteritis, under 2 years,	1	.	1	1	1	1	3	1	2	3	1	1	4	7	8	3	2	1	4	2	2	4	.	3	2
Diarrhoea, 2 years and upwards,	1	.	.	.	2	3	2	1	1	.	.	.	1	1	1	1	2	1	.	.
Violent Deaths, ...	1	3	2	1	3	5	.	1	6	4	3	2	3	4	2	.	2	2	.	3	3	1	2	1	2	2
Number of Uncertified Deaths, ...	1	1	.	3	1	.	5	4	3	2	.	4	1	3	1	1	1	.	3	1	3	4	1	2	1	1
Mean Temperature of the Air in degrees.	48.3	43.1	45.4	43.3	40.0	32.3	41.1	38.7	38.4	44.1	48.1	41.2	41.0	41.1	44.3	39.9	40.8	41.0	49.7	47.1	43.5	52.7	48.2	48.2	47.5	54.9
Rainfall, in inches, ...	0.26	1.51	0.78	0.07	0.82	0.41	1.83	0.00	0.28	0.55	0.32	0.72	0.93	0.82	0.92	1.40	0.65	0.07	0.78	1.00	0.34	0.12	0.00	1.82	0.16	0.11

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	May 23,	2,110	1,097	12·7	3	.	21	6	22	12	17
EDINBURGH, ...	321,900	" 23,	141	101	16·4	.	.	2	3	.	.	1
GLASGOW, ..	1,047,000	" 23,	603	358	17·8	1	.	17	3	7	1	10
CALCUTTA, ..	896,067	Apr. 11,	.	583	33·8	112*	34	143 ^a
BOMBAY, ...	979,445	" 18,	352	855	45·4	318*	11	10	.	.	.	61 ^a
MADRAS ...	518,660	" 18,	400	407	40·8	53*	2	4	?	?	?	95 ^a
CAIRO, ...	721,303	Mar. 18,	599	439	31·7	9	3	2	.	?	4†	51
PARIS, ...	2,847,229	May 9,	927	979	17·6	6	.	11	1	3	2†	12
BRUSSELS, ...	767,252	" 2,	243	196	12·9	.	.	2	.	1	1†	13
ANTWERP, ...	313,833	" 2,	120	77	12·8	.	.	1	.	.	1†	9
AMSTERDAM, ...	597,449	" 2,	260	152	13·3	.	.	6	.	4	2†	2
COPENHAGEN, ...	483,000	" 2,	195	146	15·8	.	.	.	1	.	1	5 ^a
STOCKHOLM, ...	376,171	" 2,	123	100	13·6	1	.	1
CHRISTIANIA, ...	250,423	" 9,	134	64	13·3	.	.	.	4	4	.	1 ^a
ST. PETERSBURG ...	1,728,200	Apr. 18,	953	832	25·1	6	5	30	9	3	7	25
MOSCOW, ...	1,694,000	" 11,	.	927	28·5	3	1	43	17	16	5	64 ^a
BERLIN, ...	2,081,475	" 25,	.	555	13·9	.	.	7	3	5	15†	10
HAMBURG, ...	1,030,983	May 2,	.	297	15·0	1	.	2	3	4	8	18 ^a
BRESLAU, ...	544,232	" 2,	.	186	17·8	.	.	1	1	1	.	5 ^a
MUNICH, ...	640,000	" 2,	.	172	14·0	.	.	1	.	2	1†	9
VIENNA (with suburbs),	2,149,834	" 2,	725	660	16·0	2	.	15	4	5	6†	20
BUDA-PESTH, ...	950,784	" 2,	495	365	20·0	1	.	8	10	.	3†	7
PRAGUE and Faubourgs,	498,499	Apr. 4,	165	186	19·5	.	.	.	1	4	2†	3
TRIESTE, ...	244,655	" 18,	133	110	23·4	.	.	4	1	1	3†	2
ROME, ...	591,943	Nov. 22,
NEW YORK, ...	5,583,871	Apr. 18,	2,752	1,566	14·6	1	.	22	18	11	40†	29
PHILADELPHIA, ...	1,657,815	Mar. 14,	.	661	20·7	3	.	1	4	2	13†	16
BOSTON, ...	750,768	May 2,	.	239 ^b	16·6	.	.	2	3	.	4	7 ^a

* Deaths from "fever," including 7 from enteric fever and 30 from plague in Calcutta; 2 from enteric fever and 256 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 109 deaths from cholera in Calcutta, and one in Bombay.

^a Deaths from diarrhoeal diseases at all ages.

^b Corrected figures, *i.e.*, non-residents deducted, 207 (including 2 deaths from scarlet fever and 4 deaths from diarrhoeal diseases), rate 14·4 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd May, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomylitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	1	3	4
" " 1, West, ...	1	.	.	.	2	.	.	2	1	.	.	.	4	10
" " 2,	5	5
" " 3, ...	2	.	.	.	2	3	7
Clontari and Howth No. 1 (part of),	1	1
Coolock and Drumcondra (part of),	1	1
Finglas and Glasnevin (part of),
South City No. 1, ...	1	1	2
" " 2,	1	6	7
" " 3,	3	.	1	2	2	8
" " 4, ...	1	1	1	3
New Kilmainham, ...	2	1	.	.	.	1	4
Total, ...	9	.	.	.	8	.	1	6	2	.	.	.	26	52

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 23rd May, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 23rd May.			
	May 2.	May 9.	May 16.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	22	20	23	7	3	.	27
Typhus, ...	1
Small-pox,
Measles, ...	137	132	117	33	28	6	116
Scarlet Fever, ...	104	95	103	26	24	.	105*
Diphtheria, ...	37	46	41	11	12	4	39
Pneumonia, ...	26	24	19	13	5	2	25

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 23rd May, 1914:—

"Very favourable and seasonably warm weather was enjoyed. This state of things depended on the persistence of a ridge of high pressure extending in a north-easterly direction from the neighbourhood of the Azores across Ireland and England to Denmark and the Baltic. Both to the northwest and to the southeast of this ridge 'lows' were found from time to time—in the Greenland-Iceland region in one direction and in the Mediterranean Basin in the other. Over Scotland also atmospheric pressure became irregular in the course of Tuesday night, and on Wednesday morning a shallow secondary depression was found over the Hebrides, Sutherland and Caithness. This system caused rain in most parts of Scotland, and showers at several Irish stations, including Dublin, in which City a heavy shower had already fallen on Tuesday afternoon. Up to that time the weather had been very fine and warm. Wednesday was again a fair summer's day—especially warm in England, over a large portion of which country the thermometer rose above 70° in the screen, touching 76° at Kew Observatory and in St. James's Park, Westminster. A general and gradual decrease of atmospheric pressure now set in as a depression centred over Iceland on Thursday morning spread southeastwards to the N.W. shores of Ireland and Scotland. This movement caused the wind to back to S.W., with clouds and a somewhat unsettled appearance. Friday was fair and warm at first but afterwards became changeable. A northerly breeze sprang up in the evening and prevailed until the close of the week. Heavy rain fell on Friday night. Saturday although fine was cool and somewhat cloudy. Temperature at 9 p.m. was 15° below the corresponding reading of Sunday night. In Dublin the mean height of the barometer was 30.305 inches, the range being from 30.486 inches at 9 a.m. of Tuesday (wind, W.N.W.) to 30.059 inches at 9 a.m. of Saturday (wind, N.). The corrected mean temperature was 57.4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 56.3°. The screened thermometers rose to 68.8° on Sunday and fell to 45.0° on Saturday. The prevailing winds were W. and N. Rain fell on 3 days to the amount of .449 inch, .402 inch being recorded on Friday."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 30.299 inches. The highest reading (30.485) was on Tuesday, at 9 a.m., the lowest (30.056) on Saturday, at 9 a.m.

The mean temperature for the week was 55.4°, being 4.3° above the average for the corresponding period of the 10 years, 1904-1913. The temperature* was highest on Sunday, on which day the thermometer registered 68°, and was lowest on Saturday, the mercury having fallen to 33°. The mean of the Dry Bulb for the week was 55.0° and of the Wet Bulb, 53.3°. The mean humidity of the air was .90, complete saturation being represented by 1.0. The rainfall during the week measured 0.515 inch.

At Greenwich the mean temperature for the week was 60.7°, the maximum 83.4°, and the minimum 42.3°; at Glasgow the maximum was 70.0°, the minimum 43.0°, and the mean 53.8°; and at Edinburgh the maximum was 69.6°, the minimum 42.9°, and the mean 53.5°. The rainfall at Greenwich measured 0.35 in.; at Glasgow 0.40 in.; and at Edinburgh 0.53 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155.3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.			BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1-9.	Sunshine in hours and decimals.	Rain Gauge.
			Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1.0.			
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday,	May	17,	30.400	68	42	55.0	57.3	55.8	.91	.5	6.8	.000
Monday,	"	18,	30.430	67	41	54.0	54.9	53.7	.92	.4	7.2	.600
Tuesday,	"	19,	30.465	62	54	58.0	56.1	55.4	.95	.3	0.2	.085
Wednesday,	"	20,	30.335	64	53	53.5	58.9	56.8	.88	.5	4.0	.000
Thursday,	"	21,	30.225	66	53	59.5	58.7	56.9	.90	.6	5.9	.000
Friday,	"	22,	30.110	63	50	56.5	54.7	52.4	.86	.6	5.3	.430
Saturday,	"	23,	30.130	55	38	46.5	44.1	42.3	.87	.6	5.4	.000
Mean,	30.299	63.6	47.3	55.4	55.0	53.3	.90	.5	Total 34.8	Total .515

Sunday—A bright day, cloudy at intervals; night clear. Monday—A dull day a.m., bright p.m.; night cloudy. Tuesday—A dull day, heavy showers p.m.; night overcast. Wednesday—Day cloudy, bright at intervals; night cloudy. Thursday—Day bright, cloudy at intervals; night cloudy. Friday—A dull day, bright at intervals, heavy showers p.m.; night overcast, heavy rain m.n. to 4.0 a.m. Saturday—Day cloudy, bright at intervals; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 a.m. and 9 p.m.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 23rd May, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.			Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
				1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday,	May	17,	61.8	55.4	50.6	70	48	59	6.7	—
Monday,	"	18,	55.4	56.0	51.0	68	48	58	5.8	—
Tuesday,	"	19,	60.0	57.0	51.1	63	52	57.5	—	.030
Wednesday,	"	20,	61.5	57.0	51.5	65	52	58.5	3.3	—
Thursday,	"	21,	60.0	57.0	52.0	68	53	60.5	6.0	—
Friday,	"	22,	57.8	58.0	52.1	62	52	57	4.7	.390
Saturday,	"	23,	49.5	57.3	52.6	55	43	49	5.8	—
Weekly Mean,	.	.	58.0	56.8	51.6	64.4	49.7	57.1	Total 32.3	Total .420

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 30TH MAY, 1914.

[No. 22.]

*General Register Office, Charlemont House,
Dublin, 2nd June, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 17·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	May 9	May 16	May 23	May 30	
27 Town Districts, (a)	18·6	18·2	18·9	17·8	18·4
Dublin Reg. Area ...	21·7	19·5	19·3	22·0	20·6
Dublin City ...	22·0	21·8	21·3	21·8	21·7
Belfast ...	15·2	17·6	17·9	15·0	16·4
Cork ...	19·7	21·1	19·7	18·4	19·7
Londonderry ...	12·7	12·7	16·5	7·6	12·4
Limerick ...	19·0	10·8	24·4	17·6	18·0
Waterford ...	26·6	19·0	19·0	17·1	20·4

The deaths from certain epidemic diseases† registered in the 27 town districts during last week* were equal to an annual rate of 2·1 per 1,000. Among the 115 deaths from all causes for Belfast are 3 from measles, 4 from scarlet fever, 7 from whooping-cough, and 4 from diarrhœa and enteritis of children under 2 years. Of the 27 deaths from all causes for Cork, one is from scarlet fever and 3 are from whooping-cough, and of the 5 deaths from all causes for Sligo 2 are from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 262—136 boys and 126 girls—and the deaths to 185—98 males and 87 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·0 per 1,000 of the population. During the twenty-two weeks, ending with Saturday last, the death-rate averaged 23·9, the mean rate for the corresponding portions of the ten years, 1904–1913, being also 23·9.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 185, represent an annual rate of 23·8 per 1,000; the annual rate for the past twenty-two weeks was 25·4 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·1 per 1,000 of the mean population for all deaths registered.

Of the total deaths one was from enteric fever, 14 were from measles, and one from each of the following diseases:—Scarlet fever, whooping-cough, diphtheria, and influenza. During the 11 weeks ending with that under notice, deaths from measles were, respectively, 14, 27, 22, 34, 39, 35, 40, 29, 17, 16, and 14, in total 287 deaths. In each of the 3 weeks preceding, deaths from enteric fever were 0, one, and 0; deaths from scarlet fever were 2, 0, and one; deaths from whooping-cough were 2, one, and one; deaths from diphtheria were 3, 0, and 5; and deaths from influenza were 2, one, and 0. There were 4 deaths from diarrhoea and enteritis of infants, as compared with one, 5, and 7 in each of the 3 preceding weeks.

The deaths of 28* persons were caused by tuberculosis; the total includes 19 deaths from pulmonary tuberculosis, 4 deaths from tuberculous meningitis, 2 deaths from abdominal tuberculosis, and 3 deaths from other forms of the disease. In the 3 preceding weeks such deaths numbered 31, 29, and 27 respectively.

Cancer caused the deaths of 12* persons.

Amongst the deaths of infants under one year of age there were 4 from convulsions, one from congenital malformation, 3 from premature birth, and 6 from congenital debility.

Of 14 deaths from pneumonia (all forms), 6 were from broncho-pneumonia, 2 were from lobar pneumonia, and 6 were from pneumonia (type not distinguished).

Included in the remaining deaths there were 23 from organic diseases of the heart, and 21 from bronchitis.

There was one death by drowning, and 2 deaths were attributed to other accidental causes.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under one year old.

Fifty-six of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 12 were under one month old), and 42 were aged 65 years and upwards, including 27 persons aged 70 and upwards; among the latter were 14 aged 75 and upwards, of whom 2 (females) were stated to have been aged 93 and 97 years respectively.

Eighty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, 19 in the South Dublin Union Workhouse, and 6 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·0 per 1,000; the rate in the City was 21·8 (North City Districts, 20·6; South, 23·3) and in the Suburbs 22·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·8 per 1,000 inhabitants, the rate for the City being 3·4 (in the North City Districts 3·5, and in the South 3·2), and for the Suburbs 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (6) are equal to an annual rate of 10·4 per 1,000. Among them are one from measles, one from tuberculous meningitis, one from bronchitis, and one from diarrhoea and enteritis of a child under 2 years of age.

No. 1 *North City District, West* (Summer-hill).—The deaths (26) are equal to an annual rate of 32·8 per 1,000. There were 4 deaths from measles, one from diphtheria, 4 from tuberculous disease, 2 from pneumonia, and 4 from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 20·6 per 1,000. Two deaths were attributed to measles, 2 to pneumonia, and 5 to bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (13) represent an annual rate of 19·1 per 1,000, and include one death from measles, one from pulmonary tuberculosis, 3 from broncho-pneumonia, one death from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 22·9 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 14·6. Among the 6 deaths from all causes for Coolock and Drumcondra, part of, are one from tuberculous disease, one from lobar pneumonia, and one accidental death; and included in the 3 deaths from all causes for Finglas and Glasnevin, part of, are one from influenza and one from lobar pneumonia.

No. 1 *South City District* (South Earl-street).—The deaths (18) represent an annual rate of 23·0 per 1,000. Two deaths from measles, one from scarlet fever, 2 from pulmonary tuberculosis, one from broncho-pneumonia, 2 from bronchitis, and one death (that of a child under 2 years of age) from diarrhoea and enteritis.

No. 2 *South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000. One of the deaths was from measles, one from pulmonary tuberculosis, and one from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (25) are equal to an annual rate of 29·9 per 1,000. There were 3 deaths from measles, 5 from tuberculous disease, one death from pneumonia, 5 from bronchitis, one death from diarrhoea and enteritis of a child under 2 years of age, and one accidental death.

No. 4 *South City District* (Grand Canal Street).—The deaths (11) are equivalent to an annual rate of 17·3 per 1,000. Among them are one death from pulmonary tuberculosis, one from pneumonia, and one accidental death.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 26·5 per 1,000. Tuberculous disease caused 2 deaths.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 21·3; Pembroke, 20·7; Blackrock, 34·0; and Kingstown, 21·5. The deaths from the principal epidemic diseases tabulated for these districts comprise one from enteric fever for Kingstown, and one from whooping-cough for Rathmines and Rathgar. Among the 16 deaths from all causes for the last-named district are one from pulmonary tuberculosis and one from bronchitis. Included in the 12 deaths from all causes for Pembroke are 3 from tuberculous disease. Of the 6 deaths from all causes for Blackrock 2 are from pulmonary tuberculosis and one from bronchitis, and included in the 7 deaths from all causes for Kingstown there is one from each of pulmonary tuberculosis and pneumonia.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 11·8), was equal to an average annual death-rate of 13·3 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 15·6 per 1,000, the rate for Glasgow being 15·5, and for Edinburgh 13·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 30th May. From this Report it appears that of a total of 81 cases notified, 40 were scarlet fever, 30 phthisis, 8 diphtheria, 2 erysipelas, and one enteric fever. Among the 550 cases of infectious diseases in hospital at the close of the week were 249 cases of scarlet fever, 209 of phthisis, 51 of diphtheria, 18 of measles, 5 of enteric fever, 4 of erysipelas, 4 of chicken-pox, and 3 of whooping-cough.

* See note (c) at foot of Table II.

† See Columns 10–17 and 23–4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 30th May, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	May. 9,	.	—	—	10	1	.	18	.	.	5	2	.	—	—	.	—	.	22	58
	May. 16,	.	—	—	12	.	.	5	.	.	3	5	.	—	—	.	—	.	35	60
	May. 23,	.	—	—	9	.	.	8	.	1	6	2	.	—	—	.	—	.	26	52
	May. 30,	.	—	—	15	.	.	11	.	1	4	4	.	—	—	.	—	.	33	68
Rathmines and Rathgar Urban District.	May. 9,	.	—	—	3	.	.	2	—	—	—	—	—	—	5
	May. 16,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	May. 23,	.	—	—	3	.	.	2	.	.	.	1	.	—	—	—	—	—	—	6
	May. 30,	.	—	—	2	.	.	1	—	—	—	—	—	—	3
Pembroke Urban District.	May. 9,	.	1	.	4	—	—	—	—	—	.	5
	May. 16,	.	1	—	—	—	—	—	.	2
	May. 23,	.	3	.	7	2	.	.	—	—	—	—	—	1	12
	May. 30,	.	2	—	—	—	—	—	2	4
Blackrock Urban District.	May. 9,	.	—	—	—	—	—	—	—	—	.
	May. 16,	.	—	—	—	—	—	—	—	—	.
	May. 23,	.	—	—	2	—	—	—	—	—	—	2
	May. 30,	.	—	—	—	—	—	—	—	—	.
Kingstown Urban District.	May. 9,	.	—	—	—	—	—	—	—	.	1
	May. 16,	.	—	—	1	.	.	—	—	—	—	—	.	1
	May. 23,	.	—	—	—	—	—	—	—	.	1
	May. 30,	.	—	—	1	.	.	—	—	—	—	—	.	1
City of Belfast.	May. 9,	.	—	—	35	.	.	6	.	1	4	4	.	—	—	—	—	.	9	59
	May. 16,	.	—	—	27	3	.	5	1	1	1	6	.	—	—	—	2	8	54	
	May. 23,	.	—	—	42	9	.	1	.	1	3	3	.	—	—	—	—	9	68	
	May. 30,	.	—	—	54	1	1	2	.	—	—	—	—	2	60	
City of Cork.	May. 9,	.	8	—	1	1	.	.	.	—	—	—	—	—	—	10
	May. 16,	.	2	.	2	1	.	1	.	—	—	—	—	—	—	6 ^a
	May. 23,	.	7	.	2	1	2	3	.	—	—	—	—	—	—	15
	May. 30,	.	7	1	.	.	1	.	.	—	—	—	—	—	—	9
City of Londonderry.	May. 9,	.	—	—	—	—	—	—	—	—	.
	May. 16,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	May. 23,	.	—	—	1	—	—	—	—	—	—	1
	May. 30,	.	—	—	—	—	—	—	—	—	.
City of Limerick.	May. 9,	.	—	—	1	—	—	—	—	—	—	1
	May. 16,	.	—	—	2	—	—	—	—	—	—	2
	May. 23,	.	—	—	2	—	—	—	—	—	—	2
	May. 30,	.	—	—	—	—	—	—	—	—	.
City of Waterford.	May. 9,	.	—	—	—	—	—	—	—	1	2
	May. 16,	.	—	—	1	.	.	—	—	—	—	—	—	2
	May. 23,	.	—	—	—	—	—	—	—	—	2
	May. 30,	.	—	—	.	1	—	—	—	—	1	2	2

^a Not including 3 cases of whooping-cough.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th May, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Five cases of enteric fever were admitted to hospital during the week, 4 were discharged, 2 died, and 26 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 20, 23, and 27.

Twenty-five cases of measles were admitted to hospital, 25 were discharged, there were 3 deaths, and 113 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 132, 117, and 116, respectively.

Twenty-two cases of scarlet fever were admitted to hospital, 11 were discharged, one died, and 115* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 95, 103, and 105, respectively.

Five cases of diphtheria were admitted to hospital during the week and 9 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 46, 44 and 39, respectively, were 35 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 8 were discharged, there were 2 deaths, and 21 cases remained under treatment at the end of the week.

See note () at foot of Table XII.

TABLE II.—**BIRTHS AND DEATHS** registered during the week ending Saturday, 30th May, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 28 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **TEMPERATURE** and **RAINFALL** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	POPULATION.		CENSUS Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 30TH MAY, 1914.		DEATHS.												METEOROLOGY. (d)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
	Total (a)		Per-sons to an Acre.		Annual Rate per 1,000 Persons Represented by		BIRTHS.		DEATHS.		From all Causes.		From certain Epidemic Diseases. (b)		TOTAL NUMBER.		TOTAL NUMBER.		Under 1 Year of Age.		At 5 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other Forms.		Cancer.		Pneumonia.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.		Air Temperature.		Rainfall in Inches.		Air Temperature.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Air Temperature.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.		Absolute Lowest.		Mean.		Rainfall in Inches.		Absolute Highest.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 30th of May, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
		CITY OF DUBLIN.																	
		REGISTRATION DISTRICTS IN																	
		Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
		NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARE and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	PINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	1	.	
Typhus,	
Small-pox,	
Measles,	1	4	2	1	.	.	2	1	3	14	.	
Scarlet Fever,	1	1	.	
Whooping-cough,	1	.	.	.	1	.	
Diphtheria,	1	1	.	
Croup,	
Influenza,	1	1	.	
Dysentery,	
Tuberculosis, { Pulmonary,	2	.	1	.	.	2	1	4	1	1	1	2	2	1	18	1	.	
Other Forms,	1	2	.	.	.	1	.	.	1	.	1	.	1	.	.	7	2	.	
Cancer,	1	4	.	.	.	1	2	1	10	2	.	
Diseases of Nervous System,	1	1	.	2	.	.	1	.	1	.	.	3	1	.	.	10	1	.	
" Organs of Special Sense,	4	.	3	.	1	3	.	1	4	1	5	1	2	1	26	2	.	
" Circulatory System,	2	2	3	.	1	1	.	1	2	1	13	1	.	
" Respiratory System. { Pneumonia,	1	4	5	1	.	.	3	1	5	.	.	1	.	1	.	22	.	.	
" " { Others,	
" Digestive System. { Diarrhoea and Enteritis, under 2 years,	1	.	.	1	.	.	1	.	1	4	.	.	
" " { Diarrhoea, 2 years and upwards,	
" " { Enteritis, 2 years and upwards,	1	.	.	1	.	.	
" " { Others,	1	1	1	1	.	.	1	.	.	1	1	7	3	.	
" Genito-urinary System,	1	.	1	.	2	4	.	.	
Puerperal Septicæmia, etc.,	
Other Causes incident to Pregnancy and Childbirth,	
Diseases of the Skin and Cellular Tissue,	1	1	.	
" Locomotor System,	
Other specified Causes,	3	1	.	.	2	3	2	3	1	1	4	3	.	2	25	2	.	
Violent Deaths,	1	.	.	1	1	3	.	.	
Ill-defined, &c. Causes,	1	.	.	1	.	.	
Deaths from All Causes	6	26	11	13	.	6	3	18	6	25	11	5	16	12	6	7	171	14	
Annual Rate of Mortality from All Causes in every 1,000 of the population.	10·4	32·8	20·6	19·1	.	22·9	14·6	23·0	17·1	29·9	17·3	26·5	21·3	20·7	34·0	21·5	22·0	.	
	20·6							23·3							22·4			.	
	21·8																.		
Ages at Death. { Under 1 year,	1	6	2	3	.	.	.	3	2	3	1	.	1	3	.	.	30	1	
" 1 and under 2 years,	3	1	1	1	.	.	.	2	.	1	.	1	1	.	.	1	13	.	
" 2 " 5 "	1	3	.	2	.	.	.	2	1	1	.	.	1	2	1	.	10	2	
" 5 " 15 "	3	.	1	.	.	1	.	.	1	1	.	1	1	.	.	11	2	
" 15 " 25 "	1	.	2	.	1	.	1	.	1	1	1	1	.	.	.	8	.	
" 25 " 45 "	2	1	.	.	1	.	1	1	3	1	1	2	2	.	2	15	4	
" 45 " 65 "	1	3	4	1	.	2	.	5	1	6	6	1	4	3	3	3	43	4	
" 65 and upwards,	7	3	3	.	2	2	4	1	4	1	2	8	1	2	1	41	1	
Number of Uncertified Deaths,	2	2	.	.	2	.	.	6	.	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,	5	1	2	.	2	1	5	.	8	1	1	.	4	1	1	32	14	
Workhouse Hospitals,	1	5	2	3	.	1	.	4	2	7	3	2	1	.	2	4	37	.	

TWENTY-SECOND WEEK, ending Saturday, 30th May, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 22nd Week of the 10 years, 1904-1913.	In the Week ending Saturday, 30th May, 1914.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	June 4, 1904.	June 3, 1905.	June 2, 1906.	June 1, 1907.	May 29, 1908.	June 5, 1909.	June 4, 1910.	June 3, 1911.	June 1, 1912.	May 31, 1913.		Deaths of Persons of the Ages of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
												0-5.										Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Mean Temperature ...	56.2	56.4	55.7	52.9	54.2	53.2	50.6	56.2	51.1	53.9	54.0	48.1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1913-4—WEEK ENDING																									
		Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.
No. of weeks in Annual Series,		49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BIRTHS registered.		194	212	185	140	168	246	203	241	234	279	217	217	202	244	225	210	203	227	173	218	207	288	222	197	207	262
Average Births in corresponding week of previous 10 years, ...		187	204	179	186	225	222	212	215	241	214	217	204	232	222	206	215	230	214	220	221	218	264	237	214	213	244
DEATHS registered, ...		153	147	167	137	250	210	205	236	201	214	171	175	187	169	189	183	219	212	194	212	231	203	181	160	166	185
Annual Death-rate per 1,000, ...		19.8	19.0	21.6	17.7	32.1	27.0	26.8	30.3	25.8	27.5	22.0	22.5	24.0	21.7	24.3	23.5	28.1	27.2	24.9	27.2	29.7	26.1	23.2	20.5	21.3	23.8
Average Deaths in corresponding week of previous 10 years, ...		181	171	173	166	193	189	194	197	198	197	198	201	204	199	196	196	199	202	192	198	188	173	179	159	168	148
Ages, { Under 5 years, ...		55	49	55	47	63	46	45	69	56	72	49	52	56	57	61	70	82	55	74	89	92	89	62	54	73	56
5-15 " ...		6	8	8	6	11	12	6	7	11	8	12	8	5	2	7	7	9	12	7	11	10	6	10	7	4	13
15-25 " ...		4	3	6	6	12	9	4	16	11	12	10	11	8	14	9	7	9	14	5	10	9	9	8	9	9	8
25-45 " ...		23	31	31	19	32	31	32	29	30	27	23	28	27	30	28	28	35	26	27	28	33	30	27	22	22	19
45-65 " ...		26	34	37	25	78	48	55	50	43	44	35	33	40	38	46	38	44	44	51	32	45	30	50	36	37	47
65-75 " ...		26	15	20	20	31	36	32	34	21	28	25	27	37	22	18	21	24	35	16	29	23	22	14	21	13	28
75 and upwards, ...		13	7	10	14	23	28	31	31	26	13	17	16	14	18	18	12	16	26	14	13	19	17	10	11	8	14
Deaths from:—		4	3	1	1	1	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Enteric Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diphtheria, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis { Pulmonary ...		15	16	23	12	24	20	19	22	25	24	25	25	23	21	26	21	21	21	28	22	25	14	22	24	21	19
" { Other Forms, ...		5	5	7	5	11	8	4	10	12	7	5	10	4	2	9	8	6	9	5	10	8	10	9	5	6	9
Cancer, ...		7	6	7	7	7	8	12	9	7	10	5	5	10	9	7	6	18	6	13	8	13	9	11	11	5	12
Diseases of Circulatory System, ...		11	17	18	19	26	15	23	25	16	14	10	18	19	20	17	14	14	25	15	22	19	21	11	11	13	28
Diseases of Respi- { Pneumonia		18	19	18	12	22	19	21	26	17	20	13	14	13	15	14	8	20	19	16	17	17	19	13	13	15	14
ratory System, { Others, ...		17	22	16	17	51	48	30	43	32	31	25	17	30	21	34	35	34	35	30	28	20	15	17	19	17	22
Diarrhoea and Enteritis, under		5	4	8	5	3	2	6	5	5	3	5	4	2	5	5	6	4	1	2	7	3	3	1	5	7	4
2 years, ...		5	4	8	5	3	2	6	5	5	3	5	4	2	5	5	6	4	1	2	7	3	3	1	5	7	4
Diarrhoea, 2 years and upwards,		5	4	8	5	3	2	6	5	5	3	5	4	2	5	5	6	4	1	2	7	3	3	1	5	7	4
Violent Deaths, ...		4	3	1	2	6	12	4	9	5	5	3	3	4	4	1	3	2	3	1	1	6	3	2	7	5	3
Number of Uncertified Deaths,		4	6	4	3	14	10	2	5	4	4	8	8	6	5	6	2	7	8	4	5	9	7	2	2	9	6
Mean Temperature of the Air		44.4	46.0	44.1	37.7	34.6	44.3	39.5	38.6	44.1	42.1	43.6	42.1	43.1	44.6	41.7	39.8	39.7	50.9	45.9	45.6	48.8*	44.9	49.6	49.3	55.4	48.1
(Phoenix Park) in degrees, ...		42.2	42.5	42.4	41.5	41.9	41.1	40.0	39.6	39.4	40.4	41.6	40.4	41.5	41.7	41.7	41.8	43.3	43.8	44.4	46.1	45.9	47.1	49.7	49.4	51.1	54.0
Average Mean Temperature in		1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065
corresponding week of previous		1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065
10 years, ...		1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065
Rainfall in inches, ...		1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065
Mean Humidity of the Air, com-		1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065
plete Saturation 1.0, ...		1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065	1.065

* For 6 days only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th May, 1914; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.		OCCUPATION OR SOCIAL POSITION		Popula- tion in each Class and Group in 1911.		Annual Death Rate per 1,000 of the Population in 1911		Total Number of Deaths.		AGES.														CAUSES OF DEATH									
										AGES.								DISEASES OF THE RESPIRATORY SYSTEM						Other Causes.		Number of Uncertified Deaths.							

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths.	
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteric of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.) Population in 1914 (Est.) 30,206.	Apr. 25	32.8	6.9	19	.	.	.	2	.	1	1	.	2	1	.	.	2	.	.	1	1
	May 2	31.1	8.6	18	.	.	.	4	1	1	.	1	4	1	.	.	2
	" 9	31.1	8.6	18	.	.	.	3	.	1	1	.	3	2	.	1	3
	" 16	24.2	5.2	14	.	.	.	2	.	1	1	2	3	.	1	.	.
	" 23	22.4	3.5	13	.	.	.	1	2	.	1	2	5	1	.	.	.
" 30	10.4	3.5	6	.	.	.	1	1	.	.	1
North City, No. 1 (W.) (Office, Summer-hill.) Population in 1914 (Est.) 41,278.	Apr. 25	34.1	6.3	27	.	.	.	4	6	.	2	2	1	1	.	.	.
	May 2	27.8	10.1	22	.	.	.	8	1	2	1	1	3	.	1	.	.
	" 9	25.3	3.8	20	.	.	.	2	2	1	.	2	3	1	.	.	1
	" 16	25.3	3.8	20	.	.	.	3	3	.	1	4	3	.	1	.	.
	" 23	21.5	8.8	17	.	.	.	6	3	.	1	.	.	1	.	.	2
" 30	32.8	6.3	26	.	.	.	4	.	.	1	.	2	2	1	2	4	
North City, No. 2. (Office, Lisburn-street.) Population in 1914 (Est.) 27,883.	Apr. 25	54.2	13.1	29	.	.	.	6	2	3	2	1	1	1	.	.	1
	May 2	43.0	16.8	23	.	.	.	7	.	1	.	.	2	3	1	1	2	1	.	.	.
	" 9	31.8	7.5	17	.	.	.	4	1	2	1	2
	" 16	29.9	3.7	16	.	.	.	2	3	.	.	1	5
	" 23	28.1	1.9	15	1	1	.	4	2	1	.	.	.
" 30	20.6	3.7	11	.	.	.	2	2	5	
North City, No. 3. (Office, Benburb-street.) Population in 1914 (Est.) 35,536.	Apr. 25	29.3	7.3	20	.	.	.	5	1	.	3	.	.	2	.
	May 2	30.8	8.8	21	.	.	.	6	1	1	.	1	1	.	.	.	2
	" 9	19.1	8.8	13	.	.	.	6	4	.	1
	" 16	24.9	5.9	17	.	.	.	4	2	1	1	1	.	.	1	.	.
	" 23	26.4	5.9	18	.	.	.	3	.	1	.	.	4	.	1	1	.	.	.	1	.
" 30	19.1	2.9	13	.	.	.	1	1	.	.	3	1	1	.	.	.	
Clontarf and Howth No. 1 (part of). Population in 1914 (Est.) 5,485.	Apr. 25	57.0	9.5	6	.	.	.	1	1	.	.	1
	May 2	9.5	.	1
	" 9	9.5	.	1	1
	" 16
	" 23	28.5	9.5	3	1	.	.	.	1	.	.	1
" 30	
Coolock and Drumcondra (part of). Population in 1914 (Est.) 13,685.	Apr. 25	15.2	.	4	1	.	.	.	2
	May 2	19.1	.	5	1	.	.	1	1
	" 9	7.6	3.8	2	1	.	2	1	1
	" 16	30.5	.	8	1
	" 23	7.6	3.8	2	1	.	1
" 30	22.9	.	6	1	.	1	.	.	1	.	.	
Finglas and Glasnevin (part of). Population in 1914 (Est.) 10,723.	Apr. 25	9.7	.	2	1
	May 2	14.6	4.9	3	.	.	.	1	1	.	.	.	1
	" 9	14.6	.	3
	" 16	9.7	.	2	1	.	1
	" 23	9.7	.	2	1	.	.
" 30	14.6	.	3	1	
South City, No. 1. (Office, Sth. Earl-street.) Population in 1914 (Est.) 40,768.	Apr. 25	32.0	6.4	25	.	.	.	5	2	1	2	4	3	.	.	2	1
	May 2	24.3	1.3	19	.	.	.	1	1	.	1	3	1	.	.	.	1
	" 9	21.7	6.4	17	.	.	.	5	1	.	.	1
	" 16	24.3	10.2	19	1	.	.	3	2	.	.	1	.	4	.	2	.
	" 23	26.9	6.4	21	.	.	.	3	1	1	1	4	2	.	2	2
" 30	23.0	5.1	18	.	.	.	2	1	.	.	.	2	.	.	1	3	1	.	.	.	
South City, No. 2. (Office, Castle-street.) Population in 1914 (Est.) 18,341.	Apr. 25	28.4	5.7	10	.	.	.	2	1	.	2	2
	May 2	28.4	2.8	10	.	.	.	1	1	.	.	2
	" 9	34.1	5.7	12	.	.	.	2	1	1	.	3
	" 16	19.9	2.8	7	.	.	.	1	3	.	.	.	1
	" 23	25.6	5.7	9	2	.	2	1	.	.	2
" 30	17.1	2.8	6	.	.	.	1	1	.	.	.	1	
South City, No. 3. (Office, Peter-street.) Population in 1914 (Est.) 43,540.	Apr. 25	29.9	12.0	25	.	.	.	8	.	1	1	.	4	.	.	3	1	.	.	.	2
	May 2	26.3	7.2	22	.	.	.	5	1	.	2	2	2	1	.	1	.
	" 9	16.8	3.6	14	.	.	.	3	1	.	.	5	2	.	.	1	.
	" 16	18.0	1.2	15	.	.	.	1	2	1	1	1	2	.	.	1	1
	" 23	20.4	6.0	17	.	.	.	2	.	1	1	.	4	.	.	1	2	1	.	.	1
" 30	29.9	4.8	25	.	.	.	3	4	1	4	1	5	1	.	1	2	
South City, No. 4. (Office, Grand Canal-st.) Population in 1914 (Est.) 33,171.	Apr. 25	20.4	3.1	13	.	.	.	1	.	.	1	.	2	2	.	.	1	.	.	.	2
	May 2	20.4	4.7	13	.	.	.	2	.	1	.	.	1	1	.	2
	" 9	17.3	3.1	11	.	.	.	2	1	2	4	.	.	.
	" 16	15.7	1.6	10	.	.	.	1	1	1	.	1
	" 23	14.1	1.6	9	1	2
" 30	17.3	.	11	1	.	.	.	1	.	.	1	.	
New Kilmainham. Population in 1914 (Est.) 9,851.	Apr. 25	21.2	.	4	1	1
	May 2	10.6	.	2	1
	" 9	15.9	5.3	3	1
	" 16	10.6	.	2	1	.	.	.	1
	" 23	5.3	.	1	1
" 30	26.5	.	5	1	1	

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths.
		FROM ALL CAUSES.	CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Malaria, 2 years of age and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Apr. 25	20.0	2.7	15	.	.	.	1	1	.	1	2	1	1	.	.	1	
	May 2	20.0	4.0	15	.	.	.	3	1	.	1	3	1	.	.	.	1	
	" 9	25.3	4.0	19	.	.	.	1	1	1	.	.	3	.	1	1	1	
	" 16	14.6	1.3	11	2	1	1	.	.	1	.	.	.	
	" 23	10.7	1.3	8	.	.	.	1	1	1	
" 30	21.3	1.3	16	1	.	.	.	1	.	1	.	1	
Pembroke Urban District. Population in 1914 (Est.) 30,240	Apr. 25	15.5	.	9	1	1	1	.	.	.	1	
	May 2	13.8	1.7	8	.	.	.	1	1	.	.	1	1	
	" 9	17.2	.	10	4	1	1	1	.	.	.	1	.	
	" 16	8.6	.	5	1	1	.	
	" 23	12.1	.	7	1	.	1	2	
" 30	20.7	.	12	2	1	2		
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Apr. 25	11.3	.	2	1	
	May 2	5.7	5.7	1	.	.	.	1	
	" 9	11.3	5.7	2	.	.	.	1	
	" 16	11.3	.	2	1	
	" 23	11.3	.	2	2	
" 30	34.0	.	6	2	.	1	.	1		
Kingstown Urban District. Population in 1911 16,941.	Apr. 25	21.5	.	7	2	.	.	.	1	
	May 2	24.6	.	8	1	1	2	
	" 9	21.5	.	7	1	1	
	" 16	12.3	.	4	1	
	" 23	18.5	.	6	1	3	
" 30	21.5	3.1	7	1	1	.	1	1		
Belfast. Population in 1914 (Est.) 399,000.	Apr. 25	23.4	2.4	179	.	.	.	1	6	8	.	.	32	4	5	22	15	2	1	4		
	May 2	18.2	1.7	139	.	.	.	3	1	3	.	.	18	4	6	8	17	4	2	1		
	" 9	15.2	0.8	116	.	.	.	1	.	3	1	.	19	10	5	9	11	1	1	2		
	" 16	17.6	1.7	135	.	.	.	3	2	5	.	.	26	12	8	14	16	3	1	1		
	" 23	17.9	2.4	137	.	5	.	1	5	5	.	.	21	7	7	13	14	2	2	1		
" 30	15.0	2.4	115	.	.	.	3	4	7	.	.	15	4	3	10	12	4	3	3			
Cork. Population in 1911 76,673.	Apr. 25	33.3	2.7	49	1	1	.	.	6	1	3	6	3	1	1	.		
	May 2	23.1	3.4	34	.	.	.	1	.	4	.	.	6	1	2	1	5	.	.	2		
	" 9	19.7	2.0	29	3	.	.	5	.	.	2	3	.	.	2		
	" 16	21.1	0.7	31	1	.	.	10	2	1	1	5	.	1	2		
	" 23	19.7	0.7	29	1	.	.	6	.	2	3	3	.	.	1		
" 30	18.4	2.7	27	1	3	.	.	6	2	.	2	7	.	.	.			
Londonderry. Population in 1914 (Est.) 41,100.	Apr. 25	16.5	.	13	2	2	.	.	2	.	2	.		
	May 2	19.0	.	15	2	.	.	1	2	.	.	1		
	" 9	12.7	.	10	1	1	3	.	2	.	.	.		
	" 16	12.7	.	10	3	1	1	.	3	.	.	.		
	" 23	16.5	.	13	2	1	1	1		
" 30	7.6	.	6	1	.	1			
Limerick. Population in 1911 38,518.	Apr. 25	28.4	1.4	21	1	.	.	.	2	.	1	2	3	.	.	4		
	May 2	23.0	.	17	3	2	.	2	3	.	.	3		
	" 9	19.0	.	14	2	.	2	2	.	.	2	2		
	" 16	10.8	.	8	2	.	.	2	5	1	.	2		
	" 23	24.4	1.4	18	6	.	.	.	1	.	.	2		
" 30	17.6	1.4	12	1	1	.	1	4	.	.	3			
Waterford. Population in 1911 27,464.	Apr. 25	24.7	.	13	2	1	.	.	4	.	.	.		
	May 2	20.9	.	11	2	.	.	.	4	.	.	.		
	" 9	26.6	3.8	14	2	.	.	1	2	2	1	1		
	" 16	19.0	1.9	10	2	.	.	2	2	1	.	2		
	" 23	19.0	.	10	1	1	.	1	1	.	.	.		
" 30	17.1	.	9	1	1	.	1	1	.	.	2			

* See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

Belfast.	1913-4—WEEK ENDING																									
	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.
No. of weeks in Annual Series,	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BIRTHS registered, ...	136	205	196	130	284	195	254	208	215	187	224	210	203	217	222	196	244	243	163	219	255	198	222	245	238	262
DEATHS registered, ...	117	137	141	150	194	203	174	182	197	164	142	144	153	140	146	163	150	136	142	162	179	139	116	135	137	115
Annual Death-rate per 1,000 of estimated population, ...	15.4	18.0	18.6	19.8	25.4	26.5	22.7	23.8	25.7	21.4	18.6	18.8	20.0	18.3	19.1	21.3	19.6	17.8	18.6	21.2	23.4	18.2	15.2	17.6	17.9	15.0
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 55 and upwards,	14	23	27	28	42	46	24	43	45	33	28	25	28	28	28	32	28	25	29	29	45	29	21	21	17	23
	24	26	17	29	23	26	24	22	21	16	20	10	16	15	16	21	27	9	18	22	21	18	10	21	16	18
	15	12	16	25	14	17	14	24	13	18	15	12	18	14	10	19	13	16	11	17	20	21	13	18	20	16
	20	22	32	20	25	26	30	23	34	24	26	21	29	27	34	26	21	24	20	25	25	27	19	23	29	19
	27	29	32	30	39	47	36	35	41	37	31	42	32	33	28	30	28	30	30	31	35	25	28	32	28	28
Deaths from :—	17	25	17	18	51	31	46	35	43	36	22	34	30	23	30	35	33	29	34	38	32	19	25	20	27	11
Enteric Fever, ...	1	.	.	.	1	.	.	1	.	1	1
Typhus,	2	1	5	.
Small-pox,
Measles,	1	.	1	.	1
Scarlet Fever, ...	8	8	5	6	3	12	10	2	3	7	6	1	6	3	3	3	2	2	2	2	1	3	1	3	1	3
Whooping-cough, ...	3	3	3	7	6	3	1	5	1	2	6	1	4	5	2	7	5	3	6	9	8	3	3	5	5	7
Diphtheria,	2	1	.	2	4	2	2	.	1	2	1	.	2	1	1	.	.	1	.	.	.
Dysentery,	1
Tuberculosis, { Pulmonary,	10	8	12	15	15	14	17	15	12	14	21	17	31	14	15	16	14	10	12	11	32	18	19	20	21	15
{ Other Forms,	6	5	2	9	8	8	5	6	3	7	4	4	8	6	5	6	7	5	4	13	4	4	10	12	7	4
Cancer, ...	3	7	10	6	3	10	8	6	10	8	9	9	4	4	3	7	3	5	9	4	5	6	5	8	7	3
Diseases of Respi- (Pneumonia,	13	25	14	28	23	29	23	29	26	21	13	14	15	16	12	9	15	6	19	12	22	8	9	14	13	10
ratory System, { Others, ...	14	10	14	15	36	28	27	26	45	32	23	18	18	21	15	31	20	23	9	27	15	17	11	16	14	12
Diarrhoea and Enteritis, under 2 years, ...	1	.	1	1	1	2	3	1	2	3	1	1	4	7	8	3	2	1	4	2	2	4	.	3	2	4
Diarrhoea, 2 years and upwards,	1	.	.	.	2	.	2	1	1	.	.	.	1	1	1	1	2	1	.	.	.
Violent Deaths, ...	3	2	1	3	5	.	1	6	4	3	2	3	4	2	.	2	2	.	3	3	1	2	1	2	2	3
Number of Uncertified Deaths, ...	1	.	3	1	.	5	4	3	2	.	4	1	3	1	1	1	.	3	1	3	4	1	2	1	1	3
Mean Temperature of the Air in degrees,	43.1	45.4	43.3	40.0	32.3	41.1	38.7	38.4	44.1	48.1	41.2	41.0	41.1	44.3	39.9	40.8	41.0	49.7	47.1	43.5	52.7	48.2	48.2	47.5	51.9	50.0
Rainfall, in inches, ...	1.51	0.78	0.07	0.82	0.41	1.83	0.00	0.28	0.55	0.32	0.72	0.93	0.82	0.92	1.40	0.65	0.07	0.78	1.00	0.84	0.12	1.32	1.32	0.16	0.11	0.12

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ---	4,516,612	May 30,	2,290	1,026	11·8	4	.	24	6	16	10	16
EDINBURGH, ---	321,900	" 30,	143	85	13·8	.	.	2	.	.	1	.
GLASGOW, ---	1,047,000	" 30,	569	311	15·5	.	.	7	2	19	2	4
CALCUTTA, ---	896,067	Apr. 18,	.	632	36·6	112*	48	1	.	1	.	156†a
BOMBAY, ---	979,445	" 25,	311	900	47·8	346*	17	13	.	.	.	55†a
MADRAS, ---	518,660	" 25,	383	383	38·4	54*	3	4	?	?	?	92a
CAIRO, ...	721,303	" 1,	616	504	36·4	10	3	2	.	?	8†	80
		" 8,	641	452	32·7	4	6	3	.	?	8†	66
PARIS, ...	2,847,229	May 16,	957	917	16·5	8	.	7	3	8	2†	25
BRUSSELS, ...	767,252	" 9,	229	163	10·8	2	.	4	.	.	.	6
ANTWERP, ...	313,833	" 9,	140	69	11·5	2	1†	4
AMSTERDAM, ---	597,449	" 9,	291	117	10·2	.	.	13	1	2	.	.
COPENHAGEN, ---	483,000	" 9,	203	122	13·2	.	.	1	.	.	.	4a
STOCKHOLM, ---	382,085	" 9,	146	103	14·7	.	.	6	1	1	1	1a
CHRISTIANIA, ---	250,423	" 16,	114	66	13·7	.	.	.	3	.	1	1a
ST. PETERSBURG ---	1,728,200	Apr. 25,	800	832	25·1	6	1	22	10	6	16	27
MOSCOW, ...	1,694,000	" 18,	.	897	27·6	1	2	41	8	16	13	67a
BERLIN, ...	2,081,475	May 2,	.	515	12·9	.	.	10	12	5	11†	23
HAMBURG, ...	1,030,983	" 9,	.	286	14·4	.	.	2	2	2	2	17a
BRESLAU, ...	544,232	" 9,	.	188	18·0	3	1	17a
MUNICH, ...	640,000	" 9,	.	181	14·7	1	1†	9a
VIENNA (with suburbs),	2,149,834	" 9,	711	615	14·9	.	.	13	6	10	5†	20
BUDA-PESTH, ...	950,784	" 9,	479	397	21·7	1	.	13	8	5	3†	14
PRAGUE and Faubourgs,	498,499	Apr. 11,	174	187	19·6	.	.	.	3	.	5†	7
TRIESTE, ...	244,655	" 25,	136	104	22·2	1	.	.	1	2	.	2
ROME, ...	591,943	Nov. 22,	268	158	13·9	3	.	.	1	.	1†	16a
NEW YORK, ...	5,583,871	Apr. 25,	2,667	1,637	15·3	6	.	20	22	8	35†	32
PHILADELPHIA, ---	1,657,815	Mar. 21,	.	674	21·1	3	.	1	6	8	9†	16
BOSTON, ...	750,768	May 9,	.	217b	15·1	.	.	1	2	1	3	2a

* Deaths from "fever," including 16 from enteric fever and 27 from plague in Calcutta; 2 from enteric fever and 268 from plague in Bombay, and 2 from enteric fever and one from plague in Madras.

† Including deaths from croup.

‡ Including 119 deaths from cholera in Calcutta, and 2 in Bombay.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 190 (including 2 deaths from diphtheria), rate 13·2 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 30th May, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	1	.	.	.	1	.	1	2	3	8
" " 1, West, ...	2	.	.	.	2	2	6
" " 2, ...	1	1	.	.	.	5	7
" " 3, ...	3	4	7
Clontarf and Howth No. 1 (part of),	1	1
Coolock and Drumcondra (part of),	2	1	.	.	.	1	4
Finglas and Glasnevin (part of),	1	1
South City No. 1, ...	3	.	.	.	2	4	9
" " 2, ...	1	1	2	4
" " 3, ...	1	.	.	.	3	.	.	.	1	.	.	.	9	14
" " 4, ...	1	.	.	.	2	.	.	1	1	.	.	.	2	7
New Kilmainham,
Total, ...	15	.	.	.	11	.	1	4	4	.	.	.	33	68

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 30th May, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 30th May.			
	May 9.	May 16.	May 23.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	20	23	27	5	4	2	26
Typhus,
Small-pox,
Measles, ...	132	117	116	25	25	3	113
Scarlet Fever, ...	95	103	105	22	11	1	115*
Diphtheria, ...	46	44	39	5	9	.	35
Pneumonia, ...	24	19	25	6	8	2	21

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 30th May, 1914:—

"A spell of very cold weather ushered in this week, lasting until Wednesday when conditions became more seasonable, although nothing like warm summer weather can be said to have occurred at any time. On Sunday a large but rather shallow area of low atmospheric pressure lay over England and the North Sea, whereas a high-pressure system was spreading over Ireland from the Atlantic. In the former country clouds and showers of rain and hail occurred and thunderstorms were reported from the east and south-east coasts. In Dublin there were some showers of rain and hail and a cold N. wind was followed by a sharp night, the thermometer falling to 36° in the screen and 34° on the ground. Inland even severer cold was felt, the shade minimum at Birr Castle, King's County, being 29°. At Nairn, in Scotland, the thermometer fell to 26° early on Monday morning—an exceptionally low reading for so advanced a time of the year. The frosts did great damage to vegetation in many parts of the British Isles up to Wednesday, on which day temperature became generally higher as a westerly wind, connected with an atmospheric depression in the Icelandic region spread in over Ireland. Thursday was quite a warm day in this country for the thermometer rose to 67° at Birr Castle and also in Dublin. Friday was dull and small quantities of rain fell in many places. At the close of the week the weather was rather unsettled, but not unfavourable. In Dublin the mean height of the barometer was 30·227 inches, the range being from 30·378 inches at 9 p.m. of Sunday (wind, N.N.W.) to 30·020 inches at 9 p.m. of Friday (wind, W.N.W.). The corrected mean temperature was 50·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 51·1°. The screened thermometers fell to 35·5° on Monday and rose to 66·7° on Thursday. The prevailing winds were W. and N.W. Rain fell on three days to the amount of ·111 inch, ·056 inch being recorded on Thursday and ·044 inch on Friday. Hail fell on Sunday and a solar halo was observed on Thursday."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 30·223 inches. The highest reading (30·380) was on Sunday, at 9 p.m., the lowest (30·017) on Friday, at 9 a.m.

The mean temperature for the week was 48·1°, being 5·9° below the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Thursday, on which day the thermometer registered 67°, and was lowest on Monday, the mercury having fallen to 28°. The mean of the Dry Bulb for the week was 50·0° and of the Wet Bulb, 47·9°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The rainfall during the week measured 0·110 inch.

At Greenwich the mean temperature for the week was 50·4°, the maximum 66·3°, and the minimum 37·6°; at Glasgow the maximum was 63·0°, the minimum 36·4°, and the mean 50·5°; and at Edinburgh the maximum was 61·9°, the minimum 37·8°, and the mean 49·5°. The rainfall at Greenwich measured 0·26 in.; at Glasgow 0·21 in.; and at Edinburgh 0·04 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.	BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.
	Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1·0.			
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday, May 24,	30·340	52	31	41·5	43·3	40·4	·80	·6	7·2	·000
Monday, „ 25,	30·330	53	28	40·5	45·1	42·9	·86	·4	8·8	·000
Tuesday, „ 26,	30·265	56	35	45·5	46·4	44·4	·87	·4	3·7	·000
Wednesday, „ 27,	30·245	60	29	44·5	53·9	50·1	·78	·6	13·2	·000
Thursday, „ 28,	30·190	67	50	58·5	55·3	53·3	·37	·7	1·9	·070
Friday, „ 29,	30·020	57	50	53·5	53·8	53·7	·98	·6	0·0	·040
Saturday, „ 30,	30·170	57	49	53·0	52·3	50·5	·88	·7	0·0	·000
Mean,	30·223	57·4	38·9	48·1	50·0	47·9	·86	·6	Total 34·8	Total ·110

Sunday—A bright day, cloudy at intervals; night clear. Monday—A bright day, cloudy at intervals; night cloudy. Tuesday—Day cloudy, bright at intervals; night clear. Wednesday—A beautiful bright day; night cloudy. Thursday—A dull day, light rain 8.0 to 9.0 p.m.; night overcast, light rain 10.0 p.m. to m.n. Friday—Day overcast, drizzling p.m.; night overcast, drizzling m.n. to 2.0 a.m. Saturday—A dull day; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 30th May, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.R.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Tem- perature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell- Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, May 24,	48·1	55·0	52·7	53	35	44	hrs. 4·5	ins. —
Monday, „ 25,	48·4	53·3	53·0	53	34	43·5	12·6	—
Tuesday, „ 26,	52·0	54·1	53·0	56	41	48·5	5·7	—
Wednesday, „ 27,	56·1	54·5	52·8	60	38	49	12·0	—
Thursday, „ 28,	56·1	55·7	52·8	67	50	58·5	1·8	·046
Friday, „ 29,	54·3	56·2	52·8	59	51	55	—	·024
Saturday, „ 30,	52·2	55·6	53·0	57	49	53	—	—
Weekly Mean, .	52·5	54·9	52·9	57·9	42·6	50·2	Total 36·6	Total. ·070

DUBLIN: Printed for His Majesty's Stationery Office,
By ALAN THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 28, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 6TH JUNE, 1914.

[No. 23.]

*General Register Office, Charlemont House,
Dublin, 8th June, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	May 16	May 23	May 30	June 6	
27 Town Districts, (a)	18·2	18·9	17·8	16·7	17·9
Dublin Reg. Area ...	19·5	19·3	22·0	19·9	20·2
Dublin City ...	21·8	21·8	21·8	22·5	21·8
Belfast ...	17·6	17·9	15·0	16·6	16·8
Cork ...	21·1	19·7	18·4	15·0	18·5
Londonderry ...	12·7	16·5	7·6	14·0	12·7
Limerick ...	10·8	24·4	17·6	17·6	17·6
Waterford ...	19·0	19·0	17·1	19·0	18·5

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 1·6 per 1,000. Among the 127 deaths from all causes for Belfast are one from measles, one from scarlet fever, 4 from whooping-cough, 2 from diphtheria, and 2 from diarrhoeal diseases. One death from measles is included in the 10 deaths from all causes for Waterford, and of the 2 deaths recorded for Sligo one is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 191—96 boys and 95 girls—and the deaths to 162—76 males and 86 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·9 per 1,000 of the population. During the twenty-three weeks, ending with Saturday last, the death-rate averaged 23·7, the mean rate for the corresponding portions of the ten years, 1904—1913, being also 23·7.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 162, represent an annual rate of 20·8 per 1,000; the annual rate for the past twenty-three weeks was 25·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·9 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered are one from enteric fever, 18 from measles, 2 from whooping-cough, one from diphtheria, one from influenza, one from dysentery, and 2 deaths from diarrhoea and enteritis of children under 2 years of age.

Deaths from measles registered during the 12 weeks ending with the 6th instant numbered, respectively, 14, 27, 22, 34, 39, 35, 40, 29, 17, 16, 14, and 18, making a total of 305 deaths.

In the three weeks ended 30th ultimo, deaths from enteric fever were one, 0, and one; deaths from whooping-cough were one, one, and one; deaths from diphtheria were 0, 5, and one; deaths from influenza were one, 0, and one; and deaths of children under 2 years of age from diarrhoea and enteritis were 5, 7, and , respectively.

Deaths from tuberculous disease, numbering 29, 27, and 28, respectively, in the three preceding weeks, rose to 31* in the week under notice, the latter comprising 27 from pulmonary tuberculosis, one from tuberculous meningitis, and 3 from other forms of tuberculous disease.

Nine* deaths were attributed to cancer.

Of deaths of infants under one year of age, 2 were ascribed to convulsions, one to premature birth, and 3 to congenital debility.

Broncho-pneumonia caused 4 deaths and pneumonia (type not distinguished) 8 deaths.

There were 13 deaths from organic diseases of the heart, and 11 from bronchitis.

To accidental causes 6 deaths were attributed, including 4 deaths of children under 5 years of age caused by burns, and one death of an infant 6 weeks old caused by suffocation in bed.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old.

Fifty-four of the persons whose deaths were registered during the week were under 5 years of age (20 being infants under one year, of whom 5 were under one month old), and 30 were aged 65 years and upwards, including 21 persons aged 70 and upwards; among the latter were 14 aged 75 and upwards, of whom 3 (females) were stated to have been aged 90, 90, and 95 years respectively.

Seventy-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse, and 10 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·9 per 1,000; the rate in the City was 22·5 (North City Districts, 21·5; South, 23·6) and in the Suburbs 11·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 3·2 per 1,000 inhabitants, the rate for the City being 4·2 (in the North City Districts 5·4, and in the South 2·9), and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·4 per 1,000. Among them are one from enteric fever, 3 from measles, 2 from tuberculous disease, one from broncho-pneumonia, and one from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 18·9 per 1,000. One death each from measles, and diphtheria, 3 deaths from tuberculous disease, 2 from pneumonia, one from bronchitis, one death from diarrhoea and enteritis of a child under 2 years of age, and 2 deaths from accidental burns were recorded.

No. 2 North City District (Lisburn-street).—The deaths (22) are equivalent to an annual rate of 41·1 per 1,000. There were 6 deaths from measles, 2 from whooping-cough, 3 from tuberculous disease, and one death each from broncho-pneumonia and bronchitis.

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 19·1 per 1,000, and include one death from measles, 4 from pulmonary tuberculosis, and one from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 19·1 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 0·0. Of the 5 deaths from all causes for the first-named district, one was caused by measles, one by pulmonary tuberculosis, and one by pneumonia.

No. 1 South City District (South Earl-street).—The deaths (24) represent an annual rate of 30·7 per 1,000. Two of the deaths were from measles, one was from influenza, one from dysentery, 7 from tuberculous disease, 3 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000, and include one death from measles, one from pulmonary tuberculosis, one from pneumonia, and one accidental death.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 26·3 per 1,000. Among them are 3 from measles, 2 from pulmonary tuberculosis, 3 from pneumonia, 2 from bronchitis, and 2 from accidental burns.

No. 4 South City District (Grand Canal Street).—The deaths (7) are equivalent to an annual rate of 11·0 per 1,000. Pulmonary tuberculosis caused 2 deaths, and bronchitis one death.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·9 per 1,000, and include one from pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·3; Pembroke, 13·8; Blackrock, 0·0; and Kingstown, 9·2. There was no death from any of the principal epidemic diseases tabulated for these districts. Among the 10 deaths from all causes for Rathmines and Rathgar are 3 from pulmonary tuberculosis, one from pneumonia, and one from bronchitis; and the 8 deaths from all causes for Pembroke include one from broncho-pneumonia, and one accidental death.

ENGLAND AND SCOTLAND

The mortality last week in 97 large English towns (including London, in which the rate was 12·7), was equal to an average annual death-rate of 13·2 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·0 per 1,000, the rate for Glasgow being 17·6, and for Edinburgh 14·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 6th June. From this Report it appears that of a total of 76 cases notified, 30 were scarlet fever, 24 phthisis, 18 diphtheria, and 4 erysipelas. Among the 537 cases of infectious diseases in hospital at the close of the week were 238 cases of scarlet fever, 208 of phthisis, 56 of diphtheria, 11 of measles, 7 of erysipelas, 6 of chicken-pox, 5 of enteric fever, and 2 of whooping-cough.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 6th June, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	May. 16,	.	—	—	12	.	.	5	.	1	3	5	.	—	—	.	—	.	35	60
	May. 23,	.	—	—	9	.	.	8	.	1	6	2	.	—	—	.	—	.	26	52
	May. 30,	.	—	—	15	.	.	11	.	1	4	4	.	—	—	.	—	.	33	68
	June. 6,	.	—	—	13	.	.	6	.	.	4	5	.	—	—	.	—	.	32	60
Rathmines and Rathgar Urban District.	May. 16,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	May. 23,	.	—	—	3	.	.	2	.	.	.	1	.	—	—	—	—	—	—	6
	May. 30,	.	—	—	2	.	.	1	—	—	—	—	—	—	3
	June. 6,	.	—	—	2	.	.	1	—	—	—	—	—	—	3
Pembroke Urban District.	May. 16,	.	1	—	—	—	—	—	1	2
	May. 23,	.	3	.	7	2	.	.	—	—	—	—	.	.	12
	May. 30,	.	2	—	—	—	—	.	.	4
	June. 6,	.	1	.	1	—	—	—	—	2	1	8
Blackrock Urban District.	May. 16,	.	—	—	—	—	—	—	—	—	.
	May. 23,	.	—	—	2	—	—	—	—	—	—	2
	May. 30,	.	—	—	—	—	—	—	—	—	.
	June. 6,	.	—	—	—	—	—	—	—	—	.
Kingstown Urban District.	May. 16,	.	—	—	1	.	.	—	—	—	—	—	.	1
	May. 23,	.	—	—	—	—	—	—	.	.	1
	May. 30,	.	—	—	1	.	.	—	—	—	—	.	.	1
	June. 6,	.	—	—	.	.	.	1	—	—	—	—	.	.	1
City of Belfast.	May. 16,	.	—	—	27	3	.	5	1	1	1	6	.	—	—	.	—	2	8	54
	May. 23,	.	—	—	42	9	.	1	.	1	3	3	.	—	—	.	—	9	68	
	May. 30,	.	—	—	54	1	1	2	.	—	—	.	—	2	60	
	June. 6,	.	—	—	46	1	.	8	1	1	2	2	.	—	—	.	—	3	64	
City of Cork.	May. 16,	.	2	—	2	1	.	1	.	—	—	—	—	—	—	6 ^a
	May. 23,	.	7	—	2	1	2	3	.	—	—	—	—	—	—	15
	May. 30,	.	7	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	9
	June. 6,	.	8	—	1	.	.	1	.	.	3	1	.	—	—	—	—	—	—	14 ^b
City of Londonderry.	May. 16,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	May. 23,	.	—	—	1	—	—	—	—	—	—	1
	May. 30,	.	—	—	—	—	—	—	—	—	.
	June. 6,	.	—	—	1	—	—	—	—	—	—	1
City of Limerick.	May. 16,	.	—	—	2	—	—	—	—	—	—	2
	May. 23,	.	—	—	2	—	—	—	—	—	—	2
	May. 30,	.	—	—	1	—	—	—	—	—	—	1
	June. 6,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
City of Waterford.	May. 16,	.	—	—	1	.	.	—	—	—	—	—	1	2
	May. 23,	.	—	—	—	—	—	—	—	.	2
	May. 30,	.	—	—	.	1	—	—	—	—	1	1	2
	June. 6,	.	—	—	—	—	—	—	2	2	2

^a Not including 3 cases of whooping-cough.

^b Not including 2 cases of whooping-cough.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th June, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Six cases of enteric fever were admitted to hospital during the week, 2 were discharged, and 30 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 23, 27, and 26.

Nineteen cases of measles were admitted to hospital, 28 were discharged, there were 6 deaths, and 98 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 117, 116, and 113, respectively.

Eleven cases of scarlet fever were admitted to hospital, 9 were discharged, and 117* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 103, 105, and 115, respectively.

Seven cases of diphtheria were admitted to hospital during the week, 5 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 44, 39, and 35 respectively, were 35 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 5 were discharged, there was one death, and 21 cases remained under treatment at the end of the week.

See note () at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 6th of June, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &C.		DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
		CITY OF DUBLIN.													URBAN DISTRICTS OF			
		REGISTRATION DISTRICTS IN																
		Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.									
		NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	PINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.				
Enteric Fever,	1	1	.
Typhus,
Small-pox,	3	1	6	.	.	1	.	2	1	3	18	.
Measles,
Scarlet Fever,	.	.	2	2	.
Whooping-cough,	.	1	1	.
Diphtheria,
Croup,	1	1	.
Influenza,	1	1	.
Dysentery,	1	2	2	4	.	1	.	6	1	2	2	.	3	.	.	.	24	3
Tuberculosis, { Pulmonary,	1	1	1	1	4	.
Other Forms,	.	.	.	2	7	2
Cancer,	.	.	1	2	.	.	.	1	1	.	1	.	.	1
Diseases of Nervous System,	1	1	2	1	.	.	.	3	2	1	1	1	.	2	.	1	16	1
" Organs of Special Sense,
" Circulatory System,	.	.	1	.	.	1	.	2	2	4	.	.	1	1	.	1	13	1
" Respiratory System. { Pneumonia,	1	2	1	.	.	1	.	3	1	3	.	1	1	1	.	.	12	.
Others,	1	1	1	2	.	1	.	3	.	2	2	.	1	.	.	.	13	.
" Digestive System. { Diarrhoea and Enteritis, under 2 years,	.	1	1	2	.
Diarrhoea, 2 years and upwards,
Enteritis, 2 years and upwards,	1	6	.
Others,	1	1	2	1	.	1	1	.	.	8	.
" Genito-urinary System,	1	.	1	1	.	.	.	2	.	1	1
Puerperal Septicæmia, etc.,
Other Causes incident to Pregnancy and Childbirth,	.	.	1	1	.
Diseases of the Skin and Cellular Tissue,	1	1	.
" Locomotor System,
Other specified Causes,	3	2	1	2	.	.	.	1	1	3	.	1	3	.	.	1	18	.
Violent Deaths,	.	2	1	2	.	.	.	1	.	.	6	.
Ill-defined, &c. Causes,
Deaths from All Causes	13	15	22	13	.	5	.	24	10	22	7	3	10	8	.	3	155	7
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22.4	18.9	41.1	19.1	.	19.1	.	30.7	28.4	26.3	11.0	15.9	13.3	13.8	.	9.2	19.9	.
	21.5							23.6						11.5				
	22.5																	
Ages at Death. { Under 1 year,	4	1	4	2	.	.	.	4	2	1	.	.	1	1	.	.	20	.
1 and under 2 years,	3	4	3	.	.	1	.	3	1	4	19	.
2 " 5 "	2	3	4	.	.	1	.	1	1	2	1	15	.
5 " 15 "	.	.	1	3	4	.
15 " 25 "	.	.	1	1	.	1	.	1	.	3	.	.	4	.	.	.	11	.
25 " 45 "	1	3	4	2	.	.	.	8	1	1	2	.	1	.	.	.	23	5
45 " 65 "	1	2	3	3	.	1	.	4	4	5	2	1	1	4	.	2	33	2
65 and upwards,	2	2	2	5	.	1	.	3	1	3	2	2	3	3	.	1	30	.
Number of Uncertified Deaths,	1	3	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	7	5	1	.	.	.	8	4	9	2	.	2	2	.	.	42	7
Workhouse Hospitals,	1	3	5	5	.	2	.	5	2	2	1	.	1	.	.	.	27	.

TWENTY-THIRD WEEK, ending Saturday, 6th June, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 23rd Week of the 10 years, 1904-1913.	In the Week ending Saturday, 6th June, 1914.																																
	June 11, 1904.	June 10, 1905.	June 9, 1906.	June 8, 1907.	June 6, 1908.	June 12, 1909.	June 11, 1910.	June 10, 1911.	June 8, 1912.	June 7, 1913.		Deaths of Persons of the Ages of																																
												0-5.										Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.													
Mean Temperature ...	53.1	50.8	56.1	52.7	54.4	50.1	57.8	55.6	51.5	52.9	53.5	52.6	Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																						
Diseases of the Pharynx, Ton- sillitis.	2	2																						
Diseases of Stomach, ...	—	—	—	—	—	—	—	2	3	1	—	3	.	.	1	1	1	.																						
Diarrhoea and Enteritis of Children under 2 years.	1	1	1	1	3	2	7	.	.	.	2.0	2																						
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards		—	—	—	—	—	—																—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	.	.	.	—	—																						
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	—	1	3	.	—	1	.	1																						
Cirrhosis of Liver.	2	3	2	1	1	.	1	.	.	1.0	1	1	.	.																						
Other Diseases of Liver, ...	1	1	.	2	15	1	1	.																						
Peritonitis (cause unknown),	.	2	.	1	.	1	2	3	1	1	1.1																						
Other Diseases of Digestive System.	3	8	3	3	1	2	4	.	2	.	2.6																						
Acute Nephritis, ...	5	4	6	11	3	5	5	.	1	.	.	1	.	.	.	1	.	.	.	2	3	1	.																					
Chronic Bright's Disease, ...																								3	3	4	6	
Urinary Calculi,
Uterine Tumour (non-can- cerous).																							
Ovarian Tumour (non-can- cerous)																							
Other Diseases of Genito- urinary System.	1	1	1	1	.	.	.																						
Puerperal Septicæmia, &c.,	2	2																						
Other Causes incident to Pregnancy and Childbirth.	1	1																						
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	.	.	.	—	1	1	.	.																						
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	.	.	1	—																						
Premature Birth, ...	5	4	7	2	4	8	2	2	4	3	4.1	1	1																						
Congenital Debility, ...	—	—	—	—	—	—	—	4	1	3	—	3	3																						
Old Age, ...	1	4	3	.	2	8	4	7	5	5	3.9	9	2	7																						
Other Specified Diseases, ...	—	—	—	—	—	—	—	1	2	1	—																						
ACCIDENT :																																												
Poisons or Poisonous Vapours.																						
Conflagration,	1	.7																						
Burns and Scalds, ...	1	1	.	.	1	1	1	.	1	1	.8	4	.	.	2	2																						
Drowning,	1	1	3	1	.	.	1	1																						
Suffocation in Bed, ...	1	.	.	1	13	1	1																						
Other Deaths by Accident,	3	2	1	.	1	5	1	3	3	1.9	1	.	1	1	.	.																						
Total Deaths from Accident,	2	5	3	5	3	2	6	2	5	4	3.7	6	.	1	2	2	.	.	.	1	.	.																						
Included in above are Deaths in connection with—																																												
Railways,	1	.	.	2	.1																						
Vehicles and Horses,	1	2	2	.5																						
Ships, Boats, Docks,																						
Building Operations,	11																						
VIOLENCE OTHER THAN ACCIDENTAL:																																												
Homicide,	11																						
Suicide,	1	.	.	.1																						
Execution,																						
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	2	4	7	—																						

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1913—4—WEEK ENDING																									
		Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.
No. of weeks in Annual Series,		50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
BIRTHS registered.		212	185	140	168	246	208	241	284	279	217	217	202	244	225	210	208	227	173	218	207	288	222	197	207	262	191
Average Births in corresponding week of previous 10 years, ...		204	179	186	225	222	212	215	241	214	217	204	232	222	206	215	230	214	220	221	218	264	237	214	213	244	219
DEATHS registered, ...		147	167	137	250	210	205	236	201	214	171	175	187	169	189	183	219	212	194	212	231	203	181	160	166	185	162
Annual Death-rate per 1,000, ...		19.0	21.6	17.7	32.1	27.0	26.3	30.3	25.8	27.5	22.0	22.5	24.0	21.7	24.3	23.5	28.1	27.2	24.9	27.2	29.7	26.1	23.2	20.5	21.3	23.8	20.8
Average Deaths in corresponding week of previous 10 years, ...		171	173	166	195	189	194	197	198	197	198	201	204	199	196	196	199	202	192	198	188	173	179	159	168	148	148
Ages, { Under 5 years, ...		49	55	47	63	46	45	69	56	72	49	52	56	57	61	70	82	55	74	89	92	89	62	54	73	56	54
5-15 " ...		8	8	6	11	12	6	7	11	8	12	8	5	2	7	7	9	12	7	11	10	6	10	7	4	12	4
15-25 " ...		31	31	19	32	31	32	29	30	27	23	28	27	18	30	28	35	26	27	28	33	30	27	22	22	19	28
25-45 " ...		34	37	25	78	48	55	50	46	44	35	33	40	38	46	38	44	44	51	32	45	30	50	36	37	47	35
45-65 " ...		15	20	20	31	36	32	34	21	28	25	27	37	22	18	21	24	35	16	29	23	22	14	21	13	28	16
65-75 " ...		7	10	14	23	28	31	31	26	13	17	16	14	18	18	12	16	26	14	13	19	17	10	11	8	14	14
75 and upwards, ...		3	1	1	3	3	3	2	2	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1
Deaths from:—		3	1	1	1	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Enteric Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...		2	1	1	2	1	1	4	3	5	5	3	7	4	5	14	27	22	34	39	35	40	29	17	16	14	18
Measles, ...		1	1	1	1	1	2	2	1	1	2	3	2	3	2	3	3	3	3	4	2	2	2	1	1	1	2
Scarlet Fever, ...		1	1	1	1	1	1	2	2	2	2	3	1	3	1	1	4	3	1	1	3	3	3	1	5	1	1
Whooping-cough, ...		4	6	2	4	2	2	6	2	1	1	1	2	1	1	1	2	3	1	1	1	1	2	1	1	1	1
Diphtheria, ...		1	2	2	3	3	1	4	2	2	1	1	1	3	1	1	2	3	1	1	1	1	1	1	1	1	1
Influenza, ...		1	2	2	3	3	1	4	2	2	1	1	1	3	1	1	2	3	1	1	1	1	1	1	1	1	1
Dysentery, ...		16	23	12	24	20	19	22	25	24	25	25	23	21	26	21	21	22	28	22	25	14	22	24	21	19	27
Tuberculosis { Pulmonary ...		5	7	5	11	8	4	10	12	7	5	10	4	2	9	8	6	9	5	10	8	10	9	5	6	9	4
Cancer, ...		6	7	7	7	7	8	9	7	10	5	5	10	9	7	6	18	6	13	8	13	9	11	11	11	12	9
Diseases of Circulatory System, ...		17	18	19	26	15	23	25	16	14	10	18	19	20	17	17	14	25	15	22	19	21	11	11	13	28	14
Diseases of Respiratory System, { Pneumonia ...		19	18	12	22	19	21	26	17	20	13	14	13	15	14	8	20	19	19	16	17	19	13	13	15	14	12
Diarrhoea and Enteritis, under 2 years, ...		22	16	17	51	48	80	43	32	31	25	17	30	21	34	35	34	35	30	28	20	15	17	19	17	22	13
Diarrhoea, 2 years and upwards, ...		4	8	5	3	2	6	5	5	3	5	4	2	5	5	6	4	1	2	7	3	3	1	5	7	4	2
Violent Deaths, ...		3	1	2	6	12	4	9	5	5	3	3	4	4	1	3	2	3	1	1	6	3	3	7	5	3	6
Number of Uncertified Deaths, ...		6	4	3	14	10	2	5	4	4	8	8	6	5	6	2	7	8	4	5	9	7	2	2	9	6	4
Mean Temperature of the Air (Phoenix Park) in degrees, ...		46.0	44.1	37.7	34.6	44.3	39.5	38.6	44.1	48.1	43.6	42.1	43.1	41.6	41.7	39.8	39.7	50.9	45.9	45.6	43.8*	44.9	49.6	49.3	55.4	48.1	52.6
Average Mean Temperature in corresponding week of previous 10 years, ...		42.5	42.4	41.5	41.9	41.1	40.0	39.6	39.4	40.4	41.6	40.4	41.5	41.7	41.7	41.8	43.3	43.8	44.4	46.1	45.9	47.1	49.7	49.4	51.1	54.0	53.5
Rainfall in inches, ...		1.05	.065	.620	.035	.445	.260	.090	.485	.305	.615	.810	.475	.675	.470	.450	.140	.575	.400	.120	.010	.000	1.335	.130	.515	.110	.140
Mean Humidity of the Air, complete Saturation 1.0,93	.87	.90	.90	.88	.81	.84	.94	.92	.85	.89	.91	.89	.90	.91	.92	.85	.90	.89	.88	.91	.87	.89	.90	.86	.87

* For 6 days only.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 6TH JUNE, 1914.

[illegible]

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal admitted ; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths.	
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	May 2	31.1	8.6	18	.	.	.	4	1	1	.	1	4	1	.	.	2
	" 9	31.1	8.6	18	.	.	.	3	.	1	1	.	3	2	.	1	3	.	.	.	
	" 16	24.2	5.2	14	.	.	.	2	.	1	1	2	3	.	.	1	
	" 23	22.4	3.5	13	.	.	.	1	2	.	1	2	5	1	.	.	
Population in 1914 (Est.) 30,206.	" 30	10.4	3.5	6	.	.	.	1	1	.	1	1	1	.	.	
	June 6	22.4	6.9	13	1	.	.	3	1	1	.	1	1	.	.	.	
North City, No. 1 (W.) (Office, Summer-hill.)	May 2	27.8	10.1	22	.	.	.	8	1	2	1	3	.	.	.	1	
	" 9	25.3	3.8	20	.	.	.	2	2	1	2	2	3	1	.	.	
	" 16	25.3	3.8	20	.	.	.	3	3	.	1	4	3	.	.	1	
	" 23	21.5	8.8	17	.	.	.	6	3	.	1	.	.	1	.	2	
Population in 1914 (Est.) 41,278.	" 30	32.8	6.3	26	.	.	.	4	.	.	1	.	2	2	1	2	4	.	.	.	
	June 6	18.9	3.8	15	.	.	.	1	.	.	1	.	2	1	.	2	1	1	.	2	
North City, No. 2. (Office, Lisburn-street.)	May 2	43.0	16.8	23	.	.	.	7	.	1	.	.	2	2	3	1	2	1	.	.	
	" 9	31.8	7.5	17	.	.	.	4	1	2	1	.	5	.	.	.	
	" 16	29.9	3.7	16	.	.	.	2	3	.	.	1	
	" 23	28.1	1.9	15	1	1	.	4	2	1	.	.	
Population in 1914 (Est.) 27,883.	" 30	20.6	3.7	11	.	.	.	2	2	5	.	.	.	
	June 6	41.1	15.0	22	.	.	.	6	.	2	.	.	2	1	1	1	
North City, No. 3. (Office, Benburb-street.)	May 2	30.8	8.8	21	.	.	.	6	1	1	.	1	.	.	.	2	
	" 9	19.1	8.8	13	.	.	.	6	4	.	1	
	" 16	24.9	5.9	17	.	.	.	4	2	1	1	1	.	.	1	.	
	" 23	26.4	5.9	18	.	.	.	3	.	.	1	.	4	.	.	1	.	.	.	1	
Population in 1914 (Est.) 35,536.	" 30	19.1	2.9	13	.	.	.	1	1	.	.	3	1	1	.	.	
	June 6	19.1	1.5	13	.	.	.	1	4	.	2	.	2	.	.	.	
Clontarf and Howth No. 1 (part of).	May 2	9.5	.	1	
	" 9	9.5	.	1	1	.	.	.	
	" 16	
Population in 1914 (Est.) 5,485.	" 23	28.5	9.5	3	1	.	.	.	1	.	.	1	
	" 30	
	June 6	
Coolock and Drumeondra (part of).	May 2	19.1	.	5	1	.	.	1	1	.	.	.	
	" 9	7.6	3.8	2	1	.	1	
	" 16	30.5	.	8	2	1	1	
	" 23	7.6	3.8	2	1	.	1	
Population in 1914 (Est.) 13,685.	" 30	22.9	.	6	1	.	1	.	.	.	1	
	June 6	19.1	3.8	5	.	.	.	1	1	.	.	1	1	.	.	.	
Finglas and Glasnevin (part of).	May 2	14.6	4.9	3	.	.	.	1	1	
	" 9	14.6	.	3	1	.	.	1	.	.	.	
	" 16	9.7	.	2	1	.	1	
	" 23	9.7	.	2	1	.	
Population in 1914 (Est.) 10,723.	" 30	14.6	.	3	1	
	June 6	
South City, No. 1. (Office, St. Earl-street.)	May 2	24.3	1.3	19	.	.	.	1	1	.	1	.	3	.	.	1	
	" 9	21.7	6.4	17	.	.	.	5	1	.	1	3	1	.	.	.	
	" 16	24.3	10.2	19	1	.	.	3	2	.	.	1	.	4	.	2	
	" 23	26.9	6.4	21	.	.	.	3	1	1	1	4	2	.	2	
Population in 1914 (Est.) 40,768.	" 30	23.0	5.1	18	.	.	.	2	1	.	.	.	2	.	.	1	3	1	.	.	
	June 6	30.7	5.1	24	.	.	.	2	.	.	1	.	6	1	1	.	3	1	.	.	
South City, No. 2. (Office, Castle-street.)	May 2	28.4	2.8	10	.	.	.	1	1	.	.	2	
	" 9	34.1	5.7	12	.	.	.	2	1	1	.	3	.	.	.	
	" 16	19.9	2.8	7	.	.	.	1	3	.	.	.	1	.	.	.	
	" 23	25.6	5.7	9	2	.	2	1	.	.	2	.	.	.	
Population in 1914 (Est.) 18,341.	" 30	17.1	2.8	6	.	.	.	1	1	.	.	.	1	.	.	.	
	June 6	28.4	2.8	10	.	.	.	1	1	.	1	1	.	.	1	.	
South City, No. 3. (Office, Peter-street.)	May 2	26.3	7.2	22	.	.	.	5	1	2	2	2	1	.	1	
	" 9	16.8	3.6	14	.	.	.	3	1	.	.	5	.	.	1	1	
	" 16	18.0	1.2	15	.	.	.	1	2	1	1	1	2	.	.	1	
	" 23	20.4	6.0	17	.	.	.	2	.	1	1	.	4	.	.	1	2	1	.	1	
Population in 1914 (Est.) 43,540.	" 30	29.9	4.8	25	.	.	.	3	4	1	4	1	5	1	.	1	
	June 6	26.3	3.6	22	.	.	.	3	2	.	.	3	2	.	.	2	
South City, No. 4. (Office, Grand Canal-st.)	May 2	20.4	4.7	13	.	.	.	2	.	1	.	.	1	1	.	2	
	" 9	17.3	3.1	11	.	.	.	2	1	
	" 16	15.7	1.6	10	.	.	.	1	1	2	4	1	.	.	
	" 23	14.1	1.6	9	1	.	1	1	
Population in 1914 (Est.) 33,171.	" 30	17.3	.	11	1	.	.	1	.	.	.	2	
	June 6	11.0	.	7	2	.	1	.	1	.	.	.	
New Kilmainham.	May 2	10.6	.	2	1	
	" 9	15.9	5.3	3	1	
	" 16	10.6	.	2	1	.	.	.	1	.	.	.	
Population in 1914 (Est.) 9,851.	" 23	5.3	.	1	1	
	" 30	26.5	.	5	1	1	
	June 6	15.9	.	3	1	

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths.						
		FROM ALL CAUSES.	CERTAIN CAUSES. FROM TABLES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 5 years of age.	Diarrhoea, 2 years of age and upwards.		Violence.					
													Pulmonary.	Other Forms.		Pneumonia.	Other.									
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	May 2 " 9 " 16 " 23 " 30 June 6	20.0 25.3 14.6 10.7 21.3 13.3	4.0 4.0 1.3 1.3 1.3 .	15 19 11 8 16 10	.	.	.	3 1 . 1	1 1 . . 1	1 3 2 1 1 3	.	1 1 1 . 1 .	3 1	1 . . 1 . 1	1	1
Pembroke Urban District. Population in 1914 (Est.) 30,240	May 2 " 9 " 16 " 23 " 30 June 6	13.8 17.2 8.6 12.1 20.7 13.8	1.7	8 10 5 7 12 8	.	.	.	1	1 4 . . 2 .	.	1 1 . 1 2 1	1 1 . 1 . 1	1	1 1 2 .
Blackrock Urban District. Population in 1914 (Est.) 9,197.	May 2 " 9 " 16 " 23 " 30 June 6	5.7 11.3 11.3 11.3 34.0 .	5.7 5.7	1 2 2 2 6	1 1	2 . . 1 . . .	1 . . 1	1
Kingstown Urban District. Population in 1911 16,941.	May 2 " 9 " 16 " 23 " 30 June 6	24.6 21.5 12.3 18.5 21.5 9.2 3.1 .	8 7 4 6 7 3	1 . . . 1 .	1 1 1 1 1	2 1	
Belfast. Population in 1914 (Est.) 399,000.	May 2 " 9 " 16 " 23 " 30 June 6	18.2 15.2 17.6 17.9 15.0 16.6	1.7 0.8 1.7 2.4 2.4 1.3	139 116 135 137 115 127	.	.	.	3 1 3 1 3 1	1 . 2 5 4 1	3 3 5 5 7 4	.	1 2	18 19 26 21 15 19	4 10 12 7 4 8	6 5 8 7 3 8	8 9 14 13 10 13	17 11 16 14 12 11	4 . 3 2 4 1	2 1 . . . 1	.	.	.	2 1 2 3 2 .	1 2 1 1 . .		
Cork. Population in 1911 76,673.	May 2 " 9 " 16 " 23 " 30 June 6	23.1 19.7 21.1 19.7 18.4 15.0	3.4 2.0 0.7 0.7 2.7 0.7	34 29 31 29 27 22	.	.	.	1	4 . 1 1 3 .	.	6 5 10 6 6 4	1 . 2 2 2 2	2 . 1 2 1 1	1 2 1 5 3 1	5 3 5 3 7 1	.	.	.	1 1	.	. 2 1 . . .			
Londonderry. Population in 1914 (Est.) 41,100.	May 2 " 9 " 16 " 23 " 30 June 6	19.0 12.7 12.7 16.5 7.6 14.0	15 10 10 13 6 11	2 1 3 2 . 1	.	3 1 1 . . .	1 2 3 3 . 2	2 . . 3 . . 1	.	.	.	1	1 1			
Limerick. Population in 1911 38,518.	May 2 " 9 " 16 " 23 " 30 June 6	23.0 19.0 10.8 24.4 17.6 17.6	. . . 1.4 1.4 .	17 14 8 18 12 13	3 2 2 6 1 3	2 . . . 1 .	1 2 2 . 1 .	1 2 2 5 4 2	3 2 2 1 1	1 . . 1 2			
Waterford. Population in 1911 27,464.	May 2 " 9 " 16 " 23 " 30 June 6	20.9 26.6 19.0 19.0 17.1 19.0	. 3.8 1.9 . . 1.9	11 14 10 10 9 10	2 2 2 1 1 1	.	.	1 . . 1 1 1	4 2 2 1 1 1	.	2	1 1 . . . 1			

* See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1913-4—WEEK ENDING																									
	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.
No. of weeks in Annual Series,	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
BIRTHS registered,
DEATHS registered,
Annual Death-rate per 1,000 of estimated population,
AGES, {

Deaths from:—
Enteric Fever,
Typhus,
Small-pox,
Measles,
Scarlet Fever,
Whooping-cough,
Diphtheria,
Dysentery,
Tuberculosis, {
Pulmonary,
Other Forms,
Cancer,
Diseases of Respi- ratory System, {
Pneumonia,
Others,
Diarrhoea and Enteritis, under 2 years,
Diarrhoea, 2 years and upwards,
Violent Deaths,
Number of Uncertified Deaths,
Mean Temperature of the Air in degrees.	45.4	43.3	40.0	32.3	41.1	38.7	38.4	44.1	48.1	41.2	41.0	41.1	44.3	39.9	40.8	41.0	49.7	47.1	43.5	52.7	48.2	48.2	47.5	54.9	50.0	52.2
Rainfall, in inches.	0.78	0.07	0.82	0.41	1.83	0.00	0.28	0.55	0.32	0.72	0.93	0.82	0.92	1.40	0.65	0.07	0.78	1.00	0.34	0.12	0.00	1.32	0.16	0.11	0.12	0.08

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1918-14 — Week ending	BIRTHS.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	June 6,	1,880	1,098	12·7	.	.	26	3	28	11	26
EDINBURGH, ...	321,900	" 6,	154	90	14·6	1
GLASGOW, ...	1,047,000	" 6,	649	354	17·6	1	.	11	2	11	.	8
CALCUTTA, ...	896,067	Apr. 25,	.	622	36·0	144*	46	.	.	.	1†	172½ ^a
BOMBAY, ...	979,445	May 2,	296	775	53·8	448*	13	6	.	.	.	58½ ^a
MADRAS, ...	518,660	" 2,	356	336	33·7	2	2	4	?	?	?	40 ^a
CAIRO, ...	721,337	Apr. 15,	621	494	35·7	6	11	6	.	?	6†	77
PARIS, ...	2,847,229	May 23,	998	934	16·8	9	1	17	2	10	4†	27
BRUSSELS, ...	780,843	" 16,	226	174	11·5	1	.	1	1	1	2†	16
ANTWERP, ...	313,833	" 16,	107	67	11·1	.	.	3	.	1	1†	14
AMSTERDAM, ...	597,616	" 16,	288	136	11·9	1	.	4	1	1	.	.
COPENHAGEN, ...	483,000	" 16,	222	159	17·2	.	.	1	1	.	.	2
STOCKHOLM, ...	382,085	" 16,	170	99	13·5	.	.	5	1	.	2	2 ^a
CHRISTIANIA, ...	250,423	" 23,	131	61	12·7	.	.	.	2	3	.	.
ST. PETERSBURG, ...	1,728,200	" 2,	684	811	24·5	8	.	32	8	7	7	32
MOSCOW, ...	1,694,000	Apr. 25,	.	1,005	30·9	2	3	61	6	12	9†	72 ^a
BERLIN, ...	2,081,475	May 9,	.	542	13·5	2	.	9	9	7	12†	22
HAMBURG, ...	1,030,983	" 16,	.	263	13·3	.	.	2	5	.	6	21 ^a
BRESLAU, ...	544,257	" 16,	.	188	18·0	.	.	2	1	1	.	8 ^a
MUNICH, ...	640,000	" 16,	.	181	14·7	.	.	1	.	3	.	10 ^a
VIENNA (with suburbs), ...	2,149,834	" 16,	735	592	14·3	.	.	12	6	3	6†	18
BUDA-PESTH, ...	950,784	" 16,	501	354	19·4	1	.	7	2	8	9†	9
PRAGUE and Faubourgs, ...	498,499	Apr. 18,	181	186	19·5	.	.	.	1	1	.	3
TRIESTE, ...	244,655	May 2,	121	110	23·4	.	.	6	.	7	1†	4
ROME, ...	591,943	Nov. 29,
NEW YORK, ...	5,583,871	May 2,	2,255	1,593	14·9	5	.	23	20	12	25†	36
PHILADELPHIA, ...	1,657,815	Mar. 28,	.	633	19·9	1	.	3	8	9	6†	16
BOSTON, ...	750,768	May 16,	.	208½	14·5	.	.	5	1	.	3	4 ^a

* Deaths from "fever," including 11 from enteric fever and 38 from plague in Calcutta; and 3 from enteric fever and 376 from plague in Bombay.

† Including deaths from croup.

‡ Including 137 deaths from cholera in Calcutta, and one in Bombay.

^a Deaths from diarrhoeal diseases at all ages.

^b Corrected figures, i.e., non-residents deducted, 182 (including 4 deaths from measles and 3 from diarrhoeal diseases), rate 12·6 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th June, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polionymyelia.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	1	2	2	.	.	.	2	7
" " 1, West,	2	.	.	2	.	.	.	1	.	.	.	8	13
" " 2,	2	2	4
" " 3,	2	.	.	.	1	.	.	.	2	5
Clontarf and Howth No. 1 (part of),	1	1
Coolock and Drumcondra (part of),	.	2	2
Finglas and Glasnevin (part of),	1	1
South City No. 1,	1	.	.	2	5	8
" " 2,	1	3	4
" " 3,	2	1	1	.	.	.	5	9
" " 4,	1	2	3
New Kilmainham,	1	2	3
Total,	13	.	.	6	.	.	4	5	.	.	.	32	60

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 6th June, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 6th June.			
	May 16.	May 28.	May 30.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	23	27	26	6	2	.	30
Typhus,
Small-pox,
Measles, ...	117	116	113	19	28	6	98
Scarlet Fever, ...	103	105	115	11	9	.	117*
Diphtheria, ...	44	39	35	7	5	2	35
Pneumonia, ...	19	25	21	6	5	1	21

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 6th June, 1914:—

"The two outstanding features of the weather of this week were the prevalence of north-westerly winds and the unusually clouded state of the sky, considering the time of year. Throughout the period a large area of high atmospheric pressure rested on the Atlantic to the southwestward of Ireland, whereas a primary system of low pressure passed slowly from Spitzbergen to Northern Russia. In the intervening region several shallow secondary depressions travelled south-eastwards from Iceland across the North Sea and Scandinavia to Central and South-eastern Europe. Hence the dominant N.W. winds and clouded skies of the week. On Sunday morning squalls from W. of gale force (40 to 46 miles per hour) were reported from Glasgow and Aberdeen, and on Thursday a fresh gale from N. prevailed at Donaghadee from 3 p.m. to 7 p.m. A considerable rainfall took place over the southeast of England, including the London district, on Sunday evening; and 24 hours later rain fell over Ireland and Wales in connection with a secondary depression which reached Devon on Tuesday morning. At that time also an independent low pressure system appeared off the coast of Morocco, whence it spread to Portugal and finally to the S.W. of France, causing local thunderstorms as it travelled and at Biarritz a reduction of temperature from a maximum of 91° on Wednesday to one of 70° on Thursday. On the afternoons of Sunday, Tuesday, Thursday and Friday the clouds broke in Dublin, and there was bright sunshine, but the forenoons were generally overcast and dull, except on Tuesday before 9 a.m. In this City the mean height of the barometer was 30·198 inches, the range being from 30·035 inches at 9 p.m. of Monday (wind, W.) to 30·305 inches at 9 p.m. of Thursday (wind, N.N.W.). The corrected mean temperature was 54·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 53·8°. On Monday the screened thermometers fell to 42·8°, on Friday they rose to 64·2°. The dominant wind was N.N.W. Rain fell on 2 days to the amount of ·141 inch, of which ·119 inch was measured on Monday."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 30.193 inches. The highest reading (30.294) was on Thursday, at 9 p.m., the lowest (30.027) on Monday, at 9 p.m.

The mean temperature for the week was 52.6°, being 0.9° below the average for the corresponding period of the 10 years, 1904-1913. The temperature* was highest on Thursday and Friday, on which days the thermometer registered 65°, and was lowest on Monday, the mercury having fallen to 38°. The mean of the Dry Bulb for the week was 52.4° and of the Wet Bulb, 50.4°. The mean humidity of the air was .87, complete saturation being represented by 1.0. The rainfall during the week measured 0.140 inch.

At Greenwich the mean temperature for the week was 55.4°, the maximum 73.3°, and the minimum 44.7°; at Glasgow the maximum was 68.4°, the minimum 39.7°, and the mean 52.4°; and at Edinburgh the maximum was 67.4°, the minimum 39.8°, and the mean 53.0°. The rainfall at Greenwich measured 0.26 in.; at Glasgow 0.02 in.; and at Edinburgh 0.04 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155.3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.			BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1.0.	Sunshine in hours and decimals.	Rain Gauge.
			Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1.0.			
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.) °	(8.)	(9.)	(10.) Ins.
Sunday,	May	31,	30.155	59	47	53.0	51.4	50.0	.91	.6	3.9	.020
Monday,	June	1,	30.135	56	38	47.0	52.0	50.8	.92	.7	0.4	.120
Tuesday,	„	2,	30.185	59	48	53.5	50.2	48.6	.89	.6	1.9	.000
Wednesday,	„	3,	30.270	60	47	53.5	55.4	51.9	.78	.6	1.9	.000
Thursday,	„	4,	30.275	65	42	53.5	52.4	49.9	.84	.7	7.9	.000
Friday,	„	5,	30.200	65	45	55.0	53.9	52.4	.90	.7	4.4	.000
Saturday,	„	6,	30.130	59	47	53.0	51.8	49.3	.84	.6	0.6	.000
Mean,	30.193	60.4	44.9	52.6	52.4	50.4	.87	.6	Total 21.0	Total .140

Sunday—Day overcast a.m., heavy shower 11.30 a.m. to 12 noon, bright p.m.; night clear. Monday—Day overcast, light showers p.m.; night overcast, showers at intervals a.m. Tuesday—Day cloudy, bright at intervals; night cloudy. Wednesday—Day bright a.m., dull p.m.; night cloudy. Thursday—Day dull a.m., bright p.m.; night clear. Friday—Day cloudy, bright at intervals; night cloudy. Saturday—Day cloudy; night cloudy.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.
* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 6th June, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, May 31,	56.1	55.5	53.0	61	47	54	hrs. 3.7	ins. —
Monday, June 1,	52.5	55.2	53.0	58	42	50	—	.122
Tuesday, „ 2,	53.1	55.5	53.0	60	48	54	2.0	—
Wednesday, „ 3,	56.8	55.6	53.0	60	48	54	1.9	—
Thursday, „ 4,	55.4	56.2	53.0	65	46	55.5	7.0	—
Friday, „ 5,	54.7	56.1	53.1	66	48	57	1.9	—
Saturday, „ 6,	56.0	56.6	53.1	60	48	54	0.1	—
Weekly Mean, .	54.9	55.8	53.0	61.4	46.7	54.1	Total 16.6	Total .122

WEEKLY RETURN of BIRTHS and DEATHS

IN THE
DUBLIN REGISTRATION AREA,
 CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
 AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
 AND IN
TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
 E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
 WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
 H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
 or from the Agencies in the British Colonies and Dependencies,
 the United States of America, the Continent of Europe and Abroad of
 T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 13TH JUNE, 1914.

[No. 24.]

*General Register Office, Charlemont House,
 Dublin, 15th June, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 17·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	May 23	May 30	June 6	June 13	
27 Town Districts, (a)	18·9	17·8	16·7	17·9	17·8
Dublin Reg. Area ...	19·3	22·0	19·9	18·5	19·9
Dublin City ...	21·3	21·8	22·5	19·8	21·3
Belfast ...	17·9	15·0	16·6	16·9	16·6
Cork ...	19·7	18·4	15·0	21·1	18·5
Londonderry ...	16·5	7·6	14·0	10·1	12·1
Limerick ...	24·4	17·6	17·6	23·0	20·6
Waterford ...	19·0	17·1	19·0	13·8	17·1

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 1·8 per 1,000. Among the 129 deaths from all causes for Belfast are 4 from measles, 2 from scarlet fever, 7 from whooping-cough, and 6 from diarrhoeal diseases. Of the 31 deaths from all causes for Cork, one was from whooping-cough, and one (that of a child under 2 years of age) from diarrhoea and enteritis. Among the 17 deaths from all causes for Limerick, one was from scarlet fever. Three of the 5 deaths from all causes for Sligo were from measles, and the 2 deaths recorded for Lurgan comprise one from measles, and one from scarlet fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 271—130 boys and 141 girls—and the deaths to 163—92 males and 71 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 19) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·5 per 1,000 of the population. During the twenty-four weeks, ending with Saturday last, the death-rate averaged 23·5, the mean rate for the corresponding portions of the ten years, 1904–1913, being also 23·5.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 163, represent an annual rate of 20·9 per 1,000; the annual rate for the past twenty-four weeks was 25·0 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·7 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are one death from paratyphoid fever, 8 deaths from measles, one death each from diphtheria and dysentery, and 4 deaths from diarrhoea and enteritis of children under 2 years of age.

Deaths from measles which in the 12 weeks preceding numbered 14, 27, 22, 34, 39, 35, 40, 29, 17, 16, 14, and 18, respectively, fell to 8 last week, the total number of deaths from measles registered during the past 13 weeks amounting to 313.

Deaths from enteric fever in the three weeks ending with the 6th instant, were 0, one, and one; deaths from diphtheria were 5, one, and one; deaths from dysentery were 0, 0, and one; and deaths of children under 2 years of age from diarrhoea and enteritis were 7, 4, and 2, respectively.

Twenty-five deaths were caused by tuberculous disease* (all forms), comprising 19 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, and 4 from other forms of tuberculous disease. In the three preceding weeks, the deaths from all forms of the disease numbered, respectively, 27, 28, and 31.

Cancer caused 13 deaths.

The deaths of 5 infants under one year of age were attributed to convulsions, one to congenital malformation, 3 to premature birth, and 4 to congenital debility.

Four deaths were caused by broncho-pneumonia, one by lobar pneumonia and 7 by pneumonia (type not distinguished).

Organic diseases of the heart caused 19 deaths, and bronchitis 10 deaths.

There were 3 accidental deaths, including one death caused by drowning.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness.

Forty-five of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 11 were under one month old), and 35 were aged 65 years and upwards, including 24 persons aged 70 and upwards; among the latter were 12 aged 75 and upwards.

Eighty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse, and 11 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·5 per 1,000; the rate in the City was 19·8 (North City Districts, 18·4; South, 21·5) and in the Suburbs 14·2.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 2·0 (in the North City Districts 2·2, and in the South 1·8), and for the Suburbs 1·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·3 per 1,000, and include one death from measles and 2 deaths from pneumonia.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 24·0 per 1,000. There were 3 deaths from tuberculous disease, 4 from pneumonia, one from bronchitis, and 2 deaths of children under 2 years of age from diarrhoea and enteritis.

No. 2 North City District (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 16·8 per 1,000. Among them are one death from measles, 2 deaths from bronchitis, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (15) represent an annual rate of 22·0 per 1,000. Two deaths from measles, one death from diphtheria, 2 deaths from pulmonary tuberculosis, and 2 deaths from pneumonia were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·5 per 1,000 inhabitants; Coolock and Drumecondra, part of, 0·0; and Finglas and Glasnevin, part of, 19·5. The only death recorded for the first-named district is one from pulmonary tuberculosis; and of the 4 deaths from all causes for Finglas and Glasnevin, part of, one is from pneumonia.

No. 1 South City District (South Earl-street).—The deaths (15) represent an annual rate of 19·2 per 1,000. There were 2 deaths from measles, one death each from tuberculous disease and pneumonia, 3 deaths from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

No. 2 South City District (Castle-street).—The deaths (4) are equal to an annual rate of 11·4 per 1,000. One of the deaths was caused by tuberculous meningitis.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 26·3 per 1,000. Among them are 2 deaths from measles, 5 from tuberculous disease, 2 from pneumonia, and 2 from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (16) are equivalent to an annual rate of 25·2 per 1,000. Five deaths from tuberculous disease and one accidental death were recorded.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·9 per 1,000, and include one death each from pulmonary tuberculosis and bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·3; Pembroke, 8·6; Blackrock, 17·0; and Kingstown, 24·6. The deaths from the principal epidemic diseases tabulated for these districts comprise one death from paratyphoid fever for Kingstown, and one death of a child under 2 years of age from diarrhoea and enteritis, and one death from dysentery for Rathmines and Rathgar. Among the 3 deaths from all causes for Blackrock is one from pulmonary tuberculosis; and the 8 deaths from all causes for Kingstown include one from pulmonary tuberculosis and one accidental death.

ENGLAND AND SCOTLAND

The mortality last week in 97 large English towns (including London, in which the rate was 12·8), was equal to an average annual death-rate of 13·5 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 14·4 per 1,000, the rate for Glasgow being 15·0, and for Edinburgh 12·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 13th June. From this Report it appears that of a total of 61 cases notified, 32 were scarlet fever, 14 diphtheria, 11 phthisis, and 4 erysipelas. Among the 524 cases of infectious diseases in hospital at the close of the week were 227 cases of scarlet fever, 199 of phthisis, 60 of diphtheria, 12 of measles, 9 of erysipelas, 7 of chicken-pox, 5 of enteric fever, and one of whooping-cough.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 13th June, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	May. 23.	.	—	—	19	.	.	8	.	1	6	2	.	—	—	—	—	.	26	52
	May. 30.	.	—	—	15	.	.	11	.	1	4	4	.	—	—	—	—	.	33	68
	June. 6.	.	—	—	13	.	.	6	.	.	4	5	.	—	—	—	—	.	32	60
	June. 13.	.	—	—	8	.	.	8	.	.	.	2	.	—	—	—	—	.	13	31
Rathmines and Rathgar Urban District.	May. 23.	.	—	—	3	.	.	2	.	.	.	1	.	—	—	—	—	—	—	6
	May. 30.	.	—	—	2	.	.	1	—	—	—	—	—	—	3
	June. 6.	.	—	—	2	—	—	—	—	—	—	3
	June. 13.	.	—	—	2	—	—	—	—	—	—	2
Pembroke Urban District.	May. 23.	.	3	.	7	2	.	.	—	—	—	—	—	.	12
	May. 30.	.	2	—	—	—	—	—	2	4
	June. 6.	.	1	.	1	—	—	—	—	—	1	3
	June. 13.	.	3	.	1	1	.	.	—	—	—	—	—	1	6
Blackrock Urban District.	May. 23.	.	—	—	2	—	—	—	—	—	—	2
	May. 30.	.	—	—	—	—	—	—	—	—	.
	June. 6.	.	—	—	—	—	—	—	—	—	.
	June. 13.	.	.	—	2	.	.	1	.	.	1	.	.	—	—	—	—	—	—	4
Kingstown Urban District.	May. 23.	.	—	—	—	—	—	—	—	.	.
	May. 30.	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	.	1
	June. 6.	.	—	—	—	—	—	—	—	.	1
	June. 13.	.	—	—	1	.	.	1	.	.	1	1	.	—	—	—	—	—	3	7
City of Belfast.	May. 23.	.	—	—	42	9	.	1	.	1	3	3	.	—	—	—	—	.	9	68
	May. 30.	.	—	—	54	1	1	2	.	—	—	—	—	.	2	60
	June. 6.	.	—	—	46	1	.	8	1	1	2	2	.	—	—	—	—	.	3	64
	June. 13.	.	—	—	33	5	.	3	.	.	4	5	1	—	—	1	—	.	.	52
City of Cork.	May. 23.	.	7	—	2	1	2	3	.	—	—	—	—	—	—	15
	May. 30.	.	7	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	9
	June. 6.	.	8	—	1	.	.	1	.	.	3	1	.	—	—	—	—	—	—	14 ^a
	June. 13.	.	2	—	4	.	.	1	1	1	1	.	.	—	—	—	—	—	—	10
City of Londonderry.	May. 23.	.	—	—	1	—	—	—	—	—	—	1
	May. 30.	.	—	—	—	—	—	—	—	—	.
	June. 6.	.	—	—	1	—	—	—	—	—	—	1
	June. 13.	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
City of Limerick.	May. 23.	.	—	—	2	—	—	—	—	—	—	2
	May. 30.	.	—	—	1	—	—	—	—	—	—	1
	June. 6.	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	June. 13.	.	—	—	1	1	.	.	—	—	—	—	—	—	2
City of Waterford.	May. 23.	.	—	—	—	—	—	—	—	.	.
	May. 30.	.	—	—	.	1	—	—	—	—	—	1	2
	June. 6.	.	—	—	—	—	—	—	—	2	2
	June. 13.	.	—	—	—	—	—	—	—	4	4

^a Not including 2 cases of whooping-cough.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th June, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Six cases of enteric fever were admitted to hospital during the week, 2 were discharged, and 34 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 27, 26, and 30.

Twenty-one cases of measles were admitted to hospital, 35 were discharged, there were 7 deaths, and 77 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 116, 113, and 98, respectively.

Eighteen cases of scarlet fever were admitted to hospital, 11 were discharged, and 124* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 105, 115, and 117, respectively.

Nine cases of diphtheria were admitted to hospital during the week, and one was discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 39, 35, and 35 respectively, were 43 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 8 were discharged, there was one death, and 19 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE II.—BIRTHS AND DEATHS registered during the week ending Saturday, 13th June, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN Districts (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature and Rainfall** for the week, and for each of the two Weeks immediately preceding.

REGISTRATION—WEEK ENDING SATURDAY, 13TH JUNE, 1914.										METEOROLOGY. (d)									
NUMBERS REGISTERED.										WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
DEATHS.										Air Temperature.					Air Temperature.				
Annual Rate per 1,000 Persons Represented by										Rainfall in Inches.					Rainfall in Inches.				
POPULATION.										Absolute Highest.					Absolute Lowest.				
Per-sons to an Acre.										Mean.					Mean.				
Total (a)										Absolute Highest.					Absolute Lowest.				
Total (c).										Rainfall in Inches.					Rainfall in Inches.				
COLS.										Absolute Highest.					Absolute Lowest.				
TOTAL OF 27 TOWN DISTRICTS, DUBLIN REGISTRATION AREA.—TOTAL (c).										Absolute Highest.					Absolute Lowest.				
CITY OF DUBLIN, (RATHMINES & RATHGAR, DUBLIN REGISTRATION AREA.)										Absolute Highest.					Absolute Lowest.				
URBAN DISTRICTS.										Absolute Highest.					Absolute Lowest.				
Belfast										Absolute Highest.					Absolute Lowest.				
Cork										Absolute Highest.					Absolute Lowest.				
Londonderry										Absolute Highest.					Absolute Lowest.				
Limerick										Absolute Highest.					Absolute Lowest.				
Waterford										Absolute Highest.					Absolute Lowest.				
Galway										Absolute Highest.					Absolute Lowest.				
Dundalk										Absolute Highest.					Absolute Lowest.				
Drogheda										Absolute Highest.					Absolute Lowest.				
Lisburn										Absolute Highest.					Absolute Lowest.				
Newry										Absolute Highest.					Absolute Lowest.				
Portadown										Absolute Highest.					Absolute Lowest.				
Wexford										Absolute Highest.					Absolute Lowest.				
Ballymena										Absolute Highest.					Absolute Lowest.				
Sligo										Absolute Highest.					Absolute Lowest.				
Kilkenney										Absolute Highest.					Absolute Lowest.				
Tralee										Absolute Highest.					Absolute Lowest.				
Clonmel										Absolute Highest.					Absolute Lowest.				
Newtownards										Absolute Highest.					Absolute Lowest.				
Queenstown										Absolute Highest.					Absolute Lowest.				
Larne										Absolute Highest.					Absolute Lowest.				
Coleraine										Absolute Highest.					Absolute Lowest.				
Bangor										Absolute Highest.					Absolute Lowest.				
Bray										Absolute Highest.					Absolute Lowest.				
Athlone										Absolute Highest.					Absolute Lowest.				
Armagh										Absolute Highest.					Absolute Lowest.				

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1914. (b) See note (c.) at foot of first page. (c) Exclusive of 19 deaths of persons (including 3 under one year old and 5 at 65 years or upwards), admitted to hospital from localities outside the Area; included in the 19 deaths are 4 from pulmonary tuberculosis. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received are given. The readings for Queenstown, those at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Kesh for Carrickmacross. (e) Observations by Sir John Moore taken at Fitzwilliam-square. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 13th of June, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.					URBAN DISTRICTS OF					
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	1	
Typhus,	
Small-pox,	
Measles,	1	.	1	2	.	.	2	.	2	8	
Scarlet Fever,	
Whooping-cough,	
Diphtheria,	1	1	
Croup,	
Influenza,	
Dysentery,	1	.	.	.	1	
Tuberculosis, { Pulmonary,	2	.	2	1	.	.	.	4	3	1	.	.	.	1	1	15	
{ Other Forms,	1	1	1	1	2	6	
Cancer,	1	2	.	1	2	.	4	1	.	2	13	
Diseases of Nervous System,	1	2	2	2	.	1	1	2	2	1	1	1	15	
" Organs of Special Sense,	
" Circulatory System,	3	3	1	.	.	.	2	2	3	.	.	1	2	.	.	.	17	
" Respiratory System, { Pneumonia,	2	4	.	2	.	1	1	.	2	12	
{ Others,	1	2	.	.	.	3	.	2	.	1	9	
" Digestive System, { Diarrhoea and Enteritis, under 2 years,	2	1	1	4	
{ Diarrhoea, 2 years and upwards,	
{ Enteritis, 2 years and upwards,	1	.	.	1	.	.	.	2	
{ Others,	1	1	1	.	.	1	1	1	6	
" Genito-urinary System,	1	1	.	1	.	1	1	1	.	6	
Puerperal Septicæmia, etc.,	2	
Other Causes incident to Pregnancy and Childbirth,	1	1	
Diseases of the Skin and Cellular Tissue,	1	1	
" Locomotor System,	
Other specified Causes,	2	1	.	1	.	.	1	.	1	7	.	3	.	.	1	17	2	
Violent Deaths,	1	1	1	3	.	
Ill-defined, &c. Causes,	1	.	1	1	1	2	6	.	
Deaths from All Causes	10	19	9	15	1	.	4	15	4	22	16	3	10	5	3	8	144	
Annual Rate of Mortality from All Causes in every 1,000 of the population.	17·3	24·0	16·8	22·0	9·5	.	19·5	19·2	11·4	26·3	25·2	15·9	13·3	8·6	17·0	24·6	18·5	
	18·4							21·5					14·2					
	19·8																	
Ages at Death. { Under 1 year,	1	4	1	1	.	1	2	.	3	7	1	2	.	.	1	24	3	
{ 1 and under 2 years,	2	1	2	.	.	2	.	2	.	1	9	.	
{ 2 " 5 "	1	.	2	2	1	1	9	.	
{ 5 " 15 "	2	.	2	.	.	.	1	.	2	1	8	1	
{ 15 " 25 "	1	.	.	2	1	1	5	1	
{ 25 " 45 "	3	2	.	.	2	1	1	10	2	.	1	.	1	2	25	5	
{ 45 " 65 "	4	5	2	4	.	1	4	1	4	3	.	4	1	.	1	34	4	
{ 65 and upwards,	3	3	1	2	.	.	4	1	3	1	.	3	4	2	3	30	5	
Number of Uncertified Deaths,	1	.	1	1	3	.	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	5	4	6	.	.	6	1	7	7	.	4	1	.	4	47	17	
Workhouse Hospitals,	2	5	2	1	.	.	5	.	3	1	.	1	.	.	.	20	2	

TWENTY-FOURTH WEEK, ending Saturday, 13th June, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 24th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 13th June, 1914.											
	June 18, 1904.	June 17, 1905.	June 16, 1906.	June 15, 1907.	June 13, 1908.	June 19, 1909.	June 18, 1910.	June 17, 1911.	June 15, 1912.	June 14, 1913.		Deaths of Persons of the Ages of											
												Under 1 month.	0-5.				5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
													1 month and under a year.	1-2.	2-5.								
Mean Temperature ...	56·3	55·6	55·0	54·6	53·6	55·9	56·4	52·6	52·9	53·1	54·6	52·3											
Diseases of the Pharynx, Ton- sillitis.	1	.	.	·1	1	1
Diseases of Stomach, ...	—	—	—	—	—	—	—	.	1	3	—	2	.	.	1	.	.	1
Diarrhoea and Enteritis of Children under 2 years.	}	3	5	3	2	6	4	{	4	3	2	{	4	1	2	1
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards		—	—	—	—	—	—		.	2	.		2	.	2	.	.	1
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	1	1	2	—	3	.	1	2
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	—	1	.	.	—	3
Cirrhosis of Liver, ...	3	.	3	.	.	2	2	1	1	.	1·2	1	1
Other Diseases of Liver,	1	1	.	.	1	1	1	2	1	·8	1	1
Peritonitis (cause unknown),	2	3	.	1	.	1	1	.	.	3	1·1	1	.	.	.	1
Other Diseases of Digestive System.	4	3	5	6	3	4	1	2	.	.	2·8	1	.	.	.	1
Acute Nephritis, ...	}	4	6	10	6	10	1	1	1	3	}	{
Chronic Bright's Disease, ...								6	7	7			4	1	2	1	.	
Urinary Calculi,	
Uterine Tumour (non-can- cerous).								
Ovarian Tumour (non-can- cerous)								.	1	
Other Diseases of Genito- urinary System.	}	4	6	10	6	10	1	2	2	.	}	{	4	.	1	.	.	.	2	1	.	.	.
Puerperal Septicæmia, &c.,	
Other Causes incident to Pregnancy and Childbirth.								1	.	1	.	.	.	·2	1	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	2	4	3	—	1	1
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	.	1	1	—	.	1
Premature Birth, ...	3	3	.	4	6	1	3	5	2	8	3·5	3	3
Congenital Debility, ...	—	—	—	—	—	—	—	1	3	4	—	4	2	2
Old Age, ...	3	2	3	5	1	4	4	3	2	3	3·0	3	3	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	.	.	1	—
ACCIDENT :																							
Poisons or Poisonous Vapours.
Conflagration,
Burns and Scalds,	1	3	2	4	1·0
Drowning, ...	1	1	.	1	2	.	3	1	.	2	1·1	1	1
Suffocation in Bed,
Other Deaths by Accident,	1	2	.	1	.	2	1	2	.	·9	2	.	.	.	1	.	1
Total Deaths from Accident,	1	2	2	1	3	.	6	5	4	6	3·0	3	.	.	.	1	.	2
Included in above are Deaths in connection with—																							
Railways,	1	.	.	·1
Vehicles and Horses,	1	1	.	.	.	·2
Ships, Boats, Docks,
Building Operations,
VIOLENCE OTHER THAN ACCIDENTAL :																							
Homicide,	1	·1
Suicide,	1	1	.	.	·2
Execution,
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	8	6	4	—	6	.	1	.	.	.	3	2

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1913-4.—WEEK ENDING																									
		Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.
No. of weeks in Annual Series,		51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Births registered.		135	140	168	246	203	241	234	279	217	217	202	244	225	210	208	227	173	218	207	288	222	197	207	262	191	271
Average Births in corresponding week of previous 10 years, ...		179	186	225	222	212	215	241	214	217	204	232	222	206	215	230	214	220	221	218	264	237	214	213	244	219	210
Deaths registered, ...		167	137	250	210	205	236	201	214	171	175	187	169	189	183	219	212	194	212	231	203	181	160	166	185	162	163
Annual Death-rate per 1,000, ...		21.6	17.7	32.1	27.0	26.3	30.3	25.8	27.5	22.0	22.5	24.0	21.7	24.3	23.5	28.1	27.2	24.9	27.2	29.7	26.1	23.2	20.5	21.3	23.8	20.8	20.9
Average Deaths in corresponding week of previous 10 years, ...		173	166	193	189	194	197	198	197	198	201	204	199	196	196	199	202	192	198	188	173	179	159	168	148	148	156
Ages, { Under 5 years, ...		55	47	63	46	45	69	56	72	49	52	56	57	61	70	82	55	74	89	92	89	62	54	73	56	54	45
{ 5-15 " ...		8	6	11	12	6	7	11	8	12	8	5	2	7	7	9	12	7	11	10	6	10	7	4	13	4	9
{ 15-25 " ...		6	6	12	9	4	16	11	12	10	11	8	14	9	7	9	14	5	10	9	9	8	9	9	8	11	6
{ 25-45 " ...		31	19	32	31	32	29	30	27	23	28	27	18	30	28	35	26	27	28	33	30	27	22	22	19	28	30
{ 45-65 " ...		37	25	78	43	55	50	46	44	35	33	40	38	46	38	44	44	51	32	45	30	50	36	37	47	35	38
{ 65-75 " ...		20	20	31	36	32	34	21	28	25	27	37	22	18	21	24	35	16	29	23	22	14	21	13	28	16	23
{ 75 and upwards, ...		10	14	23	28	31	31	26	13	17	16	14	18	18	12	16	26	14	13	19	17	10	11	8	14	14	12
Deaths from:—		1	1	1	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Enteric Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diphtheria, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis { Pulmonary ...		23	12	24	20	19	22	25	24	25	25	23	21	26	21	21	22	28	22	25	14	22	24	21	19	27	19
{ Other Forms, ...		7	5	11	8	4	10	12	7	5	10	4	2	9	8	6	9	5	10	8	10	9	5	6	9	4	6
Cancer, ...		7	7	7	8	12	9	7	10	5	5	10	9	7	6	18	6	13	8	13	9	11	11	5	12	9	13
Diseases of Circulatory System, ...		18	19	26	15	23	25	16	14	10	18	19	20	17	17	14	25	15	22	19	21	11	11	13	28	14	20
Diseases of Respi. { Pneumonia ...		18	12	22	19	21	26	17	20	13	14	13	15	14	8	20	19	15	16	17	19	13	13	15	14	12	12
{ Others, ...		16	17	51	48	30	43	32	31	25	17	30	21	34	35	34	35	30	28	20	15	17	19	17	22	13	11
Diarrhoea and Enteritis, under 2 years, ...		8	5	3	2	6	5	5	3	5	4	2	5	5	6	4	1	2	7	3	3	1	5	7	4	2	4
Diarrhoea, 2 years and upwards, ...		1	2	6	12	4	9	5	5	3	3	4	4	1	3	2	3	1	1	6	3	2	7	5	3	6	3
Violent Deaths, ...		4	3	14	10	2	5	4	4	8	8	6	5	6	2	2	7	8	4	9	7	2	2	9	6	4	3
Number of Uncertified Deaths, ...		44.1	37.7	34.6	44.3	39.5	38.6	44.1	42.1	43.6	42.1	43.1	44.6	41.7	39.8	39.7	50.9	45.9	45.6	48.8	44.9	49.6	49.3	55.4	48.1	52.6	52.3
Mean Temperature of the Air (Phoenix Park) in degrees, ...		42.4	41.5	41.9	41.1	40.0	39.6	39.4	40.4	41.6	40.4	41.5	41.7	41.7	41.8	43.3	43.8	44.4	46.1	45.9	47.1	49.7	49.4	51.1	54.0	53.5	54.6
Average Mean Temperature in corresponding week of previous 10 years, ...		0.65	0.620	0.35	0.445	0.260	0.090	0.485	0.305	0.615	0.810	0.475	0.675	0.470	0.450	0.140	0.575	0.400	0.120	0.010	0.000	1.335	0.130	0.515	0.110	0.140	0.520
Rainfall in inches, ...		0.67	0.90	0.38	0.81	0.84	0.84	0.94	0.92	0.85	0.89	0.91	0.89	0.90	0.91	0.92	0.85	0.90	0.89	0.88	0.91	0.87	0.89	0.90	0.86	0.87	0.86
Mean Humidity of the Air, complete Saturation 1.0,

* For 6 days only.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 13TH JUNE, 1914.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 13TH JUNE, 1914.																														
OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.)			Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911	Total Number of Deaths.	AGES.								CAUSES OF DEATH																
						AGES.								CAUSES OF DEATH						CAUSES OF DEATH										
						Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Krntic Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Unclassified Deaths.
CLASS.	COSES.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
ALL PERSONS.																														
CLASSES.																														
Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	17.8	5																										
II.	MIDDLE CLASS, ...	101,798	11.8	23	1	1	1	3	9	5	3	1																		
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	14.9	31	6	2	1	6	8	4	4																			
IV.	GENERAL SERVICE CLASS, ...	167,479	25.5	82	34	5	4	14	13	8	4																			
V.	INMATES OF WORKHOUSES, ...	5,602	—	22	4	1		5	8	3	1																			
PROFESSIONAL AND INDEPENDENT CLASS.																														
I.	1. Clerical, Medical, Legal, and other Professions ; Naval and Military Officers, and Heads of Public Departments, ...	7,868	26.5	4				2		2																				
	2. Merchants and Manufacturers, Higher Class	1,347																												
	3. Persons of Rank and Property, not otherwise described, ...	5,443	9.6	1						1																				
MIDDLE CLASS.																														
II.	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	16.4	3	1			1			1																			
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	16.6	8				3	4	1	1																			
	6. Clerks and Commercial Assistants, ...	33,249	11.0	7		1	1	2	3																					
Miscellaneous—including all Household-ers in Second Class Localities not included in above, ...																														
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.	33,827	7.7	5					3	1	1																			
Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...																														
	9. Building and Furnishing Trades, ...	11,777	13.3	3	1			1		1																				
	10. Clothing Trades, ...	28,823	10.9	6	1			1	3	1																				
	11. Food Supply Trades, ...	20,026	7.8	3				2	1																					
	12. Other Trades and Callings ranking with Trades, ...	8,952	11.6	2					1																					
Petty Shopkeepers, ...																														
IV.	GENERAL SERVICE CLASS.	32,070	26.0	16	4	2	1	3	2	2	2																			
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	6,772	7.7	1				1																						
Domestic Servants, ...																														
	16. Coach and Car Drivers, Vanmen, &c., ...	12,977	16.1	4	1			1	2																					
	17. Hawkers, Porters, Labourers, &c., ...	36,041	20.3	14	3			4	3	1	1																			
INMATES OF WORKHOUSES.																														
V.	18. Workhouse Inmates, ...	103,081	28.3	56	27	4	2	7	7	7	2																			
		5,602	—	22	4	1	—	5	8	3	1																			

TABLE VII.—Showing for each of the last Six Weeks the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Un- certified Deaths.
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.) Population in 1914 (Est.) 30,206.	May 9 " 16 " 23 " 30 June 6 " 13	31.1 24.2 22.4 10.4 22.4 17.3	8.6 5.2 3.5 3.5 6.9 1.7	18 14 13 6 13 10	.	.	.	3	.	1	1	.	3	2	.	1	3
North City, No. 1 (W.) (Office, Summer-hill.) Population in 1914 (Est.) 41,278.	May 9 " 16 " 23 " 30 June 6 " 13	25.3 25.3 21.5 32.8 18.9 24.0	3.8 3.8 8.8 6.3 3.8 2.5	20 20 17 26 15 19	.	.	.	2	2	1	2	2	3	1	.	.	.
North City, No. 2. (Office, Lisburn-street.) Population in 1914 (Est.) 27,883.	May 9 " 16 " 23 " 30 June 6 " 13	31.8 29.9 28.1 20.6 41.1 16.8	7.5 3.7 1.9 3.7 15.0 1.9	17 16 15 11 22 9	.	.	.	4	1	2	1	.	2	5	.	.	.
North City, No. 3. (Office, Benburb-street.) Population in 1914 (Est.) 35,536.	May 9 " 16 " 23 " 30 June 6 " 13	19.1 24.9 26.4 19.1 19.1 22.0	8.8 5.9 5.9 2.9 1.5 4.4	13 17 18 13 13 15	.	.	.	6	4	.	1
Clontarf and Howth No. 1 (part of). Population in 1914 (Est.) 5,485.	May 9 " 16 " 23 " 30 June 6 " 13	9.5 . . 28.5 9.5 9.5	1 3 1	1
Coolock and Drumcondra (part of). Population in 1914 (Est.) 13,685.	May 9 " 16 " 23 " 30 June 6 " 13	7.6 30.5 7.6 22.9 19.1 . .	3.8 . . 3.8 . . 3.8 . .	2 8 2 6 5	1
Finglas and Glasnevin (part of). Population in 1914 (Est.) 10,723.	May 9 " 16 " 23 " 30 June 6 " 13	14.6 9.7 9.7 14.6 19.5	3 2 2 3 . . 4	1	.	.	1
South City, No. 1. (Office, Stth. Earl-street.) Population in 1914 (Est.) 40,768.	May 9 " 16 " 23 " 30 June 6 " 13	21.7 24.3 26.9 23.0 30.7 19.2	6.4 10.2 6.4 5.1 5.1 3.8	17 19 21 18 24 15	.	.	.	5	1	.	1	3	1
South City, No. 2. (Office, Castle-street.) Population in 1914 (Est.) 18,341.	May 9 " 16 " 23 " 30 June 6 " 13	34.1 19.9 25.6 17.1 28.4 11.4	5.7 2.8 5.7 2.8 2.8 . .	12 7 9 6 10 4	.	.	.	2	1	1	.	3
South City, No. 3. (Office, Peter-street.) Population in 1914 (Est.) 43,540.	May 9 " 16 " 23 " 30 June 6 " 13	16.8 18.0 20.4 29.9 26.3 26.3	3.6 1.2 6.0 4.8 3.6 2.4	14 15 17 25 22 22	.	.	.	3	1	.	.	5	2	.	.	1	.
South City, No. 4. (Office, Grand Canal-st.) Population in 1914 (Est.) 33,171.	May 9 " 16 " 23 " 30 June 6 " 13	17.3 15.7 14.1 17.3 11.0 25.2	3.1 1.6 1.6	11 10 9 11 7 16	.	.	.	2	1
New Kilmainham. Population in 1914 (Est.) 9,851.	May 9 " 16 " 23 " 30 June 6 " 13	15.9 10.6 5.3 26.5 15.9 15.9	5.3	3 2 1 5 3 3	1	.	.	.	1

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District.	May 9	25.3	4.0	19	.	.	.	1	1	1	.	.	3	.	1	1	1
	" 16	14.6	1.3	11	2	1	1	.	.	1	.	1	1
	" 23	10.7	1.3	8	.	.	.	1	1	1	.	.	1
	" 30	21.3	1.3	16	1	.	.	1	.	1	.	1
Population in 1914 (Est.) 39,155.	June 6	13.3	.	10	3	.	.	1	1	.	1	.	.
	" 13	13.3	2.7	10	1	.	.	2	.	.	1	.	.	.
Pembroke Urban District.	May 9	17.2	.	10	4	1	1	1
	" 16	8.6	.	5	1	1	.
	" 23	12.1	.	7	1	.	1
	" 30	20.7	.	12	2	1	2	2
Population in 1914 (Est.) 30,240	June 6	13.8	.	8	1	1	.	.	.	1	.
	" 13	8.6	.	5	1	.
Blackrock Urban District.	May 9	11.3	5.7	2	.	.	.	1
	" 16	11.3	.	2	1
	" 23	11.3	.	2	2
	" 30	34.0	.	6	2	.	1	.	1
Population in 1914 (Est.) 9,197.	June 6
	" 13	17.0	.	3	1
Kingstown Urban District.	May 9	21.5	.	7	1	1
	" 16	12.3	.	4	1	1
	" 23	18.5	.	6	1	.	.	.	3
	" 30	21.5	3.1	7	1	1	.	1	1
Population in 1911 16,941.	June 6	9.2	.	3
	" 13	24.6	3.1	8	1	1	1	.	.
Belfast.	May 9	15.2	0.8	116	.	.	.	1	.	3	1	.	19	10	5	9	11	.	1	1	2
	" 16	17.6	1.7	135	.	.	.	3	2	5	.	.	26	12	8	14	16	3	.	2	1
	" 23	17.9	2.4	137	.	5	.	1	5	5	.	.	21	7	7	13	14	2	.	1	1
	" 30	15.0	2.4	115	.	.	.	3	4	7	.	.	15	4	3	10	12	4	.	3	3
Population in 1914 (Est.) 399,000.	June 6	16.6	1.3	127	.	.	.	1	1	4	2	.	19	8	8	13	11	1	1	.	4
	" 13	16.9	2.5	129	.	.	.	4	2	7	.	.	17	3	4	10	12	5	1	3	1
Cork.	May 9	19.7	2.0	29	3	.	.	5	.	.	2	3	.	.	.	2
	" 16	21.1	0.7	31	1	.	.	10	2	1	1	5	.	.	1	2
	" 23	19.7	0.7	29	1	.	.	6	.	2	.	3	.	.	.	1
	" 30	18.4	2.7	27	1	3	.	.	6	2	.	2	7
Population in 1911 76,673.	June 6	15.0	0.7	22	4	2	1	1	1	1	.	.	.
	" 13	21.1	1.4	31	1	.	.	6	2	3	3	3	1	.	.	1
Londonderry.	May 9	12.7	.	10	1	1	3	.	2
	" 16	12.7	.	10	3	.	1	.	3	.	.	.	1
	" 23	16.5	.	13	2	1	1	.	3
	" 30	7.6	.	6	1	.	1
Population in 1914 (Est.) 41,100.	June 6	14.0	.	11	1	1	.	2	1	.	.	.	1
	" 13	10.1	.	8	1	.	1	1	2
Limerick.	May 9	19.0	.	14	2	.	2	2	2	.	.	.	2
	" 16	10.8	.	8	2	.	.	2	2	.	.	.	2
	" 23	24.4	1.4	18	6	.	.	5	1	.	.	.	2
	" 30	17.6	1.4	12	1	1	.	1	4	1	.	.	3
Population in 1911 38,518.	June 6	17.6	.	13	3	.	.	2	4
	" 13	23.0	1.4	17	1	6	2
Waterford.	May 9	26.6	3.8	14	2	.	.	1	2	.	1	.	1
	" 16	19.0	1.9	10	2	.	.	.	2	.	.	.	2
	" 23	19.0	.	10	1	1	.	1	1
	" 30	17.1	.	9	1	1	.	1	1	.	.	.	2
Population in 1911 27,464.	June 6	19.0	1.9	10	.	.	.	1	1	3	1	1	1	.	.	.	1
	" 13	13.3	.	7	4	.	1	1

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 13th June, 1914. Deaths in Public Institutions of Persons admitted from without. City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from				AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Inquest Cases.	(29)	(30)																				
				All Causes.		Certain Epi- demic Diseases,†	Total Number of DEATHS.	Under 1 year.					5 and under 25 years.					25 and under 45 years.					45 and under 65 years.									65 years and upwards.					Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.	Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.
				(3)	(4)			(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)					(25)	(26)	(27)																	
																																			(1)	(2)															
City of Belfast.																																																			
BELFAST URBAN No. 1 DISTRICT,		15,879	3	26.3	3.3	8	5	1	2	1	3	2	4	1	1	3	1	2	1	1	1	1	1	1	1	1	1	1	2	3	1																				
Do. 2 do.		49,500	27	16.9	3.2	16	5	1	1	1	3	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	3	1																				
Do. 3 do.		50,032	33	15.6	6.3	15	5	3	4	2	6	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	3	1																			
Do. 4 do.		32,637	29	19.2	1.6	12	1	1	1	1	2	6	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	9	1	1																			
Do. 5 do.		16,112	5	16.2	1	5	1	1	1	1	2	4	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																			
Do. 6 do.		37,293	15	16.8	1	12	1	1	1	1	2	4	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																			
Do. 7 do.		2,681	2	19.4	1	1	1	1	1	1	2	4	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																			
Do. 8 do.		5,964	1	35.0	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																			
Do. 9 do.		24,427	9	14.9	2.1	7	1	1	1	1	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																		
Do. 10 do.		28,958	23	28.8	7.2	16	4	5	5	5	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																		
Do. 11 do.		39,311	14	11.9	1.3	9	3	3	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																		
Do. 12 do.		38,076	17	20.5	1.3	15	8	3	4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																		
Do. 13 do.		23,233	8	4.5	2.2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																		
Do. 14 do.		175	1	16.1	2.3	7	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																		
Do. 15 do.		22,669	12	16.9	2.5	7	1	1	1	1	2	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																		
Total,		386,947	198	16.9	2.5	129	22	21	17	25	26	18	4	2	7	1	2	3	4	10	12	5	1	3	8	32	1	2	3	3	2	1	1																		
City of Cork.																																																			
CORK URBAN No. 1 DISTRICT,		13,455	6	19.4	1	5	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																		
Do. 2 do.		10,399	2	5.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																		
Do. 3 do.		9,793	9	16.0	5.7	8	1	3	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																		
Do. 4 do.		9,139	5	45.6	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																		
Do. 5 do.		6,250	3	16.7	4.5	8	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																		
Do. 6 do.		11,581	7	36.0	1	4	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																		
Do. 7 do.		16,056	18	18.0	1	4	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																		
Total,		76,673	45	21.1	1.4	31	4	7	2	5	6	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																		

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1913-4—WEEK ENDING																									
		Dec, 20.	Dec, 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.
No. of weeks in Annual Series, ...		51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
BIRTHS registered, ...		196	130	284	195	254	208	215	187	224	210	203	217	222	196	244	243	163	219	255	198	222	245	238	262	191	198
DEATHS registered, ...		141	150	194	203	174	182	197	164	142	144	153	140	146	163	150	136	142	162	179	139	116	135	137	115	127	129
Annual Death-rate per 1,000 of estimated population, ...		18.6	19.8	25.4	26.5	22.7	23.8	25.7	21.4	18.6	18.8	20.0	18.3	19.1	21.3	19.6	17.8	21.2	23.4	18.2	15.2	17.6	17.9	15.0	16.6	16.9	
Ages, { Under 1 year, ... 1-5 years, ... 5-25 " ... 25-45 " ... 45-65 " ... 65 and upwards, ...		27	28	42	46	24	43	45	33	28	25	28	28	28	32	28	28	29	29	45	29	21	21	17	23	19	22
		17	29	23	36	24	22	21	16	20	10	16	15	16	16	21	27	9	18	22	21	18	21	16	18	13	21
		16	25	14	17	14	24	13	18	15	12	18	14	10	10	19	13	16	11	17	20	21	13	18	20	16	17
		32	20	25	26	30	23	34	24	26	21	29	27	34	26	21	24	20	25	25	27	19	23	29	19	22	25
		32	30	39	47	36	35	41	37	31	42	32	33	28	30	28	30	30	31	35	25	28	32	28	28	32	26
Deaths from :—		17	18	51	31	46	35	43	26	22	34	30	23	30	35	33	29	34	38	32	19	25	20	27	11	23	18
Enteric Fever,	1	1	...	1	1
Typhus,	2	1
Small-pox,
Measles,	1	1	1	2	2	1	3	1	3	1	3	1	4
Scarlet Fever, ...		5	6	3	12	10	2	3	7	6	1	6	3	3	3	2	2	3	5	3	1	2	2	5	4	1	2
Whooping-cough, ...		3	7	6	3	1	5	1	2	6	1	4	5	2	7	5	3	6	9	8	3	5	5	7	4	7	...
Diphtheria, ...		1	...	2	4	2	2	...	1	2	1	...	2	1	1
Dysentery,	1
Tuberculosis. { Pulmonary, ...		12	15	15	14	17	15	12	14	21	17	31	14	15	16	14	10	12	11	32	18	19	20	21	15	19	17
Other Forms, ...		2	9	8	8	5	6	3	7	4	4	8	6	5	6	7	5	4	13	4	4	10	12	7	4	8	3
Cancer, ...		10	6	3	10	8	6	10	8	9	9	4	4	3	7	3	5	9	4	5	6	5	8	7	3	8	4
Diseases of Respi- (Pneumonia, ...		14	28	23	29	23	29	26	21	13	14	15	16	12	9	15	6	19	12	22	8	9	14	13	10	13	10
ratory System, { Others, ...		14	15	36	28	27	26	45	32	23	18	18	21	15	31	20	23	9	27	15	17	11	16	14	12	11	12
Diarrhoea and Enteritis, under 2 years, ...		1	1	1	2	3	1	2	3	1	1	4	7	8	3	2	1	4	2	2	4	...	3	2	4	1	5
Diarrhoea, 2 years and upwards,	2	...	2	1	1	1	1	1	1	2	1	1	1
Violent Deaths, ...		1	3	5	...	1	6	4	3	2	3	4	2	...	2	2	...	3	3	1	2	1	2	2	3	...	3
Number of Uncertified Deaths, ...		3	1	...	5	4	3	2	...	4	1	3	1	1	1	...	3	1	3	4	1	2	1	1	3	4	1
Mean Temperature of the Air in degrees, ...		43.3	40.0	32.3	41.1	38.7	38.4	44.1	43.1	41.2	41.0	41.1	44.3	39.9	40.8	41.0	49.7	47.1	43.5	52.7	48.2	48.2	47.5	54.9	50.0	52.2	54.2
Rainfall, in inches, ...		0.07	0.82	0.41	1.83	0.00	0.28	0.55	0.32	0.72	0.93	0.82	0.92	1.40	0.65	0.07	0.78	1.00	0.34	0.12	0.00	1.32	0.16	0.11	0.12	0.08	0.49

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1918-14 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	June 13,	2,380	1,108	12·8	5	.	23	4	27	13	15
EDINBURGH, ...	321,900	„ 13,	121	74	12·0	.	.	.	3	.	.	.
GLASGOW, ...	1,047,000	„ 13,	586	300	15·0	1	.	6	1	12	2	3
CALCUTTA, ...	896,067	May 2,	.	566	32·8	102*	54	2	.	.	.	128†a
BOMBAY, ...	979,445	„ 9,	300	951	50·5	391*	10	9	.	.	.	70a
MADRAS, ...	518,660	„ 9,	317	362	36·3	63*	1	2	?	?	?	93†a
CAIRO, ...	721,337	Apr. 22,	613	470	34·0	9	6	4	1	?	5†	82
PARIS, ...	2,847,229	May 30,	1,005	856	15·4	2	.	12	5	5	2†	17
BRUSSELS, ...	780,843	„ 23,	276	179	11·8	2	.	1	.	3	.	8
ANTWERP, ...	312,884	„ 23,	127	85	14·1	.	.	1	.	.	1†	11
AMSTERDAM, ...	597,616	„ 23,	317	135	11·8	1	.	.	.	5	1†	2
COPENHAGEN, ...	483,000	„ 23,	238	147	15·9	.	.	2	.	.	2†	6
STOCKHOLM, ...	382,085	„ 23,	128	102	13·9	.	.	5	1	2	.	2
CHRISTIANIA, ...	250,423	„ 30,	89	60	12·5	.	.	.	1	1	.	2a
ST. PETERSBURG ...	1,728,200	„ 9,	744	801	24·2	10	3	39	5	3	12	34
MOSCOW, ...	1,694,000	„ 2,	.	902	27·8	1	3	46	12	8	9	63a
BERLIN, ...	2,081,475	„ 16,	.	522	13·0	.	.	9	5	12	6†	14
HAMBURG, ...	1,030,983	„ 23,	.	285	14·4	.	.	2	9	2	6	20a
BRESLAU, ...	544,257	„ 23,	.	203	19·4	1	.	1	2	1	.	12a
MUNICH, ...	640,000	„ 23,	.	184	15·0	3	.	6a
VIENNA (with suburbs),	2,149,834	„ 23,	718	604	14·6	1	.	7	6	4	3†	15
BUDA-PESTH, ...	950,784	„ 23,	419	352	19·2	.	.	7	4	1	1†	17
PRAGUE and Faubourgs,	498,499	Apr. 25,	195	191	20·0	1	.	7
TRIESTE, ...	244,655	May 9,	122	119	25·4	.	.	7	.	1	1†	.
ROME, ...	591,943	Nov. 29,	292	178	15·7	4	.	.	1	.	1†	16a
NEW YORK, ...	5,583,871	May 9,	2,747	1,607	15·0	6	.	24	11	8	35†	26
PHILADELPHIA, ...	1,657,815	Apr. 4,
BOSTON, ...	750,768	May 23,	.	232b	16·1	.	.	5	.	.	1	2a

* Deaths from "fever," including 6 from enteric fever and 31 from plague in Calcutta; 4 from enteric fever and 325 from plague in Bombay and 4 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 88 deaths from cholera in Calcutta, and one in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 210, rate 14·6 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th June, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain).—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomylitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	1	1
" " 1, West,	1	.	.	3	2	6
" " 2,	2	2
" " 3,	1	.	.	1	2	4
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),
Finglas and Glasnevin (part of),	1	1
South City No. 1,
" " 2,	1	2	3
" " 3,	3	.	.	.	1	.	.	.	3	7
" " 4,	1	.	.	1	1	3
New Kilmainham,	3	1	4
Total,	8	.	.	8	.	.	.	2	.	.	.	13	31

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 13th June, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 13th June.			
	May 23.	May 30.	June 6.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	27	26	30	6	2	.	34
Typhus,
Small-pox,
Measles, ...	116	113	98	21	35	7	77
Scarlet Fever, ...	105	115	117	18	11	.	124*
Diphtheria, ...	39	35	35	9	1	.	43
Pneumonia, ...	25	21	21	7	8	1	19

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 13th June, 1914:—

"Changeable, but withal favourable, weather was experienced during this week. On Sunday morning an atmospheric depression of some intensity (100 centibars) was centred on the Atlantic near the Faeroe. This system travelled quickly southeastwards across the North Sea, reaching Lombardy on Monday morning. Its passage was accompanied by fresh to strong N.W. and N. winds, frequent showers of rain and hail, low temperatures, and—in the south-east of England—thunderstorms. On Monday a ridge or band of high atmospheric pressure was formed off the N.W. coasts of Ireland and Scotland, connecting anticyclonic systems centred on the Atlantic and over Scandinavia respectively. Such a distribution of pressure was favourable for the development of shallow, local depressions in the S. and S.E. This actually happened, with the result that, while fine weather prevailed over the greater part of Ireland and Scotland, dull, showery, conditions held over England, France, Spain, and Germany. The east coast of Ireland also came under the influence of cloudy, unsettled weather except on Thursday, which was a day of almost unclouded sunshine in Dublin—the thermometer rising to 66° in the City but to 71° at Birr Castle, King's County. Up to Thursday thunderstorms were daily reported from various parts of England, and heavy rain fell in England and Wales on Tuesday. Thunder was heard at Valentia, Co. Kerry, on Thursday, but no rain fell at that station. In Dublin the mean height of the barometer was 29·982 inches, pressure ranging between 29·738 inches at 9 p.m. of Sunday (wind, N.W.), and 30·160 inches at 9 a.m. of Saturday (wind, N.N.E.). The corrected mean temperature was 53·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 53·6°. The screened thermometers fell to 43·2° on Monday and rose to 66·2° on Saturday. The wind blew incessantly from polar points (N.W.—N.N.E.—N.E.). The rainfall was ·537 inch on 4 days, ·329 inch being measured on Tuesday. Hail fell on Sunday. Fog occurred on Thursday morning. A solar halo was seen later on that day."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29·979 inches. The highest reading (30·152) was on Saturday, at 9 a.m., the lowest (29·740) on Sunday, at 9 p.m.

The mean temperature for the week was 52·3°, being 2·3° below the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Saturday, on which day the thermometer registered 67°, and was lowest on Thursday, the mercury having fallen to 35°. The mean of the Dry Bulb for the week was 52·6° and of the Wet Bulb, 50·5°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The rainfall during the week measured 0·520 inch.

At Greenwich the mean temperature for the week was 55·7°, the maximum 77·6°, and the minimum 40·3°; and at Edinburgh the maximum was 62·9°, the minimum 40·5°, and the mean 50·5°. The rainfall at Greenwich measured 0·65 in. ; and at Edinburgh 0·62 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.			BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.
			Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1·0.			
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday,	June	7,	29·830	56	41	48·5	45·3	43·6	·88	·7	9·4	·080
Monday,	"	8,	29·895	56	39	47·5	50·8	48·5	·85	·7	6·6	·140
Tuesday,	"	9,	29·880	58	51	54·5	53·5	51·1	·83	·7	0·0	·300
Wednesday,	"	10,	29·920	58	43	50·5	47·2	46·3	·94	·6	5·1	·000
Thursday,	"	11,	30·100	65	35	50·0	55·2	52·1	·81	·6	12·4	·000
Friday,	"	12,	30·085	60	47	53·5	57·2	54·6	·83	·5	0·0	·000
Saturday,	"	13,	30·145	67	56	61·5	59·3	57·5	·89	·4	3·2	·000
Mean,	29·979	60·0	44·6	52·3	52·6	50·5	·86	·6	Total 36·7	Total ·520

Sunday—A bright day, showers at intervals a.m. and p.m.; night clear. Monday—Day bright to 2.0 p.m., overcast and rain at intervals p.m.; night cloudy. Tuesday—Day overcast, light and heavy showers at intervals a.m. and p.m.; night overcast, heavy rain 5.0 to 8.30 a.m. Wednesday—Day overcast a.m., bright p.m.; night clear. Thursday—A beautiful bright day; night clear. Friday—A dull day; night cloudy. Saturday—A dull day a.m., bright p.m.; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 a.m. and 9 p.m.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 13th June, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.R.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.			Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
				1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday,	June	7,	51·8	56·0	53·2	56	43	49·5	hrs. 7·8	ins. ·050
Monday,	"	8,	52·1	55·2	53·3	58	41	49·5	5·7	·138
Tuesday,	"	9,	53·6	55·0	53·3	58	50	54	—	·272
Wednesday,	"	10,	51·7	54·5	53·3	58	49	53·5	2·4	—
Thursday,	"	11,	60·0	54·3	53·3	66	42	54	11·7	—
Friday,	"	12,	54·0	55·2	53·3	60	50	55	—	—
Saturday,	"	13,	59·0	56·0	53·4	67	55	61	2·0	—
Weekly Mean,			54·6	55·2	53·3	60·4	47·1	53·8	Total 29·6	Total ·460

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

Vol. LI.]

WEEK ENDING SATURDAY, 20TH JUNE, 1914.

[No. 25.]

*General Register Office, Charlemont House,
Dublin, 23rd June, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 17·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	May 30	June 6	June 13	June 20	
27 Town Districts, (a)	17·8	16·7	17·9	17·7	17·5
Dublin Reg. Area ...	22·0	19·9	18·5	17·6	19·5
Dublin City ...	21·8	22·5	19·8	18·1	20·5
Belfast ...	15·0	16·6	16·9	17·1	16·4
Cork ...	18·4	15·0	21·1	19·0	18·4
Londonderry ...	7·6	14·0	10·1	11·4	10·8
Limerick ...	17·6	17·6	23·0	23·0	20·3
Waterford ...	17·1	19·0	13·3	30·4	19·9

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 2·2 per 1,000. Among the 131 deaths from all causes for Belfast are 2 from enteric fever, 8 from each of measles and scarlet fever, one from diphtheria, and 6 from diarrhoea and enteritis of children under 2 years of age. The 28 deaths from all causes for Cork include 3 from whooping-cough, and one from diarrhoea and enteritis of a child under 2 years of age. The 4 deaths from all causes for Lurgan include one from diphtheria and one from diarrhoea. One of the 5 deaths from all causes for Drogheda is from measles, and 5 deaths from measles are included in the 7 deaths recorded for Sligo.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 225—124 boys and 101 girls—and the deaths to 151—72 males and 79 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·6 per 1,000 of the population. During the twenty-five weeks, ending with Saturday last, the death-rate averaged 23·3, and was equal to the mean rate for the corresponding portions of the ten years, 1904—1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 151, represent an annual rate of 19·4 per 1,000; the annual rate for the past twenty-five weeks was 24·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·5 per 1,000 of the mean population for all deaths registered.

Among the deaths there were 5 from measles, one from enteric fever, one* from scarlet fever, 7 from diarrhoea and enteritis of children under 2 years, and one death from influenza. In each of the 3 preceding weeks, deaths from measles were 14, 18, and 8; deaths from enteric fever were one, one, and one; deaths from scarlet fever were one, 0, and 0; deaths from diarrhoea and enteritis of children under 2 years were 4, 2, and 4; and deaths from influenza were one, one, and 0.

Of 18* deaths from tuberculosis, 13 were attributed to pulmonary tuberculosis, one to tuberculous meningitis, 2 to abdominal tuberculosis, and 2 to other forms of the disease. In each of the 3 weeks preceding, deaths from tuberculosis were 28, 31, and 25, respectively.

There were 9* deaths from cancer.

Four infants died from convulsions, one from congenital malformation, 5 from premature birth, and 4 from congenital debility.

Pneumonia caused 14 deaths, including 8 from broncho-pneumonia, 2 from lobar pneumonia, and 4 deaths from pneumonia (type not distinguished).

Seven deaths were attributed to bronchitis, and 24 to organic diseases of the heart.

Of 3 deaths from accident or negligence, one was that of an infant by suffocation in bed, and one was by a vehicle.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the death of one infant under one year old, and the death of one person aged 71 years.

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 13 were under one month old), and 24 were aged 65 years and upwards, including 18 persons aged 70 and upwards; among the latter were 9 aged 75 and upwards, of whom one (a female) was stated to have been aged 90 years.

Sixty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 7 took place in the North Dublin Union Workhouse, and 12 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·6 per 1,000; the rate in the City was 18·1 (North City Districts, 14·2; South, 22·6) and in the Suburbs 15·8.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 2·0 (in the North City Districts 1·6, and in the South 2·5), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·3 per 1,000. Among them are one death from measles, one from pulmonary tuberculosis, one from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 1 North City District, West (Summer-hill).—The deaths (9) are equal to an annual rate of 11·4 per 1,000. There were 2 deaths from tuberculous disease, one from pneumonia, one from bronchitis, and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 24·3 per 1,000, and include one death from tuberculous disease, 3 deaths from broncho-pneumonia, and one death from diarrhoea and enteritis of a child under 2 years of age.

No. 3 North City District (Benburb-street).—The deaths (5) represent an annual rate of 7·3 per 1,000. One death from enteric fever and one death of a child under 2 years of age from diarrhoea and enteritis were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·0 per 1,000 inhabitants; Coolock and Drumcondra, part of, 15·2; and Finglas and Glasnevin, part of, 9·7. One of the 2 deaths recorded for Clontarf and Howth, No. 1, part of, was from pulmonary tuberculosis, and one was from pneumonia.

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 25·6 per 1,000. There were 3 deaths from measles, 4 from tuberculous disease, one from broncho-pneumonia, one from bronchitis, and one accidental death.

No. 2 South City District (Castle-street).—The deaths (3) are equal to an annual rate of 8·5 per 1,000.

No. 3 South City District (Peter-street).—The deaths (27) are equal to an annual rate of 32·3 per 1,000. One death from measles, 3 from pulmonary tuberculosis, 2 from broncho-pneumonia, 3 from bronchitis, one (that of a child under 2 years of age) from diarrhoea and enteritis, and one accidental death were recorded.

No. 4 South City District (Grand Canal Street).—The deaths (9) are equivalent to an annual rate of 14·1 per 1,000. Two deaths from pulmonary tuberculosis, one death from pneumonia, and 2 deaths of children under 2 years of age from diarrhoea and enteritis were recorded.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·2 per 1,000. One of the deaths was from broncho-pneumonia and one from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·3; Pembroke, 13·8; Blackrock, 22·7; and Kingstown, 21·5. The only death from any of the principal epidemic diseases tabulated for these districts was one from diarrhoea and enteritis of a child under 2 years of age for Rathmines and Rathgar. Among the 10 deaths from all causes for the latter district is one from tuberculous disease; of the 8 deaths from all causes for Pembroke one is from pulmonary tuberculosis and one from pneumonia; and the 7 deaths from all causes for Kingstown include one from influenza and one from broncho-pneumonia.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 12·2), was equal to an average annual death-rate of 12·9 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 14·6 per 1,000, the rate for Glasgow being 15·2, and for Edinburgh 11·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 26th June. From this Report it appears that of a total of 75 cases notified, 35 were scarlet fever, 19 phthisis, 12 diphtheria, 5 erysipelas, 2 enteric fever, one puerperal fever, and one cerebro-spinal fever. Among the 519 cases of infectious diseases in hospital at the close of the week were 231 cases of scarlet fever, 196 of phthisis, 56 of diphtheria, 8 of erysipelas, 6 of measles, 6 of chicken-pox, 5 of enteric fever, one of puerperal fever, and one of whooping-cough.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 20th June, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin un- certain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuber- culosis.	Total
City of Dublin.	May. 30,	.	—	—	15	.	.	11	.	1	4	4	.	—	—	.	—	.	33	68
	June. 6,	.	—	—	13	.	.	6	.	.	4	5	.	—	—	.	—	.	32	60
	June. 13,	.	—	—	8	.	.	8	.	.	.	2	.	—	—	.	—	.	13	31
	June. 20,	.	—	—	15	.	.	6	.	.	4	2	.	—	—	.	—	.	44	71
Rathmines and Rathgar Urban District.	May. 30,	.	—	—	2	.	.	1	—	—	—	—	—	—	3
	June. 6,	.	—	—	2	.	.	1	—	—	—	—	—	—	3
	June. 13,	.	—	—	2	—	—	—	—	—	—	2
	June. 20,	.	—	—	3	.	.	2	—	—	—	—	—	—	5
Pembroke Urban District.	May. 30,	.	2	—	—	—	—	—	2	4
	June. 6,	.	1	.	1	—	—	—	—	—	1	3
	June. 13,	.	3	.	1	1	.	.	—	—	—	—	—	1	6
	June. 20,	.	5	.	1	1	.	.	—	—	—	—	—	2	9
Blackrock Urban District.	May. 30,	.	—	—	—	—	—	—	—	—	.
	June. 6,	.	—	—	—	—	—	—	—	—	.
	June. 13,	.	—	—	2	.	.	1	.	.	1	.	.	—	—	—	—	—	—	4
	June. 20,	.	9	—	1	—	—	—	—	—	—	10
Kingstown Urban District.	May. 30,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	.	1
	June. 6,	.	—	—	.	.	.	1	—	—	—	—	—	1	1
	June. 13,	.	—	—	1	.	.	1	.	.	1	1	.	—	—	—	—	—	3	7
	June. 20,	.	—	—	.	.	.	2	—	—	—	—	—	.	2
City of Belfast.	May. 30,	.	—	—	54	1	1	2	.	—	—	—	—	2	60	
	June. 6,	.	—	—	46	1	.	8	1	1	2	2	.	—	—	—	—	3	64	
	June. 13,	.	—	—	33	5	.	3	.	.	4	5	1	—	—	1	—	.	52	
	June. 20,	.	—	—	43	1	.	6	.	.	1	6	.	—	—	—	—	7	64	
City of Cork.	May. 30,	.	7	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	9
	June. 6,	.	8	—	1	.	.	1	.	.	3	1	.	—	—	—	—	—	—	14 ^a
	June. 13,	.	2	—	4	.	.	1	1	1	1	.	.	—	—	—	—	—	—	10
	June. 20,	.	5	—	3	.	.	1	.	1	.	.	2	—	—	—	—	—	—	12 ^b
City of Londonderry.	May. 30,	.	—	—	—	—	—	—	—	—	.
	June. 6,	.	—	—	1	—	—	—	—	—	—	1
	June. 13,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
	June. 20,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
City of Limerick.	May. 30,	.	—	—	1	—	—	—	—	—	—	1
	June. 6,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	June. 13,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	June. 20,	.	—	—	5	2	.	.	—	—	—	—	—	—	7
City of Waterford.	May. 30,	.	—	—	.	1	—	—	—	—	—	1	2
	June. 6,	.	—	—	—	—	—	—	—	2	2
	June. 13,	.	—	—	—	—	—	—	—	4	4
	June. 20,	.	—	—	—	—	—	—	—	.	.

^a Not including 2 cases of whooping-cough.

^b Not including one case of whooping-cough.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th June, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of enteric fever were admitted to hospital during the week, 8 were discharged, and 28 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 26, 30, and 34.

Twenty-two cases of measles were admitted to hospital, 34 were discharged, there was one death, and 64 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 113, 98, and 77, respectively.

Twenty-four cases of scarlet fever were admitted to hospital, 26 were discharged, there was one death and 121* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 115, 117, and 124, respectively.

Ten cases of diphtheria were admitted to hospital during the week, and 12 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 35, 35, and 43 respectively, were 41 at the close of last week.

In addition to the above-named diseases, 13 cases of pneumonia were admitted to hospital, 4 were discharged, there was one death, and 27 cases remained under treatment at the end of the week.

See note () at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 20th June, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature and Rainfall** for the week, and for each of the two Weeks immediately preceding.

REGISTRATION—WEEK ENDING SATURDAY, 20TH JUNE, 1914.										METEOROLOGY. (d)														
NUMBERS REGISTERED.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
DEATHS.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Caused by										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
BIRTHS.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Census Statistics of Districts.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
POPULATION.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Annual Rate per 1,000 Persons Represented by										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
DEATHS.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
BIRTHS.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
From all Causes.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
From certain Epidemic Diseases. (b)										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
TOTAL NUMBER.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Under 1 Year of Age.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
At 65 Years and upwards.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Typhus.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Small-pox.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Measles.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Scarlet Fever.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Whooping-cough.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Diphtheria.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Dysentery.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Pneumonia.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Other.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Diarrhoea and Enteritis of children under 2 years of age.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Diarrhoea, 2 years of age and upwards.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Violence.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Inquest Cases.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
No. of Deaths in Public Institutions.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
No. of Uncertified Deaths.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Rainfall in Inches.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Absolute Highest.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Absolute Lowest.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Mean.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Rainfall in Inches.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Absolute Highest.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Absolute Lowest.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
Mean.										WEEK ENDING 20TH JUNE, 1914.					WEEK ENDING 13TH JUNE, 1914.					WEEK ENDING 6TH JUNE, 1914.				
TOTAL OF 27 TOWN DISTRICTS, DUBLIN REGISTRATION AREA:—										TOTAL. (c.)					TOTAL. (c.)					TOTAL. (c.)				
CITY OF DUBLIN,										CITY OF DUBLIN,					CITY OF DUBLIN,					CITY OF DUBLIN,				
(RATHMINES & RATHGAR.										(RATHMINES & RATHGAR.					(RATHMINES & RATHGAR.					(RATHMINES & RATHGAR.				
PENGROCK.										PENGROCK.					PENGROCK.					PENGROCK.				
BLACKROCK.										BLACKROCK.					BLACKROCK.					BLACKROCK.				
(KINGSTOWN, ...										(KINGSTOWN, ...					(KINGSTOWN, ...					(KINGSTOWN, ...				
URBAN DISTRICTS.										URBAN DISTRICTS.					URBAN DISTRICTS.					URBAN DISTRICTS.				
Belfast										Belfast					Belfast					Belfast				
CORK										CORK					CORK					CORK				
LONDONDERRY										LONDONDERRY					LONDONDERRY					LONDONDERRY				
LIMERICK										LIMERICK					LIMERICK					LIMERICK				
WATERFORD										WATERFORD					WATERFORD					WATERFORD				
DUNDALK										DUNDALK					DUNDALK					DUNDALK				
DROGHEDA										DROGHEDA					DROGHEDA					DROGHEDA				
LISBURN										LISBURN					LISBURN					LISBURN				
NEWRY										NEWRY					NEWRY					NEWRY				
PORTADOWN										PORTADOWN					PORTADOWN					PORTADOWN				
WEXFORD										WEXFORD					WEXFORD					WEXFORD				
BALLYMENA										BALLYMENA					BALLYMENA					BALLYMENA				
SLIGO										SLIGO					SLIGO					SLIGO				
KILKENNY										KILKENNY					KILKENNY					KILKENNY				
TRALEE										TRALEE					TRALEE					TRALEE				
CLOMMEL										CLOMMEL					CLOMMEL					CLOMMEL				
NEWTOWNARDS										NEWTOWNARDS					NEWTOWNARDS					NEWTOWNARDS				
QUEENSTOWN										QUEENSTOWN					QUEENSTOWN					QUEENSTOWN				
LARNER										LARNER					LARNER					LARNER				
COLERAINE										COLERAINE					COLERAINE					COLERAINE				
BANGOR										BANGOR					BANGOR					BANGOR				
BRAY										BRAY					BRAY					BRAY				
ATHLONE										ATHLONE					ATHLONE					ATHLONE				
ARMAGH										ARMAGH					ARMAGH					ARMAGH				

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1914. (b) See note (c.) at foot of first page.
(c) Exclusive of 14 deaths of persons (including one at 70 years), admitted to hospital from localities outside the Area; the 14 deaths include one from scarlet fever, 2 from pulmonary tuberculosis and 3 from cancer.
(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Kesh for Sligo, and those at Keshigo Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phoenix Park. (f) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (g) Observations by Sir John Moore taken at Fitzwilliam-square.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 20th of June, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
		CITY OF DUBLIN.																
		REGISTRATION DISTRICTS IN										URBAN DISTRICTS OF						
		Dublin North Superintendent Registrar's District.					Dublin South Superintendent Registrar's District.											
NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMROKE.	BLACKROCK.	KINGSTOWN.			
Enteric Fever,	.	.	.	1	1	.
Typhus,
Small-pox,
Measles,	1	3	.	1	5	.
Scarlet Fever,	1
Whooping-cough,
Diphtheria,
Croup,
Influenza,	1	1	.
Dysentery,
Tuberculosis, { Pulmonary,	1	1	.	.	1	.	2	.	3	2	.	.	1	1	.	.	11	2
Other Forms,	.	1	1	.	.	.	2	5	.
Cancer,	.	.	.	1	.	.	.	1	2	.	1	6	3
Diseases of Nervous System,	1	1	3	.	.	2	.	5	1	3	1	.	1	1	.	1	20	1
Organs of Special Sense,
Circulatory System,	2	.	1	1	.	1	.	3	.	5	3	.	5	1	2	2	26	1
Respiratory System. { Pneumonia,	.	1	3	.	1	.	1	.	2	1	1	.	1	.	1	.	12	2
Others,	1	1	.	.	.	1	1	.	3	.	1	8	.
Diarrhoea and Enteritis, under 2 years,	1	.	1	1	1	2	.	1	7	.
Diarrhoea, 2 years and upwards,
Enteritis, 2 years and upwards,	1	1	.
Others,	.	1	2	.	.	.	3	2
Genito-urinary System,	.	.	1	2	5	1
Puerperal Septicæmia, etc.,	1	1	.
Other Causes incident to Pregnancy and Childbirth,
Diseases of the Skin and Cellular Tissue,	.	.	1	1	.
Locomotor System,
Other specified Causes,	1	2	2	1	.	.	.	1	4	.	1	2	2	1	1	.	13	1
Violent Deaths,	.	1	1	.	1	3	.
Ill-defined, &c. Causes,	2	1	3	.
Deaths from All Causes	10	9	13	5	2	4	2	20	3	27	9	4	10	8	4	7	137	14
Annual Rate of Mortality from All Causes in every 1,000 of the population.	17·3	11·4	24·3	7·3	19·0	15·2	9·7	25·6	8·5	32·3	14·1	21·2	13·3	13·8	22·7	21·5	17·6	.
	14·2							22·6					15·8					
	18·1																	
Ages at Death. { Under 1 year,	3	2	2	2	1	6	3	1	3	2	.	2	27	.
1 and under 2 years,	.	1	1	1	.	2	.	1	6	.
2 " 5 "	1	1	1	6	.	3	12	1
5 " 15 "	1	.	1	1	1	.	.	5	.
15 " 25 "	1	.	2	.	1	.	.	1	1	2	.	.	1	1	.	.	10	1
25 " 45 "	.	1	1	1	.	.	.	3	.	3	3	.	1	1	2	2	18	5
45 " 65 "	3	3	3	1	1	2	1	5	.	7	3	1	4	1	.	1	36	5
65 and upwards,	1	1	3	1	.	2	.	2	1	4	.	1	1	3	1	2	23	1
Number of Uncertified Deaths,	1	1	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	.	4	3	1	1	.	.	6	.	10	4	1	1	2	3	.	36	14
Workhouse Hospitals,	1	3	2	1	.	.	.	2	1	5	2	1	.	1	.	.	19	.

TWENTY-FIFTH WEEK, ending Saturday, 20th June, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 25th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 20th June, 1914.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	June 25, 1904.	June 24, 1905.	June 23, 1906.	June 22, 1907.	June 20, 1908.	June 26, 1909.	June 25, 1910.	June 24, 1911.	June 22, 1912.	June 21, 1913.		Deaths of Persons of the Ages of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
												0-5.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
												Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Mean Temperature ...	55.4	60.4	60.1	52.7	51.4	52.7	58.1	56.2	56.9	57.5	56.1	57.2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1913-4—WEEK ENDING																											
		Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.		
No. of weeks in Annual Series,		52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25		
BIRTHS registered.		140	168	246	203	241	234	279	217	217	202	244	225	210	208	227	173	218	207	288	222	197	207	262	191	271	225		
Average Births in corresponding week of previous 10 years, ...		186	225	222	212	215	241	214	217	204	232	222	226	215	230	214	220	221	218	264	237	214	213	244	219	210	223		
DEATHS registered, ...		137	250	210	205	236	201	214	171	175	187	169	189	183	219	212	194	212	231	203	181	160	166	185	162	163	151		
Annual Death-rate per 1,000, ...		17.7	32.1	27.0	26.8	30.8	25.8	27.5	22.0	22.5	24.0	21.7	24.3	23.5	28.1	27.2	24.9	27.2	29.7	26.1	23.2	20.5	21.3	23.8	20.8	20.9	19.4		
Average Deaths in corresponding week of previous 10 years, ...		166	193	189	194	197	198	197	198	201	204	199	196	196	199	202	192	198	188	173	179	159	168	148	148	156	142		
Ages, { Under 5 years, ... 5—15 " ... 15—25 " ... 25—45 " ... 45—65 " ... 65—75 " ... 75 and upwards, ...		47	63	46	45	69	56	72	49	52	56	57	61	70	82	55	74	89	92	89	62	54	73	56	54	45	46		
		6	11	12	6	7	11	8	12	8	6	5	2	7	7	9	12	7	11	10	6	10	7	4	13	4	5		
		6	12	9	4	16	11	12	10	11	8	14	9	9	7	9	14	5	10	9	9	8	9	9	8	11	6	12	
		19	32	31	32	29	30	27	23	28	27	18	30	28	35	26	26	27	28	33	30	27	22	22	19	28	30	23	
		25	78	48	55	50	46	44	35	33	40	38	46	38	44	44	44	51	32	45	30	50	36	37	47	35	38	41	
		20	31	36	32	34	21	28	25	27	37	27	22	18	21	24	35	16	29	23	22	14	21	13	28	16	23	15	
		14	23	28	31	31	26	13	17	16	14	14	18	18	12	16	26	14	13	19	17	10	11	8	14	12	9		
		Deaths from:—		1	3	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Enteric Fever, ...		1	3	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Typhus, ...		1	3	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...		1	3	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Measles, ...		1	3	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Scarlet Fever, ...		1	3	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Whooping-cough, ...		1	3	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Diphtheria, ...		2	4	2	2	6	1	1	1	2	1	3	1	1	4	3	2	4	3	2	3	1	5	1	1	1	1		
Influenza, ...		2	4	2	2	6	1	1	1	2	1	3	1	1	4	3	2	4	3	2	3	1	5	1	1	1	1		
Dysentery, ...		3	3	3	3	4	2	2	1	1	1	1	1	1	2	3	1	1	1	1	2	1	1	1	1	1	1		
Tuberculosis { Pulmonary ...		12	24	20	19	22	25	24	25	25	23	21	26	21	21	22	28	22	25	14	22	24	21	19	27	19	13		
" { Other Forms, ...		5	11	8	4	10	12	7	5	10	4	2	9	8	6	9	5	10	8	10	9	5	6	9	4	6	5		
Cancer, ...		7	7	8	12	9	7	10	5	5	10	9	7	6	18	6	13	8	13	9	11	11	5	12	9	13	9		
Diseases of Circulatory System, ...		19	26	15	23	25	16	14	10	18	19	20	17	17	14	25	15	22	19	21	11	11	13	28	14	20	27		
Diseases of Respi- (Pneumonia ...		12	22	19	21	26	17	20	13	14	13	15	14	8	20	19	19	16	17	19	13	13	15	14	12	11	8		
ratory System. { Others, ...		17	51	48	30	43	32	31	25	17	30	21	34	35	34	35	30	28	20	15	17	19	17	22	13	11	8		
Diarrhoea and Enteritis, under 2 years, ...		5	3	2	6	5	5	3	5	4	2	5	5	6	4	1	2	7	3	3	1	5	7	4	2	4	7		
Diarrhoea, 2 years and upwards, ...		2	6	12	4	9	5	5	3	3	4	4	1	3	2	3	1	1	6	3	2	7	5	3	6	3	3		
Violent Deaths, ...		3	14	10	2	5	4	4	8	8	6	5	6	2	7	8	4	5	9	7	2	2	9	6	4	3	2		
Number of Uncertified Deaths, ...		37.7	34.6	44.3	39.5	38.6	44.1	42.1	43.6	42.1	43.1	44.6	41.7	39.8	39.7	50.9	45.9	45.6	48.8*	44.9	49.6	49.3	55.4	48.1	52.6	52.3	57.2		
Mean Temperature of the Air (Phoenix Park) in degrees, ...		41.5	41.9	41.1	40.0	39.6	39.4	40.4	41.6	40.4	41.5	41.7	41.7	41.8	43.3	43.8	44.4	46.1	45.9	47.1	49.7	49.4	51.1	54.0	53.5	54.6	56.1		
Average Mean Temperature in corresponding week of previous 10 years, ...		620	635	645	620	609	685	805	615	810	475	675	470	450	140	575	400	120	010	000	1335	130	515	110	140	520	495		
Rainfall in inches, ...		90	90	88	81	84	94	92	85	89	91	89	90	91	92	85	90	89	88	91	87	89	90	86	87	86	83		
Mean Humidity of the Air, complete Saturation 1.0, ...																													

* For 6 days only.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal admitted ; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES†	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis under 2 years of age.	Diarrhoea, 2 years and upwards.			
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.			Other.		
North City, No. 1 (E.) (Office Clarence St. Nth.) Population in 1914 (Est.) 30,206.	May 16 " 23 " 30 June 6 " 13 " 20	24.2 22.4 10.4 22.4 17.3 17.3	5.2 3.5 3.5 6.9 1.7 3.5	14 13 6 13 10 10	.	.	.	2	.	1	1	2	3	.	.	1	.
North City, No. 1 (W.) (Office, Summer-hill.) Population in 1914 (Est.) 41,278.	May 16 " 23 " 30 June 6 " 13 " 20	25.3 21.5 32.8 18.9 24.0 11.4	3.8 8.8 6.3 3.8 2.5 .	20 17 26 15 19 9	.	.	.	3	1	4	3	.	.	1	.
North City, No. 2. (Office, Lisburn-street.) Population in 1914 (Est.) 27,883.	May 16 " 23 " 30 June 6 " 13 " 20	29.9 28.1 20.6 41.1 16.8 24.3	3.7 1.9 3.7 15.0 1.9 1.9	16 15 11 22 9 13	.	.	.	2	1	5	2	.	.	.
North City, No. 3. (Office, Benburb-street.) Population in 1914 (Est.) 35,536.	May 16 " 23 " 30 June 6 " 13 " 20	24.9 26.4 19.1 19.1 22.0 7.3	5.9 5.9 2.9 1.5 4.4 2.9	17 18 13 13 15 5	.	.	.	4	1	1	.	.	.	1	.
Clontarf and Howth No. 1 (part of). Population in 1914 (Est.) 5,485.	May 16 " 23 " 30 June 6 " 13 " 20	1	1
Coolock and Drumcondra (part of). Population in 1914 (Est.) 13,685.	May 16 " 23 " 30 June 6 " 13 " 20	30.5 7.6 22.9 19.1 .	.	8 2 6 5
Finglas and Glasnevin (part of). Population in 1914 (Est.) 10,723.	May 16 " 23 " 30 June 6 " 13 " 20	9.7 9.7 14.6 .	.	2 2 3	1	.
South City, No. 1. (Office, Stth. Earl-street.) Population in 1914 (Est.) 40,768.	May 16 " 23 " 30 June 6 " 13 " 20	24.3 26.9 23.0 30.7 19.2 25.6	10.2 6.4 5.1 5.1 3.8 3.8	19 21 18 24 15 20	1	.	.	3	1	4	4	.	2	.
South City, No. 2. (Office, Castle-street.) Population in 1914 (Est.) 18,341.	May 16 " 23 " 30 June 6 " 13 " 20	19.9 25.6 17.1 28.4 11.4 8.5	2.8 5.7 2.8 2.8 .	7 9 6 10 4 3	.	.	.	1	1
South City, No. 3. (Office, Peter-street.) Population in 1914 (Est.) 43,540.	May 16 " 23 " 30 June 6 " 13 " 20	18.0 20.4 29.9 26.3 26.3 32.3	1.2 6.0 4.8 3.6 2.4 2.4	15 17 25 22 22 27	.	.	.	1	2	2	.	1	1
South City, No. 4. (Office, Grand Canal-st.) Population in 1914 (Est.) 33,171.	May 16 " 23 " 30 June 6 " 13 " 20	15.7 14.1 17.3 11.0 25.2 14.1	1.6 1.6 .	10 9 11 7 16 9	.	.	.	1	4	1	.	1	.
New Kilmainham. Population in 1914 (Est.) 9,851.	May 16 " 23 " 30 June 6 " 13 " 20	10.6 5.3 26.5 15.9 15.9 21.2	.	2 1 5 3 3 4	1

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths.					
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.						
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.					Other.				
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	May 16 " 23 " 30 June 6	14.6 10.7 21.3 13.3	1.3 1.3 1.3 2.7	11 8 16 10	2 1 1 3	1 1 . 1	1 . 1 2	.	.	1 . 1 1	
Pembroke Urban District. Population in 1914 (Est.) 30,240	May 16 " 23 " 30 June 6	8.6 12.1 20.7 13.8	5 7 12 8	1 1 2 .	1 1 1 .	.	1 . 1 1	1 . 1 .	.	.
Blackrock Urban District. Population in 1914 (Est.) 9,197.	May 16 " 23 " 30 June 6	11.3 11.3 34.0 17.0	2 2 6 3	1 . 2 1	.	.	1 . 1 .	.	2 . 1
Kingstown Urban District. Population in 1911 16,941.	May 16 " 23 " 30 June 6	12.3 18.5 21.5 9.2	. . . 3.1 . .	4 6 7 3	1 . 1 .	1 . 1 .	.	1 . 1	3 . . .
Belfast. Population in 1914 (Est.) 399,000.	May 16 " 23 " 30 June 6	17.6 17.9 15.0 16.6	1.7 2.4 2.4 1.3	135 137 115 127	.	.	.	3 1 3 1	2 5 4 1	5 5 7 4	.	.	26 21 15 19	12 7 4 8	8 7 3 8	14 13 10 13	16 14 12 11	3 2 4 1	1 . 1 .	2 2 3 3	1 1 3 1
Cork. Population in 1911 76,673.	May 16 " 23 " 30 June 6	21.1 19.7 18.4 15.0	0.7 0.7 2.7 0.7	31 29 27 22	1 1 3 1	.	.	10 6 6 4	2 . 2 2	1 2 1 3	1 . 2 3	5 3 7 1	1 . 1 .	.	1 . 1 .	2 1 . .
Londonderry. Population in 1914 (Est.) 41,100.	May 16 " 23 " 30 June 6	12.7 16.5 7.6 14.0	10 13 6 11	3 2 . 1	.	1 1 . 1	.	3 3 1 2	1 . 1 .
Limerick. Population in 1911 38,518.	May 16 " 23 " 30 June 6	10.8 24.4 17.6 17.6	. 1.4 1.4 1.4	8 18 12 13	2 6 1 3	.	.	.	2 5 4 2	.	1 1 1 6	2 2 3 4
Waterford. Population in 1911 27,464.	May 16 " 23 " 30 June 6	19.0 19.0 17.1 19.0	1.9 1.9	10 10 9 10	2 1 1 1	.	.	.	2 1 1 1	1	2 2 1 1

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 20th June, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.												DEATHS FROM												No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
				All Causes.	Certain Epi- demic Diseases.†	Total Number of DEATHS.						DISEASES OF THE RESPIRATORY SYSTEM.						Violence.	Inquest Cases.												
						(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)		(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)		

City of Belfast.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
BELFAST URBAN No. 1 DISTRICT,	15,879	7	6.6	3.3	2	2	4	6	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1913-4—WEEK ENDING																									
	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.
No. of weeks in Annual Series,	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
BIRTHS registered, ...	130	284	195	254	208	215	187	224	210	203	217	222	196	244	243	163	219	255	198	222	245	238	262	191	198	233
DEATHS registered, ...	150	194	203	174	182	197	164	142	144	153	140	146	163	150	186	142	162	179	139	116	135	137	115	127	129	131
Annual Death-rate per 1,000 of estimated population, ...	19.8	25.4	26.5	22.7	23.9	25.7	21.4	18.6	18.8	20.0	18.3	19.1	21.3	19.6	17.5	18.6	21.2	23.4	18.2	15.2	17.6	17.9	15.0	16.6	16.9	17.1
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards, ...	28	42	46	24	43	45	33	28	25	28	28	28	32	23	25	29	29	45	29	21	21	17	23	19	22	24
	29	23	36	24	22	21	16	20	10	16	15	16	21	27	9	18	22	21	18	10	21	16	18	13	21	22
	25	14	17	14	24	13	18	15	12	18	14	10	19	13	16	11	17	20	21	13	18	20	16	18	17	21
	20	25	26	30	23	34	24	26	21	29	27	34	26	21	24	20	25	25	27	19	23	29	19	22	25	21
	30	39	47	36	35	41	37	31	42	32	33	28	30	28	30	30	31	35	25	28	32	28	23	32	26	31
	18	51	31	46	35	43	36	22	34	30	23	30	35	33	29	34	38	32	19	25	20	27	11	23	18	12
Deaths from:—																										
Enteric Fever, ...	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
Typhus, ...																										
Small-pox, ...																										
Measles, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	8
Scarlet Fever, ...	6	3	12	10	2	3	7	6	1	6	3	3	3	2	2	3	5	6	1	3	2	5	4	1	2	8
Whooping-cough, ...	7	6	3	1	5	1	2	6	1	4	5	2	7	5	3	6	9	8	3	3	5	5	7	4	7	
Diphtheria, ...		2	4	2					2		1	2	1		2	1	1			1				2		1
Dysentery, ...							1																			
Tuberculosis, { Pulmonary, Other Forms,	15	15	14	17	15	12	14	21	17	31	14	15	16	14	10	12	11	32	18	19	20	21	15	19	17	21
Cancer, ...	9	8	8	5	6	3	7	4	4	8	6	5	6	7	5	4	13	4	4	10	12	7	4	8	8	6
Diseases of Respi- { Pneumonia, ratory System, { Others, ...	6	3	10	8	6	10	8	9	9	4	4	3	7	3	5	9	4	5	6	5	8	7	3	8	4	5
Diarrhoea and Enteritis, under 2 years, ...	28	23	29	23	29	26	21	13	14	15	16	12	9	15	6	19	12	22	8	9	14	13	10	13	10	6
Diarrhoea, 2 years and upwards, ...	15	36	28	27	26	45	32	23	18	18	21	15	31	20	23	9	27	15	17	11	16	14	12	11	12	10
Violent Deaths, ...	1	1	2	3	1	2	3	1	1	4	7	8	3	2	1	4	2	2	4		3	2	4	1	5	6
Number of Uncertified Deaths, ...																										
Mean Temperature of the Air in degrees.	40.0	32.3	41.1	38.7	38.4	44.1	48.1	41.2	41.0	41.1	44.3	39.9	40.8	41.0	49.7	47.1	43.5	52.7	48.2	48.2	47.5	54.9	50.0	52.2	54.2	61.5
Rainfall, in inches, ...	0.82	0.41	1.83	0.00	0.28	0.55	0.32	0.72	0.93	0.82	0.92	1.40	0.65	0.07	0.78	1.00	0.34	0.12	0.00	1.32	0.16	0.11	0.12	0.08	0.49	0.18

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	June 20,	2,191	1,053	12·2	.	.	32	8	26	16	22
EDINBURGH, ...	321,900	" 20,	143	73	11·8	1	.
GLASGOW, ...	1,047,000	" 20,	617	306	15·2	.	.	8	3	16	1	9
CALCUTTA, ...	896,067	May 9,	.	516	29·9	94*	51	3	.	1	.	115 [†] _a
BOMBAY, ...	979,445	" 16,	313	739	39·2	216*	10	4	.	.	.	66 _a
MADRAS, ...	518,660	" 16,	354	417	41·8	71*	5	4	?	?	?	121 [†] _a
CAIRO, ...	721,337	Apr. 29,	593	515	37·2	10	6	.	.	?	2 [†]	83
PARIS, ...	2,847,229	June 6,	850	891	16·0	1	.	14	2	9	4 [†]	31
BRUSSELS, ...	780,852	May 30,	228	188	12·4	3	.	.	1	.	1 [†]	6
ANTWERP, ...	313,833	" 30,	113	67	11·1	.	.	1	.	.	1 [†]	8
AMSTERDAM, ...	597,616	" 30,	284	125	10·9	.	.	1	.	2	1 [†]	3
COPENHAGEN, ...	483,000	" 30,	223	135	14·6	.	.	3	.	.	.	5 _a
STOCKHOLM, ...	382,085	" 30,	149	116	15·8	.	.	5	.	4	1	2
CHRISTIANIA, ...	250,423	June 6,	97	68	14·1	.	.	.	3	1	2	5 _a
ST. PETERSBURG, ...	1,728,200	May 16,	853	727	21·9	1	3	35	11	4	13	39
MOSCOW, ...	1,694,000	" 9,	.	937	28·8	3	2	63	14	14	15	90 _a
BERLIN, ...	2,081,475	" 23,	.	534	13·3	.	.	8	11	7	11 [†]	17
HAMBURG, ...	1,030,983	" 30,	.	262	13·2	.	.	3	2	2	4	10 _a
BRESLAU, ...	544,257	" 30,	.	211	20·2	.	.	3	.	1	1	14 _a
MUNICH, ...	640,000	" 30,	.	161	13·1	1 [†]	9 _a
VIENNA (with suburbs),	2,149,834	" 30,	733	629	15·2	2	.	17	10	4	4 [†]	23
BUDA-PESTH, ...	950,784	" 30,	498	347	19·0	1	.	4	4	1	3 [†]	19
PRAGUE and Faubourgs,	498,499	" 2,	181	158	16·5	1	.	2	.	.	.	3
TRIESTE, ...	244,655	" 16,	111	93	19·8	.	.	8	.	1	.	2
ROME, ...	591,943	Dec. 6,
NEW YORK, ...	5,583,871	May 16,	3,254	1,533	14·3	7	.	20	20	7	32 [†]	40
PHILADELPHIA, ...	1,657,815	Apr. 4,
BOSTON, ...	750,768	May 30,	.	237 ^b	16·5	1	.	.	4	1	5	4 _a

* Deaths from "fever," including 6 from enteric fever and 23 from plague in Calcutta; 5 from enteric fever and 170 from plague in Bombay and 6 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 82 deaths from cholera in Calcutta, and one in Madras.

_a Deaths from diarrhoeal diseases at all ages.

^b Corrected figures, i.e., non-residents deducted, 205 (including 3 deaths from scarlet fever, 4 from diphtheria, and 2 from diarrhoeal diseases). rate 14·2 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th June, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomylitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	1	1	2
" " 1, West,	7
" " 2,	1	.	.	.	1	.	.	.	6	8
" " 3,	4	.	.	2	2	8
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),
Finglas and Glasnevin (part of),
South City No. 1,	4	.	.	1	10	15
" " 2,	2	.	.	1	.	.	1	6	10
" " 3,	3	5	8
" " 4,	1	.	.	1	.	.	1	1	.	.	.	6	10
New Kilmainham,	1	1	1	3
Total,	15	.	.	6	.	.	4	2	.	.	.	44	71

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 20th June, 1914, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 20th June.			
	May 30.	June 6.	June 13.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	26	30	34	2	8	.	28
Typhus,
Small-pox,
Measles, ...	113	98	77	22	34	1	64
Scarlet Fever, ...	115	117	124	24	26	1	121*
Diphtheria, ...	35	35	43	10	12	.	41
Pneumonia, ...	21	21	19	13	4	1	27

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 20th June, 1914:—

"Until Friday the distribution of atmospheric pressure remained much the same as in the previous week—namely, a ridge of relatively high barometer stretching from the Azores across the British Isles to Norway—whereas shallow depressions were again found on the Continent. On the day named a large area of low pressure spread in from the Atlantic over Ireland and Scotland, and for the first time for many weeks a S.W. air current of some strength passed over these countries. Slight local irregularities of pressure caused severe thunderstorms on many days—on Sunday, a violent storm of rain, hail, thunder and lightning visited the south of London, causing the loss of 7 lives. It extended all over the south of England as far as Bath and Falmouth. In this storm the rainfall was 34 millimetres (1.34 inches) at Kew and 48 millimetres (1.89 inches) at Wandsworth Common. In and near Dublin Sunday was brilliantly fine: so also were the two following days. On Wednesday electrical disturbances occurred in Ireland, cattle being killed by lightning in many parts of this country. In Dublin thunder was heard between 4 and 6 p.m., and a slight shower fell at the latter hour. Thursday was very warm in the south of England, the thermometer reaching 80° at Camden Square, London, and Nottingham, and 82° at Greenwich: on the other hand, at Wick on that day the range of temperature was only from 48° to 55° owing to fog. Thunderstorms broke out over Central England and in Scotland, and on Friday also loss of life and much damage were caused by lightning in various parts of Great Britain. At Greenwich and Camden Square, London, a maximum of 83° was touched on Friday. Genial rains fell in Ireland on Saturday. In Dublin the mean height of the barometer was 300.52 inches, pressure ranging from 30.191 inches at 9 a.m. of Monday (wind, N.E.) to 29.792 inches at 9 a.m. of Saturday (wind S.). The corrected mean temperature was 60.9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 60.3°. The screened thermometers rose to 73.2° on Wednesday, having fallen to 52.9° on Monday. The wind was N.E. till Wednesday, afterwards variable, chiefly S.W. on Friday and Saturday. Rain fell on 3 days to the amount of .210 inch, of which .173 inch was measured on Saturday. Thunder was heard on Wednesday."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 30·066 inches. The highest reading (30·181) was on Monday, at 9 a.m., the lowest (29·794) on Saturday, at 9 a.m.

The mean temperature for the week was 57·2°, being 1·1° above the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Wednesday, on which day the thermometer registered 74°, and was lowest on Monday, the mercury having fallen to 42°. The mean of the Dry Bulb for the week was 58·5° and of the Wet Bulb, 55·6°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The rainfall during the week measured 0·495 inch.

At Greenwich the mean temperature for the week was 62·2°, the maximum 83·4°, and the minimum 45·5°; at Glasgow the maximum was 80·0°, the minimum 44·0°, and the mean 62·0°; and at Edinburgh the maximum was 71·2°, the minimum 47·5°, and the mean 58·7°. The rainfall at Greenwich measured 0·34 in.; and at Edinburgh 0·26 in. There was no rainfall recorded at Glasgow.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)
Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.			BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.
			Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation = 1·0.			
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday,	June	14,	30·140	64	44	54·0	60·1	57·2	·81	·5	12·4	·000
Monday,	"	15,	30·170	69	42	55·5	55·9	52·0	·79	·4	14·4	·000
Tuesday,	"	16,	30·180	70	47	58·5	60·5	57·0	·80	·4	11·6	·000
Wednesday,	"	17,	30·060	74	43	58·5	64·0	59·9	·78	·6	10·6	·005
Thursday,	"	18,	30·070	66	51	58·5	54·0	53·1	·94	·4	2·8	·000
Friday,	"	19,	30·025	69	48	58·5	59·1	56·1	·82	·6	4·8	·020
Saturday,	"	20,	29·865	61	53	57·0	55·6	53·6	·87	·6	0·0	·470
Mean,	30·066	67·6	46·9	57·2	58·5	55·6	·83	·5	Total 56·6	Total ·495

Sunday—A beautiful bright day; night clear. Monday—A beautiful bright day; night cloudy. Tuesday—A beautiful bright day; night clear. Wednesday—A beautiful bright day, light shower and thunder 5.15 to 6.0 p.m.; night clear. Thursday—Day cloudy a.m., bright at intervals p.m.; night overcast, fog a.m. Friday—Day cloudy, bright at intervals; night cloudy, light showers at intervals a.m. Saturday—Day overcast, light rain a.m., heavy and light rain p.m.; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 20th June, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.		Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
			1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday,	June 14,	65·9	57·0	53·5	68	52	60	hrs. 11·2	ins. —
Monday,	" 15,	60·6	58·2	53·7	69	50	59·5	13·8	—
Tuesday,	" 16,	65·5	59·7	53·8	69	53	61	10·8	—
Wednesday,	" 17,	64·5	60·1	54·1	73	52	62·5	9·7	—
Thursday,	" 18,	57·8	61·0	54·3	72	51	61·5	1·1	—
Friday,	" 19,	60·5	60·4	54·8	72	51	61·5	4·0	—
Saturday,	" 20,	61·6	60·1	55·0	63	54	53·5	—	·314
Weekly Mean,		62·3	59·5	54·2	69·4	51·9	60·6	Total 50·6	Total ·314

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 27TH JUNE, 1914.

[No. 26.]

General Register Office, Charlemont House,
Dublin, 29th June, 1914.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 15·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	June 6	June 13	June 20	June 27	
27 Town Districts, (a)	16·7	17·9	17·7	15·7	17·0
Dublin Reg. Area ...	19·9	18·5	17·6	15·5	17·9
Dublin City ...	22·5	19·8	18·1	17·6	19·5
Belfast ...	16·6	16·9	17·1	17·5	17·0
Cork ...	15·0	21·1	19·0	12·9	17·0
Londonderry ...	14·0	10·1	11·4	10·1	11·4
Limerick ...	17·6	23·0	23·0	12·2	18·9
Waterford ...	19·0	13·3	30·4	13·3	19·0

The deaths from certain epidemic diseases† registered in the 27 town districts during last week* were equal to an annual rate of 1·6 per 1,000. Among the 134 deaths from all causes for Belfast are 5 from measles, 2 from scarlet fever, 4 from whooping-cough, and 6 from diarrhoeal diseases. The 19 deaths from all causes for Cork include one from each of measles, whooping-cough, and diphtheria. One of the 9 deaths from all causes for Limerick is from enteric fever. The 2 deaths recorded for Lurgan include one from measles. Two deaths (of children under 2 years) from diarrhoea and enteritis are among the 6 deaths from all causes for Dundalk. One of the 5 deaths from all causes for Wexford is from whooping-cough. Two of the 8 deaths from all causes for Sligo are from measles, and one of the 2 deaths for Coleraine is also from this disease.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 233—125 boys and 108 girls—and the deaths to 134—68 males and 66 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·5 per 1,000 of the population. During the twenty-six weeks, ending with Saturday last, the death-rate averaged 23·0, and was equal to the mean rate for the corresponding portions of the ten years, 1904—1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 134, represent an annual rate of 17·2 per 1,000; the annual rate for the past twenty-six weeks was 24·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·2 per 1,000 of the mean population for all deaths registered.

The total deaths (134) include one from enteric fever, 3 from measles, one from diphtheria, and 4 deaths from diarrhoea and enteritis of children under 2 years of age. In each of the 3 weeks preceding, deaths from enteric fever were one, one, and one; deaths from measles were 18, 8, and 5; deaths from diphtheria were one, one, and 0; and deaths from diarrhoea and enteritis of children were 2, 4, and 7.

There were 24* deaths from tuberculous disease, comprising 17 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, and 5 deaths from other forms of the disease. In each of the 3 preceding weeks the total deaths from tuberculosis were 31, 25, and 18, respectively.

The deaths of 8* persons were attributed to cancer.

There was one death of an infant from convulsions, there were 2 from congenital malformations, 6 from premature birth, and one from congenital debility.

Of 8 deaths from pneumonia, 4 were from broncho-pneumonia, one was from lobar pneumonia, and 3 were from pneumonia, not otherwise distinguished.

Organic diseases of the heart accounted for 8 deaths, and bronchitis for 16 deaths.

There was not one death attributed to violence or negligence.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the death of one infant under one year old, and the death of one person aged 68 years.

Thirty-six of the persons whose deaths were registered during the week were under 5 years of age (22 being infants under one year, of whom 10 were under one month old), and 30 were aged 65 years and upwards, including 17 persons aged 70 and upwards; among the latter were 11 aged 75 and upwards.

Sixty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·5 per 1,000; the rate in the City was 17·6 (North City Districts, 16·8; South, 18·6) and in the Suburbs 8·7.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·3 (in the North City Districts 0·3, and in the South 2·5), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·8 per 1,000, and include 2 from tuberculous disease and 2 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (12) are equal to an annual rate of 15·2 per 1,000. Among them are 4 deaths from tuberculous disease, one from pneumonia, one from bronchitis, and one of a child under 2 years of age from diarrhoea and enteritis.

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 18·7 per 1,000. Four of these deaths were from tuberculous disease and one was from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (16) represent an annual rate of 23·5 per 1,000. Three deaths from tuberculous disease, 2 from broncho-pneumonia, one from pneumonia, and 2 from bronchitis were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·5 per 1,000 inhabitants; Coolock and Drumcondra, part of, 19·1; and Finglas and Glasnevin, part of, 4·9.

No. 1 South City District (South Earl-street).—The deaths (15) represent an annual rate of 19·2 per 1,000. There were 2 deaths from measles, one from diphtheria, one from broncho-pneumonia, one from bronchitis, and one of a child under 2 years of age from diarrhoea and enteritis.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·6 per 1,000. Among them were one death from enteric fever, one from measles, one from pulmonary tuberculosis, and one from bronchitis.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·2 per 1,000, and include 2 deaths from pulmonary tuberculosis, one from broncho-pneumonia, one from pneumonia, and 2 from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (9) are equivalent to an annual rate of 14·1 per 1,000. Two of these deaths were from tuberculous disease, 2 from bronchitis, and one from diarrhoea and enteritis of a child under 2 years of age.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·9 per 1,000. One death from tuberculous disease and one death from bronchitis were recorded.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·3; Pembroke, 8·6; Blackrock, 11·3; and Kingstown, 6·2. The only death from any of the principal epidemic diseases tabulated for these districts was one from diarrhoea and enteritis of a child under 2 years of age for Pembroke. Among the 7 deaths from all causes for Rathmines and Rathgar was one from pulmonary tuberculosis; one of the 2 deaths from all causes for Blackrock was also from that disease; and the 2 deaths from all causes for Kingstown consist of one death from broncho-pneumonia and one from bronchitis.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 12·1), was equal to an average annual death-rate of 12·1 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 13·8 per 1,000, the rate for Glasgow being 13·2, and for Edinburgh 12·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 27th June. From this Report it appears that of a total of 78 cases notified, 40 were scarlet fever, 20 phthisis, 13 diphtheria, 3 erysipelas, one enteric fever, and one cerebro-spinal fever. Among the 521 cases of infectious diseases in hospital at the close of the week were 227 cases of scarlet fever, 198 of phthisis, 60 of diphtheria, 10 of chicken-pox, 7 of erysipelas, 6 of enteric fever, 4 of measles, and one of whooping-cough.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford; during the week ended 27th June, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	June. 6,	.	—	—	13	.	.	6	.	.	4	5	.	—	—	.	—	.	32	60
	June. 13,	.	—	—	8	.	.	8	.	.	.	2	.	—	—	.	—	.	13	31
	June. 20,	.	—	—	15	.	.	6	.	.	4	2	.	—	—	.	—	.	44	71
	June. 27,	.	—	—	8	1	.	13	.	.	1	2	.	—	—	.	—	.	28	53
Rathmines and Rathgar Urban District.	June. 6,	.	—	—	2	.	.	1	—	—	—	—	—	—	3
	June. 13,	.	—	—	2	—	—	—	—	—	—	2
	June. 20,	.	—	—	3	.	.	2	—	—	—	—	—	—	5
	June. 27,	.	—	—	.	.	.	2	—	—	—	—	—	—	2
Pembroke Urban District.	June. 6,	.	1	.	1	—	—	—	—	—	1	3
	June. 13,	.	3	.	1	1	.	.	—	—	—	—	—	1	6
	June. 20,	.	5	.	1	1	.	.	—	—	—	—	—	2	9
	June. 27,	.	1	3	—	—	—	—	—	.	4
Blackrock Urban District.	June. 6,	.	—	—	—	—	—	—	—	—	.
	June. 13,	.	.	—	2	.	.	1	.	.	1	.	.	—	—	—	—	—	—	4
	June. 20,	.	9	—	1	—	—	—	—	—	—	10
	June. 27,	.	2	—	—	—	—	—	—	—	2
Kingstown Urban District.	June. 6,	.	—	—	.	.	.	1	—	—	—	—	—	3	1
	June. 13,	.	—	—	1	.	.	1	.	.	1	1	.	—	—	—	—	—	.	7
	June. 20,	.	—	—	.	.	.	2	—	—	—	—	—	.	2
	June. 27,	.	—	—	—	—	—	—	—	.	.
City of Belfast.	June. 6,	.	—	—	46	1	.	8	1	1	2	2	.	—	—	.	—	.	3	64
	June. 13,	.	—	—	33	5	.	3	.	.	4	5	1	—	—	1	—	.	.	52
	June. 20,	.	—	—	43	1	.	6	.	.	1	6	.	—	—	.	—	.	7	64
	June. 27,	.	—	—	28	1	.	3	.	.	2	2	.	—	—	.	—	.	.	35
City of Cork.	June. 6,	.	8	—	1	.	.	1	.	.	3	1	.	—	—	—	—	—	—	14 ^a
	June. 13,	.	2	—	4	.	.	1	1	1	1	.	.	—	—	—	—	—	—	10
	June. 20,	.	5	—	3	.	.	1	.	1	.	.	2	—	—	—	—	—	—	12 ^b
	June. 27,	.	9	—	2	.	.	.	1	—	—	—	—	—	—	12
City of Londonderry.	June. 6,	.	—	—	1	—	—	—	—	—	—	1
	June. 13,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
	June. 20,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	June. 27,	.	—	—	4	—	—	—	—	—	—	4
City of Limerick.	June. 6,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	June. 13,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	June. 20,	.	—	—	5	2	.	.	—	—	—	—	—	—	7
	June. 27,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
City of Waterford.	June. 6,	.	—	—	—	—	—	—	—	2	2
	June. 13,	.	—	—	—	—	—	—	—	4	4
	June. 20,	.	—	—	—	—	—	—	—	.	.
	June. 27,	.	—	—	—	—	—	—	—	.	.

^a Not including 2 cases of whooping-cough.

^b Not including one case of whooping-cough.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th June, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of enteric fever were discharged from hospital during the week, there was one death, and 24 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 30, 34, and 28.

Eight cases of measles were admitted to hospital, 22 were discharged, and 50 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 98, 77, and 64, respectively.

Eight cases of scarlet fever were admitted to hospital, 21 were discharged, and 108* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 117, 124, and 121, respectively.

Thirteen cases of diphtheria were admitted to hospital during the week, 10 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 35, 43, and 41 respectively, were 42 at the close of last week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 9 were discharged, there was one death, and 22 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 27th of June, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
		CITY OF DUBLIN.																
		REGISTRATION DISTRICTS IN										URBAN DISTRICTS OF						
		Dublin North Superintendent Registrar's District.					Dublin South Superintendent Registrar's District.											
NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.			
Enteric Fever,	1	1	.	
Typhus,	
Small-pox,	
Measles,	2	1	3	.	
Scarlet Fever,	
Whooping-cough,	
Diphtheria,	1	1	.	
Croup,	
Influenza,	
Dysentery,	
Tuberculosis, { Pulmonary,	1	2	3	2	.	.	.	1	2	1	.	1	.	1	.	14	3	
Other Forms,	1	2	1	1	1	1	1	.	.	.	7	.	
Cancer,	.	.	.	1	.	2	.	1	1	.	.	1	1	.	.	7	1	
Diseases of Nervous System,	1	3	.	3	.	.	3	1	.	.	.	11	2	
" Organs of Special Sense,	
" Circulatory System,	1	.	.	1	1	.	1	1	2	1	.	.	1	.	.	9	2	
" Respiratory System. { Pneumonia,	.	1	.	3	.	.	1	1	2	1	8	.	
Others,	2	1	2	2	1	.	1	1	3	2	1	.	.	.	1	17	3	
" Diarrhoea and Enteritis, under 2 years,	.	1	1	.	.	1	.	1	.	1	.	4	.	
" Digestive System. { Diarrhoea, 2 years and upwards,	
Enteritis, 2 years and upwards,	1	1	.	.	.	2	.	
Others,	.	1	2	1	2	1	.	7	2	
" Genito-urinary System,	.	1	1	.	.	1	.	.	1	1	1	1	.	.	.	7	.	
Puerperal Septicemia, etc.,	
Other Causes incident to Pregnancy and Childbirth,	
Diseases of the Skin and Cellular Tissue,	
" Locomotor System,	
Other specified Causes,	1	.	3	2	1	1	3	2	3	1	.	2	2	.	.	21	.	
Violent Deaths,	
Ill-defined, &c. Causes,	.	.	.	1	1	2	.	
Deaths from All Causes	8	12	10	16	1	5	1	15	9	16	9	3	7	5	2	2	121	
Annual Rate of Mortality from All Causes in every 1,000 of the population.	13·8	15·2	18·7	23·5	9·5	19·1	4·9	19·2	25·6	19·2	14·1	15·9	9·3	8·6	11·3	6·2	15·5	
	16·8							18·6					8·7					
	17·6																	
Ages at Death. { Under 1 year,	2	1	3	2	.	1	.	2	2	4	1	.	2	2	.	.	22	
1 and under 2 years,	.	1	.	2	.	.	.	3	1	1	8	
2 " 5 "	1	1	2	1	.	.	.	1	.	.	.	6	
5 " 15 "	.	2	.	1	1	4	
15 " 25 "	1	1	2	.	.	1	1	6	
25 " 45 "	1	2	2	4	.	.	.	2	1	3	1	.	2	.	.	.	18	
45 " 65 "	3	3	4	3	.	.	.	1	4	5	1	1	2	1	1	.	29	
65 and upwards,	.	1	1	4	1	4	1	3	.	3	4	1	.	2	1	2	28	
Number of Uncertified Deaths,	.	.	1	1	2	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	3	2	4	.	2	.	4	2	5	2	1	2	.	.	.	29	
Workhouse Hospitals,	1	1	3	4	.	1	.	3	1	6	3	.	1	.	.	.	24	

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 26th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 27th June, 1914.									
	July 2, 1904.	July 1, 1905.	June 30, 1906.	June 29, 1907.	June 27, 1908.	July 3, 1909.	July 2, 1910.	July 1, 1911.	June 29, 1912.	June 28, 1913.		Deaths of Persons of the Ages of									
	0	0	0	0	0	0	0	0	0	0		0-5.	0-5.	0-5.	0-5.	0-5.	0-5.	0-5.	0-5.	0-5.	0-5.
Mean Temperature.	54.8	60.1	56.6	51.8	55.9	55.6	54.7	55.5	56.9	55.1	55.7	56.1	Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.
ALL CAUSES.	126	116	125	152	133	150	127	155	129	130	131.3	134	10	12	8	6	5	8	23	32	19
Enteric Fever,	1	2	.	14	1	.	.	.	1
Typhus,
Small-pox,
Measles, ...	2	2	.	1	4	2	.	7	4	.	2.2	3	.	.	2	1
Scarlet Fever, ...	2	1	1	.	1	.	.5
Whooping-cough, ...	1	1	1	8	.	4	3	2	.	.	2.0
Diphtheria, ...	1	1	.	.	2	1	1	2	1	.	.9	1	.	.	1
Croup,
Influenza,	1	3	2	1	4	2	1	.	.	1.4
Dysentery,
Erysipelas, ...	1	1	.	.	1	.3	1	1	.	.
Other Epidemic Diseases,	1	.	1	.	.	1	.	1	.	.4
Pyæmia and Septicæmia (non-puerperal).	.	.	1	.	12
Tetanus,	11
TUBERCULOSIS.																					
Pulmonary Tuberculosis, ...	14	16	21	25	22	15	23	21	16	20	19.3	17	1	9	7	.	.
Tuberculous Meningitis, ...	2	3	4	5	.	3	5	3	1	2	2.8	2	1	1	.	.	.
Abdominal Tuberculosis,	2	1	.	1	2	5	1	3	.	1.5
Tuberculosis of the Vertebral Column.	1	.	.	.	1
Tuberculosis of Joints, ...	10	3	4	6	3	6	4	2	.	.	4.2	1	.	.	1
Tuberculosis of other Organs,
Scrofula,	3	.	1	.	1
Disseminated Tuberculosis,	2	2
Venereal Diseases,	1	.	1	1	1	.	2	.	.	.6	1	.	1
Cancer, ...	2	5	12	4	9	7	10	8	4	10	7.1	8	2	3	2	1
Tumour, situation undefined,
Rheumatic Fever, ...	2	1	.3
Diabetes,	1	.	.	1	.	.	1	.	.3	2	1	.	1	.
Anæmia, leucocythæmia,	1	1	.	.
Other General Diseases,	3	1	2
Alcoholism,	1	.	1	.2
Chronic Poisonings,	1	1
Cerebro-spinal Fever,	2	13
Simple Meningitis,	1	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	8	6	2	.
Softening of Brain,
Paralysis, without specified cause.
Epilepsy,
Convulsions (non-puerperal),	1	.	1
Other Diseases of Nervous System.	33	32	21	39	35	34	33	40	.	.	31.4	3	1	2	.	.	.
Pericarditis,	1	1	.	.
Acute Endocarditis,
Organic Diseases of the Heart,	8	2	2	1	3
Embolism and Thrombosis (including Cerebral).
Other Diseases of Circulatory system.	2	.	2	1	1	.	.
Diseases of the Larynx,
Bronchitis, ...	13	5	3	7	11	12	7	16	14	6	9.4	16	.	2	4	8	2
Broncho-pneumonia, ...	4	2	1	4	6	6	.	2	6	4	3.5	4	.	.	4
Lobar pneumonia,	1	.	3	1	.	1	2	2	1	1.1	1	1
Pneumonia (type not distinguished)	3	9	3	5	1	3	2	5	4	6	4.1	3	1	1	1	.	.
Pleurisy,
Pulmonary Congestion, Pulmonary Apoplexy.	.	2	2	2	.	2	.	1	.	.	1.3	3	1	1	.	1
Other Diseases of Respiratory System.	1	1

* For six days only.

TWENTY-SIXTH WEEK, ending Saturday, 27th June, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 26th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 27th June, 1914.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	July 2, 1904.	July 1, 1905.	June 30, 1906.	June 29, 1907.	June 27, 1908.	July 3, 1909.	July 2, 1910.	July 1, 1911.	June 29, 1912.	June 28, 1913.		Deaths of Persons of the Ages of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
												Under 1 month.	1 month and under a year.	0-5.										15-25.	25-45.	45-65.	65-75.	75 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
														1-2.	2-5.	5-15.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
Mean Temperature ...	54.8	60.1	56.6	51.8	55.9	55.6	54.7	55.5	56.9	55.1	55.7	56.1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

* For six days only.

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914—WEEK ENDING																									
		Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.
No. of weeks in Annual Series,		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
BIRTHS registered.		168	246	203	241	234	279	217	217	202	244	225	210	208	227	173	218	207	288	222	197	207	262	191	271	225	238
Average Births in corresponding week of previous 10 years, ...		225	222	212	215	241	214	217	204	232	222	206	215	230	214	220	221	218	264	237	214	213	244	219	210	223	245
DEATHS registered, ...		250	210	205	236	201	214	171	175	187	169	189	183	219	212	194	212	231	203	181	160	166	185	162	163	151	134
Annual Death-rate per 1,000, ...		32.1	27.0	26.3	30.3	25.8	27.5	22.0	22.5	24.0	21.7	24.3	23.5	28.1	27.2	21.9	27.2	29.7	26.1	23.2	20.5	21.3	23.8	20.8	20.9	19.4	17.2
Average Deaths in corresponding week of previous 10 years, ...		193	189	194	197	198	197	198	201	204	199	196	196	199	202	192	198	188	173	179	159	168	148	148	156	142	134
Ages, { Under 5 years, ...		63	46	45	69	56	72	49	52	56	57	61	70	82	55	74	89	92	89	62	54	73	56	64	45	46	36
5-15 " ...		11	12	6	7	11	8	12	8	5	2	7	7	9	12	7	11	10	6	10	7	4	12	4	9	5	5
15-25 " ...		12	9	4	16	11	12	10	11	8	14	9	7	9	14	5	10	9	9	8	9	9	8	11	6	12	8
25-45 " ...		32	31	32	29	30	27	23	28	27	18	30	28	35	26	27	28	33	30	27	22	22	19	28	30	23	23
45-65 " ...		78	43	55	50	46	44	35	33	40	38	46	38	44	44	51	32	45	30	50	36	37	47	35	38	41	32
65-75 " ...		31	36	32	34	21	28	25	27	37	22	18	21	24	35	16	29	23	22	14	21	18	28	16	23	15	19
75 and upwards, ...		23	28	31	31	26	13	17	16	14	18	18	12	16	26	14	13	19	17	10	11	8	14	14	12	9	11
Deaths from :—		1	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Enteric Fever, ...		1	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhus, ...		1	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...		1	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...		1	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...		1	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough, ...		1	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diphtheria, ...		1	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza, ...		1	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery, ...		1	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis { Pulmonary ...		24	20	19	22	25	24	25	25	23	21	26	21	21	22	28	22	25	14	22	24	21	19	27	19	13	17
" { Other Forms, ...		11	8	4	10	12	7	5	10	4	2	9	8	6	9	5	10	8	10	9	5	6	9	4	6	5	7
Cancer, ...		7	8	12	9	7	10	5	5	10	9	7	6	18	6	13	8	13	9	11	11	5	12	9	13	6	8
Diseases of Circulatory System, ...		26	15	23	25	16	14	10	18	19	20	17	17	14	25	15	22	19	21	11	11	18	28	14	20	9	11
Diseases of Respiratory System, { Pneumonia ...		22	19	21	26	17	20	13	14	13	15	14	8	20	19	19	16	17	19	13	13	15	14	12	12	14	8
" { Others, ...		51	48	30	43	32	31	25	17	30	21	34	35	34	35	30	28	20	15	17	19	17	22	13	11	8	20
Diarrhoea and Enteritis, under 2 years, ...		8	2	6	5	5	3	5	4	2	5	5	6	4	1	2	7	3	3	1	5	7	4	2	4	7	4
Diarrhoea, 2 years and upwards, ...		6	12	4	9	5	5	3	3	4	4	1	3	2	3	1	1	6	3	2	7	5	3	6	3	3	2
Violent Deaths, ...		14	10	2	5	4	4	8	8	6	5	6	2	7	8	4	5	9	7	2	2	9	6	4	3	2	2
Number of Uncertified Deaths, ...		34.6	44.3	39.5	38.6	44.1	42.1	43.6	42.1	43.1	44.6	41.7	39.8	39.7	50.9	45.9	45.6	48.8*	44.9	49.6	49.3	55.4	48.1	52.6	52.3	57.2	56.1
Mean Temperature of the Air (Phoenix Park) in degrees, ...		41.9	41.1	40.0	39.6	39.4	40.4	41.6	40.4	41.5	41.7	41.7	41.8	43.3	43.8	44.4	46.1	45.9	47.1	49.7	49.4	51.1	54.0	53.5	54.6	56.1	55.7
Average Mean Temperature in corresponding week of previous 10 years,035	.445	.260	.090	.485	.305	.615	.810	.475	.675	.470	.450	.140	.575	.400	.120	.010	.000	1.335	.130	.515	.110	.140	.520	.495	.000
Rainfall in inches,90	.88	.81	.84	.94	.92	.85	.89	.91	.89	.90	.91	.92	.85	.90	.89	.88	.91	.87	.89	.90	.86	.87	.86	.83	.78
Mean Humidity of the Air, complete Saturation 1.0, ...																											

* For 6 days only.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal admitted ; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM														Number of Uncer- tified Deaths.						
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.					
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.					Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	May 23 30 June 6 13 20 27	22.4 10.4 22.4 17.3 17.3 13.8	3.5 3.5 6.9 1.7 3.5 .	15 6 13 10 10 8	.	.	.	1	2 1 1 . 1 1	.	1	2 . 1 2 . . .	5 1 1 . 1 2	1 1 . . 1
North City, No. 1 (W.) (Office, Summer-hill.)	May 23 30 June 6 13 20 27	21.5 32.8 18.9 24.0 11.4 15.2	8.8 6.3 3.8 2.5 . 1.3	17 26 15 19 9 12	.	.	.	6 4 1	3 2 2 2 1 2	.	1 2 1 . 1 .	2 4 1 4 1 1	1 1 1 2 1 1	.	.	.	2 . . . 1 .	.	.	2 1 . . 1 .
North City, No. 2. (Office, Lisburn-street.)	May 23 30 June 6 13 20 27	28.1 20.6 41.1 16.8 24.3 18.7	1.9 3.7 15.0 1.9 1.9 .	15 11 22 9 13 10	.	.	.	2 . 6 1	2	.	.	1 2 . . 3	1 1 . 1 1	4 2 1 . 3 .	2 5 1 2 . 2	1 . . 1 . 1	1 . . . 1 .	.	.	1 . . 1 .
North City, No. 3. (Office, Benburb-street.)	May 23 30 June 6 13 20 27	26.4 19.1 19.1 22.0 7.3 23.5	5.9 2.9 1.5 4.4 2.9 .	18 13 13 15 5 16	.	.	.	3 1 1 2	1	.	.	4 1 4 2 2 2	.	1 . . 2 2 1 3	1 1 2 2 . 2	1 1 . . . 2	.	.	.	1 1 . . 1 .	.	.	1
Clontarf and Howth No. 1 (part of).	May 23 30 June 6 13 20 27	28.5 . . 9.5 19.0 9.5	9.5	3 . . 1 2 1	1	1 . . 1 .	.	1 . . 1
Coolock and Drumcondra (part of).	May 23 30 June 6 13 20 27	7.6 22.9 19.1 . 15.2 19.1	3.8 . 3.8 . . .	2 6 5 . 4 5	1	.	.	1 1	1 . . 1 . . 2	1 . 1 . . 1	1		
Finglas and Glasnevin (part of).	May 23 30 June 6 13 20 27	9.7 14.6 . 19.5 9.7 4.9	2 3 . 4 2 1	1 . . 1 1 .	1 . . 1 1	1	
South City, No. 1. (Office, St. Earl-street.)	May 23 30 June 6 13 20 27	26.9 23.0 30.7 19.2 25.6 19.2	6.4 5.1 5.1 3.8 3.8 5.1	21 18 24 15 20 15	.	.	.	3 2 2 2 3 2	.	1	.	.	.	2 1 6 1 2 .	1 . 1 1 . . .	1 1 1 2 1 1	4 3 3 1 1 1	2 1 1 3 . 1	2 . . 1 .		
South City, No. 2. (Office, Castle-street.)	May 23 30 June 6 13 20 27	25.6 17.1 28.4 11.4 8.5 25.6	5.7 2.8 2.8 . . 5.7	9 6 10 4 3 9	1	.	.	.	2	1 . 1 . . 1	.	1 . 1 . . 1 .	2 1 . . . 1	1		
South City, No. 3. (Office, Peter-street.)	May 23 30 June 6 13 20 27	20.4 29.9 26.3 26.3 32.3 19.2	6.0 4.8 3.6 2.4 2.4 .	17 25 22 22 27 16	.	.	.	2 3 3 2 1 .	.	.	1	1	.	4 2 4 4 3 2	.	1 4 3 2 2 2	2 5 2 2 3 3	1 1 2 3 1	1 . . . 2 .			
South City, No. 4. (Office, Grand Canal-st.)	May 23 30 June 6 13 20 27	14.1 17.3 11.0 25.2 14.1 14.1	1.6 . . . 3.1 1.6	9 11 7 16 9 9	1 2 3 2 2 1	.	1 . 1 1 . . .	1 2	1 2 1	1 . . . 1 .		
New Kilmainham.	May 23 30 June 6 13 20 27	5.3 26.5 15.9 15.9 21.2 15.9	1 5 3 3 4 3	1 1 . . . 1	.	1 . . 1 1 1 1	

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN SPECIFIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 3 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District.	May 23 " 30 June 6 " 13	10.7 21.3 13.3 13.3	1.3 1.3 2.7	8 16 10 10	 	 	 	1 	 	 1 	 	 	1 1 3 	1 	 1 2 1 	 1 	 1 	 1 	 	 	
Population in 1914 (Est.) 39,155.	" 20 " 27	13.3 9.3	1.3 	10 7	 	 	 	 	 	1 	 	 	 	 	 	 	 	 	 	 	
Pembroke Urban District.	May 23 " 30 June 6 " 13	12.1 20.7 13.8 8.6	 1.7	7 12 8 5	 	 	 	 	 	 	 	 	 2 	1 1 1 	 2 1 1 	 1 1 	 	 	 	 	
Population in 1914 (Est.) 30,240	" 20 " 27	13.8 8.6	 1.7	8 5	 	 	 	 	 	 	 	 	1 	 	 1 	 	 	1 	 	 	
Blackrock Urban District.	May 23 " 30 June 6 " 13	11.3 34.0 17.0	 	2 6 3	 	 	 	 	 	 	 	 	 2 	 	1 	 	 	 	 	 	
Population in 1914 (Est.) 9,197.	" 20 " 27	22.7 11.3	 	4 2	 	 	 	 	 	 	 	 	1 	 	 	 	 	 	 	 	
Kingstown Urban District.	May 23 " 30 June 6 " 13	18.5 21.5 9.2 24.6	 3.1 3.1	6 7 3 8	 1 1 	 	 	 	 	 	 	 	 1 	 	1 1 1 	 1 1 1 	 	 	 	 	
Population in 1911 16,941.	" 20 " 27	21.5 6.2	 	7 2	 	 	 	 	 	 	 	 	 	 	 	1 1	 	 	 	 	
Belfast.	May 23 " 30 June 6 " 13	17.9 15.0 16.6 16.9	2.4 2.4 1.3 2.5	137 115 127 129	 	5 	 	1 3 1 4	5 4 1 2	5 7 4 7	 2 	 	21 15 19 17	7 4 8 3	7 3 8 4	13 10 13 10	14 12 11 12	2 4 1 5	 1 	 1 	
Population in 1914 (Est.) 399,000.	" 20 " 27	17.1 17.5	3.3 2.2	131 134	2 	 	 	8 5	8 2	8 4	 	21 21	6 5	5 5	6 10	5 10	6 10	6 5	1 1	 	
Cork.	May 23 " 30 June 6 " 13	19.7 18.4 15.0 21.1	0.7 2.7 0.7 1.4	29 27 22 31	 	 	 	 	 	1 3 3	 1 	 	6 6 4 6	 2 2 1 2	2 1 3	 2 1 3 3	3 7 1 3	 1 	 1 	 1 	
Population in 1911 76,673.	" 20 " 27	19.0 12.9	2.7 2.0	28 19	 	 	 	 	 	 	 	3 2	 2	 2	 2	2 1	1 	 	 	 	
Londonderry.	May 23 " 30 June 6 " 13	16.5 7.6 14.0 10.1	 	13 6 11 8	 	 	 	 	 	 	 	 	2 	1 1 1 1	1 1 1	 1 2 	3 1 2	 	 	 	
Population in 1914 (Est.) 41,100.	" 20 " 27	11.4 10.1	 	9 8	 	 	 	 	 	 	 	1 1	1 	1 1	2 1	 	 	 	 	 	
Limerick.	May 23 " 30 June 6 " 13	24.4 17.6 17.6 23.0	1.4 1.4 1.4	18 12 13 17	 	 	 	 	 	 	 	 	6 1 3 	 1 1 2	 	 1 1 3	5 4 2 6	1 1 	 	 	
Population in 1911 38,518.	" 20 " 27	23.0 12.2	 1.4	17 9	 	 	 	 	 	 	 	1 1	 	 	 	 	 	 	 	 	
Waterford.	May 23 " 30 June 6 " 13	19.0 17.1 19.0 13.3	 	10 9 10 7	 	 	 	 	 	 	 	 	1 1 1 4	1 1 3 	 1 	1 1 1 1	 	 	 	 	
Population in 1911 27,464.	" 20 " 27	30.4 13.3	 	16 7	 	 	 	 	 	 	 	 	5 2	 	 1 	 	 	 	 	 	

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 27th June, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; the Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.												DEATHS FROM												No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
				All Causes.	Certain Epi- demic Diseases,†	Total Number of DEATHS.						Enteric Fever.						Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS.		Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.				Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
								(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)								(15)	(16)		(17)	(18)							(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
City of Belfast.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1914—WEEK ENDING																									
	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.
No. of weeks in Annual Series,	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
BIRTHS registered, ...	234	195	254	208	215	187	224	210	203	217	222	196	244	243	163	219	255	198	222	245	238	262	191	198	233	227
DEATHS registered, ...	194	203	174	182	197	164	142	144	153	140	146	163	150	136	142	162	179	139	116	135	137	115	127	129	131	134
Annual Death-rate per 1,000 of estimated population, ...	25.4	26.5	22.7	23.3	25.7	21.4	18.6	18.8	20.0	18.3	19.1	21.3	19.6	17.8	18.6	21.2	23.4	18.2	15.2	17.6	17.9	15.0	16.6	16.9	17.1	17.5
AGES, { Under 1 year, ...	42	46	24	43	45	33	28	25	28	28	28	32	28	25	29	29	45	29	21	21	17	23	19	22	24	27
1—5 years, ...	23	36	24	22	21	16	20	10	16	15	16	21	27	9	18	22	21	18	10	21	16	18	13	21	22	18
5—25 " ...	14	17	14	24	13	18	15	12	18	14	10	19	13	16	11	17	20	21	13	18	20	16	18	17	21	15
25—45 " ...	25	26	30	23	34	24	26	21	29	27	34	26	21	24	20	25	25	27	19	23	29	19	22	25	21	23
45—65 " ...	39	47	36	35	41	37	31	42	32	33	28	30	28	30	30	31	36	25	23	32	28	28	32	26	31	37
65 and upwards, ...	51	31	46	35	43	36	22	34	30	23	30	35	33	29	34	38	32	19	25	20	27	11	23	18	12	14
Deaths from:—	1	.	.	1	.	1	1
Enteric Fever,	2	1	5
Typhus,
Small-pox,
Measles,	1	.	1	1	2	2	1	3	1	3	1	3	1	4	8	5
Scarlet Fever, ...	3	12	10	2	3	7	6	1	6	3	3	3	2	2	3	5	5	1	.	2	5	4	1	2	8	2
Whooping-cough, ...	6	3	1	5	1	2	6	1	4	5	2	7	5	3	6	9	8	3	3	5	5	7	4	7	.	4
Diphtheria, ...	2	4	2	2	.	1	2	1	.	2	1	1	.	.	1	.	.	.	2	.	1	.
Dysentery,	1
Tuberculosis, { Pulmonary, ...	15	14	17	15	12	14	21	17	31	14	15	16	14	10	12	11	32	18	19	20	21	15	19	17	21	21
{ Other Forms, ...	8	8	5	6	3	7	4	4	8	6	5	6	7	5	4	13	4	4	10	12	7	4	8	3	6	5
Cancer, ...	3	10	8	6	10	8	9	9	4	4	3	7	3	5	9	4	5	6	5	8	7	3	8	4	5	5
Diseases of Respi- ratory System, { Pneumonia, ...	23	29	23	29	26	21	13	14	15	16	12	9	15	6	19	12	22	8	9	14	13	10	13	10	6	10
{ Others, ...	36	28	27	26	45	32	23	18	18	21	15	31	20	23	9	27	15	17	11	16	14	12	11	12	10	10
Diarrhoea and Enteritis, under 2 years, ...	1	2	3	1	2	3	1	1	4	7	8	3	2	1	4	2	2	4	.	3	2	4	1	5	6	5
Diarrhoea, 2 years and upwards,	2	.	2	1	1	.	.	.	1	1	1	1	2	1	.	.	.	1	1	.	1
Violent Deaths, ...	5	.	1	6	4	3	2	3	4	2	.	2	2	.	3	3	1	2	1	2	2	3	.	3	1	.
Number of Uncertified Deaths,	5	4	3	2	.	4	1	3	1	1	1	.	3	1	3	4	1	2	1	1	3	4	1	3	.
Mean Temperature of the Air in degrees.	32.3	41.1	38.7	33.4	44.1	43.1	41.2	41.0	41.1	44.3	39.9	40.8	41.0	49.7	47.1	43.5	52.7	48.2	48.2	47.5	54.9	50.0	52.2	54.2	61.5	55.8
Rainfall, in inches, ...	0.41	1.83	0.00	0.28	0.55	0.32	0.72	0.93	0.82	0.92	1.40	0.65	0.07	0.78	1.00	0.34	0.12	0.00	1.32	0.16	0.11	0.12	0.08	0.49	0.18	0.45

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	June 27,	2,271	1,045	12·1	2	.	39	6	21	11	15
EDINBURGH, ...	321,900	" 27,	143	75	12·2	.	.	1	1	1	.	.
GLASGOW, ...	1,047,000	" 27,	636	265	13·2	2	.	5	3	15	3	2
CALCUTTA, ...	896,067	May 16,	.	437	27·4	92*	23	1	.	1	1†	116‡a
BOMBAY, ...	979,445	" 23,	337	645	34·2	151*	5	3	.	.	.	55a†
MADRAS ...	518,660	" 23,	334	382	38·3	63*	3	1	?	?	?	99a
CAIRO, ...	721,337	" 6,	575	493	36·0	11	11	3	.	?	1†	93
PARIS, ...	2,847,229	June 13,	965	934	16·8	4	.	20	.	3	2†	15
BRUSSELS, ...	780,852	" 6,	238	200	13·2	6
ANTWERP, ...	313,833	" 6,	98	49	8·1	1	4
AMSTERDAM, ...	597,724	" 6,	280	110	8·9	.	.	6	.	1	.	1
COPENHAGEN, ...	483,000	" 6,	249	118	12·7	.	.	1	1	.	1†	3
STOCKHOLM, ...	382,085	" 6,	156	107	14·6	.	.	2	1	.	.	2
CHRISTIANIA, ...	250,423	" 13,	100	71	14·7	.	.	.	2	1	.	4a
ST. PETERSBURG ...	1,728,200	May 23,	806	693	20·9	7	4	46	10	4	4	33
MOSCOW, ...	1,694,000	" 16,	.	889	27·4	1	2	74	9	13	12	68a
BERLIN, ...	2,081,475	" 30,	.	425	10·7	.	.	9	4	6	7	15
HAMBURG, ...	1,030,983	June 6,	.	267	13·5	1	.	2	.	1	2	9
BRESLAU, ...	544,257	" 6,	.	146	14·0	.	.	3	.	1	.	15a
MUNICH, ...	640,000	" 6,	.	161	13·1	2	.	9
VIENNA (with suburbs),	2,149,834	" 6,	738	594	14·4	.	.	12	3	6	6†	19
BUDA-PESTH, ...	950,784	" 6,	418	337	18·4	1	.	6	5	5	5†	10
PRAGUE and Faubourgs,	498,499	May 9,	167	173	18·1	.	.	2	.	1	1†	4
TRIESTE, ...	244,655	" 23,	131	82	17·5	1	.	5	.	2	.	2
ROME, ...	591,943	Dec. 6,
NEW YORK, ...	5,583,871	May 23,
PHILADELPHIA, ...	1,657,815	Apr. 4,
BOSTON, ...	750,768	June 6,	.	227b	15·8	2	.	1	2	1	2	6a

* Deaths from "fever," including 6 from enteric fever and 23 from plague in Calcutta; 108 from plague in Bombay and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 76 deaths from cholera in Calcutta, and 3 in Bombay.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 193 (including one death from scarlet fever, and 3 from diarrhoea diseases), rate 13·4 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th June, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	1	3	4
" " 1, West,	...	1	.	.	1	.	.	.	1	.	.	.	4	7
" " 2,	2	1	.	.	.	4	7
" " 3,	2	.	.	6	.	.	1	1	10
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),
Finglas and Glasnevin (part of),	1	1
South City No. 1,	2	7	9
" " 2,	1	.	.	1	3	5
" " 3,	1	1	.	1	4	7
" " 4,	2	2
New Kilmainham,	1	1
Total,	8	1	.	13	.	.	1	2	.	.	.	28	53

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 27th June, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 27th June.			
	June 6.	June 13.	June 20.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	30	34	28	.	3	1	24
Typhus,	1	.	.	1
Small-pox,
Measles, ...	98	77	64	8	22	.	50
Scarlet Fever, ...	117	124	121	8	21	.	108*
Diphtheria, ...	35	43	41	13	10	2	42
Pneumonia, ...	21	19	27	5	9	1	22

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.S.C., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 27th June, 1914:—

"Very fine weather was enjoyed during this week. The northwesterly winds, which have played such a prominent part in the meteorology of the past spring and present summer, were again in evidence except on Monday and for a short period after midday of Friday, when a S.W. current set in. On Sunday and Monday atmospheric pressure was comparatively low in the far north, and several shallow depressions moved across the British Isles in an easterly direction, causing showers in many districts. On Sunday a primary depression with the barometer at 29.5 inches was centred over Iceland. This system soon dispersed, but by Monday morning another less deep depression had formed on the Atlantic to the westward of Scotland. This spread eastwards to Denmark, off the west coast of which country its centre was found on Tuesday. Meanwhile a few showers had fallen in many parts of the United Kingdom, with thunder and lightning on the east and south-east coasts of England. At this time an anticyclone from the Atlantic spread north-eastwards to Ireland and England, so that the barometer rose in Dublin to 30.43 inches at 11 p.m. of Thursday. The weather was for the most part fine and summerlike, but on Friday night a shallow depression caused a fall of the barometer, clouds, and light showers. This change soon passed off and Saturday proved ultimately very fine and bright, as well as warm. In Dublin the mean height of the barometer was 30.144 inches, the range of pressure being from 29.838 inches at 9 a.m. of Monday (wind, W.) to 30.431 inches at 11 p.m. of Thursday (wind, N.W.). The corrected mean temperature was 58.7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 57.7°. The screened thermometers fell to 49.1° on Tuesday and rose to 71.9° on Wednesday. The prevailing wind was once more N.W. The rainfall was only .009 inch on Monday. An occultation of the planet Venus by the Moon took place on Friday morning."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 30.158 inches. The highest reading (30.417) was on Thursday, at 9 p.m., the lowest (29.843) on Monday, at 9 a.m.

The mean temperature for the week was 56.1°, being 0.4° above the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Wednesday, on which day the thermometer registered 72°, and was lowest on Monday, the mercury having fallen to 41°. The mean of the Dry Bulb for the week was 55.8° and of the Wet Bulb, 52.1°. The mean humidity of the air was .78, complete saturation being represented by 1.0. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 60.6°, the maximum 80.8°, and the minimum 45.7°; and at Edinburgh the maximum was 67.0°, the minimum 45.9°, and the mean 56.4°. The rainfall at Greenwich measured 0.34 in.; and at Edinburgh 0.03 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155.3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.	BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1.0.	Sunshine in hours and decimals.	Rain Gauge.
	Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation = 1.0.			
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday, June 21,	29.870	64	47	55.5	56.4	51.1	.69	.6	9.7	.000
Monday, „ 22,	29.885	62	41	51.5	53.8	50.1	.77	.6	6.5	.000
Tuesday, „ 23,	30.055	63	47	55.6	52.0	48.6	.80	.6	8.0	.000
Wednesday, „ 24,	30.285	72	43	57.5	53.5	55.5	.82	.7	5.6	.000
Thursday, „ 25,	30.390	66	49	57.5	54.1	50.7	.79	.4	7.5	.000
Friday, „ 26,	30.325	71	42	56.5	59.1	54.2	.74	.5	13.1	.000
Saturday, „ 27,	30.295	70	48	59.0	56.7	54.4	.86	.5	7.0	.000
Mean,	30.158	66.9	45.3	56.1	55.8	52.1	.78	.6	Total 57.4	Total .000

Sunday—A beautiful bright day; night clear. *Monday*—A bright day, cloudy at intervals; night cloudy. *Tuesday*—A bright day, cloudy at intervals; night overcast. *Wednesday*—Day bright, cloudy; night cloudy. *Thursday*—Day bright, cloudy at intervals; night cloudy. *Friday*—A beautiful bright day; night clear. *Saturday*—Day dull a.m., bright p.m.; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 27th June, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, June 21,	55.4	59.1	55.1	64.8	48.0	56.4	hrs. 7.0	ins. —
Monday, „ 22,	58.2	58.8	55.3	63.2	47.8	55.5	6.3	—
Tuesday, „ 23,	56.0	59.5	55.3	63.4	47.3	55.3	7.2	—
Wednesday, „ 24,	57.8	60.0	55.3	73.0	50.8	61.9	5.9	—
Thursday, „ 25,	60.3	60.2	55.4	65.1	52.3	58.7	5.7	—
Friday, „ 26,	62.7	60.0	55.5	71.2	50.1	60.6	12.9	—
Saturday, „ 27,	62.1	61.0	55.9	70.0	49.5	59.7	9.5	—
Weekly Mean, .	58.9	59.8	55.4	67.2	49.4	58.3	Total 54.5	Total. —

DUBLIN: Printed for His Majesty's Stationery Office,
By ALKX THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

Quarterly Summary of the Weekly Returns OF BIRTHS AND DEATHS

IN THE
DUBLIN REGISTRATION AREA,
AND IN TWENTY-SIX OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE:

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEXANDER THOM & CO. LIMITED, ABBEY-STREET, DUBLIN.

1914.

Price 1½d.

VOL. LI.]

QUARTER ENDING SATURDAY, 27TH JUNE, 1914.

[No. 26A

DUBLIN REGISTRATION AREA. — BIRTHS. — In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,743 statute acres, and the population, estimated to the middle of 1914, 406,000, there were registered during the thirteen weeks ended on Saturday, 27th June, 1914, 2,913 births—1,501 boys and 1,412 girls—being equal to an annual ratio of 1 in 34·8, or 28·7 in every 1,000 of the population.

The number of births registered in the city was 2,481, equivalent to an annual rate of 32·0 in every 1,000 of the population; and in the urban districts named above, 432, equal to an annual rate of 18·1 in every 1,000 of the population.

There were registered in London during the same period 28,531 births—being equal to an annual birth-rate of 25·3 in every 1,000 of the estimated population; in Glasgow there were registered 7,831, being equal to 29·9 per 1,000; and in Edinburgh, 1,779—a number affording an annual birth-rate of 22·0 in every 1,000 of the estimated population.

DEATHS.—Omitting the deaths (153) of persons admitted into public institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 2,201, are equivalent to an annual rate of 21·7 per 1,000 of the estimated population. the average rate for the corresponding period of the previous 10 years being 21·1. The total number of deaths registered in the Dublin Registration Area during the quarter was 2,354—1,202 males and 1,152 females—affording an annual ratio of 1 in 43·1 or 23·2 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the second quarter of the ten years, 1904–1913, in the Dublin Registration Area was 22·3 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the north city districts registered last quarter was 972, representing an annual mortality of 23·6 in every 1,000 of the population; and the number in the south city districts was 859, equivalent to a rate of 23·6 per 1,000. In the urban districts the number of deaths registered was 370, being equal to an annual death-rate of 15·5 in every 1,000.

The number of deaths registered in London during the same period was 14,910, a number equal to an annual rate of mortality of 13·2 in every 1,000 of the inhabitants; in Glasgow the number was 4,228 equal to 16·2 in every 1,000; and in Edinburgh 1,211, affording an annual death-rate of 15·0 in every 1,000 of the estimated population.

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

DISEASES.—The number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area during last quarter was 387, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 3·81.

The following tabular statement shows the mortality from some of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1904–1913 :—

NAMES OF DISEASES.	No. of Deaths in June Quarter, 1914.	Average No. of Deaths in June Quarters, 1904–1913
Enteric Fever,	8	10
Typhus,	—	1
Small-pox,	—	—
Measles,	280	45
Scarlet Fever,	8	7
Whooping-cough,	20	42
Diphtheria,	16	14

ENTERIC FEVER.—There were 8 deaths from enteric fever as compared with an average of 10 in the corresponding quarter of the preceding 10 years. In the 3 quarters ended 31st March, 1914, the numbers were 12, 14, and 14; and in the second quarter of 1913 the number was 6.

Of the 8 deaths for the quarter under notice, 3 belonged to the North City districts, 3 to the South City districts, and 2 to the Kingstown urban district.

A reference to Table I. will show that 26 cases of enteric fever were under treatment in Dublin hospitals at the close of the preceding quarter; that 57 were admitted during the period under review, 52 were discharged, 7 died, leaving 24 under treatment on June 27th, 1914.

TYPHUS.—As in the preceding quarter, there were no deaths from typhus. Only 2 cases were admitted to hospital; one of these was discharged and one remained under treatment at the end of the quarter. There has been an average of one death in the second quarter of the 10 years, 1904–13.

SMALL-POX.—The Area continues to remain free from this disease.

MEASLES.—The number of deaths from measles in the quarter reached the very high total of 280, or an annual rate of 2·76 per 1,000 of the population. This is the highest number recorded in any one quarter since 1899, when 459 succumbed in the fourth quarter of that year, and the highest number registered in any second quarter since that for the year 1892, during which quarter 322 deaths were recorded. In March quarter, 1914, 81 deaths occurred, and in the three preceding years the figures were :—

	TOTAL.	March Qr.	June Qr.	September Qr.	December Qr.
Year 1911, ...	207	50	83	31	43
„ 1912, ...	280	53	158	56	13
„ 1913, ...	29	3	6	5	15

The average number of deaths from this disease in the second quarter of the 10 years 1904–13 was 45.

Of the 280 deaths in the quarter under notice, 171 took place in the north city districts, 98 in the south city districts, 6 in Rathmines and Rathgar urban district, 2 in Pembroke urban district, and 3 in Blackrock urban district.

From Table I it will be observed that 413 cases of measles were admitted to hospital during the quarter, that 393 were discharged, that 69 died, and that 50 remained under treatment at the close of the quarter, as compared with 99 at the close of the preceding quarter.

SCARLET FEVER.—During the quarter 8 persons died from scarlet fever, being one over the average (7) for the corresponding quarter of the past 10 years. In the 3 preceding quarters deaths from this disease numbered 8, 12, and 13 respectively. One of the 8 was that of a person admitted to hospital from a locality outside the Area, and of the remaining 7, 3 appertained to the north city districts, 3 to the south city districts, and one to the Rathmines and Rathgar urban district. Seven deaths took place in hospitals, the total number of patients admitted to Dublin hospitals during the quarter being 235.

See note () p. 416*h*.

WHOOPING-COUGH.—To whooping-cough 20 deaths were ascribed, 12 of these belonging to north city districts, 4 to south city districts, 3 to Rathmines and Rathgar urban district, and one to Pembroke urban district. The 20 deaths represent an annual rate of 0·20 per 1,000 of the population, and were considerably under the average number (42) of deaths from this disease in the corresponding quarter of the preceding 10 years.

DIPHTHERIA—Sixteen deaths were caused by diphtheria, being 2 in excess of the average number (14) for the second quarter of the 10 years 1904–1913. For the three preceding quarters the numbers were 13, 31, and 24 respectively. Eight of the 16 deaths belonged to north city districts, 7 to south city districts, and one belonged to a locality outside the Dublin Registration Area.

There were 42 cases of diphtheria under treatment in Dublin hospitals at the close of the quarter, as against 40 at the beginning, 131 being admitted, 116 discharged, 13 having died in hospital during the quarter.

DIARRHOEAL DISEASES—These diseases caused 52 deaths, 50 of them (representing an annual rate of 0·49 per 1,000 of the population) being those of children under two years of age.

INFLUENZA.—Only 10 deaths were attributed to influenza, as compared with 7, 12, and 21 respectively in the three preceding quarters, and an average of 29 in the second quarter of the 10 years 1904–13.

CEREBRO-SPINAL FEVER.—There was no record of any mortality from this cause during the quarter.

PNEUMONIA.—There were 105 deaths from broncho-pneumonia, 17 from lobar-pneumonia, and 69 from pneumonia (type not distinguished), making a total of 191 deaths from all forms of pneumonia, equivalent to an annual death-rate of 1·88 per 1,000 of the population.

TUBERCULOSIS.—To tuberculosis in its various forms the deaths of 366 persons are attributed; in the June quarter of 1913 such deaths amounted to 422; and in the three intervening quarters to 327, 298, and 392 respectively.

The total deaths from all forms of the disease represent an annual rate of 3·61 per 1,000 of the population estimated to the middle of the year 1914, and comprise 273 deaths from pulmonary tuberculosis, 30 from tuberculous meningitis, 29 from abdominal tuberculosis, 2 from tuberculosis of the vertebral column, 2 from tuberculosis of joints, 7 from tuberculosis of other organs, and 23 from disseminated tuberculosis. The deaths from tuberculous disease are over 15 per cent. of all deaths registered during the quarter.

Of the total deaths registered 159 belonged to the north city districts, affording an annual rate of 3·86 per 1,000; 134 to the south city districts, showing an annual rate of 3·68 per 1,000; and 46 to the urban districts, which is equivalent to an annual rate of 1·93 per 1,000 of the population. The remaining 27 deaths were of persons from localities outside the Dublin Registration Area.

CANCER.—There were 127 deaths classified under this heading, which includes deaths registered as from carcinoma, sarcoma, and cancer (malignant disease). This number represents an annual rate of 1·25 per 1,000 of the estimated population.

DISEASES OF THE BRAIN AND NERVOUS SYSTEM.—The total number of deaths attributed to these diseases, namely 212, corresponds to an annual rate of 2·09 per 1,000, and includes the deaths of 50 children under 5 years of age from convulsions.

DISEASES OF THE CIRCULATORY SYSTEM.—Diseases of the organs of circulation account for 237 deaths, equivalent to an annual rate of 2·33 per 1,000.

BRONCHITIS.—This disease caused 221 deaths, representing an annual rate of 2·18 per 1,000.

CONGENITAL MALFORMATIONS, PREMATURE BIRTH, CONGENITAL DEBILITY.—Of 101 deaths of infants from these causes, 17 were due to congenital malformations, 50 to premature birth, and 34 to congenital debility.

VIOLENCE.—The 42 accidental deaths registered during the quarter include 13 caused by burns or scalds (9 being deaths of children under 5 years of age), 6 by drowning, 4 by vehicles and horses, and 3 deaths of infants by suffocation in bed.

There were 4 deaths by suicide, but no deaths by homicide were recorded.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) ended **Saturday, 27th June, 1914.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever,	26	57	52	7	24
Typhus,	—	2	1	—	1
Small-pox,	—	—	—	—	—
Measles,	99	413	393	69	50
Scarlet Fever,	105	235	225	7	108*
Diphtheria,	40	131	116	13	42
Pneumonia,	20	103	79	22	22

* Exclusive of 18 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 63 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 63 cases, 36 (or 57 per cent.) were deaths of children under 5 years of age; these 36 deaths form 4·4 per cent. of the total number of deaths of children of that age-period. Of the deaths of 127 infants under one month old registered, there were 18 (or 14·2 per cent.) regarding which the cause was uncertified.

From Table II., on page 416*f*, it will be seen that, excluding 153 deaths of persons admitted into public institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,201, equal to an annual rate of 21·7 per 1,000 of the estimated population, and that 385 of these deaths, representing an annual rate of 3·8 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 23·6 per 1,000, and for the urban districts 15·5 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 4·6, and in the urban districts 1·0, the rates for the several districts varying from 0·5 in each of Pembroke and Kingstown, to 7·3 in North City No. 2, the 222 deaths from all causes for that district including 43 from measles, 4 from whooping-cough and 4 from diarrhoea and enteritis of children under 2 years of age.

OCCUPATIONS.—Table III., on page 416*g*, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 15·3 per 1,000 of the persons in that class according to the Census of 1911; in the "Middle Class" the death-rate was 14·3 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 19·2; and in the "General Service Class" it was 24·8.

AGES.—Of the 2,354 persons whose deaths were registered in the Dublin Registration Area during the quarter, 825 were under 5 years of age, including 371 infants under one year of age, the latter representing a rate of 127·4 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 80·7 in every 1,000 children at that age (according to the Census of 1911); 103 were between the ages of 5 and 15, representing an annual rate of 5·8 per 1,000 persons at that age-period; 118 were between the ages of 15 and 25, equivalent to an annual rate of 5·9 per 1,000; the total number under 25 years being equal to an annual mortality of 21·8 per 1,000 of the population at that age-period (according to the Census of 1911); 338, or 10·9 per 1,000 persons, were between 25 and 45; 518, or 35·2 per 1,000, between 45 and 65; 274, or 64·9 per 1,000, between 65 and 75; and 178, or 127·3 per 1,000, were aged 75 and upwards, including 13 persons aged 90 and upwards.

PUBLIC INSTITUTIONS.—Of the 2,354 deaths recorded during the quarter, 1,042, or 44·3 per cent., occurred in public institutions, viz., 667 in the various hospitals, prisons, and lunatic asylums; 158 in the North Dublin Union Workhouse; 206 in the South Dublin Union Workhouse; and 11 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

WEATHER.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phoenix Park, was 50·6°. At Greenwich, for the quarter, it was 53·7°; at Glasgow 51·9°‡; and at Edinburgh, 50·6°.

The rainfall at Dublin during the thirteen weeks measured 4·37 inches; at Greenwich, 4·45 inches; and at Edinburgh, 4·60 inches.

† See note (*) p. 416*h*.

‡ For 12 weeks only.

TABLE showing the Mean Weekly Values and the difference from their average Values of the meteorological elements at the Phoenix Park, Dublin,* for the thirteen weeks ended 27th June, 1914.

Prepared in the Meteorological Office under the direction of W. N. SHAW, Esq., LL.D., Sc.D., F.R.S.

1914. WEEK ENDED.	BAROMETER.		THERMOMETER.					HYGROMETER			OZONE.	BRIGHT SUNSHINE.			RAINFALL.			WIND.		
	Mean at 32° F. Mean Sea Level and Standard Gravity. Lat. 45°	Inches.	Mean of		Mean of A. and B.	Difference from Average.	Highest.	Lowest.	Mean of Dry Bulb.	Mean of Wet Bulb.	Mean Humidity.	1.0	Mean Daily Amount in Hours.	Difference from Average.	Percentage of Possible.	Total Amount.	Inches.	Inches.	Number of Days.	Mean Force (Beaufort Scale 0-12).
			Maximum A.	Minimum B.																
April 4th,	...	29.827	58.6	43.1	50.9	—	60	39	51.1	48.8	Per cent. 85	0.6	6.7	+2.2	53	.58	.58	4	2.3	
" 11th,	...	29.466	53.6	38.3	45.9	—	56	32	44.6	43.1	89	0.7	6.9	+2.1	53	.40	.40	5	2.9	
" 18th,	...	30.216	57.1	34.1	45.6	—	61	27	46.4	44.7	89	0.5	9.6	+4.4	72	.12	.12	2	1.8	
" 25th,	...	30.318	61.6	36.6	49.1	—	68?	33	50.0	48.0	88	0.5	7.9	+2.4	56	.01	.01	1	1.2	
May 2nd,	...	30.278	54.4	35.3	44.9	—	59	32	47.7	46.3	91	0.6	7.2	+1.4	50	—	—	0	0.8	
" 9th,	...	29.635	55.6	43.7	49.6	—	64	38	49.1	47.2	87	0.7	3.2	-2.9	22	1.34	1.34	7	2.1	
" 16th,	...	30.210	58.3	39.9	49.1	—	70	37	49.4	47.8	89	0.6	6.4	-0.1	42	.13	.13	3	0.5	
" 23th,	...	30.299	63.6	47.1	55.4	—	68	38	55.0	53.3	90	0.5	5.0	-1.8	32	.52	.52	2	1.0	
" 30th,	...	30.222	57.4	38.9	48.1	—	67	28	50.0	47.9	87	0.6	5.0	-1.9	31	.11	.11	2	0.5	
June 6th,	...	30.192	60.4	44.9	52.6	—	65	38	52.4	50.4	87	0.6	3.0	-3.7	18	.14	.14	2	1.2	
" 13th,	...	29.981	60.0	44.6	52.3	—	67	35	52.6	50.5	86	0.6	5.2	-1.4	31	.52	.52	3	1.4	
" 20st,	...	30.057	68.3	43.9	57.6	—	74	42	58.5	55.5	83	0.5	8.1	+1.6	49	.50	.50	3	0.9	
" 27th,	...	30.146	66.9	45.3	56.1	—	72	41	55.8	52.1	78	0.6	8.2	+1.7	49	—	—	0	1.5	
Mean,	...	30.065	59.7	41.4	50.6	+0.5	74	27	51.0	48.9	87	0.6	6.3	+0.3	43	4.37	-1.54	34	1.4	

NOTE.—The information under the headings Barometer, Hygrometer, and Wind is the mean of observations taken at 9 a.m. and 9 p.m.; the quarterly difference from average for these elements being for the calendar months April to June. For remarks on the Weather of the Quarter see "Quarterly Return."

* Height above Mean Sea Level, Station H=155 feet; Barometer Hb=159 feet.

TABLE III.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter (13 weeks) ended Saturday, 27th June, 1914**; the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 27TH JUNE, 1914.																														
Class.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.]	Popu- lation in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	AGES.										CAUSES OF DEATH.														Number of Uncertified Deaths.		
				Under 5 Years.																										
				(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)		(28)	(29)
				Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary Tuberculosis.	Cancer.	Convulsions.	Diseases of the Respiratory System.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea of age and upwards.	Violence.	Other Causes.				
	ALL PERSONS,	397,957	—	825	103	118	338	518	274	178	8			280	8	20	16	3	273	93	127	50	191	255	50	2	46	932	63	
	DEATHS IN FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,653	15.3	4	18	35	55	90	61	47	4			17	3	1	1	1	2	1	5	1	3	2	2	2	1	1	41	4
II.	MIDDLE CLASS, ...	101,798	11.3	58	23	28	82	139	60	27	1			44	2	10	4	1	51	12	31	4	26	26	11	1	7	182	19	
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	167,479	24.8	553	55	45	113	142	82	50	3			219	3	7	11	1	81	42	40	32	90	107	24	1	35	344	40	
IV.	GENERAL SERVICE CLASS, ...																													
V.	INMATES OF WORKHOUSES, ...	5,602	—	49	7	9	78	130	61	41						2			62	13	21	1	23	63	13		2	175		
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal and Other Professions; Naval and Military Officers, and Heads of Public Departments,	7,868	22.9	45		1	10	14	9	7									2	1	4	1	3	2			1	31	1	
	2. Merchants and Manufacturers, Higher Class	1,347	3.0	1						1																				
	3. Persons of Rank and Property, not otherwise described, ...	5,443	7.3	10				3	2	5											1							9		
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	10.9	26	5	4	3	9	3	1				1					5	1	3	1	3	2				10	1	
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,109	11.7	74	13	3	7	22	23	6				4	2				9	6	8	1	9	1	1			37	1	
	6. Clerks and Commercial Assistants,	33,249	13.5	112	32	4	20	17	7	7	2			8	1	1	1	1	24	6	7	2	5	4	1		1	48	1	
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above, ...	33,827	17.9	151	8	10	11	20	27	33				4					13	5	13		9	19	1			87	1	
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	12.6	37	13	3	8	3	7	3				7	1	1			7	8	2	2	1	1	2			14	1	
	9. Building and Furnishing Trades, ...	28,825	13.2	131	40	4	22	41	12	1				12	1	3			17	10	10	7	13	13	3		3	42	9	
	10. Clothing Trades, ...	20,036	15.5	78	16	1	15	26	10	4				5		2			15	2	1	2	3	13	2		1	30	9	
	11. Food Supply Trades, ...	8,952	17.9	40	16	4	12	9	4	2				5					7	3	3	1	5	5	2		1	11	1	
	12. Other Trades and Callings ranking with Trades, ...	32,070	25.1	201	56	10	32	51	25	12	1			12		1	3	1	26	13	13	2	24	24	4		2	77	3	
	13. Petty Shopkeepers, ...	6,772	19.5	33	14	3	3	9	2	2				6					5	1	1	2	4	1	1		1	10	2	
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	12,977	18.8	61	19	6	10	9	7	7				7		1			8	2	5	3	6	6	3		3	23	3	
	15. Domestic Servants, ...	36,041	9.1	82	21	2	8	20	7	10	1								8	8	8	3	1	4	2		1	44	4	
	16. Coach and Car Drivers, Varnmen, &c., ...	15,380	26.3	101	59	2	12	15	4	7				25	1				8	2	6	3	11	12	1		1	30	5	
	17. Hawkers, Porters, Labourers, &c., ...	103,081	30.9	736	451	48	29	98	64	26	2			180	2	6	10		57	36	21	27	75	85	18		30	247	28	
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	49	7	9	78	130	61	41						2			62	13	21	1	23	63	13		2	175		

TWENTY-SEVEN PRINCIPAL TOWN DISTRICTS OF IRELAND.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-six of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 19·3 per 1,000 of the population, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—Bangor, 9·8 ; Armagh, 12·5 ; Newtownards, 12·9 ; Tralee, 13·2 ; Londonderry, 14·2 ; Bray, 14·6 ; Portadown, 15·0 ; Dundalk, 15·8 ; Kilkenny, 16·0 ; Drogheda, 16·6 ; Belfast, 17·9 ; Coleraine, 18·5 ; Lurgan, 18·8 ; Clonmel, 18·8 ; Larne, 18·9 ; Ballymena, 19·0 ; Athlone, 19·3 ; Sligo, 19·3 ; Wexford, 19·4 ; Limerick, 19·9 ; Queenstown, 20·0 ; Cork, 20·9 ; Newry, 21·1 ; Lisburn, 21·6 ; Dublin Registration Area, 21·7 ; Waterford, 21·7, and Galway, 23·8.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 27 districts is 2·3 per 1,000 of the population, the rates varying from 0·0 in eight of the districts to 5·0 in Sligo, the 54 deaths from all causes for that district, including 13 from measles and one from diarrhoea and enteritis of a child under two years of age.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-six provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter :—

ENTERIC FEVER.—Two deaths were returned for each of Belfast and Cork and one for each of Limerick, Dundalk, Lisburn, and Ballymena.

TYPHUS.—The 5 deaths recorded were all of persons belonging to Belfast county borough.

SMALL-POX.—There were no deaths from this disease registered.

MEASLES.—Of 64 deaths, 35 appertained to Belfast, 13 to Sligo, 6 to Lurgan, 3 to Lisburn, and 2 to Cork.

SCARLET FEVER.—The deaths from this disease, 46 in number, were registered as follow :—For Belfast, 41 deaths ; for each of Limerick and Lurgan, 2 deaths, and for Cork one death.

WHOOPING-COUGH.—Of the 92 deaths from this cause, 64 were recorded for Belfast 23 for Cork, and 2 for Tralee.

DIPHTHERIA.—The total (13) comprises 8 for Belfast, 2 for Cork, and one for each of Lurgan, Lisburn, and Kilkenny.

DIARRHŒA AND ENTERITIS OF CHILDREN UNDER 2 YEARS OF AGE.—Under this heading 62 deaths were recorded, 39 appertaining to Belfast, 5 to each of Cork and Waterford, and 3 to each of Limerick and Dundalk.

PHTHISIS.—The annual death-rate from phthisis for the 27 towns in the aggregate was 2·5 per 1,000 of the estimated population ; for the Dublin Registration Area it was 2·5 per 1,000, for Belfast county borough 2·4 per 1,000, and for the urban districts collectively (exclusive of Dublin Registration Area and Belfast), it was 1·8 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhoeal diseases.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) ended **Saturday, 27th June, 1914**, in the Dublin Registration Area, and in each of the undermentioned Twenty-six Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

TOWNS AND DISTRICTS.		Census Statistics of Districts.*		REGISTRATION—QUARTER (13 WEEKS) ENDED SATURDAY, 27TH JUNE, 1914.										NUMBERS REGISTERED.										No. of Deaths in Public Institutions.	No. of Uncertified Deaths.						
		Total.	Per-sons to an Acre.	BIRTHS.			DEATHS.			TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																		
				From all Causes.	From certain Epidemic Diseases.†		From all Causes.	From certain Epidemic Diseases.†					Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber-culosis.		Cancer.			Diseases of the Respiratory System.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.
					BIRTHS.	(4)		(5)	(6)												(7)	(8)				(9)	(10)				
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)			
TOTAL OF 27 TOWN DISTRICTS, ...	1,205,280	19.1	28.1	19.3	2.3	8,466	5,826	918	1,252	16	5	...	344	53	112	28	3	768	268	254	444	655	112	15	91	168	1,838	216			
DUBLIN REGISTRATION AREA:—																															
TOTAL	406,000	29.5	28.7	21.7	3.8	2,913	2,201	360	433	8	280	7	20	15	3	251	88	105	184	247	50	2	45	58	889	63			
CITY OF DUBLIN, ...	310,467	39.2	32.0	23.6	4.6	2,481	1,831	307	311	6	269	6	16	15	1	213	80	81	160	226	45	2	39	48	792	49			
RATHMINES AND RATHGAR, ...	39,155	22.8	16.7	15.7	1.6	163	154	24	46	6	1	3	...	2	16	3	9	6	9	4	...	1	5	46	3			
PENROSE, ...	30,240	19.2	19.6	14.7	0.5	148	111	17	38	2	11	4	8	10	6	1	...	4	5	25	3			
BLACKROCK, ...	9,197	8.5	14.8	13.9	1.3	34	32	8	13	3	6	...	2	2	2	1	11	...			
KINGSTOWN, ...	16,941	11.6	20.5	17.2	0.5	87	73	9	25	2	5	1	5	6	4	2	15	...			
BELFAST, ...	399,000	26.7	29.0	17.9	2.0	2,894	1,782	334	302	2	6	...	35	41	64	8	...	236	85	74	152	187	39	9	21	55	454	27			
CORK, ...	76,673	28.6	26.2	20.9	1.9	503	400	55	82	2	2	...	23	2	...	75	19	15	29	43	5	1	2	11	145	10			
LONDONERRY, ...	41,100	15.9	29.0	14.2	0.1	298	146	12	40	21	7	12	6	24	1	...	4	9	25	6			
LIMERICK, ...	38,518	16.1	29.0	19.9	0.7	279	192	26	49	1	24	6	5	12	37	1	68	36			
WATERFORD, ...	27,464	19.1	22.0	21.7	1.0	151	149	19	52	23	3	4	6	7	7	61	9			
GALWAY, ...	13,255	9.5	30.5	23.8	...	101	79	16	20	13	...	2	2	2	30	12			
DUNDALK, ...	12,553	14.7	33.5	18.8	1.2	83	52	8	11	1	9	4	2	4	4	9	6			
LURGAN, ...	12,501	8.4	20.8	16.6	0.3	65	52	2	10	...	3	5	3	17	1			
DROGHEDA, ...	12,388	10.9	26.8	21.6	2.3	83	67	5	13	11	...	3	5	7	10	3			
LISBURN, ...	11,963	17.0	32.4	21.1	...	97	63	8	12	1	8	...	4	4	6	17	1			
NEWRY, ...	11,727	15.3	28.0	15.0	...	82	44	7	13	10	...	3	5	7	17	1			
PORTADOWN, ...	11,381	9.3	24.3	19.4	1.0	71	56	7	16	8	...	3	3	2	17	1			
WEXFORD, ...	11,351	22.8	26.7	19.4	...	69	54	2	9	...	2	4	4	17	1			
BALLYMENNA, ...	11,351	9.3	24.3	19.0	0.4	69	54	2	8	...	3	3	2	17	1			
SLIGO, ...	10,514	11.4	18.6	16.0	0.9	68	54	2	9	...	2	4	4	17	1			
KILKENNY, ...	10,300	17.4	27.2	13.2	0.8	49	42	6	9	...	1	1	1	17	1			
TRALEE, ...	10,209	7.8	25.9	18.8	...	70	34	6	11	...	1	1	1	17	1			
CLONMEL, ...	9,587	20.1	26.3	12.9	0.8	66	34	4	11	...	1	1	1	17	1			
NEWTOWNARDS, ...	8,209	14.7	23.4	20.0	...	63	31	5	11	...	1	1	1	17	1			
QUEENSTOWN, ...	8,036	13.4	31.4	18.9	...	48	38	6	11	...	1	1	1	17	1			
LARNE, ...	7,785	7.7	27.2	18.5	1.0	53	36	4	11	...	1	1	1	17	1			
COLERAINE, ...	7,776	8.5	23.7	9.8	...	46	19	8	11	...	1	1	1	17	1			
BANGOR, ...	7,691	7.2	26.0	14.6	0.5	50	28	3	11	...	1	1	1	17	1			
BRAY, ...	7,472	6.2	30.5	19.3	0.5	57	36	4	11	...	1	1	1	17	1			
ATHLONE, ...	7,356	21.8	19.6	12.5	...	36	23	4	11	...	1	1	1	17	1			
ARMAGH,	17	1			

*The population given for the Dublin Registration Area and its component parts and the cities of Belfast and Londonderry, is that estimated to the middle of 1914: that for each of the other districts is the population according to the Census of 1911.
† See note (*) on page 416h.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the Quarter (13 weeks) ended 27th June, 1914, Deaths in Public Institutions from *without each City being omitted*, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of MORTALITY per 1,000 of the Population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE-PERIODS; the Number of Deaths from the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.										DEATHS FROM														No. of Deaths in Public Institutions.	Inquest Cases.	(28)	(29)	(30)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
			All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.					Under 1 year.					5 and under 25 years.					25 and under 45 years.					45 and under 65 years.									65 years and upwards.					Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.	DISEASES OF THE RESPIR- ATORY SYSTEM.		Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
					(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)						(27)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
																																			Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.									45 and under 65 years.	65 years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

GENERAL REGISTER OFFICE.

Charlemont House, Dublin,

5th August, 1914.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (*) on page 416h.

WILLIAM J. THOMPSON,
Registrar-General.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 4TH JULY, 1914.

[No. 27.]

*General Register Office, Charlemont House,
Dublin, 6th July, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	June 13	June 20	June 27	July 4	
27 Town Districts, (a)	17·9	17·7	15·7	16·2	16·9
Dublin Reg. Area ...	18·5	17·6	15·5	16·3	17·0
Dublin City ...	19·8	18·1	17·6	16·6	18·0
Belfast ...	16·9	17·1	17·5	17·0	17·1
Cork ...	21·1	19·0	12·9	20·4	18·4
Londonderry ...	10·1	11·4	10·1	14·0	11·4
Limerick ...	23·0	23·0	12·2	20·3	19·6
Waterford ...	13·3	30·4	13·3	9·5	16·6

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 2·1 per 1,000. Among the 130 deaths from all causes for Belfast were 9 from measles, 2 from scarlet fever, 7 from whooping-cough, and 9 from diarrhoeal diseases. Of the 30 deaths from all causes for Cork, one was from measles, 2 were from whooping-cough, and 2 of children under 2 years of age from diarrhoea and enteritis. One of the 11 deaths from all causes for Londonderry was from scarlet fever. Among the 5 deaths from all causes for Lurgan were 2 from measles. Included in the 4 deaths from all causes for Sligo is one death from measles, and the one death recorded for each of Kilkenny and Athlone was from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 165—82 boys and 83 girls—and the deaths to 139—70 males and 69 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·3 per 1,000 of the population. During the twenty-seven weeks, ending with Saturday last, the death-rate averaged 22·7, and was 0·1 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 139, represent an annual rate of 17·9 per 1,000; the annual rate for the past twenty-seven weeks was 24·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·0 per 1,000 of the mean population for all deaths registered.

Among the deaths registered there was one from paratyphoid fever, there were 2 from measles, one from whooping-cough, 3* from diphtheria, and 4 from diarrhoea and enteritis of children under 2 years of age. In each of the 3 preceding weeks deaths from enteric fever were one, one, and one; deaths from measles were 8, 5, and 3; deaths from whooping-cough were 0, 0, and 0; deaths from diphtheria were one, 0, and one; and deaths from diarrhoea and enteritis of children under 2 years were 4, 7, and 4.

There were 30* deaths from tuberculous disease, including 21 deaths from pulmonary tuberculosis, 4 from tuberculous meningitis, 2 from abdominal tuberculosis, and 3 from other forms of the disease. In each of the 3 preceding weeks deaths from all forms of tuberculous disease were 25, 18, and 24.

Seven* deaths resulted from cancer.

Of 9 deaths from convulsions, 8 were of infants under one year of age, and one [was between the ages of one year and 2 years; 2 infants died from premature birth, and 2 from congenital debility.

Broncho-pneumonia caused 6 deaths, lobar pneumonia one death, and pneumonia (type not distinguished) 2 deaths.

There were 10 deaths from organic diseases of the heart, and 9 deaths from bronchitis.

Of 5 deaths attributed to accident or negligence, one was by drowning, one was by a railway engine, and one was by a motor lorry.

One death was assigned to homicide.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 infants under one year old, and the death of one person aged 68 years.

Forty-seven of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 11 were under one month old), and 24 were aged 65 years and upwards, including 16 persons aged 70 and upwards; among the latter were 10 aged 75 and upwards.

Fifty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 5 took place in the North Dublin Union Workhouse, and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·3 per 1,000; the rate in the City was 16·6 (North City Districts, 14·6; South, 19·0) and in the Suburbs 15·3.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the City being 1·3 (in the North City Districts 1·9, and in the South 0·7), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·5 per 1,000, and include one death from measles and 4 from tuberculous disease.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 24·0 per 1,000. Among them are one death from paratyphoid fever, one from diphtheria, 3 from tuberculous disease, one from broncho-pneumonia, 2 from bronchitis, 2 from diarrhoea and enteritis of children under 2 years of age, and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 20·6 per 1,000. Four deaths from tuberculous disease, one from broncho-pneumonia, and 2 from bronchitis were recorded.

No. 3 North City District (Benburb-street).—The deaths (3) represent an annual rate of 4·4 per 1,000, and include one death from broncho-pneumonia.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 3·8 per 1,000 inhabitants; Finglas and Glasnevin, part of, 14·6; Clontarf and Howth, No. 1, part of, 0·0. One of the 3 deaths from all causes for Finglas and Glasnevin was from diphtheria.

No. 1 South City District (South Earl-street).—The deaths (5) represent an annual rate of 6·4 per 1,000. Two of these deaths were from pulmonary tuberculosis.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000. Included in these are one death from whooping-cough, 2 from pulmonary tuberculosis, and one from lobar-pneumonia.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 27·5 per 1,000. Among them are 7 deaths from tuberculous disease, 2 from broncho-pneumonia, 2 from pneumonia, 4 from bronchitis, and one accidental death.

No. 4 South City District (Grand Canal Street).—The deaths (11) are equivalent to an annual rate of 17·3 per 1,000, including one death of a child under 2 years of age from diarrhoea and enteritis, and one accidental death.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·2 per 1,000. One death from tuberculous meningitis was recorded.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·0; Pembroke, 12·1; Blackrock, 34·0; and Kingstown, 9·2. The only deaths from the principal epidemic diseases tabulated for these districts were one from measles and one of a child under 2 years of age from diarrhoea and enteritis for Rathmines and Rathgar. Among the 12 deaths from all causes for Rathmines and Rathgar were 3 from tuberculous disease; one of the 7 deaths from all causes for Pembroke was from pulmonary tuberculosis, one from bronchitis, and one was assigned to homicide. Two of the 6 deaths from all causes for Blackrock were from pulmonary tuberculosis; and one of the 3 deaths from all causes for Kingstown was from broncho-pneumonia.

ENGLAND AND SCOTLAND

The mortality last week in 97 large English towns (including London, in which the rate was 13·3), was equal to an average annual death-rate of 12·7 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 14·1 per 1,000, the rate for Glasgow being 15·2, and for Edinburgh 12·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 4th July. From this Report it appears that of a total of 89 cases notified, 51 were scarlet fever, 17 phthisis, 12 diphtheria, 7 erysipelas, one enteric fever, and one puerperal fever. Among the 518 cases of infectious diseases in hospital at the close of the week were 232 cases of scarlet fever, 194 of phthisis, 55 of diphtheria, 9 of chicken-pox, 7 of erysipelas, 6 of enteric fever, and 3 of measles.

* See note (c) at foot of Table II.

† See Columns 10–17 and 23–4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford. during the week ended 4th July, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain) — Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	June. 13.	.	—	—	8	.	.	8	.	.	.	2	.	—	—	.	—	.	13	3
	June. 20.	.	—	—	15	.	.	6	.	.	4	2	.	—	—	.	—	44	71	
	June. 27.	.	—	—	8	1	.	13	.	.	1	2	.	—	—	.	—	28	53	
	July. 4.	.	—	—	2	.	.	5	.	.	2	2	.	—	—	.	—	40	51	
Rathmines and Rathgar Urban District.	June. 13.	.	—	—	2	—	—	—	—	—	—	2
	June. 20.	.	—	—	3	.	.	2	—	—	—	—	—	—	5
	June. 27.	.	—	—	.	.	.	2	—	—	—	—	—	—	2
	July. 4.	.	—	—	.	.	.	1	—	—	—	—	—	—	1
Pembroke Urban District.	June. 13.	.	3	.	1	1	.	.	—	.	—	—	—	1	6
	June. 20.	.	5	.	1	1	.	.	—	.	—	—	—	2	9
	June. 27.	.	1	3	—	.	—	—	—	—	4
	July. 4.	.	.	.	3	.	.	3	—	.	—	—	—	3	9
Blackrock Urban District.	June. 13.	.	.	—	2	.	.	1	.	.	1	.	.	—	—	.	—	—	—	4
	June. 20.	.	9	—	1	—	—	.	—	—	—	10
	June. 27.	.	2	—	—	.	—	—	—	2
	July. 4.	.	1	—	.	.	.	1	—	—	.	—	—	—	2
Kingstown Urban District.	June. 13.	.	—	—	1	.	.	1	.	.	1	1	.	—	—	—	—	—	3	7
	June. 20.	.	—	—	.	.	.	2	—	—	—	—	—	.	2
	June. 27.	.	—	—	—	—	—	—	—	.	.
	July. 4.	.	—	—	—	—	—	—	—	.	.
City of Belfast.	June. 13.	.	—	—	33	5	.	3	.	.	4	5	1	—	—	1	—	.	52	
	June. 20.	.	—	—	43	1	.	6	.	.	1	6	.	—	—	.	—	7	64	
	June. 27.	.	—	—	28	.	.	3	.	.	2	2	.	—	—	.	—	—	35	
	July. 4.	.	—	—	28	.	.	6	.	.	1	.	1	—	—	.	—	9	45	
City of Cork.	June. 13.	.	2	—	4	.	.	1	1	1	1	.	.	—	—	—	—	—	—	10
	June. 20.	.	5	—	3	.	.	1	.	1	.	.	2	—	—	—	—	—	—	12 ^a
	June. 27.	.	9	—	2	.	.	.	1	—	—	—	—	—	—	12
	July. 4.	.	3	—	4	.	.	.	1	2	1	1	.	—	—	—	—	—	—	12 ^b
City of Londonderry.	June. 13.	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
	June. 20.	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	June. 27.	.	—	—	4	—	—	—	—	—	—	4
	July. 4.	.	—	—	—	—	—	—	—	—	.
City of Limerick.	June. 13.	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	June. 20.	.	—	—	5	2	.	.	—	—	.	—	—	—	7
	June. 27.	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	July. 4.	.	—	—	1	—	—	—	—	—	—	1
City of Waterford.	June. 13.	.	—	—	—	—	—	—	—	4	4
	June. 20.	.	—	—	—	—	—	—	—	.	.
	June. 27.	.	—	—	—	—	—	—	—	.	.
	July. 4.	.	—	—	—	—	—	—	2	2	

^a Not including one case of whooping-cough.

^b Not including 4 cases of choleraic diarrhoea.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th July, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Four cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 22 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 34, 28, and 24.

Seventeen cases of measles were admitted to hospital, 14 were discharged, there was one death, and 52 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 77, 64, and 50, respectively.

Thirteen cases of scarlet fever were admitted to hospital, 13 were discharged, and 108* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 124, 121, and 108, respectively.

Seven cases of diphtheria were admitted to hospital during the week, 11 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 43, 41, and 42 respectively, were 36 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 9 were discharged, there was one death, and 16 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 4th of July, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.														TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.		
		CITY OF DUBLIN.												URBAN DISTRICTS OF					
		REGISTRATION DISTRICTS IN																	
		Dublin North Superintendent Registrar's District.						Dublin South Superintendent Registrar's District.											
		NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.						
RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.																
Enteric Fever,			1															1	
Typhus,																			
Small-pox,																			
Measles,		1												1				2	
Scarlet Fever,																			
Whooping-cough,										1								1	
Diphtheria,			1															2	1
Croup,																			
Influenza,																			
Dysentery,																			
Tuberculosis, { Pulmonary,	1	2	3					2	2	6				1	1	2		20	1
Other Forms,	3	1	1							1			1	2			9		
Cancer,									1	1	1			2		1	6	1	
Diseases of Nervous System,	1	4	1	1				1	1	3	2			1	2			17	2
" Organs of Special Sense,																			
" Circulatory System,	1	2				1				1	1	1		2		1		10	1
" Respiratory System. { Pneumonia,		1	1	1						1	4						1	9	
Others,		2	2								4				1			9	1
" Digestive System. { Diarrhoea and Enteritis, under 2 years,		2										1		1				4	
Diarrhoea, 2 years and upwards,																			
Enteritis, 2 years and upwards,														1				1	
Others,						1			2	1							2	6	1
" Genito-urinary System,			1	1					1		1	1						5	1
Puerperal Septicæmia, etc.,																			
Other Causes incident to Pregnancy and Childbirth,																			
Diseases of the Skin and Cellular Tissue,		1	1												1			3	
" Locomotor System,																			
Other specified Causes,	2	1	1				1	2	1	1	4	1				2		16	1
Violent Deaths,		1								1	1			1				4	2
Ill-defined, &c. Causes,													1	1				2	
Deaths from All Causes	9	19	11	3		1	3	5	10	23	11	4	12	7	6	3	127	12	
Annual Rate of Mortality from All Causes in every 1,000 of the population.	15.5	24.0	20.6	4.4		3.8	14.6	6.4	28.4	27.5	17.3	21.2	16.0	12.1	34.0	9.2	16.3		
	14.6						19.0						15.3						
	16.6																		
Ages at Death. { Under 1 year,	3	6	1					1	2	4	5		2	3	1		28		
1 and under 2 years,		2	1							2							5		
2 " 5 "	1	3	2	1			1		3				2				13	1	
5 " 15 "										2	1	1	1				5	2	
15 " 25 "												1	1	1	3		7	2	
25 " 45 "	2	2	2				1	1	4	4			1	1			18	4	
45 " 65 "	1	4	4	2		1		2	1	5	4	1		1	1	1	28	2	
65 and upwards,	1	2	1				1	1		6	1	1	5	1	1	2	23	1	
Number of Uncertified Deaths,		1	1							1			1		1		5		
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,		3	3				2		3	4	3	1	4	3	3		29	11	
Workhouse Hospitals,	2	2						1	2	5	2		1	1		1	17	1	

TWENTY-SEVENTH WEEK, ending Saturday, 4th July, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 27th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 4th July, 1914.													
	July 9, 1904.	July 8, 1905.	July 7, 1906.	July 6, 1907.	July 4, 1908.	July 10, 1909.	July 9, 1910.	July 8, 1911.	July 6, 1912.	July 5, 1913.		Deaths of Persons of the Ages of													
												0-5.													
												Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.				
Mean Temperature ...	57.2	59.1	55.8	51.6	60.8	56.7	55.5	59.6	54.6	58.5	56.9	59.1	Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.			
Diseases of the Pharynx, Tonsillitis.		
Diseases of Stomach, ...	—	—	—	—	—	—	—	2	1	3	—	3	1	1	1			
Diarrhoea and Enteritis of Children under 2 years.	7	6	1	1	3	4	7	4	4	4	4.4	4	1	2	1	1	.	1		
Diarrhoea 2 years and upwards.																									
Enteritis 2 years and upwards		
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	1	.	—	1		
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	1	.	—		
Cirrhosis of Liver, ...	2	2	.	.	1	2	.	.	4	.	1.7	2	1	1	.	.			
Other Diseases of Liver, ...	1	2	1	.	.	.	1	.	1		
Peritonitis (cause unknown),	1	.	.	.	1	1	.	1	.	1		.	1	1		
Other Diseases of Digestive System.	2	4	3	3	9	6	3	.	1	.	3.1	1	1	.	.			
Acute Nephritis, ...	2	7	5	5	7	5	8	1	1	.	5.3	2	1	1	3	.	.	.		
Chronic Bright's Disease, ...																								2	4
Urinary Calculi,	1
Uterine Tumour (non-cancerous).																								.	.
Ovarian Tumour (non-cancerous)																								.	.
Other Diseases of Genito-urinary System.																								3	2
Puerperal Septicæmia, &c.,	2	1	.	.	.3			
Other Causes incident to Pregnancy and Childbirth.	2	.2			
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	.	3	2	—	3	1	.	.	1	1			
Diseases of Locomotor System.	—	—	—	—	—	—	—	.	1	1	—			
Congenital Malformations, ...	—	—	—	—	—	—	—	3	.	.	—			
Premature Birth, ...	4	1	5	2	2	2	12	9	3	1	4.1	2	2			
Congenital Debility, ...	—	—	—	—	—	—	—	3	7	2	—	2	.	2			
Old Age, ...	2	1	3	1	.	1	2	1	1	1	1.3	4			
Other Specified Diseases, ...	—	—	—	—	—	—	—	.	3	1	—	2	2			
ACCIDENT :																									
Poisons or Poisonous Vapours.			
Conflagration,			
Burns and Scalds,	3	.	1	.	.	3	.7			
Drowning,	1	1	.	1	1	.	.	1	.5	1	1	.	.			
Suffocation in Bed,	1	12			
Other Deaths by Accident, ...	1	.	3	1	3	1	7	5	1	1	2.3	4	.	1	2	1	.	.			
Total Deaths from Accident,	1	.	4	3	7	2	9	5	1	5	3.7	5	.	1	2	2	.	.			
Included in above are Deaths in connection with—																									
Railways,	11	1	1	.	.	.			
Vehicles and Horses,	2	1	.	.	.3	1	1	.	.	.			
Ships, Boats, Docks,			
Building Operations,			
VIOLENCE OTHER THAN ACCIDENTAL :																									
Homicide,	11	1	1	.	.	.			
Suicide,	1	.	1	.	.	.	1	.	.	.3			
Execution,			
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	3	4	3	—	2	1	.	1	.			

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914—WEEK ENDING																									
		Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.
No. of weeks in Annual Series,		2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS REGISTERED.		246	203	241	234	279	217	217	202	244	225	210	208	227	173	218	207	288	222	197	207	262	191	271	225	233	165
Average Births in corresponding week of previous 10 years, ...		222	212	215	241	214	217	204	232	222	206	215	230	214	220	221	218	264	237	214	213	244	219	210	223	245	208
DEATHS REGISTERED.		210	205	236	201	214	171	175	187	169	189	183	219	212	194	212	231	203	181	160	166	185	162	163	151	134	189
Annual Death-rate per 1,000, ...		27.0	26.3	30.3	25.8	27.5	22.0	22.5	24.0	21.7	24.3	23.5	28.1	27.2	24.9	27.2	29.7	26.1	23.2	20.5	21.3	23.8	20.8	20.9	19.4	17.2	17.9
Average Deaths in corresponding week of previous 10 years, ...		189	194	197	198	197	198	201	204	199	196	196	199	202	192	198	188	173	179	159	168	148	156	142	134	135	135
Ages, { Under 5 years, ...		46	45	69	56	72	49	52	56	57	61	70	82	55	74	89	92	89	62	54	73	56	54	45	46	36	47
5-15 " ...		12	6	7	11	8	12	8	5	2	7	7	9	12	7	11	10	6	10	7	4	13	4	9	5	6	7
15-25 " ...		9	4	16	11	12	10	11	5	14	9	7	9	14	5	10	9	9	8	9	9	8	11	6	12	8	9
25-45 " ...		31	32	29	30	27	23	28	27	13	30	28	35	26	27	28	33	30	27	22	22	19	28	30	23	23	22
45-65 " ...		48	55	50	46	40	35	33	40	33	46	38	44	44	51	32	45	30	50	36	37	47	35	38	41	32	22
65-75 " ...		36	32	34	21	28	25	27	37	22	18	21	24	35	16	29	23	22	14	21	13	28	16	23	15	19	14
75 and upwards, ...		28	31	31	26	13	17	16	14	13	18	12	16	26	14	13	19	17	10	11	8	14	14	12	9	11	10
Deaths from:—		3	3	2	.	1	1	.	1	1	.	1	.	.	1	1	.	.	.	1	.	1	1	1	1	1	1
Enteric Fever,
Typhus, ...		1	1	4	3	5	5	3	7	4	5	14	27	22	34	39	35	40	29	17	16	14	18	8	5	3	2
Small-pox,
Measles, ...		1	2	2	2	1	2	3	2	3	2	3	3	3	2	4	2	2	2	1	1	1	1	1	1	1	1
Scarlet Fever, ...		1	1	6	1	1	1	1	2	1	1	1	1	3	1	1	3	.	3	1	5	1	1	1	1	1	1
Whooping-cough, ...		3	1	4	2	.	1	1	.	3	1	.	2	3	.	1	.	.	2	1	.	1	1	1	1	1	1
Diphtheria,
Influenza, ...		20	19	22	25	24	25	25	23	21	26	21	21	22	28	22	25	14	22	24	21	19	27	19	13	17	21
Dysentery, ...		8	12	9	7	10	5	5	10	9	9	8	6	9	5	10	8	10	9	5	6	9	4	6	5	7	9
Tuberculosis { Pulmonary ...		15	23	25	16	14	10	18	19	20	17	17	14	25	15	22	13	9	11	11	5	12	9	13	9	8	7
Cancer, ...		19	21	26	17	20	13	14	13	15	14	8	20	19	19	16	17	19	13	13	15	14	12	12	14	8	9
Diseases of Circulatory System, ...		48	30	43	32	31	25	17	30	21	34	35	34	35	30	28	20	15	17	19	17	22	13	11	8	20	10
Diseases of Respiratory System, { Pneumonia ...		2	6	5	5	3	5	4	2	5	5	6	4	1	2	7	3	3	1	5	7	4	2	4	7	4	4
Diarrhoea and Enteritis, under 2 years,
Diarrhoea, 2 years and upwards, ...		12	4	9	5	5	3	3	4	4	1	3	2	3	1	1	6	3	2	7	5	3	6	3	3	6	6
Violent Deaths, ...		10	2	5	4	4	8	8	6	5	6	2	7	8	4	5	9	7	2	2	9	6	4	2	2	5	5
Number of Uncertified Deaths, ...		44.3	39.5	38.6	44.1	42.1	43.6	42.1	43.1	44.6	41.7	39.8	39.7	50.9	45.9	45.6	48.8*	44.9	49.6	49.3	55.4	48.1	52.6	52.3	57.2	56.1	59.1
Mean Temperature of the Air (Phoenix Park) in degrees, ...		41.1	40.0	39.6	39.4	40.4	41.6	40.4	41.5	41.7	41.7	41.8	43.3	43.8	44.4	46.1	45.9	47.1	49.7	49.4	51.1	54.0	53.5	54.6	56.1	55.7	56.9
Average Mean Temperature in corresponding week of previous 10 years, ...		44.5	260	090	485	305	615	810	475	675	470	450	140	575	400	120	010	000	1.335	130	515	110	140	520	495	000	865
Rainfall in inches, ...		88	81	84	94	92	85	89	91	89	90	91	92	85	90	89	88	91	87	89	90	86	87	86	83	78	80
Mean Humidity of the Air, complete Saturation 1.0,

* For 6 days only.

Registration of Births and Deaths, Ireland.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Unce- rtified Deaths.			
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DIS- EASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.					
													Pulmonary.	Other Forms.		Pneumonia.	Other.							
North City, No. 1 (E.) (Office Clarence St. Nth.) Population in 1914 (Est.) 30,206.	May 30 June 6 " 13 " 20 " 27 July 4	10.4 22.4 17.3 17.3 13.8 15.5	3.5 6.9 1.7 3.5 . 1.7	6 13 10 10 8 9	. 1 1	1 3 1 1 . 1 1 2 2 2 1 2 1	. 1 . . . 3	. 2 1 1 . 1	. 2 1 1 . 1	. 1 2 . . 1 2	1 1 1 1 . 2 1 . . . 1
North City, No. 1 (W.) (Office, Summer-hill.) Population in 1914 (Est.) 41,278.	May 30 June 6 " 13 " 20 " 27 July 4	32.8 18.9 24.0 11.4 15.2 24.0	6.3 3.8 2.5 . 1.3 5.1	26 15 19 9 12 19 1	4 1	1 1 . . . 1	2 2 2 1 2 1	2 1 1 . . 1	2 1 1 . . 1	4 2 4 1 1 1	1 1 1 1 1 2	2 1 . 1 . 1	
North City, No. 2. (Office, Lisburn-street.) Population in 1914 (Est.) 27,883.	May 30 June 6 " 13 " 20 " 27 July 4	20.6 41.1 16.8 24.3 18.7 20.6	3.7 15.0 1.9 1.9 . .	11 22 9 13 10 11	2 6 1 2 . . . 3	1 1 . . . 1	. . 1 . . 1	. . 1 . . .	2 1 . 3 2 1	5 1 2 . 2 2 1	
North City, No. 3. (Office, Benburb-street.) Population in 1914 (Est.) 35,536.	May 30 June 6 " 13 " 20 " 27 July 4	19.1 19.1 22.0 7.3 23.5 4.4	2.9 1.5 4.4 2.9 . .	13 13 15 5 16 3	. . . 1	1 1 2 1	1 4 2 . 2	3 2 2 1 1 1	1 2 2 . 3 1	1 2	1 . . 1	
Clontarf and Howth No. 1 (part of). Population in 1914 (Est.) 5,485.	May 30 June 6 " 13 " 20 " 27 July 4	. . 9.5 19.0 9.5 1 2 1 1 1	
Coolock and Drumcondra (part of). Population in 1914 (Est.) 13,685.	May 30 June 6 " 13 " 20 " 27 July 4	22.9 19.1 . 15.2 19.1 3.8	. 3.8	6 5 . 4 5 1 1 1 . . .	1 2	1 1 1 . 1	1	
Finglas and Glasnevin (part of). Population in 1914 (Est.) 10,723.	May 30 June 6 " 13 " 20 " 27 July 4	14.6 . 19.5 9.7 4.9 14.6 4.9	3 . 4 2 1 3 1 1 1 . . .	1 1 1 1 1	
South City, No. 1. (Office, St. Earl-street.) Population in 1914 (Est.) 40,768.	May 30 June 6 " 13 " 20 " 27 July 4	23.0 30.7 19.2 25.6 19.2 6.4	5.1 5.1 3.8 3.8 5.1 .	18 24 15 20 15 5	2 2 2 3 2 .	1 1 . .	. 1 . 2 . 2	. 6 . 2 . 2	. . 1 2 . .	. 1	1 1 1 1 1 .	3 3 3 1 1 .	1 1 . . 1 1 . .	
South City, No. 2. (Office, Castle-street.) Population in 1914 (Est.) 18,341.	May 30 June 6 " 13 " 20 " 27 July 4	17.1 28.4 11.4 8.5 25.6 28.4	2.8 2.8 . . 5.7 2.8	6 10 4 3 9 10 1	1 1 . . 1 1 2	1 1 . . 1 2	. 1 . 1 . 1	. 1 . . . 1	. 1 . . . 1 1	1	
South City, No. 3. (Office, Peter-street.) Population in 1914 (Est.) 43,540.	May 30 June 6 " 13 " 20 " 27 July 4	29.9 26.3 26.3 32.3 19.2 27.5	4.8 3.6 2.4 2.4 . .	25 22 22 27 16 23	3 3 . 1	4 2 4 3 2 6	1 . 1 . . 1	4 . 4 2 1 1	1 3 2 2 2 4	5 2 2 3 3 4	1 . . 1	1 2 . 1 . 1	
South City, No. 4. (Office, Grand Canal-st.) Population in 1914 (Est.) 33,171.	May 30 June 6 " 13 " 20 " 27 July 4	17.3 11.0 25.2 14.1 14.1 17.3	. . . 3.1 1.6 1.6	11 7 16 9 9 11 3 2 1 .	. 2 1 . . . 1	. 1	1 . 1 2 1	1 . 1 . 1	
New Kilmainham. Population in 1914 (Est.) 9,851.	May 30 June 6 " 13 " 20 " 27 July 4	26.5 15.9 15.9 21.2 15.9 21.2	5 3 3 4 3 4	1 . 1 . . .	1 1	. . 1 1 . 1 1 1 1	

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths.					
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.							
													Pulmonary.	Other Forms.		Pneumonia.	Other.										
Rathmines and Rathgar Urban District.	May 30 June 6 " 13 " 20 Population in 1914 (Est.) 39,155.	21.3 13.3 13.3 13.3 9.3 16.0	1.3 . 2.7 1.3 . 2.7	16 10 10 10 7 12	1	.	.	.	1 3 . . 1 1	.	1 . 2 . 1 2	.	1 1	1 1 1 . . 1	1
Pembroke Urban District.	May 30 June 6 " 13 " 20 Population in 1914 (Est.) 30,240	20.7 13.8 8.6 13.8 8.6 12.1 1.7 .	12 8 5 8 5 7	2 . . 1 1	1	2 1 . . 1 .	.	. 1 . . 1 1	1 1	2
Blackrock Urban District.	May 30 June 6 " 13 " 20 Population in 1914 (Est.) 9,197.	34.0 . 17.0 22.7 11.3 34.0	6 . 3 4 2 6	2 . 1 . 1 2	.	1 1	1	1
Kingstown Urban District.	May 30 June 6 " 13 " 20 Population in 1911 16,941.	21.5 9.2 24.6 21.5 6.2 9.2	3.1 . 3.1 . . .	7 3 8 7 2 3	1 . 1	1 . 1	1 1	1 . . 1 1 1	1
Belfast.	May 30 June 6 " 13 " 20 Population in 1914 (Est.) 399,000.	15.0 16.6 16.9 17.1 17.5 17.0	2.4 1.3 2.5 3.3 2.2 3.5	115 127 129 131 134 130	.	.	.	3 1 . 4 . 5 9	4 1 2 8 2 2	7 4 7 7 4 7	.	.	.	15 19 17 21 21 13	4 8 3 6 5 7	3 8 8 4 5 9	10 13 10 6 10 4	12 11 12 10 10 9	4 1 5 6 5 7	.	1 1 1 1 1 2	3 3 3 1 . .	3 4 1 3 . 3
Cork.	May 30 June 6 " 13 " 20 Population in 1911 76,673.	18.4 15.0 21.1 19.0 12.9 20.4	2.7 0.7 1.4 2.7 2.0 3.4	27 22 31 28 19 30	1 . . . 1 .	3 . 1 3 1 2	.	.	.	6 4 6 3 2 3	2 2 2 3 2 1	. 1 3 . . 2	2 1 3 2 2 2	7 1 3 2 1 2	. 1 . 1 . 2	.	. 1	1	3
Londonderry.	May 30 June 6 " 13 " 20 Population in 1914 (Est.) 41,100.	7.6 14.0 10.1 11.4 10.1 14.0 1.3	6 11 8 9 8 11	1 1 1 1 1 .	1 1 1 1 1 .	. 2 . 2 . .	1 2 1 . 1 1	. 1 2 . . 1	1	1	
Limerick.	May 30 June 6 " 13 " 20 Population in 1911 38,518.	17.6 17.6 23.0 23.0 12.2 20.3	1.4 . 1.4 . 1.4 .	12 13 17 17 9 15	1	.	.	.	1 3 . 1 1 3	1 . . 2 . 1 1 .	1 . . 3 . . 2	4 2 6 . . 2	1	2	.	3 4 3 1 .	
Waterford.	May 30 June 6 " 13 " 20 Population in 1911 27,464.	17.1 19.0 13.3 30.4 13.3 9.5	. 1.9	9 10 7 16 7 5	.	.	.	1	1 1 4 5 2 1	1 3 1 1 . 1 .	1 1 1 1 1 .	1 1 1 1	2 1	

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 4th July, 1914. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Inquest Cases.	Number of Uncertified Deaths.							
				Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from						Total Number of DEATHS.						TUBER- CULOSIS.		DISEASES OF THE RESPIR- ATORY SYSTEM.		Diarrhoea and Enteritis of chil- dren under 2 years of age.		Diarrhoea 2 years of age and upwards.					Violence.						
All Causes.		Certain Epi- demic Diseases,†		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)		
City of Belfast.			(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
BELFAST URBAN No. 1 DISTRICT,		15,879	2	13.1	6.6	4	6	3	1	3	5	4	.	.	.	1	.	2	2	.	.	2	.	3	.	2	1	.	.	1	1		
Do. 2 do.		49,500	26	22.1	4.2	21	2	2	1	3	4	1	.	.	.	4	1	2	.	.	1	2	.	2	.	2	1	.	.	.	9	1	
Do. 3 do.		50,032	41	20.8	6.3	20	4	4	6	3	4	1	1	1	.	.	3	2	.	2	.	2	1	.	.	4	2	
Do. 4 do.		32,637	21	17.6	1.6	11	4	.	1	3	1	2	1	1	.	1	.	1	.	.	.	4	3	
Do. 5 do.		16,112	9	16.2	3.2	5	2	.	1	3	2	3	2	1	.	.	.	1	1	
Do. 6 do.		37,293	18	11.2	.	8	3	1	1	
Do. 7 do.		2,681	1	35.0	8.7	4	.	.	1	2	.	1	2	1	1	
Do. 8 do.		5,964	1	4.3	.	2	.	1	.	.	.	1	1	1	1	
Do. 9 do.		24,427	13	19.8	5.4	11	3	1	1	3	3	1	.	.	2	1	.	.	1	1	.	.	.	3	3	
Do. 10 do.		28,958	17	10.6	1.3	8	1	1	1	1	4	1	1	.	.	1	1	.	.	.	2	2	
Do. 11 do.		39,311	15	16.4	2.7	12	3	1	2	2	3	1	1	2	2	.	.	.	2	2	
Do. 12 do.		38,076	27	22.4	2.2	10	1	1	.	2	4	2	1	2	2	.	.	.	2	2
Do. 13 do.		23,233	12	32.2	11.5	14	3	4	3	2	1	1	1	1	.	.	.	3	3
Do. 14 do.		175	16	32.2	11.5	14	3	4	3	2	1	1	1	1	.	.	.	3	3
Do. 15 do.		22,669	16	32.2	11.5	14	3	4	3	2	1	1	1	1	.	.	.	3	3
Total,		386,947	219	17.0	3.5	130	25	18	18	24	28	17	.	.	.	9	2	7	.	.	.	13	7	9	4	9	7	2	.	.	35	3	
City of Cork.																																	
CORK URBAN No. 1 DISTRICT,		13,455	7	15.5	5.0	4	1	.	.	.	1	2	1	.	.	1	2	1	
Do. 2 do.		10,399	3	20.1	.	4	1	.	.	.	1	3	1	1	1	
Do. 3 do.		9,793	9	5.3	.	1	.	.	.	1	2	6	1	
Do. 4 do.		9,139	7	45.6	.	8	.	.	.	4	2	6	1	
Do. 5 do.		6,250	3	36.0	9.0	8	1	1	3	1	2	2	1	.	.	.	1	.	.	.	6	1	
Do. 6 do.		11,531	14	16.2	6.5	5	1	1	.	1	1	1	1	1	.	.	.	1	2	
Do. 7 do.		16,056	7	20.4	3.4	30	4	2	3	6	7	8	.	.	.	1	.	2	.	.	.	3	1	2	2	.	2	.	.	.	16	3	
Total,		76,673	50	20.4	3.4	30	4	2	3	6	7	8	.	.	.	1	.	2	.	.	.	3	1	2	2	.	2	.	.	.	16	3	

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

Belfast.	1914—WEEK ENDING																									
	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.
No. of weeks in Annual Series,	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS registered, ...	195	254	208	215	187	224	210	203	217	222	196	244	243	163	219	255	198	222	245	238	282	191	198	233	227	219
DEATHS registered, ...	203	174	182	197	164	142	144	153	140	146	163	150	136	142	162	179	139	116	135	137	115	127	129	131	134	130
Annual Death-rate per 1,000 of estimated population, ...	26.5	22.7	23.9	25.7	21.4	18.6	18.8	20.0	18.3	19.1	21.3	19.6	17.8	18.6	21.2	23.4	18.2	15.2	17.6	17.9	15.0	16.6	16.9	17.1	17.5	17.0
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,	46	24	43	45	33	28	25	28	28	28	32	28	28	29	29	45	29	21	21	17	23	19	22	24	27	25
	36	24	22	21	16	20	10	16	15	16	21	27	9	18	22	21	18	10	21	16	18	18	21	22	18	18
	17	14	24	13	18	15	12	18	14	10	19	13	16	11	17	20	21	13	18	20	16	18	17	21	15	18
	26	30	23	34	24	26	21	29	27	34	26	21	24	20	25	25	27	19	23	29	19	22	25	21	23	24
	47	36	35	41	37	31	42	32	33	28	30	23	30	30	31	35	25	28	32	28	28	32	26	31	37	28
Deaths from :—	31	46	35	43	36	22	34	30	23	30	35	33	29	34	38	32	19	25	20	27	11	23	18	12	14	17
Enteric Fever,	1	.	1	1	2	.	.
Typhus, ...	2	1	5
Small-pox,
Measles, ...	1	.	1	1	2	2	1	3	1	3	1	3	1	4	8	5	9
Scarlet Fever, ...	12	10	2	3	7	6	1	6	3	3	3	2	2	3	5	6	1	.	2	5	4	1	2	8	2	2
Whooping-cough, ...	3	1	5	1	2	6	1	4	5	2	7	5	3	6	9	8	3	3	5	5	7	4	7	.	4	7
Diphtheria, ...	4	2	2	.	1	2	1	.	2	1	1	.	.	1	.	.	.	2	.	1	.	.
Dysentery,	1
Tuberculosis. { Pulmonary,	14	17	15	12	14	21	17	31	14	15	16	14	10	12	11	32	18	19	20	21	15	19	17	21	21	13
Other Forms,	8	5	6	3	7	4	4	8	6	5	6	7	5	4	13	4	4	10	12	7	4	8	3	6	5	7
Cancer, ...	10	8	6	10	8	9	9	4	4	3	7	3	5	9	4	5	6	5	8	7	3	8	4	5	5	9
Diseases of Respi- ratory System, { Pneumonia,	29	23	29	26	21	13	14	15	16	12	9	15	6	19	12	22	8	9	14	13	10	13	10	6	10	4
{ Others, ...	28	27	26	45	32	23	18	18	21	15	31	20	23	9	27	15	17	11	16	14	12	11	12	10	10	9
Diarrhoea and Enteritis, under 2 years, ...	2	3	1	2	3	1	1	4	7	8	3	2	1	4	2	2	4	.	3	2	4	1	5	6	5	7
Diarrhoea, 2 years and upwards, ...	2	.	2	1	1	.	.	.	1	1	1	1	2	1	.	.	.	1	1	.	1	2
Violent Deaths,	1	6	4	3	2	3	4	2	.	2	2	.	3	3	1	2	1	2	2	3	.	3	1	.	.
Number of Uncertified Deaths, ...	5	4	3	2	.	4	1	3	1	1	1	.	3	1	3	4	1	2	1	1	3	4	1	3	.	3
Mean Temperature of the Air in degrees,	41.1	38.7	38.4	44.1	48.1	41.2	41.0	41.1	44.3	39.9	40.8	41.0	49.7	47.1	43.5	52.7	48.2	48.2	47.5	54.9	50.0	52.2	54.2	61.5	55.8	.
Rainfall, in inches, ...	1.83	0.00	0.28	0.55	0.32	0.72	0.93	0.82	0.92	1.40	0.65	0.07	0.78	1.00	0.34	0.12	0.00	1.32	0.16	0.11	0.12	0.08	0.49	0.18	0.45	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, —	4,516,612	July 4,	2,087	1,148	13·3	5	.	49	3	18	14	26	
EDINBURGH, —	321,900	" 4,	114	75	12·2	.	.	1	.	.	1	1	
GLASGOW, —	1,047,000	" 4,	605	305	15·2	1	.	4	.	10	3	4	
CALCUTTA, —	896,067	May 23,	.	535	31·0	125*	31	2	.	.	1†	113‡a	
BOMBAY, —	979,445	" 30,	325	651	34·6	160*	8	6	.	1	.	59†a	
MADRAS —	518,660	" 30,	331	352	35·3	65*	.	1	?	?	?	96‡a	
CAIRO, —	721,337	" 13,	543	483	35·3	15	11	5	2	?	2†	81	
PARIS, —	2,847,229	June 20,	933	785	14·1	7	.	13	2	4	1†	20	
BRUSSELS, —	780,852	" 13,	248	177	11·7	.	.	.	1	.	.	6	
ANTWERP, —	313,833	" 13,	130	77	12·8	.	.	1	.	1	1	7	
AMSTERDAM, —	597,724	" 13,	282	129	11·3	.	.	5	1	2	.	3	
COPENHAGEN, —	483,000	" 13,	198	138	14·9	.	.	.	2	.	1†	4a	
STOCKHOLM, —	382,085	" 13,	160	115	15·7	.	.	4	.	1	1	1	
CHRISTIANIA, —	250,423	" 20,	117	87	18·1	.	.	.	1	5	.	7a	
ST. PETERSBURG —	1,728,200	May 30,	753	747	22·5	6	5	43	12	4	5	48	
MOSCOW, —	1,694,000	" 23,	.	816	25·1	4	.	62	8	12	13	83a	
BERLIN, —	2,072,258	June 6,	.	393	9·9	.	.	8	3	6	3	27	
HAMBURG, —	1,030,983	" 13,	.	223	11·2	.	.	4	3	3	6	7	
BRESLAU, —	544,257	" 13,	.	171	16·4	1	.	1	.	4	.	16a	
MUNICH, —	640,000	" 13,	.	196	16·0	.	.	5	.	1	.	14a	
VIENNA (with suburbs), —	2,149,334	" 13,	725	624	15·1	1	.	8	6	7	3†	24	
BUDA-PESTH, —	950,784	" 13,	486	369	20·2	.	.	14	2	1	1†	15	
PRAGUE and Faubourgs, —	498,499	May 16,	168	201	21·0	.	.	1	.	1	1†	8	
TRIESTE, —	244,655	" 30,	118	94	20·0	.	.	4	.	.	.	2	
ROME, —	591,943	Dec. 6,	
NEW YORK, —	5,583,871	May 23,	
PHILADELPHIA, —	1,657,815	Apr. 4,	
BOSTON, —	750,768	June 13,	.	223b	15·5	1	.	1	.	.	1	8a	

* Deaths from "fever," including 5 from enteric fever and 25 from plague in Calcutta; 6 from enteric fever and 94 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 64 deaths from cholera in Calcutta, 3 in Bombay and 2 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 197, rate 13·7 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4th July, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	...	1	4	5
„ „ 1, West,	1	7	8
„ „ 2,	1	5	6
„ „ 3,	3	3
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),
Finglas and Glasnevin (part of),...	1	1
South City No. 1,	1	.	.	.	9	10
„ „ 2,	1	.	.	1	5	7
„ „ 3,	1	.	.	.	1	.	.	.	4	6
„ „ 4,	...	1	.	.	1	1	3
New Kilmainham,	1	1	2
Total,	...	2	.	.	5	.	.	2	2	.	.	.	40	51

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 4th July, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 4th July.			
	June 13.	June 20.	June 27.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	34	28	24	4	6	.	22
Typhus,	1	1	.	.	2
Small-pox,
Measles, ...	77	64	50	17	14	1	52
Scarlet Fever, ...	124	121	108	13	13	.	108*
Diphtheria, ...	43	41	42	7	11	2	36
Pneumonia, ...	19	27	22	4	9	1	16

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 4th July, 1914:—

"The most striking feature of this week was the 'heat-wave' with which June passed into July. This was accompanied and followed by very severe thunderstorms in England, but Ireland escaped this visitation, receiving only a gentle and welcome rainfall in its southern and western districts. After Wednesday much lower temperatures prevailed and Thursday night was quite cool in Scotland and Ireland, the thermometer falling to 49° at Wick, 48° on Barra Island, in Dublin, and at Roche's Point, Co. Cork, 47° at Stornoway, and 46° at Blacksod Point, Co. Mayo. Friday night was still colder, 42° being recorded at Bath and Birr Castle and 39° at Nairn. During the first three days of the week an anticyclone still stretched across Ireland and England from the Mid-Atlantic, while an area of relatively low pressure over Iceland caused a warm S.W. wind to pass over the British Islands. This, together with a comparatively clear sky and consequent hot sunshine, determined a 'heat-wave' which culminated in England on Wednesday, July 1, when the screened thermometer rose to 85° or a little higher in some parts of that country, to 90° at South Kensington, 92° at Greenwich, and 94° at Camden Square, London, N.W. In Ireland the heat was not so extreme—on Monday, June 29, 74° was reached at Birr Castle and in Dublin, and 75° at Donaghadee; on Tuesday, June 30, the highest was 76° in Dublin; on Wednesday, July 1, 73° was recorded at Birr Castle, but only 64° in Dublin. In the period from Wednesday to Friday a large though shallow area of low pressure drifted slowly northwards across the British Isles, its passage being attended by heavy thunder rains in Great Britain, but finer and much cooler weather in Ireland. On Saturday, however, the weather broke in the latter country, strong southerly winds, clouds, and heavy rain becoming general as a new depression spread in from the Atlantic. In Dublin the mean height of the barometer was 29.976 inches, the range being between 30.334 inches at 9 a.m. of Sunday (wind, W.) and 29.589 inches at 9 a.m. of Thursday (wind, W. by N.). The corrected mean temperature was 61.6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 60.9°. On Tuesday the screened thermometers rose to 76.0°, on Friday they fell to 48.3°. The most prevalent wind direction was W.N.W. Rain fell on 2 days, .689 inch being recorded on Saturday, and the total measurement for the week being .697 inch."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29·976 inches. The highest reading (30·325) was on Sunday, at 9 p.m., the lowest (29·588) on Thursday, at 9 a.m.

The mean temperature for the week was 59·1°, being 2·2° above the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Monday and Tuesday, on which days the thermometer registered 76°, and was lowest on Saturday, the mercury having fallen to 41°. The mean of the Dry Bulb for the week was 60·7° and of the Wet Bulb, 57·3°. The mean humidity of the air was ·80, complete saturation being represented by 1·0. The rainfall during the week measured 0·365 inch.

At Greenwich the mean temperature for the week was 67·7°, the maximum 92·1°, and the minimum 48·2°; and at Edinburgh the maximum was 74·0°, the minimum 46·8°, and the mean 58·9°. The rainfall at Greenwich measured 0·09 in. ; and at Edinburgh 0·74 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.			BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.
			Mean daily readings cor- rected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humi- dity, complete Satura- tion =1·0.			
Sunday,	June	28,	(1.) In. 30·810	(2.) ° 73	(3.) ° 42	(4.) ° 57·5	(5.) ° 63·2	(6.) ° 59·1	(7.) ·77	(8.) ·4	(9.) 7·8	(10.) Ins. ·000
Monday,	„	29,	30·255	76	59	67·5	65·6	62·9	·85	·4	4·8	·000
Tuesday,	„	30,	30·040	76	53	64·5	66·8	62·0	·75	·6	13·4	·000
Wednesday,	July	1,	29·770	65	53	59·0	56·2	55·1	·93	·5	3·2	·000
Thursday,	„	2,	29·650	65	54	59·5	58·4	54·6	·75	·4	3·0	·005
Friday,	„	3,	29·975	67	44	55·5	56·5	51·8	·73	·5	12·5	·010
Saturday,	„	4,	29·830	60	41	50·5	57·9	55·4	·85	·6	0·0	·350
Mean,	29·976	68·9	49·4	59·1	60·7	57·3	·80	·5	Total 44·7	Total ·365

Sunday—Day bright, cloudy ; night cloudy. Monday—Day cloudy, bright at intervals ; night clear. Tuesday—A beautiful bright day ; night overcast. Wednesday—Day overcast a.m., bright at intervals p.m. ; night cloudy. Thursday—Day cloudy ; night cloudy. Friday—A beautiful bright day, light showers p.m. ; night cloudy. Saturday—Day cloudy, light showers p.m. ; night overcast, heavy rain midnight to 3.45 a.m.,

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 4th July, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, June 28,	64·0	61·2	56·0	74·7	49·5	62·1	hrs. 4·0	ins. —
Monday, „ 29,	65·8	62·4	56·2	75·2	53·6	64·4	3·9	—
Tuesday, „ 30,	72·0	64·0	56·3	77·1	58·5	67·8	13·0	—
Wednesday, July 1,	56·1	64·4	56·6	67·0	58·0	62·5	2·7	—
Thursday, „ 2,	59·0	63·8	57·0	66·8	54·0	60·4	2·5	—
Friday, „ 3,	59·3	62·9	57·2	67·4	45·5	56·4	11·1	—
Saturday, „ 4,	58·3	62·3	57·5	59·3	49·9	54·6	—	0·660
Weekly Mean, „	62·1	63·0	56·7	69·6	52·7	61·2	Total 37·2	Total. 0·660

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 11TH JULY, 1914.

[No. 28.]

*General Register Office, Charlemont House,
Dublin, 13th July, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 15·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	June 20	June 27	July 4	July 11	
27 Town Districts, (a)	17·7	15·7	16·2	15·9	16·4
Dublin Reg. Area ...	17·6	15·5	16·3	15·0	16·1
Dublin City ...	18·1	17·6	16·6	16·0	17·1
Belfast ...	17·1	17·5	17·0	17·0	17·1
Cork ...	19·0	12·9	20·4	15·6	17·0
Londonderry ...	11·4	10·1	14·0	26·6	15·5
Limerick ...	23·0	12·2	20·3	12·2	16·9
Waterford ...	30·4	13·3	9·5	17·1	17·6

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 1·6 per 1,000. Among the 130 deaths from all causes for Belfast were 6 from measles, 5 from scarlet fever, 2 from whooping-cough, one from diphtheria, and 5 from diarrhoea and enteritis of children under 2 years. The 23 deaths from all causes for Cork included one from each of enteric fever and whooping-cough. Two of the 21 deaths from all causes for Londonderry were of children under 2 years from diarrhoea and enteritis. One of the 6 deaths recorded for Lurgan was from scarlet fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 214—111 boys and 103 girls—and the deaths to 128—64 males and 64 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·0 per 1,000 of the population. During the twenty-eight weeks, ending with Saturday last, the death-rate averaged 22·5, and was 0·1 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 128, represent an annual rate of 16·4 per 1,000; the annual rate for the past twenty-eight weeks was 24·0 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·8 per 1,000 of the mean population for all deaths registered.

The deaths include 2 from enteric fever, 4 from measles, 2 from whooping-cough, and 4 from diarrhoea and enteritis of children under 2 years of age. In each of the 3 weeks preceding deaths from enteric fever were one, one, and one; deaths from measles were 5, 3, and 2; deaths from whooping-cough were 0, 0, and one; and deaths from diarrhoea and enteritis of children under 2 years were 7, 4, and 4.

The total deaths from tuberculosis numbered 23*, including 18 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, and 3 from other forms of the disease. In each of the 3 weeks preceding deaths from all forms of tuberculous disease were, respectively, 18, 24, and 30.

Eight* deaths were attributed to cancer.

There were 3 deaths from premature birth, one from congenital debility, and one from convulsions, all of infants under one year of age.

Broncho-pneumonia caused 6 deaths, pneumonia (type not distinguished) 4 deaths, and bronchitis 9 deaths.

There were 11 deaths from organic diseases of the heart, and 4 assigned to acute endocarditis.

Of 3 deaths from accidental causes, one was by drowning, and there was one suicidal death.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these were deaths of infants under one year old.

Thirty-one of the persons whose deaths were registered during the week were under 5 years of age (16 being infants under one year, of whom 5 were under one month old), and 35 were aged 65 years and upwards, including 26 persons aged 70 and upwards; among the latter were 13 aged 75 and upwards, of whom one (a female) was stated to have been aged 90 years.

Sixty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, and 10 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·0 per 1,000; the rate in the City was 16·0 (North City Districts, 19·0; South, 12·5) and in the Suburbs 12·0.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 1·7 (in the North City Districts 1·9, and in the South 1·4), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·4 per 1,000, including 4 deaths from tuberculous disease, one from broncho-pneumonia, and one from pneumonia.

No. 1 North City District, West (Summer-hill).—The deaths (12) are equal to an annual rate of 16·4 per 1,000. Among them are one from measles, 4 from pulmonary tuberculosis, one from bronchitis, and one of a child under 2 years of age from diarrhoea and enteritis.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 20·6 per 1,000. Included in these are 4 from tuberculous disease, one from broncho-pneumonia, and one of a child under 2 years of age from diarrhoea and enteritis.

No. 3 North City District (Benburb-street).—The deaths (14) represent an annual rate of 20·5 per 1,000. One death from tuberculous meningitis, one from bronchitis, one from diarrhoea and enteritis (a child under 2 years of age), and one accidental death were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 38·0 per 1,000 inhabitants; Coolock and Drumcondra, part of, 3·8; Finglas and Glasnevin, part of, 19·5. One of the 4 deaths from all causes for Clontarf and Howth, No. 1, was from enteric fever, and another was from broncho-pneumonia; and of the 4 deaths recorded for Finglas and Glasnevin one was from whooping-cough and one was accidental.

No. 1 South City District (South Earl-street).—The deaths (12) represent an annual rate of 15·3 per 1,000. One death was from measles, one from pulmonary tuberculosis, 3 from bronchitis, and one of a child under 2 years of age from diarrhoea and enteritis.

No. 2 South City District (Castle-street).—The deaths (2) are equal to an annual rate of 5·7 per 1,000, including one death from measles.

No. 3 South City District (Peter-street).—The deaths (13) are equal to an annual rate of 15·6 per 1,000. This number includes 4 from pulmonary tuberculosis, one from broncho-pneumonia, and 2 from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (7) are equivalent to an annual rate of 11·0 per 1,000. Among them are one from enteric fever, one from pulmonary tuberculosis, and one from bronchitis.

New Kilmainham District.—The one death recorded for this district is equal to an annual rate of 5·3 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·3; Pembroke, 6·9; Blackrock, 11·3; and Kingstown, 9·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one death from measles for Rathmines and Rathgar, and one from whooping-cough for Kingstown. Among the 13 deaths from all causes for Rathmines and Rathgar were 2 from pneumonia, one from bronchitis, and one suicidal death. One of the 4 deaths from all causes for Pembroke was from pulmonary tuberculosis. The 2 deaths from all causes for Blackrock comprise one from tuberculous disease and one from accidental drowning; and of the 3 deaths from all causes for Kingstown one was from broncho-pneumonia.

ENGLAND AND SCOTLAND

The mortality last week in 97 large English towns (including London, in which the rate was 10·6), was equal to an average annual death-rate of 11·5 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 13·6 per 1,000, the rate for Glasgow being 14·1, and for Edinburgh 15·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 11th July. From this Report it appears that of a total of 82 cases notified, 48 were scarlet fever, 19 diphtheria, 10 phthisis, 4 erysipelas, and one puerperal fever. Among the 521 cases of infectious diseases in hospital at the close of the week were 236 cases of scarlet fever, 190 of phthisis, 64 of diphtheria, 8 of erysipelas, 5 of measles, 5 of chicken-pox, 3 of enteric fever, and 2 of puerperal fever.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 11th July, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) — Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	June. 20,	.	—	—	15	.	.	6	.	.	4	2	.	—	—	.	—	.	44	71
	June. 27,	.	—	—	8	1	.	13	.	.	1	2	.	—	—	.	—	.	28	53
	July. 4,	.	—	—	2	.	.	5	.	.	2	2	.	—	—	.	—	.	40	51
	July. 11,	.	—	—	3	.	.	5	.	.	3	4	.	—	—	.	—	.	31	51
Rathmines and Rathgar Urban District.	June. 20,	.	—	—	3	.	.	2	—	—	—	—	—	—	5
	June. 27,	.	—	—	.	.	.	2	—	—	—	—	—	—	2
	July. 4,	.	—	—	.	.	.	1	—	—	—	—	—	1	7
	July. 11,	.	—	—	.	.	.	3	.	.	2	2	.	—	—	—	—	—	—	7
Pembroke Urban District.	June. 20,	.	5	.	1	1	.	.	—	—	—	—	—	2	9
	June. 27,	.	1	3	—	—	—	—	—	.	4
	July. 4,	.	.	.	3	.	.	3	—	—	—	—	—	3	9
	July. 11,	.	5	.	1	.	.	2	—	—	—	—	—	.	8
Blackrock Urban District.	June. 20,	.	9	—	1	—	—	—	—	—	—	10
	June. 27,	.	2	—	—	—	—	—	—	—	2
	July. 4,	.	1	—	.	.	.	1	—	—	—	—	—	—	2
	July. 11,	.	.	—	—	—	—	—	—	—	.
Kingstown Urban District.	June. 20,	.	—	—	.	.	.	2	—	—	—	—	—	.	2
	June. 27,	.	—	—	—	—	—	—	—	.	.
	July. 4,	.	—	—	—	—	—	—	—	.	.
	July. 11,	.	—	—	—	—	—	—	—	.	.
City of Belfast.	June. 20,	.	—	—	43	1	.	6	.	.	1	6	.	—	—	—	—	.	7	64
	June. 27,	.	—	—	28	.	.	3	.	.	2	2	.	—	—	—	—	.	.	35
	July. 4,	.	—	—	28	.	.	6	.	.	1	.	1	—	—	—	—	.	9	45
	July. 11,	.	—	—	20	1	.	6	.	.	.	4	.	—	—	—	—	.	2	33
City of Cork.	June. 20,	.	5	—	3	.	.	1	.	1	.	.	2	—	—	—	—	—	—	12 ^a
	June. 27,	.	9	—	2	.	.	.	1	—	—	—	—	—	—	12
	July. 4,	.	3	—	4	.	.	.	1	2	1	1	.	—	—	—	—	—	—	12 ^b
	July. 11,	.	1	—	2	1	.	—	—	—	—	—	—	4 ^c
City of Londonderry.	June. 20,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	June. 27,	.	—	—	4	—	—	—	—	—	—	4
	July. 4,	.	—	—	—	—	—	—	—	—	.
	July. 11,	.	—	—	.	.	.	2	.	.	1	.	.	—	—	—	—	—	—	3
City of Limerick.	June. 20,	.	—	—	5	2	.	.	—	—	—	—	—	—	7
	June. 27,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	July. 4,	.	—	—	1	—	—	—	—	—	—	1
	July. 11,	.	—	—	—	—	—	—	—	—	.
City of Waterford.	June. 20,	.	—	—	—	—	—	—	—	.	.
	June. 27,	.	—	—	—	—	—	—	—	.	.
	July. 4,	.	—	—	—	—	—	—	—	2	2
	July. 11,	.	—	—	—	—	—	—	—	.	.

^a Not including one case of whooping-cough.

^b Not including 4 cases of choleraic diarrhoea.

^c Not including 9 cases of choleraic diarrhoea.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th July, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Five cases of enteric fever were admitted to hospital during the week, 2 were discharged, there was one death and 24 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 28, 24, and 22.

Two cases of typhus remained under treatment in hospital at the close of the week.

Fifteen cases of measles were admitted to hospital, 11 were discharged, there was one death, and 55 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 64, 50, and 52, respectively.

Ten cases of scarlet fever were admitted to hospital, 23 were discharged, there was one death, and 94* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 121, 108, and 108, respectively.

Fifteen cases of diphtheria were admitted to hospital during the week, and 11 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 41, 42, and 36 respectively, were 40 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 3 were discharged, there was one death, and 19 cases remained under treatment at the end of the week.

See note () at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 11th of July, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.													URBAN DISTRICTS OF				
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.			PEMROKE.		
Enteric Fever,	1	1	2	.
Typhus,
Small-pox,
Measles,	.	1	1	1	.	.	.	1	.	.	.	4	.
Scarlet Fever,
Whooping-cough,	1
Diphtheria,	1	2	.
Croup,
Influenza,
Dysentery,
Tuberculosis, { Pulmonary,	8	4	3	1	.	4	1	.	.	1	.	.	17	1
Other Forms,	1	.	1	1	1	1	.	4	1
Cancer,	.	.	.	1	1	1	.	.	1	1	1	.	5	3
Diseases of Nervous System,	1	1	3	1	.	.	1	1	.	1	1	1	.	1	.	.	12	1
Organs of Special Sense,
Circulatory System,	2	1	.	3	.	.	1	2	1	2	1	.	2	.	.	1	16	.
Respiratory System. { Pneumonia,	2	.	1	.	1	1	.	.	2	.	.	1	8	2
Others,	1	1	.	1	.	.	.	3	.	3	2	.	2	.	.	.	13	.
Diarrhoea and Enteritis, under 2 years,	.	1	1	1	.	.	.	1	4	.
Diarrhoea, 2 years and upwards,
Enteritis, 2 years and upwards,	1	.	.	.	1	.
Others,	1	2	.	1	1	1	.	.	6	1
Genito-urinary System,	.	.	.	1	1	1	1	.	1	.	.	.	5	1
Puerperal Septicæmia, etc.,
Other Causes incident to Pregnancy and Childbirth,
Diseases of the Skin and Cellular Tissue,	.	1	1	.
Locomotor System,	1
Other specified Causes,	2	1	2	3	.	1	.	2	1	.	.	.	12	.
Violent Deaths,	.	.	.	1	.	1	1	.	1	.	4	.
Ill-defined, &c. Causes,	1	1	.
Deaths from All Causes	13	13	11	14	4	1	4	12	2	13	7	1	13	4	2	3	117	11
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22.4	16.4	20.6	20.5	38.0	3.8	19.5	15.3	5.7	15.6	11.0	5.3	17.3	6.9	11.3	9.2	15.0	.
	19.0							12.5					12.0					
	16.0																	
Ages at Death.																		
Under 1 year,	2	3	2	4	.	.	.	2	.	2	1	16	.
1 and under 2 years,	1	2	2	2	1	.	.	1	9	.
2 " 5 "	.	.	.	1	.	.	1	1	1	1	.	.	1	.	.	.	6	.
5 " 15 "	3	1	.	1	1	6	.
15 " 25 "	.	.	.	1	1	.	.	1	1	.	4	3
25 " 45 "	1	4	3	2	1	.	1	.	.	3	2	1	1	1	1	1	22	5
45 " 65 "	2	1	1	2	1	.	1	2	.	4	1	.	3	2	.	.	20	2
65 and upwards,	4	2	3	3	1	1	1	5	1	3	2	.	7	.	.	1	34	1
Number of Uncertified Deaths,	.	.	.	2	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	4	3	5	.	.	1	1	1	3	2	1	3	1	1	1	30	11
Workhouse Hospitals,	5	2	3	4	1	2	3	20	.

TWENTY-EIGHTH WEEK, ending Saturday, 11th July, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 28th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 11th July, 1914.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
	July 16, 1904.	July 15, 1905.	July 14, 1906.	July 13, 1907.	July 11, 1908.	July 17, 1909.	July 16, 1910.	July 15, 1911.	July 13, 1912.	July 12, 1913.		Deaths of Persons of the Ages of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
												0-5.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
												Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Mean Temperature ...	58.8	64.6	57.5	54.0	58.9	59.5	57.1	60.9	56.6	54.7	58.3	60.1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															</

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914—WEEK ENDING																									
		Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.
No. of weeks in Annual Series.		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
Births registered.		203	241	234	279	217	217	202	244	225	210	208	227	173	218	207	288	222	197	207	282	191	271	225	233	165	214
Average Births in corresponding week of previous 10 years.		212	215	241	214	217	204	232	222	206	215	230	214	220	221	218	264	237	214	213	244	219	210	223	245	208	208
Deaths registered.		205	236	201	214	171	175	187	169	189	183	219	212	194	212	231	203	181	160	166	185	162	163	151	134	139	128
Annual Death-rate per 1,000.		26.3	30.3	25.8	27.5	22.0	22.5	24.0	21.7	24.3	23.5	28.1	27.2	24.9	27.2	29.7	26.1	23.2	20.5	21.3	23.8	20.8	20.9	19.4	17.2	17.9	16.4
Average Deaths in corresponding week of previous 10 years.		194	197	198	197	198	201	204	199	196	196	199	202	192	198	188	173	179	159	168	148	148	156	142	134	135	147
Ages.		Under 5 years,	45	69	56	72	49	52	57	61	70	82	55	74	89	92	89	62	54	73	56	54	45	46	36	47	31
		5-15 "	6	7	11	8	12	8	2	7	7	9	12	7	11	10	6	10	7	4	13	4	9	5	5	7	6
		15-25 "	4	16	11	12	10	11	14	9	7	9	14	5	10	9	9	8	9	9	18	11	6	12	8	9	7
		25-45 "	32	29	30	27	23	28	30	30	28	35	26	27	33	30	30	27	22	22	19	28	30	23	23	22	27
		45-65 "	55	50	46	44	35	33	40	46	38	44	44	51	32	45	30	50	36	37	47	35	38	41	32	30	22
		65-75 "	32	34	21	28	25	27	37	18	21	24	35	16	29	23	22	14	21	13	23	16	23	15	19	14	22
		75 and upwards,	31	31	26	18	17	16	18	18	12	16	26	14	13	19	17	10	11	8	14	14	12	9	11	10	13
Deaths from :—		3	2	.	1	1	.	1	1	.	1	.	.	1	1	.	.	.	1	.	1	1	1	1	1	1	2
Euteric Fever,	
Typhus,	
Small-pox,		1	4	3	5	5	3	7	4	5	14	27	22	34	39	35	40	29	17	16	14	18	8	5	3	2	4
Measles,		2	.	2	2	2	3	1	3	2	3	3	3	2	4	2	2	2	1	1	1	2	.	1	.	1	2
Scarlet Fever,		.	2	2	2	2	1	2	1	1	1	4	3	1	1	3	.	3	3	5	1	1	1	1	1	3	.
Whooping-cough,		.	6	1	1	1	1	.	3	1	1	2	3	.	1	3	.	2	1	1	1	1	1	1	1	8	.
Diphtheria,		1	4	2	.	1	1	.	3	1	.	.	3	.	1	1	.	2	1	1	1	1	1	1	1	1	.
Influenza,	
Dysentery,		19	22	25	24	25	25	23	21	26	21	21	22	28	22	25	14	22	24	21	19	27	19	13	17	21	18
Tuberculosis { Pulmonary ...		4	10	12	7	5	10	4	2	9	8	6	9	5	10	8	10	9	5	6	5	4	6	5	7	9	5
Cancer, ...		12	9	7	10	5	5	10	9	7	6	18	6	13	8	13	9	11	11	11	12	9	13	9	8	7	8
Diseases of Circulatory System,		23	25	16	14	10	18	19	20	17	17	14	25	15	22	19	21	11	11	13	14	23	14	20	11	11	16
Diseases of Respi- (Pneumonia		21	26	17	20	13	14	13	15	14	8	20	19	19	16	17	19	13	13	15	14	12	12	14	8	9	10
ratory System. { Others, ...		30	48	32	31	25	17	30	21	34	35	34	35	30	28	20	15	17	19	17	22	13	11	8	20	10	13
Diarrhoea and Enteritis, under		6	5	5	3	5	4	2	5	5	6	4	1	2	7	3	3	1	5	7	4	2	4	7	4	4	4
2 years,	
Diarrhoea, 2 years and upwards,		4	9	5	5	3	3	4	4	1	3	2	3	1	1	4	6	3	7	5	3	6	3	3	.	6	4
Violent Deaths, ...		2	5	4	4	8	8	6	5	6	2	7	8	4	5	9	7	2	2	9	6	4	3	2	2	5	52
Number of Uncertified Deaths,	
Mean Temperature of the Air		39.5	38.6	44.1	48.1	43.6	42.1	43.1	44.6	41.7	39.8	39.7	50.9	45.9	45.6	48.8*	44.9	49.6	49.3	55.4	48.1	52.6	52.3	57.2	56.1	59.1	60.1
(Phoenix Park) in degrees, ...		40.0	39.6	39.4	40.4	41.6	40.4	41.5	41.7	41.7	41.8	43.3	43.8	44.4	46.1	45.9	47.1	49.7	49.4	51.1	54.0	53.5	54.6	56.1	55.7	56.9	58.3
Average Mean Temperature in	
corresponding week of previous		10 years,	260	0.20	.485	.305	.615	.810	.475	.470	.450	.140	.575	.400	.120	.010	.000	1.335	.130	.515	.110	.140	.520	.495	.000	.365	.455
Rainfall in inches,
Mean Humidity of the Air, com-		81	84	94	92	85	89	91	89	90	91	92	85	90	89	88	91	87	89	90	86	87	86	83	78	80	84
plete Saturation 1.0,	

* For 6 days only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 11th July, 1914: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.		OCCUPATION OR SOCIAL POSITION		Popula- tion in each Class and Group in 1911.		Annual Death Rate per 1,000 of the Population in 1911.		Total Number of Deaths in 1911.		AGES.												CAUSES OF DEATH												Number of Uncertified Deaths.	
										AGES.						CAUSES OF DEATH																			

Registration of Births and Deaths, Ireland.

TABLE VII.—Showing for each of the last six weeks the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Un- certified Deaths.	
		FROM ALL CAUSES†	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	June 6	22.4	6.9	13	1	.	.	3	1	1	.	.	1	1	.	.	.	1
	" 13	17.3	1.7	10	.	.	.	1	1	.	.	.	2	1
	" 20	17.3	3.5	10	.	.	.	1	1	.	.	.	1	1	.	.	.	1
	" 27	13.8	.	8	1	1	.	.	2	1
Population in 1914 (Est.) 30,206.	July 4	15.5	1.7	9	.	.	.	1	1	3
	" 11	22.4	.	13	3	1	.	.	2	1
North City, No. 1 (W.) (Office, Summer-hill.)	June 6	18.9	3.8	15	.	.	.	1	2	1	.	.	2	1	1	.	.	2
	" 13	24.0	2.5	19	2	1	.	.	4	1	1	2	.	1
	" 20	11.4	.	9	1	1	.	.	1	1	1	.	.	.
	" 27	15.2	1.3	12	2	2	.	.	1	1	1	1	.	.
Population in 1914 (Est.) 41,278.	July 4	24.0	5.1	19	1	1	1	.	.	1	2	2	.	1	1
	" 11	16.4	2.5	13	.	.	.	1	4	1	1	.	.	.
North City, No. 2. (Office, Lisburn-street.)	June 6	41.1	15.0	22	.	.	.	6	.	2	.	.	2	1	1	1	1	1
	" 13	16.8	1.9	9	.	.	.	1	1	.	.	2	.	.	1	.
	" 20	24.3	1.9	13	1	.	.	3	.	1	.	.	.
	" 27	18.7	.	10	3	1	.	.	.	2	.	.	.	1
Population in 1914 (Est.) 27,883.	July 4	20.6	.	11	3	1	.	.	1	2
	" 11	20.6	1.9	11	3	1	.	.	1	.	1	.	.	.
North City, No. 3. (Office, Benburb-street.)	June 6	19.1	1.5	13	.	.	.	1	4	.	2	.	2
	" 13	22.0	4.4	15	.	.	.	2	2	.	2	.	2	1
	" 20	7.3	2.9	5	1	1	.	.	.	1	1	.	.
	" 27	23.5	.	16	2	1	1	3	2
Population in 1914 (Est.) 35,536.	July 4	4.4	.	3	1	1
	" 11	20.5	1.5	14	1	1	.	1	1	1	.	1	2
Clontarf and Howth No. 1 (part of).	June 6	1
	" 13	9.5	.	1
	" 20	19.0	.	2	1	.	.	.	1
	" 27	9.5	.	1
Population in 1914 (Est.) 5,485.	July 4
	" 11	38.0	9.5	4	1	1	1
Coolock and Drumcondra (part of).	June 6	19.1	3.8	5	.	.	.	1	1	.	.	.	1	1
	" 13
	" 20	15.2	.	4
	" 27	19.1	.	5	2	.	.	1
Population in 1914 (Est.) 13,685.	July 4	3.8	.	1
	" 11	3.8	.	1
Finglas and Glasnevin (part of).	June 6
	" 13	19.5	.	4	1	1
	" 20	9.7	.	2	1	.	1
	" 27	4.9	.	1
Population in 1914 (Est.) 10,723.	July 4	14.6	4.9	3	1
	" 11	19.5	4.9	4	1	1	.
South City, No. 1. (Office, Sth. Earl-street.)	June 6	30.7	5.1	24	.	.	.	2	.	.	.	1	6	1	1	.	3	1
	" 13	19.2	3.8	15	.	.	.	2	.	.	.	1	.	1	2	.	1	1
	" 20	25.6	3.8	20	.	.	.	3	2	2	.	1	1	.	.	1	.	
	" 27	19.2	5.1	15	.	.	.	2	.	.	1	1	1	1	.	.	.	
Population in 1914 (Est.) 40,768.	July 4	6.4	.	5	2	
	" 11	15.3	2.6	12	.	.	.	1	1	.	.	.	3	1
South City, No. 2. (Office, Castle-street.)	June 6	28.4	2.8	10	.	.	.	1	1	.	1	1	1	.
	" 13	11.4	.	4	1	
	" 20	8.5	.	3	1	
	" 27	25.6	5.7	9	1	.	.	1	1	.	1	.	1	
Population in 1914 (Est.) 18,341.	July 4	28.4	2.8	10	1	.	.	2	.	1	1	
	" 11	5.7	2.8	2	.	.	.	1	
South City, No. 3. (Office, Peter-street.)	June 6	26.3	3.6	22	.	.	.	3	2	.	.	3	2	.	.	.	2	3
	" 13	26.3	2.4	22	.	.	.	2	4	1	.	4	2	2	3	.	.	1
	" 20	32.3	2.4	27	.	.	.	1	3	.	.	2	2	3
	" 27	19.2	.	16	2	.	1	2	3	
Population in 1914 (Est.) 43,540.	July 4	27.5	.	23	6	1	1	4	4	.	.	1	1	
	" 11	15.6	.	13	4	.	1	1	3	
South City, No. 4. (Office, Grand Canal-st.)	June 6	11.0	.	7	2	.	1	.	1	
	" 13	25.2	.	16	3	2	1	1	
	" 20	14.1	3.1	9	2	.	.	1	.	.	2	.	.	
	" 27	14.1	1.6	9	1	1	1	.	.	
Population in 1914 (Est.) 33,171.	July 4	17.3	1.6	11	1	.	1	.	.	.	1	.	1	
	" 11	11.0	1.6	7	1	1	.	.	.	2	
New Kilmainham.	June 6	15.9	.	3	1	
	" 13	15.9	.	3	
	" 20	21.2	.	4	1	.	1	1	1	
Population in 1914 (Est.) 9,851.	" 27	15.9	.	3	1	
	July 4	21.2	.	4	1	
	" 11	5.3	.	1	

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District.	June 6 " 13 " 20 " 27	13.3 13.3 13.3 9.3	. 2.7 1.3	10 10 10 7 1 .	3 . . 1	. . 1 2	. 2 1 1	1 . . .	1 1 .	. 1
Population in 1914 (Est.) 39,155.	July 4 " 11	16.0 17.3	2.7 1.3	12 13	1 1	1 1	2 .	2 1	2 2	1 2	2 2	. .	. 1	
Pembroke Urban District.	June 6 " 13 " 20 " 27	13.8 8.6 13.8 8.6	. . . 1.7	8 5 8 5 1 1	1 . 1 1	1 1 1	. . 1	1 .
Population in 1914 (Est.) 30,240	July 4 " 11	12.1 6.9	. .	7 4	1 1	. .	1 .	. .	1	1 .	
Blackrock Urban District.	June 6 " 13 " 20 " 27	. 17.0 22.7 11.3 3 4 2 1 1	
Population in 1914 (Est.) 9,197.	July 4 " 11	34.0 11.3	. .	6 2	2 .	. 1	1	1 .	
Kingstown Urban District.	June 6 " 13 " 20 " 27	9.2 24.6 21.5 6.2	. 3.1 .	3 8 7 2	. 1 1 1 1	. . 1 1	
Population in 1911 16,941.	July 4 " 11	9.2 .	3.1 .	3 3	1	1 1	1	
Belfast.	June 6 " 13 " 20 " 27	16.6 16.9 17.1 17.5	1.3 2.5 3.3 2.2	127 129 131 134	. . 2	1 4 8 5	1 2 8 2	4 7 8 4	2 . 1	19 17 21 21	8 3 6 5	8 4 5 9	13 10 6 10	11 12 10 10	1 5 6 5	1 1 2 .	1 3 1 2	
Population in 1914 (Est.) 399,000.	July 4 " 11	17.0 .	3.5 2.5	130 130	9 6	2 5	7 2 1	13 14	7 7	9 11	4 7	9 11	7 5	. .	2 2	
Cork.	June 6 " 13 " 20 " 27	15.0 21.1 19.0 12.9	0.7 1.4 2.7 2.0	22 31 28 19 1 1 1 2	4 6 3 2	2 2 .	1 3 .	1 3 2	1 3 2	1 1	
Population in 1911 76,673.	July 4 " 11	20.4 15.6	3.4 1.4	30 23	. 1	1 1	3 3	1 1	2 3	2 3	. .	2 .	. .	3 .	
Londonderry.	June 6 " 13 " 20 " 27	14.0 10.1 11.4 10.1	11 8 9 8	1 1 1 .	1 . 1 .	. 1 2 .	2 1 .	1 2	
Population in 1914 (Est.) 41,100.	July 4 " 11	14.0 26.6	1.3 2.5	11 21	1 2	. 1	. 1	. .	1 3	2	
Limerick.	June 6 " 13 " 20 " 27	17.6 23.0 23.0 12.2	. 1.4 .	13 17 17 9	. . . 1	1	3 1 1 3	. 2 .	. . 1 .	. 3 .	2 6	
Population in 1911 38,518.	July 4 " 11	20.3 12.2	. .	15 9	2 3	. .	. 1	. 2	1 1	2 .	
Waterford.	June 6 " 13 " 20 " 27	19.0 13.3 30.4 13.3	1.9 . . .	10 7 16 7	1	1 4 5 2	3 . . .	1 . 1 .	1 1 .	1 1	
Population in 1911 27,464.	July 4 " 11	9.5 17.1	. .	5 9	1 3	2 .	1 .	. 2	

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 11th July, 1914. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted, with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	AGES AT DEATH.											DEATHS FROM											Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																												
				Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from						Total Number of DEATHS.					DISEASES OF THE RESPIRATORY SYSTEM.																																									
				All Causes.		Certain Epi- demic Diseases,†								TUBER- CULOSIS.		Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.																																	
				(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)									(15)	(16)				(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)														
City of Belfast.																																																								
BELFAST URBAN No. 1 District,	15,879	22	29.6	3.3	9	3	3	3	2	2	1	.	.	.	1	.	.	.	1	.	2	1	1	2	.	.	.	1	3	1	.																									
Do. 2 do.	49,500	30	17.9	1.1	17	3	3	3	4	5	3	.	.	1	1	.	.	.	2	1	1	1	2	.	.	.	1	4	4	1	.																									
Do. 3 do.	50,032	27	15.6	3.1	15	3	3	2	1	4	1	.	.	1	1	1	.	.	.	1	1	1	2	1	.	.	1	5	5	1	.																									
Do. 4 do.	32,637	19	22.4	3.2	14	2	2	3	3	2	2	1	.	.	1	1	1	2	2	1	.	.	1	1	4	4	1																									
Do. 5 do.	16,112	9	35.6	.	11	1	1	2	1	5	2	2	1	1	1	2	.	1	.	1	1	1	1	1																									
Do. 6 do.	87,293	16	9.8	.	7	1	1	.	2	1	3	.	.																									
Do. 7 do.	2,681	1	8.7	.	1	1																									
Do. 8 do.	5,964	3	8.7	.	1	1																									
Do. 9 do.	24,427	7	12.8	2.1	6	2	1	1	1	.	1	.	.	1	1	1	1	2	1	.	1	1																									
Do. 10 do.	28,958	30	28.8	7.2	16	3	5	3	3	.	2	.	.	3	1	2	2	1																									
Do. 11 do.	39,311	23	13.3	1.3	10	2	2	1	2	1	2	1	1	1																									
Do. 12 do.	38,076	30	13.7	2.7	10	2	1	3	.	3	1	.	.	1	1	3	.	.	.	1																									
Do. 13 do.	23,233	10	11.2	2.2	5	1	1	.	.	2	1																									
Do. 14 do.	175	10	20.7	6.9	9	2	3	.	1	2	1	1	.	1	1	1	2																									
Do. 15 do.	22,669	10	20.7	6.9	9	2	3	.	1	2	1	1	.	1	1	1	2																									
Total,	386,947	237	17.0	2.5	130	26	19	21	18	28	18	.	.	6	5	2	1	.	14	7	11	7	11	5	.	2	4	30	2	.	.																									
City of Cork.																																																								
CORK URBAN No. 1 District,	13,455	4	7.8	5.0	2	1	1	2	1	1	2	1	1	1	1	1	1																									
Do. 2 do.	10,399	7	30.1	5.3	6	1	1	1	1	1	1	1	.	.	.	1	1	1	1	1	1	1	.																									
Do. 3 do.	9,793	9	10.6	.	2	2	2	1	1	2	1	1	.	.	.	1	1	1	1	1	2	2	.																									
Do. 4 do.	9,139	3	22.8	.	4																								
Do. 5 do.	6,250	3	16.7	.	2																								
Do. 6 do.	11,581	8	13.5	.	3	.	1	1	1	1	1	1	.	1	1	1	2	2	.																									
Do. 7 do.	16,056	9	13.0	.	4	2	1	.	.	1	1	1	.	1	1	1	1	1	.																									
Total,	76,673	43	15.6	1.4	23	4	2	3	3	3	8	1	.	.	.	1	.	.	3	1	3	3	6	.	.																									

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1914.—WEEK ENDING																									
	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.
No. of weeks in Annual Series,	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
BIRTHS registered, ...	254	208	215	187	224	210	203	217	222	196	244	243	163	219	255	198	222	245	238	262	191	198	233	227	219	237
DEATHS registered, ...	174	182	197	164	142	144	153	140	146	163	150	136	142	162	179	139	116	135	137	115	127	129	131	134	130	130
Annual Death-rate per 1,000 of estimated population, ...	22.7	23.8	25.7	21.4	18.6	18.8	20.0	18.3	19.1	21.3	19.6	17.8	18.6	21.2	23.4	18.2	15.2	17.6	17.9	15.0	16.6	16.9	17.1	17.5	17.0	17.0
Ages, { Under 1 year, 1—5 years, 5—25 " 25—45 " 45—65 " 65 and upwards,	24	43	45	33	28	25	28	28	28	32	23	28	29	29	45	29	21	21	17	23	19	22	24	27	25	26
	24	22	21	16	20	10	16	15	16	21	27	9	18	22	21	18	10	21	16	18	13	21	22	18	18	19
	14	24	13	18	15	12	18	14	10	19	13	16	11	17	20	21	13	18	20	16	18	17	21	15	18	21
	30	23	34	24	26	21	29	27	34	26	21	24	20	25	25	27	19	23	29	19	22	25	21	23	24	18
	36	35	41	37	31	42	32	33	23	30	28	30	30	31	33	25	28	32	28	28	32	26	31	37	28	28
	46	35	43	36	22	34	30	23	30	35	33	29	34	38	32	19	25	20	27	11	23	18	12	14	17	18
Deaths from:—																										
Enteric Fever, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhus, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...	10	2	3	7	6	1	6	3	3	3	2	2	3	5	6	1	1	2	5	4	1	2	8	2	2	5
Whooping-cough, ...	1	5	1	2	6	1	4	5	2	7	5	3	6	9	8	3	3	5	5	7	4	7	4	4	7	2
Diphtheria, ...	2	1	1	1	1	2	1	1	2	1	1	2	1	1	1	1	1	1	1	1	2	1	1	1	1	1
Dysentery, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis, { Pulmonary, ...	17	15	12	14	21	17	31	14	15	16	14	10	12	11	32	18	19	20	21	15	19	17	21	21	13	14
Other Forms, {	5	6	3	7	4	4	8	6	5	6	7	5	4	13	4	4	10	12	7	4	8	3	6	5	7	7
Cancer, ...	8	6	10	8	9	9	4	4	3	7	3	5	9	4	5	6	5	8	7	3	8	4	5	5	9	11
Diseases of Respi- { Pneumonia, ...	23	29	26	21	13	14	15	16	12	9	15	6	19	12	22	8	9	14	13	10	13	10	6	10	4	7
ratory System, { Others, ...	27	26	45	32	23	18	18	21	15	31	20	23	9	27	15	17	11	16	14	12	11	12	10	10	9	11
Diarrhoea and Enteritis, under 2 years, ...	3	1	2	3	1	1	4	7	8	3	2	1	4	2	2	4	3	3	2	4	1	5	6	5	7	5
Diarrhoea, 2 years and upwards, ...	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2
Violent Deaths, ...	1	6	4	3	2	3	4	2	1	2	2	1	3	3	1	2	1	2	2	3	1	3	1	1	1	2
Number of Uncertified Deaths, ...	4	3	2	1	4	1	3	1	1	1	1	3	1	3	4	1	2	1	1	3	4	1	3	1	3	2
Mean Temperature of the Air in degrees.	38.7	38.4	44.1	48.1	41.2	41.0	41.1	44.3	39.9	40.8	41.0	49.7	47.1	43.5	52.7	48.2	48.2	47.5	54.9	50.0	52.2	54.2	61.5	55.8	59.0	58.8
Rainfall, in inches, ...	0.00	0.28	0.55	0.32	0.72	0.93	0.82	0.92	1.40	0.65	0.07	0.78	1.00	0.34	0.12	0.00	1.82	0.16	0.11	0.12	0.08	0.49	0.18	0.45	0.20	0.48

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	July 11,	2,225	921	10·6	4	.	47	5	18	4	21
EDINBURGH, ...	321,900	„ 11,	161	97	15·7	1
GLASGOW, ...	1,047,000	„ 11,	536	283	14·1	2	.	6	2	9	2	6
CALCUTTA, ...	896,067	„ 6,	.	424 ^c	24·6	5	28	.	.	.	1†	12‡
BOMBAY, ...	979,445	„ 6,	311	606	32·2	112*	4	4	.	.	.	61‡ ^a
MADRAS, ...	518,660	„ 6,	356	398	39·9	65*	2	.	?	?	?	126‡ ^a
CAIRO, ...	721,337	May 20,	545	656	47·4	17	15	6	1	?	2†	155
PARIS, ...	2,847,229	June 27,	957	829	14·9	8	.	15	2	3	3†	28
BRUSSELS, ...	780,843	„ 20,	250	183	12·1	.	.	.	1	.	2	7
ANTWERP, ...	313,833	„ 20,	95	53	8·8	1	4
AMSTERDAM, ...	597,723	„ 20,	272	126	10·9	.	.	5	.	3	.	3
COPENHAGEN, ...	483,000	„ 20,	254	173	18·7	.	.	3	.	.	1†	6 ^a
STOCKHOLM, ...	382,085	„ 20,	145	100	13·6	1	2
CHRISTIANIA, ...	251,446	„ 27,	93	72	14·9	.	.	.	1	2	.	5 ^a
ST. PETERSBURG, ...	1,728,200	„ 6,	713	668	20·2	9	1	42	12	6	5	46
MOSCOW, ...	1,694,000	May 30,	.	768	23·6	5	1	49	13	6	15	76 ^a
BERLIN, ...	2,072,258	June 13,	.	499	12·5	1	.	17	1	4	8	23
HAMBURG, ...	1,030,983	„ 20,	.	244	12·3	.	.	1	1	2	7	9 ^a
BRESLAU, ...	544,895	„ 20,	.	187	17·9	1	.	3	.	2	3	24 ^a
MUNICH, ...	640,000	„ 20,	.	175	14·3	.	.	3	1	2	.	9 ^a
VIENNA (with suburbs),	2,149,834	„ 20,	636	603	14·6	2	.	8	4	1	7†	29
BUDA-PESTH, ...	950,784	„ 20,	457	311	17·0	1	.	5	4	4	2†	19
PRAGUE and Fanbourg, ...	498,499	May 23,	178	171	17·9	.	.	5	5	2	3†	7
TRIESTE, ...	244,655	June 6,	115	96	20·5	.	.	4	.	.	3†	2
ROME, ...	591,943	Dec. 6,
NEW YORK, ...	5,583,871	May 23,
PHILADELPHIA, ...	1,657,815	Apr. 4,
BOSTON, ...	750,768	June 20,	.	223 ^b	15·5	1	.	2	.	1	2	8 ^a

* Deaths from "fever," including 7 from enteric fever and 58 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Not including 15 deaths from cholera in Calcutta, but including 6 in Bombay and 3 in Madras.

^a Deaths from diarrhoeal diseases at all ages.

^b Corrected figures, i.e., non-residents deducted, 191 (including 7 deaths from diarrhoeal diseases), rate 13·3 per thousand.

^c Including 15 deaths from plague.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th July, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	...	1	1	.	.	.	6	8
" " 1, West,	...	1	.	.	1	.	.	.	2	.	.	.	5	9
" " 2,	1	.	.	1	6	8
" " 3,	...	2	.	.	1	3	6
Clontarf and Howth No. 1 (part of),
Coolock and Drumecondra (part of),
Finglas and Glasnevin (part of),
South City No. 1,	1	.	.	.	3	4
" " 2,	1	3	4
" " 3,	...	1	.	.	1	.	.	1	3	6
" " 4,	...	1	2	3
New Kilmainham,	...	2	1	3
Total,	...	8	.	.	5	.	.	3	4	.	.	.	31	51

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 11th July, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 11th July.			
	June 20.	June 27.	July 4.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	23	24	22	5	2	1	24
Typhus,	1	2	.	.	.	2
Small-pox,
Measles, ...	64	50	52	15	11	1	55
Scarlet Fever, ...	121	108	108	10	23	1	94*
Diphtheria, ...	41	42	36	15	11	.	40
Pneumonia, ...	27	22	16	7	3	1	19

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 11th July, 1914:—

"Changeable, summer weather was prevalent in this period. Areas of high atmospheric pressure were found over the extreme north of Europe in one direction, and on the Ocean near and beyond the Azores in the other direction. In the intervening region shallow depressions drifted slowly northwards across the British Isles, their progress being accompanied by falls of rain or thunder showers followed by fine, bright and warm spells. On Sunday morning a well-marked cyclonic system was centred on the Atlantic about 150 miles off the Mayo coast. A secondary shallow depression lay on St. George's Channel at the same time. The day was fine in Ireland, but rainy in many parts of Great Britain. A striking feature of the weather at the time was the torrid heat which prevailed in northern Europe—the thermometer rose on Sunday to 84° at Bodø in Norway and St. Petersburg, to 88° at Karlstad, in Sweden, and to 90° at Haparanda on the Gulf of Bothnia—the first and last of the stations named are on the Arctic Circle. Until Thursday the British Isles remained under the influence of shallow, complex depressions, but an anticyclone then spread northwards from the Continent and the weather improved. On Wednesday forenoon two torrential showers fell in Dublin, yielding .306 inch in the rain gauge. Thunder was heard as the second shower passed off. Thursday was cloudy but fine warm and dry with the exception of one slight shower in the morning. Friday and Saturday were both fine with a light to moderate easterly breeze. On the latter day temperature rose to 71·9° in Dublin. A thunderstorm occurred in Kerry on Friday. Lightning was seen at Roche's Point and thunder was heard at Liverpool. In Dublin the mean height of the barometer was 29·928 inches, the range being from 29·680 inches at 9 a.m. of Monday (wind, S.E.) to 30·196 inches at 9 p.m. of Thursday (wind, S.E.). The corrected mean temperature was 60·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 59·7°. On Saturday the screened thermometers rose to 71·9° having fallen to 50·3° on Monday. The prevailing winds were first W. and afterwards E. Rain fell on 2 days to the amount of .688 inch, of which .382 inch was recorded for Tuesday and .306 inch for Wednesday."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29.915 inches. The highest reading (30.185) was on Friday, at 9 a.m., the lowest (29.686) on Monday, at 9 a.m.

The mean temperature for the week was 60.1°, being 1.8° above the average for the corresponding period of the 10 years, 1904-1913. The temperature* was highest on Saturday, on which day the thermometer registered 73°, and was lowest on Monday, the mercury having fallen to 44°. The mean of the Dry Bulb for the week was 59.9° and of the Wet Bulb, 57.1°. The mean humidity of the air was .84, complete saturation being represented by 1.0. The rainfall during the week measured 0.455 inch.

At Greenwich the mean temperature for the week was 62.3°, the maximum 81.8°, and the minimum 45.2°; and at Edinburgh the maximum was 69.8°, the minimum 48.1°, and the mean 58.9°. The rainfall at Greenwich measured 0.64 in. There was no rainfall recorded at Edinburgh.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155.3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.			BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1.0.	Sunshine in hours and decimals.	Rain Gauge.
			Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1.0.			
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday,	July	5,	29.740	67	52	59.5	56.5	53.3	.80	.5	10.5	.000
Monday,	"	6,	29.690	66	44	55.0	58.2	54.4	.79	.5	10.6	.000
Tuesday,	"	7,	29.845	70	49	59.5	58.7	55.5	.81	.5	10.5	.200
Wednesday,	"	8,	29.920	69	56	62.5	61.2	59.1	.88	.6	4.6	.255
Thursday,	"	9,	30.070	70	50	60.0	60.1	57.5	.86	.4	4.1	.000
Friday,	"	10,	30.135	68	52	60.0	60.8	58.2	.84	.5	8.9	.000
Saturday,	"	11,	30.005	73	55	64.0	64.1	61.7	.87	.4	9.3	.000
Mean,	29.915	69.0	51.1	60.1	59.9	57.1	.84	.5	Total 58.5	Total .455

Sunday—A beautiful bright day; night clear. Monday—A beautiful bright day; night cloudy. Tuesday—A bright day, cloudy at intervals; night overcast, heavy and light rain p.m. and a.m. Wednesday—Day cloudy, bright at intervals, heavy showers a.m. and p.m.; night clear. Thursday—Day cloudy, bright at intervals; night clear. Friday—A beautiful bright day; night cloudy. Saturday—A beautiful bright day; night clear.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 a.m. and 9 p.m.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 11th July, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.R.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.			Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall
				1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday,	July	5,	55.4	61.3	57.5	66.0	51.5	58.7	hrs. 8.5	ins. —
Monday,	"	6,	59.4	61.2	57.5	65.2	49.0	57.1	7.1	—
Tuesday,	"	7,	58.2	61.2	57.6	69.1	52.6	60.8	6.9	0.440
Wednesday,	"	8,	65.5	61.1	57.5	67.6	52.5	60.0	3.7	0.370
Thursday,	"	9,	60.2	61.2	57.6	67.0	51.3	59.1	4.2	—
Friday,	"	10,	63.8	62.0	57.7	65.1	53.9	59.5	7.6	—
Saturday,	"	11,	65.7	63.0	57.7	72.0	56.0	64.0	6.3	—
Weekly Mean,	.	.	61.2	61.6	57.6	67.4	52.4	59.9	Total 44.3	Total. 0.810

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 18TH JULY, 1914.

[No. 29.]

*General Register Office, Charlemont House,
Dublin, 20th July, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	June 27	July 4	July 11	July 18	
27 Town Districts, (a)	15·7	16·2	15·9	16·1	16·0
Dublin Reg. Area ...	15·5	16·3	15·0	17·2	16·0
Dublin City ...	17·6	16·6	16·0	19·0	17·3
Belfast ...	17·5	17·0	17·0	18·5	16·2
Cork ...	12·9	20·4	15·6	14·3	15·8
Londonderry ...	10·1	14·0	26·6	22·8	18·4
Limerick ...	12·2	20·3	12·2	19·0	15·9
Waterford ...	13·3	9·5	17·1	24·7	16·1

The deaths from certain epidemic diseases† registered in the 27 town districts during last week* were equal to an annual rate of 1·9 per 1,000. Among the 103 deaths from all causes for Belfast were one from typhus, 4 from measles, 2 from scarlet fever, 4 from whooping-cough, and 6 from diarrhoea and enteritis of children under 2 years. Included in the 21 deaths from all causes for Cork is one from whooping-cough, and one from diarrhoea and enteritis of a child under 2 years. One of the 18 deaths from all causes for Londonderry is from enteric fever. The 8 deaths recorded for Lurgan include one from measles. Three of the 6 deaths from all causes for Sligo are from measles, and the only death recorded for Bangor is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 208—109 boys and 99 girls—and the deaths to 139—74 males and 65 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·2 per 1,000 of the population. During the twenty-nine weeks, ending with Saturday last, the death-rate averaged 22·3, and was 0·2 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 139, represent an annual rate of 17·9 per 1,000; the annual rate for the past twenty-nine weeks was 23·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·7 per 1,000 of the mean population for all deaths registered.

The total includes one death from paratyphoid fever, 6 deaths from measles, 3 from scarlet fever, 2 from diphtheria, and 6 from diarrhoea and enteritis of children under 2 years of age. In each of the 3 weeks preceding deaths from enteric fever were one, one, and 2; deaths from measles were 3, 2, and 4; deaths from scarlet fever were 0, 0, and 0; deaths from diphtheria were one, 3, and 0; and deaths from diarrhoea and enteritis of children under 2 years were 4, 4, and 4.

Of 24* deaths from tuberculous disease, 16 were attributed to pulmonary tuberculosis, 4 to tuberculous meningitis, and 4 to other forms of the disease. In the 3 preceding weeks deaths from all forms of tuberculous disease were 24, 30, and 23 respectively.

Cancer caused the deaths of 7 persons.

There were 4 deaths from convulsions, 3 being infants under one year, and one was aged 3 years and 9 months; there was one death of an infant from congenital malformation, and 9 deaths of infants from prematurity.

Three deaths were from broncho-pneumonia, 2 from lobar pneumonia, and 7 from pneumonia (type not distinguished).

Organic diseases of the heart caused 12 deaths including one death from acute endocarditis.

There were 5 deaths from bronchitis.

Of 5 deaths attributed to accident or negligence, one was by drowning, one was of an infant by suffocation in bed, and one was by a tram car.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old, and the death of one person aged 68 years.

Forty-four of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 14 were under one month old), and 23 were aged 65 years and upwards, including 16 persons aged 70 and upwards; among the latter were 9 aged 75 and upwards.

Sixty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·2 per 1,000; the rate in the City was 19·0 (North City Districts, 16·1; South, 22·2) and in the Suburbs 11·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·7 (in the North City Districts 2·2, and in the South 3·2), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·8 per 1,000. They include one death from measles, one from scarlet fever, one from pulmonary tuberculosis, one from pneumonia, and one of a child under 2 years of age from diarrhoea and enteritis.

No. 1 North City District, West (Summer-hill).—The deaths (16) are equal to an annual rate of 20·2 per 1,000. One death from measles, 3 deaths from pulmonary tuberculosis, one from pneumonia, one from bronchitis, and one from diarrhoea and enteritis (a child under 2 years of age) were recorded.

No. 2 North City District (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 31·8 per 1,000. Included in these are 7 deaths from tuberculosis, one from broncho-pneumonia, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (9) represent an annual rate of 13·2 per 1,000. There was one death from measles, one from pulmonary tuberculosis, one of a child under 2 years of age from diarrhoea and enteritis, and 2 accidental deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 3·8 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 0·0.

No. 1 South City District (South Earl-street).—The deaths (13) represent an annual rate of 20·5 per 1,000. Among them are 2 deaths from measles, 2 from tuberculosis, 2 from bronchitis, and one of a child under 2 years of age from diarrhoea and enteritis.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 22·7 per 1,000, and include one from measles, 2 from tuberculosis, 2 from pneumonia, and one accidental death.

No. 3 South City District (Peter-street).—The deaths (18) are equal to an annual rate of 21·6 per 1,000. One death from diphtheria, 4 from pulmonary tuberculosis, one from bronchitis, 2 from diarrhoea and enteritis (children under 2 years of age), and one accidental death, were recorded.

No. 4 South City District (Grand Canal Street).—The deaths (17) are equivalent to an annual rate of 26·7 per 1,000. Included in these are one death from scarlet fever, 2 from tuberculosis, and 3 from pneumonia.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·9 per 1,000. One death was caused by paratyphoid fever and one by broncho-pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 6·7; Pembroke, 10·3; Blackrock, 17·0; and Kingstown, 21·5. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diphtheria for Pembroke and one from scarlet fever for Kingstown. One of the 5 deaths from all causes for Rathmines and Rathgar is from lobar pneumonia. Included in the 6 deaths from all causes for Pembroke is one from pulmonary tuberculosis. One of the 3 deaths from all causes for Blackrock is from lobar pneumonia; and one of the 7 deaths from all causes for Kingstown is from bronchitis.

ENGLAND AND SCOTLAND

The mortality last week in 97 large English towns (including London, in which the rate was 11·8), was equal to an average annual death-rate of 11·6 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 12·7 per 1,000, the rate for Glasgow being 12·8, and for Edinburgh 11·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 18th July. From this Report it appears that of a total of 71 cases notified, 39 were scarlet fever, 23 phthisis, 4 diphtheria, 3 of enteric fever, one erysipelas, and one puerperal fever. Among the 522 cases of infectious diseases in hospital at the close of the week were 241 cases of scarlet fever, 195 of phthisis, 56 of diphtheria, 6 of erysipelas, 5 of measles, 4 of enteric fever, 3 of puerperal fever, and 2 of whooping-cough.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 18th July, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	June. 27,	.	—	—	8	1	.	13	.	.	1	2	.	—	—	.	—	.	28	53
	July. 4,	.	—	—	2	.	.	5	.	.	2	2	.	—	—	.	—	.	40	51
	July. 11,	.	—	—	8	.	.	5	.	.	3	4	.	—	—	.	—	.	31	51
	July. 18,	.	—	—	9	.	.	2	.	.	11	1	.	—	—	.	—	.	48	71
Rathmines and Rathgar Urban District.	June. 27,	.	—	—	.	.	.	2	—	—	—	—	—	—	2
	July. 4,	.	—	—	.	.	.	1	—	—	—	—	—	—	1
	July. 11,	.	—	—	.	.	.	3	.	.	2	2	.	—	—	—	—	—	—	7
	July. 18,	.	—	—	2	5	1	.	—	—	—	—	—	—	8
Pembroke Urban District.	June. 27,	.	1	3	—	—	—	—	—	3	4
	July. 4,	.	.	.	3	.	.	3	—	—	—	—	—	—	9
	July. 11,	.	5	.	1	.	.	2	—	—	—	—	—	—	8
	July. 18,	3	.	.	1	.	.	—	—	—	—	—	—	4
Blackrock Urban District.	June. 27,	.	2	—	—	—	—	—	—	—	2
	July. 4,	.	1	—	.	.	.	1	—	—	—	—	—	—	2
	July. 11,	.	.	—	—	—	—	—	—	—	.
	July. 18,	.	.	—	1	—	—	—	—	—	—	1
Kingstown Urban District.	June. 27,	.	—	—	—	—	—	—	—	—	.
	July. 4,	.	—	—	—	—	—	—	—	—	.
	July. 11,	.	—	—	—	—	—	—	—	—	.
	July. 18,	.	—	—	—	—	—	—	—	—	.
City of Belfast.	June. 27,	.	—	—	28	.	.	3	.	.	2	2	.	—	—	—	—	.	9	35
	July. 4,	.	—	—	28	.	.	6	.	.	1	.	1	—	—	—	—	.	—	45
	July. 11,	.	—	—	20	1	.	6	.	.	.	4	.	—	—	—	—	.	2	33
	July. 18,	.	—	—	19	1	.	4	.	.	4	2	.	—	—	—	—	.	1	31
City of Cork.	June. 27,	.	9	—	2	.	.	.	1	—	—	—	—	—	—	12
	July. 4,	.	3	—	4	.	.	.	1	2	1	1	.	—	—	—	—	—	—	12a
	July. 11,	.	1	—	2	1	.	—	—	—	—	—	—	4b
	July. 18,	.	3	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	6c
City of Londonderry.	June. 27,	.	—	—	4	—	—	—	—	—	—	4
	July. 4,	.	—	—	—	—	—	—	—	—	.
	July. 11,	.	—	—	.	.	.	2	.	.	1	.	.	—	—	—	—	—	—	3
	July. 18,	.	—	—	—	—	—	—	—	—	.
City of Limerick.	June. 27,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	July. 4,	.	—	—	1	—	—	—	—	—	—	1
	July. 11,	.	—	—	2	—	—	—	—	—	—	2
	July. 18,	.	—	—	1	—	—	—	—	—	—	1
City of Waterford.	June. 27,	.	—	—	—	—	—	—	—	2	2
	July. 4,	.	—	—	—	—	—	—	—	—	.
	July. 11,	.	—	—	—	—	—	—	—	1	.
	July. 18,	.	—	—	—	—	—	—	—	—	1

a Not including 4 cases of choleraic diarrhoea.

b Not including 9 cases of choleraic diarrhoea.

c Not including 14 cases of choleraic diarrhoea.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th July, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Twenty-two cases of enteric fever were admitted to hospital during the week, 7 were discharged, and 40 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 24, 22, and 24.

One case of typhus remained under treatment in hospital at the close of the week

Twenty cases of measles were admitted to hospital, 20 were discharged, and 55 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 50, 52, and 55, respectively.

Fifteen cases of scarlet fever were admitted to hospital, 16 were discharged, there was one death, and 92* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 108, 108, and 94, respectively.

Six cases of diphtheria were admitted to hospital during the week, 4 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 42, 36, and 40 respectively, were 40 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 4 were discharged, there was one death, and 18 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 18th of July, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.									
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	.
Typhus,
Small-pox,	1	1	.	1	.	.	2	1	6	.
Measles,	1	1	1	8	.
Scarlet Fever,
Whooping-cough,
Diphtheria,	1	.	.	1	.	.	.	2	.
Croup,
Influenza,
Dysentery,
Tuberculosis, { Pulmonary,	1	3	2	1	.	.	1	1	4	1	.	.	1	.	.	.	15	1
Other Forms,	.	.	5	.	.	.	1	1	.	1	8	.
Cancer,	.	.	1	.	.	.	2	1	2	.	.	1	7	.
Diseases of Nervous System,	2	2	1	2	.	.	1	.	2	.	1	2	1	.	.	.	14	.
Organs of Special Sense,	1	1	.
Circulatory System,	1	.	1	2	.	.	4	1	1	1	.	.	1	2	1	.	15	.
Respiratory System, { Pneumonia,	1	1	1	.	.	.	2	2	.	3	1	1	.	1	.	.	11	1
Others,	.	1	2	.	1	1	.	5	.
Diarrhoea and Enteritis, under 2 years,	1	1	.	1	.	.	1	.	2	6	.
Digestive System, { Diarrhoea, 2 years and upwards,
Enteritis, 2 years and upwards,
Others,	.	1	.	.	.	1	1	.	.	1	.	1	1	.	1	.	7	1
Genito-urinary System,	.	.	1	1	1	3	.
Puerperal Septicæmia, etc.,
Other Causes incident to Pregnancy and Childbirth,
Diseases of the Skin and Cellular Tissue,	1
Locomotor System,
Other specified Causes,	.	3	4	3	6	.	.	1	.	2	.	19	1
Violent Deaths,	.	.	1	2	.	.	.	1	1	5	.
Ill-defined, &c. Causes,	.	3	2	1	.	6	.
Deaths from All Causes	8	16	17	9	.	1	.	16	8	18	17	3	5	6	3	7	134	5
Annual Rate of Mortality from All Causes in every 1,000 of the population.	13·8	20·2	31·8	13·2	.	3·8	.	20·5	22·7	21·6	26·7	15·9	6·7	10·3	17·0	21·5	17·2	.
	16·1							22·2							11·5			
	19·0																	
Ages at Death. { Under 1 year,	1	3	7	1	.	.	.	1	1	3	4	2	.	1	.	2	26	1
1 and under 2 years,	.	.	1	1	.	.	.	3	1	.	1	.	.	1	1	.	8	.
2 " 5 "	2	1	1	1	.	.	.	2	1	8	1
5 " 15 "	.	1	.	1	1	2	2	2	9	.
15 " 25 "	1	.	.	1	.	1	3	.
25 " 45 "	2	5	2	2	.	.	.	5	1	2	5	1	2	.	.	.	27	2
45 " 65 "	3	4	4	3	.	.	.	3	2	5	2	.	2	1	1	.	30	1
65 and upwards,	.	2	2	.	.	1	.	2	1	6	2	.	1	2	2	2	23	.
Number of Uncertified Deaths,	.	1	1	1	.	2	1	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	7	4	4	.	.	.	2	.	4	8	1	1	2	.	1	36	3
Workhouse Hospitals,	3	2	3	2	.	.	.	5	3	7	.	.	.	1	.	.	26	2

TWENTY-NINTH WEEK, ending Saturday, 18th July, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 29th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 18th July, 1914.												
	July 23, 1904.	July 22, 1905.	July 21, 1906.	July 20, 1907.	July 18, 1908.	July 24, 1909.	July 23, 1910.	July 22, 1911.	July 20, 1912.	July 19, 1913.		Deaths of Persons of the Ages of												
												0-5.												
Mean Temperature	59.3	61.9	59.0	63.8	57.3	59.4	56.9	62.9	58.0	59.4	59.8	61.1	Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.		
Diseases of the Pharynx, Ton-	1	1	.	.2	
sillitis.	
Diseases of Stomach, ...	—	—	—	—	—	—	—	1	4	4	—	2	1	1	
Diarrhoea and Enteritis of	7	22	7	2	17	9	9	11	7	11	10.5	6	2	3	1	
Children under 2 years.																								
Diarrhoea 2 years and upwards,																								
Enteritis 2 years and upwards	—	—	—	—	—	—	—	1	.	1	—	
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	.	1	.	—	
Hernia and Intestinal Ob-	—	—	—	—	—	—	—	3	1	.	—	2	1	1	.	.	.	
structions.	2	.	.	1	.	1	1	.	1	1	.7	1	1	.	.	.	
Cirrhosis of Liver, ...	2	2	2	.	.	.	18	
Other Diseases of Liver,	11	
Peritonitis (cause unknown),	5	9	2	6	2	6	4	2	1	1	3.8	3	2	1	.	.	.	
Other Diseases of Digestive System.	
Acute Nephritis, ...	5	5	6	6	4	4	5	1	3	1	6	1	2	1	
Chronic Bright's Disease, ...																								
Urinary Calculi, ...																								
Uterine Tumour (non-can-																								
cerous).																								
Ovarian Tumour (non-can-																								
cerous)		
Other Diseases of Genito- urinary System.	2	.	1	
Puerperal Septicæmia, &c.,	1	1	.	1	.	.	.1	
Other Causes incident to Pregnancy and Childbirth.	13	
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	1	.	.	—	1	.	.	.	1	
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	.	.	.	—	
Premature Birth, ...	3	6	6	1	4	1	4	2	3	5	3.6	9	7	2	
Congenital Debility, ...	—	—	—	—	—	—	—	3	4	3	—	
Old Age, ...	3	4	3	4	7	.	2	3	3	5	3.4	5	2	3	.	
Other Specified Diseases, ...	—	—	—	—	—	—	—	2	.	.	—	2	1	
ACCIDENT:	
Poisons or Poisonous Vapours.	.	33	
Conflagration,	1	.	1	.	.	13	
Burns and Scalds,	1	.	1	.	2	.	1	.	.	.5	1	1	
Drowning,	22	.	.	1	
Suffocation in Bed, ...	6	4	2	3	1	4	7	1	1	1	3.0	3	.	.	.	1	.	.	.	2	.	.	.	
Other Deaths by Accident, ...	6	9	2	7	1	6	8	2	1	1	4.8	5	.	1	.	1	1	.	.	2	.	.	.	
Total Deaths from Accident,	6	9	2	7	1	6	8	2	1	1	4.8	5	.	1	.	1	1	.	.	2	.	.	.	
Included in above are Deaths in connection with—	
Railways, ...	11	
Vehicles and Horses,	2	1	.	1	1	2	.	1	.	.8	1	1	.	.	.	
Ships, Boats, Docks, ...	1	11	
Building Operations,	
VIOLENCE OTHER THAN ACCIDENTAL:	
Homicide,	1	.	1	1	.3	
Suicide,	
Execution,	
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	3	4	2	—	6	1	2	1	1	1	1	

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914—WEEK ENDING																									
		Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.
No. of weeks in Annual Series,		4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
BIRTHS registered.		241	234	279	217	217	202	244	225	210	208	227	173	218	207	288	222	197	207	262	191	271	225	233	165	214	208
Average Births in corresponding week of previous 10 years, ...		215	241	214	217	204	232	222	206	215	230	214	220	221	218	264	237	214	213	244	219	210	223	245	208	208	221
DEATHS registered, ...		236	201	214	171	175	187	169	189	183	219	212	194	212	231	203	181	160	166	185	162	163	151	134	139	128	139
Annual Death-rate per 1,000, ...		30.3	25.8	27.5	22.0	22.5	24.0	21.7	24.3	23.5	28.1	27.2	24.9	27.2	29.7	26.1	23.2	20.5	21.3	23.8	20.8	20.9	19.4	17.2	17.9	16.4	17.9
Average Deaths in corresponding week of previous 10 years, ...		197	198	197	198	201	204	199	196	196	199	202	192	198	188	173	179	159	168	148	148	136	142	134	135	147	143
Ages, {	Under 5 years,	69	56	72	49	52	56	57	61	70	82	55	74	89	92	89	62	54	73	56	54	45	46	36	47	31	44
	5-15 "	7	11	8	12	8	5	14	9	7	9	12	7	11	10	6	10	7	4	12	4	9	5	5	7	6	9
	15-25 "	16	11	12	10	11	8	14	9	7	9	14	5	10	9	9	8	9	9	8	11	6	12	8	9	7	3
	25-45 "	29	30	27	23	28	27	18	30	28	35	26	27	28	33	30	27	22	22	19	28	30	23	23	22	27	7
	45-65 "	50	46	44	35	33	40	38	46	38	44	44	51	32	45	30	50	36	37	47	35	38	41	32	30	22	31
Deaths from:—	75 and upwards,	34	21	28	25	27	37	22	18	21	24	35	16	29	23	22	14	21	13	28	16	12	15	19	14	22	14
	75 and upwards,	31	26	18	17	16	14	18	18	12	16	26	14	13	19	17	10	11	8	14	14	12	9	11	10	13	9
	Enteric Fever, ...	2	.	1	1	.	1	1	.	1	.	.	1	1	.	.	.	1	.	1	1	1	1	1	1	2	1
	Typhus,
	Small-pox, ...	4	3	5	5	3	7	4	5	14	27	22	34	39	35	40	29	17	16	14	18	8	5	3	2	4	6
Deaths from:—	Measles,	1	1	2	3	2	3	2	3	3	3	3	4	2	2	2	1	1	1	2	1	1	1	1	2	3
	Scarlet Fever, ...	6	1	1	1	1	2	1	1	1	2	3	1	1	3	5	3	1	5	1	1	1	1	1	1	2	2
	Whooping-cough, ...	4	2	.	1	1	.	3	1	.	2	3	.	1	3	.	2	1	.	1	1	1	1	1	1	.	.
	Diphtheria,
	Influenza, ...	4	2	.	1	1	.	3	1	.	2	3	.	1	3	.	2	1	.	1	1	1	1	1	1	.	.
Deaths from:—	Dysentery, ...	22	25	24	25	25	23	21	26	21	21	22	28	22	25	14	22	24	21	19	27	19	13	17	21	18	16
	Pulmonary {	10	12	7	5	10	4	2	9	8	6	9	5	10	8	10	9	5	6	6	4	6	5	7	9	5	8
	Other Forms, {	9	7	10	5	5	10	9	7	7	18	6	13	8	13	9	11	11	5	12	9	13	9	8	7	8	7
	Cancer, ...	25	16	14	10	18	19	20	17	16	14	25	15	22	19	21	11	11	13	28	14	20	27	11	11	16	15
	Diseases of Circulatory System, ...	26	17	20	13	14	13	15	14	8	20	19	19	16	17	19	13	13	12	14	12	12	14	8	9	10	12
Deaths from:—	Diseases of Respi- (Pneumonia	43	32	31	25	17	30	21	34	35	34	35	30	28	20	15	17	19	17	22	13	11	8	20	10	13	5
	ratory System, { Others, ...	2 years,	5	3	5	4	2	5	5	6	4	1	2	7	3	3	1	5	7	4	2	4	7	4	4	4	6
	Diarrhoea and Enteritis, under	2 years,	9	5	3	3	4	4	1	3	2	3	1	1	6	3	2	7	5	3	6	3	3	.	6	4	5
	Diarrhoea, 2 years and upwards,	5	5	5	5	3	4	4	6	6	2	8	4	4	9	7	2	2	9	9	6	3	2	2	5	2	6
	Violent Deaths, ...	5	4	4	8	8	6	5	6	2	7	8	4	5	9	7	2	2	9	6	4	3	2	5	4	2	6
Deaths from:—	Number of Uncertified Deaths,	38.6	44.1	42.1	43.6	42.1	43.1	44.6	41.7	39.8	39.7	50.9	45.9	45.6	48.8*	44.9	49.6	49.3	55.4	48.1	52.6	52.3	57.2	56.1	59.1	60.1	61.1
	Mean Temperature of the Air	39.6	39.4	40.4	41.6	40.4	41.5	41.7	41.7	41.8	43.3	43.8	44.4	46.1	45.9	47.1	49.7	49.4	51.1	54.0	52.5	54.6	56.1	55.7	56.9	58.3	59.8
	(Phoenix Park) in degrees, ...	0.90	485	305	615	810	475	675	470	450	140	575	400	129	010	000	1.385	130	515	110	140	520	495	000	285	455	795
	Average Mean Temperature in	84	94	92	85	89	91	89	90	91	92	85	90	89	88	91	87	89	90	86	87	86	83	78	80	84	86
	corresponding week of previous	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...	10 years, ...
Rainfall in inches,
Mean Humidity of the Air, com-	
plete Saturation 1.0,

* For 6 days only.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Unce- rtified Deaths.				
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.			
													Pulmonary.	Other Forms.		Pneumonia.	Other.							
North City, No. 1 (E.) (Office Clarence St. Nth.) Population in 1914 (Est.) 30,206.	June 13 " 20 " 27 July 4 " 11 " 18	17.3 17.3 13.8 15.5 22.4 13.8	1.7 3.5 . 1.7 . 5.2	10 10 8 9 13 8	1 1 . 1 . 1 1 1 1 1 3 1	. . 1 3 1	2 . . . 2 1	. 1 2 . 1 .	. 1 1 1 1
North City, No. 1 (W.) (Office, Summer-hill.) Population in 1914 (Est.) 41,278.	June 13 " 20 " 27 July 4 " 11 " 18	24.0 11.4 15.2 24.0 16.4 20.2	2.5 . 1.3 5.1 2.5 2.5	19 9 12 19 13 16	. . . 1 1 1 1	2 1 2 1 4 3	1 1 2 1 1	4 1 1 1 . 1	1 1 1 2 1 1	2 . 1 2 1 1 1 2 . 1 1 .	. 1 1 1	
North City, No. 2. (Office, Lisburn-street.) Population in 1914 (Est.) 27,883.	June 13 " 20 " 27 July 4 " 11 " 18	16.8 24.3 18.7 20.6 20.6 31.8	1.9 1.9 . . 1.9 .	9 13 10 11 11 17	1 1 1 3 3 3 2	. 1 1 1 1 5	1 1	. . . 3 1 1 .	2 . 2 2 1 . 1 1 1 1 2 1 .	. 1 . . 1 1 1	1 1 .	
North City, No. 3. (Office, Benburb-street.) Population in 1914 (Est.) 35,536.	June 13 " 20 " 27 July 4 " 11 " 18	22.0 7.3 23.5 4.4 20.5 13.2	4.4 2.9 . . 1.5 2.9	15 5 16 3 14 9	. 1	2 1	2 . 2 2 . 1	. . 1 1 1 .	2 1 1 . 1 .	2 . 3 1 1 2 1 . . 1 1 1 .	. 1 . . . 1 1 2	1 . 1 . . 2	
Clontarf and Howth No. 1 (part of). Population in 1914 (Est.) 5,485.	June 13 " 20 " 27 July 4 " 11 " 18	9.5 19.0 9.5 . 38.0 9.5 .	1 2 1 . 4 1	1 1 1 1 .	. 1 . . . 1 1	
Coolock and Drumcondra (part of). Population in 1914 (Est.) 13,685.	June 13 " 20 " 27 July 4 " 11 " 18	. 15.2 19.1 3.8 3.8 3.8 4 5 1 1 1 2 2 1 1	
Finglas and Glasnevin (part of). Population in 1914 (Est.) 10,723.	June 13 " 20 " 27 July 4 " 11 " 18	19.5 9.7 4.9 14.6 19.5 4.9 4.9 .	4 2 1 3 4 1	1 1	1 . 1 1 1	
South City, No. 1. (Office, St. Earl-street.) Population in 1914 (Est.) 40,768.	June 13 " 20 " 27 July 4 " 11 " 18	19.2 25.6 19.2 6.4 15.3 20.5	3.8 3.8 5.1 . 2.6 3.8	15 20 15 5 12 16	2 3 2 . 1 2 1 2 2 2 1 1	1 2 . . . 1	2 2	1 1	3 1 1 . 3 2	1 1 1 . 1 1 1 1 1	
South City, No. 2. (Office, Castle-street.) Population in 1914 (Est.) 18,341.	June 13 " 20 " 27 July 4 " 11 " 18	11.4 8.5 25.6 28.4 5.7 22.7	. . 5.7 2.8 2.8 2.8	4 3 9 10 2 8	. . 1 1 . . 1 1 1 2 2 1 1 1 1	. 1 1 1 1 2	. . . 1 . 2	. . 1 1 1		
South City, No. 3. (Office, Peter-street.) Population in 1914 (Est.) 43,540.	June 13 " 20 " 27 July 4 " 11 " 18	26.3 32.3 19.2 27.5 15.6 21.6	2.4 2.4 . . . 3.6	22 27 16 23 13 18	2 1	4 3 2 6 4 4	1 . . 1 . .	4 2 1 1 1 2	2 2 2 4 1 .	2 3 3 4 3 1	. 1 . . . 2	. . 1 1 1 . . . 1 .	1 . 1 . 1 2		
South City, No. 4. (Office, Grand Canal-st.) Population in 1914 (Est.) 33,171.	June 13 " 20 " 27 July 4 " 11 " 18	25.2 14.1 14.1 17.3 11.0 26.7	. 3.1 1.6 1.6 1.6 1.6	16 9 9 11 7 17 1 1 1	3 2 1 1 1 1	2 . 1 . . 1	1 . . 1 . . 3 2 1 . 2 .	. . 1 1 2 1 1 1	1 . . 1 . .		
New Kilmainham. Population in 1914 (Est.) 9,851.	June 13 " 20 " 27 July 4 " 11 " 18	15.9 21.2 15.9 21.2 5.3 15.9 5.3	3 4 3 4 1 3 1	1 . . . 1 .	. . 1 1 . .	. 1 1 . . 1 .	. 1 1	1 1 1 1		

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncer- tified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 5 years of age.	Diarrhoea, 2 years of age and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District.	June 13 " 20 " 27 July 4	13.3 13.3 9.3 16.0	2.7 1.3 . 2.7	10 10 7 12 1	1 1 1 2	. . 1 2	2 . 1 1	. . . 2	1 1 . 1	
Population in 1914 (Est.) 39,155.	" 11 " 18	17.3 6.7	1.3 .	13 5	1 1 1	. 1 . .	2 1	1 .	
Pembroke Urban District.	June 13 " 20 " 27 July 4	8.6 13.8 8.6 12.1	. . 1.7 .	5 8 5 7 1 . 1	. . 1 .	. 1 1 1	
Population in 1914 (Est.) 30,240	" 11 " 18	6.9 10.3	. 1.7	4 6	1 .	. .	1 1 1	
Blackrock Urban District.	June 13 " 20 " 27 July 4	17.0 22.7 11.3 34.0	3 4 2 6	1 . 1 2 1 1	
Population in 1914 (Est.) 9,197.	" 11 " 18	11.3 17.0	. .	2 3	1	1	1 .	
Kingstown Urban District.	June 13 " 20 " 27 July 4	24.6 21.5 6.2 9.2	3.1 . . .	8 7 2 3	1	1 1 1 1	. . 1	1 . . .	
Population in 1911 16,941.	" 11 " 18	9.2 21.5	3.1 3.1	3 7	1 1	. 1	1 .	
Belfast.	June 13 " 20 " 27 July 4	16.9 17.1 17.5 17.0	2.5 3.3 2.2 3.5	129 131 134 130	. 2	4 8 5 9	2 8 2 2	7 . 4 7	. 1 1	17 21 21 13	3 6 5 7	4 5 5 11	10 6 10 4	12 10 10 9	5 6 5 7	1 . 1 2	3 1 . 2	
Population in 1914 (Est.) 399,000.	" 11 " 18	17.0 13.5	2.5 2.2	130 103	. .	1 .	. .	6 4	5 2	2 4	1 .	. .	14 10	7 3	7 7	11 8	7 5	11 6	
Cork.	June 13 " 20 " 27 July 4	21.1 19.0 12.9 20.4	1.4 2.7 2.0 3.4	31 28 19 30 1	1 3 1 2	. . 1	6 3 2 3	2 . 2 1	3 . . 2	3 2 2 2	3 2 1 2	1 1 . 2 1 . .	
Population in 1911 76,673.	" 11 " 18	15.6 14.3	1.4 1.4	23 24	1	1	3 4	1 .	3 .	3 1	3 1	1 1	
Londonderry.	June 13 " 20 " 27 July 4	10.1 11.4 10.1 14.0	. . . 1.3	8 9 8 11 1	1 1 1 2	. 1 . 1	1 2 1 1	1 . . .	2 . 1 3	. . . 2 1 . .	
Population in 1914 (Est.) 41,100.	" 11 " 18	26.6 22.8	2.5 1.3	21 18	. 1	2 3	1 2	1 1	. .	3 1	1 .	
Limerick.	June 13 " 20 " 27 July 4	23.0 23.0 12.2 20.3	1.4 . 1.4 .	17 17 9 15	. . 1	1 1 1 3	. 2 . .	. 1 . .	. 3 . .	6 . . 2	. . . 1	
Population in 1911 38,518.	" 11 " 18	12.2 19.0	. .	9 14	2 1	. 4	1 3	. .	1 1	2 1	
Waterford.	June 13 " 20 " 27 July 4	13.3 30.4 13.3 9.5	7 16 7 5	4 5 2 1	1 . 1 .	. 1 . .	1	
Population in 1911 27,464.	" 11 " 18	17.1 24.7	. 1.9	9 13	3 .	2 .	1 .	. .	2 1	. 1	. .	1 3	

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 18th July, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	AGES AT DEATH.											DEATHS FROM										No. of Deaths in Public Institutions.	Inquest Cases.	Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				Under 1 year.						5 and under 25 years.					25 and under 45 years.					45 and under 65 years.								65 years and upwards.					Typhus.	Small-pox.	Measles.	Scarlet fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other forms.	TUBER- CULOSIS.	DISEASES OF THE RESPIRATORY SYSTEM.		Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
				All Causes.	Certain Epi- demic Diseases,†	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from				Total Number of DEATHS.	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)				(20)	(21)	(22)	(23)	(24)											(25)	(26)							(27)	(28)	(29)	(30)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
						(1)	(2)	(3)	(4)																																														(5)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
City of Belfast.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year. † See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

Belfast.	1914—WEEK ENDING																									
	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.
No. of weeks in Annual Series,	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Deaths registered, ...	208	215	187	224	210	203	217	222	196	244	243	163	219	255	198	222	245	238	262	191	198	233	227	219	237	190
Deaths registered, ...	182	197	164	142	144	153	140	146	163	150	136	142	162	179	139	116	135	137	115	127	129	131	134	130	130	103
Annual Death-rate per 1,000 of estimated population, ...	23.8	25.7	21.4	18.6	18.3	20.0	18.3	19.1	21.3	19.6	17.8	18.6	21.2	23.4	18.2	15.2	17.6	17.9	15.0	16.6	16.9	17.1	17.5	17.0	17.0	13.5
Ages, { Under 1 year, 1—5 years, 5—25 " 25—45 " 45—65 " 65 and upwards,	43	45	33	28	25	28	28	28	32	23	23	29	29	45	29	21	21	17	23	19	22	24	27	25	26	25
	22	21	16	20	10	16	15	16	21	27	9	18	22	21	18	10	21	16	18	13	21	22	18	18	19	10
	24	13	18	15	12	18	14	10	19	13	16	11	17	20	21	13	18	20	16	18	17	21	15	18	21	9
	23	34	24	26	21	29	27	34	26	21	24	20	25	25	27	19	23	29	19	22	25	21	23	24	18	20
	35	41	37	31	42	32	33	28	30	23	30	30	31	36	25	28	32	28	23	32	26	31	37	28	28	19
Deaths from :—	35	43	36	22	34	30	23	30	35	33	29	34	38	32	19	25	20	27	11	23	18	12	14	17	18	20
Enteric Fever, ...	1	.	1	1	2
Typhus,	1	5	1
Small-pox,
Measles, ...	1	1	2	2	1	3	1	3	1	3	1	4	8	5	9	6	4
Scarlet Fever, ...	2	3	7	6	1	6	3	3	3	2	2	3	5	6	1	.	2	5	4	1	2	8	2	2	5	2
Whooping-cough, ...	5	1	2	6	1	4	5	2	7	5	3	6	9	8	3	3	5	5	7	4	7	.	4	7	2	4
Diphtheria,	2	.	1	2	1	.	2	1	1	.	.	1	.	.	.	2	.	1	.	.	1	.
Dysentery,	1
Tuberculosis, { Pulmonary,	15	12	14	21	17	31	14	15	16	14	10	12	11	32	18	19	20	21	15	19	17	21	21	13	14	10
Other Forms,	6	3	7	4	4	8	6	5	6	7	5	4	13	4	4	10	12	7	4	8	3	6	5	7	7	3
Cancer, ...	6	10	8	9	9	4	4	3	7	3	5	9	4	5	6	5	8	7	3	8	4	5	5	9	11	7
Diseases of Respi- ratory System, { Pneumonia,	29	26	21	13	14	15	16	12	9	15	6	19	12	22	8	9	14	13	10	13	10	6	10	4	7	8
Others, ...	26	45	32	23	18	18	21	15	31	20	23	9	27	15	17	11	16	14	12	11	12	10	10	9	11	5
Diarrhoea and Enteritis, under 2 years, ...	1	2	3	1	1	4	7	8	3	2	1	4	2	2	4	.	3	2	4	1	5	6	5	7	5	6
Diarrhoea, 2 years and upwards, ...	2	1	1	.	.	.	1	1	1	1	2	1	.	.	.	1	1	.	1	2	.	.
Violent Deaths, ...	6	4	3	2	3	4	2	.	2	2	.	3	3	1	2	1	2	2	3	.	3	1	.	.	2	.
Number of Uncertified Deaths, ...	3	2	.	4	1	3	1	1	1	.	3	1	3	4	1	2	1	1	1	3	1	3	.	3	2	1
Mean Temperature of the Air in degrees,	38.4	44.1	43.1	41.2	41.0	41.1	44.3	39.9	40.8	41.0	49.7	47.1	43.5	52.7	48.2	48.2	47.5	54.9	50.0	52.2	54.2	61.5	55.8	59.0	58.8	61.6
Rainfall, in inches, ...	0.28	0.55	0.32	0.72	0.93	0.82	0.92	1.40	0.65	0.07	0.78	1.00	0.34	0.12	0.00	1.32	0.16	0.11	0.12	0.08	0.49	0.18	0.45	0.20	0.43	0.51

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1918-14 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	July 18,	2,125	1,021	11·8	3	.	35	1	19	10	39
EDINBURGH, ...	321,900	" 18,	140	69	11·2	1
GLASGOW, ...	1,047,000	" 18,	555	256	12·8	1	.	2	1	11	2	11
CALCUTTA, ...	896,067	June 13,	.	380	22·0	65*	22	1	.	.	2†	28‡a
BOMBAY, ...	979,445	" 13,	326	626	33·2	110*	3	1	.	.	.	73‡a
MADRAS, ...	518,660	" 13,	356	341	34·2	55*	1	2	?	?	?	101‡a
CAIRO, ...	721,337	May 27,	560	635	45·9	10	13	2	.	?	3†	177
PARIS, ...	2,847,229	July 4,	978	923	16·5	11	1	15	4	7	2†	42
BRUSSELS, ...	780,843	June 27,	222	161	10·6	.	.	2	.	1	2	11
ANTWERP, ...	313,833	" 27,	91	73	12·1	1	.	7	.	2	.	6
AMSTERDAM, ...	597,723	" 27,	277	105	9·2	1	1†	4
COPENHAGEN, ...	483,000	" 27,	204	138	14·9	.	.	1
STOCKHOLM, ...	382,085	" 27,	132	126	17·1	.	.	7	.	.	2	1
CHRISTIANIA, ...	251,446	July 4,	127	74	15·3	2	1	8a
ST. PETERSBURG, ...	1,728,200	June 13,	1,534	677	20·4	8	5	35	11	13	6	54
MOSCOW, ...	1,694,000	" 6,	.	815	25·1	3	1	46	13	5	9	107a
BERLIN, ...	2,072,258	" 20,	.	606	15·3	1	.	10	9	9	4†	32
HAMBURG, ...	1,030,983	" 27,	.	219	11·1	.	.	2	2	1	3	13a
BRESLAU, ...	544,895	" 27,	.	170	16·3	.	.	2	1	2	.	19a
MUNICH, ...	640,000	" 27,	.	171	13·9	.	.	3	.	.	.	12a
VIENNA (with suburbs), ...	2,149,834	" 27,	646	535	12·9	.	.	5	2	4	4†	25
BUDA-PESTH, ...	950,784	" 27,	478	324	17·7	.	.	7	1	1	2†	20
PRAGUE and Faubourgs, ...	498,499	May 30,	170	194	20·3	.	.	3	2	1	.	7
TRIESTE, ...	244,655	June 13,	134	61	13·0	.	.	1	.	.	.	5
ROME, ...	591,943	Dec. 6,	262	204	18·0	6	.	1	.	.	1†	9
		" 13,	294	225	19·8	8	3†	14
NEW YORK, ...	5,583,871	May 23,	.	1,592	14·9	6	.	27	21	9	45	5
PHILADELPHIA, ...	1,657,815	" 9,	.	573	17·9	1	.	1	5	13	4†	11
BOSTON, ...	750,768	June 27,	.	225b	15·6	1	.	3	1	1	3	7a

* Deaths from "fever," including 4 from enteric fever and 14 from plague in Calcutta, 45 from plague, and 4 from enteric fever in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 8 deaths from cholera in Calcutta, 9 in Bombay and 6 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 195 (including 6 deaths from diarrhoeal diseases), rate 13·5 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18th July, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	2	6	8
" " 1, West,	2	3	4	9
" " 2,	1	3	9
" " 3,	1	1	2	4
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),	1	1	2
Finglas and Glasnevin (part of),	1	1
South City No. 1,	2	7	9
" " 2,	6	6
" " 3,	2	.	.	2	7	11
" " 4,	1	.	.	.	7	8
New Kilmainham,	2	2	4
Total,	9	.	.	2	.	.	11	1	.	.	.	48	71

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 18th July, 1914, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 18th July.			
	June 27.	July 4.	July 11.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	24	22	24	22	7	.	40
Typhus, ...	1	1	1	3	.	.	1
Small-pox,
Measles, ...	50	52	55	20	20	.	55
Scarlet Fever, ...	108	108	94	15	16	1	92*
Diphtheria, ...	42	36	40	6	4	2	40
Pneumonia, ...	22	16	19	4	4	1	18

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 18th July, 1914:—

"Changeable, but favourable, weather of the "westerly type" held throughout this week. A belt of high atmospheric pressure still stretched across the Ocean from low latitudes to France and Central Europe, while shallow depressions moved along its northern edge eastwards or north-eastwards over the British Isles to the North Sea. Cloudy, showery weather accompanied these depressions, but temperature generally maintained its summer level—on Sunday, indeed, the thermometer rose to 73° in Dublin and at Malin Head, Co. Donegal, and Birr Castle, King's County. On the morning of that day a very severe thunderstorm visited the south of England, 17 millimetres (.67 inch) of rain being received at Ventnor, Bognor, and Brighton—at Rhyl, in North Wales, the measurement was 35 millimetres (1.38 inches). By Monday morning Ireland had come within the sphere of influence of a large though shallow depression moving in from the Atlantic—heavy showers fell in the Dublin district during the afternoon and evening of that day, the amount being .210 inch. The system subsequently travelled slowly northwards, while another equally shallow depression formed off the east coast of Scotland. This disturbance spread all over the northern half of Great Britain on Thursday and Friday, a resulting rainstorm yielding 40 millimetres (1.58 inches) at Clackton-on-Sea in Essex on Thursday morning, the same amount at Banff, and as much as 42 mm. (1.66 inches) at Tynemouth on Friday morning. Very heavy rain fell in the north of England on Friday, 27 mm. (1.07 inches) to 36 mm. (1.42 inches) in places. On the evening of this day another shallow depression advanced over Ireland from the Atlantic, leading to showers at night. Saturday was fine, though cloudy, in Dublin—thunder was heard in the evening and rain fell at night. In this City the mean height of the barometer was 29.943 inches, pressure ranging from 30.040 inches at 9 p.m. of Sunday (wind, S.S.E.) to 29.781 inches at 4 p.m. of Tuesday (wind, S.W.). The corrected mean temperature was 61.8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 61.9°. The screened thermometers rose to 73.0° on Sunday and fell to 54.1° on Thursday. S.W. and W.N.W. winds prevailed. Lightning was seen before dawn on Sunday, thunder was heard on Saturday evening. There were 6 rain-days in Dublin, but the measurement was comparatively small—.382 inch, of which .210 inch was recorded on Monday."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29·929 inches. The highest reading (30·039) was on Sunday, at 9 p.m., the lowest (29·804) on Tuesday, at 9 p.m.

The mean temperature for the week was 61·1°, being 1·3° above the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Sunday, on which day the thermometer registered 76°, and was lowest on Wednesday, the mercury having fallen to 49°. The mean of the Dry Bulb for the week was 60·5° and of the Wet Bulb, 58·1°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The rainfall during the week measured 0·795 inch.

At Greenwich the mean temperature for the week was 65·8°, the maximum 83·8°, and the minimum 53·0°; at Glasgow the maximum was 72·0°, the minimum 42·0°, and the mean 57·2°; and at Edinburgh the maximum was 71·9°, the minimum 52·2°, and the mean 59·7°. The rainfall at Greenwich measured 0·33 in.; at Glasgow 0·04 in.; and at Edinburgh 1·18 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.	BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.
	Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1·0.			
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday, July 12,	30·030	76	52	64·0	64·6	60·8	·79	·4	10·7	·000
Monday, „ 13,	29·975	68	51	59·5	61·3	59·2	·88	·6	2·9	·420
Tuesday, „ 14,	29·820	69	53	63·5	62·2	58·4	·79	·7	9·7	·000
Wednesday, „ 15,	29·815	65	49	57·0	58·7	56·4	·86	·7	7·0	·155
Thursday, „ 16,	29·980	68	53	60·5	59·7	58·1	·90	·7	9·1	·000
Friday, „ 17,	30·015	66	55	60·5	59·7	57·4	·86	·5	3·1	·140
Saturday, „ 18,	29·870	70	56	63·0	57·6	56·2	·91	·5	2·7	·080
Mean,	29·929	68·9	53·4	61·1	60·5	58·1	·86	·6	Total 45·2	Total ·795

Sunday—A beautiful bright day; night cloudy. Monday—A dull day, heavy rain p.m.; night clear. Tuesday—A bright day, cloudy at intervals; night clear. Wednesday—A bright day, cloudy at intervals, heavy showers a.m. and p.m.; night cloudy. Thursday—A bright day, cloudy at intervals; night cloudy. Friday—Day overcast, bright at intervals; night overcast, showers p.m. and light rain m.m. to 3.0 a.m. Saturday—Day cloudy, bright at intervals, heavy shower p.m.; night clear, light rain p.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 18th July, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, July 12,	68·1	63·6	57·9	75·7	53·2	64·4	hrs. 9·7	ins. —
Monday, „ 13,	62·9	64·2	58·0	65·8	56·2	61·0	2·0	0·235
Tuesday, „ 14,	66·4	64·0	58·3	70·0	57·4	63·7	10·5	0·015
Wednesday, „ 15,	63·0	63·2	58·2	66·1	52·3	59·2	6·9	0·06
Thursday, „ 16,	61·0	62·7	58·5	63·4	52·3	60·3	8·8	—
Friday, „ 17,	59·8	62·9	58·6	65·0	54·1	59·5	2·3	0·07
Saturday, „ 18,	61·1	62·2	58·7	69·1	56·8	62·9	1·5	0·01
Weekly Mean, .	63·2	63·3	58·3	68·6	54·6	61·6	Total 41·7	Total. 0·39

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 25TH JULY, 1914.

[No. 30.]

*General Register Office, Charlemont House,
Dublin, 27th July, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 14·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	July 4	July 11	July 18	July 25	
27 Town Districts, (a)	16·2	15·9	16·1	14·5	15·7
Dublin Reg. Area ...	16·3	15·0	17·2	15·3	15·9
Dublin City ...	16·6	16·0	19·0	17·1	17·2
Belfast ...	17·0	17·0	13·5	14·5	15·5
Cork ...	20·4	15·6	14·3	13·6	16·0
Londonderry ...	14·0	26·6	22·8	15·2	19·6
Limerick ...	20·3	12·2	19·0	12·2	15·9
Waterford ...	9·5	17·1	24·7	13·3	16·1

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 1·8 per 1,000. Among the 111 deaths from all causes for Belfast were one from typhus, one from measles, 2 from scarlet fever, 2 from whooping-cough, and 9 from diarrhoeal diseases. The 20 deaths from all causes for Cork include 2 from whooping-cough and 3, of children under 2 years of age, from diarrhoea and enteritis; and of the 8 deaths from all causes for Sligo, 5 were due to measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 197—107 boys and 90 girls—and the deaths to 129—71 males and 58 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·3 per 1,000 of the population. During the thirty weeks, ending with Saturday last, the death-rate averaged 22·0, and was 0·3 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.
(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 129, represent an annual rate of 16·6 per 1,000; the annual rate for the past thirty weeks was 23·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was also 23·5 per 1,000 of the mean population for all deaths registered.

Included in the total number of deaths registered, there were 2 from enteric fever, 2 from measles, one from diphtheria, and 6 from diarrhoea and enteritis of children under 2 years of age. In each of the three weeks preceding deaths from enteric fever were one, 2, and one; deaths from measles were 2, 4, and 6; deaths from diphtheria were 3, 0, and 2; and deaths from diarrhoea and enteritis of children under 2 years were 4, 4, and 6.

Tuberculosis in its various forms caused the deaths of 30* persons; these deaths include 19 from pulmonary tuberculosis, 7 from tuberculous meningitis, and 4 from other forms of the disease. In each of the 3 previous weeks tuberculosis caused 30, 23, and 24 deaths.

The deaths of 10* persons were caused by cancer.

There were 2 deaths from convulsions, one of an infant under one year of age, and one aged 2 years; there was one death from a congenital malformation, 3 from premature birth, and 4 from congenital debility.

Of 4 deaths from pneumonia, 2 were attributed to broncho-pneumonia and 2 to pneumonia (type not distinguished).

Six deaths were caused by bronchitis, and 14 were from organic diseases of the heart, including one death from acute endocarditis.

The two deaths referred to accidental causes were by anaesthesia and by drowning, respectively.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; both were deaths of infants under one year old.

Thirty-six of the persons whose deaths were registered during the week were under 5 years of age (23 being infants under one year, of whom 9 were under one month old), and 22 were aged 65 years and upwards, including 15 persons aged 70 and upwards; among the latter were 7 aged 75 and upwards.

Fifty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, and 10 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·3 per 1,000; the rate in the City was 17·1 (North City Districts, 15·5; South, 19·0) and in the Suburbs 9·3.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·5 (in the North City Districts 0·3, and in the South 2·9), and for the Suburbs 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (5) are equal to an annual rate of 8·6 per 1,000.

No. 1 *North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 24·0 per 1,000, and include 4 deaths from tuberculous disease, one from bronchitis, and one of a child under 2 years of age from diarrhoea and enteritis.

No. 2 *North City District* (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 20·6 per 1,000. Among them are 3 deaths from tuberculous disease, one from pneumonia, and one from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (11) represent an annual rate of 16·1 per 1,000. Three deaths from tuberculous disease and one suicidal death were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 7·6 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 4·9. The 2 deaths for Coolock and Drumcondra were caused by pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (15) represent an annual rate of 19·2 per 1,000. Included in these are one death from enteric fever, one from measles, 3 from tuberculosis, 2 of children under 2 years of age from diarrhoea and enteritis, and one death by accidental drowning.

No. 2 *South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 14·2 per 1,000, and include one death from pulmonary tuberculosis and one from broncho-pneumonia.

No. 3 *South City District* (Peter-street).—The deaths (19) are equal to an annual rate of 22·8 per 1,000. There were one death from measles, 2 from pulmonary tuberculosis, one from broncho-pneumonia, one from pneumonia, 3 from bronchitis, and 2 (children under 2 years of age) from diarrhoea and enteritis.

No. 4 *South City District* (Grand Canal Street).—The deaths (8) are equivalent to an annual rate of 12·6 per 1,000. Three of the deaths were caused by tuberculous disease.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 31·8 per 1,000. Among them were 2 deaths from tuberculous disease, one from bronchitis, and one, a child under 2 years of age, from diarrhoea and enteritis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·0; Pembroke, 12·1; Blackrock, 0·0; and Kingstown, 3·1. The deaths from the principal epidemic diseases tabulated for these districts comprise one death from enteric fever for Rathmines and Rathgar, and one death from diphtheria for Pembroke. One of the 9 deaths for Rathmines and Rathgar was from tuberculous meningitis; and of the 7 deaths from all causes for Pembroke 2 were from pulmonary tuberculosis.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 10·6), was equal to an average annual death-rate of 11·3 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 13·5 per 1,000, the rate for Glasgow being 14·3, and for Edinburgh 11·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 25th July. From this Report it appears that of a total of 50 cases notified, 31 were scarlet fever, 5 phthisis, 5 diphtheria, 4 enteric fever, 4 erysipelas, and one puerperal fever. Among the 514 cases of infectious diseases in hospital at the close of the week were 239 cases of scarlet fever, 191 of phthisis, 56 of diphtheria, 7 of erysipelas, 7 of enteric fever, 3 of puerperal fever, 2 of measles, and 2 of whooping-cough.

* See note (c) at foot of Table II.

† See Columns 10-17 and 23-4 of Table II.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 25th July, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total
City of Dublin.	July. 4,	.	—	—	2	.	.	5	.	.	2	2	.	—	—	.	—	.	40	51
	July. 11,	.	—	—	8	.	.	5	.	.	3	4	.	—	—	.	—	.	31	51
	July. 18,	.	—	—	9	.	.	2	.	.	11	1	.	—	—	.	—	.	48	71
	July. 25,	.	—	—	3	.	.	7	.	.	16	4	.	—	—	.	—	.	41	71
Rathmines and Rathgar Urban District.	July. 4,	.	—	—	.	.	.	1	—	—	—	—	—	—	1
	July. 11,	.	—	—	.	.	.	3	.	.	2	2	.	—	—	—	—	—	—	7
	July. 18,	.	—	—	2	5	1	.	—	—	—	—	—	—	8
	July. 25,	.	—	—	3	.	.	1	.	.	22	1	.	—	—	—	—	—	—	27
Pembroke Urban District.	July. 4,	.	.	.	3	.	.	3	—	—	—	—	3	9	9
	July. 11,	.	5	.	1	.	.	2	—	—	—	—	.	8	8
	July. 18,	3	.	.	1	.	.	—	—	—	—	.	4	4
	July. 25,	.	1	.	2	.	.	1	.	.	.	1	.	—	—	—	—	.	5	5
Blackrock Urban District.	July. 4,	.	1	—	.	.	.	1	—	—	—	—	—	—	2
	July. 11,	.	.	—	—	—	—	—	—	—	.
	July. 18,	.	.	—	1	—	—	—	—	—	—	1
	July. 25,	.	2	—	—	—	—	—	—	—	2
Kingstown Urban District.	July. 4,	.	—	—	—	—	—	—	.	.	.
	July. 11,	.	—	—	—	—	—	—	.	.	.
	July. 18,	.	—	—	—	—	—	—	.	.	.
	July. 25,	.	—	—	—	—	—	—	.	.	.
City of Belfast.	July. 4,	.	—	—	28	.	.	6	.	.	1	.	1	—	—	.	—	.	9	45
	July. 11,	.	—	—	20	1	.	6	.	.	.	4	.	—	—	.	—	.	2	33
	July. 18,	.	—	—	19	1	.	4	.	.	4	2	.	—	—	.	—	.	1	31
	July. 25,	.	—	—	34	.	.	3	.	.	.	2	.	—	—	.	—	.	6	45
City of Cork.	July. 4,	.	3	—	4	.	.	.	1	2	1	1	.	—	—	—	—	—	—	12a
	July. 11,	.	1	—	2	1	.	—	—	—	—	—	—	4b
	July. 18,	.	3	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	6c
	July. 25,	.	1	—	2	1	2	—	—	—	—	—	—	6d
City of Londonderry.	July. 4,	.	—	—	—	—	—	—	—	—	.
	July. 11,	.	—	—	.	.	.	2	.	.	1	.	.	—	—	—	—	—	—	3
	July. 18,	.	—	—	—	—	—	—	—	—	.
	July. 25,	.	—	—	.	.	.	1	—	—	—	—	—	—	1
City of Limerick.	July. 4,	.	—	—	1	—	—	—	—	—	—	1
	July. 11,	.	—	—	2	—	—	—	—	—	—	2
	July. 18,	.	—	—	1	—	—	—	—	—	—	1
	July. 25,	.	—	—	1	.	.	—	—	—	—	—	—	1
City of Waterford.	July. 4,	.	—	—	—	—	—	—	2	2	2
	July. 11,	.	—	—	—	—	—	—	.	1	1
	July. 18,	.	—	—	—	—	—	—	.	1	1
	July. 25,	.	—	—	—	—	—	—	1	1	1

a Not including 4 cases of choleraic diarrhoea.

b Not including 9 cases of choleraic diarrhoea.

c Not including 14 cases of choleraic diarrhoea.

d Not including 6 cases of choleraic diarrhoea and one of whooping-cough.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th July, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Thirty-five cases of enteric fever were admitted to hospital during the week, 4 were discharged, there were 2 deaths, and 69 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks, being 22, 24, and 40.

One case of typhus remained under treatment in hospital at the close of the week.

Ten cases of measles were admitted to hospital, 16 were discharged, there was one death, and 48 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 52, 55, and 55, respectively.

Eleven cases of scarlet fever were admitted to hospital, 24 were discharged, and 79* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 108, 94, and 92, respectively.

Eight cases of diphtheria were admitted to hospital during the week, 12 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 36, 40, and 40 respectively, were 35 at the close of last week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 5 were discharged, there was one death, and 15 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 25th July, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the Temperature and Rainfall for the week, and for each of the two Weeks immediately preceding.

REGISTRATION—WEEK ENDING SATURDAY, 25TH JULY, 1914.										METEOROLOGY. (d)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
NUMBERS REGISTERED.										WEEK ENDING 25TH JULY, 1914.					WEEK ENDING 18TH JULY, 1914.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
DEATHS.										WEEK ENDING 25TH JULY, 1914.					WEEK ENDING 18TH JULY, 1914.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
TOWNS AND DISTRICTS.	POPULATION.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		Air Temperature.					Air Temperature.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	Total. (a)	Per-sons to an Acre.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										From all Causes.		From certain Epidemic Diseases. (b)		TOTAL NUMBER.		Under 1 Year of Age.		At 65 Years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other Forms.		Tuber-culosis.		Diseases of the Respir-atory System.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1914. (b) See note (1) at foot of first page.

(c) Exclusive of 10 deaths of persons admitted to hospital from localities outside the Area; the 10 deaths include 4 from tuberculous disease and 3 from cancer.

(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Kesh for Sligo, and those at Kesh for Sligo and Kesh for Sligo. (e) Observations at Ordnance Survey Office, Phoenix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 25th of July, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.				
		CITY OF DUBLIN.																					
		REGISTRATION DISTRICTS IN																					
		Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.										URBAN DISTRICTS OF			
		NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.						
Enteric Fever,	1	1	.	.	.	2	.						
Typhus,						
Small-pox,	1	.	1	2	.						
Measles,						
Scarlet Fever,						
Whooping-cough,						
Diphtheria,	1	.	.	1	.						
Croup,						
Influenza,						
Dysentery,						
Tuberculosis, { Pulmonary,	.	2	2	2	.	2	2	1	2	1	1	2	2	.	.	17	2						
Other Forms,	.	2	1	1	.	.	1	.	.	2	1	1	.	.	.	9	2						
Cancer,	1	2	1	.	1	1	1	1	.	7	3						
Diseases of Nervous System,	1	.	3	2	.	.	2	.	.	1	.	.	1	.	.	10	.						
" Organs of Special Sense,						
" Circulatory System,	1	3	.	2	.	1	.	.	3	2	1	1	.	.	1	15	.						
" Respiratory System. { Pneumonia,	.	.	1	1	2	4	.						
Others,	.	1	2	3	.	1	7	.						
" Digestive System. { Diarrhoea and Enteritis, under 2 years,	.	1	2	.	2	.	1	6	.						
Diarrhoea, 2 years and upwards,						
Enteritis, 2 years and upwards,						
Others,	1	3	.	2	.	.	2	2	2	.	.	.	1	.	.	12	1						
" Genito-urinary System,	.	1	1	.	.	1	.	.	1	.	.	4	.						
Puerperal Septicæmia, etc.,						
Other Causes incident to Pregnancy and Childbirth,						
Diseases of the Skin and Cellular Tissue,						
" Locomotor System,						
Other specified Causes,	1	3	2	1	.	.	1	1	3	1	.	4	1	.	.	18	1						
Violent Deaths,	.	.	.	1	.	.	1	2	1						
Ill-defined, &c. Causes,	.	1	1	1	.	.	.	3	.						
Deaths from All Causes	5	19	11	11	.	2	1	15	5	19	8	6	9	7	.	1	119	10					
Annual Rate of Mortality from All Causes in every 1,000 of the population.	8·6	24·0	20·6	16·1	.	7·6	4·9	19·2	14·2	22·8	12·6	31·8	12·0	12·1	.	3·1	15·3	.					
	15·5							19·0					9·3										
	17·1																						
Ages at Death. { Under 1 year,	1	6	2	1	.	.	.	4	.	4	2	1	1	1	.	.	23	.					
1 and under 2 years,	.	2	1	1	.	.	.	2	.	2	1	.	1	.	.	.	10	.					
2 " 5 "	2	.	1	3	.					
5 " 15 "	1	.	.	1	.	.	.	1	1	1	.	.	5	1					
15 " 25 "	.	.	.	1	.	.	1	3	.	1	.	1	7	2					
25 " 45 "	1	4	1	3	.	1	.	2	.	1	2	2	2	3	.	.	22	4					
45 " 65 "	1	7	3	2	.	1	.	2	3	5	1	.	2	.	.	.	27	3					
65 and upwards,	1	.	4	2	.	.	.	1	.	6	1	2	2	2	.	1	22	.					
Number of Uncertified Deaths,	.	1	1	.	.	.	2	.					
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																							
Public Hospitals, Prisons, and Lunatic Asylums,	3	2	3	2	.	.	1	4	1	5	1	.	3	2	.	.	27	9					
Workhouse Hospitals.	1	4	1	2	.	1	.	3	2	4	.	1	19	1					

THIRTIETH WEEK, ending Saturday, 25th July, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 30th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 25th July, 1914.										
	July 30, 1904.	July 29, 1905.	July 28, 1906.	July 27, 1907.	July 25, 1908.	July 31, 1909.	July 30, 1910.	July 29, 1911.	July 27, 1912.	July 26, 1913.		Deaths of Persons of the Ages of										
	0	0	0	0	0	0	0	0	0	0		0-5.										
Mean Temperature ...	60.2	60.2	60.6	59.4	59.6	55.6	57.8	62.7	58.7	54.2	58.9	Under 1 month.	Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.
Diseases of the Pharynx, Tonsillitis.
Diseases of Stomach, ...	—	—	—	—	—	—	—	2	3	2	—	5	.	1	1	1	.	.	.	2	.	.
Diarrhoea and Enteritis of Children under 2 years.	10	28	11	4	11	6	4	34	8	6	13.1	6	.	6
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards	—	—	—	—	—	—	—	1	2	1	—
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	1	.	1	—	1	1	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	1	.	.	—	2	1	1	.	.
Cirrhosis of Liver, ...	1	.	1	3	.	.	1	.	1	.	.7	3	2	1	.	.	.
Other Diseases of Liver, ...	1	.	1	.	.	2	.	.	.	2	.6
Peritonitis (cause unknown),	2	7	2	8	3	4	.	1	.	1	.6	1	1	.	.	.
Other Diseases of Digestive System.	2.8	1	1
Acute Nephritis,	2	.	1	.	1	.	.	1
Chronic Bright's Disease,	4	2	3	.	3	2	1	.	.
Urinary Calculi,
Uterine Tumour (non-cancerous).	5	3	2	6	6	7	4	.	.	.	4.9
Ovarian Tumour (non-cancerous)
Other Diseases of Genito-urinary System.	2	2
Puerperal Septicæmia, &c., ...	2	.	.	13
Other Causes incident to Pregnancy and Childbirth.	.	1	1	1	.	.3
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	1	1	1	—
Diseases of Locomotor System,	—	—	—	—	—	—	—	1	1	1	—
Congenital Malformations, ...	—	—	—	—	—	—	—	.	.	.	—	1	1
Premature Birth, ...	3	4	2	6	1	5	3	8	3	4	3.9	3	3
Congenital Debility, ...	—	—	—	—	—	—	—	5	4	8	—	4	3	1
Old Age,	5	6	1	1	3	3	3	5	6	3.3	2	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	.	.	.	—	2	2
ACCIDENT:																						
Poisons or Poisonous Vapours.	11	1	1
Conflagration,
Burns and Scalds,	1	1	1	1	.4
Drowning, ...	2	1	2	.	.	1	1	1	1	1	1.0	1	1
Suffocation in Bed,	11
Other Deaths by Accident, ...	2	2	1	4	1	4	2	3	.	2	2.1
Total Deaths from Accident,	5	3	4	5	3	5	3	4	1	4	3.7	2	2
Included in above are Deaths in connection with—																						
Railways,	1	.	.	.	2	.	.	.3
Vehicles and Horses,	1	.	.	1	1	.	1	.4
Ships, Boats, Docks, ...	11
Building Operations,
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide,
Suicide,	1	2	1	.	.	.4	1	1
Execution,
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	1	3	6	—	3	.	.	1	.	.	.	1	.	1	.

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1914—WEEK ENDING																										
	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	
No. of weeks in Annual Series, ...	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
BIRTHS REGISTERED.	234	279	217	217	202	244	225	210	203	227	173	218	207	288	222	197	207	262	191	271	225	233	165	214	208	197	
Average Births in corresponding week of previous 10 years, ...	241	214	217	204	232	222	206	215	230	214	220	221	218	264	237	214	213	244	219	210	213	245	208	208	221	221	
DEATHS REGISTERED, ...	201	214	171	175	187	169	189	183	219	212	194	212	231	203	181	160	166	185	162	163	151	134	139	128	139	129	
Annual Death-rate per 1,000, ...	25.8	27.5	22.0	22.5	24.0	21.7	24.3	23.5	28.1	27.2	24.9	27.2	29.7	26.1	23.2	20.5	21.3	23.8	20.8	20.9	19.4	17.2	17.9	16.4	17.9	16.6	
Average Deaths in corresponding week of previous 10 years, ...	198	197	198	201	204	199	196	196	199	202	192	198	188	173	179	159	168	148	148	156	142	131	135	147	143	145	
Ages, { Under 5 years, 5-15 " " " " " " 15-25 " " " " " " 25-45 " " " " " " 45-65 " " " " " " 65-75 " " " " " " 75 and upwards, ...	56	72	49	52	56	57	61	70	82	55	74	89	92	89	62	54	73	56	54	45	46	36	47	31	44	36	
	11	11	8	8	5	2	7	7	9	12	7	11	10	6	10	7	4	13	4	9	5	5	7	6	9	6	
	11	12	10	11	8	14	9	7	9	14	5	10	9	9	8	9	9	8	11	6	12	8	9	7	8	9	
	30	27	23	28	27	18	30	28	35	26	27	28	33	30	27	22	22	19	28	30	23	23	22	27	29	26	
	46	44	35	33	40	38	46	38	44	41	51	32	45	30	50	36	37	47	35	38	41	32	30	22	31	30	
	21	28	25	27	37	22	18	21	24	35	16	29	23	22	14	21	13	28	16	23	15	19	14	22	14	15	
	26	13	17	16	14	18	18	12	16	26	14	13	19	17	10	11	8	14	14	12	9	11	10	13	9	7	
	Deaths from:—																										
	Enteric Fever, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	2
	Typhus,
Small-pox,	
Menses, ...	3	5	5	3	7	4	5	14	27	22	34	39	35	40	29	17	16	14	18	8	5	3	2	4	6	2	
Scarlet Fever, ...	1	1	2	3	2	3	2	3	3	3	2	4	2	2	2	1	1	1	2	1	1	1	1	2	3	...	
Whooping-cough, ...	1	2	2	3	1	3	2	3	3	3	2	4	2	2	2	1	1	1	2	
Diphtheria, ...	1	1	1	1	2	1	1	1	1	1	1	1	3	
Influenza, ...	2	1	1	1	1	3	1	1	2	3	
Dysentery,	
Tuberculosis { Pulmonary ...	25	24	25	25	23	21	23	21	21	22	28	22	25	14	22	24	21	19	27	19	13	17	21	18	16	19	
Other Forms, ...	12	7	5	10	4	2	9	8	6	9	5	10	8	10	9	5	6	9	4	6	5	7	9	5	8	11	
Cancer, ...	7	10	5	5	10	9	7	6	18	6	13	8	13	9	11	11	5	12	9	13	9	8	7	8	7	10	
Diseases of Circulatory System, ...	16	14	10	18	19	20	17	17	14	25	15	22	19	21	11	11	13	28	14	20	27	11	11	16	15	15	
Diseases of Respi. { Pneumonia ...	17	20	13	14	13	15	14	8	20	19	19	16	17	19	13	13	15	14	12	12	14	8	9	10	12	4	
ratory System, { Others, ...	32	31	25	17	30	21	34	35	34	35	30	28	20	15	17	19	17	22	13	11	8	20	10	13	5	7	
Diarrhoea and Enteritis, under 2 years, ...	5	3	5	4	2	5	5	6	4	1	2	7	3	3	1	5	7	4	2	4	7	4	4	4	6	6	
Diarrhoea, 2 years and upwards,	
Violent Deaths, ...	5	5	3	3	4	4	1	3	2	3	1	1	6	3	2	7	5	3	6	3	3	
Number of Uncertified Deaths, ...	4	4	8	8	6	5	6	2	7	8	4	5	9	7	2	2	9	6	4	3	2	5	6	4	5	3	
Mean Temperature of the Air (Phoenix Park) in degrees, ...	44.1	48.1	43.6	42.1	43.1	44.6	41.7	39.8	39.7	50.9	45.9	45.6	48.8*	44.9	49.6	49.3	55.4	48.1	52.6	52.3	57.2	56.1	59.1	60.1	61.1	59.0	
Average Mean Temperature in corresponding week of previous 10 years, ...	39.4	40.4	41.6	40.4	41.5	41.7	41.7	41.8	43.3	43.8	44.4	46.1	45.9	47.1	49.7	49.4	51.1	54.0	53.5	54.6	56.1	55.7	56.9	58.3	59.8	58.9	
Rainfall in inches, ...	4.85	.305	.615	.810	.475	.675	.470	.450	.140	.575	.400	.120	.010	.000	1.335	.130	.515	.110	.140	.520	.495	.000	.365	.455	.795	.520	
Mean Humidity of the Air, complete Saturation 1.0,94	.92	.85	.89	.91	.89	.90	.91	.92	.85	.90	.89	.88	.91	.87	.89	.90	.86	.87	.86	.83	.78	.80	.84	.86	.87	

* For 6 days only.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Lupulosis and Anæmia of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	June 20 " 27 July 4 " 11 " 18 " 25	17.3 13.8 15.5 22.4 13.8 8.6	3.5 8 1.7 13 5.2 .	10 8 9 13 8 5	.	.	.	1	1	1	1	1	.	.	1
North City, No. 1 (W.) (Office, Summer-hill.)	June 20 " 27 July 4 " 11 " 18 " 25	11.4 15.2 24.0 16.4 20.2 24.0	. 1.3 5.1 2.5 2.5 1.3	9 12 19 13 16 19	1	1	1	1	.	.	1
North City, No. 2. (Office, Lisburn-street.)	June 20 " 27 July 4 " 11 " 18 " 25	24.3 18.7 20.6 20.6 31.8 20.6	1.9 . . 1.9 . .	13 10 11 11 17 11	3	1	1	1	.	.	1
North City, No. 3. (Office, Benburb-street.)	June 20 " 27 July 4 " 11 " 18 " 25	7.3 23.5 4.4 20.5 13.2 16.1	2.9 . . 1.5 2.9 .	5 16 3 14 9 11	1	2	1	1	3	2	1	.
Clontarf and Howth No. 1 (part of).	June 20 " 27 July 4 " 11 " 18 " 25	19.0 9.5 . 38.0 9.5 . .	2 1 . 4	1
Coolock and Drumcondra (part of).	June 20 " 27 July 4 " 11 " 18 " 25	15.2 19.1 3.8 3.8 3.8 7.6	4 5 1 1 1 2	2	.	1	.	.	.
Finglas and Glasnevin (part of).	June 20 " 27 July 4 " 11 " 18 " 25	9.7 4.9 14.6 19.5 . 4.9	. . 4.9 4.9 . .	2 1 3 4 . 1	1	.	1	.	.	.
South City, No. 1. (Office, Stth. Earl-street.)	June 20 " 27 July 4 " 11 " 18 " 25	25.6 19.2 6.4 15.3 20.5 19.2	3.8 5.1 . 2.6 3.8 5.1	20 15 5 12 16 15	.	.	.	3	2	2	.	1	1	1	1
South City, No. 2. (Office, Castle-street.)	June 20 " 27 July 4 " 11 " 18 " 25	8.5 25.6 28.4 5.7 22.7 14.2	. 5.7 2.8 2.8 2.8 .	3 9 10 2 8 5	1	.	1	.	.	.
South City, No. 3. (Office, Peter-street.)	June 20 " 27 July 4 " 11 " 18 " 25	32.3 19.2 27.5 15.6 21.6 22.8	2.4 . . . 3.6 3.6	27 16 23 13 18 19	.	.	.	1	3	2	1	2	3	1	1
South City, No. 4. (Office, Grand Canal-st.)	June 20 " 27 July 4 " 11 " 18 " 25	14.1 14.1 17.3 11.0 26.7 12.6	3.1 1.6 1.6 1.6 1.6 .	9 9 11 7 17 8	2	1	.	1	2	1	.
New Kilmainham.	June 20 " 27 July 4 " 11 " 18 " 25	21.2 15.9 21.2 5.3 15.9 31.8 5.3 5.3	4 3 4 1 3 6	1	.	1	1	.	.

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Violence.	Number of Uncertified Deaths							
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculoas.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Pneumonia.	Other.										
													Pulmonary.	Other Forms.		Pneumonia.	Other.													
Rathmines and Rathgar Urban District.	June 20 " 27 July 4 " 11	13.3 9.3 16.0 17.3	1.3 2.7 1.3	10 7 12 13	1 . 1 1	1 . 2	1 . . 2	.	.	1	1	1 . . .
Population in 1914 (Est.) 39,155.	" 18 " 25	6.7 12.0	. 1.3	5 9	1	1 1	.	1	1
Pembroke Urban District.	June 20 " 27 July 4 " 11	13.8 8.6 12.1 6.9	. 1.7 .	8 5 7 4	1 . 1 1	.	1 . . 1	.	.	.	1	1	
Population in 1914 (Est.) 30,240	" 18 " 25	10.3 12.1	1.7 1.7	6 7	1	.	1 2	.	.	1	
Blackrock Urban District.	June 20 " 27 July 4 " 11	22.7 11.3 34.0 11.3	. . .	4 2 6 2	1 2 . .	.	1	1		
Population in 1914 (Est.) 9,197.	" 18 " 25	17.0 .	. .	3	1		
Kingstown Urban District.	June 20 " 27 July 4 " 11	21.5 6.2 9.2 9.2	. . . 3.1	7 2 3 3	1 1 1 1		
Population in 1911 16,941.	" 18 " 25	21.5 3.1	3.1 .	7 1	1	1		
Belfast.	June 20 " 27 July 4 " 11	17.1 17.5 17.0 17.0	3.3 2.2 3.5 2.5	131 134 130 130	2	.	.	8 5 9 6	8 2 7 5	.	4 . 7 2	1 . . 1	.	.	21 21 13 14	6 5 7 7	5 5 9 11	6 10 7 7	10 10 9 11	6 5 7 5	.	1 2 . 6		
Population in 1914 (Est.) 399,000.	" 18 " 25	13.5 14.5	2.2 2.0	103 111	.	1 1	.	4 1	2 2 2	4 4 2	10 16 4	3 . 4	7 8 .	8 10 9 8	5 8 7 8	6 5 7 6	.	1 2 . 1		
Cork.	June 20 " 27 July 4 " 11	19.0 12.9 20.4 15.6	2.7 2.0 3.4 1.4	28 19 30 23	3 1 2 1	.	1	3 2 3 4	.	2 . 1 .	2 2 2 3	2 1 . 1	1 . . 1	.	.	.	2 . . 1		
Population in 1911 76,673.	" 18 " 25	14.3 13.6	1.4 3.4	24 20	1 2	6 .	.	4 .	.	3 1 . 1	1 . . 3		
Londonderry.	June 20 " 27 July 4 " 11	11.4 10.1 14.0 26.6	. 1.3 2.5	9 8 11 21	1 1 . 2	1 . . 1	2 1 1 .	.	.	1 . . 3	.	.	.	1 . . 2		
Population in 1914 (Est.) 41,100.	" 18 " 25	22.8 15.2	1.3 1.3	18 12	1	3 2 2	2 1 2	1 . 2	1 1 1	1 1 1	.	.	.	1 1 1	.	.	1 1	.	2		
Limerick.	June 20 " 27 July 4 " 11	23.0 12.2 20.3 12.2	. 1.4 . .	17 9 15 9	.	1	1 3 . 2	2 . . 1	.	3	2 1 1		
Population in 1911 38,518.	" 18 " 25	19.0 12.2	. 1.4	14 9	1 3	4 .	3 .	.	1 1 1	.	.	.	1 1 1		
Waterford.	June 20 " 27 July 4 " 11	30.4 13.3 9.5 17.1	. . .	16 7 5 9	5 2 1 3	.	.	1 . . 2	1 . . 2	.	.	.	1 . 1 1		
Population in 1911 27,464.	" 18 " 25	24.7 13.3	1.9 1.9	13 7	2 2	1 1	.	.	.	1 1	.	.	1 1	.	.	1 1	.	3		

* See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1914—WEEK ENDING																									
	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.
No. of weeks in Annual Series,	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
BIRTHS registered, ...	215	187	224	210	203	217	222	196	244	243	163	219	255	198	222	245	238	262	191	198	233	227	219	237	190	218
DEATHS registered, ...	197	164	142	144	153	140	146	163	150	136	142	162	179	139	116	135	137	115	127	129	131	134	130	130	103	111
Annual Death-rate per 1,000 of estimated population, ...	25.7	21.4	18.6	18.8	20.0	18.3	19.1	21.3	19.6	17.8	18.6	21.2	23.4	18.2	15.2	17.6	17.9	15.0	16.6	16.9	17.1	17.5	17.0	17.0	13.5	14.5
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,	45	38	28	25	28	28	28	32	28	28	29	29	45	29	21	21	17	23	19	22	24	27	25	26	25	19
	21	16	20	10	16	15	16	21	27	9	18	22	21	18	10	21	16	18	13	21	22	18	18	19	10	11
	13	18	15	12	18	14	10	19	13	16	11	17	20	21	13	18	20	16	18	17	21	15	18	21	9	15
	34	24	26	21	29	27	34	26	21	24	20	25	25	27	19	23	29	19	22	25	21	23	24	18	20	22
	41	37	31	42	32	33	28	30	28	30	30	31	36	25	28	32	28	28	32	26	31	37	28	28	19	26
	43	36	22	34	30	23	30	35	33	29	34	38	32	19	25	20	27	11	23	18	12	14	17	18	20	18
Deaths from:—																										
Enteric Fever, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhus, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...	3	7	6	1	6	3	3	3	2	2	3	5	3	1	1	2	5	4	1	2	8	2	2	5	2	2
Whooping-cough, ...	1	2	6	1	4	5	2	7	5	3	6	9	8	3	3	5	5	7	4	7	1	4	7	2	4	2
Diphtheria, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis. { Pulmonary, ...	12	14	21	17	31	14	15	16	14	10	12	11	32	18	19	20	21	15	19	17	21	21	13	14	10	16
Other Forms, ...	3	7	4	4	8	6	5	6	7	5	4	13	4	4	10	12	7	4	8	3	6	5	7	7	3	4
Cancer, ...	10	8	9	9	4	4	3	7	3	5	9	4	5	6	5	8	7	3	8	4	5	5	9	11	7	8
Diseases of Respiratory System, { Pneumonia, ...	26	21	13	14	15	16	12	9	15	6	19	12	22	8	9	14	13	10	13	10	6	10	4	7	8	10
Others, ...	45	32	23	18	18	21	15	31	20	23	9	27	15	17	11	16	14	12	11	12	10	10	9	11	5	8
Diarrhoea and Enteritis, under 2 years, ...	2	3	1	1	4	7	8	3	2	1	4	2	2	4	1	3	2	4	1	5	6	5	7	5	6	8
Diarrhoea, 2 years and upwards, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Violent Deaths, ...	4	3	2	3	4	2	2	2	2	2	3	3	1	2	1	2	2	2	3	3	1	1	1	2	2	2
Number of Uncertified Deaths, ...	2	1	4	1	3	1	1	1	1	3	1	3	4	1	2	1	1	1	1	1	3	1	3	2	1	2
Mean Temperature of the Air in degrees, ...	44.1	48.1	41.2	41.0	41.1	44.3	39.9	40.8	41.0	49.7	47.1	43.5	52.7	48.2	48.2	47.5	54.9	50.0	52.2	54.2	61.5	55.8	59.0	58.8	61.6	60.2
Rainfall, in inches, ...	0.55	0.32	0.72	0.93	0.82	0.92	1.40	0.65	0.07	0.78	1.00	0.34	0.12	0.00	1.32	0.16	0.11	0.12	0.08	0.49	0.18	0.45	0.20	0.48	0.51	0.53

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ...	4,516,612	July 25,	2,066	922	10·6	2	.	31	4	19	14	34	
EDINBURGH, ...	321,900	" 25,	126	69	11·2	2	
GLASGOW, ...	1,047,000	" 25,	637	287	14·3	2	.	3	3	7	.	11	
CALCUTTA, ...	896,067	June 20,	.	380	22·0	61*	18	1	.	.	2†	38‡a	
BOMBAY, ...	979,445	" 20,	346	491	26·1	59*	5	2	.	.	.	53‡a	
MADRAS ...	518,660	" 20,	392	353	35·4	66*	2	.	?	?	?	83‡a	
CAIRO, ...	721,337	" 3,	498	692	49·9	22	8	5	.	?	10†	206	
PARIS, ...	2,847,229	July 11,	1,119	770	20·2	5	.	16	1	7	2†	31	
BRUSSELS, ...	780,843	" 4,	254	184	12·1	.	.	2	1	.	2	9	
ANTWERP, ...	313,833	" 4,	120	72	11·9	8	
AMSTERDAM, ...	597,723	" 4,	257	143	12·5	.	.	4	1	2	1†	2	
COPENHAGEN, ...	483,000	" 4,	197	109	11·8	.	.	1	1	1	2	5a	
STOCKHOLM, ...	382,085	" 4,	117	117	15·9	1	.	2	.	2	1	4a	
CHRISTIANIA, ...	251,446	July 11,	100	80	16·5	1	.	10a	
ST. PETERSBURG ...	1,728,200	June 20,	1,005	716	21·6	10	9	25	12	3	6	70	
MOSCOW, ...	1,694,000	" 13,	.	872	26·8	4	.	52	13	9	10	151a	
BERLIN, ...	2,072,258	" 27,	.	539	13·6	1	.	13	3	3	7†	23	
HAMBURG, ...	1,030,983	July 4,	.	244	12·3	.	.	3	.	.	.	17a	
BRESLAU, ...	544,895	" 4,	.	230	22·0	.	.	1	2	1	.	26a	
MUNICH, ...	640,000	" 4,	.	174	14·2	.	.	2	.	.	.	10a	
VIENNA (with suburbs),	2,149,884	" 4,	674	586	14·1	.	.	4	5	4	3†	31	
BUDA-PESTH, ...	950,784	" 4,	418	328	17·9	.	.	6	4	4	2†	21	
PRAGUE and Faubourgs,	498,499	June 6,	168	180	18·8	.	.	2	3	1	.	5	
TRIESTE, ...	244,655	" 20,	106	80	17·0	.	.	.	1	1	.	5	
ROME, ...	591,943	Dec. 20,	
NEW YORK, ...	5,583,871	May 30,	2,609	1,547	14·5	8	.	20	12	3	41	42	
PHILADELPHIA, ...	1,657,810	" 16,	.	498	15·6	2	.	1	4	6	4†	17	
BOSTON, ...	750,768	July 4,	.	197b	13·7	.	.	5	1	1	5	10a	

* Deaths from "fever," including 9 from enteric fever and 13 from plague in Calcutta, 22 from plague, and 3 from enteric fever in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 10 deaths from cholera in Calcutta, 6 in Bombay and 2 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 171 (including 4 deaths from measles and 5 from diarrhoeal diseases), rate 11·9 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th July, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	1	2	.	.	.	3	6
" " 1, West,	1	.	.	1	6	8
" " 2,	1	1	.	.	.	4	6
" " 3,	2	3	5
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),
Finglas and Glasnevin (part of),
South City No. 1,	1	.	.	3	.	.	7	6	17
" " 2,	6	6
" " 3,	3	1	.	.	.	9	13
" " 4,	1	.	.	1	.	.	1	3	6
New Kilmainham,	1	2	1	4
Total,	3	.	.	7	.	.	16	4	.	.	.	41	71

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 25th July, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 25th July.			
	July 4.	July 11.	July 18.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	22	24	40	35	4	2	69
Typhus, ...	1	1	1	.	.	.	1
Small-pox,
Measles, ...	52	55	55	10	16	1	48
Scarlet Fever, ...	108	94	92	11	24	.	79*
Diphtheria, ...	36	40	40	8	12	1	35
Pneumonia, ...	16	19	18	3	5	1	15

* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.S.C., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 25th July, 1914:—

"Changeable, showery, and finally windy weather prevailed during this week. Throughout the period the barometer stood high (1025 millibars, or 30.27 inches) at the Azores, whereas areas of relatively low pressure moved southeastwards across North-western Europe. On Sunday morning one such system stretched from the south coast of Iceland to the southwest of Ireland, causing southerly winds and rain in the latter country. This depression spread slowly southeastwards, becoming deeper as it travelled and taking up a central position at the mouth of the English Channel on Monday morning, with a barometric reading of 990 millibars (29.24 inches). As it travelled the wind backed in Ireland from S. and S.E. to E. and N.E., rain falling generally, very heavily over the S.W. of England—at Portland Bill the measurement was 1.34 inches; at Plymouth it was 1.46 inches. On Tuesday the advance of a new depression from Iceland sent a warm air current over Ireland so that the thermometer rose to 79° at Birr Castle and to 74° in Dublin. At 5.30 p.m. of this day the barometer rose suddenly and sharply in this City as a thunderstorm approached from N. Thunder was heard between 5.30 and 6 p.m. and lightning was seen at 10 p.m. By Wednesday morning the centre of the depression reached the Shetlands, near which it became stationary and so remained for the rest of the week. Shallow secondaries passing southeastwards over the British Isles caused squally W. to N.W. winds, frequent clouds and showers, and low temperatures for the season from Wednesday onwards. Friday and Saturday were rough, showery, chilly days—more like April or October than July. In Dublin the mean height of the barometer was 29.740 inches, the range being only from 29.570 inches on Monday at 2 a.m. (wind, N.E.) and 29.873 inches at 9 a.m. of Wednesday (wind, N.W.). The corrected mean temperature was 59.9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 58.3°. On Tuesday the screened thermometers rose to 73.8°, on Saturday they fell to 50.1°. Thunder and lightning occurred on Tuesday. The dominant wind was N.W., from which point it blew strongly on and after Wednesday. Rain fell on six days to the amount of .280 inch, of which .094 inch was recorded on Saturday, and .089 inch on Friday."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29·744 inches. The highest reading (29·872) was on Wednesday, at 9 a.m., the lowest (29·606) on Sunday, at 9 p.m.

The mean temperature for the week was 59·0°, being 0·1° above the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Tuesday, on which day the thermometer registered 77°, and was lowest on Sunday, the mercury having fallen to 46°. The mean of the Dry Bulb for the week was 58·0° and of the Wet Bulb, 55·8°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The rainfall during the week measured 0·520 inch.

At Greenwich the mean temperature for the week was 62·5°, the maximum 78·0°, and the minimum 51·1°; and at Edinburgh the maximum was 79·7°, the minimum 48·1°, and the mean 58·6°. The rainfall at Greenwich measured 0·31 in.; and at Edinburgh 0·03 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.	BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.
	Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1·0.			
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday, July 19,	29·640	64	46	55·0	59·3	57·4	·89	·7	0·8	·035
Monday, „ 20,	29·670	71	58	64·5	61·7	60·0	·90	·5	2·4	·015
Tuesday, „ 21,	29·845	77	52	64·5	66·2	64·4	·90	·7	7·8	·150
Wednesday, „ 22,	29·860	66	52	59·0	54·5	51·4	·80	·6	5·3	·000
Thursday, „ 23,	29·725	65	50	57·5	56·1	54·7	·89	·7	0·8	·070
Friday, „ 24,	29·735	64	53	58·5	55·5	52·2	·87	·7	7·8	·060
Saturday, „ 25,	29·735	60	43	54·0	52·9	50·7	·86	·7	6·6	·190
Mean,	29·744	66·7	51·3	59·0	58·0	55·8	·87	·7	Total 31·5	Total ·520

Sunday—Day overcast; night overcast, light showers at intervals a.m. Monday—Day overcast, bright at intervals, light shower p.m.; night clear. Tuesday—A bright day, thunder 5.45 to 6.30 p.m., heavy rain p.m.; night cloudy. Wednesday—Day bright, cloudy at intervals; night cloudy. Thursday—Day overcast, light showers at intervals a.m. and p.m.; night cloudy, heavy shower 7.45 to 8.15 a.m. Friday—A bright day, cloudy at intervals, light showers p.m.; night cloudy, light shower a.m. Saturday—Day cloudy, bright at intervals, heavy showers a.m. and p.m.; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 25th July, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.R.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, July 19,	60·3	62·1	58·7	63·8	51·1	57·4	hrs. 1·0	ins. 0·025
Monday, „ 20,	62·2	62·2	58·7	69·6	56·2	62·9	1·9	—
Tuesday, „ 21,	66·6	62·5	58·7	70·2	55·9	63·0	7·7	0·02
Wednesday, „ 22,	58·9	63·9	58·8	64·5	51·0	57·7	5·0	—
Thursday, „ 23,	57·9	62·0	58·8	65·4	49·8	57·6	1·1	0·04
Friday, „ 24,	57·2	61·2	58·9	64·1	52·0	58·0	7·3	0·12
Saturday, „ 25,	56·0	60·8	58·8	60·9	48·3	54·6	6·2	0·07
Weekly Mean, .	59·9	62·1	58·8	65·5	52·0	58·7	Total 30·2	Total. 0·275

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 1ST AUGUST, 1914.

[No. 31.]

*General Register Office, Charlemont House,
Dublin, 4th August, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 15·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	July 11	July 18	July 25	Aug. 1	
27 Town Districts, (a)	15·9	16·1	14·5	15·7	15·5
Dublin Reg. Area ...	15·0	17·2	15·3	17·3	16·2
Dublin City ...	16·0	19·0	17·1	18·3	17·6
Belfast ...	17·0	13·5	14·5	15·0	15·0
Cork ...	15·6	14·3	13·6	15·6	14·8
Londonderry ...	26·6	22·8	15·2	17·8	20·6
Limerick ...	12·2	19·0	12·2	14·9	14·6
Waterford ...	17·1	24·7	13·3	11·4	16·6

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 2·3 per 1,000. Among the 115 deaths from all causes for Belfast were one from enteric fever, one from typhus, 6 from measles, 2 from scarlet fever, 7 from whooping-cough, and 9 from diarrhoea and enteritis of children under 2 years. Included in the 23 deaths from all causes for Cork are one from measles, 2 from whooping-cough, and 4 from diphtheria. One of the 11 deaths from all causes for Limerick is from scarlet fever. Among the 6 deaths from all causes for Sligo are 3 from measles, and one of the 3 deaths from all causes for Athlone is also from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 195—101 boys and 94 girls—and the deaths to 144—69 males and 75 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·3 per 1,000 of the population. During the thirty-one weeks, ending with Saturday last, the death-rate averaged 21·9, and was 0·3 below the mean rate for the corresponding portions of the ten years, 1904—1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 144, represent an annual rate of 18·5 per 1,000; the annual rate for the past thirty-one weeks was 23·4 per 1,000, and the average annual rate for the corresponding period of the past ten years was also 23·4 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are 2 from enteric fever, one from scarlet fever, and 9 from diarrhoea and enteritis of children under 2 years of age.

In the 3 preceding weeks, deaths from enteric fever were 2, one, and 2; deaths from scarlet fever were 0, 3, and 0; and deaths of children under 2 years of age from diarrhoea and enteritis were 4, 6, and 6 respectively.

Twenty-eight* deaths were caused by tuberculous disease, comprising 23 deaths from pulmonary tuberculosis, 2 from abdominal tuberculosis, and 3 from other forms of the disease. In the 3 preceding weeks deaths from all forms of tuberculous disease numbered 23, 24, and 30, respectively.

There were 9 deaths from cancer.

Among deaths of infants under one year old, 6 were attributed to convulsions, 4 to premature birth, and 6 to congenital debility.

Broncho-pneumonia caused 4 deaths, and pneumonia (type not distinguished) 4 deaths.

To organic diseases of the heart 11 deaths were ascribed, and to bronchitis 10 deaths.

Of 2 accidental deaths one (that of a child aged 14 months) was caused by scalds.

There was one case of suicide.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 6 children under 5 years of age (including 5 infants under one year old).

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (37 being infants under one year, of whom 15 were under one month old), and 22 were aged 65 years and upwards, including 17 persons aged 70 and upwards; among the latter were 9 aged 75 and upwards, of whom one (a male) was stated to have been aged 91 years.

Seventy-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, 12 in the South Dublin Union Workhouse, and 5 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·3 per 1,000; the rate in the City was 18·3 (North City Districts, 18·0; South, 18·6) and in the Suburbs 14·2.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 2·2 (in the North City Districts 1·3, and in the South 3·2), and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·7 per 1,000. There were 4 deaths from pulmonary tuberculosis and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 18·9 per 1,000. Two deaths were caused by pulmonary tuberculosis, one by pneumonia, and one (that of a child under 2 years of age) from diarrhoea and enteritis.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 29·9 per 1,000. Among them are 3 deaths from tuberculous disease, one death from bronchitis, one death from diarrhoea and enteritis of a child under 2 years of age, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (7) represent an annual rate of 10·3 per 1,000. Pneumonia caused 2 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 22·9 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 4·9. Of the 6 deaths from all causes for Coolock and Drumcondra, part of, one was from enteric fever.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 20·5 per 1,000, and include one death from scarlet fever, 5 from pulmonary tuberculosis, 3 from bronchitis, and 3 from diarrhoea and enteritis of children under 2 years of age.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 19·9 per 1,000. One death from pulmonary tuberculosis, 2 deaths from pneumonia, and one death from bronchitis were recorded.

No. 3 South City District (Peter-street).—The deaths (12) are equal to an annual rate of 14·4 per 1,000. Among them are one death each from pulmonary tuberculosis and broncho-pneumonia, 2 deaths from bronchitis, and 2 deaths from diarrhoea and enteritis of children under 2 years of age.

No. 4 South City District (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 23·6 per 1,000, and include one death from enteric fever, one from abdominal tuberculosis, one from bronchitis, and one from diarrhoea.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·6 per 1,000. Of the deaths one was caused by pulmonary tuberculosis and one death by diarrhoea and enteritis of a child under 2 years of age.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·3; Pembroke, 10·3; Blackrock, 11·3; and Kingstown, 24·6. There was no death from any of the principal epidemic diseases tabulated for these districts. The 10 deaths from all causes for Rathmines and Rathgar included 2 deaths from tuberculous disease. Of the 6 deaths from all causes for Pembroke 3 were caused by pulmonary tuberculosis and one by bronchitis; and the 8 deaths from all causes for Kingstown included one from pulmonary tuberculosis and one from pneumonia.

ENGLAND AND SCOTLAND.

The mortality last week in London was equal to an average annual death-rate of 12·1 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 12·9 per 1,000, the rate for Glasgow being 11·9, and for Edinburgh 15·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 1st August. From this Report it appears that of a total of 55 cases notified, 30 were scarlet fever, 15 phthisis, 8 diphtheria, one enteric fever, and one erysipelas. Among the 513 cases of infectious diseases in hospital at the close of the week were 231 cases of scarlet fever, 204 of phthisis, 56 of diphtheria, 7 of enteric fever, 4 of erysipelas, 2 of puerperal fever, and 2 of whooping-cough.

* See note (c) at foot of Table II.

† See note (†) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford during the week ended 1st August, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	July. 11,	.	—	—	8	.	.	5	.	.	3	4	.	—	—	—	—	.	31	51
	July. 18,	.	—	—	9	.	.	2	.	.	11	1	.	—	—	—	—	.	48	71
	July. 25,	.	—	—	3	.	.	7	.	.	16	4	.	—	—	—	—	.	41	71
	Aug. 1,	.	—	—	10	.	.	2	.	.	7	1	.	—	—	—	—	.	37	57
Rathmines and Rathgar Urban District.	July. 11,	.	—	—	.	.	.	3	.	.	2	2	.	—	—	—	—	—	—	7
	July. 18,	.	—	—	2	5	1	.	—	—	—	—	—	—	8
	July. 25,	.	—	—	3	.	.	1	.	.	22	1	.	—	—	—	—	—	—	27
	Aug. 1,	.	—	—	2	1	.	—	—	—	—	—	—	3
Pembroke Urban District.	July. 11,	.	5	.	1	.	.	2	—	—	—	—	—	.	8
	July. 18,	3	.	.	1	.	.	—	—	—	—	—	.	4
	July. 25,	.	1	.	2	.	.	1	.	.	.	1	.	—	—	—	—	—	.	5
	Aug. 1,	1	.	.	.	1	.	—	—	—	—	—	.	2
Blackrock Urban District.	July. 11,	.	.	—	—	—	—	—	—	—	.
	July. 18,	.	.	—	1	—	—	—	—	—	—	1
	July. 25,	.	2	—	—	—	—	—	—	—	2
	Aug. 1,	.	.	—	—	—	—	—	—	—	.
Kingstown Urban District.	July. 11,	.	—	—	—	—	—	—	—	.	.
	July. 18,	.	—	—	—	—	—	—	—	.	.
	July. 25,	.	—	—	—	—	—	—	—	.	.
	Aug. 1,	.	—	—	—	—	—	—	—	.	.
City of Belfast.	July. 11,	.	—	—	20	1	.	6	.	.	.	4	.	—	—	—	—	.	2	33
	July. 18,	.	—	—	19	1	.	4	.	.	4	2	.	—	—	—	—	.	1	31
	July. 25,	.	—	—	34	.	.	3	.	.	.	2	.	—	—	—	—	.	6	45
	Aug. 1,	.	—	—	20	1	.	2	.	.	3	3	.	—	—	—	—	.	2	31
City of Cork.	July. 11,	.	1	—	2	1	.	—	—	—	—	—	—	4a
	July. 18,	.	3	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	6b
	July. 25,	.	1	—	2	1	2	—	—	—	—	—	—	6c
	Aug. 1,	.	2	—	4	1	.	.	—	—	—	—	—	—	7d
City of Londonderry.	July. 11,	.	—	—	.	.	.	2	.	.	1	.	.	—	—	—	—	—	—	3
	July. 18,	.	—	—	—	—	—	—	—	—	1
	July. 25,	.	—	—	.	.	.	1	—	—	—	—	—	—	.
	Aug. 1,	.	—	—	—	—	—	—	—	—	.
City of Limerick.	July. 11,	.	—	—	2	—	—	—	—	—	—	2
	July. 18,	.	—	—	1	—	—	—	—	—	—	1
	July. 25,	.	—	—	1	.	.	—	—	—	—	—	—	1
	Aug. 1,	.	—	—	1	.	.	1	.	.	1	.	.	—	—	—	—	—	—	3
City of Waterford.	July. 11,	.	—	—	—	—	—	—	.	1	1
	July. 18,	.	—	—	—	—	—	—	.	1	1
	July. 25,	.	—	—	—	—	—	—	.	1	1
	Aug. 1,	.	—	—	2	—	—	—	—	.	1	2

a Not including 9 cases of choleraic diarrhoea.

b Not including 14 cases of choleraic diarrhoea.

c Not including 6 cases of choleraic diarrhoea and one of whooping-cough.

d Not including 18 cases of choleraic diarrhoea.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st August, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Seven cases of enteric fever were admitted to hospital during the week, 3 were discharged, there was one death, and 72 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 24, 40, and 69.

One case of typhus was discharged from hospital during the week and no case remained under treatment at its close.

Eleven cases of measles were admitted to hospital, 36 were discharged, and 23 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 55, 55, and 48, respectively.

Six cases of scarlet fever were admitted to hospital, 14 were discharged, there was one death and 70* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 94, 92, and 79, respectively.

Four cases of diphtheria were admitted to hospital during the week, and 11 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 40, 40, and 35 respectively, were 28 at the close of last week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 7 were discharged, and 13 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 1st of August, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	1	2	.
Typhus,
Small-pox,
Measles,
Scarlet Fever,	1	1	.
Whooping-cough,
Diphtheria,
Croup,
Influenza,
Dysentery,
Tuberculosis, { Pulmonary,	4	2	2	5	1	1	.	1	1	3	.	1	21	2
{ Other Forms,	1	1	1	1	1	1	1	1	.	1	.	3	2
Cancer,	1	1	.	2	1	1	1	.	1	.	1	.	9	.
Diseases of Nervous System,	1	5	2	2	.	2	3	.	3	1	.	1	20	.
" Organs of Special Sense,	1
" Circulatory System,	1	3	.	.	1	.	.	.	3	1	4	13	.
" Respiratory System, { Pneumonia,	1	.	2	.	.	.	2	1	1	1	7	1
{ Others,	1	3	1	3	1	.	.	2	.	.	11	1
{ Diarrhoea and Enteritis, under 2 years,	1	1	1	3	.	2	.	1	9	.
" Digestive System, { Diarrhoea, 2 years and upwards,	1	1	.
{ Enteritis, 2 years and upwards,	1	.	1	.	.	1	2	.	.	.	6	1
{ Others,	1	3	5	.
" Genito-urinary System;	1
Puerperal Septicæmia, etc.,
Other Causes incident to Pregnancy and Childbirth,	1	1	2	.
Diseases of the Skin and Cellular Tissue,	1	1	.
" Locomotor System,
Other specified Causes,	4	4	3	.	.	1	1	2	1	1	2	.	1	.	1	1	22	.
Violent Deaths,	1	1	.	.	.	2	1
Ill-defined, &c. Causes,
Deaths from All Causes	12	15	16	7	.	6	1	16	7	12	15	2	10	6	2	8	135	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	20·7	18·9	29·9	10·3	.	22·9	4·9	20·5	19·9	14·4	23·6	10·6	13·3	10·3	11·3	24·6	17·3	.
	18·0							18·6					14·2					
	18·3																	
Ages at Death. { Under 1 year,	5	6	3	3	.	.	.	4	1	3	5	1	1	1	1	2	36	1
{ 1 and under 2 years,	1	1	1	3	2
{ 2 " 5 "	2	1	.	.	1	4	.
{ 5 " 15 "	1	.	.	1	1	3	1
{ 15 " 25 "	1	1	.	1	1	1	1	.	1	1	.	.	8	.
{ 25 " 45 "	4	3	2	1	.	2	.	3	1	2	2	.	1	1	1	2	25	2
{ 45 " 65 "	2	3	5	2	.	2	.	2	4	3	4	1	3	.	.	3	34	3
{ 65 and upwards,	2	3	.	.	1	.	3	.	3	2	.	4	3	.	1	22	.
Number of Uncertified Deaths,	1	1	2	.	1	.	.	2	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	6	7	2	.	2	.	4	1	4	5	1	1	2	.	2	33	7
Workhouse Hospitals,	3	2	3	1	.	1	.	4	1	3	2	.	.	.	1	4	25	2

THIRTY-FIRST WEEK, ending Saturday, 1st August, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 31st Week of the 10 years, 1904-1913.	In the Week ending Saturday, 1st August, 1914.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	Aug. 6, 1904.	Aug. 5, 1905.	Aug. 4, 1906.	Aug. 3, 1907.	Aug. 1, 1908.	Aug. 7, 1909.	Aug. 6, 1910.	Aug. 5, 1911.	Aug. 3, 1912.	Aug. 2, 1913.		Deaths of Persons of the Ages of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
												0-5.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
												Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Mean Temperature ...	61.5	57.7	60.5	57.7	60.7	53.6	56.5	62.5	53.4	56.4	58.6	57.3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												</

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1914—WEEK ENDING																									
	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.
No. of weeks in Annual Series,	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS REGISTERED.																										
Average Births in corresponding week of previous 10 years, ...	279	217	217	202	244	225	210	208	227	218	218	207	288	222	197	207	262	101	271	225	233	165	214	208	197	195
DEATHS REGISTERED.																										
Annual Death-rate per 1,000, ...	214	217	204	232	222	206	215	230	214	220	221	218	264	237	214	213	244	219	210	223	245	208	208	221	231	220
Average Deaths in corresponding week of previous 10 years, ...	214	171	175	187	169	189	183	219	212	212	212	231	203	181	160	166	185	162	163	151	134	139	123	139	129	144
Ages, { Under 5 years, ...	27.5	22.0	22.5	24.0	21.7	24.3	23.5	28.1	27.2	24.9	27.2	29.7	28.1	23.2	20.5	21.3	23.8	20.8	20.9	19.4	17.2	17.9	16.4	17.9	16.6	18.5
5-15 " ...	197	198	201	204	199	196	196	199	202	192	198	188	173	179	159	168	148	148	156	142	134	135	147	143	145	144
15-25 " ...	72	49	52	56	57	61	70	82	55	74	89	92	89	62	54	73	56	54	45	46	36	47	31	44	36	46
25-45 " ...	8	12	8	5	2	7	7	9	12	7	11	10	6	10	7	4	13	4	9	5	5	7	6	9	6	4
45-65 " ...	12	10	11	8	14	9	7	9	14	5	10	9	9	8	9	9	8	11	6	12	5	9	7	8	9	8
65-75 " ...	27	23	28	27	18	30	28	35	26	27	33	33	30	27	22	22	19	28	30	23	23	22	27	29	26	27
75 and upwards, ...	44	35	33	40	38	46	38	44	41	51	32	45	30	50	36	37	47	35	38	41	32	30	22	31	30	37
Deaths from:—	23	25	27	37	22	18	21	24	35	16	29	23	22	14	21	13	28	16	23	15	19	14	22	14	15	13
Enteric Fever, ...	13	17	16	14	18	18	12	16	26	14	13	19	17	10	11	8	14	14	12	9	11	10	18	9	7	9
Typhus, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2
Small-pox, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diphtheria, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis { Pulmonary ...	24	25	25	23	21	26	21	21	22	28	22	25	14	22	24	21	19	27	19	13	17	21	18	16	19	23
Other Forms, ...	7	5	10	4	2	7	6	6	9	5	10	8	10	9	5	6	9	4	6	5	7	9	5	8	11	5
Cancer, ...	10	10	10	10	9	7	6	18	6	13	8	13	9	11	11	5	12	9	13	9	8	7	8	7	10	9
Diseases of Circulatory System, ...	14	10	18	19	20	17	17	14	25	15	22	19	21	11	11	13	23	14	20	27	11	11	16	15	15	13
Diseases of Respi- (Pneumonia	20	13	14	13	15	14	8	20	19	19	16	17	19	13	13	15	14	12	12	14	8	9	10	12	4	8
ratory System, { Others, ...	31	25	17	30	21	34	35	34	35	28	20	20	15	17	19	17	22	13	11	8	20	10	13	5	7	12
Diarrhoea and Enteritis, under																										
2 years, ...	3	5	4	2	5	5	6	4	1	2	7	3	3	1	5	7	4	2	4	7	4	4	4	6	6	9
Diarrhoea, 2 years and upwards, ...																										
Violent Deaths, ...	5	3	3	4	4	1	3	2	3	1	1	6	3	2	7	5	3	6	3	3	2	6	4	5	3	1
Number of Uncertified Deaths, ...	4	8	8	6	5	6	2	7	8	4	5	9	7	2	2	9	6	4	3	2	2	5	2	6	2	7
Mean Temperature of the Air																										
(Phoenix Park) in degrees, ...	42.1	43.6	42.1	43.1	44.6	41.7	39.8	39.7	50.9	45.9	45.6	43.8*	44.9	49.6	49.3	55.4	48.1	52.6	52.3	57.2	56.1	59.1	60.1	61.1	59.0	57.3
Average Mean Temperature in	40.4	41.6	40.4	41.5	41.7	41.7	41.8	43.3	43.8	44.4	46.1	45.9	47.1	49.7	49.4	51.1	54.0	53.5	54.6	56.1	55.7	56.9	58.3	59.8	58.9	58.6
corresponding week of previous																										
10 years,305	.615	.810	.475	.675	.470	.450	.140	.575	.400	.120	.010	.000	1.335	.130	.515	.110	.140	.520	.495	.000	.365	.455	.795	.520	.350
Rainfall in inches,92	.85	.89	.91	.89	.90	.91	.92	.85	.90	.89	.88	.91	.87	.89	.90	.86	.87	.86	.83	.78	.80	.84	.86	.87	.87
Mean Humidity of the Air, com-																										
plete Saturation 1.0, ...																										

* For 6 days only.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1ST AUGUST, 1914.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1ST AUGUST, 1914.																																																	
OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.)			Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911	Total Number of Deaths.	AGES.										CAUSES OF DEATH										Violence.	Other Causes.	Number of Unclassified Deaths.																					
						Under 5 years.						5 and under 15.		15 and under 25.		25 and under 45.		45 and under 65.		65 and under 75.		75 and upwards.		Enteric Fever.					Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other Forms.		Cancer.		Convulsions.
COLS.			(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)																		
ALL PERSONS.			397,957	—	144	46	4	8	27	37	13	9	2	.	.	.	1	.	.	.	23	5	9	7	8	12	9	1	3	64	7																		
CLASSES.																																																	
I.	Deaths in Families of the—																																																
II.	PROFESSIONAL AND INDEPENDENT CLASS, ...			14,658	3.6	1	6	1	4	5	2	5	1	4	1	1	3	3	1	.	.	14	1																		
III.	MIDDLE CLASS, ...			101,798	12.3	24	6	1	3	6	10	2	2	4	1	3	1	3	3	1	.	.	12	1																		
IV.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...			108,420	13.9	29	6	3	6	10	2	2	2	5	1	3	1	3	3	1	.	.	26	5																		
V.	GENERAL SERVICE CLASS, ...			167,479	19.6	63	26	3	4	13	11	4	2	2	.	.	1	.	.	.	7	2	2	5	4	5	1	3	26	5																			
	INMATES OF WORKHOUSES, ...			5,602	—	27	8	.	4	11	4	6	2	3	.	2	2	.	.	12	.																			
I.	PROFESSIONAL AND INDEPENDENT CLASS.																																																
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...			7,868	6.6	1	1	1																
	2. Merchants and Manufacturers, Higher Class			1,347																
	3. Persons of Rank and Property, not otherwise described, ...			5,443																
II.	MIDDLE CLASS.																																																
	4. General Body of Officials—Civil Service, Banking, &c., ...			9,523	16.4	3	.	.	1	1	.	1	3	.	.	.																
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...			25,199	10.3	5	1	.	1	1	2	1	.	1	.	1	.	.	.	2	1	.	.																
	6. Clerks and Commercial Assistants, ...			33,249	7.8	5	3	.	2	2	.	.	.	1																
III.	Miscellaneous—including all Householders in Second Class Localities not included in above, ...			33,827	17.0	11	2	1	.	1	3	4	1	1	.	.	.	9	.	.	.																
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																																																
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...			11,777	4.4	1	.	.	1	1	.	1	1	1	.	.	.	1	2	1	.																
	9. Building and Furnishing Trades, ...			28,823	12.7	7	4	.	1	1	1	1	1	2	2	1	.																
	10. Clothing Trades, ...			20,026	5.2	2	.	.	1	.	1	1	1	2	2	1	.																
	11. Food Supply Trades, ...			8,952	11.6	2	1	1																
	12. Other Trades and Callings ranking with Trades, ...			32,070	26.0	16	1	.	2	3	8	2	3	1	3	.	1	2	.	.	.	6	1	.																	
IV.	PETTY SHOPKEEPERS.			6,772	7.7	1	1																
	GENERAL SERVICE CLASS.																																																
	14. Army, Police, Postal Delivery and Prison Services, &c., ...			12,977	32.1	8	2	.	3	2	2	.	1	1	1	1	.	1	.	.	1	1	2	3	1	.																
	15. Domestic Servants, ...			36,041	8.7	6	2	.	.	2																
	16. Coach and Car Drivers, Vanmen, &c., ...			15,380	3.4	1	1	.	.	.	2	2	1	.	.	.	1	7	1	1	21	4	.																	
	17. Hawkers, Porters, Labourers, &c., ...			103,081	24.3	48	21	3	10	7	2	2	1																
V.	INMATES OF WORKHOUSES.			5,602	—	27	8	.	4	11	4	6	2	3	.	2	2	.	.	12	.	.	.																	

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal admitted ; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Un- certified Deaths.		
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	June 27 July 4 " 11 " 18 Population in 1914 (Est.) 30,206.	13.8 15.5 22.4 13.8 8.6 20.7	. 1.7 .5.2 .8 .5 1.7	8 9 13 8 5 12	1	.	.	.	1	1	.	.	2	1
North City, No. 1 (W.) (Office, Summer-hill.)	June 27 July 4 " 11 " 18 Population in 1914 (Est.) 41,278.	15.2 24.0 16.4 20.2 24.0 18.9	1.3 5.1 2.5 2.5 1.3 1.3	12 19 13 16 19 15	2	2	.	.	1	1	1	.	.	.
North City, No. 2. (Office, Lisburn-street.)	June 27 July 4 " 11 " 18 Population in 1914 (Est.) 27,883.	18.7 20.6 20.6 31.8 20.6 29.9	. .1.9 .17 2.9 .1.9	10 11 11 17 11 16	3	1	.	.	2	2	.	.	.	1
North City, No. 3. (Office, Benburb-street.)	June 27 July 4 " 11 " 18 Population in 1914 (Est.) 35,536.	23.5 4.4 20.5 13.2 16.1 10.3	. .1.5 2.9 .11 .7	16 3 14 9 11 7	2	1	1	3	2	1	1	.	.	1
Clontarf and Howth No. 1 (part of).	June 27 July 4 " 11 " 18 Population in 1914 (Est.) 5,485.	9.5 38.0 .9.5 .7	. 9.5 .7	1 4 .4 .7
Coolock and Drumcondra (part of).	June 27 July 4 " 11 " 18 Population in 1914 (Est.) 13,685.	19.1 3.8 3.8 3.8 7.6 22.9	. .1 .1 .1 .3.8	5 1 1 1 2 6	2	.	1	
Finglas and Glasnevin (part of).	June 27 July 4 " 11 " 18 Population in 1914 (Est.) 10,723.	4.9 14.6 19.5 4.9 4.9	. 4.9 4.9 .1 .1	1 3 4 1 1	1	
South City, No. 1. (Office, Sth. Earl-street.)	June 27 July 4 " 11 " 18 Population in 1914 (Est.) 40,768.	19.2 6.4 15.3 20.5 19.2 20.5	5.1 .2.6 3.8 5.1 5.1	15 5 12 16 15 16	.	.	.	2	.	.	1	.	.	2	.	.	1	1	1	.	.	.
South City, No. 2. (Office, Castle-street.)	June 27 July 4 " 11 " 18 Population in 1914 (Est.) 18,341.	25.6 28.4 5.7 22.7 14.2 19.9	5.7 2.8 2.8 2.8 .5 7	9 10 2 8 5 7	1	.	.	1	1	.	1	.	1	
South City, No. 3. (Office, Peter-street.)	June 27 July 4 " 11 " 18 Population in 1914 (Est.) 43,540.	19.2 27.5 15.6 21.6 22.8 14.4	. .23 .13 3.6 3.6 2.4	16 23 13 18 19 12	2	6	1	1	4	3	.	.	1	
South City, No. 4. (Office, Grand Canal-st.)	June 27 July 4 " 11 " 18 Population in 1914 (Est.) 33,171.	14.1 17.3 11.0 26.7 12.6 23.6	1.6 1.6 1.6 1.6 3.1	9 11 7 17 8 15	1	.	.	1	.	.	2	1	.	.	1	
New Kilmainham.	June 27 July 4 " 11 " 18 Population in 1914 (Est.) 9,851.	15.9 21.2 5.3 15.9 31.8 10.6	. .5.3 5.3 5.3	3 4 1 3 6 2	1	.	.	1	

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.				
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.			Other.			
Rathmines and Rathgar Urban District.	June 27 July 4 " 11 " 18	9.3 16.0 17.3 6.7	. 2.7 1.3 .	7 12 13 5 1	. . . 1	1 1 . 1	. 2 . 1	1 2 1 1	. . 2 .	. . 1 1 1	. 1 . .
Population in 1914 (Est.) 39,155.	" 25 Aug. 1	12.0 13.3	1.3 .	9 10	1	1 1 .	1 1 .	1	1 .	1 .
Pembroke Urban District.	June 27 July 4 " 11 " 18	8.6 12.1 6.9 10.3	1.7 . . 1.7 .	5 7 4 6 1	1 1 1 2	. . 1 .	1 1 1 1
Population in 1914 (Est.) 30,240	" 25 Aug. 1	12.1 10.3	1.7 .	7 6	1 .	. .	3	2
Blackrock Urban District.	June 27 July 4 " 11 " 18	11.3 34.0 11.3 17.0	2 6 2 3 1 1 .	. 1 1 1
Population in 1914 (Est.) 9,197.	" 25 Aug. 1	. 11.3	. .	. 2	1
Kingstown Urban District.	June 27 July 4 " 11 " 18	6.2 9.2 9.2 21.5	. . . 3.1 3.1	2 3 3 7 1	. . 1 1 .	1 1 1 1	1 . . 1 1 .
Population in 1911 16,941.	" 25 Aug. 1	3.1 24.6	. .	1 8	1	1	2 .
Belfast.	June 27 July 4 " 11 " 18	17.5 17.0 17.0 13.5	2.2 3.5 2.5 2.2	134 130 130 103 1	5 9 6 4	2 2 5 2	4 7 2 4	. . . 1	21 13 14 10	5 7 7 3	5 9 11 7	10 4 7 8	10 9 11 5	5 7 7 5	1 2 5 6	. 2 2 3 2 1
Population in 1914 (Est.) 399,000.	" 25 Aug. 1	14.5 15.0	2.0 3.4	111 115	. 1	1 1	. .	1 6	2 2	2 7	16 15	4 7	8 1	10 5	8 12	8 9	1 .	2 2
Cork.	June 27 July 4 " 11 " 18	12.9 20.4 15.6 14.3	2.0 3.4 1.4 1.4	19 30 23 24	. . . 1	1 1 1 .	1 2 1 1	1	2 3 3 4	2 1 1 .	. 2 3 .	2 2 3 3	1 . . 3 1	. 2 . . 1 3 3 1 .
Population in 1911 76,673.	" 25 Aug. 1	13.6 15.6	3.4 4.8	20 23	1 1	. 2	2 4	6 .	. .	4 1	. 1	1 1
Londonderry.	June 27 July 4 " 11 " 18	10.1 14.0 26.6 22.8	. 1.3 2.5 1.3	8 11 21 18 1 1	1 2 3 2	. 1 2 1	1 1 1 2	. . . 1 1	1 3 1 1	. 2 . . 1 1 1 1	. . . 2 .
Population in 1914 (Est.) 41,100.	" 25 Aug. 1	15.2 17.8	1.3 1.3	12 14	2 2	1 .	2 1	1 .	1 .	1 1	1 1	2 .
Limerick.	June 27 July 4 " 11 " 18	12.2 20.3 12.2 19.0	1.4	9 15 9 14	1	1 3 2 1 4	1 1 3 2 1 1 1	. 2 . . .	1 2 1 3
Population in 1911 38,518.	" 25 Aug. 1	12.2 14.9	1.4 1.4	9 11	1	3 1	1 1
Waterford.	June 27 July 4 " 11 " 18	13.3 9.5 17.1 24.7 1.9	7 5 9 13	2 1 3 .	. 2 2 1	1 1 2 1 1	. . . 1 1 .	. 3 .
Population in 1911 27,464.	" 25 Aug. 1	13.3 11.4	1.9 .	7 6	2 1	1 3	1	1 1	1 .	. .

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 1st August, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.			Census Population in 1911.	No. of BIRTHS.	DEATHS.												DEATHS FROM												No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	
					AGES AT DEATH.						DISEASES OF THE RESPIRATORY SYSTEM.										TUBERCULOSIS.		Violence.	Inquest Cases.							
					Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.			Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.				
Col.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
City of Belfast.																															
Belfast Urban No. 1 District,	15,879	8	23.0	3.3	7	3	3	1	2	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 2 do.	49,500	35	22.1	3.2	21	5	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 3 do.	50,032	25	16.7	8.3	16	6	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 4 do.	32,637	16	12.8	4.8	9	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 5 do.	16,112	9	29.1	3.2	9	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 6 do.	37,293	14	9.8	.	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 7 do.	2,681	2	17.5	.	2	.	.	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 8 do.	5,964	2	27.8	4.3	13	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 9 do.	24,427	8	14.4	5.4	8	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 10 do.	28,958	14	14.4	2.7	7	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 11 do.	39,311	18	9.3	1.4	9	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 12 do.	38,076	37	12.3	1.4	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 13 do.	23,233	11	11.2	2.2	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 14 do.	175	1	6.9	2.3	3	.	.	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 15 do.	22,669	15	6.9	2.3	3	.	.	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Total,	386,947	212	15.0	3.4	115	21	21	11	21	24	17	1	1	1	6	2	7	1	15	7	1	5	12	9	1	2	5	32	1	1	
City of Cork.																															
Cork Urban No. 1 District,	13,455	7	3.9	3.9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 2 do.	10,399	7	60.2	20.1	12	.	.	.	3	3	3	.	.	.	1	.	4
Do. 3 do.	9,793	6
Do. 4 do.	9,139	5	25.0	8.3	3
Do. 5 do.	6,250	1	18.0	4.5	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 6 do.	11,581	4	9.7	1	3
Do. 7 do.	16,066	2	15.6	4.8	23	2	3	6	1	4	7
Total,	76,673	32	15.6	4.8	23	2	3	6	1	4	7

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1914—WEEK ENDING																									
	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.
No. of weeks in Annual Series,	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered, ...	187	224	210	203	217	222	196	244	243	163	219	255	198	222	245	238	262	191	198	233	227	219	237	190	218	212
DEATHS registered, ...	164	142	144	153	140	146	163	150	186	142	162	179	139	116	135	137	115	127	129	131	134	130	130	103	111	115
Annual Death-rate per 1,000 of estimated population, ...	21.4	18.6	18.8	20.0	18.3	19.1	21.3	19.6	17.8	18.6	21.2	23.4	18.2	15.2	17.6	17.9	15.0	16.6	16.9	17.1	17.5	17.0	17.0	13.5	14.5	15.0
AGES,																										
{ Under 1 year,	33	28	25	28	28	28	32	28	28	29	29	45	29	21	21	17	23	19	22	24	27	25	26	25	19	21
{ 1—5 years,	16	20	10	16	15	16	21	27	9	18	22	21	18	10	21	16	18	13	21	22	18	18	19	10	11	21
{ 5—25 " "	18	15	12	18	14	10	19	13	16	11	17	20	21	13	18	20	16	18	17	21	15	18	21	9	15	11
{ 25—45 " "	24	26	21	29	27	34	26	21	24	20	25	25	27	19	23	29	19	22	25	21	23	24	18	20	22	21
{ 45—65 " "	37	31	42	32	33	28	30	28	30	30	31	33	25	28	32	28	28	32	26	31	37	28	28	19	26	24
{ 65 and upwards,	36	22	34	30	23	30	35	33	29	34	38	32	19	25	20	27	11	23	18	12	14	17	18	20	18	17
Deaths from :—																										
Enteric Fever,	1	1	2	1
Typhus,	1	5	1	1	1
Small-pox,
Measles,	1	2	2	1	3	1	3	1	3	1	4	8	5	9	6	4	1	6
Scarlet Fever,	7	6	1	6	3	3	3	2	2	3	5	6	1	.	2	5	4	1	2	8	2	2	5	2	2	2
Whooping-cough, ...	2	6	1	4	5	2	7	5	3	6	9	8	3	3	5	5	7	4	7	4	4	7	2	4	2	7
Diphtheria,	.	.	2	.	1	2	1	.	2	1	1	.	.	1	.	.	.	2	.	1	.	.	1	.	.	.
Dysentery,	1
Tuberculosis. { Pulmonary,	14	21	17	31	14	15	16	14	10	12	11	32	18	19	20	21	15	19	17	21	21	13	14	10	16	15
{ Other Forms,	7	4	4	8	6	5	6	7	5	4	13	4	4	10	12	7	4	8	3	6	5	7	7	3	4	7
Cancer, ...	8	9	9	4	4	3	7	3	5	9	4	5	6	5	8	7	3	8	4	5	5	9	11	7	8	1
Diseases of Respi- { Pneumonia,	21	13	14	15	16	12	9	15	6	19	12	22	8	9	14	13	10	13	10	6	10	4	7	8	10	5
{ ratory System, { Others, ...	32	23	18	18	21	15	31	20	23	9	27	15	17	11	16	14	12	11	12	10	10	9	11	5	8	12
Diarrhoea and Enteritis, under 2 years,	3	1	1	4	7	8	3	2	1	4	2	2	4	.	3	2	4	1	5	6	5	7	5	6	8	9
Diarrhoea, 2 years and upwards,	1	.	.	.	1	1	1	1	2	1	.	.	.	1	1	.	1	2	.	.	1	.
Violent Deaths,	3	2	3	4	2	.	2	2	.	3	3	1	2	1	2	2	3	.	3	1	.	.	2	.	2	2
Number of Uncertified Deaths,	4	1	3	1	1	1	.	3	1	3	4	1	2	1	1	3	4	1	3	.	3	2	.	2	.
Mean Temperature of the Air in degrees.	43.1	41.2	41.0	41.1	44.3	39.9	40.8	41.0	49.7	47.1	43.5	52.7	48.2	48.2	47.5	54.9	50.0	52.2	51.2	61.5	55.8	59.0	58.8	61.6	60.2	56.2
Rainfall, in inches,	0.32	0.72	0.93	0.82	0.92	1.40	0.65	0.07	0.78	1.00	0.34	0.12	0.00	1.32	0.16	0.11	0.12	0.08	0.49	0.18	0.45	0.20	0.48	0.51	0.53	0.32

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ---	4,516,612	Aug. 1,	2,306	1,049	12·1	1	.	35	7	14	8	67
EDINBURGH, ---	321,900	" 1,	126	97	15·7	1	.	1	.	.	.	3
GLASGOW, --	1,047,000	" 1,	564	238	11·9	.	.	3	.	5	.	15
CALCUTTA, --	896,067	June 27,	.	354	20·5	59*	25	.	.	.	2†	40‡a
BOMBAY. ...	979,445	" 27,	328	518	27·5	60*	4	2	.	.	.	37‡a
MADRAS ---	518,660	" 27,	370	318	31·9	58*	.	.	?	?	?	78‡a
CAIRO, ...	721,337	" 10,	500	702	50·7	20	7	6	.	?	15†	185
PARIS, ...	2,847,229	July 18,	679	720	12·9	1	.	13	5	6	3†	43
BRUSSELS, ...	780,843	" 11,	221	159	10·5	3	.	.	1	1	.	9
ANTWERP, ---	313,833	" 11,	114	59	9·8	.	.	1	.	.	.	13
AMSTERDAM, ---	597,888	" 11,	272	98	8·6	.	.	1	.	.	1†	3
COPENHAGEN, ---	483,000	" 11,	224	142	15·3	1	.	2	2	1	.	2
STOCKHOLM, ---	382,085	" 11,	143	103	14·0	.	.	3	.	.	1	4a
CHRISTIANIA, ---	251,446	" 18,	119	70	14·5	.	.	.	2	1	1	12a
ST. PETERSBURG ---	1,728,200	June 27,	769	847	25·5	17	2	41	6	7	5	144
MOSCOW, ...	1,694,000	" 20,	.	917	28·2	2	2	46	10	6	7	252a
BERLIN, ...	2,072,258	July 4,	.	542	13·7	.	.	7	2	3	4†	34
HAMBURG, ...	1,030,983	" 11,	.	268	13·5	.	.	1	1	3	2	15a
BRESLAU, ---	544,180	" 11,	.	207	19·8	.	.	.	1	.	2	18a
MUNICH, ...	640,000	" 11,	.	154	12·5	8a
VIENNA (with suburbs),	2,149,834	" 11,	629	521	12·6	.	.	6	3	4	3†	28
BUDA-PESTH, ---	950,784	" 11,	463	299	16·4	1	.	8	3	1	.	30
PRAGUE and Faubourgs,	498,499	June 13,	176	157	16·4	.	.	6	2	.	3	6
TRIESTE, ...	244,655	" 27,	151	75	16·0	.	.	.	1	1	.	2
ROME, ...	591,943	Dec. 20,	283	220	19·4	4	.	1	1	.	1†	11
NEW YORK,...	5,583,871	June 6,	.	1,291	12·1	6	.	20	12	8	32	?
PHILADELPHIA, ---	1,657,810	May 23,	.	475	14·9	9	.	.	3	8	3†	14
BOSTON, ...	750,768	July 11,	.	177b	12·3	.	.	.	2	2	1	4a

* Deaths from "fever," including 7 from enteric fever and 13 from plague in Calcutta; 6 from enteric fever, and 23 from plague in Bombay; and 3 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 7 deaths from cholera in Calcutta, 4 in Bombay and 9 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 153 (including 3 deaths from diarrhoeal diseases), rate 10·6 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st August, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	1	1	.	.	.	3	5
" " 1, West,	1	4	5
" " 2,	1	9	10
" " 3,	1	.	.	2	3	6
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),
Finglas and Glasnevin (part of),	3	3
South City No. 1,	3	6	9
" " 2,	1	6	7
" " 3,	2	2	2	6
" " 4,	1	4	5
New Kilmainham,	1	1
Total,	10	.	.	2	.	.	7	1	.	.	.	37	57

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 1st August, 1914, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 1st August.			
	July 11.	July 18.	July 25.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	24	40	69	7	3	1	72
Typhus, ...	1	1	1	.	1	.	.
Small-pox,
Measles, ...	55	55	48	11	36	.	23
Scarlet Fever, ...	94	92	79	6	14	1	70*
Diphtheria, ...	40	40	35	4	11	.	28
Pneumonia, ...	19	18	15	5	7	.	13

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 1st August, 1914:—

"This, the closing week of July, was cool, cloudy, changeable. The N.W. winds of the previous week continued to prevail, but with gradually lessening strength until Thursday, when a new circulation of air from S.E. and S. spread over Ireland, as an Atlantic depression of far-reaching extent although of no great intensity approached our western shores. Earlier in the week the weather and wind direction were governed by a depression which hovered for many days off the southwest coast of Norway and which moved slowly in a south-easterly direction across Denmark to the North German Provinces. The N.W. winds of this system brought clouds and low temperatures to the British Isles—thus, on Monday the highest temperatures ranged in most districts between 60° and 65°—Dublin reporting 61°—while in the north of Scotland the thermometer rose very little above 55°. Tuesday was warmer and finer. On Wednesday a ridge of high atmospheric pressure spread in over Ireland, in which country the day proved very fine and bright. By Thursday morning all parts of the United Kingdom had come under the influence of the anticyclone, but wireless reports from the Atlantic showed that beyond the 20th meridian moderate to fresh S.W. winds had already set in, with dull weather and rain in places. On Friday morning the large though rather shallow depression which was causing this unsettled weather on the Atlantic had reached Ireland, whence it spread to Great Britain also by Saturday. Its heavy rainfall was not felt in Dublin until Saturday evening, but the 7 a.m. measurements on Friday were 1·02 inches at Valentia, 47 inch at Roche's Point, and 43 inch at Blacksod Point. By Saturday morning an additional rainfall of 55 inch had occurred at Valentia. In Dublin the mean height of the barometer was 29·807 inches, the range being from 30·049 inches at 9 a.m. of Thursday (wind, W.N.W.) to 29·581 inches at 9 p.m. of Saturday (wind, S.). The corrected mean temperature was 57·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 56·6°. On Sunday and Monday the screened thermometers fell to 49·0°, on Saturday they rose to 66·1°. The prevalent winds were N.W. till Thursday, then S.E. and S. Rain fell on 5 days to the amount of 363 inch, of which 176 inch was recorded on Saturday."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29·811 inches. The highest reading (30·048) was on Thursday, at 9 a.m., the lowest (29·583) on Saturday, at 9 p.m.

The mean temperature for the week was 57·3°, being 1·3° below the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Saturday, on which day the thermometer registered 69°, and was lowest on Wednesday, the mercury having fallen to 46°. The mean of the Dry Bulb for the week was 56·5° and of the Wet Bulb, 54·4°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The rainfall during the week measured 0·350 inch.

At Greenwich the mean temperature for the week was 59·8°, the maximum 81·6°, and the minimum 48·1°; and at Edinburgh the maximum was 65·3°, the minimum 47·2°, and the mean 55·7°. The rainfall at Greenwich measured 0·13 in.; and at Edinburgh 0·47 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.	BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 10.	Sunshine in hours and decimals.	Rain Gauge.
	Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation = 1·0.			
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday, July 26,	29·705	61	47	54·0	51·3	49·5	·88	·7	1·8	·180
Monday, „ 27,	29·710	62	48	55·0	54·2	52·8	·91	·6	0·4	·015
Tuesday, „ 28,	29·830	66	51	58·5	53·8	52·5	·91	·5	5·9	·000
Wednesday, „ 29,	30·005	63	46	56·0	56·3	54·9	·91	·4	6·0	·000
Thursday, „ 30,	30·010	66	53	59·5	61·4	56·3	·72	·6	10·8	·010
Friday, „ 31,	29·795	60	55	57·5	57·6	55·9	·90	·7	0·0	·005
Saturday, August 1,	29·620	69	52	60·5	61·2	58·6	·85	·5	4·9	·140
Mean,	29·811	64·3	50·3	57·3	56·5	54·4	·87	·6	Total 29·8	Total ·350

Sunday—Day cloudy, light showers p.m.; night overcast, light showers p.m., light rain midnight to 3.0 a.m. *Monday*—A dull day, light shower 11.0 to 11.15 p.m.; night cloudy, light shower 5.0 to 5.15 a.m. *Tuesday*—Day cloudy a.m., bright p.m.; night clear. *Wednesday*—Day cloudy a.m., bright p.m.; night cloudy. *Thursday*—A beautiful bright day; night clear, light shower a.m. *Friday*—Day cloudy, light shower p.m.; night cloudy. *Saturday*—Day bright a.m., cloudy and light rain p.m.; night overcast, light rain 1.0 a.m. to 4.0 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 1st August, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.R.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, July 26,	55·7	59·8	58·7	60·6	47·0	53·8	hrs. 2·8	ins. 0·090
Monday, „ 27,	55·7	59·1	58·5	62·2	48·2	55·2	0·1	0·005
Tuesday, „ 28,	57·9	59·5	58·3	65·2	50·9	58·0	5·6	—
Wednesday, „ 29,	55·3	59·8	58·1	65·4	43·3	54·3	4·6	—
Thursday, „ 30,	63·8	60·7	58·2	65·9	53·2	59·5	12·1	0·080
Friday, „ 31,	57·8	61·0	58·0	62·4	55·0	58·7	—	0·005
Saturday, August 1,	64·7	60·4	58·1	67·1	53·3	60·2	4·4	0·162
Weekly Mean,	58·7	60·0	57·6	64·1	50·1	57·1	Total 29·6	Total 0·292

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE
DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN
TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 8TH AUGUST, 1914.

[No. 32.]

*General Register Office, Charlemont House,
Dublin, 10th August, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	July 18	July 25	Aug. 1	Aug. 8	
27 Town Districts, (a)	16·1	14·5	15·7	16·4	15·7
Dublin Reg. Area ...	17·2	15·3	17·3	17·3	16·8
Dublin City ...	19·0	17·1	18·3	18·3	18·2
Belfast ...	13·5	14·5	15·0	17·9	15·2
Cork ...	14·3	13·6	15·6	14·3	14·5
Londonderry ...	22·8	15·2	17·8	12·7	17·1
Limerick ...	19·0	12·2	14·9	12·2	14·6
Waterford ...	24·7	13·3	11·4	9·5	14·7

The deaths from certain epidemic diseases† registered in the 27 town districts during last week* were equal to an annual rate of 1·8 per 1,000. Among the 137 deaths from all causes for Belfast were one from enteric fever, one from typhus, 5 from measles, 4 from scarlet fever, 2 from whooping-cough, and 3 from diarrhoea and enteritis of children under 2 years. Included in the 21 deaths from all causes for Cork are 3 from whooping-cough and 2 from diarrhoea and enteritis of children under 2 years. One of the 9 deaths from all causes for Limerick is from enteric fever and included in the 2 deaths recorded for Queenstown is one from whooping cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 166—87 boys and 79 girls—and the deaths to 136—81 males and 55 females.

DEATHS.

The deaths registered, omitting the one death of a person admitted into a public institution from a locality outside the Area, represent an annual rate of mortality of 17·3 per 1,000 of the population. During the thirty-two weeks, ending with Saturday last, the death-rate averaged 21·7, and was 0·4 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases
(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 136, represent an annual rate of 17·5 per 1,000; the annual rate for the past thirty-two weeks was 23·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·3 per 1,000 of the mean population for all deaths registered.

The deaths registered include 2 from enteric fever, 2 from measles, one from diphtheria, and 10 deaths from diarrhoea and enteritis of children under 2 years of age.

During the three preceding weeks, deaths from enteric fever were one, 2, and 2; deaths from measles were 6, 2, and 0; deaths from diphtheria were 2, one, and 0; and deaths from diarrhoea and enteritis of children under 2 years of age were 6, 6, and 9, respectively.

Deaths from all forms of tuberculous disease, numbering 24, 30, and 28, respectively, in the three preceding weeks, were 25 last week, comprising 19 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, 2 from abdominal tuberculosis, and 2 from other forms of the disease.

There were 3 deaths from broncho-pneumonia and one from lobar pneumonia.

Cancer caused 7 deaths.

Of the deaths of infants under one year of age, 2 were ascribed to convulsions, 3 to premature birth, and 3 to congenital debility.

There were 14 deaths from organic diseases of the heart and 9 from bronchitis.

Four deaths (including one death by drowning) were attributed to accidental causes, and 3 deaths were stated in the Coroner's certificates of the finding of the jury to have been caused by "gunshot wound by unknown soldier."

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year of age, and the death of one person aged 78 years.

Thirty-five of the persons whose deaths were registered during the week were under 5 years of age (26 being infants under one year, of whom 8 were under one month old), and 30 were aged 65 years and upwards, including 24 persons aged 70 and upwards; among the latter were 15 aged 75 and upwards, of whom two (a male and a female) were stated to have been aged 91 and 90 years respectively.

Fifty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·3 per 1,000; the rate in the City was 18·3 (North City Districts, 15·5; South, 21·5) and in the Suburbs 14·2.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 2·4 (in the North City Districts 0·3, and in the South 4·7), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·0 per 1,000. Five deaths were caused by tuberculous disease, one by broncho-pneumonia, and 2 by violence.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 18·9 per 1,000, and include 3 deaths from tuberculous disease, one from bronchitis, and one violent death.

No. 2 North City District (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 16·8 per 1,000. Among them are 2 deaths from bronchitis, one death of a child under 2 years of age from diarrhoea and enteritis, and one death by violence.

No. 3 North City District (Benburb-street).—The deaths (10) represent an annual rate of 14·7 per 1,000. There were 2 deaths from pulmonary tuberculosis and one death from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 3·8 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 14·6.

No. 1 South City District (South Earl-street).—The deaths (24) represent an annual rate of 30·7 per 1,000. Three of the deaths were from tuberculous disease, one from lobar pneumonia, one from bronchitis, and 6 deaths of children under 2 years of age from diarrhoea and enteritis.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000, and include one death from measles, 3 deaths from pulmonary tuberculosis, one from broncho-pneumonia, and 2 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (9) are equal to an annual rate of 10·8 per 1,000. Among them are one death from pulmonary tuberculosis, one from broncho-pneumonia, one from bronchitis, one death from diarrhoea and enteritis of a child under 2 years of age, and 2 accidental deaths.

No. 4 South City District (Grand Canal Street).—The deaths (14) are equivalent to an annual rate of 22·0 per 1,000, and include one death from diphtheria, 5 deaths from tuberculous disease, and 2 deaths of children under 2 years of age from diarrhoea and enteritis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·9 per 1,000. Enteric fever caused 2 of the deaths.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·6; Pembroke, 6·9; Blackrock, 11·3; and Kingstown, 18·5. The only death from any of the principal epidemic diseases tabulated for these districts was one from measles for Rathmines and Rathgar. Of the 14 deaths from all causes for the last-named district 2 were from pulmonary tuberculosis. The 4 deaths from all causes for Pembroke included one from bronchitis and one accidental death; and of the 6 deaths from all causes for Kingstown one was from pulmonary tuberculosis.

ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 11·9), was equal to an average annual death-rate of 12·0 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 11·6 per 1,000, the rate for Glasgow being 11·9, and for Edinburgh 11·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 8th August. From this Report it appears that of a total of 70 cases notified, 39 were scarlet fever, 18 diphtheria, 6 phthisis, 4 erysipelas, 2 cerebro-spinal fever, and one puerperal fever. Among the 534 cases of infectious diseases in hospital at the close of the week were 228 cases of scarlet fever, 214 of phthisis, 59 of diphtheria, 7 of enteric fever, 7 of erysipelas, 3 of whooping-cough, 2 of cerebro-spinal fever, 2 of chicken-pox, and one of puerperal fever.

* See note (c) at foot of Table II.

† See note (f) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 8th August, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Oroup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary eculesis.	Tuber-Total.
City of Dublin.	July. 18,	.	—	—	9	.	.	2	.	.	11	1	.	—	—	—	—	.	48	71
	July. 25,	.	—	—	3	.	.	7	.	.	16	4	.	—	—	—	—	.	41	71
	Aug. 1,	.	—	—	10	.	.	2	.	.	7	1	.	—	—	—	—	.	37	57
	Aug. 8,	.	—	—	9	.	.	2	.	.	3	4	.	—	—	—	—	.	19	37
Rathmines and Rathgar Urban District.	July. 18,	.	—	—	2	5	1	.	—	—	—	—	—	—	8
	July. 25,	.	—	—	3	.	.	1	.	.	22	1	.	—	—	—	—	—	—	27
	Aug. 1,	.	—	—	2	1	.	—	—	—	—	—	—	3
	Aug. 8,	.	—	—	1	.	.	1	.	1	2	1	.	—	—	—	—	—	—	6
Pembroke Urban District.	July. 18,	3	.	.	1	.	.	—	—	—	—	—	.	4
	July. 25,	.	1	.	2	.	.	1	.	.	.	1	.	—	—	—	—	—	.	5
	Aug. 1,	1	.	.	.	1	.	—	—	—	—	—	.	2
	Aug. 8,	1	.	.	.	1	.	—	—	—	—	—	.	2
Blackrock Urban District.	July. 18,	.	.	—	1	—	—	—	—	—	—	1
	July. 25,	.	2	—	—	—	—	—	—	—	2
	Aug. 1,	.	.	—	—	—	—	—	—	—	.
	Aug. 8,	.	.	—	—	—	—	—	—	—	.
Kingstown Urban District.	July. 18,	.	—	—	—	—	—	—	—	.	.
	July. 25,	.	—	—	—	—	—	—	—	.	.
	Aug. 1,	.	—	—	—	—	—	—	—	.	.
	Aug. 8,	.	—	—	—	—	—	—	—	.	.
City of Belfast.	July. 18,	.	—	—	19	1	.	4	.	.	4	2	.	—	—	—	—	.	1	31
	July. 25,	.	—	—	34	.	.	3	.	.	.	2	.	—	—	—	—	.	6	45
	Aug. 1,	.	—	—	20	1	.	2	.	.	3	3	.	—	—	—	—	.	2	31
	Aug. 8,	.	—	—	23	.	.	2	.	2	3	2	.	—	—	—	—	.	5	37
City of Cork.	July. 18,	.	3	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	6 ^a
	July. 25,	.	1	—	2	1	2	—	—	—	—	—	—	6 ^b
	Aug. 1,	.	2	—	4	1	.	.	—	—	—	—	—	—	7 ^c
	Aug. 8,	.	.	—	5	.	.	1	.	.	.	2	1	—	—	—	—	—	—	9 ^d
City of Londonderry.	July. 18,	.	—	—	—	—	—	—	—	—	.
	July. 25,	.	—	—	.	.	.	1	—	—	—	—	—	—	1
	Aug. 1,	.	—	—	—	—	—	—	—	—	.
	Aug. 8,	.	—	—	2	—	—	—	—	—	—	2
City of Limerick.	July. 18,	.	—	—	1	—	—	—	—	—	—	1
	July. 25,	.	—	—	1	.	.	—	—	—	—	—	—	1
	Aug. 1,	.	—	—	1	.	.	1	.	.	1	.	.	—	—	—	—	—	—	3
	Aug. 8,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
City of Waterford.	July. 18,	.	—	—	—	—	—	—	—	1	1
	July. 25,	.	—	—	—	—	—	—	—	1	1
	Aug. 1,	.	—	—	2	—	—	—	—	—	.	2
	Aug. 8,	.	—	—	3	—	—	—	—	—	.	3

^a Not including 14 cases of choleraic diarrhoea.

^b Not including 6 cases of choleraic diarrhoea and one of whooping-cough.

^c Not including 18 cases of choleraic diarrhoea.

^d Not including 7 cases of choleraic diarrhoea.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th August, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Seven cases of enteric fever were admitted to hospital during the week, 8 were discharged, there was one death, and 70 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 40, 69, and 72.

Three cases of measles were admitted to hospital, 10 were discharged, and 16 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 55, 48, and 23, respectively.

Fourteen cases of scarlet fever were admitted to hospital, 11 were discharged, one died, and 72* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 92, 79, and 70, respectively.

Seven cases of diphtheria were admitted to hospital during the week, and 5 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 40, 35, and 28 respectively, were 30 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 6 were discharged, and 11 cases remained under treatment at the end of the week.

See note () at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 8th of August, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	2	2	.	
Typhus,	
Small-pox,	1	.	.	.	1	.	.	2	.	
Measles,	
Scarlet Fever,	
Whooping-cough,	
Diphtheria,	1	1	.	
Croup,	
Influenza,	
Dysentery,	
Tuberculosis, { Pulmonary,	3	1	.	2	.	.	2	3	1	4	.	2	.	.	1	19	.	
{ Other Forms,	2	2	1	.	.	1	.	2	.	.	.	6	.	
Cancer,	1	2	.	.	1	.	2	.	.	1	7	.	
Diseases of Nervous System,	4	.	1	.	.	2	.	1	1	.	1	.	.	2	12	.	
" Organs of Special Sense,	
" Circulatory System,	2	1	2	.	1	2	2	1	1	2	14	1	
" Respiratory System, { Pneumonia,	1	1	2	1	.	.	1	1	1	4	.	
{ Others,	1	1	2	1	.	.	1	2	1	.	.	.	1	.	.	10	.	
{ Diarrhoea and Enteritis, under 2 years,	1	.	.	.	6	.	1	2	10	.	
" Digestive System, { Diarrhoea, 2 years and upwards,	
{ Enteritis, 2 years and upwards,	2	2	.	
{ Others,	1	1	.	2	.	2	.	1	.	7	.	
" Genito-urinary System,	1	1	2	.	.	1	.	1	.	.	.	6	.	
Puerperal Septicæmia, etc.,	
Other Causes incident to Pregnancy and Childbirth,	1	.	.	1	.	
Diseases of the Skin and Cellular Tissue,	1	1	.	
" Locomotor System,	
Other specified Causes,	2	2	3	.	1	1	2	2	2	1	1	2	1	.	20	.	
Violent Deaths,	2	1	1	2	.	.	.	1	.	7	.	
Ill-defined, &c. Causes,	1	1	1	.	.	.	1	4	.	
Deaths from All Causes	11	15	9	10	.	1	3	24	10	9	14	3	14	4	2	6	135	1
Annual Rate of Mortality from All Causes in every 1,000 of the population.	19·0	18·9	16·8	14·7	.	3·8	14·6	30·7	28·4	10·8	22·0	15·9	18·6	6·9	11·3	18·5	17·3	.
	15·5							21·5							14·2			
	18·3																	
Ages at Death. { Under 1 year,	1	2	1	2	.	.	1	6	1	3	6	.	2	1	.	.	26	.
1 and under 2 years,	2	1	1	.	.	1	.	.	.	5	.
2 " 5 "	1	1	1	4	.
5 " 15 "	1	1	3	1	.	.	.	6	.
15 " 25 "	2	.	.	1	1	.	.	1	5	.
25 " 45 "	3	2	1	2	.	.	1	4	2	1	2	.	5	1	.	2	26	.
45 " 65 "	3	5	2	2	.	.	1	4	1	2	5	1	2	2	.	3	33	1
65 and upwards,	4	5	3	.	1	.	4	3	2	2	.	3	.	2	1	30	.
Number of Uncertified Deaths,	1	.	1	.	.	.	1	1	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	4	2	3	.	.	.	1	3	2	4	3	3	1	.	1	31	1
Workhouse Hospitals,	2	3	3	2	.	.	.	3	3	2	2	.	3	.	.	.	23	.

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 32nd Week of the 10 years, 1904-1913.	In the Week ending Saturday, 8th August, 1914.																																			
	Aug. 13, 1904.	Aug. 12, 1906.	Aug. 11, 1906.	Aug. 10, 1907.	Aug. 8, 1908.	Aug. 14, 1909.	Aug. 13, 1910.	Aug. 12, 1911.	Aug. 10, 1912.	Aug. 9, 1913.		Deaths of Persons of the Ages of																																			
												0-5.																																			
												Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																										
Mean Temperature.	57.1	57.3	61.3	58.3	59.5	62.4	59.2	60.8	53.0	55.4	58.4	58.1																																			
ALL CAUSES.	199	151	130	118	149	113	143	169	130	144	144.6	136	8	18	5	4	6	5	26	34	15	1																									
Enteric Fever, ...	1	.	1	1	1	.	.	2	1	.	.7	2	1	1																								
Typhus,																								
Small-pox,																								
Measles, ...	5	.	2	5	2	1	1	2	4	1	2.3	2	.	2																								
Scarlet Fever, ...	1	1	3	1	.	.6																								
Whooping-cough, ...	4	.	3	1	1	2	3	1	2	.	1.7																								
Diphtheria, ...	2	1	2	1	1	.	.	.	1	2	1.0	1	1																								
Croup, ...	1	12																								
Influenza,	1	.	2	.	.	1	.	.	.4																								
Dysentery, ...	—	—	—	—	—	—	—	1	.	.	—																								
Erysipelas,	11	1	1																								
Other Epidemic Diseases, ...	1	.	.	1	13																								
Pyæmia and Septicæmia (non-puerperal).	1	.	.	.	1	2	.	1	.	.	.5																								
Tetanus, ...	1	12																								
TUBERCULOSIS.																																															
Pulmonary Tuberculosis, ...	25	22	18	15	13	9	14	13	17	17	16.3	19	1	11	7	.	.	.																								
Tuberculous Meningitis, ...	2	3	.	6	4	5	7	2	1	4	3.4	2	.	1	.	1																								
Abdominal Tuberculosis, ...	1	.	.	3	1	1	1	1	3	1	1.2	2	.	1	.	.	1																								
Tuberculosis of the Vertebral Column.	9	6	7	6	5	4	7	.	3	.	5.6	1	1																							
Tuberculosis of Joints,		
Tuberculosis of other Organs, Scrofula,	
Disseminated Tuberculosis, ...																									2	3	4	1	
Venereal Diseases, ...	2	1	2	1	.	4	.	.	2	.	1.2																								
Cancer, ...	5	8	4	3	9	6	8	11	8	11	7.3	7	3	2	2	.																								
Tumour, situation undefined, Rheumatic Fever, ...	—	—	—	—	—	—	—	.	.	.	—	1	1																								
Diabetes,	1	.	23	1	1	.	.	.																								
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	1	.	.	—	1	1	1	.	.																								
Other General Diseases, ...	—	—	—	—	—	—	—	1	.	1	—	3	1	1	1	.	.																								
Alcoholism,	1	1	.	2	.	1	1	1	.7																								
Chronic Poisonings, ...	—	—	—	—	—	—	—	.	.	.	—																								
Cerebro-spinal Fever,	1	.	.	.1																								
Simple Meningitis, ...	40	30	35	18	37	28	32	3	2	2	.	2	1	1	.	2	1	2	.																							
Cerebral Hamorrhage, Apoplexy.																									5	5	2		
Softening of Brain,	
Paralysis, without specified cause.																									2	1	1	
Epilepsy, ...	40	30	35	18	37	28	32	1	3	1	30.6	2																							
Convulsions (non-puerperal), ...																									4	1	5	
Other Diseases of Nervous System.																									1	3	1
Pericarditis,
Acute Endocarditis, ...	40	30	35	18	37	28	32	1	3	1	30.6	2																							
Organic Diseases of the Heart, Embolism and Thrombosis (including Cerebral).																									9	11	22	
Other Diseases of Circulatory system.																									3	.	1
Diseases of the Larynx,
Bronchitis, ...	8	5	8	16	6	9	7	8	5	6	7.8	9																							
Broncho-pneumonia, ...	3	.	.	3	2	.	1	1	1	2	1.3	3	.	1	4	3	2	.																								
Lobar pneumonia,	1	1	1	1	3	.	3	4	1.3	1																								
Pneumonia (type not distinguished)	6	4	4	5	3	1	4	7	3	2	3.9	1																								
Pleurisy, ...	3	1	2	.	2	.	1	.	.	1	1.2	1																							
Pulmonary Congestion, Pulmonary Apoplexy.																									
Other Diseases of Respiratory System.																								
																								

THIRTY-SECOND WEEK, ending Saturday, 8th August, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 32nd Week of the 10 years, 1904-1913.	In the Week ending Saturday, 8th August, 1914.																																
	Aug. 13, 1904.	Aug. 12, 1905.	Aug. 11, 1906.	Aug. 10, 1907.	Aug. 8, 1908.	Aug. 14, 1909.	Aug. 13, 1910.	Aug. 12, 1911.	Aug. 10, 1912.	Aug. 9, 1913.		Deaths of Persons of the Ages of																																
												0-5.																																
												Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																							
Mean Temperature	57.1	57.3	61.3	58.3	59.5	62.4	59.2	60.8	53.0	55.4	58.4	58.1																																
Diseases of the Pharynx, Ton- sillitis.	1	.	.	.1																					
Diseases of Stomach, ...	—	—	—	—	—	—	—	2	1	2	—	2	1	2	.	.	.	1																					
Diarrhoea and Enteritis of Children under 2 years.	43	33	15	7	20	13	16	41	13	18	22.8	10	8	2																					
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards															6	.	2	.	.	1										
Appendicitis and Typhlitis,...	—	—	—	—	—	—	—	1	.	.	—	—	—	—																					
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	—	2	.	2	—	—	—	—																					
Cirrhosis of Liver,	2	2	.	.	2	3	1	1	1.1	1	1	.																					
Other Diseases of Liver, ...	1	.	.	.	1	2	.	1	2	.	.7	4	1	1	1	1																						
Peritonitis (cause unknown),	5	5	10	.	5	2	13																					
Other Diseases of Digestive System.	2	.	3.0																					
Acute Nephritis, ...	6	7	.	2	8	3	5	.	3	3	5.4	2	3	.	.	1																					
Chronic Bright's Disease, ...																								6	4	6	
Urinary Calculi,
Uterine Tumour (non-can- cerous).																							
Ovarian Tumour (non-can- cerous)																							
Other Diseases of Genito- urinary System.																								1
Puerperal Septicæmia, &c.,...	1	1	.	2	.	.4																						
Other Causes incident to Pregnancy and Childbirth.	.	.	1	.	2	14	1	1																						
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	.	1	.	—	1	1																						
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	1	1	1	—																						
Premature Birth, ...	2	2	2	3	2	2	3	2	3	2	2.2	3	3																						
Congenital Debility, ...	—	—	—	—	—	—	—	1	6	3	—	3	1	2																						
Old Age, ...	6	3	.	2	2	3	6	3	.	2	2.7	5	1	4																						
Other Specified Diseases, ...	—	—	—	—	—	—	—	1	2	1	—	2	2																						
ACCIDENT :																																												
Poisons or Poisonous Vapours.	11																						
Conflagration,	11																						
Burns and Scalds, ...	1	.	.	.	1	.	1	.	.	1	.4																						
Drowning, ...	1	.	1	.	2	2	17	1	1	.	.	.																						
Suffocation in Bed,																						
Other Deaths by Accident, ...	1	2	2	1	3	.	4	2	3	5	2.3	3	.	.	.	1	.	1	1	.	.																							
Total Deaths from Accident,	3	2	3	2	6	3	6	2	3	6	3.6	4	.	.	.	1	.	1	2	.	.																							
Included in above are Deaths in connection with—																																												
Railways,	1	.	.	.	1	.	.	.2																						
Vehicles and Horses,	1	2	.	1	.	2	1	1	2	1.0																						
Ships, Boats, Docks,																						
Building Operations,																						
VIOLENCE OTHER THAN ACCIDENTAL :																																												
Homicide,	3	1	1	1	.	.	.																						
Suicide,1																						
Execution,																						
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	4	2	2	—	4	1	.	1	.	.	.	1	1	.	.																						

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914—WEEK ENDING																									
		Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.
No. of weeks in Annual Series,		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
BIRTHS registered.		217	217	202	244	225	210	208	227	173	218	207	288	222	197	207	262	191	271	225	233	165	214	208	197	195	166
Average Births in corresponding week of previous 10 years, ...		217	204	232	222	206	215	230	214	220	221	218	264	237	214	213	244	219	210	223	245	208	208	221	221	220	209
DEATHS registered, ...		171	175	187	169	189	183	219	212	194	212	231	203	181	160	166	185	162	163	151	134	139	128	139	129	144	136
Annual Death-rate per 1,000, ...		22.0	22.5	24.0	21.7	24.3	23.5	28.1	27.2	24.9	27.2	29.7	26.1	23.2	20.5	21.8	23.8	20.8	20.9	19.4	17.2	17.9	16.4	17.9	16.6	18.5	17.5
Average Deaths in corresponding week of previous 10 years, ...		198	201	204	199	196	196	199	202	192	198	188	173	179	139	168	148	148	156	142	134	135	147	143	145	144	145
Ages.		49	52	56	57	61	70	82	55	74	89	92	89	62	54	73	56	54	45	46	36	47	31	44	36	46	35
{ Under 5 years, ...		12	8	5	2	7	7	9	12	7	11	10	6	10	7	4	12	4	9	5	5	7	6	9	6	4	6
{ 15-25 " " " " " "		10	11	8	14	9	7	9	14	5	10	9	9	8	9	4	8	11	6	12	8	9	7	8	9	8	5
{ 25-45 " " " " " "		23	28	27	18	30	28	35	26	27	28	33	30	27	22	22	19	28	30	23	22	22	27	29	26	27	26
{ 45-65 " " " " " "		35	33	40	38	46	38	44	51	32	45	32	30	50	36	37	47	35	38	41	32	30	31	30	37	34	34
{ 65-75 " " " " " "		25	27	37	22	18	21	24	35	16	29	23	22	14	21	13	28	16	23	15	19	14	22	14	15	13	15
{ 75 and upwards, ...		17	16	14	18	18	12	16	26	14	13	19	17	10	11	8	14	14	12	9	11	10	13	9	7	9	15
Deaths from:—		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
Enteric Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
Small-pox, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
Measles, ...		5	3	7	4	5	14	27	22	34	39	35	40	29	17	16	14	18	8	5	3	2	4	6	2	1	2
Scarlet Fever, ...		2	2	2	1	2	2	2	3	3	4	2	2	2	1	1	1	2	1	1	1	1	2	3	1	1	2
Whooping-cough, ...		2	3	1	3	2	3	3	3	1	1	3	2	3	3	5	1	1	1	1	1	1	2	2	1	1	2
Diphtheria, ...		1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis { Pulmonary ...		25	25	23	21	26	21	21	22	28	22	25	14	22	24	21	19	27	19	13	17	21	18	16	19	23	19
{ Other Forms, ...		5	10	4	2	9	8	6	9	5	10	8	10	9	5	6	9	4	6	5	7	9	5	8	11	5	6
Cancer, ...		5	5	10	9	7	6	18	6	13	8	13	9	11	11	6	12	9	13	9	8	7	8	7	10	9	7
Diseases of Circulatory System, ...		10	18	19	20	17	17	14	25	15	22	19	21	11	11	13	28	14	20	27	11	11	16	15	15	13	15
Diseases of Respi. { Pneumonia		13	14	13	15	14	8	20	19	19	16	17	19	13	13	13	14	12	12	14	8	9	10	12	4	8	4
ratory System, { Others, ...		25	17	30	21	34	35	34	35	30	28	20	15	17	19	17	22	13	11	8	20	10	13	5	7	12	10
Diarrhea and Enteritis under		5	4	2	5	5	6	4	1	2	7	3	3	1	5	7	4	2	4	7	4	4	4	6	6	9	10
2 years, ...		5	4	2	5	5	6	4	1	2	7	3	3	1	5	7	4	2	4	7	4	4	4	6	6	9	10
Diarrhea, 2 years and upwards,		5	4	2	5	5	6	4	1	2	7	3	3	1	5	7	4	2	4	7	4	4	4	6	6	9	10
Violent Deaths, ...		3	3	4	4	1	3	2	3	1	1	6	3	2	7	5	3	6	3	3	2	6	4	5	3	1	7
Number of Uncertified Deaths, ...		8	8	6	5	6	2	7	8	4	5	9	7	2	2	9	6	4	3	2	2	5	2	6	2	3	4
Mean Temperature of the Air		43.6	42.1	43.1	41.6	41.7	39.8	39.7	50.9	45.9	45.6	48.8	44.9	49.6	49.3	55.4	48.1	52.6	52.3	57.2	56.1	59.1	60.1	61.1	59.0	57.3	58.1
(Phoenix Park) in degrees, ...		41.6	40.4	41.5	41.7	41.7	41.8	43.3	43.8	44.4	46.1	45.9	47.1	49.7	49.4	51.1	54.0	53.5	54.6	56.1	55.7	56.9	58.3	59.8	58.9	58.6	58.4
Average Mean Temperature in		615.	810	475	675	470	450	140	575	400	120	010	000	1,335	130	515	110	140	520	495	000	365	455	795	520	350	695
corresponding week of previous		85	89	91	89	90	91	92	85	90	89	88	91	87	89	90	86	87	86	83	78	80	84	86	87	87	84
10 years, ...		85	89	91	89	90	91	92	85	90	89	88	91	87	89	90	86	87	86	83	78	80	84	86	87	87	84
Rainfall in inches, ...		85	89	91	89	90	91	92	85	90	89	88	91	87	89	90	86	87	86	83	78	80	84	86	87	87	84
Mean Humidity of the Air, com-		85	89	91	89	90	91	92	85	90	89	88	91	87	89	90	86	87	86	83	78	80	84	86	87	87	84
plete Saturation 1.0, ...		85	89	91	89	90	91	92	85	90	89	88	91	87	89	90	86	87	86	83	78	80	84	86	87	87	84

* For 6 days only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITIONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday 8th August, 1914; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 8TH AUGUST, 1914.																														
OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified," in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.)			Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.										CAUSES OF DEATH														
						AGES.										CAUSES OF DEATH														
						Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Tuberculosis.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.	
CLASS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	
ALL PERSONS.																														
	397,957	—	136	35	6	5	26	34	15	15	2	.	.	2	.	.	1	.	19	6	7	2	4	10	10	.	7	66	4	
I.	14,658	13.3	26	5	.	4	8	3	6	.	.	.	1	2	1	3	2	.	1	.	.	.	18	1	
II.	101,798	16.4	34	9	1	8	8	1	4	2	.	.	.	1	5	2	2	2	2	1	2	.	1	15	2	
III.	108,420	16.5	53	17	5	1	12	10	4	1	.	.	1	.	9	2	2	.	2	1	6	.	6	23	1	
IV.	167,479																		8	1	.	.	.	7	2	.	.	10	.	
V.	5,602	—	23	4	.	1	2	8	7	1	3	1
CLASSES.																														
Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.																													
	2. Merchants and Manufacturers, Higher Class																													
	3. Persons of Rank and Property, not otherwise described.																													
	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c.																													
	5. Traders (except Petty Shopkeepers), Business Managers, &c.																													
	6. Clerks and Commercial Assistants.																													
	7. Miscellaneous—including all Householders in Second Class Localities not included in above.																													
II.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers.																													
	9. Building and Furnishing Trades.																													
	10. Clothing Trades.																													
	11. Food Supply Trades.																													
	12. Other Trades and Callings ranking with Trades.																													
	13. Petty Shopkeepers																													
III.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c.																													
	15. Domestic Servants.																													
	16. Coach and Car Drivers, Vanmen, &c.																													
	17. Hawkers, Porters, Labourers, &c.																													
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates.																													

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Un- certified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	July 4	15.5	1.7	9	.	.	.	1	1	3
	" 11	22.4	.	13	3	1	.	2	1
	" 18	13.8	5.2	8	.	.	.	1	1	.	.	.	1	.	.	1	.	1	.	.	.
	" 25	8.6	.	5	1	.	1
Population in 1914	Aug. 1	20.7	1.7	12	4	.	1	.	1	1	.	.	.
(Est.) 30,206.	" 8	19.0	.	11	3	2	1	1	1	.	.	2	.
North City, No. 1 (W.) (Office, Summer-hill.)	July 4	24.0	5.1	19	1	1	1	.	1	2	2	.	1	1
	" 11	16.4	2.5	13	.	.	.	1	4	.	.	1	1	1	.	.	1
	" 18	20.2	2.5	16	.	.	.	1	3	.	.	1	1	1	.	.	1
	" 25	24.0	1.3	19	2	2	.	1	1	1	.	.	1
Population in 1914	Aug. 1	18.9	1.3	15	2	.	1	1	1	1	.	.	1
(Est.) 41,278.	" 8	18.9	.	15	1	2	.	1	.	.	.	1	1
North City, No. 2. (Office, Lisburn-street.)	July 4	20.6	.	11	3	1	.	1	2	.	.	.	1
	" 11	20.6	1.9	11	3	1	.	1	.	1	.	.	1
	" 18	31.8	.	17	2	5	1	1	.	.	.	1	1
	" 25	20.6	.	11	2	1	.	1	2	.	.	.	1
Population in 1914	Aug. 1	29.9	1.9	16	2	1	.	1	1	1	1	1	1
(Est.) 27,883.	" 8	16.8	1.9	9	2	1	.	1	.
North City, No. 3. (Office, Benburb-street.)	July 4	4.4	.	3	1
	" 11	20.5	1.5	14	1	1	.	1	1	.	1	2
	" 18	13.2	2.9	9	.	.	.	1	1	1	.	2	.
	" 25	16.1	.	11	2	1	1	1
Population in 1914	Aug. 1	10.3	.	7	2	2	1
(Est.) 35,536.	" 8	14.7	.	10	2	.	.	.	1	.	.	.	1
Clontarf and Howth No. 1 (part of).	July 4
	" 11	38.0	9.5	4	1	1	1
	" 18
	" 25
Population in 1914	Aug. 1
(Est.) 5,485.	" 8
Coolock and Drumcondra (part of).	July 4	3.8	.	1
	" 11	3.8	.	1
	" 18	3.8	.	1
	" 25	7.6	.	2
Population in 1914	Aug. 1	22.9	3.8	6	1	2
(Est.) 13,685.	" 8	3.8	.	1
Finglas and Glasnevin (part of).	July 4	14.6	4.9	3	1
	" 11	19.5	4.9	4	1	1	.
	" 18
	" 25	4.9	.	1
Population in 1914	Aug. 1	4.9	.	1
(Est.) 10,723.	" 8	14.6	.	3
South City, No. 1. Office, St. Earl-street.)	July 4	6.4	.	5	2
	" 11	15.3	2.6	12	.	.	.	1	1	.	.	.	3	1	.	.	.
	" 18	20.5	3.8	16	.	.	.	2	1	1	2	.	2	1	.	.	1
	" 25	19.2	5.1	15	1	.	.	1	2	1	.	.	2	2	.	1	.
Population in 1914	Aug. 1	20.5	5.1	16	1	.	.	.	5	.	.	.	3	3	.	.	.
(Est.) 40,768.	" 8	30.7	7.7	24	2	1	2	1	1	6	.	.	1
South City, No. 2. (Office, Castle-street.)	July 4	28.4	2.8	10	1	.	.	2	.	1	1
	" 11	5.7	2.8	2	.	.	.	1
	" 18	22.7	2.8	8	.	.	.	1	1	1	1	2	.	.	1	.	.
	" 25	14.2	.	5	1	.	.	1
Population in 1914	Aug. 1	19.9	.	7	1	.	1	2	1
(Est.) 18,341.	" 8	28.4	2.8	10	.	.	.	1	3	.	.	1	2
South City, No. 3. (Office, Peter-street.)	July 4	27.5	.	23	6	1	1	4	4	.	.	1	1
	" 11	15.6	.	13	4	.	1	1	3
	" 18	21.6	3.6	18	4	.	2	1	2	2	.	1	2
	" 25	22.8	3.6	19	.	.	.	1	2	.	1	2	3	2	.	.	.
Population in 1914	Aug. 1	14.4	2.4	12	1	.	1	1	3	2	.	.	.
(Est.) 43,540.	" 8	10.8	1.2	9	1	.	.	1	1	1	.	2	.
South City, No. 4. (Office, Grand Canal-st.)	July 4	17.3	1.6	11	1	.	.	1	.	1	.
	" 11	11.0	1.6	7	1	1	.	.	.	2
	" 18	26.7	1.6	17	1	.	.	.	1	1	.	3
	" 25	12.6	.	8
Population in 1914	Aug. 1	23.6	3.1	15	1	1	2	.	.	1	.	.	1	2
(Est.) 33,171.	" 8	22.0	4.7	14	1	.	4	1	1	.	.	2	.	.	.
New Kilmainham.	July 4	21.2	.	4	1
	" 11	5.3	.	1
	" 18	15.9	5.3	3	1	1
	" 25	31.8	5.3	6	1	1	1	.	1	1	.	.	.
Population in 1914	Aug. 1	10.6	5.3	2	1	1	.	.	.
(Est.) 9,851.	" 8	15.9	10.6	3	2

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM														Number of Uncertified Deaths.						
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Violence.							
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.				Other.					
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	July 4 " 11 " 18 " 25 Aug. 1 " 8	16.0 17.3 6.7 12.0 13.3 18.6	2.7 1.3 . 1.3 . 1.3	12 13 5 9 10 14	. . . 1 1	1 1 . . . 1	1 . . . 1 2	2 . . 1 1 1 .	2 1 1 1 1 2	. 2 1 2	1 1 1 1	1 1 .
Pembroke Urban District. Population in 1914 (Est.) 30,240	July 4 " 11 " 18 " 25 Aug. 1 " 8	12.1 6.9 10.3 12.1 10.3 6.9	. . 1.7 1.7 . .	7 4 6 7 6 4 1 1	1 1 1 2 3 1 . 1	1 2 1	1 1 .	
Blackrock Urban District. Population in 1914 (Est.) 9,197.	July 4 " 11 " 18 " 25 Aug. 1 " 8	34.0 11.3 17.0 . 11.3 11.3	6 2 3 . 2 2	2 1	1 . . . 1 1	1		
Kingstown Urban District. Population in 1911 16,941.	July 4 " 11 " 18 " 25 Aug. 1 " 8	9.2 9.2 21.5 3.1 24.6 18.5	. 3.1 3.1 . . .	3 3 7 1 8 6 1 1 1 1 1 .	1 1 1	
Belfast. Population in 1914 (Est.) 399,000.	July 4 " 11 " 18 " 25 Aug. 1 " 8	17.0 17.0 13.5 14.5 15.0 17.9	3.5 2.5 2.2 2.0 3.4 2.1	130 130 103 111 115 137	. . . 1 1 1	. . 1 1 1 1	. . . 1 1 .	9 6 4 1 6 5	2 5 2 2 2 4	7 2 4 2 7 2	. 1	13 14 10 16 15 18	7 7 3 4 7 5	9 11 7 8 10 3	4 7 8 10 5 10	9 11 5 8 12 13	7 5 6 8 9 3	2 . . 1	2 2 2 2 2 2		
Cork. Population in 1911 76,673.	July 4 " 11 " 18 " 25 Aug. 1 " 8	20.4 15.6 14.3 13.6 15.6 14.3	3.4 1.4 1.4 3.4 4.8 3.4	30 23 21 20 23 21	. 1	1 . . . 1	2 . 1 . 2 2 3 4 .	3 3 4 6 . 1	1 1	2 3 3 4 1 1	2 3 3 . 1 2	. . 1 1 1 1	2 1 1 3 . 2		
Londonderry. Population in 1914 (Est.) 41,100.	July 4 " 11 " 18 " 25 Aug. 1 " 8	14.0 26.6 22.8 15.2 17.8 12.7	1.3 2.5 1.3 1.3 1.3 1.3	11 21 18 12 14 10	. . 1	1	2 3 2 2 2 2	. 1 2 1 . 1	. 1 1 2 1 1 . .	1 1 1 1 . .	. 2 . 1 1 1	1 . 1 2 . .		
Limerick. Population in 1911 38,518.	July 4 " 11 " 18 " 25 Aug. 1 " 8	20.3 12.2 19.0 12.2 14.9 12.2	. . . 1.4 1.4 1.4	15 9 14 9 11 9 1 1	3 2 1 3 1 .	. . 4 1 3 . . 2	2 1 1 1 1 2	2		
Waterford. Population in 1911 27,464.	July 4 " 11 " 18 " 25 Aug. 1 " 8	9.5 17.1 24.7 13.3 11.4 9.5	. . 1.9 1.9 . 1.9	5 9 13 7 6 5	1 3 2 1 1 . 3 1	. . 1	2 1 1 1 1 1 . . .		

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 8th August, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.			Census Population in 1911.	No. of BIRTHS.	AGES AT DEATH.											DEATHS FROM										No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																																																																											
					Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from					Total Number of DEATHS.						Enteric Fever.					Typhus.							Small-pox.					Measles.					Scarlet Fever.					Whooping-cough.					Diphtheria.					Dysentery.					Pulmonary.					Other Forms.					TUBERCULOSIS.					DISEASES OF THE RESPIRATORY SYSTEM.					Other.					Diarrhoea and Enteritis of children under 2 years of age.					Diarrhoea 2 years of age and upwards.					Violence.					Inquest Cases.				
					All Causes.					Certain Epi- demic Diseases.†					(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)			(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)																																																													

City of Belfast.																																
BELFAST URBAN No. 1 DISTRICT.	15,879	5	29.6	4.2	9	2	1	2	2	2	5	1	1	1	2	2	1	1	2	1	1	2	1	1	2	2	2	1	1	3	1	
Do.	49,500	19	15.8	4.2	15	3	4	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	
Do.	50,082	27	26.1	4.2	25	4	1	2	2	2	4	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6	
Do.	32,637	38	8.0	4.8	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	
Do.	16,112	10	42.1	6.5	13	3	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do.	37,293	20	14.0	.	10	3	.	.	.	3	2
Do.	2,681	1	8.7	.	1
Do.	5,964	1	17.1	.	1
Do.	24,427	9	17.1	1.8	8	1	3	1	2	1	3	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do.	28,958	18	25.2	1.3	14	1	1	1	1	1	4	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do.	39,311	24	8.0	1.4	16	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do.	38,076	23	24.6	1.4	18	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do.	23,233	19	18.0	.	8	1	1	.	.	.	1	2
Do.	175	1	11.5	.	5	.	2	.	.	.	1	.	.	.	1
Do.	22,669	11	11.5	.	5	1	.	.	.	1	4
Total,	386,947	226	17.9	2.1	137	20	21	14	22	32	28	1	1	1	18	5	3	10	13	2	3	10	13	1	2	3	1	2	6	46	2	
City of Cork.																																
CORK URBAN No. 1 DISTRICT.	13,455	5	15.5	3.9	4	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do.	10,399	1	30.1	5.0	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do.	9,793	6	10.6	.	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do.	9,139	1	5.7	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do.	6,250	3	18.0	4.5	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do.	11,581	6	13.0	6.5	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do.	16,056	7	14.3	3.4	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Total,	76,673	29	14.3	3.4	21	5	5	1	3	3	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year. † See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

1914—WEEK ENDING																											
BELFAST.		Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.
No. of weeks in Annual Series,		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Births registered, ...		224	210	203	217	222	196	244	243	163	219	255	198	222	245	238	262	191	198	233	227	219	237	190	218	212	226
Deaths registered, ...		142	144	153	140	146	163	150	136	142	162	179	139	116	135	137	115	127	129	131	134	130	130	103	111	115	137
Annual Death-rate per 1,000 of estimated population, ...		18.6	18.8	20.0	18.3	19.1	21.3	19.6	17.8	18.6	21.2	23.4	18.2	15.2	17.6	17.9	15.0	16.6	16.9	17.1	17.5	17.0	17.0	13.5	14.5	15.0	17.9
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,		28	25	28	28	28	32	23	23	29	29	45	29	21	21	17	23	19	22	24	27	25	26	25	19	21	20
		20	10	16	15	16	21	27	9	18	22	21	18	10	21	16	18	13	21	22	18	18	19	10	11	21	21
		15	12	18	14	10	19	13	16	11	17	20	21	13	18	20	16	18	17	21	15	18	21	9	15	11	14
		26	21	29	27	34	26	21	24	20	25	25	27	19	23	29	19	22	25	21	23	24	18	20	22	21	22
		31	42	32	33	28	30	28	30	30	31	35	25	28	32	28	28	32	26	31	37	28	28	19	26	24	32
		22	34	30	23	30	35	33	29	34	38	32	19	25	20	27	11	23	18	12	14	17	18	20	18	17	28
Deaths from :—																											
Enteric Fever,	1	2	1	1
Typhus,	1	5	1	1	1	1
Small-pox,
Measles,	1	2	2	1	3	1	3	1	3	1	4	8	5	9	6	4	1	6	5
Scarlet Fever, ...		6	1	6	3	8	3	2	2	3	5	6	1	.	2	5	4	1	2	8	2	2	5	2	2	2	4
Whooping-cough, ...		6	1	4	5	2	7	5	3	6	9	8	3	3	5	5	7	4	7	.	4	7	2	4	2	7	2
Diphtheria,	2	.	1	2	1	.	2	1	1	.	.	1	.	.	.	2	.	1	.	.	1
Dysentery,
Tuberculosis, { Pulmonary, Other Forms,		21	17	31	14	15	16	14	10	12	11	32	18	19	20	21	15	19	17	21	21	13	14	10	16	15	18
Cancer, ...		4	4	8	6	5	6	7	5	4	13	4	4	10	12	7	4	8	3	6	5	7	7	3	4	7	5
Diseases of Respi- ratory System, { Pneumonia, Others, ...		9	9	4	4	3	7	3	5	9	4	5	6	5	8	7	3	8	4	5	5	9	11	7	8	1	3
Diarrhoea and Enteritis, under 2 years, ...		13	14	15	16	12	9	15	6	19	12	22	8	9	14	13	10	13	10	6	10	4	7	8	10	5	10
Diarrhoea, 2 years and upwards, ...		23	18	18	21	15	31	20	23	9	27	15	17	11	16	14	12	11	12	10	10	9	11	5	8	12	13
Violent Deaths, ...		1	1	4	7	8	3	2	1	4	2	2	4	.	3	2	4	1	5	6	5	7	5	6	8	9	3
Number of Uncertified Deaths,	1	1	1	1	2	1	.	.	.	1	1	.	1	2	.	.	1	.	.
Mean Temperature of the Air in degrees, ...		2	3	4	2	.	2	2	.	3	3	1	2	1	2	2	3	.	3	1	.	.	2	.	2	2	2
Rainfall, in inches, ...		4	1	3	1	1	1	.	3	1	3	4	1	2	1	1	3	4	1	3	.	3	2	1	2	.	2
Mean Temperature of the Air in degrees, ...		41.2	41.0	41.1	44.3	39.9	40.8	41.0	49.7	47.1	43.5	52.7	48.2	48.2	47.5	54.9	50.0	52.2	54.2	61.5	55.8	59.0	58.8	61.6	60.2	56.2	58.0
Rainfall, in inches, ...		0.72	0.88	0.82	0.92	1.40	0.65	0.07	0.78	1.00	0.34	0.12	0.00	1.32	0.16	0.11	0.12	0.08	0.49	0.18	0.45	0.20	0.48	0.51	0.53	0.32	0.79

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1913-14 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Aug. 8,	1,813	1,028	11·9	2	.	33	4	8	7	69
EDINBURGH, ...	321,900	„ 8,	117	69	11·2	.	.	.	1	.	2	1
GLASGOW, ..	1,047,000	„ 8,	487	238	11·9	3	.	1	2	11	2	19
CALCUTTA, ..	896,067	July 4,	.	394	22·8	68*	22	.	.	.	1†	36† ^a
BOMBAY, ...	979,445	„ 4,	367	514	27·3	59*	2	1	.	1	.	48 ^a
MADRAS ...	518,660	„ 4,	371	321	32·2	41*	.	2	?	?	?	59 ^a
CAIRO, ...	721,337	June 17,
PARIS, ...	2,847,229	July 25,	932	740	13·3	6	.	14	2	2	.	38
BRUSSELS, ...	780,843	„ 18,	235	157	10·4	4	2†	17
ANTWERP, ...	313,833	„ 18,	102	63	10·5	.	.	3	.	.	.	11
AMSTERDAM, ...	597,838	„ 18,	274	121	10·6	.	.	1	.	1	.	2
COPENHAGEN, ...	483,000	„ 18,	182	136	14·7	6
STOCKHOLM, ...	382,085	„ 18,
CHRISTIANIA, ...	251,446	„ 25,	84	54	11·2	1	.	15 ^a
ST. PETERSBURG ...	1,728,200	„ 4,	610	819	24·6	8	10	36	6	1	9†	196
MOSCOW, ...	1,694,000	June 27,	.	1,105	34·0	2	2	46	11	8	9	410 ^a
VIENNA (with suburbs),	2,149,834	July 18,	656	527	12·8	.	.	2	1	3	2†	25
BUDA-PESTH, ...	950,784	„ 18,	468	339	18·5	2	.	2	3	3	1†	22
PRAGUE and Faubourgs,	498,499	June 20,	177	169	17·7	.	.	5	4	.	2†	8
TRIESTE, ...	244,655	July 4,	140	86	18·3	2†	4
ROME, ...	591,943	Dec. 27,	303	219	19·3	4	.	.	2	.	1†	8
NEW YORK,...	5,583,871	June 13,	2,696	1,365	12·7	5	.	22	11	4	34†	31
PHILADELPHIA, ...	1,657,810	May 30,	.	509	16·0	2	.	2	1	17	7†	17
BOSTON, ...	750,768	July 18,

* Deaths from "fever," including 4 from enteric fever and 12 from plague in Calcutta; 4 from enteric fever, and 22 from plague in Bombay; and 3 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 4 deaths from cholera in Calcutta.

^a Deaths from diarrhoeal diseases at all ages.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th August, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	1	.	.	.	2	3
" " 1, West,	2	2	4
" " 2,	3	3
" " 3,
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),
Finglas and Glasnevin (part of),	2	2
South City No. 1,	1	2	2	.	.	.	3	8
" " 2,	1	4	5
" " 3,	2	.	.	1	.	.	.	1	.	.	.	4	8
" " 4,	1	1	2
New Kilmainham,	2	2
Total,	9	.	.	2	.	.	3	4	.	.	.	19	37

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 8th August, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 8th August.			
	July 18.	July 25.	August 1.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	40	69	72	7	8	1	70
Typhus, ...	1	1
Small-pox,
Measles, ...	55	48	23	3	10	.	16
Scarlet Fever, ...	92	79	70	14	11	1	72*
Diphtheria, ...	40	35	28	7	5	.	30
Pneumonia, ...	18	15	13	4	6	.	11

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 8th August, 1914:—

"Changeable, showery weather of the westerly or oceanic type was again experienced during this week. On Sunday an irregularly-shaped atmospheric depression covered the British Isles, while areas of relatively high pressure (30·12 inches) were found over Northern Russia and near the Azores respectively. Showers fell in many parts of the United Kingdom; a brief thunderstorm passed over Dublin at 1·25 p.m., and thunder and lightning were also reported from Spurn Head and South Kensington, London. The depression moved slowly to the extreme northwest of Scotland, off which it was still in evidence so late as Friday morning. In the interval a well marked secondary low-pressure system appeared on Tuesday afternoon off the Land's End in Cornwall, whence it travelled up the English Channel to the North Sea, reaching Denmark on Thursday morning. As it passed, this disturbance caused thunderstorms locally in the east and southeast of England, the accompanying rainfall in the London district ranging from ·35 inch at Greenwich to ·91 inch at Kew Observatory. In Ireland generally there were daily rainfalls chiefly in the form of showers and no where in very large amounts. The barometer rose slowly and after a somewhat intermittent fashion until Friday night, when a sheet of cirriform cloud, in which a lunar halo appeared, overspread the sky quickly from S.W. This heralded the approach of an energetic depression from the Atlantic, the weather becoming once more showery as well as squally and very warm. On Saturday the depression crossed Ireland as a 'V-shaped' system, the wind shifting to N.W., with heavy rain and a fall of temperature in Dublin after 7 p.m. In this City the mean height of the barometer was 29·700 inches, pressure ranging between 29·509 inches at 9 a.m. of Sunday (wind, W.) and 29·926 inches at 9 p.m. of Friday (wind, S.S.W.). The corrected mean temperature was 58·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 57·8°. The screened thermometers fell to 49·8° on Wednesday and rose to 69·7° on Saturday. Westerly and south-westerly winds blew throughout the period. Rain fell daily to the total amount of ·501 inch, ·260 inch being recorded on Saturday. Thunder and lightning occurred on Sunday. A lunar halo was seen on Friday night."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29.698 inches. The highest reading (29.929) was on Friday, at 9 p.m., the lowest (29.509) on Sunday, at 9 a.m.

The mean temperature for the week was 58.1°, being 0.3° below the average for the corresponding period of the 10 years, 1904-1913. The temperature* was highest on Saturday, on which day the thermometer registered 70°, and was lowest on Wednesday, the mercury having fallen to 47°. The mean of the Dry Bulb for the week was 57.4° and of the Wet Bulb, 56.7°. The mean humidity of the air was .84, complete saturation being represented by 1.0. The rainfall during the week measured 0.695 inch.

At Greenwich the mean temperature for the week was 59.5°, the maximum 73.2°, and the minimum 46.3°; and at Edinburgh the maximum was 63.9°, the minimum 49.5°, and the mean 56.6°. The rainfall at Greenwich measured 0.88 in.; and at Edinburgh 0.52 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155.3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.			BAROMETER.			THERMOMETER.*			HYGROMETER.			Ozone, 1.0.	Sunshine in hours and decimals.	Rain Gauge.
			Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)			Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation = 1.0.			
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.) °	(8.) °	(9.) °	(10.) Ins.		
Sunday,	August	2,	29.565	66	54	60.0	57.1	55.1	.87	.5	6.0	.245		
Monday,	"	3,	29.680	66	52	59.0	57.0	59.6	.86	.7	7.8	.005		
Tuesday,	"	4,	29.690	65	50	52.5	56.7	58.9	.82	.7	7.5	.015		
Wednesday,	"	5,	29.700	64	47	55.5	55.5	54.1	.90	.7	4.5	.030		
Thursday,	"	6,	29.710	67	52	59.5	56.9	55.5	.90	.8	4.8	.030		
Friday,	"	7,	29.900	66	50	58.0	57.6	53.8	.74	.6	7.8	.100		
Saturday,	"	8,	29.640	70	54	62.0	61.0	60.1	.80	.6	0.1	.270		
Mean,	29.698	66.3	51.3	58.1	57.4	56.7	.84	.7	Total 38.5	Total .695		

Sunday—A bright day, cloudy at intervals; heavy showers a.m. and p.m. Monday—A bright day; night cloudy. Tuesday—A bright day, light showers; night clear. Wednesday—Day cloudy, showers at intervals a.m.; night cloudy, showers a.m. Thursday—Day cloudy, heavy showers a.m.; night cloudy. Friday—Day cloudy; night overcast, drizzling rain a.m. Saturday—Day cloudy; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 8th August, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.			Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
				1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday,	August	2,	61.9	60.6	58.1	62.9	54.5	58.7	hrs. 7.2	ins. 0.03
Monday,	"	3,	62.0	60.8	58.1	66.0	52.3	59.1	9.2	—
Tuesday,	"	4,	62.7	60.7	58.1	65.5	50.4	57.9	6.5	0.02
Wednesday,	"	5,	56.7	60.1	58.1	65.0	47.9	56.4	3.8	0.03
Thursday,	"	6,	61.9	60.2	58.0	67.1	54.3	60.7	4.4	0.03
Friday,	"	7,	60.4	59.9	58.1	65.3	51.0	58.1	7.9	0.05
Saturday,	"	8,	66.9	60.0	58.0	70.3	53.5	61.9	0.1	0.28
Weekly Mean,	.	.	61.8	60.3	58.1	66.0	52.0	59.0	Total 39.1	Total 0.49

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 28, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 15TH AUGUST, 1914.

[No. 33.]

*General Register Office, Charlemont House,
Dublin, 17th August, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 15·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	July 25	Aug. 1	Aug. 8	Aug. 15	
27 Town Districts, (a)	14·5	15·7	16·4	15·3	15·5
Dublin Reg. Area ...	15·3	17·3	17·3	19·1	17·3
Dublin City ...	17·1	18·3	18·3	20·0	18·4
Belfast ...	14·5	15·0	17·9	14·8	15·6
Cork ...	13·6	15·6	14·3	11·6	13·8
Londonderry ...	15·2	17·8	12·7	17·8	15·9
Limerick ...	12·2	14·9	12·2	4·1	10·9
Waterford ...	13·3	11·4	9·5	13·3	11·9

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 2·2 per 1,000. Among the 113 deaths from all causes for Belfast were one from enteric fever, 8 from measles, 3 from whooping-cough, and 15 from diarrhoeal diseases. Included in the 17 deaths from all causes for Cork were 3 from whooping-cough. Of the 7 deaths from all causes for Waterford 2 are from diarrhoea and enteritis of children under 2 years. One of the 7 deaths from all causes for Galway is from diphtheria. Whooping cough caused one of the 3 deaths from all causes for Kilkenny, and included in the 4 deaths from all causes for Queenstown are 2 from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 204—96 boys and 108 girls—and the deaths to 159—70 males and 89 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·1 per 1,000 of the population. During the thirty-three weeks, ending with Saturday last, the death-rate averaged 21·7, and was 0·3 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 159, represent an annual rate of 20·4 per 1,000; the annual rate for the past thirty-three weeks was 23·1 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·2 per 1,000 of the mean population for all deaths registered.

Among the deaths registered are one death each from enteric fever and scarlet fever, 2 deaths from diphtheria, and 11 deaths from diarrhoea and enteritis of children under 2 years of age.

In the three preceding weeks, deaths from enteric fever were 2, 2, and 2; deaths from scarlet fever were 0, one, and 0; deaths from diphtheria were one, 0, and one; and deaths of children under 2 years of from diarrhoea and enteritis were 7, 12, and 10, respectively.

Deaths from tuberculous disease, which in the three preceding weeks numbered 30, 28, and 25, respectively, fell to 22* last week, the latter including 18 deaths from pulmonary tuberculosis, one death each from tuberculous meningitis and abdominal tuberculosis, and 2 from disseminated tuberculosis.

The deaths from pneumonia comprise one from broncho-pneumonia and 2 from pneumonia (type not distinguished).

Six* deaths were ascribed to cancer.

Among the deaths of infants under one year of age, 8 were attributed to convulsions, one to congenital malformation, 4 to premature birth, and 6 to congenital debility.

Organic diseases of the heart caused 14 deaths and bronchitis 10 deaths.

There were 9 accidental deaths, including one death (that of a child aged 3 years) caused by burns, one by drowning, 2 deaths of infants caused by suffocation in bed, one death caused by railway wagon, 2 by vehicles and horses, and one caused by a motor engine on board ship. One death by suicide was recorded.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year of age.

Fifty-three of the persons whose deaths were registered during the week were under 5 years of age (43 being infants under one year, of whom 18 were under one month old), and 33 were aged 65 years and upwards, including 26 persons aged 70 and upwards; among the latter were 15 aged 75 and upwards.

Seventy-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse, 21 in the South Dublin Union Workhouse, and 3 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed: [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·1 per 1,000; the rate in the City was 20·0 (North City Districts, 19·6; South, 20·4) and in the Suburbs 16·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 2·2 (in the North City Districts 1·9, and in the South 2·5), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·8 per 1,000. Among them are one death from diphtheria, one from pneumonia, 2 deaths from diarrhoea and enteritis of children under 2 years of age, and one death by suicide.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 24·0 per 1,000. There were 2 deaths from pulmonary tuberculosis and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 22·4 per 1,000. Two deaths from bronchitis and one accidental death were recorded.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 24·9 per 1,000, and include 3 deaths from tuberculous disease, 3 from bronchitis, 2 deaths of children under 2 years of age from diarrhoea and enteritis, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 19·1 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 4·9. Of the 5 deaths from all causes recorded for Coolock and Drumcondra, part of, one was from pneumonia, and one death (that of a child under 2 years of age) from diarrhoea and enteritis.

No. 1 South City District (South Earl-street).—The deaths (25) represent an annual rate of 32·0 per 1,000. Among them are one death from scarlet fever, 7 from tuberculous disease, one death from broncho-pneumonia, one from bronchitis, one death of a child under 2 years of age from diarrhoea and enteritis, and one accidental death.

No. 2 South City District (Castle-street).—The deaths (3) are equal to an annual rate of 8·5 per 1,000. Pulmonary tuberculosis caused one death.

No. 3 South City District (Peter-street).—The deaths (18) are equal to an annual rate of 21·6 per 1,000. One death each from enteric fever, pulmonary tuberculosis, diarrhoea, and enteritis, and one accidental death were recorded.

No. 4 South City District (Grand Canal Street).—The deaths (4) are equivalent to an annual rate of 6·3 per 1,000. Two of the deaths were caused by pulmonary tuberculosis, and 2 deaths (those of children under 2 years of age), by diarrhoea and enteritis.

New Kilmainham District.—The deaths (7) are equal to an annual rate of 37·1 per 1,000, and include one death from diphtheria, one from bronchitis, and one accidental death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·3; Pembroke, 12·1; Blackrock, 28·3; and Kingstown, 24·6. The deaths from the principal epidemic diseases tabulated for these districts comprise one death from diarrhoea and enteritis of a child under 2 years of age for each of the urban districts of Pembroke and Blackrock. Among the 10 deaths from all causes for Rathmines and Rathgar are one from pulmonary tuberculosis and one from bronchitis. The 7 deaths from all causes for Pembroke include 2 from pulmonary tuberculosis and one from bronchitis; and the 8 deaths from all causes for Kingstown include 2 from tuberculous disease, one from bronchitis, and one accidental death.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 12·2), was equal to an average annual death-rate of 12·6 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 13·8 per 1,000, the rate for Glasgow being 14·6, and for Edinburgh 12·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 15th August. From this Report it appears that of a total of 52 cases notified, 23 were scarlet fever, 16 diphtheria, 10 phthisis, 2 erysipelas, and one enteric fever. Among the 505 cases of infectious diseases in hospital at the close of the week were 209 cases of phthisis, 205 cases of scarlet fever, 55 of diphtheria, 7 of enteric fever, 7 of erysipelas, 3 of whooping-cough, 3 of chicken-pox, 2 of cerebro-spinal fever, one of measles, and one of puerperal fever.

* See note (c) at foot of Table II.

† See note (f) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 15th August, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	July. 25,	—	—	—	3	—	—	7	—	—	16	4	—	—	—	—	—	—	41	71
	Aug. 1,	—	—	—	10	—	—	2	—	—	7	1	—	—	—	—	—	—	37	57
	Aug. 8,	—	—	—	9	—	—	2	—	—	3	4	—	—	—	—	—	—	19	37
	Aug. 15,	—	—	—	12	—	—	3	—	—	2	2	—	—	—	—	—	—	18	37
Rathmines and Rathgar Urban District.	July. 25,	—	—	—	3	—	—	1	—	—	22	1	—	—	—	—	—	—	—	27
	Aug. 1,	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	3
	Aug. 8,	—	—	—	1	—	—	1	—	1	2	1	—	—	—	—	—	—	—	6
	Aug. 15,	—	—	—	—	—	—	1	—	—	2	1	—	—	—	—	—	—	—	4
Pembroke Urban District.	July. 25,	—	1	—	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	5
	Aug. 1,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
	Aug. 8,	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	2
	Aug. 15,	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2
Blackrock Urban District.	July. 25,	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
	Aug. 1,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Aug. 8,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Aug. 15,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kingstown Urban District.	July. 25,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Aug. 1,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Aug. 8,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Aug. 15,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
City of Belfast.	July. 25,	—	—	—	34	—	—	3	—	—	—	2	—	—	—	—	—	—	6	45
	Aug. 1,	—	—	—	20	1	—	2	—	—	3	3	—	—	—	—	—	—	2	31
	Aug. 8,	—	—	—	23	—	—	2	—	2	3	2	—	—	—	—	—	—	5	37
	Aug. 15,	—	—	—	20	—	—	3	—	—	2	3	1	—	—	—	—	1	2	32
City of Cork.	July. 25,	—	1	—	2	—	—	—	—	—	—	1	2	—	—	—	—	—	—	6 ^a
	Aug. 1,	—	2	—	4	—	—	—	—	—	1	—	—	—	—	—	—	—	—	7 ^b
	Aug. 8,	—	—	—	5	—	—	1	—	—	—	2	1	—	—	—	—	—	—	9 ^c
	Aug. 15,	—	—	—	3	—	—	3	—	1	1	—	—	—	—	—	—	—	—	8 ^d
City of Londonderry.	July. 25,	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
	Aug. 1,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Aug. 8,	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
	Aug. 15,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
City of Limerick.	July. 25,	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
	Aug. 1,	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	3
	Aug. 8,	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2
	Aug. 15,	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
City of Waterford.	July. 25,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
	Aug. 1,	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
	Aug. 8,	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
	Aug. 15,	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	3	6

^a Not including 6 cases of choleraic diarrhoea and one of whooping-cough.

^b Not including 18 cases of choleraic diarrhoea.

^c Not including 7 cases of choleraic diarrhoea.

^d Not including 9 cases of choleraic diarrhoea.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th August, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Twelve cases of enteric fever were admitted to hospital during the week, 4 were discharged, there was one death, and 77 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 69, 72, and 70.

Three cases of measles were admitted to hospital, 6 were discharged, there were 2 deaths, and 11 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 48, 23, and 16, respectively.

Six cases of scarlet fever were admitted to hospital, 13 were discharged, one died, and 64* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 79, 70, and 72, respectively.

Five cases of diphtheria were admitted to hospital during the week, 4 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 35, 28, and 30 respectively, were 29 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, one was discharged, there was one death, and 15 cases remained under treatment at the end of the week.

See note () at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 15th of August, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	PINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	1	.
Typhus,
Small-pox,
Measles,
Scarlet Fever,	1	1	.
Whooping-cough,
Diphtheria,	1	1	2	.
Croup,
Influenza,
Dysentery,
Tuberculosis, { Pulmonary,	2	.	2	.	.	6	1	1	2	.	1	2	.	.	1	18	.
{ Other Forms,	1	.	.	1	1	3	1
Cancer,	1	1	1	.	.	.	3	3
Diseases of Nervous System,	3	1	2	.	.	4	.	.	.	2	2	1	1	3	12	1	.
" Organs of Special Sense,
" Circulatory System,	7	2	.	.	1	2	.	2	.	1	15	.
" Respiratory System, { Pneumonia,	1	1	1	1	3	.
{ Others,	2	3	.	.	1	.	1	.	1	1	1	.	1	.	11	.
{ Diarrhoea and Enteritis, under 2 years,	2	.	.	2	.	1	1	.	1	1	2	.	.	1	1	.	11	.
" Digestive System, { Diarrhoea, 2 years and upwards,
{ Enteritis, 2 years and upwards,	1	1	.
{ Others,	1	2	1	1	.	.	1	1	1	.	.	.	8	1
" Genito-urinary System,	1	.	.	.	2	.	2	.	1	2	8	1
Puerperal Septicæmia, etc.,
Other Causes incident to Pregnancy and Childbirth,
Diseases of the Skin and Cellular Tissue,	1	2	.	3	.
" Locomotor System,	1	1	.
Other specified Causes,	2	3	2	5	.	.	4	.	6	.	.	2	1	1	1	23	1	.
Violent Deaths,	1	1	1	1	.	.	1	.	1	.	1	.	.	.	1	8	2	.
Ill-defined, &c. Causes,	1	.	.	1	.	.	3	5	.	.
Deaths from All Causes	8	19	12	17	.	5	25	3	18	4	7	10	7	5	3	149	10	.
Annual Rate of Mortality from All Causes in every 1,000 of the population,	13.8	24.0	22.4	24.9	.	19.1	32.0	8.5	21.6	6.3	37.1	13.3	12.1	28.3	24.6	19.1	.	.
	19.6							20.4							16.4			
	20.0																	
Ages at Death, { Under 1 year,	4	4	3	5	.	1	7	.	7	1	3	1	3	2	1	42	1	.
{ 1 and under 2 years,	1	.	.	2	.	1	1	.	.	1	.	1	.	.	.	7	.	.
{ 2 " 5 "	1	2	3	.	.
{ 5 " 15 "	1	1	1	2	5	.	.
{ 15 " 25 "	2	.	2	1	.	.	1	.	.	6	1	.
{ 25 " 45 "	1	3	1	2	.	.	5	1	1	1	1	2	1	2	1	22	4	.
{ 45 " 65 "	1	7	3	4	.	1	3	2	5	.	1	1	.	.	3	31	4	.
{ 65 and upwards,	1	5	4	3	.	1	5	.	2	.	2	5	2	1	1	33	.	.
Number of Uncertified Deaths,	1	.	1	2	.	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	2	3	3	.	1	6	.	3	.	2	2	2	2	1	29	9	.
Workhouse Hospitals,	4	6	5	.	1	9	2	5	1	.	2	1	.	3	39	1	.

THIRTY-THIRD WEEK, ending Saturday, 15th August, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 33rd Week of the 10 years, 1904-1913.	In the Week ending Saturday, 15th August, 1914.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	Aug. 20, 1904.	Aug. 19, 1905.	Aug. 18, 1906.	Aug. 17, 1907.	Aug. 15, 1908.	Aug. 21, 1909.	Aug. 20, 1910.	Aug. 19, 1911.	Aug. 17, 1912.	Aug. 16, 1913.		Deaths of Persons of the Ages of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
												Under 1 month.	1 month and under a year.	0-5.									65-75.	75 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
														1-2.	2-5.	5-15.	15-25.	25-45.	45-65.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Mean Temperature ...	55.8	56.2	58.9	58.9	56.8	58.8	58.8	61.2	52.5	61.3	58.2	63.1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									</

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

1914—WEEK ENDING																											
DUBLIN REGISTRATION AREA.		Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.
No. of weeks in Annual Series,		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
Births registered.		217	202	244	225	210	208	227	173	218	207	288	222	197	207	262	191	271	225	233	165	214	208	197	195	166	204
Average Births in corresponding week of previous 10 years, ...		204	232	222	206	215	230	214	220	221	218	264	237	214	213	244	219	210	223	245	208	208	221	221	220	209	223
Deaths registered, ...		175	187	169	189	183	219	212	194	212	231	203	181	160	166	185	162	163	151	134	139	128	139	129	144	136	159
Annual Death-rate per 1,000, ...		22.5	24.0	21.7	24.3	23.5	28.1	27.2	24.9	27.2	29.7	26.1	23.2	20.5	21.3	23.8	20.8	20.9	19.4	17.2	17.9	16.4	17.9	16.6	18.5	17.5	20.4
Average Deaths in corresponding week of previous 10 years, ...		201	204	199	196	196	199	202	192	198	188	173	179	159	168	148	148	156	142	134	135	147	143	145	144	145	156
Ages, { Under 5 years, 5-15 " " 15-25 " " 25-45 " " 45-65 " " 65-75 " " 75 and upwards,		52	56	57	61	70	82	55	74	89	92	89	62	54	73	56	54	45	46	36	47	31	44	36	46	35	53
		8	5	2	7	7	9	12	7	11	10	6	10	7	4	13	4	9	5	5	7	6	9	6	4	6	5
		11	8	14	9	7	14	5	10	9	9	8	9	8	9	9	8	11	6	12	8	9	7	8	9	8	5
		28	27	18	30	28	35	26	27	28	33	30	27	22	22	22	19	28	30	23	23	22	27	29	26	27	26
		33	40	38	46	38	44	44	51	32	45	30	50	36	37	47	35	38	41	32	30	22	31	30	37	34	35
		27	37	22	18	21	24	35	16	29	23	22	14	21	13	28	16	23	15	19	14	22	14	15	13	15	18
		16	14	18	18	12	16	26	14	13	19	17	10	11	8	14	14	12	9	11	10	13	9	7	9	15	15
Deaths from :—		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	2	2	1	
Enteric Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Small-pox, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Measles, ...		3	7	4	5	14	27	22	34	39	35	40	29	17	16	14	18	8	5	3	2	4	6	2	1	2	
Scarlet Fever, ...		3	2	3	1	2	3	3	2	4	2	2	2	1	1	1	2	1	1	1	1	2	3	1	1	1	
Whooping-cough, ...		1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Diphtheria, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Influenza, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dysentery, ...		25	23	21	26	21	21	22	28	22	25	14	22	24	21	19	27	19	13	17	21	18	16	19	23	19	
Tuberculosis { Pulmonary ...		10	4	2	9	8	6	9	5	10	8	10	9	5	6	9	4	6	5	7	9	5	8	11	5	6	
Other Forms, ...		5	10	9	7	6	18	6	13	8	13	9	11	11	5	12	9	13	9	8	7	7	10	9	7	6	
Cancer, ...		18	19	20	17	17	14	25	15	22	19	21	11	11	13	28	14	20	27	11	11	16	15	13	15	15	
Diseases of Circulatory System, ...		14	13	15	14	8	20	19	19	16	17	19	13	13	15	14	12	12	14	8	9	10	12	4	8	4	
Diseases of Respiratory System, { Pneumonia		17	30	21	34	35	34	35	30	28	20	15	17	19	17	22	13	11	8	20	10	13	5	7	12	10	
ratory System, { Others, ...		4	2	5	5	6	4	1	2	7	3	3	1	5	7	4	2	4	7	4	4	4	6	9	10	11	
Diarrhoea and Enteritis, under		2 years, ...																									
2 years, ...																											
Diarrhoea, 2 years and upwards,		3	4	4	1	3	2	3	1	1	1	3	2	7	5	3	6	3	3	3	6	4	5	3	1	10	
Violent Deaths, ...		8	6	5	6	2	7	8	4	5	9	7	2	2	9	6	4	3	2	2	5	2	6	7	7	7	
Number of Uncertified Deaths,																											
Mean Temperature of the Air		42.1	43.1	44.6	41.7	39.8	39.7	50.9	45.9	45.6	48.8*	44.9	49.6	49.3	55.4	48.1	52.6	52.3	56.1	59.1	60.1	61.1	59.0	57.3	58.1	63.1	
(Phoenix Park) in degrees, ...		40.4	41.5	41.7	41.7	41.8	43.3	43.8	44.4	46.1	45.9	47.1	49.7	49.4	51.1	54.0	53.5	54.6	56.1	56.9	58.3	59.8	58.9	58.6	58.4	58.2	
Average Mean Temperature in																											
corresponding week of previous																											
10 years, ...		810	475	675	470	450	140	575	400	120	010	000	1.385	130	515	110	140	520	495	000	365	455	795	520	360	695	1.120
Rainfall in inches, ...		89	91	89	90	91	92	85	90	89	88	91	87	89	90	86	87	86	83	78	80	84	86	87	87	84	84
Mean Humidity of the Air, com-																											
plete Saturation 1.0, ...																											

* For 6 days only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday 15th August, 1914: the Annual Death-rate represented by the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.		OCCUPATION OR SOCIAL POSITION (The 3138 persons returned under the head "Unspecified," in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).		Popula- tion in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths	AGES.										CAUSES OF DEATH																
							Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Unethi- cally Deaths.	
		COLES.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)		
		ALL PERSONS.	397,957	—	159	53	5	5	7	26	35	18	15	1	
		CLASSES.																															
		Deaths in Families of the—																															
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658		14.2	4	1	1	2	2	1	.	.	1
II.	MIDDLE CLASS.	101,798		10.2	20	.	.	1	6	4	7	2	2	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.	108,420		13.5	28	12	2	.	3	6	1	4	1	2	.	.	1	.	.	1
IV.	GENERAL SERVICE CLASS.	167,479		20.9	67	29	1	4	12	15	1	5	1	.	.	.	9	.	2	5	2	4	4
V.	INMATES OF WORKHOUSES.	5,602		—	40	11	2	2	5	9	9	2	7	3	1	1	.	5	3
		PROFESSIONAL AND INDEPENDENT CLASS.																															
I.	1. Clerical, Medical, Legal, and other Pro- fessions; Naval and Military Officers, and Heads of Public Departments, ...	7,868		26.5	4	1	2	1	.	.	1
	2. Merchants and Manufacturers, Higher Class	1,347	
	3. Persons of Rank and Property, not other- wise described, ...	5,443	
		MIDDLE CLASS.																															
II.	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523		5.5	1	.	.	.	1
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199		4.1	2	.	1	.	.	.	1	1
	6. Clerks and Commercial Assistants, Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,249		6.3	4	.	.	.	2	1	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.	33,827		20.0	13	.	.	.	3	3	5	2	2	.	.	1
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777		17.7	4	3	1	1	1
	9. Building and Furnishing Trades, ...	28,823		16.3	9	5	.	.	1	2	1
	10. Clothing Trades, ...	20,026		13.0	5	2	.	1	1	2	1	.	1
	11. Food Supply Trades, ...	8,952		5.8	1	1
	12. Other Trades and Callings ranking with Trades, ...	32,070		14.6	9	3	.	.	1	2	.	3	1
IV.	GENERAL SERVICE CLASS.	6,772	
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977		20.1	5	1	.	.	1	2	.	1	2
	15. Domestic Servants, ...	35,041		5.8	4	.	1	.	2	1
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380		17.0	5	2	.	3	9	10	1	3	7	.	2	5	2	3
	17. Hawkers, Porters, Labourers, &c., ...	103,081		26.8	53	26	1	3	9	10	1	3	2	5	2	2	3
V.	INMATES OF WORKHOUSES.	5,602		—	40	11	2	2	5	9	9	2	7	3	1	1	.	5	3
	18. Workhouse Inmates, ...																																

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal admitted ; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.) Population in 1914 (Est.) 30,206.	July 11 " 18 " 25 Aug. 1 " 8 " 15	22.4 13.8 8.6 20.7 19.0 13.8	. 5.2 . 1.7 . 5.2	13 8 5 12 11 8	. <																	

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District.	July 11 " 18 " 25 Aug. 1	17.3 6.7 12.0 13.3	1.3 1.3 	13 5 9 10	 1 	 	 	1 	 	 	 	 	 	 	 	1 1 1 1	2 1 	2 	 	 	1
Population in 1914 (Est.) 39,155.	" 8 " 15	18.6 13.3	1.3 	14 10	 	 	 	1 	 	 	 	 	2 1	 	2 1	 	1 	 	 	 	
Pembroke Urban District.	July 11 " 18 " 25 Aug. 1	6.9 10.3 12.1 10.3	 1.7 1.7 	4 6 7 6	 	 	 	 	 	 	1 1 	 	1 1 2 3	 	1 1 	 	 	 	2 	 	1 1
Population in 1914 (Est.) 30,240	" 8 " 15	6.9 12.1	 1.7	4 7	 	 	 	 	 	 	 	 	2 	 	 	 	1 	 	 	 	1
Blackrock Urban District.	July 11 " 18 " 25 Aug. 1	11.3 17.0 11.3	 	2 3 2	 	 	 	 	 	 	 	 	 	1 	 	 	 	 	 	 	1
Population in 1914 (Est.) 9,197.	" 8 " 15	11.3 28.3	 5.7	2 5	 	 	 	 	 	 	 	 	 	 	1 	 	 	 	 	 	
Kingstown Urban District.	July 11 " 18 " 25 Aug. 1	9.2 21.5 3.1 24.6	3.1 3.1 	3 7 1 8	 	 	 	 	1 	 	 	 	 	 	 	 	1 	 	 	 	
Population in 1911 16,941.	" 8 " 15	18.5 24.6	 	6 8	 	 	 	 	 	 	 	 	1 1 1	 1	 	 	1 	 	 	 	1
Belfast.	July 11 " 18 " 25 Aug. 1	17.0 13.5 14.5 15.0	2.5 2.2 2.0 3.4	130 103 111 115	 	 1 	 1 	 4 2 1 6	5 2 2 2	2 4 2 7	1 2 	 	14 10 16 15	7 3 4 7	11 7 8 1	7 8 10 5	11 5 8 12	5 6 8 9	 	 	2 2 2 2
Population in 1914 (Est.) 399,000.	" 8 " 15	17.9 14.8	2.1 3.5	137 113	1 	1 	 	5 8	4 	2 3	 	 	18 12	5 8	3 5	10 8	13 13	3 13	2 	 	1
Cork.	July 11 " 18 " 25 Aug. 1	15.6 14.3 13.6 15.6	1.4 1.4 3.4 4.8	23 21 20 23	1 	 	 	 	 	1 1 2 2	 	 	3 4 6 1	1 	3 4 1	3 1 2	3 1 1	 1 3	 1 2	 	
Population in 1911 76,673.	" 8 " 15	14.3 11.6	3.4 2.0	21 17	 	 	 	 	 	3 3	 	 	 	2 	 	 	4 	 	 	 	
Londonderry.	July 11 " 18 " 25 Aug. 1	26.6 22.8 15.2 17.8	2.5 1.3 1.3 1.3	21 18 12 14	 	 	 	 	 	 	 	 	2 3 2 2	1 2 1 1	1 1 2 1	 	3 1 1 	2 1 1	 	 	
Population in 1914 (Est.) 41,100.	" 8 " 15	12.7 17.8	1.3 	10 14	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
Limerick.	July 11 " 18 " 25 Aug. 1	12.2 19.0 12.2 14.9	 1.4	9 14 9 11	 	 	 	 	 	 	 	 	2 1 3 1	 4 	1 3 2	 	1 1 1	 	 	 	
Population in 1911 38,518.	" 8 " 15	12.2 4.1	1.4 	9 3	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	
Waterford.	July 11 " 18 " 25 Aug. 1	17.1 24.7 13.3 11.4	 1.9 1.9 	9 13 7 6	 	 	 	 	 	 	 	 	3 2 1	2 1 3	1 1 	 	2 1	 1	 	 	
Population in 1911 27,464.	" 8 " 15	9.5 13.3	1.9 3.8	5 7	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	 	

* See note (†) at foot of first page.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 — Week ending	BIRTHS.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Aug. 15,	2,329	1,056	12·2	4	.	46	3	20	2	102
EDINBURGH, ...	321,900	" 15,	124	76	12·3	.	.	.	1	1	4	3
GLASGOW, ..	1,047,000	" 15,	597	293	14·6	2	.	.	2	12	1	18
CALCUTTA, ...	896,067	July 11,	.	351	20·3	55*	20	2	.	.	.	41†a
BOMBAY, ...	979,445	" 11,	353	514	27·3	55*	4	1	.	.	.	50†a
MADRAS ...	518,660	" 11,	397	313	31·4	46*	1	.	?	?	?	78†a
CAIRO, ...	721,337	June 17,
PARIS, ...	2,847,229	Aug. 1,
BRUSSELS, ...	780,843	July 25,	239	178	11·9	2	2†	19
ANTWERP, ...	313,833	" 25,	134	58	9·6	.	.	4	.	.	.	12
AMSTERDAM, ...	597,888	" 25,
COPENHAGEN, ...	483,000	" 25,	250	151	16·3	.	.	1	3	.	.	11
STOCKHOLM, ...	382,085	" 25,	122	104	14·2	2	.	.	.	1	1	14a
CHRISTIANIA, ...	251,446	Aug. 1,	81	50	10·3	1	.	8a
ST. PETERSBURG ...	1,728,200	July 11,	935	1,025	30·9	14	7	39	9	7	9†	306
MOSCOW, ...	1,694,000	" 4,	.	1,253	38·6	4	.	58	9	3	9	606a
ROME, ...	591,943	Jan. 3,
NEW YORK, ...	5,583,871	June 20,	2,581	1,222	11·4	7	.	14	8	4	22†	36
PHILADELPHIA, ...	1,657,810	" 6,
BOSTON, ...	750,768	July 18,	.	171b	11·9	.	.	.	1	.	2	7

* Deaths from "fever," including 4 from enteric fever and 6 from plague in Calcutta; and one from enteric fever, and 17 from plague in Bombay.

† Including deaths from croup.

‡ Including 6 deaths from cholera in Calcutta, 8 in Bombay, and 8 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, *i.e.* non-residents deducted, 141, rate 13·5 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th August, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomylélitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	1	1	2
" " 1, West,	1	1	.	.	.	1	3
" " 2,	2	2
" " 3,	2	2
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),	1	1
Finglas and Glasnevin (part of),	1	1
South City No. 1,	1	5	6
" " 2,	2	2
" " 3,	5	2	7
" " 4,	1	.	.	1	5	7
New Kilmainham,	3	.	.	1	4
Total,	12	.	.	3	.	.	2	2	.	.	.	18	37

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 15th August, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 15th August.			
	July 25.	August 1.	August 8.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	69	72	70	12	4	1	77
Typhus, ...	1
Small-pox,
Measles, ...	48	23	16	3	6	2	11
Scarlet Fever, ...	79	70	72	6	13	1	64*
Diphtheria, ...	35	28	30	5	4	2	29
Pneumonia, ...	15	13	11	6	1	1	15

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.S.C., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 15th August, 1914:—

"Except on Monday, when there were heavy local showers, and on Friday, when severe thunderstorms occurred, the weather of this week was fine and summerlike. On Sunday and Monday an atmospheric depression of considerable size and depth (29·5 inches on Sunday morning) was found off the N.W. of Scotland. It caused fresh S.W. winds at most British and Irish stations and warm weather in the east and southeast of England—on Sunday the thermometer rose to 77° at Yarmouth, on Monday to 80° at Southend-on-Sea. Heavy showers fell in Dublin on Monday forenoon, yielding ·058 inch in the rain gauge. An anticyclone now spread northwards over the British Isles from the Atlantic, and on Wednesday morning the isobar of 30·27 inches (102·5 centibars) embraced nearly the whole of these islands. At 7 a.m. the barometer, however, was already giving way in the S.W. of Ireland. Moderate easterly winds and fine, warm weather was now general, but the baric changes in the extreme S.W. heralded the approach of a shallow depression to Ireland from the Atlantic. This system led to the outbreak of violent electrical disturbances in many parts of Ireland on Thursday night and Friday. On the latter day Dublin was visited by two severe thunderstorms, travelling from S. to N. The first prevailed from 6.30 to 7.15 p.m., rain falling towards the close to the amount of ·279 inch. The second storm raged from 9 p.m. to midnight or later and the rainfall was ·722 inch—1·001 inches in all. At Birr Castle the thunderstorm yielded 1·22 inches of rain. Saturday was very fine and sunny with a pleasant breeze from N.E. In Dublin the mean height of the barometer was 30·072 inches, the range of pressure being from 29·820 inches at 9 a.m. of Sunday (wind, W.S.W.) to 30·330 inches at 9 p.m. of Tuesday (wind, calm). The corrected mean temperature was 63·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 61·9°. On Wednesday the screened thermometers fell to 51·9°, on Friday they rose to 75·9°. The rainfall was 1·059 inches on 2 days, 1·001 inch having fallen in Friday's thunderstorms. The wind was at first W.S.W., afterwards E.N.E. On Friday temperature rose to about 85° in some parts of North Wales and above 80° at several stations in southern England."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 30.058 inches. The highest reading (30.317) was on Tuesday, at 9 p.m., the lowest (29.818) on Sunday, at 9 a.m.

The mean temperature for the week was 63.1°, being 4.9° above the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Friday, on which day the thermometer registered 78°, and was lowest on Wednesday, the mercury having fallen to 41°. The mean of the Dry Bulb for the week was 63.0° and of the Wet Bulb, 60.1°. The mean humidity of the air was .84, complete saturation being represented by 1.0. The rainfall during the week measured 1.120 inches.

At Greenwich the mean temperature for the week was 64.0°, the maximum 79.4°, and the minimum 48.8°; at Glasgow the maximum was 76.6°, the minimum 51.4°, and the mean 60.7°; and at Edinburgh the maximum was 69.7°, the minimum 50.9°, and the mean 59.2°. The rainfall at Greenwich measured 0.02 in.; at Glasgow 0.06 in. There was no rainfall recorded at Edinburgh.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155.3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.	BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 10.	Sunshine in hours and decimals.	Rain Gauge.
	Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1.0.			
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday, August 9,	29.870	68	54	61.0	59.2	55.5	.79	.7	9.2	.000
Monday, „ 10,	30.090	67	50	58.5	59.2	56.4	.83	.7	9.6	.020
Tuesday, „ 11,	30.295	71	52	66.5	60.9	58.9	.89	.6	8.6	.000
Wednesday, „ 12,	30.230	70	41	55.5	61.9	59.2	.84	.2	12.1	.000
Thursday, „ 13,	30.050	77	59	68.0	68.1	65.2	.84	.5	7.6	.000
Friday, „ 14,	29.935	78	61	69.5	68.6	64.3	.80	.7	5.5	1.100
Saturday, „ 15,	29.935	68	57	62.5	63.3	61.5	.88	.7	7.6	.000
Mean,	30.058	71.3	53.4	63.1	63.0	60.1	.84	.6	Total 60.2	Total 1.120

Sunday—Day cloudy; night clear. Monday—Day cloudy, light showers a.m. p.m.; night clear. Tuesday—Day bright; night clear. Wednesday—A beautiful bright day; night clear. Thursday—A beautiful bright day; night clear. Friday—A dull day; night overcast, heavy and drizzling rain 6.30 p.m. to 1.0 a.m., thunder and lightning till 1.0 a.m. Saturday—Day bright; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 a.m. and 9 p.m.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 15th August, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Tem- perature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell- Stokes Recorder) read at 9 p.m.	Rainfall
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, August 9,	65.1	60.8	58.0	69.0	54.4	61.7	hrs. 9.1	ins. —
Monday, „ 10,	61.1	60.8	58.0	69.0	52.8	60.9	10.0	.025
Tuesday, „ 11,	63.5	60.8	58.1	70.4	52.8	61.6	8.8	—
Wednesday, „ 12,	63.5	61.3	58.1	68.9	47.5	58.2	12.0	—
Thursday, „ 13,	62.9	62.1	58.2	75.2	53.8	67.0	6.6	—
Friday, „ 14,	75.1	63.5	58.5	77.0	62.0	69.5	5.2	1.020
Saturday, „ 15,	67.1	63.5	58.8	68.8	53.7	63.7	6.3	—
Weekly Mean, .	65.5	61.8	58.2	71.2	55.3	63.2	Total 58.0	Total 1.045

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 22ND AUGUST, 1914.

[No. 34.

*General Register Office, Charlemont House,
Dublin, 24th August, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Aug. 1	Aug. 8	Aug. 15	Aug. 22	
27 Town Districts, (a)	15·7	16·4	15·3	16·1	15·9
Dublin Reg. Area ...	17·3	17·3	19·1	16·6	17·6
Dublin City ...	18·3	18·3	20·0	16·3	18·2
Belfast ...	15·0	17·9	14·8	17·6	16·3
Cork ...	15·6	14·3	11·6	24·5	16·5
Londonderry ...	17·8	12·7	17·8	10·1	14·6
Limerick ...	14·9	12·2	4·1	12·5	11·2
Waterford ...	11·4	9·5	13·3	17·1	12·8

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 2·3 per 1,000. Among the 135 deaths from all causes for Belfast are one from enteric fever, 7 from measles, 3 from whooping-cough, and 10 from diarrhoeal diseases. Included in the 36 deaths from all causes for Cork are one from scarlet fever, 3 from whooping-cough, and 5 from diarrhoeal diseases. Of the 9 deaths from all causes for Waterford 2 are from diarrhoea and enteritis of children under 2 years. Among the 4 deaths from all causes for Ballymena is one from enteric fever, and included in the 4 deaths from all causes for Sligo is one from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 200—97 boys and 103 girls—and the deaths to 136—78 males and 58 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·6 per 1,000 of the population. During the thirty-four weeks, ending with Saturday last, the death-rate averaged 21·5, and was 0·5 below the mean rate for the corresponding portions of the ten years, 1904—1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases

(a) For particulars of other town districts see Table II

The total deaths registered, numbering 136, represent an annual rate of 17·5 per 1,000; the annual rate for the past thirty-four weeks was 22·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·1 per 1,000 of the mean population for all deaths registered.

The deaths registered include 3 from measles, one death each from whooping-cough and diphtheria, and 13 deaths from diarrhoea and enteritis of children under 2 years of age.

In the three preceding weeks, deaths from measles were 0, 2, and 0; deaths from whooping-cough were 0, 0, and 0; deaths from diphtheria were 0, one, and 2; and deaths from diarrhoea and enteritis of children under 2 years of age were 9, 10, and 11, respectively.

There were 21* deaths from tuberculous disease, comprising 19 from pulmonary tuberculosis, and 2 from disseminated tuberculosis. In the three preceding weeks, deaths from all forms of tuberculous disease numbered 28, 25, and 22, respectively.

Twelve* deaths were ascribed to cancer.

One death was caused by broncho-pneumonia, 2 by lobar pneumonia, and 4 by pneumonia (type not distinguished).

Among the deaths of infants under one year of age, 2 were attributed to convulsions, 2 to congenital malformation, 3 to premature birth, and 5 to congenital debility.

Thirteen deaths from organic diseases of the heart and 10 from bronchitis were registered.

There were 2 accidental deaths and one death by suicide.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year of age.

Thirty-five of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 7 were under one month old), and 27 were aged 65 years and upwards, including 17 persons aged 70 and upwards; among the latter were 10 aged 75 and upwards, of whom one (a female) was stated to have been aged 96 years.

Sixty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, 13 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·6 per 1,000; the rate in the City was 16·3 (North City Districts, 15·8; South, 16·8) and in the Suburbs 17·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·7 (in the North City Districts 1·9, and in the South 3·6), and for the Suburbs 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·8 per 1,000. One death from diarrhoea and enteritis of a child under 2 years of age was recorded.

No. 1 *North City District, West* (Summer-hill).—The deaths (17) are equal to an annual rate of 21·5 per 1,000. There were 4 deaths from pulmonary tuberculosis, one from pneumonia, and 2 from diarrhoea and enteritis of children under 2 years of age.

No. 2 *North City District* (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 15·0 per 1,000, and include one death from pulmonary tuberculosis, 2 from bronchitis, and 2 accidental deaths.

No. 3 *North City District* (Benburb-street).—The deaths (9) represent an annual rate of 13·2 per 1,000. One death from measles, one from pneumonia, one from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·0 per 1,000 inhabitants; Coolock and Drumcondra, part of, 15·2; and Finglas and Glasnevin, part of, 9·7. Of the 4 deaths from all causes for Coolock and Drumcondra, part of, one was caused by pneumonia, one by diarrhoea and enteritis, and one by suicide; and of the 2 deaths recorded for Finglas and Glasnevin, part of, one was from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (14) represent an annual rate of 17·9 per 1,000, and include 2 deaths from measles, 4 from tuberculous disease, 2 from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

No. 2 *South City District* (Castle-street).—The deaths (7) are equal to an annual rate of 19·9 per 1,000. There were 2 deaths from pneumonia and 2 deaths from diarrhoea and enteritis of children under 2 years of age.

No. 3 *South City District* (Peter-street).—The deaths (13) are equal to an annual rate of 15·6 per 1,000. Two deaths from pulmonary tuberculosis and one death from diarrhoea and enteritis of a child under 2 years of age were recorded.

No. 4 *South City District* (Grand Canal Street).—The deaths (9) are equivalent to an annual rate of 14·1 per 1,000, and include one death from diphtheria, 3 from pulmonary tuberculosis, and 2 from diarrhoea and enteritis of children under 2 years of age.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·2 per 1,000. Among them are one from pulmonary tuberculosis, one from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·0; Pembroke, 13·8; Blackrock, 28·3; and Kingstown, 21·5. The deaths from the principal epidemic diseases tabulated for these districts comprise one death from whooping-cough for Rathmines and Rathgar, and one death of a child under 2 years of age from diarrhoea and enteritis for Pembroke. Among the 12 deaths from all causes for Rathmines and Rathgar are one from disseminated tuberculosis, one from lobar pneumonia, and one from bronchitis. The 8 deaths from all causes for Pembroke include one from pulmonary tuberculosis and one from broncho-pneumonia; and the 7 deaths from all causes for Kingstown include one from pulmonary tuberculosis and 2 from bronchitis.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 12·8), was equal to an average annual death-rate of 12·3 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 15·0 per 1,000, the rate for Glasgow being 15·0, and for Edinburgh 15·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 22nd August. From this Report it appears that of a total of 87 cases notified, 38 were scarlet fever, 20 diphtheria, 20 phthisis, 8 erysipelas, and one puerperal fever. Among the 516 cases of infectious diseases in hospital at the close of the week were 209 cases of scarlet fever, 205 cases of phthisis, 66 of diphtheria, 10 of erysipelas, 6 of enteric fever, 3 of chicken-pox, 2 of cerebro-spinal fever, 2 of measles, 2 of whooping-cough, and 2 of puerperal fever.

* See note (c) at foot of Table II.

† See note (†) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Penbrooke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 22nd August, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Aug. 1,	.	—	—	10	.	.	2	.	.	7	1	.	—	—	—	—	.	37	57
	Aug. 8,	.	—	—	9	.	.	2	.	.	3	4	.	—	—	—	—	.	19	37
	Aug. 15,	.	—	—	12	.	.	3	.	.	2	2	.	—	—	—	—	.	18	37
	Aug. 22,	.	—	—	12	.	.	6	.	.	8	2	.	—	—	—	—	.	28	56
Rathmines and Rathgar Urban District.	Aug. 1,	.	—	—	1	2	1	.	—	—	—	—	—	—	3
	Aug. 8,	.	—	—	1	.	.	1	.	.	2	1	.	—	—	—	—	—	—	6
	Aug. 15,	.	—	—	2	1	.	—	—	—	—	—	—	4
	Aug. 22,	.	—	—	1	2	.	—	—	—	—	—	—	3
Pembroke Urban District.	Aug. 1,	1	.	.	.	1	.	—	—	—	—	—	.	2
	Aug. 8,	1	.	.	.	1	.	—	—	—	—	—	.	2
	Aug. 15,	.	1	1	.	.	—	—	—	—	—	.	2
	Aug. 22,	.	.	.	1	—	—	—	—	—	1	2
Blackrock Urban District.	Aug. 1,	.	.	—	—	—	—	—	—	—	.
	Aug. 8,	.	.	—	—	—	—	—	—	—	.
	Aug. 15,	.	.	—	—	—	—	—	—	—	.
	Aug. 22,	.	.	—	2	—	—	—	—	—	—	2
Kingstown Urban District.	Aug. 1,	.	—	—	—	—	—	—	—	.	.
	Aug. 8,	.	—	—	—	—	—	—	—	.	.
	Aug. 15,	.	—	—	—	—	—	—	—	.	.
	Aug. 22,	.	—	—	—	—	—	—	—	.	.
City of Belfast.	Aug. 1,	.	—	—	20	1	.	2	.	.	3	3	.	—	—	—	—	.	2	31
	Aug. 8,	.	—	—	23	.	.	2	.	2	3	2	.	—	—	—	—	5	5	37
	Aug. 15,	.	—	—	20	.	.	3	.	.	2	3	1	—	—	—	—	1	2	32
	Aug. 22,	.	—	—	28	.	.	1	.	.	.	6	.	—	—	—	—	6	6	41
City of Cork.	Aug. 1,	.	2	—	4	1	.	.	—	—	—	—	—	—	7 ^a
	Aug. 8,	.	.	—	5	.	.	1	.	.	.	2	1	—	—	—	—	—	—	9 ^b
	Aug. 15,	.	.	—	3	.	.	3	.	1	1	.	.	—	—	—	—	—	—	8 ^c
	Aug. 22,	.	3	—	.	.	.	4	.	1	.	1	.	—	—	—	—	—	—	9 ^d
City of Londonderry.	Aug. 1,	.	—	—	—	—	—	—	—	—	2
	Aug. 8,	.	—	—	2	—	—	—	—	—	—	.
	Aug. 15,	.	—	—	—	—	—	—	—	—	1
	Aug. 22,	.	—	—	1	.	—	—	—	—	—	—	1
City of Limerick.	Aug. 1,	.	—	—	1	.	.	1	.	.	1	.	.	—	—	—	—	—	—	3
	Aug. 8,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	Aug. 15,	.	—	—	4	—	—	—	—	—	—	4
	Aug. 22,	.	—	—	3	—	—	—	—	—	—	3
City of Waterford.	Aug. 1,	.	—	—	2	—	—	—	—	—	.	2
	Aug. 8,	.	—	—	3	—	—	—	—	—	3	3
	Aug. 15,	.	—	—	3	—	—	—	—	3	3	6
	Aug. 22,	.	—	—	2	—	—	—	—	1	1	3

^a Not including 18 cases of choleraic diarrhoea.

^b Not including 7 cases of choleraic diarrhoea.

^c Not including 9 cases of choleraic diarrhoea.

^d Not including 18 cases of choleraic diarrhoea.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd August, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Thirteen cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 84 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 72, 70, and 77.

Seven cases of measles were discharged from hospital, and 4 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 23, 16, and 11, respectively.

Eighteen cases of scarlet fever were admitted to hospital, 14 were discharged, and 68* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 70, 72, and 64, respectively.

Twelve cases of diphtheria were admitted to hospital during the week, and 12 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 28, 30, and 29 respectively, were 29 at the close of last week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 7 were discharged, and 18 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 22nd of August, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
		CITY OF DUBLIN.																
		REGISTRATION DISTRICTS IN																
		Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.									
		NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.	
Enteric Fever,		
Typhus,		
Small-pox,		
Measles,		.	.	.	1	.	.	.	2	3	
Scarlet Fever,		
Whooping-cough,		1	.	.	1	
Diphtheria,		1	1	
Croup,		
Influenza,		
Dysentery,		
Tuberculosis, { Pulmonary,		.	4	1	3	.	2	3	1	.	1	.	1	
{ Other Forms,		.	.	.	1	.	.	.	1	1	.	.	2	
Cancer,		.	.	.	1	.	1	.	.	1	2	.	.	2	.	2	9	
Diseases of Nervous System,		3	2	.	1	1	3	3	.	.	1	1	15	
" Organs of Special Sense,		1	1	
" Circulatory System,		1	3	2	1	1	.	.	1	.	2	.	.	2	.	.	16	
" Respiratory { Pneumonia,		.	1	.	1	.	1	.	.	2	.	.	.	1	1	.	7	
System. { Others,		.	.	2	1	.	.	1	2	.	.	.	1	1	.	.	10	
{ Diarrhoea and Enteritis, under 2 years,		1	2	.	1	.	1	.	1	2	1	2	1	.	1	.	13	
{ Diarrhoea, 2 years and upwards,		
{ Enteritis, 2 years and upwards,		1	.	.	1	2	
{ Others,		1	1	1	.	1	.	.	.	4	
" Genito-urinary System,		.	1	1	.	1	.	.	1	1	2	7	
Puerperal Septicæmia, etc.,		
Other Causes incident to Pregnancy and Childbirth,		
Diseases of the Skin and Cellular Tissue,		
" Locomotor System,		
Other specified Causes,		1	2	1	1	1	.	1	2	1	1	.	.	3	2	.	17	
Violent Deaths,		.	.	2	.	.	1	3	
Ill-defined, &c. Causes,		.	1	1	.	2	
Deaths from All Causes		8	17	8	9	2	4	2	14	7	13	9	4	12	8	5	7	
Annual Rate of Mortality from All Causes in every 1,000 of the population.		13·8	21·5	15·0	13·2	19·0	15·2	9·7	17·9	19·9	15·6	14·1	21·2	16·0	13·8	28·3	21·5	
		15·8							16·3					17·5				
Ages at Death. { Under 1 year,		3	2	.	2	.	.	1	2	2	2	3	2	5	2	.	2	
{ 1 and under 2 years,		.	1	.	1	.	1	.	2	
{ 2 " 5 "		1	1	5	
{ 5 " 15 "		1	1	1	1	.	.	1	5	
{ 15 " 25 "		.	2	1	1	5	
{ 25 " 45 "		.	6	2	2	.	1	.	5	2	1	2	1	6	.	.	27	
{ 45 " 65 "		2	3	2	2	1	2	1	3	2	5	1	.	3	1	2	33	
{ 65 and upwards,		1	2	3	2	1	.	.	1	1	4	.	.	4	.	3	24	
Number of Uncertified Deaths,		1	1	.	.	2	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,		1	5	3	2	.	1	.	5	1	3	4	1	1	2	1	31	
Workhouse Hospitals,		.	4	4	3	1	.	1	2	2	4	2	.	1	2	.	23	

THIRTY-FOURTH WEEK, ending Saturday, 22nd August, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 34th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 22nd August, 1914.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	Aug. 27, 1904.	Aug. 26, 1905.	Aug. 25, 1906.	Aug. 24, 1907.	Aug. 22, 1908.	Aug. 28, 1909.	Aug. 27, 1910.	Aug. 26, 1911.	Aug. 24, 1912.	Aug. 23, 1913.		Deaths of Persons of the Ages of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
												Under 1 month.	1 month and under a year.	0-5.									15-25.	25-45.	45-65.	65-75.	75 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
														1-2.	2-5.	5-15.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Mean Temperature ...	54.6	54.7	61.8	55.0	55.9	56.2	56.6	59.7	52.7	56.5	56.4	57.1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					</

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1914—WEEK ENDING																									
	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.
No. of weeks in Annual Series,	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
BIRTHS REGISTERED.																										
Average Births in corresponding week of previous 10 years,	202	244	225	210	208	227	173	218	207	288	222	197	207	262	191	271	225	233	165	214	208	197	195	166	204	200
DEATHS REGISTERED.	232	222	206	215	230	214	220	221	218	264	237	214	213	244	219	210	223	245	208	221	221	221	220	209	223	218
Annual Death-rate per 1,000,	187	169	189	183	219	212	194	212	231	203	181	160	166	185	162	163	151	134	139	128	139	129	144	136	159	136
Average Deaths in corresponding week of previous 10 years,	204	217	243	235	281	272	249	272	297	261	232	205	213	238	208	209	194	172	179	164	179	166	185	175	204	175
AGES.																										
Under 5 years,	56	57	61	70	82	55	74	89	92	89	62	54	73	56	54	45	46	36	47	31	44	36	46	35	53	35
5-15 "	5	2	7	7	9	12	12	11	10	6	10	7	4	13	4	9	5	5	7	6	9	6	4	6	5	6
15-25 "	8	14	9	7	9	14	5	10	9	9	8	9	9	8	11	6	12	8	9	7	3	9	8	5	7	6
25-45 "	27	18	30	28	35	26	27	28	33	30	27	22	22	19	28	30	23	23	22	27	29	26	27	26	27	27
45-65 "	40	38	46	38	44	51	32	45	45	30	50	36	37	47	35	38	41	32	30	31	30	31	30	34	35	35
65-75 "	37	22	18	21	24	35	16	29	23	22	14	21	13	28	16	23	15	19	14	22	14	15	13	15	18	17
75 and upwards,	14	18	18	12	16	26	14	13	19	17	10	11	8	14	14	12	9	11	10	13	9	7	9	15	15	10
Deaths from:—																										
Enteric Fever,	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	1	1
Typhus,	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox,	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles,	7	4	5	14	27	22	34	39	35	40	29	17	16	14	18	8	5	3	2	4	6	2	1	2	1	3
Scarlet Fever,	2	1	2	3	3	3	3	4	2	2	2	1	1	1	2	1	1	1	1	2	3	1	1	1	1	1
Whooping-cough,	1	3	1	3	4	1	1	1	3	1	3	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1
Diphtheria,	2	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza,	1	3	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery,	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis { Pulmonary ...	23	21	26	21	21	22	28	22	25	14	22	24	21	19	27	19	13	17	21	18	16	19	23	19	18	19
Other Forms,	4	2	9	6	6	9	5	10	8	10	9	5	6	9	4	6	5	7	9	5	8	11	5	6	4	2
Cancer,	10	9	7	6	18	6	13	8	13	9	11	11	5	12	9	13	9	8	7	8	7	10	9	7	6	12
Diseases of Circulatory System,	19	20	17	17	14	25	15	22	19	21	11	11	13	28	14	20	27	11	11	16	15	13	15	15	17	17
Diseases of Respi- (Pneumonia	13	15	14	8	20	19	19	16	17	19	13	13	15	14	12	12	14	8	9	10	12	4	8	4	3	7
ratory System, { Others, ...	30	21	34	35	34	35	30	28	20	15	17	19	17	22	13	11	8	20	10	13	5	7	12	10	11	10
Diarrhoea and Enteritis, under																										
2 years,	2	5	5	6	4	1	2	7	3	3	1	5	7	4	2	4	7	4	4	4	6	6	9	10	11	13
Diarrhoea, 2 years and upwards,																										
Violent Deaths,	4	4	1	3	2	3	1	1	6	3	2	7	5	3	6	3	3	3	6	4	5	3	3	7	10	3
Number of Uncertified Deaths,	6	5	6	2	7	8	4	5	9	7	2	2	9	6	4	3	2	2	5	2	6	2	7	4	2	2
Mean Temperature of the Air (Phoenix Park) in degrees, ...	43.1	44.6	41.7	39.8	39.7	50.9	45.9	45.6	48.8*	44.9	49.6	49.3	55.4	48.1	52.6	52.3	57.2	56.1	59.1	60.1	61.1	59.0	57.3	58.1	63.1	57.1
Average Mean Temperature in corresponding week of previous 10 years,	41.5	41.7	41.7	41.8	43.3	43.8	44.4	46.1	45.9	47.1	49.7	49.4	51.1	54.0	53.5	54.6	56.1	55.7	56.9	58.3	59.8	58.9	58.6	58.4	58.2	56.4
Rainfall in inches,	4.75	6.75	4.70	4.50	4.40	5.75	4.00	4.29	4.01	4.00	1.335	1.30	5.15	1.10	1.40	5.20	4.95	4.00	3.65	4.55	7.95	5.20	3.50	6.95	1.120	1.170
Mean Humidity of the Air, complete Saturation 1.0,	.91	.89	.90	.91	.92	.85	.90	.89	.88	.91	.87	.89	.90	.86	.87	.86	.83	.78	.80	.84	.86	.87	.87	.84	.84	.91

* For 6 days only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the Week ending Saturday 22nd August, 1914; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 22ND AUGUST, 1911.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
CLASS.	OCCUPATION OR SOCIAL POSITION		Cols.	Population in each Class and Group, 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.												CAUSES OF DEATH										Violence.	Other Causes.	Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
							Under 5 years.						5 and under 15.						15 and under 25.						25 and under 35.							35 and under 45.						45 and under 55.						55 and under 75.						75 and upwards.						Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other Forms.		Cancer.		Convulsions.		Pneumonia.		Other.		Diarrhoea & Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
							(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)				(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)	(42)	(43)	(44)	(45)	(46)	(47)	(48)	(49)	(50)	(51)	(52)	(53)	(54)	(55)	(56)	(57)	(58)	(59)	(60)	(61)	(62)	(63)	(64)	(65)	(66)	(67)	(68)	(69)	(70)	(71)	(72)	(73)	(74)	(75)	(76)	(77)	(78)	(79)	(80)	(81)	(82)	(83)	(84)	(85)	(86)	(87)	(88)	(89)	(90)	(91)	(92)	(93)	(94)	(95)	(96)	(97)	(98)	(99)	(100)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
I.	ALL PERSONS.		397,957	—	136	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)	(42)	(43)	(44)	(45)	(46)	(47)	(48)	(49)	(50)	(51)	(52)	(53)	(54)	(55)	(56)	(57)	(58)	(59)	(60)	(61)	(62)	(63)	(64)	(65)	(66)	(67)	(68)	(69)	(70)	(71)	(72)	(73)	(74)	(75)	(76)	(77)	(78)	(79)	(80)	(81)	(82)	(83)	(84)	(85)	(86)	(87)	(88)	(89)	(90)	(91)	(92)	(93)	(94)	(95)	(96)	(97)	(98)	(99)	(100)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
II.	Deaths in Families of the—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal admitted ; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis under 2 years of age.	Diarrhoea, 2 years and upwards.			
													Pulmonary.	Other Forms.	Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	July 18	13.8	5.2	8	.	.	.	1	1	.	.	.	1	.	.	1	.	1	.	.	.
	" 25	8.6	.	5	1
	Aug. 1	20.7	1.7	12	4	.	1	.	.	1	.	.	.
	" 8	19.0	.	11	3	2	1	1	1	.	.	2	.
Population in 1914 (Est.) 30,206.	" 15	13.8	5.2	8	1	1	.	2	.	1	.
	" 22	13.8	1.7	8	1	.	.	1
North City, No. 1 (W.) (Office, Summer-hill.)	July 18	20.2	2.5	16	.	.	.	1	3	.	.	1	1	1	.	.	.
	" 25	24.0	1.3	19	2	2	2	.	1	1	.	.	1
	Aug. 1	18.9	1.3	15	2	.	1	1	1	1	.	.	.
	" 8	18.9	.	15	1	2	.	.	1	.	.	.	1
Population in 1914 (Est.) 41,278.	" 15	24.0	.	19	2	1
	" 22	21.5	2.5	17	4	.	.	1	.	2	.	.	.
North City, No. 2. (Office, Lisburn-street.)	July 18	31.8	.	17	2	5	1	1	1
	" 25	20.6	.	11	2	1	.	1	2	.	.	.	1
	Aug. 1	29.9	1.9	16	2	1	.	.	1	1	.	1	1
	" 8	16.8	1.9	9	2	1	.	1	.
Population in 1914 (Est.) 27,883.	" 15	22.4	.	12	1	.	2	.	.	1	.
	" 22	15.0	.	8	1	.	.	.	2	.	.	1	2
North City, No. 3. (Office, Benburb-street.)	July 18	13.2	2.9	9	.	.	.	1	1	1	.	2	.
	" 25	16.1	.	11	2	1	1	.
	Aug. 1	10.3	.	7	2	2	1
	" 8	14.7	.	10	2	.	.	.	1	.	.	.	1
Population in 1914 (Est.) 35,536.	" 15	24.9	2.9	17	2	1	.	.	3	2	.	1	.
	" 22	13.2	2.9	9	.	.	.	1	1	1	1	1	.	.	.
Clontarf and Howth No. 1 (part of).	July 18
	" 25
	Aug. 1
Population in 1914 (Est.) 5,485.	" 8
	" 15
	" 22	19.0	.	2
Coolock and Drumcondra (part of).	July 18	3.8	.	1
	" 25	7.6	.	2	2
	Aug. 1	22.9	3.8	6	1
	" 8	3.8	.	1
Population in 1914 (Est.) 13,685.	" 15	19.1	3.8	5	1	.	1	.	.	.
	" 22	15.2	3.8	4	1	1	.	1	.	1	.
Finglas and Glasnevin (part of).	July 18
	" 25	4.9	.	1
	Aug. 1	4.9	.	1
	" 8	14.6	.	3
Population in 1914 (Est.) 10,723.	" 15	4.9	.	1	1
	" 22	9.7	.	2
South City, No. 1. (Office, Stth. Earl-street.)	July 18	20.5	3.8	16	.	.	.	2	1	1	2	.	2	1	.	.	1
	" 25	19.2	5.1	15	1	.	.	1	2	1	.	.	.	2	.	1	.
	Aug. 1	20.5	5.1	16	1	.	.	.	5	.	.	.	3	3	.	.	.
	" 8	30.7	7.7	24	2	1	2	1	1	6	.	1	1
Population in 1914 (Est.) 40,768.	" 15	32.0	2.6	25	1	.	.	.	6	1	.	1	1	1	.	1	1
	" 22	17.9	3.8	14	.	.	.	2	3	1	.	.	2	1	.	.	.
South City, No. 2. (Office, Castle-street.)	July 18	22.7	2.8	8	.	.	.	1	1	1	1	2	.	.	.	1	.
	" 25	14.2	.	5	1	.	.	1
	Aug. 1	19.9	.	7	1	.	1	2	1
	" 8	28.4	2.8	10	.	.	.	1	3	.	.	1	2
Population in 1914 (Est.) 18,341.	" 15	8.5	.	3	1	.	1
	" 22	19.9	5.7	7	1	2	.	2	.	.	.
South City, No. 3. (Office, Peter-street.)	July 18	21.6	3.6	18	1	.	4	.	2	.	1	2	.	1	2
	" 25	22.8	3.6	19	.	.	.	1	2	.	1	2	3	2	.	.	.
	Aug. 1	14.4	2.4	12	1	.	1	1	3	2	.	.	.
	" 8	10.8	1.2	9	1	.	.	1	1	1	.	2	.
Population in 1914 (Est.) 43,540.	" 15	21.6	2.4	18	1	1	.	.	1	1	1	.	1	1
	" 22	15.6	1.2	13	2	.	2
South City, No. 4. (Office, Grand Canal-st.)	July 18	26.7	1.6	17	1	.	.	.	1	1	.	3
	" 25	12.6	.	8	1	2
	Aug. 1	23.6	3.1	15	1	1	1	.	1	.	1	.	2
	" 8	22.0	4.7	14	1	.	4	1	1	.	.	2	.	.	.
Population in 1914 (Est.) 33,171.	" 15	6.3	3.1	4	2	2	.	.	.
	" 22	14.1	4.7	9	1	.	3	2	.	.	.
New Kilmainham.	July 18	15.9	5.3	3	1	1
	" 25	31.8	5.3	6	1	1	1	.	1	1	.	.	.
	Aug. 1	10.6	5.3	2	1	1	.	.	.
Population in 1914 (Est.) 9,851.	" 8	15.9	10.6	3	2
	" 15	37.1	5.3	7	1	1	.	.	1	.
	" 22	21.2	5.3	4	1	.	.	.	1	1	.	.	.

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.				
		FROM ALL CAUSES.	CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea 2 years of age and upwards.						
													Pulmonary.	Other Forms.		Pneumonia.	Other.								
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	July 18	6.7	.	5	1	1
	" 25	12.0	1.3	9	1	1	1	1	1	1
	Aug. 1	13.3	.	10	1	1	1	1	1
	" 8	18.6	1.3	14	.	.	.	1	1	1	2
	" 15	13.3	.	10	1	1	1	.	1	1	1
" 22	16.0	1.3	12	1	1	2	1	1	1
Pembroke Urban District. Population in 1914 (Est.) 30,240	July 18	10.3	1.7	6	1	.	1
	" 25	12.1	1.7	7	1	.	2	.	.	1
	Aug. 1	10.3	.	6	3	2
	" 8	6.9	.	4	1	1	.	1	1
	" 15	12.1	1.7	7	2	.	.	.	1	1	1
" 22	13.8	1.7	8	1	.	.	.	1	.	1	
Blackrock Urban District. Population in 1914 (Est.) 9,197.	July 18	17.0	.	3	1
	" 25
	Aug. 1	11.3	.	2	1
	" 8	11.3	.	2
	" 15	28.3	5.7	5	1
" 22	28.3	.	5	2	
Kingstown Urban District. Population in 1911 16,941.	July 18	21.5	3.1	7	1	1	1
	" 25	3.1	.	1
	Aug. 1	24.6	.	8	1	.	.	.	1	2	2
	" 8	18.5	.	6	1	.	1
	" 15	24.6	.	8	1	1	.	.	1	.	1	.	.	.	1	.	.
" 22	21.5	.	7	1	2	
Belfast. Population in 1914 (Est.) 399,000.	July 18	13.5	2.2	103	.	1	.	4	2	4	.	.	10	3	7	8	5	6	1	1
	" 25	14.5	2.0	111	.	1	.	1	2	2	.	.	16	4	8	10	8	8	2	2	2
	Aug. 1	15.0	3.4	115	1	1	.	6	2	7	.	.	15	7	1	5	12	9	2	2	2
	" 8	17.9	2.1	137	1	1	.	5	4	2	.	.	18	5	3	10	13	3	2	2	2
	" 15	14.8	3.5	113	1	.	.	8	.	3	.	.	12	8	5	8	13	13	1	1	1
" 22	17.6	2.7	135	1	.	.	7	.	3	.	.	14	7	10	10	11	9	1	.	.	.	1	1	1	
Cork. Population in 1911 76,673.	July 18	14.3	1.4	21	1	.	.	4	.	.	3	1	1	1	1
	" 25	13.6	3.4	20	2	.	.	6	.	4	.	1	3
	Aug. 1	15.6	4.8	23	.	.	.	1	.	2	4	1	1
	" 8	14.3	3.4	21	3	.	.	1	.	1	2	.	2	3	3
	" 15	11.6	2.0	17	3	.	.	.	2	1	.	4
" 22	24.5	6.1	36	1	3	.	.	4	.	1	1	.	4	1	1	
Londonderry. Population in 1914 (Est.) 41,100.	July 18	22.8	1.3	18	1	3	2	1	.	1	1	.	.
	" 25	15.2	1.3	12	2	1	2	1	1	1	1	.	2
	Aug. 1	17.8	1.3	14	2	1	1	.	.	1
	" 8	12.7	1.3	10	2	.	.	.	1
	" 15	17.8	.	14	1	.	1	2	1
" 22	10.1	.	8	1	.	.	1	1	1	.	.	
Limerick. Population in 1911 38,518.	July 18	19.0	.	14	1	4	3	.	1	1	1
	" 25	12.2	1.4	9	3	.	.	.	1	1	3	3
	Aug. 1	14.9	1.4	11	1	.	.	.	1	.	.	.	1	1	1	1
	" 8	12.2	1.4	9	1	1	.	2	.	2	2	1	1
	" 15	4.1	.	3	1	1
" 22	13.5	.	10	2	.	1	1	2	
Waterford. Population in 1911 27,464.	July 18	24.7	1.9	13	1	1	.	3
	" 25	13.3	1.9	7	2	1	1	.	.	1
	Aug. 1	11.4	.	6	1	3
	" 8	9.5	1.9	5	1	1	.	.	.
	" 15	13.3	3.8	7	1	1	2	.	.	.
" 22	17.1	3.8	9	1	2	

* See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

Belfast.		1914—WEEK ENDING																									
		Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.
No. of weeks in Annual Series,	...	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
BIRTHS registered,	...	203	217	222	196	244	243	163	219	255	198	222	245	238	262	191	198	233	227	219	237	190	218	212	226	214	218
DEATHS registered,	...	153	140	146	163	150	136	142	162	179	139	116	135	137	115	127	129	131	134	130	130	111	115	137	113	113	135
Annual Death-rate per 1,000 of estimated population,	...	20.0	18.3	19.1	21.3	19.6	17.8	18.6	21.2	23.4	18.2	15.2	17.6	17.9	15.0	16.6	16.9	17.1	17.5	17.0	13.5	14.5	15.0	17.9	14.8	17.6	17.6
Ages,	Under 1 year,	28	28	28	32	23	23	29	29	45	29	21	21	17	23	19	22	24	27	25	26	25	19	21	20	27	30
	1—5 years,	16	15	16	21	27	9	18	22	21	18	10	21	16	18	13	21	22	18	19	10	11	21	21	21	23	18
	5—25 "	18	14	10	19	13	16	11	17	20	21	13	18	20	16	18	17	21	15	18	21	9	15	11	14	9	17
	25—45 "	29	27	34	26	21	24	20	25	25	27	19	23	29	19	22	25	21	23	24	18	20	22	21	22	18	19
	45—65 "	32	33	28	30	28	30	30	31	36	25	28	32	28	28	32	26	31	37	28	19	26	24	32	32	16	30
Deaths from :—	and upwards,	30	23	30	35	33	29	34	38	32	19	25	20	27	11	23	18	12	14	17	18	20	18	17	28	20	21
	Enteric Fever,	1	1	1	1	1
Typhus,
	Small-pox,
Measles,
	Scarlet Fever,	6	3	3	3	2	2	3	5	6	1	...	2	5	4	1	2	8	2	2	5	2	2	2	2	4	...
Whooping-cough,	4	5	2	7	5	3	6	9	8	3	3	5	5	7	4	7	...	4	7	2	4	2	7	2	3	3
	Diphtheria,
Dysentery,
	Tuberculosis, { Pulmonary,	31	14	15	16	14	10	12	11	32	18	19	20	21	15	19	17	21	21	13	14	10	16	15	18	12	14
Cancer, ...	{ Other Forms,	8	6	5	6	7	5	4	13	4	4	10	12	7	4	8	3	6	5	7	7	3	4	7	5	8	7
	Diseases of Respiratory System, { Pneumonia,	15	16	12	9	15	6	19	12	22	8	9	14	13	10	13	10	6	10	4	7	8	10	5	10	8	10
Diarrhoea and Enteritis, under 2 years,	{ Others,	18	21	15	31	20	23	9	27	15	17	11	16	14	12	11	12	10	10	9	11	5	8	12	13	13	11
	Diarrhoea, 2 years and upwards,	4	7	8	3	2	1	4	2	2	4	...	3	2	4	1	5	6	5	7	5	6	8	9	3	13	9
Violent Deaths,
	Number of Uncertified Deaths, ...	4	2	...	2	2	...	3	3	1	2	1	2	2	3	...	3	1	2	...	2	2	2	1	1
Mean Temperature of the Air in degrees.	...	3	1	1	1	...	3	1	3	4	1	2	1	1	3	4	1	3	...	3	2	1	2	...	2
	Rainfall, in inches,	41.1	44.3	39.9	40.8	41.0	49.7	47.1	43.5	52.7	48.2	48.2	47.5	54.9	50.0	52.2	54.2	61.5	55.8	59.0	58.8	61.6	60.2	56.2	58.0	60.5	58.2
Rainfall, in inches,	...	0.82	0.92	1.40	0.65	0.07	0.78	1.00	0.34	0.12	0.00	1.32	0.16	0.11	0.12	0.08	0.49	0.18	0.45	0.20	0.48	0.51	0.53	0.32	0.79	0.60	0.15

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ...	4,516,612	Aug. 22,	2,240	1,109	12·8	.	.	36	8	13	7	109	
EDINBURGH, ...	321,900	" 22,	150	94	15·2	1	2	.	
GLASGOW, ...	1,047,000	" 22,	552	300	15·0	5	.	1	3	9	5	26	
CALCUTTA, ...	896,067	July 18,	.	352	20·4	58*	14	1	.	.	2†	40‡a	
BOMBAY, ...	979,445	" 18,	346	539	28·6	65*	6	1	.	.	.	67‡a	
MADRAS, ...	518,660	" 18,	333	332	33·3	48*	1	.	?	?	?	102‡a	
CAIRO, ...	721,337	June 17,	542	687	49·6	12	9	6	1	?	16†	208	
PARIS, ...	2,847,229	Aug. 1,	
BRUSSELS, ...	780,843	" 1,	
ANTWERP, ...	313,833	" 1,	119	74	12·3	.	.	4	.	1	1†	15	
AMSTERDAM, ...	597,888	" 1,	
COPENHAGEN, ...	483,000	" 1,	
STOCKHOLM, ...	382,085	" 1,	152	89	12·1	1	1	5a	
CHRISTIANIA, ...	251,446	" 8,	131	54	11·2	1	.	.	.	1	.	10a	
ST. PETERSBURG, ...	1,728,200	July 18,	642	956	28·8	16	4	36	8	4	2	274	
MOSCOW, ...	1,694,000	" 11,	.	1,408	43·3	3	.	36	8	4	14†	786a	
ROME, ...	591,943	Jan. 3,	
NEW YORK, ...	5,583,871	June 27,	2,789	1,258	11·7	1	.	20	11	5	31†	40	
PHILADELPHIA, ...	1,657,810	" 6,	
BOSTON, ...	750,768	July 25,	.	187b	13·0	.	.	4	1	2	.	12a	

* Deaths from "fever," including 3 from enteric fever and 6 from plague in Calcutta; 3 from enteric fever, and 20 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including one death from cholera in Calcutta, 9 in Bombay, and 23 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 162 (including 3 deaths from measles and 9 from diarrhoeal diseases), rate 13·5 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd August, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	2	1	.	.	.	2	5
" " 1, West,	2	7	9
" " 2,	1	.	.	.	2	3
" " 3,	1	2	3
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),	.	2	2
Finglas and Glasnevin (part of),	2	2
South City No. 1,	1	6	7
" " 2,	1	2	3
" " 3,	4	3	6	13
" " 4,	1	1	2
New Kilmainham,	3	.	.	1	.	.	2	1	7
Total,	12	.	.	6	.	.	8	2	.	.	.	28	56

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 22nd August, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 22nd August.			
	August 1.	August 8.	August 15.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	72	70	77	13	6	.	84
Typhus,
Small-pox,
Measles, ...	23	16	11	.	7	.	4
Scarlet Fever, ...	70	72	64	18	14	.	68*
Diphtheria, ...	28	30	29	12	12	.	29
Pneumonia, ...	13	11	15	10	7	.	18

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.S.C., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 22nd August, 1914:—

"A period of quiet, fine, summerlike weather followed the violent electric storm of Friday, August 14, in Ireland. The first four days of the present week were beautiful—calms by night being succeeded by light easterly breezes by day along the east coast of Ireland. The atmosphere was damp at night and fogs occurred in the early morning hours of Monday and Wednesday. In the course of the latter day the barometer, which had been relatively and uniformly high over the British Isles (30.00 to 30.20 inches), gave way slowly and on Thursday and Friday a shallow 'low' extended over Ireland and Scotland from the Atlantic, causing local rains or showers in those parts of the United Kingdom as well as at a few isolated English stations. The weather became fine and bright again on Friday, allowing an eclipse of the sun to be seen to great advantage between 10.25 a.m. and 12.45 p.m. (by Dunsink mean time). In Dublin the magnitude of the eclipse was .62, taking the sun's diameter as unity; at Aimagh it was .64. In Great Britain, the magnitude varied from .71 at Edinburgh to .64 at Oxford. The eclipse was total along a line running E.S.E. from Greenland across the centre of Norway and Sweden, the Aland Islands, central and southern Russia, Trebizond, Lake Van, and Baghdad, to the Gulf of Oman and the mouths of the Indus where the central eclipse ended at 1.43 p.m. (Greenwich mean time). On Saturday a shallow depression brought a grateful rainfall to Ireland, and the week closed with a light southerly wind, an overcast sky, and a warm humid atmosphere. In Dublin the mean height of the barometer was 30.083 inches, pressure ranging from 30.180 inches at 9 a.m. of Tuesday (wind, N.N.W.) to 29.840 inches at 9 p.m. of Saturday (wind, S.). The corrected mean temperature was 60.2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 59.5°. On Monday the screened thermometers fell to 48.1°, on Thursday they rose to 71.0°. The wind was at first light easterly, finally light southerly. Rain fell on 2 days to the amount of .185 inch, of which .162 inch was recorded on Saturday."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 30·061 inches. The highest reading (30·152) was on Monday, at 9 p.m., the lowest (29·817) on Saturday, at 9 p.m.

The mean temperature for the week was 57·1°, being 0·7° above the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Thursday, on which day the thermometer registered 73°, and was lowest on Monday, Tuesday and Wednesday, the mercury having fallen to 42°. The mean of the Dry Bulb for the week was 58·1° and of the Wet Bulb, 56·5°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The rainfall during the week measured 0·170 inch.

At Greenwich the mean temperature for the week was 62·1°, the maximum 77·8°, and the minimum 47·1°; at Glasgow the maximum was 67·9°, the minimum 49·1°, and the mean 59·1°; and at Edinburgh the maximum was 69·1°, the minimum 49·8°, and the mean 57·5°. The rainfall at Greenwich measured 0·01 in.; at Glasgow 0·64 in.; and at Edinburgh 0·05.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.		BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.
		Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation = 1·0.			
		(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday,	August 16,	30·070	64	50	57·0	56·6	55·4	·94	·6	10·4	·000
Monday,	" 17,	30·140	69	42	55·5	57·7	55·8	·89	·5	12·1	·000
Tuesday,	" 18,	30·145	71	42	56·5	57·4	55·7	·90	·1	11·3	·000
Wednesday,	" 19,	30·105	69	42	55·5	56·0	55·1	·94	·0	8·6	·000
Thursday,	" 20,	30·055	73	49	61·0	59·1	57·7	·92	·4	7·8	·000
Friday,	" 21,	30·030	69	49	59·0	55·7	54·1	·90	·7	9·1	·010
Saturday,	" 22,	29·885	65	45	55·0	63·9	61·7	·87	·4	0·0	·160
Mean,	...	30·061	68·6	45·6	57·1	58·1	56·5	·91	·4	Total 59·3	Total ·170

Sunday—A beautiful bright day; night clear. Monday—A beautiful bright day; night clear. Tuesday—A beautiful bright day; night clear. Wednesday—Day bright; night clear. Thursday—Day bright; night cloudy. Friday—Day bright, cloudy at intervals; light shower p.m. Saturday—Dull day, heavy rain a.m. p.m.; night clear, light showers 3.40 to 3.50.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 22nd August, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.		Air Tem- perature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell- Stokes Recorder) read at 9 p.m.	Rainfall
			1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday,	August 16,	61·9	63·1	58·6	64·0	55·1	59·5	hrs. 10·2	ins. —
Monday,	" 17,	64·0	62·6	58·9	68·0	49·0	58·5	11·5	—
Tuesday,	" 18,	65·3	62·4	59·0	67·8	49·0	58·4	9·3	—
Wednesday,	" 19,	60·9	62·0	59·0	68·5	49·8	59·1	9·3	—
Thursday,	" 20,	64·1	62·4	59·0	71·0	49·8	60·4	6·3	0·010
Friday,	" 21,	62·1	62·9	59·1	70·1	51·4	60·7	7·7	—
Saturday,	" 22,	61·2	62·3	59·1	66·9	51·0	58·9	0·1	0·155
Weekly Mean,	.	62·8	62·5	59·0	68·0	50·7	59·4	Total 54·4	Total 0·165

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 29TH AUGUST, 1914.

[No. 35.]

*General Register Office, Charlemont House,
Dublin, 31st August, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 17·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Aug. 8	Aug. 15	Aug. 22	Aug. 29	
27 Town Districts, (a)	16·4	15·3	16·1	17·6	16·3
Dublin Reg. Area ...	17·3	19·1	16·6	18·8	17·9
Dublin City ...	18·3	20·0	16·3	21·2	18·9
Belfast ...	17·9	14·8	17·6	18·9	17·3
Cork ...	14·3	11·6	24·5	14·3	16·2
Londonderry ...	12·7	17·8	10·1	10·1	12·7
Limerick ...	12·2	4·1	12·5	21·7	12·9
Waterford ...	9·5	13·3	17·1	17·1	14·8

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 4·5 per 1,000. Among the 145 deaths from all causes for Belfast are 2 from measles, 2 from scarlet fever, 6 from whooping-cough, one from diphtheria, and 33 from diarrhoeal diseases. Included in the 21 deaths from all causes for Cork are one from scarlet fever and 4 from diarrhoea and enteritis of children under 2 years. The only death recorded for Lurgan is one from scarlet fever. Three of the 6 deaths from all causes for Lisburn are from diarrhoea and enteritis of children under 2 years. Of the 5 deaths from all causes for Ballymena one is from enteric fever. Two of the 4 deaths from all causes for Newtownards are from diarrhoea and enteritis of children under 2 years, and one of the 2 deaths for Bangor is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 246—128 boys and 118 girls—and the deaths to 163—83 males and 80 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 17) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·8 per 1,000 of the population. During the thirty-five weeks, ending with Saturday last, the death-rate averaged 21·4, and was 0·5 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.
(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 163, represent an annual rate of 20·9 per 1,000; the annual rate for the past thirty-five weeks was 22·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·1 per 1,000 of the mean population for all deaths registered.

The deaths registered include 2 from enteric fever, one from each of measles, scarlet fever, and whooping-cough, 4 from diphtheria, and 28 from diarrhoea and enteritis of children under 2 years. In the three preceding weeks deaths from enteric fever were 2, one, and 0; deaths from measles were 2, 0, and 3; deaths from scarlet fever were 0, one, and 0; deaths from whooping-cough were 0, 0, and one; deaths from diphtheria were one, 2, and one; and deaths from diarrhoea and enteritis of children under 2 years were 10, 11, and 13 respectively.

Deaths from tuberculous disease, which in the three preceding weeks numbered 25, 22, and 21, respectively, were 22* in the week under notice, and comprised 18 from pulmonary tuberculosis, one from tuberculous meningitis, and 3 from abdominal tuberculosis.

Cancer* caused 10 deaths.

There were 8 deaths from pneumonia, of which 3 were from broncho-pneumonia, 3 from lobar pneumonia, and 2 from pneumonia (type not distinguished).

Of the deaths of infants under one year of age, 5 were from premature birth, 7 from congenital debility, and one from convulsions.

There were 14 deaths from organic diseases of the heart and 7 from bronchitis.

Of 6 accidental deaths 3 were caused by drowning.

In one instance the cause of death was "uncertified," there having been no medical attendant during the last illness.

Sixty-two of the persons whose deaths were registered during the week were under 5 years of age (46 being infants under one year, of whom 13 were under one month old), and 29 were aged 65 years and upwards, including 19 persons aged 70 and upwards; among the latter were 11 aged 75 and upwards, of whom one (a female) was stated to have been aged 92 years.

Sixty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, and 10 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·8 per 1,000; the rate in the City was 21·2 (North City Districts, 19·9; South, 22·6) and in the Suburbs 10·9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 5·1 per 1,000 inhabitants, the rate for the City being 6·0 (in the North City Districts 4·1, and in the South 8·2), and for the Suburbs 2·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·4 per 1,000, and include one from pulmonary tuberculosis, one from lobar-pneumonia, one from bronchitis, 2 (children under 2 years of age) from diarrhoea and enteritis, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (23) are equal to an annual rate of 29·1 per 1,000. Amongst them are one from enteric fever, one from whooping-cough, one from diphtheria, 4 from tuberculous disease, one from pneumonia, 2 from bronchitis, and 3 of children under 2 years of age from diarrhoea and enteritis.

No. 2 North City District (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 16·8 per 1,000. One death from diphtheria and 3 from pulmonary tuberculosis were recorded.

No. 3 North City District (Benburb-street).—The deaths (10) represent an annual rate of 14·7 per 1,000. This number includes one death from diphtheria, 2 from tuberculous disease, and one of a child under 2 years of age from diarrhoea and enteritis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 28·5 per 1,000 inhabitants; Coolock and Drumcondra, part of, 7·6; and Finglas and Glasnevin, part of, 14·6. One of the 2 deaths for Coolock and Drumcondra was from pulmonary tuberculosis, the other being from broncho-pneumonia; and one of the 3 deaths for Finglas and Glasnevin was that of a child under 2 years of age from diarrhoea and enteritis.

No. 1 South City District (South Earl-street).—The deaths (17) represent an annual rate of 21·7 per 1,000. Included in this number are 3 deaths from pulmonary tuberculosis, one from bronchitis, and 7 of children under 2 years of age from diarrhoea and enteritis.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000. One death from enteric fever, one from pneumonia, one from bronchitis, 2 from diarrhoea and enteritis of children under 2 years of age, and one accidental death were recorded.

No. 3 South City District (Peter-street).—The deaths (18) are equal to an annual rate of 21·6 per 1,000. Among them are one death from measles, 3 from tuberculous disease, 2 from pneumonia, one from bronchitis, and the deaths of 6 children under 2 years of age from diarrhoea and enteritis.

No. 4 South City District (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 23·6 per 1,000. This number includes 3 deaths from pulmonary tuberculosis, one from broncho-pneumonia, one from bronchitis, 4 (children under 2 years of age) from diarrhoea and enteritis, and 3 accidental deaths.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·9 per 1,000, and include one death from scarlet fever.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·7; Pembroke, 17·2; Blackrock, 0·0; and Kingstown, 6·2. The deaths from the principal epidemic diseases tabulated for these districts include one from diphtheria and one from diarrhoea and enteritis of a child under 2 years of age for Rathmines and Rathgar, and one of a child under 2 years of age from diarrhoea and enteritis for Pembroke. One of the 10 deaths from all causes for Pembroke was from pulmonary tuberculosis, and one was caused by accident.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 13·6), was equal to an average annual death-rate of 13·6 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 14·4 per 1,000, the rate for Glasgow being 15·1, and for Edinburgh 15·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 29th August. From this Report it appears that of a total of 69 cases notified, 38 were scarlet fever, 18 phthisis, 6 diphtheria, 6 erysipelas, and one enteric fever. Among the 529 cases of infectious diseases in hospital at the close of the week were 216 cases of scarlet fever, 216 cases of phthisis, 63 of diphtheria, 10 of erysipelas, 7 of enteric fever, 2 of cerebro-spinal fever, 2 of measles, and 2 of puerperal fever.

* See note (c) at foot of Table II.

† See note (†) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 29th August, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Aug. 8,	.	—	—	9	.	.	2	.	.	3	4	.	—	—	.	—	.	19	37
	Aug. 15,	.	—	—	12	.	.	3	.	.	2	2	.	—	—	.	—	.	18	37
	Aug. 22,	.	—	—	12	.	.	6	.	.	8	2	.	—	—	.	—	.	28	56
	Aug. 29,	.	—	—	5	.	.	10	.	.	8	4	.	—	—	.	—	.	27	54
Rathmines and Rathgar Urban District.	Aug. 8,	.	—	—	1	.	.	1	.	1	2	1	.	—	—	—	—	—	—	6
	Aug. 15,	.	—	—	2	1	.	—	—	—	—	—	—	4
	Aug. 22,	.	—	—	1	.	.	1	.	.	.	2	.	—	—	—	—	—	—	3
	Aug. 29,	.	—	—	.	.	.	3	.	.	.	2	.	—	—	—	—	—	—	5
Pembroke Urban District.	Aug. 8,	1	.	.	.	1	.	—	—	—	—	.	.	2
	Aug. 15,	.	1	1	.	.	—	—	—	—	.	.	2
	Aug. 22,	.	.	.	1	—	—	—	—	1	.	2
	Aug. 29,	1	.	.	.	1	.	—	—	—	—	.	.	2
Blackrock Urban District.	Aug. 8,	.	.	—	—	—	—	—	—	—	.
	Aug. 15,	.	.	—	—	—	—	—	—	—	.
	Aug. 22,	.	.	—	2	—	—	—	—	—	—	2
	Aug. 29,	.	.	—	—	—	—	—	—	—	.
Kingstown Urban District.	Aug. 8,	.	—	—	—	—	—	—	.	.	.
	Aug. 15,	.	—	—	—	—	—	—	.	.	.
	Aug. 22,	.	—	—	—	—	—	—	.	.	.
	Aug. 29,	.	—	—	1	1	.	—	—	—	—	.	.	2
City of Belfast.	Aug. 8,	.	—	—	23	.	.	2	.	2	3	2	.	—	—	—	—	.	5	37
	Aug. 15,	.	—	—	20	.	.	3	.	.	2	3	1	—	—	—	—	1	2	32
	Aug. 22,	.	—	—	28	.	.	1	.	.	.	6	.	—	—	—	—	.	6	41
	Aug. 29,	.	—	—	26	.	.	4	.	.	4	5	.	—	—	—	—	.	2	41
City of Cork.	Aug. 8,	.	.	—	5	.	.	1	.	.	.	2	1	—	—	—	—	—	—	19a
	Aug. 15,	.	.	—	3	.	.	3	.	1	1	.	.	—	—	—	—	—	—	8b
	Aug. 22,	.	3	—	.	.	.	4	.	1	.	1	.	—	—	—	—	—	—	9c
	Aug. 29,	.	.	—	2	1	2	1	.	—	—	—	—	—	—	6d
City of Londonderry.	Aug. 8,	.	—	—	2	—	—	—	—	—	—	2
	Aug. 15,	.	—	—	—	—	—	—	—	—	.
	Aug. 22,	.	—	—	1	.	—	—	—	—	—	—	1
	Aug. 29,	.	—	—	—	—	—	—	—	—	.
City of Limerick.	Aug. 8,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	Aug. 15,	.	—	—	4	—	—	—	—	—	—	4
	Aug. 22,	.	—	—	3	—	—	—	—	—	—	3
	Aug. 29,	.	—	—	5	—	—	—	—	—	—	5
City of Waterford.	Aug. 8,	.	—	—	3	—	—	—	—	—	—	3
	Aug. 15,	.	—	—	3	—	—	—	—	—	3	6
	Aug. 22,	.	—	—	2	—	—	—	—	—	1	3
	Aug. 29,	.	—	—	3	—	—	—	—	—	.	3

a Not including 7 cases of choleraic diarrhoea.

b Not including 9 cases of choleraic diarrhoea.

c Not including 18 cases of choleraic diarrhoea.

d Not including 19 cases of choleraic diarrhoea.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 29th August, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Nine cases of enteric fever were admitted to hospital during the week, 11 were discharged, there was one death, and 81 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 70, 77, and 84.

Two cases of measles were admitted to hospital, one was discharged and 5 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 16, 11, and 4, respectively.

Nine cases of scarlet fever were admitted to hospital, 19 were discharged, there were 2 deaths, and 56* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 72, 64, and 68, respectively.

Fourteen cases of diphtheria were admitted to hospital during the week, 7 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 30, 29, and 29 respectively, were 33 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 2 were discharged, and 22 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 29th of August, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
		CITY OF DUBLIN.													URBAN DISTRICTS OF			
		REGISTRATION DISTRICTS IN																
		Dublin North Superintendent Registrar's District.						Dublin South Superintendent Registrar's District.										
		NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.	
Enteric Fever,		1						1									2	
Typhus,																		
Small-pox,																		
Measles,										1							1	
Scarlet Fever,												1					1	
Whooping-cough,		1															1	
Diphtheria,		1	1	1									1				4	
Croup,																		
Influenza,																		
Dysentery,																		
Tuberculosis, { Pulmonary,	1	3	3	1		1		3		1	3			1			17	1
{ Other Forms,		1		1						2							4	
Cancer,		2	1							1	1	1		2			8	2
Diseases of Nervous System,	1	2		1				3	1	1			1	2			12	1
Organs of Special Sense,																		
Circulatory System,	3	1	1		1			2	1	1	1	1	1	2			15	3
Respiratory System.	1	1				1		1	1	2	1						7	1
{ Pneumonia,	1	2						1	1	1	1						7	
{ Others,																		
{ Diarrhoea and Enteritis, under 2 years,	2	3		1		1	7	2	6	4		1	1				23	
Digestive System.				1				1								1	3	
{ Diarrhoea, 2 years and upwards,																		
{ Enteritis, 2 years and upwards,										1							1	
{ Others,		1		1						1		1				1	5	4
Genito-urinary System,					1	1						1					3	1
Puerperal Septicæmia, etc.,																		
Other Causes incident to Pregnancy and Childbirth,																		1
Diseases of the Skin and Cellular Tissue,								1									1	
Locomotor System,																		
Other specified Causes,	2	3	3	3	1		1		1	1			2	1			18	2
Violent Deaths,	1								1		3			1			6	
Ill-defined, &c. Causes,	1	1															2	1
Deaths from All Causes	13	23	9	10	3	2	3	17	10	18	15	3	9	10		2	148	17
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22.4	29.1	16.8	14.7	28.5	7.6	14.6	21.7	28.4	21.6	23.6	15.9	10.7	17.2		6.2	18.8	
	19.9						22.6				10.9				21.2			
Ages at Death.	Under 1 year,	4	8	3	4	1		1	6	3	9	4		1	1		45	1
1 and under 2 years,		1	3		1				1		3	1					10	
2 " 5 "			2							1		1	1				6	
5 " 15 "				1	1						1		1				4	1
15 " 25 "			1				1		1	1		1					5	1
25 " 45 "		2	1	3	2			1	4		1	4		1	1		20	3
45 " 65 "		3	5		1				4	3	2	2	2	5			29	9
65 and upwards,		3	3	2	1	2	1	1	1	2	3	1		2	3	2	27	2
Number of Uncertified Deaths,											1						1	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,		5	2	3			1	3	2	2	5	1	3	3			30	16
Workhouse Hospitals,	3	3	3	2				3	2	2	2			1			21	1

THIRTY-FIFTH WEEK, ending Saturday, 29th August, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 35th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 29th August, 1914.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	Sept. 3, 1904.	Sept. 2, 1905.	Sept. 1, 1906.	Aug. 31, 1907.	Aug. 29, 1908.	Sept. 4, 1909.	Sept. 3, 1910.	Sept. 2, 1911.	Aug. 31, 1912.	Aug. 30, 1913.		Deaths of Persons of the Ages of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
												0-5.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
												Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Mean Temperature ...	58.8	55.7	62.6	53.9	57.3	53.7	57.2	59.1	52.1	57.0	56.7	60.1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											</

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914—WEEK ENDING																											
		Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.		
No. of weeks in Annual Series.		10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35		
BIRTHS REGISTERED.		244	225	210	203	227	178	218	207	238	222	197	207	262	191	271	225	233	165	214	208	197	195	166	204	200	246		
Average Births in corresponding week of previous 10 years, ...		222	206	215	230	214	220	221	218	264	237	214	213	244	219	210	223	245	208	208	221	221	220	209	223	218	205		
DEATHS REGISTERED.		169	189	183	219	212	194	212	231	203	181	160	166	185	162	163	151	134	139	128	139	129	141	136	159	136	163		
Annual Death-rate per 1,000, ...		21.7	24.3	23.5	28.1	27.2	24.9	27.2	29.7	26.1	23.2	20.5	21.3	23.8	20.8	20.9	19.4	17.2	17.9	16.4	17.9	16.6	18.5	17.5	20.4	17.5	20.9		
Average Deaths in corresponding week of previous 10 years, ...		199	196	196	199	202	192	198	188	173	179	159	168	148	148	156	142	134	135	147	143	145	144	145	156	160	157		
Ages, { Under 5 years, 15-25 " 25-45 " 45-65 " 65-75 " 75 and upwards,		57	61	70	82	55	74	89	92	89	62	54	73	56	54	45	46	36	47	31	44	36	46	35	53	35	62		
		2	7	7	9	12	7	11	10	6	10	7	4	12	4	9	5	5	7	6	9	6	4	6	5	6	5		
		14	9	7	9	14	5	10	9	9	8	9	9	8	11	6	12	8	9	7	3	9	8	5	7	6	6		
		18	30	28	35	26	27	28	33	30	27	22	22	22	19	28	30	23	23	22	27	29	26	27	26	27	23		
		38	46	38	44	44	51	32	45	30	50	36	37	47	35	38	38	41	32	30	22	31	30	37	34	35	38		
		22	18	21	24	35	16	29	23	22	22	14	21	13	28	16	23	15	19	14	22	14	15	13	15	18	17	18	
		18	18	12	16	26	14	13	19	17	17	10	11	8	14	14	12	9	11	10	13	9	7	9	15	15	10	11	
		Deaths from:—		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	2	2	1	1	2	
		Enteric Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Measles, ...		4	5	14	27	22	34	39	35	40	29	17	16	14	18	8	5	3	2	4	6	3	1	2	1	3	1		
Scarlet Fever, ...		3	2	3	3	3	2	4	2	2	2	1	1	1	2	1	1	1	1	2	3	1	1	1	1	1	1		
Whooping-cough, ...		3	2	3	3	3	2	4	2	2	2	1	1	1	2	1	1	1	1	2	3	1	1	1	1	1	1		
Diphtheria, ...		3	1	1	2	3	1	1	3	1	3	1	5	1	1	1	1	1	3	1	2	1	1	2	1	1	4		
Influenza, ...		3	1	1	2	3	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Dysentery, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Tuberculosis { Pulmonary ...		21	26	21	21	22	28	22	25	14	22	24	21	19	27	19	13	17	21	18	16	19	23	19	18	19	18		
{ Other Forms, ...		2	2	9	8	9	5	10	8	10	9	5	6	9	4	6	5	7	9	5	8	11	5	6	4	2	4		
Cancer, ...		9	7	6	18	6	13	8	13	9	11	11	5	12	9	13	9	8	7	8	7	10	9	7	6	12	10		
Diseases of Circulatory System, ...		20	17	17	14	25	15	22	19	21	11	11	13	23	14	20	27	11	11	16	15	15	13	15	17	17	10		
Diseases of Respi- (Pneumonia		15	14	8	20	19	16	17	17	19	13	13	15	14	12	12	14	8	9	10	12	4	8	4	3	7	8		
ratory System, { Others, ...		21	34	35	34	35	30	28	20	15	17	19	17	22	13	11	8	20	10	13	5	7	12	10	11	10	7		
Diarrhoea and Enteritis, under																													
2 years, ...		5	5	6	4	1	2	7	3	3	1	5	7	4	2	4	7	4	4	4	6	6	9	10	11	13	28		
Diarrhoea, 2 years and upwards,																													
Violent Deaths, ...		4	1	3	2	3	1	1	6	3	2	7	5	3	6	3	3	3	6	4	5	3	3	7	10	3	3		
Number of Uncertified Deaths,		5	6	2	7	8	4	5	9	7	2	2	9	6	4	3	2	2	5	2	6	2	7	4	2	2	1		
Mean Temperature of the Air																													
(Phoenix Park) in degrees, ...		44.6	41.7	39.8	39.7	50.9	45.9	45.6	43.8*	44.9	49.6	49.3	55.4	48.1	52.6	52.3	57.2	56.1	59.1	60.1	61.1	59.0	57.3	58.1	63.1	57.1	60.1		
Average Mean Temperature in																													
corresponding week of previous																													
10 years, ...		41.7	41.7	41.8	43.3	43.8	44.4	46.1	45.9	47.1	49.7	49.4	51.1	54.0	53.5	54.6	56.1	55.7	56.9	58.3	59.8	58.9	58.6	58.4	58.2	56.4	56.7		
Rainfall in inches, ...		6.75	4.70	4.50	1.40	5.75	4.00	1.20	0.10	0.00	1.335	1.30	5.15	1.10	1.40	5.20	4.95	0.00	8.65	4.55	7.95	5.20	3.50	6.95	1.120	1.70	1.720		
Mean Humidity of the Air, com-																													
plete Saturation 1.0, ...		89	90	91	92	85	90	89	88	91	87	89	90	86	87	86	83	78	80	84	86	87	87	84	84	91	92		

* For 6 days only.

TABLE VI.—Showing in Five General Classes and Eighteen Groups the Occupations or Social Position in the Dublin Registration Area during the Week ending Saturday 29th August, 1914: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 29TH AUGUST, 1914.																															
OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.)			Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.										CAUSES OF DEATH													Number of Uncertified Deaths.		
						AGES.										CAUSES OF DEATH															
						Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Convulsions.	Diseases of the Respiratory System.		Other.	Diarrhoea & Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.	Violence.
			(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
ALL PERSONS.																															
CLASSES.																															
Deaths in Families of the—																															
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...																														
II.	MIDDLE CLASS, ...																														
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...																														
IV.	GENERAL SERVICE CLASS, ...																														
V.	INMATES OF WORKHOUSES, ...																														
PROFESSIONAL AND INDEPENDENT CLASS.																															
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...																														
	2. Merchants and Manufacturers, Higher Class																														
	3. Persons of Rank and Property, not otherwise described, ...																														
MIDDLE CLASS.																															
II.	4. General Body of Officials—Civil Service, Banking, &c., ...																														
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...																														
	6. Clerks and Commercial Assistants, ...																														
7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...																															
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...																														
	9. Building and Furnishing Trades, ...																														
	10. Clothing Trades, ...																														
	11. Food Supply Trades																														
12. Other Trades and Callings ranking with 11, ...																															
	13. Petty Shopkeepers																														
GENERAL SERVICE CLASS.																															
IV.	14. Army, Police, Postal Delivery and Prison Services, &c., ...																														
	15. Domestic Servants, ...																														
	16. Coach and Car Drivers, Valet, &c., ...																														
17. Hawkers, Porters, Labourers, &c., ...																															
INMATES OF WORKHOUSES.																															
V.	18. Workhouse Inmates, ...																														

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncertified Deaths.		
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis under 2 years of age.	Diarrhoea, 2 years and upwards.				
													Pulmonary.	Other Forms.		Pneumonia.	Other.						
North City, No. 1 (E.) (Office Clarence St. Nth.)	July 25 Aug. 1 " 8 " 15 " 22 " 29	8.6 20.7 19.0 13.8 13.8 22.4	. 1.7 . 5.2 1.7 3.5	5 12 11 8 8 13 1 1	4 3 . . . 1	. 2 2 . . .	1 1 1 1 1 . 1	. . 1 . . 1	. 1 . 2 . 2	. . . 1 . 1	. . . 2 . 3 12 1 . 1
North City, No. 1 (W.) (Office, Summer-hill.)	July 25 Aug. 1 " 8 " 15 " 22 " 29	24.0 18.9 18.9 24.0 21.5 29.1	1.3 1.3 . . 2.5 6.3	19 15 15 19 17 23 1 1 1	2 2 1 2 4 3	2 . 2 . . 1	2 1 . . . 2 1 1	1 1 . . . 2	. . 1 . . .	1 1 . . 2 3 1 1 . . .	
North City, No. 2. (Office, Lisburn-street.)	July 25 Aug. 1 " 8 " 15 " 22 " 29	20.6 29.9 16.8 22.4 15.0 16.8	. 1.9 1.9 . . 1.9	11 16 9 12 8 9 1	2 2 2 . 1 3	1 1 1 .	1 . . . 2 . .	2 1 2 2 2 1 1 1 1 1 2	. . 1 1 1 .	
North City, No. 3. (Office, Benburb-street.)	July 25 Aug. 1 " 8 " 15 " 22 " 29	16.1 10.3 14.7 24.9 13.2 14.7	. . . 2.9 2.9 4.4	11 7 10 17 9 10 1 1	2 . 2 . 2 1	1 . . 1 . . 1	. 2 2 . . . 1 .	. . 1 3 1 2 1 1	. . . 2 1 1 1 1	1 . 1 1 . .	
Clontarf and Howth No. 1 (part of).	July 25 Aug. 1 " 8 " 15 " 22 " 29 19.0 28.5 2 3	
Coolock and Drumcondra (part of).	July 25 Aug. 1 " 8 " 15 " 22 " 29	7.6 22.9 3.8 19.1 15.2 7.6	. 3.8 . 3.8 3.8 .	2 6 1 5 4 2	. 1	2 1 1 1 1 1 . 1	. . . 1 1 . .	
Finglas and Glasnevin (part of).	July 25 Aug. 1 " 8 " 15 " 22 " 29	4.9 4.9 14.6 4.9 9.7 14.6 4.9	1 1 3 1 2 3 1 1		
South City, No. 1. (Office, Sth. Earl-street.)	July 25 Aug. 1 " 8 " 15 " 22 " 29	19.2 20.5 30.7 32.0 17.9 21.7	5.1 5.1 7.7 2.6 3.8 9.0	15 16 24 25 14 17	1	1 . . . 2 . .	. 1	2 5 2 6 3 3	1 . 2 1 1 2 1 1 . 1	. 3 1 1 2 1	. . 6 1 1 . 7	. . . 1 1 . . .	1 . . 1 . . .		
South City, No. 2. (Office, Castle-street.)	July 25 Aug. 1 " 8 " 15 " 22 " 29	14.2 19.9 28.4 8.5 19.9 28.4	. . 2.8 . 5.7 11.4	5 7 10 3 7 10 1 1	1 1 3 1 1 1 2 . 1 . 1	. 2 1 . . . 1	. 1 2 2 2 1 1 1		
South City, No. 3. (Office, Peter-street.)	July 25 Aug. 1 " 8 " 15 " 22 " 29	22.8 14.4 10.8 21.6 15.6 21.6	3.6 2.4 1.2 2.4 1.2 8.4	19 12 9 18 13 18	. . . 1	1 1	2 1 1 1 2 1 2 .	1 1 1 . 2 1	2 3 1 . . 2	3 3 1 1 . 1	2 3 1 1 . 6 1 1		
South City, No. 4. (Office, Grand Canal-st.)	July 25 Aug. 1 " 8 " 15 " 22 " 29	12.6 23.6 22.0 6.3 12.6 23.6	. 3.1 4.7 3.1 3.1 6.3	8 15 14 4 8 15	. 1 1	1 . 4 2 3 3	2 1 1 1 1 . . . 1 1 2 2 . 2 3		
New Kilmainham.	July 25 Aug. 1 " 8 " 15 " 22 " 29	31.8 10.6 15.9 37.1 21.2 15.9	5.3 5.3 10.6 5.3 5.3 5.3	6 2 3 7 4 3	. . 2 1	1 1 . . 1 .	1 1	1 . . . 1 1 .	1 . . . 1 1 . .		

* See note (1) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	July 25 Aug. 1 " 8 " 15 " 22 " 29	12.0 13.3 18.6 13.3 16.0 10.7	1.3 . 1.3 . 1.3 2.7	9 10 14 10 12 8	1	1 1 2 1 1 .	1 1 2 1 2	1
Pembroke Urban District. Population in 1914 (Est.) 30,240	July 25 Aug. 1 " 8 " 15 " 22 " 29	12.1 10.3 6.9 12.1 15.5 17.2	1.7 . . 1.7 3.4 1.7	7 6 4 7 9 10	1 . . . 1	2 3 . 2 1 1 2
Blackrock Urban District. Population in 1914 (Est.) 9,197.	July 25 Aug. 1 " 8 " 15 " 22 " 29	. 11.3 11.3 28.3 28.3 5.7 . .	. 2 2 5 5 2
Kingstown Urban District. Population in 1911 16,941.	July 25 Aug. 1 " 8 " 15 " 22 " 29	3.1 24.6 18.5 24.6 21.5 6.2 3.1	1 8 6 8 7 2 1 . 1 1
Belfast. Population in 1914 (Est.) 399,000.	July 25 Aug. 1 " 8 " 15 " 22 " 29	14.5 15.0 17.9 14.8 17.6 18.9	2.0 3.4 2.1 3.5 2.7 5.8	111 115 137 113 135 145	. 1 1 1 1 .	1 1 1	1 6 5 8 7 2	2 2 4 . . 2	2 7 2 3 3 6 1	16 15 18 12 14 19	4 7 5 8 7 4	8 1 3 5 10 6	10 5 10 8 10 8	8 12 13 8 11 9	8 9 3 13 11 23	1 9 . 3 9 10	2 2 . 2 1 .	2 2 . 1 1 .
Cork. Population in 1911 76,673.	July 25 Aug. 1 " 8 " 15 " 22 " 29	13.6 15.6 14.3 11.6 24.5 14.3	3.4 4.8 3.4 2.0 6.1 3.4	20 23 21 17 36 21 1 . . . 1	2 2 3 3 3 .	. 4	6 . 1 . 4 3	. . . 2 . .	4 1 1 1 1 2	. 1 2 . 1 2	. 1	1 1 2 . 4 4	3 . 2 . 1
Londonderry. Population in 1914 (Est.) 41,100.	July 25 Aug. 1 " 8 " 15 " 22 " 29	15.2 17.8 12.7 17.8 10.1 10.1	1.3 1.3 1.3 . . 1.3	12 14 10 14 8 8	2 2 2 1 1 2	1 . 1 . . .	2 1 . 1 . .	1 . . 2 1 . 1	1 . . 1 . . 1	1 1 . 1 . 1	1	2
Limerick. Population in 1911 38,518.	July 25 Aug. 1 " 8 " 15 " 22 " 29	12.2 14.9 12.2 4.1 13.5 21.7	1.4 1.4 1.4 . . 1.4	9 11 9 3 10 16	. . 1	3 1 . . 2 3 1	. . 2 . 1 1 2 3	1 . 2 1	1
Waterford. Population in 1911 27,464.	July 25 Aug. 1 " 8 " 15 " 22 " 29	13.3 11.4 9.5 13.3 17.1 17.1	1.9 . 1.9 3.8 3.8 1.9	7 6 5 7 9 9	2 1 . . . 3	1 3 1 . . .	1 . . 1	1 . . 1 2 1

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS AND DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 29th August, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.												DEATHS FROM												No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	
			All Causes.	Certain Epi- demic Diseases.†	Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.	DISEASES OF THE RESPI- RATORY SYSTEM.		Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.				
																			Pulmonary.	Other Forms.		Pneumonia.	Other.								
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT.	15,879	7	19.7	6.6	6	2	2	3	1	1	2									1		3		1	1	6	2		1		
Do. 2 do.	49,500	30	19.0	3.2	18	7	8	1	4	5	2									3		1		2	1	1			6		
Do. 3 do.	50,032	16	19.8	7.3	19	7	8	1	5	2	2									1		1		1	1	1			5		
Do. 4 do.	32,637	21	14.4	3.2	9	3	1	3	2	2	1									2		1		1	1	1			6		
Do. 5 do.	16,112	15	32.4	6.5	10	3	2		1	1	1									2		1		1	1	1			2		
Do. 6 do.	37,298	14	21.0	2.8	15	5	2		3	2	3									2		1		1	1	1			2		
Do. 7 do.	2,681	2	19.4		1		1																								
Do. 8 do.	5,964	1	8.7		1																										
Do. 9 do.	24,427	13	21.3	8.5	10	3	2	2	1	1	1																				
Do. 10 do.	28,958	15	16.2	1.8	9	3	2	2	1	1	1									1		1		1	1	1					
Do. 11 do.	39,311	21	19.9	8.0	15	7	5	2	1	2	3									3		1		1	1	1			3		
Do. 12 do.	38,076	21	20.5	8.2	15	5	2	1	2	3	2									3		1		1	1	1			2		
Do. 13 do.	23,238	9	15.7	2.2	7	3	1	1	1		1									2		1		1	1	1			1		
Do. 14 do.	175					8																									
Do. 15 do.	22,669	11	23.0	11.5	10	5			1	2																					
Total,	386,947	196	18.9	5.8	145	49	23	14	16	26	17				2	2	6	1	19	4	6	8	9	23	10			4	28	3	
City of Cork.																															
CORK URBAN No. 1 DISTRICT.	13,455	7	7.8		2																										
Do. 2 do.	10,399	9	20.1		4																										
Do. 3 do.	9,793	6	10.6	5.3	2																										
Do. 4 do.	9,139	1	33.4	25.0	1																										
Do. 5 do.	6,250	2	18.0	4.5	1																										
Do. 6 do.	11,581	2	13.0		4																										
Do. 7 do.	16,056	8			4																										
Total,	76,673	35	14.3	3.4	21	7	3	1	2	5	3				1				3		2	2		4					8		

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 — Week ending	BIRTHS.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhea and Enteritis of children under 2 years.	
LONDON, ...	4,516,612	Aug. 29,	2,137	1,179	13·6	4	.	34	4	16	13	161	
EDINBURGH, ...	321,900	„ 29,	126	95	15·4	1	2	3	
GLASGOW, ...	1,047,000	„ 29,	507	303	15·1	6	.	1	6	12	3	46	
CALCUTTA, ...	896,067	July 25,	.	411	23·8	60*	15	1	.	.	3†	48‡a	
BOMBAY, ...	979,445	„ 25,	354	524	27·8	54*	1	1	.	.	.	65‡a	
MADRAS ...	518,660	„ 25,	413	308	30·9	41*	1	.	?	?	?	74‡a	
CAIRO, ...	721,337	June 24,	556	686	49·6	6	1	4	.	?	14†	208	
PARIS, ...	2,847,229	Aug. 1,	
BRUSSELS, ...	780,843	„ 1,	
ANTWERP, ...	313,833	„ 8,	116	76	12·6	.	.	2	.	1	.	22	
AMSTERDAM, ...	597,888	„ 1,	
COPENHAGEN, ...	483,000	„ 1,	233	116	12·5	.	.	1	.	.	.	6a	
STOCKHOLM, ...	382,085	„ 8,	143	82	11·2	1	4	
CHRISTIANIA, ...	251,446	„ 15,	105	49	10·1	.	.	.	1	2	.	11a	
ST. PETERSBURG ...	1,728,200	July 25,	
MOSCOW, ...	1,694,000	„ 18,	.	1,234	38·0	6	.	35	8	4	12†	652a	
ROME, ...	591,943	Jan. 3,	
NEW YORK,...	5,583,871	July 4,	2,554	1,160	10·8	7	.	8	8	3	19†	51	
PHILADELPHIA, ...	1,657,810	„ 4,	
BOSTON, ...	750,768	Aug. 1,	.	195b	13·5	.	.	3	3	1	2	18a	

* Deaths from "fever," including 3 from enteric fever and 6 from plague in Calcutta; 5 from enteric fever, and 11 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 5 deaths from cholera in Calcutta, 6 in Bombay, and 14 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 167 (including 2 deaths from scarlet fever and 16 from diarrhoeal diseases), rate 11·6 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 29th August, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polionmyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	1	.	.	1	4	.	.	.	1	7
" " 1, West,	2	.	.	2	1	5
" " 2,	1	3	4
" " 3,	2	.	.	4	5	11
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),
Finglas and Glasnevin (part of),	1	1
South City No. 1,	2	1	7	10
" " 2,	1	.	.	1	1	3
" " 3,	2	6	8
" " 4,	1	.	.	1	2	4
New Kilmainham,	1	1
Total,	5	.	.	10	.	.	8	4	.	.	.	27	54

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 29th August, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 29th August.			
	August 8.	August 15.	August 22.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	70	77	84	9	11	1	81
Typhus,
Small-pox,
Measles, ...	16	11	4	2	1	.	5
Scarlet Fever, ...	72	64	68	9	19	2	56*
Diphtheria, ...	30	29	29	14	7	3	33
Pneumonia, ...	11	15	18	6	2	.	22

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 29th August, 1914:—

"Warm, but changeable weather prevailed during this week. Until Thursday Ireland and Scotland were within the sphere of influence of atmospheric depressions lying on the Atlantic to west or northwest of the British Islands. A secondary shallower depression passed from the Bay of Biscay to the North Sea on Monday and Tuesday. This distribution of pressure led to showery weather in most districts. On Sunday or during the following night rain fell in considerable quantities in Ireland, the Hebrides, and the Orkneys—at Deerness, the measurement on Monday morning was 1.22 inches. On Tuesday a depression of some depth (29.53 inches, or 100 centibars) skirted the western shores of Ireland on its way northeastwards. This system brought abundant rain to the western seaboard of both Ireland and Great Britain—Valentia had 1.10 inches, Pembroke .79 inch, Castlebay .51 inch, Holyhead and Scilly .43 inch. On the east coasts the precipitation was smaller—.215 in Dublin, .24 inch at Yarmouth. In the course of Wednesday afternoon heavy thunder showers fell in the Dublin district, and at night lightning was seen from Spurn Head. Thursday was a fine day as a general and steady increase of atmospheric pressure took place. By Friday morning a tongue of high pressure had extended over the greater part of the British Islands from S.W. The weather now became quiet, but the atmosphere was humid and close and much cloud prevailed. A shift of wind from N.W. to E. on Saturday forenoon brought down a thick drizzling rain in the Dublin district, and late in the afternoon of the same day a heavy and persistent downpour of rain took place with a high, though slowly falling, barometer. In Dublin the mean height of the barometer was 29.976 inches, the range of pressure being from 29.598 inches at 9 a.m. of Wednesday (wind, W.) to 30.311 inches at 9 a.m. of Saturday (wind, N.W.). The corrected mean temperature was 61.6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 60.5°. On Sunday the screened thermometers rose to 73.3°, on Tuesday they fell to 52.3°. The dominant wind was W.S.W., but the direction varied much. Rain fell on 5 days to the amount of 1.302 inches, of which .851 inch was recorded on Saturday. Thunder occurred on Wednesday afternoon. Fine rainbows were seen on Wednesday and again at 7 a.m. of Thursday."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29.952 inches. The highest reading (30.186) was on Saturday, at 9 a.m., the lowest (29.490) on Wednesday, at 9 a.m.

The mean temperature for the week was 60.1°, being 3.4° above the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Sunday, on which day the thermometer registered 74°, and was lowest on Tuesday, the mercury having fallen to 41°. The mean of the Dry Bulb for the week was 60.3° and of the Wet Bulb, 58.9°. The mean humidity of the air was .92, complete saturation being represented by 1.0. The rainfall during the week measured 1.720 inches.

At Greenwich the mean temperature for the week was 64.4°, the maximum 83.7°, and the minimum 52.1°; at Glasgow the maximum was 69.7°, the minimum 50.3°, and the mean 59.6°; and at Edinburgh the maximum was 74.5°, the minimum 50.2, and the mean 61.0. The rainfall at Greenwich measured 0.17 in., at Glasgow 1.23 inches, and at Edinburgh 0.78 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155.3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.		BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1.0.	Sunshine in hours and decimals.	Rain Gauge.
		Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1.0.			
		(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday,	August 23,	29.800	74	61	67.5	65.1	63.9	.88	.7	6.1	.220
Monday,	" 24,	29.880	70	54	62.0	57.2	56.4	.95	.6	7.2	.000
Tuesday,	" 25,	29.755	70	41	55.5	63.2	60.7	.87	.5	6.3	.060
Wednesday,	" 26,	29.690	62	53	57.5	59.0	57.3	.90	.6	7.4	.240
Thursday,	" 27,	30.080	66	51	58.5	56.0	54.6	.90	.8	3.7	.000
Friday,	" 28,	30.195	69	52	60.5	63.9	61.8	.94	.6	0.3	.060
Saturday,	" 29,	30.265	64	55	59.5	58.0	57.5	.98	.4	0.1	1.140
Mean,	29.952	67.9	52.4	60.1	60.3	58.9	.92	.6	Total 31.1	Total 1.720

Sunday—A bright day; night cloudy, showers at intervals a.m. Monday—Day bright; night clear. Tuesday—Day bright; night overcast, drizzling rain midnight to 1.15 a.m. Wednesday—Day bright, cloudy at intervals, heavy showers p.m.; night overcast, light showers 6.30 to 6.45 a.m. Thursday—A dull day; night clear. Friday—A dull day; night overcast, drizzling rain midnight to 3 a.m. Saturday—A dull day, heavy rain p.m.; night overcast, heavy drizzling rain midnight to 7.0 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 29th August, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.R.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.		Air Tem- perature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell- Stokes Recorder) read at 9 p.m.	Rainfall.
			1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday,	August 23,	70.0	62.7	59.2	75.7	59.2	67.4	hrs. 6.5	ins. 0.140
Monday,	" 24,	60.4	63.0	59.2	71.0	57.1	64.0	5.7	—
Tuesday,	" 25,	65.8	62.8	59.3	70.1	48.3	59.2	8.2	0.165
Wednesday,	" 26,	62.7	62.7	59.4	67.5	55.4	61.4	7.7	0.090
Thursday,	" 27,	58.3	62.5	59.4	66.5	50.8	58.6	6.1	—
Friday,	" 28,	66.3	62.2	59.4	70.3	52.3	61.3	0.2	0.010
Saturday,	" 29,	61.3	62.2	59.3	66.0	56.8	61.4	0.0	0.840
Weekly Mean,	.	63.5	62.6	59.3	69.6	54.3	61.9	Total 34.4	Total 1.245

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

Vol. LI.]

WEEK ENDING SATURDAY, 5TH SEPTEMBER, 1914.

[No. 36.]

*General Register Office, Charlemont House,
Dublin, 7th September, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 18·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Aug. 15	Aug. 22	Aug. 29	Sept. 5	
27 Town Districts, (a)	15·3	16·1	17·6	18·1	16·8
Dublin Reg. Area ...	19·1	16·6	18·8	18·9	18·3
Dublin City ...	20·0	16·3	21·2	20·3	19·4
Belfast ...	14·8	17·6	18·9	20·3	17·9
Cork ...	11·6	24·5	14·3	11·6	15·5
Londonderry ...	17·8	10·1	10·1	12·7	12·7
Limerick ...	4·1	12·5	21·7	17·6	14·2
Waterford ...	13·3	17·1	17·1	15·2	15·7

The deaths from certain epidemic diseases† registered in the 27 town districts during last week* were equal to an annual rate of 3·7 per 1,000. Among the 155 deaths from all causes for Belfast are 2 from each of measles, scarlet fever, and whooping-cough, and 45 from diarrhoeal diseases. Included in the 17 deaths from all causes for Cork are one from whooping-cough and 2 from diarrhoea and enteritis under 2 years. Of the 10 deaths from all causes for Londonderry 3 are from diarrhoea and enteritis under 2 years; and 2 deaths each from the same cause are included among the 3 deaths from all causes for Lisburn and the 6 deaths from all causes for Newtownards. One of the 2 deaths for Ballymena is from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 187—104 boys and 83 girls—and the deaths to 160—76 males and 84 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·9 per 1,000 of the population. During the thirty-six weeks, ending with Saturday last, the death-rate averaged 21·4, and was 0·5 below the mean rate for the corresponding portions of the ten years, 1904—1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 160, represent an annual rate of 20·5 per 1,000; the annual rate for the past thirty-six weeks was 22·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·0 per 1,000 of the mean population for all deaths registered.

Among the deaths registered are one* from enteric fever, 2 from diphtheria, one from influenza, and 18 deaths of children under 2 years of age from diarrhoea and enteritis. In the three preceding weeks, deaths from enteric fever were one, 0, and 2; deaths from diphtheria were 2, one, and 4; deaths from influenza were 0, 0, and 0; and deaths from diarrhoea and enteritis of children under 2 years of age were 11, 13, and 28, respectively.

There were 34* deaths from all forms of tuberculous disease, including 25 deaths from pulmonary tuberculosis, 5 from tuberculous meningitis, 3 from abdominal tuberculosis, and one from disseminated tuberculosis. In the three preceding weeks, deaths from all forms of tuberculous disease numbered 22, 21, and 22, respectively.

Twenty* deaths from cancer were registered.

Three deaths were caused by broncho-pneumonia, 3 by lobar pneumonia, and one by pneumonia (type not distinguished).

Among the deaths of infants under one year of age were 2 from convulsions, 2 from premature birth, and 5 from congenital debility.

Organic diseases of the heart caused 15 deaths and bronchitis 5 deaths.

There was one accidental death.

In four instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 2 infants under one year of age, and the deaths of 2 persons aged 65 years and upwards.

Fifty-one of the persons whose deaths were registered during the week were under 5 years of age (37 being infants under one year, of whom 10 were under one month old), and 33 were aged 65 years and upwards, including 22 persons aged 70 and upwards; among the latter were 11 aged 75 and upwards, of whom one (a female) was stated to have been aged 90 years.

Sixty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse, and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·9 per 1,000; the rate in the City was 20·3 (North City Districts, 18·4; South, 22·6) and in the Suburbs 14·2.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·4 per 1,000 inhabitants, the rate for the City being 2·9 (in the North City Districts 1·9, and in the South 3·9), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·0 per 1,000. One death from diphtheria, and one death of a child under 2 years of age from diarrhoea and enteritis were recorded.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 17·7 per 1,000. There were 4 deaths from tuberculous disease, one from broncho-pneumonia, and 2 deaths from diarrhoea and enteritis of children under 2 years of age.

No. 2 North City District (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 31·8 per 1,000. Five deaths from tuberculous disease, 2 from bronchitis, and 2 deaths from diarrhoea and enteritis of children under 2 years of age were recorded.

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 19·1 per 1,000. Three deaths were caused by tuberculous disease and one by broncho-pneumonia.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 11·4 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 0·0. Two of the 3 deaths from all causes for Coolock and Drumcondra, part of, were caused by pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 23·0 per 1,000, and include one death from influenza, one from pulmonary tuberculosis, one from lobar pneumonia, 2 from bronchitis, and 6 from diarrhoea and enteritis of children under 2 years of age.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000. Tuberculous disease caused 2 deaths and pneumonia one death.

No. 3 South City District (Peter-street).—The deaths (27) are equal to an annual rate of 32·3 per 1,000. Among them are one from diphtheria, 8 from tuberculous disease, one from lobar pneumonia, one from bronchitis, and 3 from diarrhoea and enteritis of children under 2 years of age.

No. 4 South City District (Grand Canal Street).—The deaths (5) are equivalent to an annual rate of 7·9 per 1,000. Two deaths from tuberculous disease and one accidental death were recorded.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·9 per 1,000, and include one death from diarrhoea and enteritis of a child under 2 years of age.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·7; Pembroke, 13·8; Blackrock, 5·7; and Kingstown, 27·7. The deaths from the principal epidemic diseases tabulated for these districts comprise one death of a child from diarrhoea and enteritis for Rathmines and Rathgar, and one death of a child from the same cause for Kingstown. Among the 8 deaths from all causes for Rathmines and Rathgar are 2 from pulmonary tuberculosis. The 8 deaths from all causes for Pembroke include one from pulmonary tuberculosis; and of the 9 deaths from all causes for Kingstown one was from lobar pneumonia.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 15·4), was equal to an average annual death-rate of 14·4 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·0 per 1,000, the rate for Glasgow being 18·1, and for Edinburgh 13·5.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 5th September. From this Report it appears that of a total of 87 cases notified, 48 were scarlet fever, 18 diphtheria, 14 phthisis, 3 erysipelas, 3 enteric fever, and one puerperal fever. Among the 563 cases of infectious diseases in hospital at the close of the week were 232 cases of scarlet fever, 220 cases of phthisis, 73 of diphtheria, 10 of enteric fever, 8 of erysipelas, 4 of measles, one of cerebro-spinal fever, one of whooping-cough, and one of puerperal fever.

* See note (c) at foot of Table II.

† See note (†) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the 'Infectious Diseases (Notification) Act, 1889,' and the 'Tuberculosis Prevention (Ireland) Act, 1908,' as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford during the week ended 5th September, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Aug. 15,	.	—	—	12	.	.	3	.	.	2	2	.	—	—	—	—	.	18	37
	Aug. 22,	.	—	—	12	.	.	6	.	.	8	2	.	—	—	—	—	.	28	56
	Aug. 29,	.	—	—	5	.	.	10	.	.	8	4	.	—	—	—	—	.	27	54
	Sept. 5,	.	—	—	6	.	.	3	.	1	9	.	.	—	—	—	—	.	32	51
Rathmines and Rathgar Urban District.	Aug. 15,	.	—	—	.	.	.	1	.	.	2	1	.	—	—	—	—	—	—	4
	Aug. 22,	.	—	—	1	2	.	—	—	—	—	—	—	3
	Aug. 29,	.	—	—	.	.	.	3	.	.	.	2	.	—	—	—	—	—	—	5
	Sept. 5,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	Aug. 15,	.	1	1	.	.	—	—	—	—	—	.	2
	Aug. 22,	.	.	.	1	—	—	—	—	—	1	2
	Aug. 29,	1	.	.	.	1	.	—	—	—	—	—	.	2
	Sept. 5,	2	.	.	—	—	—	—	—	1	3
Blackrock Urban District.	Aug. 15,	.	.	—	—	—	—	—	—	—	.
	Aug. 22,	.	.	—	2	—	—	—	—	—	—	2
	Aug. 29,	.	.	—	—	—	—	—	—	—	.
	Sept. 5,	.	.	—	—	—	—	—	—	—	.
Kingstown Urban District.	Aug. 15,	.	—	—	—	—	—	—	—	.	.
	Aug. 22,	.	—	—	—	—	—	—	—	.	.
	Aug. 29,	.	—	—	1	1	.	—	—	—	—	—	.	2
	Sept. 5,	.	—	—	—	—	—	—	—	.	.
City of Belfast.	Aug. 15,	.	—	—	20	.	.	3	.	.	2	3	1	—	—	—	—	1	2	32
	Aug. 22,	.	—	—	28	.	.	1	.	.	.	6	.	—	—	—	—	.	6	41
	Aug. 29,	.	—	—	26	.	.	4	.	.	4	5	.	—	—	—	—	.	2	41
	Sept. 5,	.	—	—	50	.	.	4	.	.	3	3	.	—	—	—	—	5	5	65
City of Cork.	Aug. 15,	.	.	—	3	.	.	3	.	1	1	.	.	—	—	—	—	—	—	8 ^a
	Aug. 22,	.	3	—	.	.	.	4	.	1	.	1	.	—	—	—	—	—	—	9 ^b
	Aug. 29,	.	.	—	2	1	2	1	.	—	—	—	—	—	—	6 ^c
	Sept. 5,	.	.	—	4	.	.	.	1	.	4	.	.	—	—	—	—	—	—	9 ^d
City of Londonderry.	Aug. 15,	.	—	—	1	.	—	—	—	—	—	—	1
	Aug. 22,	.	—	—	—	—	—	—	—	—	.
	Aug. 29,	.	—	—	—	—	—	—	—	—	.
	Sept. 5,	.	—	—	—	—	—	—	—	—	.
City of Limerick.	Aug. 15,	.	—	—	4	—	—	—	—	—	—	4
	Aug. 22,	.	—	—	3	—	—	—	—	—	—	3
	Aug. 29,	.	—	—	5	—	—	—	—	—	—	5
	Sept. 5,	.	—	—	7	1	.	—	—	—	—	—	—	8
City of Waterford.	Aug. 15,	.	—	—	3	—	—	—	—	—	3	6
	Aug. 22,	.	—	—	2	—	—	—	—	—	1	3
	Aug. 29,	.	—	—	3	—	—	—	—	—	.	3
	Sept. 5,	.	—	—	1	—	—	—	—	—	1	2

^a Not including 9 cases of choleraic diarrhoea.

^b Not including 18 cases of choleraic diarrhoea.

^c Not including 19 cases of choleraic diarrhoea.

^d Not including 19 cases of choleraic diarrhoea.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th September, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Fourteen cases of enteric fever were admitted to hospital during the week, 18 were discharged, there was one death, and 76 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 77, 84, and 81.

One case of measles was admitted to hospital, 2 were discharged and 4 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 11, 4, and 5, respectively.

Sixteen cases of scarlet fever were admitted to hospital, 18 were discharged, and 54* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 64, 68, and 56, respectively.

Six cases of diphtheria were admitted to hospital during the week, 2 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 29, 29, and 33 respectively, were 36 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 8 were discharged, and 21 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 5th of September, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.	
		CITY OF DUBLIN.													URBAN DISTRICTS OF				
		REGISTRATION DISTRICTS IN																	
		Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
		NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.					PEMBROKE.
Enteric Fever,	1	.
Typhus,
Small-pox,
Measles,
Scarlet Fever,
Whooping-cough,
Diphtheria,	1	1	2	.
Croup,	1	1	.
Influenza,
Dysentery,	.	.	3	2	2	.	2	1	1	7	1	.	2	1	.	.	.	22	3
Tuberculosis, { Pulmonary,	.	1	3	1	1	1	1	1	8	1
Other Forms,	.	1	1	2	3	.	.	.	2	1	4	.	.	1	1	1	.	17	3
Cancer,	.	1	1	2	3	.	.	.	2	1	4
Diseases of Nervous System,	3	1	.	1	.	.	.	2	.	2	.	.	.	2	.	2	.	13	.
" Organs of Special Sense,	1	.
" Circulatory System,	2	.	1	1	3	2	1	.	3	3	.	1	.	17	1
" Respiratory { Pneumonia,	.	1	.	1	.	.	.	1	1	1	.	.	1	.	.	1	.	6	1
System. { Others,	.	.	2	3	2	2	.	.	1	10	.
" { Diarrhoea and Enteritis, under 2 years,	1	2	2	6	.	3	.	1	1	.	.	1	.	17	1
" Digestive { Diarrhoea, 2 years and upwards,
System. { Enteritis, 2 years and upwards,	.	1	1	.
" { Others,	1	1	2	1	1	1	7	1
" Genito-urinary System,	2	2	.
Puerperal Septicæmia, etc.,
Other Causes incident to Pregnancy and Childbirth,	.	1	1	2	.
Diseases of the Skin and Cellular Tissue,	1	.	1	.
" Locomotor System,
Other specified Causes,	2	2	2	3	.	1	.	2	1	1	.	1	1	1	.	1	.	18	.
Violent Deaths,	1	1	.
Ill-defined, &c. Causes,	1	.	1	1
Deaths from All Causes	11	14	17	13	.	3	.	18	10	27	5	3	3	3	1	9	.	147	13
Annual Rate of Mortality from All Causes in every 1,000 of the population.	19.0	17.7	31.8	19.1	.	11.4	.	23.0	28.4	32.3	7.9	15.9	10.7	13.8	5.7	27.7	.	18.9	.
	18.4							22.6						14.2					
	20.3																		
Ages at Death.																			
Under 1 year,	3	5	8	4	.	.	.	8	.	4	1	1	1	.	.	.	1	36	1
1 and under 2 years,	1	.	2	2	.	1	6	.
2 " 5 "	2	1	3	6	2
5 " 15 "	.	.	1	1	1	3	1
15 " 25 "	.	2	.	1	2	1	.	.	.	7	.
25 " 45 "	.	3	2	2	.	.	.	1	6	6	1	1	21	3
45 " 65 "	3	3	4	3	.	2	.	2	2	6	1	.	1	4	1	3	.	35	5
65 and upwards,	2	1	.	3	.	1	.	5	1	6	1	1	4	3	.	5	.	33	.
Number of Uncertified Deaths,	.	.	1	1	2	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,	1	2	2	2	.	.	.	1	3	8	2	.	3	1	.	.	.	25	13
Workhouse Hospitals,	1	3	5	5	2	5	1	.	.	1	.	.	.	23	.

THIRTY-SIXTH WEEK, ending Saturday, 5th September, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 36th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 5th September, 1914.																														
	Sept. 10, 1904.	Sept. 9, 1905.	Sept. 8, 1906.	Sept. 7, 1907.	Sept. 5, 1908.	Sept. 11, 1909.	Sept. 10, 1910.	Sept. 9, 1911.	Sept. 7, 1912.	Sept. 6, 1913.		Deaths of Persons of the Ages of																														
												0-5.																														
Mean Temperature	55.5	58.3	60.5	52.9	50.7	50.9	54.8	57.5	53.7	55.3	55.0	58.8	Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																				
Diseases of the Pharynx, Tonsillitis.																				
Diseases of Stomach, ...	—	—	—	—	—	—	—	2	8	4	—	7	.	5	1	1	.																				
Diarrhoea and Enteritis of Children under 2 years.	39	15	61	7	39	22	19	45	8	31	29.6	18	6	8	4																				
Diarrhoea 2 years and upwards.																							4	.	4
Enteritis 2 years and upwards	—	—	—	—	—	—	—	10	1	.	—	1	1	.	.																				
Appendicitis and Typhilitis, ...	—	—	—	—	—	—	—	.	1	.	—	1																				
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	3	1	.	—																				
Cirrhosis of Liver, ...	3	1	3	.	2	3	1	2	1	1	1.7																				
Other Diseases of Liver, ...	3	.	3	1	.	1	.	2	1	1	1.2																				
Peritonitis (cause unknown),	2	1	.	.	1	1	.	1	1	.	1.6																				
Other Diseases of Digestive System.	3	10	9	5	5	3	1	.	1	1	3.8																				
Acute Nephritis, ...	4	3	5	3	5	4	9	1	1	1	5.4	2	1	.	1																				
Chronic Bright's Disease, ...																							3	5	5	
Urinary Calculi,
Uterine Tumour (non-cancerous).																						
Ovarian Tumour (non-cancerous)																						
Other Diseases of Genito-urinary System.	3	1	1																				
Puerperal Septicæmia, &c.,	2	.	.	.	2																				
Other Causes incident to Pregnancy and Childbirth.	2	2	.	.	.																				
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	.	2	3	—	1	1																				
Diseases of Locomotor System.	—	—	—	—	—	—	—	1	.	.	—																				
Congenital Malformations, ...	—	—	—	—	—	—	—	2	.	1	—																				
Premature Birth, ...	5	3	1	5	5	6	2	3	4	4	3.8	2	2																				
Congenital Debility, ...	—	—	—	—	—	—	—	6	1	5	—	5	.	5																				
Old Age, ...	7	5	1	8	2	3	.	6	5	.	3.7	5	2	3																				
Other Specified Diseases, ...	—	—	—	—	—	—	—	6	1	1	—	2	1	.	1																				
ACCIDENT :																																										
Poisons or Poisonous Vapours.																				
Conflagration,																				
Burns and Scalds,	1	1	.	2	.	.	1	.	1	6																				
Drowning,	2	.	1	.	2	1	1	.	7																				
Suffocation in Bed,	1	1	.	1	.	1	.	.	4																				
Other Deaths by Accident,	2	1	3	2	2	.	1	2	3	1.6	1	1																				
Total Deaths from Accident,	.	3	5	4	5	3	2	4	3	4	3.3	1	1																				
Included in above are Deaths in connection with—																																										
Railways,	1	1																				
Vehicles and Horses,	1	1	1	.	1	.	1	.	1	6																				
Ships, Boats, Docks,	1	1																				
Building Operations,																				
VIOLENCE OTHER THAN ACCIDENTAL :																																										
Homicide,	1	.	1	1	.	.	1	1																				
Suicide,	1	.	.	1	1	1	.	.	.	5																				
Execution,																				
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	7	6	4	—	2	1	1	.																				

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914.—WEEK ENDING																									
		Mar. 14.	Mar. 21.	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.
No. of weeks in Annual Series,		11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
Births registered.		225	210	203	227	173	218	207	288	222	197	207	262	191	271	225	233	165	214	208	197	195	166	204	200	246	187
Average Births in corresponding week of previous 10 years, ...		226	215	230	214	220	221	218	264	237	214	213	244	219	210	223	245	208	208	221	221	220	209	223	218	205	244
Deaths registered.		189	183	219	212	194	212	231	203	181	160	166	185	162	163	151	134	139	128	139	129	144	136	159	136	163	160
Annual Death-rate per 1,000, ...		24.3	23.5	28.1	27.2	24.9	27.2	29.7	26.1	23.2	20.5	21.3	23.8	20.8	20.9	19.4	17.2	17.9	16.4	17.9	16.6	18.5	17.5	20.4	17.5	20.9	20.5
Average Deaths in corresponding week of previous 10 years, ...		196	196	199	202	192	198	188	173	179	159	168	148	148	156	142	134	135	147	143	145	144	145	156	160	157	159
Ages, { Under 5 years, ...		61	70	82	55	74	89	92	89	62	54	73	56	54	45	46	36	47	31	44	36	46	35	53	35	62	51
5-15 " ...		7	7	9	12	7	11	10	6	10	7	4	13	4	9	5	5	7	6	9	6	4	6	5	6	5	4
15-25 " ...		9	7	9	14	5	10	9	9	8	9	9	8	11	6	12	8	9	8	8	9	8	5	7	6	6	8
25-45 " ...		30	28	35	26	27	23	33	30	27	22	22	19	28	30	23	23	22	27	29	26	27	26	26	27	23	24
45-65 " ...		46	33	44	41	51	32	45	30	50	36	37	47	35	38	41	32	30	22	31	30	37	34	35	35	38	40
65-75 " ...		18	21	24	35	16	29	23	22	14	21	13	28	16	23	15	19	14	22	14	15	13	15	18	17	18	22
75 and upwards, ...		18	12	16	26	14	13	19	17	10	11	8	14	14	12	9	11	10	13	9	7	9	15	15	10	11	11
Deaths from:—		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	2	2	1	1	1	2	1
Enteric Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diphtheria, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis { Pulmonary ...		26	21	21	22	28	22	25	14	22	24	21	19	27	19	13	17	21	18	16	19	23	19	18	19	18	25
Other Forms, ...		9	8	6	9	5	10	8	10	9	5	6	9	4	6	5	7	9	5	8	11	5	6	4	2	4	9
Cancer, ...		7	6	18	6	13	8	13	9	11	11	5	12	9	13	9	8	7	8	7	10	9	7	6	12	10	20
Diseases of Circulatory System, ...		17	17	14	25	15	22	19	21	11	11	13	23	14	20	27	11	11	16	15	15	13	15	15	17	18	18
Diseases of Respi- (Pneumonia ...		14	8	20	19	19	16	17	19	13	13	15	14	12	12	14	8	9	10	12	4	8	4	3	7	8	7
ratory System, { Others, ...		34	35	34	35	30	28	20	15	17	19	17	22	13	11	8	20	10	13	5	7	12	10	11	10	7	10
Diarrhea and Enteritis, under ...		5	6	4	1	2	7	3	3	1	5	7	4	2	4	7	4	4	4	6	6	9	10	11	13	28	18
2 years, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diarrhea, 2 years and upwards, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Violent Deaths, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Number of Uncertified Deaths, ...		6	2	7	8	4	5	9	7	2	2	9	6	4	3	2	2	5	2	6	3	7	4	2	2	1	4
Mean Temperature of the Air (Phoenix Park) in degrees, ...		41.7	39.8	39.7	50.9	45.9	45.6	43.8*	44.9	49.6	49.3	55.4	48.1	52.6	52.3	57.2	56.1	59.1	60.1	61.1	59.0	57.3	58.1	63.1	57.1	60.1	58.8
Average Mean Temperature in corresponding week of previous 10 years, ...		41.7	41.8	43.3	43.8	44.4	46.1	45.9	47.1	49.7	49.4	51.1	54.0	53.5	54.6	56.1	55.7	56.9	58.3	59.8	58.9	58.6	58.4	58.2	56.4	56.7	55.0
Rainfall in inches,470	.450	.140	.575	.400	.120	.010	.000	1.355	.130	.515	.110	.140	.520	.495	.000	.305	.455	.795	.520	.350	.695	1.120	.170	1.720	.000
Mean Humidity of the Air, complete Saturation 1.0,90	.91	.92	.85	.90	.89	.88	.91	.87	.89	.90	.86	.87	.86	.83	.78	.80	.84	.86	.87	.87	.84	.84	.91	.92	.94

* For 6 days only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday 5th September, 1914; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 5TH SEPTEMBER, 1911																																																									
CLASS.	OCCUPATION OR SOCIAL POSITION (The 3138 persons returned under the head "Unspecified," in Table 73 of the General Report on the Census have been distributed among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.										CAUSES OF DEATH.														Number of Uncertified Deaths.																												
					Under 5 years.					5 and under 15.					15 and under 25.					25 and under 45.					45 and under 65.					65 and under 75.					75 and upwards.					Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Convulsions.	Diseases of the Respiratory System.		Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	
					(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)		(28)	(29)																										
ALL PERSONS.																																																									
		397,957	—	(3)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)																								
				160	51	4	8	24	40	22	11	2	3	6	11	4	3	3	10	3	1	1	2	5	9	20	2	7	10	18	1	65	4																								
I.	Deaths in Families of the—	14,658	7.1	2	5	3	8	24	40	22	11	2	3	6	11	4	3	3	10	3	1	1	2	5	9	20	2	7	10	18	1	65	4																								
II.	PROFESSIONAL AND INDEPENDENT CLASS, ...	101,798	16.4	32	5	3	8	24	40	22	11	2	3	6	11	4	3	3	10	3	1	1	2	5	9	20	2	7	10	18	1	65	4																								
III.	MIDDLE CLASS, ...	108,420	18.8	39	7	1	5	13	10	3	3	1	2	7	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																								
IV.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	167,479	19.9	64	33	4	8	24	40	22	11	2	3	6	11	4	3	3	10	3	1	1	2	5	9	20	2	7	10	18	1	65	4																								
V.	GENERAL SERVICE CLASS, ...	167,479	19.9	64	33	4	8	24	40	22	11	2	3	6	11	4	3	3	10	3	1	1	2	5	9	20	2	7	10	18	1	65	4																								
	INMATES OF WORKHOUSES, ...	5,602	—	23	6	1	5	7	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2																								
I.	PROFESSIONAL AND INDEPENDENT CLASS.																																																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	6.6	1																																																					
	2. Merchants and Manufacturers, Higher Class	1,347	.																																																						
	3. Persons of Rank and Property, not otherwise described, ...	5,443	9.6	1																																																					
II.	MIDDLE CLASS.																																																								
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	11.0	2																																																					
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	16.6	8	2																																																				
	6. Clerks and Commercial Assistants, ...	33,249	17.3	11	1																																																				
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	17.0	11	2																																																				
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																																																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	31.0	7	2																																																				
	9. Building and Furnishing Trades, ...	28,823	23.5	13	2																																																				
	10. Clothing Trades, ...	20,026	7.8	3																																																					
	11. Food Supply Trades ...	8,952	17.5	3																																																					
	12. Other Trades and Callings ranking with Trades, ...	32,070	14.6	9	1																																																				
	13. Petty Shopkeepers ...	6,772	30.8	4	2																																																				
IV.	GENERAL SERVICE CLASS.																																																								
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	12.1	3	2																																																				
	15. Domestic Servants, ...	36,041	10.1	7	1																																																				
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	17.0	5	2																																																				
	17. Hawkers, Porters, Labourers, &c., ...	103,081	24.8	49	28																																																				
V.	INMATES OF WORKHOUSES.																																																								
	18. Workhouse Inmates, ...	5,602	—	23	6																																																				

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths.		
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 5 years of age.	Diarrhoea, 2 years and upwards.	Violence.			
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.					Other.	
North City, No. 1 (E.) (Office Clarence St. Nth.) Population in 1914 (Est.) 30,206.	Aug. 1 " 8 " 15 " 22 " 29 Sept. 5	20.7 19.0 13.8 22.4 19.0	1.7 . 5.2 1.7 3.5 3.5	12 11 8 8 13 11 1 1	4 3 . . 1 .	. . 2 . . .	1 . 1 . . 1	. . 1 1 . . .	1 . 2 1 1 2 2 1 1
North City, No. 1 (W.) (Office, Summer-hill.) Population in 1914 (Est.) 41,278.	Aug. 1 " 8 " 15 " 22 " 29 Sept. 5	18.9 18.9 24.0 21.5 29.1 17.7	1.3 . . 2.5 7.6 2.5	15 15 19 17 23 14 1 1 1	2 1 2 4 3 3	. 2 . . 1 1	1 . . . 2 1 1	1 . . 1 . 1 1 2 .	1 . . 2 3 2 2 1 1
North City, No. 2. (Office, Lisburn-street.) Population in 1914 (Est.) 27,883.	Aug. 1 " 8 " 15 " 22 " 29 Sept. 5	29.9 16.8 22.4 15.0 16.8 31.8	1.9 1.9 . . 1.9 3.7	16 9 12 8 9 17 1	2 . . 1 3 2	1 3	. . 1 . 1 2	1 2 2 . 2 2	1 1 . . . 2	1 1 1 2
North City, No. 3. (Office, Benburb-street.) Population in 1914 (Est.) 35,536.	Aug. 1 " 8 " 15 " 22 " 29 Sept. 5	10.3 14.7 24.9 13.2 14.7 19.1	. . 2.9 2.9 4.4 .	7 10 17 9 10 13 1 1	2 2 2 1 1 2	. . 1 . 1 1	2 . . 1 1 1 1	2 . . 1 1 1 .	. . 3 . 1 2 1 1 1 1
Clontarf and Howth No. 1 (part of). Population in 1914 (Est.) 5,485.	Aug. 1 " 8 " 15 " 22 " 29 Sept. 5	. . . 19.0 28.5 2 2
Coolock and Drumcondra (part of). Population in 1914 (Est.) 13,685.	Aug. 1 " 8 " 15 " 22 " 29 Sept. 5	22.9 3.8 19.1 15.2 7.6 11.4	3.8 . 3.8 3.8 . .	6 1 5 4 2 3	1 1 2 1 1 1 1 1 1 . . .
Finglas and Glasnevin (part of). Population in 1914 (Est.) 10,723.	Aug. 1 " 8 " 15 " 22 " 29 Sept. 5	4.9 14.6 4.9 9.7 14.6 4.9 .	1 3 1 2 3 1 1
South City, No. 1. (Office, St. Earl-street.) Population in 1914 (Est.) 40,768.	Aug. 1 " 8 " 15 " 22 " 29 Sept. 5	20.5 30.7 32.0 17.9 21.7 23.0	5.1 7.7 2.6 3.8 9.0 7.7	16 24 25 14 17 18 2	5 2 6 3 3 1	. 1 . 1 . 2	. 2 . . . 1	. . 1 . . 1 3	3 1 1 2 1 6
South City, No. 2. (Office, Castle-street.) Population in 1914 (Est.) 18,341.	Aug. 1 " 8 " 15 " 22 " 29 Sept. 5	19.9 28.4 8.5 19.9 28.4 28.4	. 2.8 . 5.7 11.4 .	7 10 3 7 10 10 1	1 3 1 . . 1	. . . 1 . 1 1	1 . 1 . 2 1 1	2 1 . 2 1 2	1 2 . . 1 2 1 1
South City, No. 3. (Office, Peter-street.) Population in 1914 (Est.) 43,540.	Aug. 1 " 8 " 15 " 22 " 29 Sept. 5	14.4 10.8 21.6 15.6 21.6 32.3	2.4 1.2 2.4 1.2 8.4 4.8	12 9 18 13 18 27	. . 1 1 1	1 1 1 2 1 7 2 1 1 1 4	1 1 . . 2 1	3 1 . . 1 2	2 1 1 1 1 3
South City, No. 4. (Office, Grand Canal-st.) Population in 1914 (Est.) 33,171.	Aug. 1 " 8 " 15 " 22 " 29 Sept. 5	23.6 22.0 6.3 12.6 23.6 7.9	3.1 4.7 3.1 3.1 6.3 .	15 14 . 8 15 5	1 1 4 2 3 3 1	1 1 . . 1 1	1 1 . . 1	1 . . . 1 1 1 4
New Kilmainham. Population in 1914 (Est.) 9,851.	Aug. 1 " 8 " 15 " 22 " 29 Sept. 5	10.6 15.9 37.1 21.2 15.9 15.9	5.3 10.6 5.3 5.3 5.3 5.3	2 3 7 4 3 3	. 2 1	1 . . 1 1	1 . . 1 1 1 1

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths.
		FROM ALL CAUSES.	CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Marasmus, 2 years of age and upwards.	Violence.			
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.				Other.		
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Aug. 1 " 8 " 15 " 22 " 29 Sept. 5	13.3 18.6 13.3 16.0 10.7 10.7	. 1.3 1.3 2.7 1.3	10 14 10 12 8 8 1 1	1 2 1 1 . 2	1 . . 1 . . .	1 2 1 2 1 1 1 1 1 1 1	1	1	
Pembroke Urban District. Population in 1914 (Est.) 30,240	Aug. 1 " 8 " 15 " 22 " 29 Sept. 5	10.3 6.9 12.1 15.5 17.2 13.8	. 1.7 3.4 1.7 .	6 4 7 9 10 8 1	3 2 1 1 1 1 2 1 1	2 1 1 1 1 .	. . 1 1 1 1	1 . . . 1 .	. 1
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Aug. 1 " 8 " 15 " 22 " 29 Sept. 5	11.3 11.3 28.3 28.3 . 5.7	. 5.7 . . .	2 2 5 5 . 1 2 1 1	
Kingstown Urban District. Population in 1911 16,941.	Aug. 1 " 8 " 15 " 22 " 29 Sept. 5	24.6 18.5 24.6 21.5 6.2 27.7	. . 3.1 3.1	8 6 8 7 2 9	1 1 1 1 1 1	1 . . 2 1 1 2 1 1 1 1 1	1 1	2 . 1
Belfast. Population in 1914 (Est.) 399,000.	Aug. 1 " 8 " 15 " 22 " 29 Sept. 5	15.0 17.9 14.8 17.6 18.9 20.3	3.4 2.1 3.5 2.7 5.8 6.7	115 137 113 135 143 155	1 1 1 1 . .	1 1	6 5 8 7 2 2	2 4 . . 2 2	7 2 3 3 6 2 1	15 18 12 14 19 20	7 5 8 7 4 8	1 3 5 10 6 6	5 10 8 10 8 4	12 13 13 11 9 16	9 3 13 9 23 44	. . 2 1 10 1	. 2 . 1 1 .	2 2 1 1 .	. 2 1 1 .
Cork. Population in 1911 76,673.	Aug. 1 " 8 " 15 " 22 " 29 Sept. 5	15.6 14.3 11.6 24.5 14.3 11.6	4.8 3.4 2.0 6.1 3.4 2.0	23 21 17 36 21 17	1 1 .	2 3 3 3 1 1	4 1 . 4 3 1	. . 2 . 1 1	1 1 1 1 2 1	1 2 1 1 2 .	1 . 4 . 4 1 2	. 2 . . 4 1 1 1 . .	
Londonderry. Population in 1914 (Est.) 41,100.	Aug. 1 " 8 " 15 " 22 " 29 Sept. 5	17.8 12.7 17.8 10.1 10.1 12.7	1.3 1.3 . 1.3 1.3 3.8	14 10 14 8 8 10	2 1 2 1 2 2	. 1 . . . 1	1 1 1 2 1 1 1 1 1 1 3	1 . . 1 1 1 1 . .	
Limerick. Population in 1911 38,518.	Aug. 1 " 8 " 15 " 22 " 29 Sept. 5	14.9 12.2 4.1 13.5 21.7 17.6	1.4 1.4 . 1.4 1.4 .	11 9 3 10 16 13	. 1	1	1 . . 2 3 3	. . . 1 1 2	. . 1 1 2 .	. . 1 2 3 3	. 2 . 1 1 1 1 1 1 1 1 1 1 .	
Waterford. Population in 1911 27,464.	Aug. 1 " 8 " 15 " 22 " 29 Sept. 5	11.4 9.5 13.3 17.1 17.1 15.2	. 1.9 3.8 3.8 1.9 1.9	6 5 7 9 9 8	1 . . . 3 2	3 1 1 1 . . 1 1 1 1 1 1	. . . 1 1 1 1	. . . 1 1 1 1 1 1 .	

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 5th September, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	AGES AT DEATH.										DEATHS FROM														No. of Deaths in Public Institutions.	Number of Uncertified Deaths.					
				Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		Total Number of DEATHS.						DISEASES OF THE RESPIRATORY SYSTEM.																						
						All Causes.	Certain Epi- demic Diseases.†	(5)	AGES AT DEATH.						Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS.		Cancer.	Pneumonia.				Other.	Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.
									(6)	(7)	(8)	(9)	(10)	(11)									(12)	(13)		(14)	(15)							
City of Belfast.		Col's.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)		
BELFAST URBAN No. 1 DISTRICT.			15,879	11	36.1	9.9	11	2	3	3	4	3	2	1	.	.	.	1	4	1	1	1	2	2	1	1	1	.		
Do.	2 do.		49,500	23	22.1	7.4	21	6	5	2	5	2	8	2	3	.	.	2	7	5	1	1	.	.		
Do.	3 do.		50,032	26	22.9	7.3	22	8	1	5	5	3	5	1	1	.	.	4	1	.	.	3	5	2		
Do.	4 do.		32,637	27	20.8	3.2	13	5	3	4	1	2	5	1	.	.	.	2	4		
Do.	5 do.		16,112	11	22.7	6.5	7	2	1	3	2	2	2	2	.	2	.	1	1		
Do.	6 do.		37,293	10	16.8	1.4	12	2	1	3	2	2	2	2	.	2	.	1	1		
Do.	7 do.		2,681	.	19.4	8.7	1	1	.	.	1	1		
Do.	8 do.		5,964	.	26.2	8.7	3	1	.	.	1	1		
Do.	9 do.		24,427	10	19.2	10.7	9	4	2	.	1	1	2	.	.	.	2	.	1	.	.	1	1	1	.	1	5		
Do.	10 do.		28,958	12	21.6	12.6	12	5	2	1	3	1	1	2	1	1	1	1	5		
Do.	11 do.		39,311	25	15.9	6.6	12	5	2	2	4	3	1	1	.	.	1	1	2	
Do.	12 do.		38,076	34	17.8	.	13	8	3	2	3	2	3	1	.	.	1	2	
Do.	13 do.		23,233	16	4.5	.	2	1	.	1	
Do.	14 do.		175	
Do.	15 do.		22,669	10	39.1	25.3	17	12	1	.	.	1	3	1	.	.	10	1	
Total,			386,947	215	20.3	6.7	155	56	18	19	24	25	13	.	.	.	2	2	2	.	.	20	8	6	4	16	44	1	4	6	29	2		
City of Cork.																																		
CORK URBAN No. 1 DISTRICT.			13,455	7	19.4	5.0	5	2	.	.	2	1	1	
Do.	2 do.		10,399	8	25.1	5.3	5	2	1	.	1	1	1	1	
Do.	3 do.		9,793	5	16.0	5.3	3	.	1	.	.	1	1	
Do.	4 do.		9,139	9	11.4	.	2	.	1	
Do.	5 do.		6,250	3	4.5	4.5	1	.	1	
Do.	6 do.		11,581	5	3.2	.	1	
Do.	7 do.		16,056	7	.	.	1	
Total,			76,673	44	11.6	2.0	17	4	3	1	2	3	4	1	1	1	.	1	2	.	.	.	6	.		

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1914—WEEK ENDING																									
	Mar. 14.	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.
No. of weeks in Annual Series,	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
BIRTHS registered, ...	222	196	244	243	163	219	255	198	222	245	238	262	191	198	233	227	219	237	190	218	212	226	214	218	196	215
DEATHS registered, ...	146	163	150	136	142	162	179	139	116	135	137	115	127	129	131	134	130	130	103	111	115	137	113	135	145	155
Annual Death-rate per 1,000 of estimated population, ...	19.1	21.3	19.6	17.8	18.6	21.2	23.4	18.2	15.2	17.6	17.9	15.0	16.6	16.9	17.1	17.5	17.0	17.0	13.5	14.5	15.0	17.9	14.8	17.6	18.9	20.3
AGERS, { Under 1 year, 1—5 years, 5—25 " 25—45 " 45—65 " 65 and upwards,	28	32	28	25	29	29	45	29	21	21	17	23	19	22	24	27	25	26	25	19	21	20	27	30	49	56
	16	21	27	9	18	22	21	18	10	21	16	18	13	21	22	18	18	19	10	11	21	21	23	18	23	18
	10	19	13	16	11	17	20	21	13	18	20	16	18	17	21	15	18	21	9	15	11	14	9	17	14	19
	34	26	21	24	20	25	25	27	19	23	29	19	22	25	21	23	24	18	20	22	21	22	18	19	16	24
	28	30	28	30	30	31	35	25	28	32	28	23	32	26	31	37	28	28	19	26	24	32	16	30	26	25
Deaths from :—	30	35	33	29	34	38	32	19	25	20	27	11	23	18	12	14	17	18	20	18	17	28	20	21	17	13
Enteric Fever, ...	1														2						1	1	1	1		
Typhus, ...											5								1	1	1					
Small-pox, ...																										
Measles, ...				1	2	2	1	3	1	3	1	3	1	4	8	5	9	6	4	1	6	5	8	7	2	2
Scarlet Fever, ...	3	3	2	2	3	5	3	1		2	5	4	1	2	8	2	2	5	2	2	2	4			2	2
Whooping-cough, ...	2	7	5	3	6	9	8	3	3	5	5	7	4	7		4	7	2	4	2	7	2	3	3	6	2
Diphtheria, ...	2	1		2	1	1			1				2		1			1							1	
Dysentery, ...																										
Tuberculosis, { Pulmonary,	15	16	14	10	12	11	32	18	19	20	21	15	19	17	21	21	13	14	10	16	15	18	12	14	19	20
Other Forms,	5	6	7	5	4	13	4	4	10	12	7	4	8	3	6	5	7	7	3	4	7	5	8	7	4	8
Cancer, ...	3	7	3	5	9	4	5	6	5	8	7	3	8	4	5	5	9	11	7	8	1	3	5	10	6	6
Diseases of Respi- ratory System, { Pneumonia,	12	9	15	6	19	12	22	8	9	14	13	10	13	10	6	10	4	7	8	10	5	10	8	10	8	4
Others, ...	15	31	20	23	9	27	15	17	11	16	14	12	11	12	10	10	9	11	5	8	12	13	13	11	9	16
Diarrhoea and Enteritis, under 2 years, ...	8	3	2	1	4	2	2	4		3	2	4	1	5	6	5	7	5	6	8	9	3	13	9	23	44
Diarrhoea, 2 years and upwards, ...					1	1	1	2	1				1	1		1	2			1			2	1	10	1
Violent Deaths, ...		2	2		3	3	1	2	1	2	2	3		3	1						2	2	1	1		4
Number of Uncertified Deaths, ...	1	1		3	1	3	4	1	2	1	1	3	4	1	3		3	2	1	2		2		1	3	2
Mean Temperature of the Air in degrees.	39.9	40.8	41.0	49.7	47.1	43.5	52.7	48.2	48.2	47.5	54.9	50.0	52.2	54.2	61.5	55.8	59.0	58.8	61.6	60.2	56.2	58.0	60.5	58.2	60.7	58.7
Rainfall, in inches, ...	1.40	0.65	0.07	0.78	1.00	0.34	0.12	0.00	1.32	0.16	0.11	0.12	0.08	0.49	0.18	0.45	0.20	0.48	0.51	0.53	0.32	0.79	0.60	0.15	1.37	0.44

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 — Week ending	BIRTHS.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Sept. 5,	2,188	1,332	15·4	3	.	24	8	22	6	269
EDINBURGH, ...	321,900	" 5,	122	83	13·5	5
GLASGOW, ...	1,047,000	" 5,	560	363	18·1	.	.	2	2	13	1	61
CALCUTTA, ...	896,067	Aug. 1,	.	431	25·0	74*	11	.	.	.	1†	57‡a
BOMBAY, ...	979,445	" 1,	330	558	29·6	69*	.	2	.	.	.	79‡a
MADRAS ...	518,660	" 1,	371	352	35·3	44*	.	.	?	?	?	89‡a
CAIRO, ...	721,337	July 1,	520	641	46·3	7	4	4	.	?	11†	205
PARIS, ...	2,847,229	—
BRUSSELS, ...	780,843	—
ANTWERP, ...	313,833	—
AMSTERDAM, ...	597,888	—
COPENHAGEN, ...	483,000	Aug. 8,	213	130	14·0	.	.	.	1	1	.	12a
STOCKHOLM, ...	382,085	" 15,	157	85	11·6	3	.	1	.	.	1	2
CHRISTIANIA, ...	251,446	" 22,	102	67	13·9	2	.	3a
PETROGRAD, ...	1,728,200	—
MOSCOW, ...	1,694,000	—
ROME, ...	591,943	—
NEW YORK, ...	5,583,871	—
PHILADELPHIA, ...	1,657,810	—
BOSTON, ...	750,768	Aug. 8,	.	192b	13·3	3	4	18a

* Deaths from "fever," including 9 from enteric fever and 2 from plague in Calcutta; 2 from enteric fever, and 17 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 6 deaths from cholera in Calcutta, 25 in Bombay, and 16 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 166 (including 2 deaths from whooping-cough and 15 from diarrhoeal diseases), rate 11·5 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th September, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	1	2	3
" " 1, West,	1	1	3	1	6
" " 2,	5	5
" " 3,	1	1	2	4
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),	1	1
Finglas and Glasnevin (part of),
South City No. 1,	1	9	10
" " 2,	3	3
" " 3,	1	.	.	2	.	.	4	3	10
" " 4,	1	5	6
New Kilmainham,	1	2	3
Total,	6	.	.	3	.	1	9	32	51

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 5th September, 1914, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 5th September.			
	August 15.	August 22.	August 29.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	77	84	81	14	18	1	76
Typhus,
Small-pox,
Measles, ...	11	4	5	1	2	.	4
Scarlet Fever, ...	64	68	56	16	18	.	54*
Diphtheria, ...	29	29	33	6	2	1	36
Pneumonia, ...	15	18	22	7	8	.	21

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 5th September, 1914:—

"Quiet, fine, summerlike weather held during the greater part of this week—Sunday alone was a dull, damp, cool day in sequence to a heavy downpour of rain which had taken place during the previous afternoon and night. At 7 a.m. of Sunday the distribution of atmospheric pressure was singularly uniform over the British Isles—ranging only from 30.24 inches at Valentia, Co. Kerry, to 30.32 inches at Dungeness, in Kent. There were on that day and also on Monday two aerial currents in Ireland—the upper clouds travelled from S.W. whereas the wind was chiefly N.E. The weather brightened early on Monday, which was a bright but cool day, the thermometer ranging from 52.0° to 63.5°. Two warm fine days followed, although a dense vapour fog prevailed at 7 a.m. of Wednesday. On Tuesday the thermometer rose in the shade to 71° in Dublin, 72° at Donaghadee, 75° at Birr Castle, King's Co., and 78° at Valentia; on Wednesday, the highest readings in Ireland were 71° in Dublin and at Birr Castle, and 70° at Donaghadee. In England, 78° was reached at Bath and Nottingham on Wednesday, and on Thursday the thermometer rose over the greater part of that country to between 75° and 80°, Bath, Leamington Spa and Tunbridge Wells reporting 81°, and Greenwich Observatory 82°. By this time cooler weather had set in over Ireland and the wind settled in N.E. and E., with overcast skies on the mornings of Friday and Saturday. In Dublin the mean height of the barometer was 30.244 inches, the range being from 30.361 inches at 9 a.m. of Monday (wind, E.N.E.) to 30.075 inches at 4 p.m. of Friday (wind, E.N.E.). The corrected mean temperature was 60.5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 59.3°. On Wednesday the screened thermometers rose to 71.2°, having fallen to 52.0° on Monday. The prevailing wind was E.N.E. There was no appreciable rainfall. Thunderstorms occurred in Cornwall, at Jersey, and Biarritz on Friday night. Cold and rain prevailed in Spitzbergen at that time."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 30.224 inches. The highest reading (30.361) was on Monday, at 9 p.m., the lowest (30.067) on Friday, at 9 p.m.

The mean temperature for the week was 58.8°, being 3.8° above the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Tuesday, on which day the thermometer registered 82°, and was lowest on Monday, the mercury having fallen to 44°. The mean of the Dry Bulb for the week was 58.6° and of the Wet Bulb, 57.6°. The mean humidity of the air was .94, complete saturation being represented by 1.0. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 63.4°, the maximum 82.0°, and the minimum 45.9°; at Glasgow the maximum was 71.2°, the minimum 48.2°, and the mean 59.1°; and at Edinburgh the maximum was 73.8°, the minimum 48.1. and the mean 58.0. The rainfall at Glasgow measured 0.02 in., and at Edinburgh 0.11 in. There was no rainfall recorded at Greenwich.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155.3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.	BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1.0.	Sunshine in hours and decimals.	Rain Gauge.
	Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation = 1.0.			
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday, August 30,	30.265	59	54	56.5	55.7	55.6	.99	.4	0.0	.000
Monday, " 31,	30.340	64	44	54.0	55.4	54.7	.97	.4	5.5	.000
Tuesday, Sept. 1,	30.280	82	48	65.0	60.6	59.3	.92	.4	7.4	.000
Wednesday, " 2,	30.250	74	46	60.0	59.8	59.0	.95	.0	7.2	.000
Thursday, " 3	30.210	73	54	63.5	60.9	59.3	.91	.4	7.3	.000
Friday, " 4,	30.085	63	45	54.0	59.4	58.5	.95	.4	3.7	.000
Saturday " 5,	30.135	62	55	58.5	58.4	56.7	.89	.7	3.5	.000
Mean,	30.224	68.1	49.4	58.8	58.6	57.6	.94	.4	Total 34.6	Total .000

Sunday—Day overcast; night clear. Monday—A bright day; night clear. Tuesday—A beautiful bright day; night clear. Wednesday—A bright day; night cloudy. Thursday—A beautiful bright day; night clear. Friday—Day cloudy; night cloudy. Saturday—Day cloudy, bright at intervals; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 5th September, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, August 30,	57.1	61.7	59.4	59.1	53.2	56.1	hrs.	ins.
Monday, " 31,	60.3	60.8	59.4	62.7	49.2	55.9	3.9	—
Tuesday, Sept. 1,	68.0	61.0	59.3	73.5	52.0	62.7	7.5	—
Wednesday, " 2,	65.1	61.5	59.3	73.3	51.3	62.3	5.4	—
Thursday, " 3,	62.3	62.3	59.2	70.1	57.3	63.7	5.8	—
Friday, " 4,	61.5	61.5	59.2	70.2	51.0	60.6	4.0	—
Saturday, " 5,	61.7	61.7	59.2	70.1	50.9	60.5	3.8	—
Weekly Mean,	62.3	61.5	59.3	68.4	52.1	60.3	Total 30.4	Total.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALAN THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE
DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN
TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 12TH SEPTEMBER, 1914.

[No. 37.]

*General Register Office, Charlemont House,
Dublin, 14th September, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 17·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Aug. 22	Aug. 29	Sept. 5	Sept. 12	
27 Town Districts, (a)	16·1	17·6	18·1	17·0	17·2
Dublin Reg. Area ...	16·6	18·8	18·9	17·1	17·8
Dublin City ...	16·3	21·2	20·3	18·3	19·0
Belfast ...	17·6	18·9	20·3	18·0	18·7
Cork ...	24·5	14·3	11·6	17·7	17·0
Londonderry ...	10·1	10·1	12·7	12·7	11·4
Limerick ...	12·5	21·7	17·6	24·4	19·3
Waterford ...	17·1	17·1	15·2	22·8	18·0

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 4·0 per 1,000. Among the 138 deaths from all causes for Belfast are 2 from enteric fever, one from measles, one from scarlet fever, 5 from whooping-cough, 42 from diarrhoeal diseases, and one from cerebro-spinal meningitis. Of the 26 deaths from all causes for Cork one is from whooping-cough and 2 are from diarrhoea and enteritis under 2 years. Three of the 18 deaths from all causes for Limerick are from diarrhoeal diseases. Among the 12 deaths from all causes for Waterford are 3 from diarrhoea and enteritis under 2 years. One of the 5 deaths from all causes for Drogheda is from diphtheria, and included in the 7 deaths from all causes for Lisburn are three from diarrhoea and enteritis of children under 2 years. Two of the 4 deaths recorded for Ballymena are from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 213—107 boys and 106 girls—and the deaths to 139—71 males and 68 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·1 per 1,000 of the population. During the thirty-seven weeks, ending with Saturday last, the death-rate averaged 21·3, and was 0·5 below the mean rate for the corresponding portions of the ten years, 1904—1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts
† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.
(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 139, represent an annual rate of 17·9 per 1,000; the annual rate for the past thirty-seven weeks was 22·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·0 per 1,000 of the mean population for all deaths registered.

The deaths registered include 3 from enteric fever, one death each from scarlet fever and whooping-cough and 17 deaths from diarrhoea and enteritis of children under 2 years of age. In the three preceding weeks, deaths from enteric fever were 0, 2, and one; deaths from scarlet fever were 0, one, and 0; deaths from whooping-cough were one, one, and 0; and deaths of children under 2 years of age from diarrhoea and enteritis were 13, 28, and 18, respectively.

Deaths from tuberculous disease, numbering 21, 22, and 34, respectively, fell to 21* last week, the latter including 13 deaths from pulmonary tuberculosis, 4 from tuberculous meningitis, one from abdominal tuberculosis, and 3 deaths from other forms of the disease.

Cancer* caused 6 deaths.

Deaths from pneumonia comprise one death from broncho-pneumonia and 4 deaths from pneumonia (type not distinguished).

Four deaths of infants under one year of age were ascribed to premature birth, 8 to congenital debility and one to convulsions.

There were 15 deaths from organic diseases of the heart and 7 from bronchitis.

Three deaths were ascribed to accidental causes including 2 deaths by drowning, and one death by suicide was recorded.

In two instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of one infant under one year of age, and the death of one person aged 75 years.

Forty-eight of the persons whose deaths were registered during the week were under 5 years of age (34 being infants under one year, of whom 7 were under one month old), and 31 were aged 65 years and upwards, including 25 persons aged 70 and upwards; among the latter were 15 aged 75 and upwards, of whom one (a male) was stated to have been aged 93 years.

Sixty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse, and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·1 per 1,000; the rate in the City was 18·3 (North City Districts, 19·3; South, 17·2) and in the Suburbs 13·1.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·8 per 1,000 inhabitants, the rate for the City being 3·2 (in the North City Districts 2·2, and in the South 4·3), and for the Suburbs 1·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·0 per 1,000, and include 3 from pulmonary tuberculosis, one from bronchitis, 2 deaths of children under 2 years of age from diarrhoea and enteritis, and one by drowning.

No. 1 *North City District, West* (Summer-hill).—The deaths (16) are equal to an annual rate of 20·2 per 1,000. Enteric fever caused one death; tuberculous disease, 4 deaths; pneumonia, 3 deaths; bronchitis, one death; and there was one death of a child under 2 years of age from diarrhoea and enteritis.

No. 2 *North City District* (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 22·4 per 1,000. Included in the total are 2 from tuberculous disease, 2 from bronchitis, and 3 deaths of children under 2 years of age from diarrhoea and enteritis.

No. 3 *North City District* (Benburb-street).—The deaths (13) represent an annual rate of 19·1 per 1,000, and include one death from abdominal tuberculosis, and one death by drowning.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·0 per 1,000 inhabitants; Coolock and Drumcondra, part of, 3·8; and Finglas and Glasnevin, part of, 29·2. One of the 2 deaths for Clontarf and Howth, No. 1, part of, was caused by accident, and of the 6 deaths from all causes for Finglas and Glasnevin, part of, one was from tuberculous meningitis.

No. 1 *South City District* (South Earl-street).—The deaths (13) represent an annual rate of 16·6 per 1,000. Bronchitis caused 2 deaths, and diarrhoea and enteritis of children under 2 years of age, 4 deaths.

No. 2 *South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 14·2 per 1,000, and include one from pulmonary tuberculosis, one from bronchitis, and one from diarrhoea and enteritis of a child under 2 years of age.

No. 3 *South City District* (Peter-street).—The deaths (13) are equal to an annual rate of 15·6 per 1,000. Enteric fever and whooping-cough each caused one death, tuberculous disease 2 deaths, and diarrhoea and enteritis of children under 2 years of age one death.

No. 4 *South City District* (Grand Canal Street).—The deaths (14) are equivalent to an annual rate of 22·0 per 1,000, and include one from scarlet fever, 3 from tuberculous disease, one from pneumonia, 3 from diarrhoea and enteritis of children under 2 years of age, and one death by suicide.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·9 per 1,000. Two of the 3 deaths are from tuberculous disease.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·3; Pembroke, 19·0; Blackrock, 11·3; and Kingstown, 12·3. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diarrhoea and enteritis of a child under 2 years of age for Rathmines and Rathgar, and one from enteric fever and one from diarrhoea and enteritis of a child under 2 years of age for Pembroke. The 11 deaths from all causes for Pembroke include one from pneumonia.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 16·1), was equal to an average annual death-rate of 15·2 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·5 per 1,000, the rate for Glasgow being 17·6, and for Edinburgh 12·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 12th September. From this Report it appears that of a total of 80 cases notified, 43 were scarlet fever, 14 diphtheria, 13 phthisis, 6 enteric fever, 3 erysipelas, and one puerperal fever. Among the 576 cases of infectious diseases in hospital at the close of the week were 249 cases of scarlet fever, 212 of phthisis, 73 of diphtheria, 16 of enteric fever, 8 of erysipelas, 4 of measles, one of cerebro-spinal fever, one of whooping-cough, and one of puerperal fever.

* See note (c) at foot of Table II.

† See note (†) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 12th September, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Aug. 22,	.	—	—	12	.	.	6	.	.	8	2	.	—	—	.	—	.	28	56
	Aug. 29,	.	—	—	5	.	.	10	.	.	8	4	.	—	—	.	—	.	27	54
	Sept. 5,	.	—	—	6	.	.	3	.	1	9	.	.	—	—	.	—	.	32	51
	Sept. 12,	.	—	—	12	.	.	6	.	.	11	5	.	—	—	.	—	.	33	67
Rathmines and Rathgar Urban District.	Aug. 22,	.	—	—	1	2	.	—	—	—	—	—	—	3
	Aug. 29,	.	—	—	.	.	.	3	.	.	.	2	.	—	—	—	—	—	—	5
	Sept. 5,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	Sept. 12,	.	—	—	1	—	—	—	—	—	—	1
Pembroke Urban District.	Aug. 22,	.	.	.	1	1	.	.	.	—	—	—	1	2
	Aug. 29,	1	—	—	—	—	—	.	2
	Sept. 5,	2	.	.	—	—	—	—	—	1	3
	Sept. 12,	.	.	.	1	1	.	.	—	—	—	—	—	.	2
Blackrock Urban District.	Aug. 22,	.	.	—	2	—	—	.	—	—	—	2
	Aug. 29,	.	.	—	—	—	.	—	—	—	.
	Sept. 5,	.	.	—	—	—	.	—	—	—	.
	Sept. 12,	.	.	—	—	—	.	—	—	—	.
Kingstown Urban District.	Aug. 22,	.	—	—	—	—	—	—	—	.	.
	Aug. 29,	.	—	—	1	1	.	—	—	—	—	—	.	2
	Sept. 5,	.	—	—	—	—	—	—	—	.	.
	Sept. 12,	.	—	—	—	—	—	—	—	.	.
City of Belfast.	Aug. 22,	.	—	—	28	.	.	1	.	.	.	6	.	—	—	.	—	.	6	41
	Aug. 29,	.	—	—	26	.	.	4	.	.	4	5	.	—	—	.	—	2	41	
	Sept. 5,	.	—	—	50	.	.	4	.	.	3	3	.	—	—	.	—	5	65	
	Sept. 12,	.	—	—	43	.	.	6	.	.	2	2	.	—	—	.	—	6	59	
City of Cork.	Aug. 22,	.	3	—	.	.	.	4	.	1	.	1	.	—	—	—	18	—	—	27
	Aug. 29,	.	.	—	2	1	2	1	.	—	—	—	19	—	—	25
	Sept. 5,	.	.	—	4	.	.	.	1	.	4	.	.	—	—	—	19	—	—	28
	Sept. 12,	.	1	—	4	1	2	1	—	—	—	20	—	—	29 ^a
City of Londonderry.	Aug. 22,	.	—	—	1	.	—	—	—	—	—	—	1
	Aug. 29,	.	—	—	—	—	—	—	—	—	.
	Sept. 5,	.	—	—	—	—	—	—	—	—	.
	Sept. 12,	.	—	—	1	.	.	—	—	—	—	—	—	1
City of Limerick.	Aug. 22,	.	—	—	3	—	—	.	—	—	—	3
	Aug. 29,	.	—	—	5	—	—	.	—	—	—	5
	Sept. 5,	.	—	—	7	1	.	—	—	.	—	—	—	8
	Sept. 12,	.	—	—	1	1	.	.	—	—	.	—	—	—	2
City of Waterford.	Aug. 22,	.	—	—	2	—	—	—	—	—	1	3
	Aug. 29,	.	—	—	3	—	—	—	—	—	1	3
	Sept. 5,	.	—	—	1	—	—	—	—	—	.	2
	Sept. 12,	.	—	—	4	2	.	.	—	—	—	—	—	.	6

^a Not including one case of varicella.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th September, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Sixteen cases of enteric fever were admitted to hospital during the week, 15 were discharged, there were 2 deaths, and 75 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 84, 81, and 76.

One case of measles was admitted to hospital, 2 were discharged and 3 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 4, 5, and 4, respectively.

Fourteen cases of scarlet fever were admitted to hospital, 11 were discharged, there was one death, and 56* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 68, 56, and 54, respectively.

Six cases of diphtheria were admitted to hospital during the week, and 13 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 29, 33, and 36 respectively, were 29 at the close of last week.

In addition to the above-named diseases, 12 cases of pneumonia were admitted to hospital, 4 were discharged, there were 2 deaths, and 27 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 12th September, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the Temperature and Rainfall for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.		CENSUS STATISTICS OF DISTRICTS.		REGISTRATION—WEEK ENDING SATURDAY, 12TH SEPTEMBER, 1914.										METEOROLOGY. (d)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
				BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		NUMBERS REGISTERED.										DEATHS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
												CAUSED BY										DEATHS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
POPULATION.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Total. (a)		Per-sons to an Acre.		From all Causes.		From certain Epidemic Diseases. (b)		At 65 Years and upwards.		Under 1 Year of Age.		TOTAL NUMBER.		TOTAL NUMBER.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other Forms.		Cancer.		Pneumonia.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Inquest Cases.		No. of Deaths in Public Institutions.		No. of Uncertified Deaths.		WEEK ENDING 12TH SEPTEMBER, 1914.		WEEK ENDING 5TH SEPTEMBER, 1914.		WEEK ENDING 29TH AUGUST, 1914.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
(1)		(2)		(3)		(4)		(5)		(6)		(7)		(8)		(9)		(10)		(11)		(12)		(13)		(14)		(15)		(16)		(17)		(18)		(19)		(20)		(21)		(22)		(23)		(24)		(25)		(26)		(27)		(28)		(29)		(30)		(31)		(32)		(33)		(34)		(35)		(36)		(37)		(38)		(39)		(40)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
TOTAL OF 27 TOWN DISTRICTS, DUBLIN REGISTRATION AREA:—		1,255,280		19.1		25.9		17.0		4.0		599		394		117		73		7		10		11		12		13		14		15		16		17		18		19		20		21		22		23		24		25		26		27		28		29		30		31		32		33		34		35		36		37		38		39		40																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
CITY OF DUBLIN.		405,000		29.5		27.4		17.1		2.8		213		133		34		31		3		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1	

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1914. (b) See note (c) at foot of first page. (c) Exclusive of 6 deaths of persons admitted to hospital from localities outside the Area. Included in the 6 deaths are 2 from pulmonary tuberculosis, and 2 from cancer. (d) Having been found impracticable to obtain Meteorological Observations from some of the towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Kesh for Carrickmacross. (e) Observations at Ordnance Survey Office, Phoenix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 12th of September, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions, of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	PINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	1	.	.	.	1	.	.	3	.
Typhus,
Small-pox,
Measles,
Scarlet Fever,	1	1	.
Whooping-cough,	1	1	.
Diphtheria,
Croup,
Influenza,
Dysentery,
Tuberculosis, { Pulmonary,	3	2	1	1	1	1	2	1	11	2
{ Other Forms,	2	1	1	.	.	1	.	.	1	1	1	8	.
Cancer,	1	1	.	.	.	1	1	4	2
Diseases of Nervous System,	1	.	2	.	.	2	.	.	.	2	.	2	2	1	1	13	.
" Organs of Special Sense,	1	1	.
" Circulatory System,	2	1	1	3	1	1	1	1	.	1	.	1	.	3	.	1	17	.
" Respiratory System, { Pneumonia,	3	2	1	.	1	.	.	1	.	.	5	.
{ Others,	1	1	2	7	.
" Digestive System, { Diarrhoea and Enteritis, under 2 years,	2	1	3	4	1	1	3	.	1	1	.	.	17	.
{ Diarrhoea, 2 years and upwards,
{ Enteritis, 2 years and upwards,
{ Others,	1	.	1	.	.	.	1	1	.	.	.	1	1	.	1	6	2
" Genito-urinary System,	3	.	.	1	.	1	1	6	.
Puerperal Septicæmia, etc.,
Other Causes incident to Pregnancy and Childbirth,
Diseases of the Skin and Cellular Tissue,	1	1	2	.
" Locomotor System,
Other specified Causes,	2	1	3	4	.	.	1	5	1	4	2	.	2	2	.	.	27	.
Violent Deaths,	1	.	.	1	1	1	4	.
Ill-defined, &c. Causes,
Deaths from All Causes	11	16	12	13	2	1	6	13	5	13	14	3	7	11	2	4	133	6
Annual Rate of Mortality from All Causes in every 1,000 of the population.	19.0	20.2	22.4	19.1	19.0	3.8	29.2	16.6	14.2	15.6	22.0	15.9	9.3	19.0	11.3	12.3	17.1	.
	19.3							17.2					13.1					
	18.3																	
Ages at Death. { Under 1 year,	2	3	4	3	.	.	1	5	1	6	3	1	2	3	.	.	34	.
{ 1 and under 2 years,	2	2	1	.	.	1	2	.	.	2	.	1	.	.	1	12	.
{ 2 " 5 "	1	.	.	1	2	.
{ 5 " 15 "	1	.	1	1	3	.
{ 15 " 25 "	2	1	1	1	4	1
{ 25 " 45 "	3	5	1	2	.	.	4	.	2	1	2	.	.	1	.	.	21	3
{ 45 " 65 "	2	1	3	3	.	1	.	1	1	1	4	2	1	3	.	3	26	2
{ 65 and upwards,	2	3	2	2	2	.	.	4	1	4	2	.	3	4	2	.	31	.
Number of Uncertified Deaths,	1	.	.	1	.	.	.	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	5	5	1	3	.	.	4	3	.	2	4	.	1	1	.	.	29	6
Workhouse Hospitals,	2	2	3	2	.	.	.	3	3	5	4	1	1	.	.	.	26	.

THIRTY-SEVENTH WEEK, ending Saturday, 12th September, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 37th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 12th September, 1914.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	Sept. 17, 1904.	Sept. 16, 1905.	Sept. 15, 1906.	Sept. 14, 1907.	Sept. 12, 1908.	Sept. 18, 1909.	Sept. 17, 1910.	Sept. 16, 1911.	Sept. 14, 1912.	Sept. 13, 1913.		Deaths of Persons of the Ages of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
												0-5.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
												Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Mean Temperature ...	55.9	51.1	52.4	57.5	53.0	49.0	52.0	52.9	51.1	54.9	53.0	58.7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												</

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITIONS of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday 12th September, 1914; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 12TH SEPTEMBER, 1914.																																																		
CLASS.	OCCUPATION OR SOCIAL POSITION (The 31318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).	Popula- tion in each Class and Group in 1911.	AGES.										CAUSES OF DEATH										Number of Deaths in 1911	Total Number of Deaths	Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Convulsions.	Diseases of the Respiratory System		Diarrhea & Eritentitis 2 years of age.	Diarrhea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
			Pulmonary.	Other Forms.	Pneumonia.	Other.																																												
							(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)																		(17)	(18)			(19)	(20)					
ALL PERSONS.	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)																			
I.	ALL PERSONS.	397,957	—	139	48	3	5	24	28	16	15	3	.	.	.	1	1	.	.	13	8	6	2	5	7	17	.	4	72	2	.																			
II.	DEATHS IN FAMILIES OF THE—																																																	
III.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	21.3	28	6	.	.	1	2	1	2	1	4	.	1	.	2	1	.	.	1	4	.	.	.																		
IV.	MIDDLE CLASS.	101,798	14.3	37	28	5	.	10	7	1	5	1	3	2	1	2	2	.	6	.	.	18	.	.	.																		
V.	ARTISAN CLASS AND PETTY SHOPKEEPERS.	108,420	17.8	42	28	14	3	5	9	6	4	1	.	.	.	1	.	.	.	3	4	2	.	1	3	8	.	3	16	.	.	.																		
	GENERAL SERVICE CLASS.	167,479	13.1	22	42	22	3	2	4	4	4	1	3	2	.	.	.	3	3	.	.	15	.	.	.																		
	INMATES OF WORKHOUSES.	5,602	—	26	7	.	.	6	6	4	3	2																		
I.	PROFESSIONAL AND INDEPENDENT CLASS.																																																	
II.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,868	39.8	6	.	.	.	1	2	1	2	1	1	4																	
	2. Merchants and Manufacturers, Higher Class	1,347																	
	3. Persons of Rank and Property, not otherwise described.	5,443																	
III.	MIDDLE CLASS.																																																	
IV.	4. General Body of Officials—Civil Service, Banking, &c.	9,523	27.4	5	2	.	.	2	.	.	1	1	4																	
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	12.4	6	1	.	.	3	1	1	1	.	1	4																	
	6. Clerks and Commercial Assistants, Miscellaneous—including all Householders in Second Class Localities not included in above.	33,827	20.0	13	1	.	.	5	4	.	3	1	.	1	.	1	9																	
V.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																																																	
VI.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers.	11,777	31.0	7	3	3	.	1	1	2	1	2	1	1	2	3																	
	9. Building and Furnishing Trades.	28,823	21.7	12	5	5	.	1	1	2	2	1	1	1	1	5	2	.	.	.																	
	10. Clothing Trades.	20,026	10.4	4	1	1	.	.	1	2	2	.	.	.																	
	11. Food Supply Trades.	8,952	5.8	1	1	1	2	.	.	.																	
	12. Other Trades and Callings ranking with Trades.	32,070	21.1	13	4	4	.	1	2	4	2	2	9																	
VI.	13. Petty Shopkeepers	6,772																	
VII.	GENERAL SERVICE CLASS.																																																	
VIII.	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	20.1	5	3	3	.	.	1	1	1	1	1	1	1																	
	15. Domestic Servants.	36,041	4.3	3	1	1	.	1	1	1	1	1	1	1	3																	
	16. Coach and Car Drivers, Varnmen, &c.	15,380	13.6	4	1	1	.	2	2	2	2	1	.	.	.	1	.	.	.	2	2	.	.	1	12																	
	17. Hawkers, Porters, Labourers, &c.	103,081	15.2	30	17	3	3	2	2	2	2	1	3	2	.	.	.	2	6	.	.	8																	
	INMATES OF WORKHOUSES.																																																	
VIII.	18. Workhouse Inmates.	5,602	—	26	7	.	.	6	6	4	3	3	2	15																	

Registration of Births and Deaths, Ireland.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.			
													Pulmonary.	Other Forms.	Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	Aug. 8	19.0	.	11	3	2	1	1	1	.	.	2	.
	" 15	13.8	5.2	8	1	.	.	1	.	.
	" 22	13.8	1.7	8	1	.	1
	" 29	22.4	3.5	13	1	.	.	1	1	2	1	.	.
Population in 1914 (Est.) 30,206.	Sept. 5	19.0	3.5	11	3	.	1	.	1	1	2	.	.
	" 12	19.0	3.5	11	1	2	.	1	.
North City, No. 1 (W.) (Office, Summer-hill.)	Aug. 8	18.9	.	15	1	2	.	.	1	.	.	1	1
	" 15	24.0	.	19	2	1	.
	" 22	21.5	2.5	17	4	2	.	.	.
	" 29	29.1	7.6	23	1	1	1	.	3	1	2	1	2	3	.	.	.
Population in 1914 (Est.) 41,278.	Sept. 5	17.7	2.5	14	3	1	1	1	.	2	.	.	.
	" 12	20.2	2.5	16	1	2	2	1	3	1	1	.	.	.
North City, No. 2. (Office, Lisburn-street.)	Aug. 8	16.8	1.9	9	2	1	.	1	.
	" 15	22.4	.	12	1	.	2	.	.	1	.
	" 22	15.0	.	8	1	.	.	.	2
	" 29	16.8	1.9	9	3	.	1	2	.
Population in 1914 (Est.) 27,883.	Sept. 5	31.8	3.7	17	2	3	2	.	2	2	.	.	1
	" 12	22.4	5.6	12	1	1	1	.	2	3	.	.	.
North City, No. 3. (Office, Benburb-street.)	Aug. 8	14.7	.	10	2	.	.	.	1	.	.	.	1
	" 15	24.9	2.9	17	2	1	.	.	3	2	.	1	.
	" 22	13.2	2.9	9	.	.	.	1	1	1	1
	" 29	14.7	4.4	10	1	1	.	.	.	1	.	.	.
Population in 1914 (Est.) 35,536.	Sept. 5	19.1	.	13	2	1	3	1	.	.	1	.	.
	" 12	19.1	.	13	1	1	.
Clontarf and Howth No. 1 (part of).	Aug. 8
	" 15
	" 22	19.0	.	2
Population in 1914 (Est.) 5,485.	" 29	28.5	.	3
	Sept. 5
	" 12	19.0	.	2	1	.
Coolock and Drumcondra (part of).	Aug. 8	3.8	.	1
	" 15	19.1	3.8	5	1	.	1	.	.	.
	" 22	15.2	3.8	4	1	.	.	1	.
	" 29	7.6	.	2	1
Population in 1914 (Est.) 13,685.	Sept. 5	11.4	.	3	1
	" 12	3.8	.	1
Finglas and Glasnevin (part of).	Aug. 8	14.6	.	3
	" 15	4.9	.	1
	" 22	9.7	.	2	1
	" 29	14.6	4.9	3	1	.	.	.
Population in 1914 (Est.) 10,723.	Sept. 5
	" 12	29.2	.	6	1	1
South City, No. 1. (Office, St. Earl-street.)	Aug. 8	30.7	7.7	24	2	1	2	1	1	6	.	.	1
	" 15	32.0	2.6	25	1	.	.	.	6	1	.	1	1	1	.	1	1
	" 22	17.9	3.8	14	.	.	.	2	3	1	.	.	2	1	.	.	.
	" 29	21.7	9.0	17	3	.	.	.	1	7	.	.	.
Population in 1914 (Est.) 40,768.	Sept. 5	23.0	7.7	18	1	.	2	1	3	6	.	.	1
	" 12	16.6	5.1	13	2	4
South City, No. 2. (Office, Castle-street.)	Aug. 8	28.4	2.8	10	.	.	.	1	3	.	.	1	2
	" 15	8.5	.	3	1	.	1
	" 22	19.9	5.7	7	1	2	.	2	.	.	.
	" 29	28.4	11.4	10	1	1	1	2	1	1	.
Population in 1914 (Est.) 18,341.	Sept. 5	28.4	.	10	1	1	1	1	2
	" 12	14.2	2.8	5	1	.	.	.	1	1	.	.	.
South City, No. 3. (Office, Peter-street.)	Aug. 8	10.8	1.2	9	1	.	.	1	1	1	.	2	.
	" 15	21.6	2.4	18	1	1	.	.	.	1	1	.	1	1
	" 22	15.6	1.2	13	2	.	2	.	.	1	.	.	.
	" 29	21.6	8.4	18	.	.	.	1	1	2	1	2	1	6	.	.	.
Population in 1914 (Est.) 43,540.	Sept. 5	32.3	4.8	27	1	.	7	1	4	1	2	3	.	.	.
	" 12	15.6	3.6	13	1	1	.	1	1	.	.	.	1	.	.	1
South City, No. 4. (Office, Grand Canal-st.)	Aug. 8	22.0	4.7	14	1	.	4	1	1	.	.	2	.	.	.
	" 15	6.3	3.1	4	2
	" 22	12.6	3.1	8	3	2	.	.	.
	" 29	23.6	6.3	15	3	.	1	1	1	4	.	.	.
Population in 1914 (Est.) 33,171.	Sept. 5	7.9	.	5	1	1	3	1
	" 12	22.0	6.3	14	1	.	.	.	2	1	.	1	.	3	.	1	.
New Kilmainham.	Aug. 8	15.9	10.6	3	2
	" 15	37.1	5.3	7	1	1	.	.	1	.
	" 22	21.2	5.3	4	1	.	.	.	1
Population in 1914 (Est.) 9,851.	" 29	15.9	5.3	3	1	1
	Sept. 5	15.9	5.3	3	1	.	.	.
	" 12	15.9	.	3	1	1

* See note (1) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in the Death.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Aug. 8 " 15 " 22 " 29 Sept. 5 " 12	18.6 13.3 16.0 10.7 10.7 9.3	1.3 1.3 2.7 1.3 1.3	14 10 12 8 8 7	 	 	 	1 	 	 1 	 	 	2 1 . . 2 .	 1 	2 1 1 1 . .	 . 1 1 . .	 1 1 1 1	 	 	
Pembroke Urban District. Population in 1914 (Est.) 20,240	Aug. 8 " 15 " 22 " 29 Sept. 5 " 12	6.9 12.1 15.5 17.2 13.8 19.0	. 1.7 3.4 1.7 . 3.4	4 7 9 10 8 11	 	 	 	 	 	 1 	 	 	2 1 1 1 1 .	 	 2 1 1 .	1 1	 1 1 1 1 1 .	 	 	1
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Aug. 8 " 15 " 22 " 29 Sept. 5 " 12	11.3 28.3 28.3 . 5.7 11.3	. 5.7	2 5 5 . 1 2	 	 	 	 	 	 	 	 	 	 	 2 . 1	 	 	 	
Kingstown Urban District. Population in 1911 16,941.	Aug. 8 " 15 " 22 " 29 Sept. 5 " 12	18.5 24.6 21.5 6.2 27.7 12.3	. . . 3.1 3.1 .	6 8 7 2 9 4	 	 	 	 	 	 	 	 	1 1 1 . . .	 1 	 	 	 1 1 . .	 	 	 	
Belfast. Population in 1914 (Est.) 399,000.	Aug. 8 " 15 " 22 " 29 Sept. 5 " 12	17.9 14.8 17.6 18.9 20.3 18.0	2.1 3.5 2.7 5.8 6.7 6.7	137 113 135 145 155 138	1 1 1 . . 2	1	5 8 7 2 2 1	4 . . 2 2 2 1	2 3 3 6 2 5	. . . 1	18 12 14 19 20 13	5 8 7 4 8 1	3 5 10 6 6 6	10 8 10 8 6 4	13 13 11 9 16 9	3 13 9 23 44 39	. 1 1 10 1 3	2 1 1 4 1 1	2 1 1 4 1 1
Cork. Population in 1911 76,673.	Aug. 8 " 15 " 22 " 29 Sept. 5 " 12	14.3 11.6 24.5 14.3 11.6 17.7	3.4 2.0 6.1 3.4 2.0 2.0	21 17 36 21 17 26	 	 	 	 	 	3 3 . . 1	1 . 4 3 1 5	. 2 . . 1 1	1 1 . 2 1 .	2 1 1 2 1 .	. 4 . . 1 1	2 4 4 2 2 2	. 1	 	
Londonderry. Population in 1914 (Est.) 41,100.	Aug. 8 " 15 " 22 " 29 Sept. 5 " 12	12.7 17.8 10.1 10.1 12.7 12.7	1.3 . . 1.3 3.8 1.3	10 14 8 8 10 10	 	 	 	 	 	 	 	 	2 1 1 2 2 .	1 . . 1 . 1 .	. 1 . . 1 1	2 1 . . 1 .	1 1 1 1 . .	1 . 1 3 1 . .	 	 	
Limerick. Population in 1911 38,518.	Aug. 8 " 15 " 22 " 29 Sept. 5 " 12	12.2 4.1 13.5 21.7 17.6 24.4	1.4 . . 1.4 . 4.1	9 3 10 16 13 18	1 2 3 3 3 3	. . 1 . 2 1	2 1 1 2 . .	. 1 . 2 3 1 .	2 2 3 3 1 .	. . 1 . 2 1 .	 	 	
Waterford. Population in 1911 27,464.	Aug. 8 " 15 " 22 " 29 Sept. 5 " 12	9.5 13.3 17.1 17.1 15.2 22.8	1.9 3.8 3.8 1.9 1.9 5.7	5 7 9 8 9 12	 	 	 	 	 	 	 	 	. . . 3 2 1	1 1	. 1 . 1 . 1 1	1 2 2 1 1 3	 	 	

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 12th September, 1914. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted: with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	AGES AT DEATH.										DEATHS FROM													Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.		
			Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from						Total Number of DEATHS.				Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.		Diarrhoea and Enteritis of children under 2 years of age.				Diarrhoea 2 years of age and upwards.	Violence.
			All Causes.	Certain Epidemic Diseases.†	Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Pulmonary.	Other Forms.								Pneumonia.	Other.									
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT.	15,879	6	19.7	9.9	6	2	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 2 do.	49,500	19	12.6	4.2	12	3	3	3	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 3 do.	50,032	22	22.9	9.4	22	10	4	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 4 do.	32,637	26	24.0	9.6	15	6	4	2	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 5 do.	16,112	13	48.5	12.9	15	4	4	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 6 do.	37,293	16	18.2	4.2	13	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 7 do.	2,681	2	19.4	19.4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 8 do.	5,964	1	19.2	4.3	9	2	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 9 do.	24,427	18	25.2	3.6	14	3	1	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 10 do.	28,958	14	25.2	3.6	14	3	1	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 11 do.	39,311	27	6.3	4.0	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 12 do.	38,076	22	17.8	11.0	13	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 13 do.	23,233	16	20.2	6.7	9	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 14 do.	175	1	11.5	6.9	5	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 15 do.	22,669	13	11.5	6.9	5	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Total,	386,947	215	18.0	6.7	138†	52	21	14	18	1	1	1	1	1	1	1	5	1	13	1	6	6	9	3	3	1	3	38	10	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT.	13,455	7	7.8	5.0	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 2 do.	10,399	9	20.1	5.3	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 3 do.	9,793	2	26.6	5.3	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 4 do.	9,139	2	50.1	8.3	6	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 5 do.	6,250	1	18.0	11.5	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 6 do.	11,581	7	16.2	11.5	5	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 7 do.	16,066	8	17.7	2.0	26	7	2	1	3	1	1	1	1	1	1	1	1	1	5	1	1	1	1	1	1	2	2	3	10	1
Total,	76,673	36	17.7	2.0	26	7	2	1	3	1	1	1	1	1	1	1	1	1	5	1	1	1	1	1	1	2	2	3	10	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year. † See note (†) at foot of first page. ‡ See note (‡) to Table IX.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

1914—WEEK ENDING

BELFAST.	1914—WEEK ENDING																									
	Mar. 21.	Mar. 28.	Apr. 4.	Apr. 11.	Apr. 18.	Apr. 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.
No. of weeks in Annual Series,	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	32	34	35	36	37
BIRTHS registered, ...	196	244	243	163	219	255	198	222	245	238	262	191	198	233	227	219	237	190	218	212	226	214	218	196	215	215
DEATHS registered, ...	163	150	136	142	162	179	139	116	135	137	115	127	129	131	134	130	130	103	111	115	137	113	135	145	155	138*
Annual Death-rate per 1,000 of estimated population, ...	21.3	19.6	17.8	18.6	21.2	23.4	18.2	15.2	17.6	17.9	15.0	16.6	16.9	17.1	17.5	17.0	17.0	13.5	14.5	15.0	17.9	14.8	17.6	18.9	20.3	18.0
Ages, { Under 1 year, 1—5 years, 5—25 " 25—45 " 45—65 " 65 and upwards,	32	28	28	29	29	45	29	21	21	17	23	19	22	24	27	25	26	25	19	21	20	27	30	49	56	52
	21	27	9	18	22	21	18	10	21	16	18	13	21	22	18	18	19	10	11	21	21	23	18	23	18	21
	19	13	16	11	17	20	21	13	18	20	16	18	17	21	15	18	21	9	15	11	14	9	17	14	19	14
	26	21	24	20	25	25	27	19	23	29	19	22	25	21	23	24	18	20	22	21	22	18	19	16	24	18
	30	28	30	30	31	35	25	28	32	28	28	32	26	31	37	28	28	19	26	24	32	16	30	26	25	20
	35	33	29	34	38	32	19	25	20	27	11	23	18	12	14	17	18	20	18	17	28	20	21	17	13	13
Deaths from:—	1	2	1	1	1	1	.	.	2
Enteric Fever,	5	1	1	1
Typhus,
Small-pox,
Measles,	1	2	2	1	3	1	3	1	3	1	4	8	5	9	6	4	1	6	5	8	7	2	2	1
Scarlet Fever, ...	3	2	2	3	5	3	1	.	2	5	4	1	2	8	2	2	5	2	2	2	4	.	.	2	2	1
Whooping-cough, ...	7	5	3	6	9	8	3	3	5	5	7	4	7	.	4	7	2	4	2	7	2	3	3	6	2	5
Diphtheria, ...	1	.	2	1	1	.	.	1	.	.	.	2	.	1	.	.	1	1	.	.
Dysentery,
Tuberculosis, { Pulmonary, Other Forms,	16	14	10	12	11	32	18	19	20	21	15	19	17	21	21	13	14	10	16	15	18	12	14	19	20	13
	6	7	5	4	13	4	4	10	12	7	4	8	3	6	5	7	7	3	4	7	5	8	7	4	8	1
Cancer, ...	7	3	5	9	4	5	6	5	8	7	3	8	4	5	5	9	11	7	8	1	3	5	10	6	6	6
Diseases of Respiratory System, { Pneumonia, Others, ...	9	15	6	19	12	22	8	9	14	13	10	13	10	6	10	4	7	8	10	5	10	8	10	8	4	6
Diarrhoea and Enteritis, under 2 years, ...	31	20	23	9	27	15	17	11	16	14	12	11	12	10	10	9	11	5	8	12	13	13	11	9	16	9

Diarrhoea, 2 years and upwards, ...	3	2	1	4	2	2	4	.	3	2	4	1	5	6	5	7	5	6	8	9	3	13	9	23	44	39
Violent Deaths,	1	1	1	2	1	.	.	.	1	1	.	1	2	.	.	1	.	.	2	1	10	1	3
Number of Uncertified Deaths, ...	2	2	.	3	3	1	2	1	2	2	3	.	3	1	.	.	2	.	2	2	2	1	1	.	4	1
Mean Temperature of the Air in degrees, ...	40.8	41.0	49.7	47.1	43.5	52.7	48.2	48.2	47.5	54.9	50.0	52.2	54.2	61.5	55.8	59.0	58.8	61.6	60.2	56.2	58.0	60.5	58.2	60.7	58.7	59.0
Rainfall, in inches, ...	0.65	0.07	0.78	1.00	0.34	0.12	0.00	1.32	0.16	0.11	0.12	0.08	0.49	0.18	0.45	0.20	0.48	0.51	0.53	0.32	0.79	0.60	0.15	1.37	0.44	0.43

* Including one death from cerebro-spinal meningitis.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 — Week ending	BIRTHS.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ---	4,516,612	Sept. 12,	2,181	1,394	16·1	3	.	28	12	17	16	321
EDINBURGH, ---	321,900	„ 12,	123	76	12·3	.	.	.	1	.	1	6
GLASGOW, --	1,047,000	„ 12,	494	354	17·6	2	.	.	7	13	3	67
CALCUTTA, --	896,067	Aug. 8,	.	405	23·5	61*	9	2	.	.	1†	49‡a
BOMBAY, --	979,445	„ 8,	383	611	32·4	61*	3	.	.	.	1†	105‡a
MADRAS, ---	518,660	„ 8,	360	365	36·6	49*	.	1	?	?	?	88‡a
CAIRO, ...	726,075	July 8,	541	719	51·6	7	4	8	.	?	13†	200
PARIS, ...	2,847,229	—
BRUSSELS, ...	780,843	—
ANTWERP, ...	313,833	—
AMSTERDAM, ---	597,888	—
COPENHAGEN, ---	483,000	Aug. 15,	197	105	11·3	1	.	.	1	.	.	9
STOCKHOLM, ...	382,085	„ 22,	161	95	12·9	1	.	2	2	1	.	6
CHRISTIANIA, ...	251,446	„ 29,	111	64	13·2	1	.	.	1	2	.	10a
PETROGRAD, ---	1,728,200	—
MOSCOW, ...	1,694,000	—
ROME, ...	591,943	—
NEW YORK, ...	5,583,871	July 11,	2,892	1,180	11·0	5	.	10	2	7	27†	81
PHILADELPHIA, ...	1,657,810	—
BOSTON, ...	750,768	Aug. 15,	.	188b	13·1	.	.	2	1	.	4	29a

* Deaths from "fever," including 8 from enteric fever and 3 from plague in Calcutta; and one from enteric fever and 11 from plague in Bombay.

† Including deaths from croup.

‡ Including 7 deaths from cholera in Calcutta, 27 in Bombay, and 19 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 150 (including 18 deaths from diarrhoeal diseases), rate 10·4 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th September, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	1	3	1	.	.	.	5	10
" " 1, West, ...	2	1	1	.	.	.	3	7
" " 2, ...	4	1	.	.	.	5	10
" " 3,	1	.	.	.	2	3
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),	1	1
Finglas and Glasnevin (part of),
South City No. 1, ...	1	.	.	.	2	.	.	3	9	15
" " 2, ...	1	3	4
" " 3, ...	1	.	.	.	1	.	.	3	4	9
" " 4, ...	1	.	.	.	1	.	.	1	3	6
New Kilmainham, ...	1	.	.	.	1	2
Total, ...	12	.	.	.	6	.	.	11	5	.	.	.	33	67

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 12th September, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 12th September.			
	August 22.	August 29.	Sept. 5.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	84	81	76	16	15	2	75
Typhus,
Small-pox,
Measles, ...	4	5	4	1	2	.	3
Scarlet Fever, ...	68	56	54	14	11	1	56*
Diphtheria, ...	29	33	36	6	13	.	29
Pneumonia, ...	18	22	21	12	4	2	27

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.S.C., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 12th September, 1914:—

"The very fine weather which had prevailed throughout the previous week lasted until Tuesday forenoon, when it was interrupted by a thunderstorm in Dublin. Much more serious electrical disturbances were reported from the south and middle of Ireland and from the southwest of England in the course of Tuesday or during the following night. On Wednesday also thunderstorms or thunder only occurred in various parts of Great Britain—at Eskdalemuir, Dumfriesshire, as the result of a storm, .91 inch of rain was measured on Wednesday morning. This break in the weather was related to the advance of a well marked cyclonic depression to the mouths of St. George's and the English Channels on Monday night. The system travelled very slowly—on Tuesday morning it was central off the South of Ireland; 24 hours later its centre was near the Scilly Isles; on Thursday morning, both Jersey and Falmouth reported a barometric reading of 29.86 inches and Portland Bill one of 29.83 inches, the wind being W.S.W. at Jersey, N.N.W. at Falmouth, and S.E. at Portland Bill. These observations located the centre of the depression on Thursday—it was half-way between Portland and Cherbourg. At this time a new and deeper depression was advancing on our N.W. coasts from the Atlantic—the wind backed to S.W. and freshened considerably with clouds and rain. The new disturbance assumed a V-shape as it passed eastwards. Its N.W. winds brought a brisk fall of temperature on Friday and, for a time, dry and bright weather; but on Saturday the weather became dull, wet and cold as the deepest depression of the week reached the N.W. of Ireland from the Atlantic. In Dublin the mean height of the barometer was 29.893 inches, pressure ranging between 30.181 inches at 9 a.m. of Sunday (wind, E.S.E.), and 29.626 inches at 9 p.m. of Saturday (wind, W.N.W.). The corrected mean temperature was 59.9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 58.6°. On Tuesday the screened thermometers rose to 68.9°; on Saturday they fell to 50.2°. The prevalent winds were—at first E.S.E., afterwards, N.W. Thunder occurred on Tuesday and lightning was seen on Saturday night. Fog prevailed early on Wednesday morning. The rainfall was .537 inch on 4 days, .288 inch being recorded on Saturday. Sharp frosts were experienced in Spitzbergen during the latter half of this week."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29·876 inches. The highest reading (30·144) was on Sunday, at 9 a.m.; the lowest (29·510) on Saturday, at 9 p.m.

The mean temperature for the week was 58·7°, being 5·7° above the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Thursday, on which day the thermometer registered 71°, and was lowest on Saturday, the mercury having fallen to 48°. The mean of the Dry Bulb for the week was 57·5° and of the Wet Bulb, 56·1°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The rainfall during the week measured 0·65 inch.

At Greenwich the mean temperature for the week was 62·4°, the maximum 81·0°, and the minimum 47·0°; at Glasgow the maximum was 67·4°, the minimum 47·1°, and the mean 57·2°; and at Edinburgh the maximum was 68·6°, the minimum 46·8, and the mean 56·6. The rainfall at Greenwich measured 0·47 in.; at Glasgow 0·70 in.; and at Edinburgh 0·09 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	THERMOMETER.*			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.
		Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation = 1·0.			
	(1.) In.	(2.)	(3.)	(4.)	(5.)	(6.)	(7.)	(8.)	(9.)	(10.) Ins.
Sunday, Sept. 6,	30·130	67	55	61·0	60·1	57·8	·87	·6	6·5	·000
Monday, " 7,	29·990	68	53	60·5	60·4	57·9	·87	·5	3·2	·000
Tuesday, " 8,	29·790	70	54	62·0	59·8	58·8	·94	·4	5·2	·160
Wednesday, " 9,	29·880	68	51	59·5	58·3	57·9	·97	·0	0·9	·000
Thursday, " 10,	29·860	71	51	61·0	59·1	57·9	·93	·4	4·0	·160
Friday, " 11,	29·760	61	50	55·5	53·5	51·8	·89	·6	8·4	·01
Saturday " 12,	29·720	55	48	51·5	51·4	50·4	·93	·7	0·0	·330
Mean,	29·876	65·7	51·7	58·7	57·5	56·1	·91	·5	Total 28·2	Total ·651

Sunday—A beautiful bright day; night cloudy. Monday—A dull day; night cloudy. Tuesday—A dull day, bright at intervals; heavy rain a.m.; night clear. Wednesday—A dull day; night clear. Thursday—A bright day; night cloudy, heavy and drizzling rain midnight to 1.10 a.m. Friday—Day cloudy, bright at intervals, light shower a.m. and p.m.; night cloudy. Saturday—Day overcast, heavy rain a.m and p.m.; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 12th September, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
	°	°	°	°	°	°	hrs.	ins.
Sunday, Sept. 6,	61·6	61·8	59·3	67·1	55·7	61·4	7·7	—
Monday, " 7,	64·6	61·7	59·3	68·5	54·2	61·3	2·4	—
Tuesday, " 8,	61·9	61·7	59·3	71·0	57·3	64·1	3·8	·06
Wednesday, " 9,	61·2	61·7	59·3	69·0	58·2	63·6	0·7	—
Thursday, " 10,	61·6	62·0	59·3	69·9	54·9	62·4	2·9	—
Friday, " 11,	57·8	61·1	59·3	62·2	52·0	57·1	7·5	·04
Saturday, " 12,	54·0	59·5	59·0	62·3	49·0	55·6	0·0	0·3
Weekly Mean, .	60·8	61·4	59·3	67·1	54·5	60·8	Total 25·0	Total 0·4

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 19TH SEPTEMBER, 1914.

[No. 38.]

*General Register Office, Charlemont House,
Dublin, 21st September, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 19·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Aug. 29	Sept. 5	Sept. 12	Sept. 19	
27 Town Districts, (a)	17·6	18·1	17·0	19·9	18·1
Dublin Reg. Area ...	18·8	18·9	17·1	19·4	18·5
Dublin City ...	21·2	20·3	18·3	20·8	20·1
Belfast ...	18·9	20·3	18·0	19·7	19·2
Cork ...	14·3	11·6	17·7	19·7	15·8
Londonderry ...	10·1	12·7	12·7	14·0	12·4
Limerick ...	21·7	17·6	24·4	17·6	20·3
Waterford, ...	17·1	15·2	22·8	18·3	17·1

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 4·4 per 1,000. Among the 151 deaths from all causes for Belfast are one from enteric fever, 7 from measles, one from scarlet fever, 3 from whooping-cough, one from diphtheria, and 32 from diarrhoeal diseases. Included in the 29 deaths from all causes for Cork are one from each of measles and whooping-cough, and 8 from diarrhoeal diseases. Of the 11 deaths from all causes for Londonderry 3 are from diarrhoea and enteritis of children under 2 years, and 2 deaths from the same cause are included in the 7 deaths from all causes for Waterford. Included in the 5 deaths from all causes for Lisburn are 2 from diarrhoea and enteritis of children under 2 years of age. Two of the 8 deaths from all causes for Ballymena are from enteric fever. One of the 14 deaths from all causes for Sligo is from measles. One of the 6 deaths from all causes for Kilkenny is from diphtheria. Included in the 6 deaths from all causes for Tralee are 3 from diarrhoea and enteritis of children under 2 years, and 2 of the 4 deaths from all causes for Newtownards are from the same cause.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 184—100 boys and 84 girls—and the deaths to 161—76 males and 85 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·4 per 1,000 of the population.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

During the thirty-eight weeks, ending with Saturday last, the death-rate averaged 21·2, and was 0·6 below the mean rate for the corresponding portions of the ten years, 1904–1913.

The total deaths registered, numbering 161, represent an annual rate of 20·7 per 1,000; the annual rate for the past thirty-eight weeks was 22·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·9 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are 3 from enteric fever, one from diphtheria, and 25 deaths of children under 2 years of age from diarrhoea and enteritis. In the three preceding weeks, deaths from enteric fever were 2, one, and 3; deaths from diphtheria were 4, 2, and 0; and deaths from diarrhoea and enteritis of children under 2 years of age were 28, 18, and 17, respectively.

Twenty-seven* deaths were attributed to tuberculous disease, comprising 18 deaths from pulmonary tuberculosis, 2 deaths each from tuberculous meningitis and abdominal tuberculosis, and 5 deaths from other forms of tuberculous disease. In the three preceding weeks, deaths from all forms of the disease numbered 22, 34, and 21, respectively.

Cancer* caused 15 deaths.

Broncho-pneumonia and lobar pneumonia each caused 2 deaths.

Among deaths of infants under one year of age, 2 were ascribed to convulsions, 2 to premature birth, and 2 to congenital debility.

There were 16 deaths from organic diseases of the heart and 7 from bronchitis.

The 5 accidental deaths include one (that of a child aged 3 years) caused by burns and 2 by drowning.

There was one case of suicide.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year of age, and the death of one person aged 73 years.

Fifty-two of the persons whose deaths were registered during the week were under 5 years of age (37 being infants under one year, of whom 6 were under one month old), and 34 were aged 65 years and upwards, including 25 persons aged 70 and upwards; among the latter were 14 aged 75 and upwards, of whom one (a female) was stated to have been aged 90 years.

Sixty-nine of the deaths registered during the week occurred in hospitals and other public institutions of this number 12 took place in the North Dublin Union Workhouse, and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·4 per 1,000; the rate in the City was 20·8 (North City Districts, 20·3; South, 21·5) and in the Suburbs 14·7.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 3·7 per 1,000 inhabitants, the rate for the City being 4·4 (in the North City Districts 3·2, and in the South 5·7), and for the Suburbs 1·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (17) are equal to an annual rate of 29·3 per 1,000, and include 2 from pulmonary tuberculosis, one from broncho-pneumonia, 2 from bronchitis, 4 from diarrhoea and enteritis of children under 2 years of age, and one by accidental drowning.

No. 1 *North City District, West* (Summer-hill).—The deaths (17) are equal to an annual rate of 21·5 per 1,000. Pulmonary tuberculosis caused one death; diarrhoea and enteritis of children under 2 years 2 deaths, and there were 3 accidental deaths.

No. 2 *North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 28·1 per 1,000. Included in the total are 4 from tuberculous disease, 2 from bronchitis, and 4 deaths of children under 2 years of age from diarrhoea and enteritis.

No. 3 *North City District* (Benburb-street).—The deaths (8) represent an annual rate of 11·7 per 1,000, and include 3 from tuberculous disease.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·5 per 1,000 inhabitants; Coolock and Drumcondra, part of, 19·1; and Finglas and Glasnevin, part of, 4·9. Two of the 5 deaths from all causes for Coolock and Drumcondra, part of, are from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (17) represent an annual rate of 21·7 per 1,000, and include one from enteric fever, 3 from tuberculous disease, one from lobar pneumonia, 2 from bronchitis, and there were 2 deaths of children under 2 years of age from diarrhoea and enteritis.

No. 2 *South City District* (Castle-street).—The deaths (14) are equal to an annual rate of 39·8 per 1,000. Enteric fever caused one death, tuberculous disease 3 deaths, lobar pneumonia one death, bronchitis one death, and there were 3 deaths of children under 2 years of age from diarrhoea and enteritis.

No. 3 *South City District* (Peter-street).—The deaths (13) are equal to an annual rate of 15·6 per 1,000. Included in the total are one from enteric fever, 2 from pulmonary tuberculosis, and 4 from diarrhoea and enteritis of children under 2 years of age.

No. 4 *South City District* (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 20·4 per 1,000. Pulmonary tuberculosis caused one death, and there were 3 deaths of children under 2 years of age from diarrhoea and enteritis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·9 per 1,000, and include one death of a child under 2 years from diarrhoea and enteritis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·6; Pembroke, 8·6; Blackrock, 28·3; and Kingstown, 18·5. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diphtheria for Blackrock, and one from diarrhoea and enteritis under 2 years for each of the districts of Rathmines and Rathgar and Pembroke. Included in the 11 deaths from all causes for Rathmines and Rathgar are one from pulmonary tuberculosis and one caused by suicide. One of the 5 deaths from all causes for Blackrock is from pulmonary tuberculosis; and included in the 6 deaths from all causes for Kingstown are one from pulmonary tuberculosis and one from broncho-pneumonia.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 15·6), was equal to an average annual death-rate of 15·1 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 15·9 per 1,000, the rate for Glasgow being 16·7, and for Edinburgh 15·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 19th September. From this Report it appears that of a total of 84 cases notified, 52 were scarlet fever, 12 phthisis, 10 diphtheria, 8 erysipelas, one enteric fever, and one puerperal fever. Among the 584 cases of infectious diseases in hospital at the close of the week were 262 cases of scarlet fever, 212 of phthisis, 75 of diphtheria, 14 of enteric fever, 11 of erysipelas, one of measles, one of whooping-cough, and one of puerperal fever.

* See note (c) at foot of Table II.

† See note (†) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 19th September, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrheal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Aug. 29,	.	—	—	5	.	.	10	.	.	8	4	.	—	—	.	—	.	27	54
	Sept. 5,	.	—	—	6	.	.	3	.	1	9	.	.	—	—	.	—	.	32	51
	Sept. 12,	.	—	—	12	.	.	6	.	.	11	5	.	—	—	.	—	.	33	67
	Sept. 19,	.	—	—	11	.	.	4	.	.	11	3	.	—	—	.	—	.	16	45
Rathmines and Rathgar Urban District.	Aug. 29,	.	—	—	.	.	.	3	.	.	.	2	.	—	—	—	—	—	—	5
	Sept. 5,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	Sept. 12,	.	—	—	1	—	—	—	—	—	—	1
	Sept. 19,	.	—	—	3	2	.	2	.	.	.	2	.	—	—	—	—	—	—	9
Pembroke Urban District.	Aug. 29,	1	.	.	.	1	.	—	—	—	—	—	.	2
	Sept. 5,	2	.	.	—	—	—	—	—	1	3
	Sept. 12,	.	.	.	1	1	.	.	—	—	—	—	—	.	2
	Sept. 19,	.	.	.	1	.	.	1	—	—	—	—	—	.	2
Blackrock Urban District.	Aug. 29,	.	.	—	—	—	—	—	—	—	.
	Sept. 5,	.	.	—	—	—	—	—	—	—	.
	Sept. 12,	.	.	—	—	—	—	—	—	—	.
	Sept. 19,	.	.	—	—	—	—	—	—	—	.
Kingstown Urban District.	Aug. 29,	.	—	—	1	1	.	—	—	—	—	—	.	2
	Sept. 5,	.	—	—	—	—	—	—	—	.	.
	Sept. 12,	.	—	—	—	—	—	—	—	.	.
	Sept. 19,	.	—	—	—	—	—	—	—	.	.
City of Belfast.	Aug. 29,	.	—	—	26	.	.	4	.	.	4	5	.	—	—	.	—	.	2	41
	Sept. 5,	.	—	—	50	.	.	4	.	.	3	3	.	—	—	.	—	.	5	65
	Sept. 12,	.	—	—	43	.	.	6	.	.	2	2	.	—	—	.	—	.	6	59
	Sept. 19,	.	—	—	42	.	.	6	.	.	2	2	1	—	—	1	—	.	1	55
City of Cork.	Aug. 29,	.	.	—	2	1	2	1	.	—	—	—	19	—	—	25
	Sept. 5,	.	.	—	4	.	.	.	1	.	4	.	.	—	—	—	19	—	—	28
	Sept. 12,	.	1	—	4	1	2	1	—	—	—	20	—	—	29 ^a
	Sept. 19,	.	.	—	4	.	.	2	.	.	1	1	.	—	—	—	23	—	—	31
City of Londonderry.	Aug. 29,	.	—	—	—	—	—	—	—	—	.
	Sept. 5,	.	—	—	—	—	—	—	—	—	1
	Sept. 12,	.	—	—	1	.	.	—	—	—	—	—	—	5
	Sept. 19,	.	—	—	2	2	1	.	—	—	—	—	—	—	5
City of Limerick.	Aug. 29,	.	—	—	5	—	—	.	—	—	—	5
	Sept. 5,	.	—	—	7	1	.	—	—	.	—	—	—	8
	Sept. 12,	.	—	—	1	1	.	.	—	—	.	—	—	—	2
	Sept. 19,	.	—	—	3	.	.	.	1	—	—	.	—	—	—	4
City of Waterford.	Aug. 29,	.	—	—	3	—	—	—	—	—	1	3
	Sept. 5,	.	—	—	1	—	—	—	—	—	.	2
	Sept. 12,	.	—	—	4	2	.	.	—	—	—	—	—	.	6
	Sept. 19,	.	—	—	6	—	—	—	—	—	.	6

^a Not including one case of varicella.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th September, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Thirteen cases of enteric fever were admitted to hospital during the week, 13 were discharged, there were 3 deaths, and 72 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 81, 76, and 75.

One case of measles was admitted to hospital, one was discharged and 3 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 5, 4, and 3, respectively.

Sixteen cases of scarlet fever were admitted to hospital, 6 were discharged, and 66* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 56, 54, and 56, respectively.

Nine cases of diphtheria were admitted to hospital during the week, 9 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 33, 36, and 29 respectively, were 28 at the close of last week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 4 were discharged, there were 3 deaths, and 29 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 19th of September, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
		CITY OF DUBLIN.																
		REGISTRATION DISTRICTS IN										URBAN DISTRICTS OF						
		Dublin North Superintendent Registrar's District.					Dublin South Superintendent Registrar's District.											
NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARE and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONRA (part of).	PINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.			
Enteric Fever,	1	1	1	3	.	
Typhus,	
Small-pox,	
Measles,	
Scarlet Fever,	
Whooping-cough,	
Diphtheria,	1	.	1	.	
Croup,	
Influenza,	
Dysentery,	
Tuberculosis, { Pulmonary,	2	1	1	1	.	2	2	1	2	1	.	1	.	1	1	16	2	
Other Forms,	.	.	3	2	1	.	1	2	.	2	.	2	.	1	.	8	1	
Cancer,	1	2	1	1	1	.	.	1	.	2	.	2	.	1	.	12	3	
Diseases of Nervous System,	.	4	.	1	.	1	3	.	.	3	2	1	2	.	.	17	1	
" Organs of Special Sense,	
" Circulatory System,	2	1	4	1	.	.	.	3	2	2	.	3	.	.	1	19	.	
" Respiratory System, { Pneumonia,	1	1	1	1	4	.	
Others,	2	.	2	.	.	.	2	1	1	8	1	
" Digestive System, { Diarrhoea and Enteritis, under 2 years,	4	2	4	.	.	.	2	3	4	3	1	1	1	.	.	25	.	
Diarrhoea, 2 years and upwards,	
Enteritis, 2 years and upwards,	1	1	.	
Others,	2	1	.	.	.	1	1	1	1	2	6	.	
" Genito-urinary System,	.	2	1	1	.	6	.	
Puerperal Septicæmia, etc.,	
Other Causes incident to Pregnancy and Childbirth,	.	.	.	1	1	.	
Diseases of the Skin and Cellular Tissue,	1	1	.	
" Locomotor System,	
Other specified Causes,	2	.	.	1	.	1	3	.	3	1	.	2	2	1	.	17	1	
Violent Deaths,	1	3	1	.	.	.	5	1	
Ill-defined, &c. Causes,	.	1	1	.	
Deaths from All Causes	17	17	15	8	1	5	17	14	13	13	3	11	5	5	6	151	10	
Annual Rate of Mortality from All Causes in every 1,000 of the population.	29·3	21·5	28·1	11·7	9·5	19·1	21·7	39·3	15·6	20·4	15·9	14·6	8·6	28·3	18·5	19·4	.	
	20·3						21·5					14·7						
	20·8																	
Ages at Death. { Under 1 year,	2	5	5	2	.	1	3	4	6	6	1	.	1	.	.	37	.	
1 and under 2 years,	3	.	1	.	.	.	2	2	.	.	1	1	.	.	1	11	.	
2 " 5 "	.	1	1	1	.	1	4	.	
5 " 15 "	1	1	.	.	.	1	1	2	1	1	.	8	.	
15 " 25 "	.	1	2	1	.	1	.	.	1	6	.	
25 " 45 "	2	3	.	3	.	1	2	3	1	.	.	3	.	.	1	19	7	
45 " 65 "	6	4	1	1	.	1	4	2	3	6	1	1	.	.	3	33	2	
65 and upwards,	3	2	6	1	1	1	4	.	1	.	.	6	4	4	.	33	1	
Number of Uncertified Deaths,	.	1	1	1	.	1	.	.	1	5	.	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	3	4	3	.	1	5	5	3	1	.	3	.	3	1	34	9	
Workhouse Hospitals.	3	4	6	.	.	.	2	3	.	4	1	2	.	.	.	25	1	

THIRTY-EIGHTH WEEK, ending Saturday, 19th September, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 38th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 19th September, 1914.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	Sept. 24, 1904.	Sept. 23, 1905.	Sept. 22, 1906.	Sept. 21, 1907.	Sept. 19, 1908.	Sept. 25, 1909.	Sept. 24, 1910.	Sept. 23, 1911.	Sept. 21, 1912.	Sept. 20, 1913.		Deaths of Persons of the Ages of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
												Under 1 month.	0-5.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
													1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Mean Temperature	52.6	51.3	51.9	57.2	55.7	52.0	50.4	52.2	50.3	49.5	52.3	51.5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1914—WEEK ENDING																									
	Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.
No. of weeks in Annual Series.	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
Births registered.	203	227	173	218	207	288	222	197	207	262	191	271	225	233	165	214	208	197	195	166	204	200	246	187	213	184
Average Births in corresponding week of previous 10 years.	230	214	220	221	218	264	237	214	213	244	219	210	223	245	208	208	221	221	220	209	223	218	205	244	200	222
Deaths registered.	219	212	194	212	231	203	131	160	166	185	162	163	151	134	139	128	139	129	144	136	159	186	163	160	139	161
Annual Death-rate per 1,000.	28.1	27.2	24.9	27.2	29.7	26.1	23.2	20.5	21.3	23.8	20.8	20.9	19.4	17.2	17.9	16.4	17.9	16.6	18.5	17.5	20.4	17.5	20.9	20.5	17.9	20.7
Average Deaths in corresponding week of previous 10 years.	199	202	192	198	188	173	179	159	168	148	148	156	142	134	135	147	143	145	144	145	156	160	157	159	158	162
Ages, { Under 5 years, 5-15 " " 15-25 " " 25-45 " " 45-65 " " 65-75 " " 75 and upwards,	82	55	74	89	92	89	62	54	73	56	54	45	46	36	47	31	44	36	46	35	53	35	62	51	48	52
	9	12	7	11	10	6	10	7	4	12	4	9	5	5	7	6	9	6	4	6	5	6	5	4	3	8
	15	15	5	10	9	8	9	8	9	8	11	6	12	8	9	7	8	8	8	5	7	6	6	8	5	6
	35	26	27	23	33	30	27	22	22	19	28	30	25	23	22	27	29	26	27	26	27	27	24	24	24	26
	44	41	51	32	45	30	50	36	37	47	35	38	41	32	30	22	31	30	37	34	35	35	38	40	28	35
Deaths from:—	24	35	16	29	23	22	14	21	13	28	16	23	15	19	14	22	14	15	18	15	18	17	18	22	16	20
	16	26	14	13	19	17	10	11	8	14	14	12	9	11	10	13	9	7	9	15	15	10	11	11	15	14
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	2	2	2	1	2	2	1	3	3
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Enteric Fever,	27	22	34	39	35	40	29	17	16	14	18	8	5	3	2	4	6	2	1	2	3	1	1	1	1	1
Typhus,	2	3	2	4	2	2	2	1	1	1	2	1	1	1	1	2	2	1	1	1	2	1	1	2	1	1
Small-pox,	4	3	1	1	3	3	2	1	5	1	1	1	1	1	3	1	2	1	1	1	1	1	4	1	1	1
Measles,	2	3	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever,	2	3	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough,	2	3	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diphtheria,	2	3	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza,	2	3	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery,	21	22	28	22	25	14	22	24	21	19	27	19	13	17	21	18	16	19	23	19	18	19	18	25	13	18
Tuberculosis { Pulmonary ...	6	9	5	10	8	10	9	5	6	5	9	4	6	7	9	5	8	11	5	6	4	4	4	4	8	9
{ Other Forms,	18	6	13	8	13	9	11	11	5	12	9	13	9	8	7	8	7	10	9	7	6	12	10	20	6	15
Cancer, ...	14	25	15	22	19	21	11	11	13	28	14	20	27	11	11	16	15	15	13	15	15	17	18	18	17	19
Diseases of Circulatory System,	20	19	19	16	17	19	13	13	15	14	12	12	14	8	9	10	12	4	8	4	3	7	8	7	5	4
Diseases of Respi- (Pneumonia	34	35	30	28	20	15	17	19	17	22	13	11	8	20	10	13	5	7	12	10	11	10	7	10	7	9
ratory System, { Others, ...	4	1	2	7	3	3	1	5	7	4	2	4	7	4	4	4	6	6	9	10	11	13	28	18	17	25
Diarrhoea and Enteritis, under	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2 years,	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diarrhoea, 2 years and upwards,	2	3	1	1	1	3	2	7	5	3	6	3	3	2	6	4	5	3	3	7	10	3	3	3	4	6
Violent Deaths, ...	2	3	1	1	1	3	2	7	5	3	6	3	3	2	6	4	5	3	3	7	10	3	3	3	4	6
Number of Uncertified Deaths,	7	8	4	5	9	7	2	2	9	6	4	3	2	2	5	2	6	2	7	4	2	2	1	4	2	5
Mean Temperature of the Air	50.9	45.9	45.6	48.8	48.8	44.9	49.6	49.3	55.4	48.1	52.6	52.3	57.2	56.1	59.1	60.1	61.1	59.0	57.3	58.1	63.1	57.1	60.1	58.8	58.7	51.5
(Phoenix Park) in degrees, ...	43.3	43.8	44.4	46.1	45.9	47.1	49.7	49.4	51.1	54.0	53.5	54.6	56.1	55.7	56.9	58.3	59.8	58.9	58.6	58.4	58.2	56.4	56.7	55.0	53.0	52.3
Average Mean Temperature in	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140
corresponding week of previous	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140
10 years, ...	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140
Rainfall in inches, ...	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140
Mean Humidity of the Air, com-	92	85	90	89	88	91	87	89	90	86	87	86	83	78	80	84	86	87	87	84	84	91	92	94	91	87
plete Saturation 1.0, ...	92	85	90	89	88	91	87	89	90	86	87	86	83	78	80	84	86	87	87	84	84	91	92	94	91	87

* For 6 days only.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 19TH SEPTEMBER, 1914.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 19TH SEPTEMBER, 1914.																														
CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified," in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.										CAUSES OF DEATH.															
					AGES.								CAUSES OF DEATH.							CAUSES OF DEATH.										
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Diseases of the Respiratory System.	Diarrhoea & Erythritia of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
Colours.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	
I.	ALL PERSONS.	397,957	—	161	52	8	6	26	35	20	14	8	1	.	18	9	15	2	4	9	25	.	6	69	5	
II.	DEATHS IN FAMILIES OF THE—	14,658	10.7	3	6	1	3	7	3	6	2	2	5	3	.	.
III.	PROFESSIONAL AND INDEPENDENT CLASS.	101,798	13.8	27	10	5	4	6	11	4	2	2	4	1	5	1	2	2	8	.	1	13	.	.
IV.	MIDDLE CLASS.	108,420	20.2	42	30	2	11	11	6	2	2	1	1	.	8	5	2	1	1	1	4	.	3	22	4	.
V.	ARTISAN CLASS AND PETTY SHOPKEEPERS.	167,479	19.6	63	30	2	11	11	6	2	2	1	8	5	2	1	1	1	14	.	3	23	1	.
	GENERAL SERVICE CLASS.	5,602	—	26	6	.	6	6	4	4	4	1	3	.	5	4	.	1	8	.	.	.
	INMATES OF WORKHOUSES.	5,602	—	26	6	.	6	6	4	4	4	1	3	.	5	4	.	1	8	.	.	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.	7,868	13.3	2	2	2	.	.
II.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	1,347	2	.	.
	2. Merchants and Manufacturers.	5,443	9.6	1	1	1	.	.
	3. Persons of Rank and Property, not otherwise described.	9,523	22.0	4	1	1	2	3	.	.
III.	MIDDLE CLASS.	25,199	6.2	3	1	.	.	.	2	.	1	1	.	1	1	.	.
	4. General Body of Officials—Civil Service, Banking, &c.	33,249	7.8	5	1	.	.	1	.	2	1	.	1	2	.	.
	5. Traders (except Petty Shopkeepers), Business Managers &c.	33,249	7.8	5	1	.	.	1	.	2	1	.	1	2	.	.
	6. Clerks and Commercial Assistants.	33,249	7.8	5	1	.	.	1	.	2	1	.	1	2	.	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above.	33,249	7.8	5	1	.	.	1	.	2	1	.	2	2	.	.
IV.	ARTISAN CLASS AND PETTY SHOPKEEPERS.	11,777	8.9	2	.	1	.	.	1	1	3	.	.
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers.	28,823	16.3	9	3	8	1	1	3	1	2	1	5	1
	9. Building and Furnishing Trades.	20,026	23.4	9	2	1	1	3	2	1	1	6	2	.
	10. Clothing Trades.	8,952	11.6	2	1	.	1	1	.	1	1	6	.
	11. Food Supply Trades.	32,070	30.9	19	4	.	2	2	7	3	1	1	3	1	.	2	.	.	.	10	1	.
	12. Other Trades and Callings ranking with Trades.	6,772	7.7	1	1	1	.	.
	13. Petty Shopkeepers.	12,977	24.1	6	2	.	2	.	1	1	1	3	.	.
V.	GENERAL SERVICE CLASS.	36,041	5.8	4	4	2	1	1	.	1	1	1	1	3	.
	14. Army, Police, Postal Delivery and Prison Services, &c.	15,380	20.3	6	2	1	1	1	.	2	2	1	1	.	2	1	1	3	.
	15. Domestic Servants.	103,081	23.8	47	24	1	8	10	2	2	2	1	5	4	2	1	4	1	10	.	9	16	1	.
	16. Coach and Car Drivers, Vanmen, &c.	5,602	—	26	6	.	6	6	4	4	4	1	3	.	5	4	.	.	1	8	.	.
	17. Hawkers, Porters, Labourers, &c.	5,602	—	26	6	.	6	6	4	4	4	1	3	.	5	4	.	.	1	8	.	.
	18. Workhouse Inmates.	5,602	—	26	6	.	6	6	4	4	4	1	3	.	5	4	.	.	1	8	.	.

Registration of Births and Deaths, Ireland.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	Aug. 15	13.8	5.2	8	1	.	.	.	1	.	2	.	1	.	
	" 22	13.8	1.7	8	
	" 29	22.4	3.5	13	1	.	1	1	2	1	1	.	
	Sept. 5	19.0	3.5	11	1	.	3	.	1	.	1	2	1	.	
	" 12	19.0	3.5	11	2	.	1	1	2	4	.	.	
Population in 1914 (Est.) 30,206.	" 19	29.3	6.9	17	2	.	1	1	.	.	1	.	
North City, No. 1 (W.) (Office, Summer-hill.)	Aug. 15	24.0	.	19	2	1	.	
	" 22	21.5	2.5	17	4	.	.	1	2	.	.	.	
	" 29	29.1	7.6	23	1	1	1	.	3	1	2	1	2	3	.	.	
	Sept. 5	17.7	2.5	14	3	1	1	1	2	2	.	.	
	" 12	20.2	2.5	16	1	2	2	1	3	1	1	.	.	
Population in 1914 (Est.) 41,278.	" 19	21.5	2.5	17	1	.	2	.	.	.	3	1	
North City, No. 2. (Office, Lisburn-street.)	Aug. 15	22.4	.	12	1	.	1	.	2	.	.	.	
	" 22	15.0	.	8	3	.	1	
	" 29	16.8	1.9	9	1	.	2	3	2	.	2	.	.	1	
	Sept. 5	31.8	3.7	17	2	1	1	.	2	3	.	.	
	" 12	22.4	5.6	12	1	1	1	.	2	4	.	.	
Population in 1914 (Est.) 27,883.	" 19	28.1	7.5	15	1	3	1	.	2	.	.	1	
North City, No. 3. (Office, Benburb-street.)	Aug. 15	24.9	2.9	17	.	.	.	1	2	1	.	.	3	2	.	.	
	" 22	13.2	2.9	9	1	1	1	1	1	1	.	.	
	" 29	14.7	4.4	10	1	.	2	1	3	1	.	1	.	.	
	Sept. 5	19.1	.	13	1	1	
	" 12	19.1	.	13	1	1	.	
Population in 1914 (Est.) 35,536.	" 19	11.7	.	8	1	2	1	1	
Clontarf and Howth No. 1 (part of).	Aug. 15	
	" 22	19.0	.	2	
	" 29	28.5	.	3	
	Sept. 5	
	" 12	19.0	.	2	1	.	.	.	1	.	
Population in 1914 (Est.) 5,485.	" 19	9.5	.	1	
Coolock and Drumcondra (part of).	Aug. 15	19.1	3.8	5	1	1	1	.	.	
	" 22	15.2	3.8	4	1	1	.	.	.	1	
	" 29	7.6	.	2	1	
	Sept. 5	11.4	.	3	2	
	" 12	3.8	.	1	
Population in 1914 (Est.) 13,685.	" 19	19.1	.	5	2	
Finglas and Glasnevin (part of).	Aug. 15	4.9	.	1	
	" 22	9.7	.	2	1	.	.	
	" 29	14.6	4.9	3	1	.	.	
	Sept. 5	
	" 12	29.2	.	6	1	1	
Population in 1914 (Est.) 10,723.	" 19	4.9	.	1	1	
South City, No. 1. (Office, Stk. Earl-street.)	Aug. 15	32.0	2.6	25	1	.	.	.	6	1	.	1	1	1	.	1	
	" 22	17.9	3.8	14	.	.	.	2	3	1	.	.	2	1	.	.	
	" 29	21.7	9.0	17	3	.	2	1	1	7	.	1	
	Sept. 5	23.0	7.7	18	1	.	.	1	3	6	.	.	
	" 12	16.6	5.1	13	1	2	4	.	.	
Population in 1914 (Est.) 40,768.	" 19	21.7	3.8	17	1	2	1	.	1	2	2	.	.	
South City, No. 2. (Office, Castle-street.)	Aug. 15	8.5	.	3	1	.	1	
	" 22	19.9	5.7	7	1	2	
	" 29	28.4	11.4	10	1	1	1	1	2	1	1	
	Sept. 5	28.4	.	10	1	1	1	1	2	1	.	.	
	" 12	14.2	2.8	5	1	.	.	1	1	1	.	.	
Population in 1914 (Est.) 18,341.	" 19	39.8	11.4	14	1	1	2	1	1	1	3	.	.	
South City, No. 3. (Office, Peter-street.)	Aug. 15	21.6	2.4	18	1	1	.	.	.	1	1	.	1	
	" 22	15.6	1.2	13	2	.	2	.	1	1	.	.	
	" 29	21.6	8.4	18	.	.	.	1	1	2	1	2	1	6	.	.	
	Sept. 5	32.3	4.8	27	1	.	7	1	4	1	2	3	.	.	
	" 12	15.6	3.6	13	1	1	.	.	1	1	.	.	1	1	.	1	
Population in 1914 (Est.) 43,540.	" 19	15.6	6.0	13	1	2	.	.	.	1	4	.	1	
South City, No. 4. (Office, Grand Canal-st.)	Aug. 15	6.3	3.1	4	2	2	.	.	
	" 22	12.6	3.1	8	3	.	.	1	1	4	.	1	
	" 29	23.6	6.3	15	1	1	
	Sept. 5	7.9	.	5	
	" 12	22.0	6.3	14	1	.	.	.	2	1	.	1	.	3	.	.	
Population in 1914 (Est.) 33,171.	" 19	20.4	4.7	13	1	.	2	.	.	3	.	.	
New Kilmainham.	Aug. 15	37.1	5.3	7	1	1	1	.	1	
	" 22	21.2	5.3	4	1	
	" 29	15.9	5.3	3	1	
	Sept. 5	15.9	5.3	3	1	.	.	
	" 12	15.9	.	3	1	1	
Population in 1914 (Est.) 9,851.	" 19	15.9	5.3	3	1	.	.	

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM														Violence.	Number of Uncer- tified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.			Diarrhoea, 2 years of age and upwards.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District.	Aug. 15	13.3	.	10	1	.	1	.	1
	" 22	16.0	1.3	12	1	.	.	.	1	2	1	1	.	.	.	1
	" 29	10.7	2.7	8	1	1
	Sept. 5	10.7	1.3	8	2	.	.	.	1
Population in 1914	" 12	9.3	1.3	7	1	.	2	.	.	1	.	.	.
(Est.) 39,155.	" 19	14.6	1.3	11	1	.
Pembroke Urban District.	Aug. 15	12.1	1.7	7	2	.	.	.	1
	" 22	15.5	3.4	9	1	.	1	.	.	1	.	1	.	.	.
	" 29	17.2	1.7	10	1	.	2	.	.	1	.	1	.
	Sept. 5	13.8	.	8	1	.	1	1
Population in 1914	" 12	19.0	3.4	11	1	1	.	1	.	.	.
(Est.) 30,240	" 19	8.6	1.7	5	1	.	.	.
Blackrock Urban District.	Aug. 15	23.3	5.7	5	1	.	.	.
	" 22	23.3	.	5	2
	" 29
Population in 1914	Sept. 5	5.7	.	1	1
(Est.) 9,197.	" 12	11.3	.	2
	" 19	28.3	5.7	5	1	.	1	.	1
Kingstown Urban District.	Aug. 15	24.6	.	8	1	1	.	.	1	.	.	1	.
	" 22	21.5	.	7	1	.	.	.	2
	" 29	6.2	3.1	2
	Sept. 5	27.7	3.1	9	1	1	.	1	.	.	2
Population in 1911	" 12	12.3	.	4	1
16,941.	" 19	18.5	.	6	1	.	.	1
Belfast.	Aug. 15	14.8	3.5	113	1	.	.	8	.	3	.	.	12	8	5	8	13	13	2	1	.
	" 22	17.6	2.7	135	1	.	.	7	.	3	.	.	14	7	10	10	11	9	1	1	1
	" 29	18.9	5.8	145	.	.	.	2	2	6	1	.	19	4	6	8	9	23	10	.	3
Population in 1914	Sept. 5	20.3	6.7	155	.	.	.	2	2	2	.	.	20	8	6	4	16	44	1	4	2
(Est.) 399,000.	" 12	18.0	6.7	138	2	.	.	1	1	5	.	.	13	1	6	6	9	39	3	1	.
	" 19	19.7	5.9	151	1	.	.	7	1	3	1	.	17	5	7	13	13	30	2	5	5
Cork.	Aug. 15	11.6	2.0	17	3	.	.	.	2	1	.	4
	" 22	24.5	6.1	36	1	3	.	.	4	.	1	.	.	4	.	.	1
	" 29	14.3	3.4	21	1	.	.	.	3	.	2	2	.	4	.	.	.
Population in 1911	Sept. 5	11.6	2.0	17	1	.	.	1	1	1	1	1	2	.	.	1
76,673.	" 12	17.7	2.0	26	1	.	.	5	1	.	1	2	.	.	.	2
	" 19	19.7	6.8	29	.	.	1	.	.	1	.	.	2	.	1	.	2	6	2	.	2
Londonderry.	Aug. 15	17.8	.	14	1	.	1	2	1
	" 22	10.1	.	8	1	.	.	.	1	1	.	1	.
	" 29	10.1	1.3	8	2	1	.	.	.
Population in 1914	Sept. 5	12.7	3.8	10	2	1	1	.	.	3	.	.	2
(Est.) 41,100.	" 12	12.7	1.3	10	1	1	.	1	.	.	.
	" 19	14.0	3.8	11	1	3	.	.	.
Limerick.	Aug. 15	4.1	.	3	1	1
	" 22	13.5	.	10	3	.	1	.	2
	" 29	21.7	1.4	16	3	1	.	2	3	1	.	.	.
Population in 1911	Sept. 5	17.6	.	13	3	.	2	.	3	.	.	.	1
38,518.	" 12	24.4	4.1	18	3	.	1	.	1	2	1	.	3
	" 19	17.6	.	13	1	.	1	.	.	.	2
Waterford.	Aug. 15	13.3	3.8	7	1	1	.	.	2	.	.	.
	" 22	17.1	3.8	9	1	2	.	.	.
	" 29	17.1	1.9	9	1	.	.	1	.	.	2
Population in 1911	Sept. 5	15.2	1.9	8	3	1	.	.	.
27,464.	" 12	22.8	5.7	12	1	1	1	.	.	3	.	.	.
	" 19	13.3	3.8	7	1	2	1	1	1

* See note (§) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1914—WEEK ENDING																									
		Mar. 28.	April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.
No. of weeks in Annual Series,	...	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
BIRTHS registered,	244	243	163	219	255	198	222	245	238	262	191	198	233	247	219	237	190	218	212	226	214	218	196	215	215	187
DEATHS registered,	150	136	142	162	179	139	116	135	137	115	127	129	131	134	130	130	103	111	115	137	113	135	145	155	138	151
Annual Death-rate per 1,000 of estimated population,	19.6	17.8	18.6	21.2	23.4	18.2	15.2	17.6	17.9	15.0	16.6	16.9	17.1	17.5	17.0	17.0	13.5	14.5	15.0	17.9	14.8	17.6	18.9	20.3	18.0	19.7
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,	...	23	28	29	29	45	29	21	21	17	23	19	22	24	27	25	26	25	19	21	20	27	30	49	56	52	42
	...	27	9	18	22	21	18	10	21	16	18	13	21	22	18	18	19	10	11	21	21	28	18	23	18	21	21
	...	13	16	11	17	20	21	13	18	20	16	18	17	21	15	18	21	9	15	11	14	9	17	14	19	14	12
	...	21	24	20	25	25	27	19	23	29	19	22	25	21	23	24	18	20	22	21	22	18	19	16	24	18	24
	...	28	30	30	31	35	25	28	32	28	28	32	26	31	37	28	28	19	26	24	32	16	30	26	25	20	22
Deaths from:—	...	33	29	34	38	32	19	25	20	27	11	23	18	12	14	17	18	20	18	17	28	20	21	17	13	13	30
Enteric Fever,	1	1	1	1	.	.	2	1
Typhus,	5	1	1	1	1
Small-pox,
Measles,	1	2	2	2	1	3	1	3	1	3	1	4	8	5	9	6	4	1	6	5	8	7	2	2	1	7
Scarlet Fever,	2	2	3	5	3	1	.	2	5	4	1	2	8	2	2	5	2	2	2	4	.	.	2	2	1	1
Whooping-cough,	5	3	6	9	8	3	3	5	5	7	4	7	.	4	7	2	4	2	7	2	3	3	6	2	5	3
Diphtheria,	2	1	1	1	.	.	1	.	.	.	2	.	1	.	.	1	1	.	.	.	1
Dysentery,
Tuberculosis. { Pulmonary,	14	10	12	11	32	18	19	20	21	15	19	17	21	21	13	14	10	16	15	18	12	14	19	20	13	17
Other Forms,	7	5	4	13	4	4	10	12	7	4	8	3	6	5	7	7	3	4	7	5	8	7	4	8	1	5
Cancer,	3	5	9	4	5	6	5	8	7	3	8	4	5	5	9	11	7	8	1	3	5	10	6	6	6	7
Diseases of Respi- (Pneumonia,	15	6	19	12	22	8	9	14	13	10	13	10	6	10	4	7	8	10	5	10	8	10	8	4	6	13
ratory System, { Others,	20	23	9	27	15	17	11	16	14	12	11	12	10	10	9	11	5	8	12	13	13	11	9	16	9	13
Diarrhoea and Enteritis, under 2 years,	2	1	4	2	2	4	.	3	2	4	1	5	6	5	7	5	6	8	9	3	13	9	23	44	39	30
Diarrhoea, 2 years and upwards,	1	1	1	2	1	.	.	.	1	1	.	1	2	.	.	1	.	.	2	1	10	1	3	2
Violent Deaths,	2	.	3	3	1	2	1	2	2	3	.	3	1	.	.	2	.	2	2	2	1	1	.	4	1	5
Number of Uncertified Deaths,	3	1	3	4	1	2	1	1	3	4	1	3	.	3	2	1	2	.	2	.	1	3	2	.	5
Mean Temperature of the Air in degrees,	41.0	49.7	47.1	43.5	52.7	48.2	48.2	47.5	54.9	50.0	52.2	54.2	61.5	55.8	59.0	58.8	61.6	60.2	56.2	58.0	60.5	58.2	60.7	58.7	59.0	51.8
Rainfall, in inches,	0.07	0.78	1.00	0.34	0.12	0.00	1.32	0.16	0.11	0.12	0.08	0.49	0.18	0.45	0.20	0.48	0.51	0.53	0.32	0.79	0.60	0.15	1.37	0.44	0.43	0.94

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 — Week ending	BIRTHS.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Sept. 19,	2,091	1,348	15·6	4	.	20	6	15	13	326
EDINBURGH, ...	321,900	„ 19,	133	98	15·9	.	.	.	1	.	2	10
GLASGOW, ...	1,047,000	„ 19,	547	336	16·7	2	.	2	4	6	.	54
CALCUTTA, ...	896,067	Aug. 15,	.	440	25·5	70*	8	1	.	.	3†	51‡a
BOMBAY, ...	979,445	„ 15,	374	607	32·2	58*	2	.	.	.	1†	111‡a
MADRAS ...	518,660	„ 15,	390	432	43·3	71*	.	.	?	?	?	95‡a
CAIRO, ...	726,075	July 15,	544	641	46·0	6	8	5	.	?	5†	170
PARIS, ...	2,847,229	Aug. 1,	840	776	13·9	5	.	6	2	4	1	51
BRUSSELS, ...	780,843	—
ANTWERP, ...	313,833	—
AMSTERDAM, ...	597,888	—
COPENHAGEN, ...	483,000	Aug. 22,	218	119	12·8	1	.	.	.	1	.	10
STOCKHOLM, ...	382,085	„ 29,	151	81	11·0	1	.	.	1	.	3	2
CHRISTIANIA, ...	251,446	Sept. 5,	83	52	10·0	3	.	5a
PETROGRAD, ...	1,728,200	—
MOSCOW, ...	1,694,000	—
ROME, ...	591,943	—
NEW YORK, ...	5,583,871	July 18,	2,870	1,286	12·0	2	.	4	4	9	35†	114
PHILADELPHIA, ...	1,657,810	—
BOSTON, ...	750,768	Aug. 22,	.	177b	12·3	1	2	25a

* Deaths from "fever," including 3 from enteric fever in Calcutta; one from enteric fever and 8 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 4 deaths from cholera in Calcutta, 22 in Bombay, and 30 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e. non-residents deducted, 143 (including 16 deaths from diarrhoeal diseases), rate 9·93 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th September, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomylitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	4	4
" " 1, West,	3	3
" " 2,	2	2
" " 3,	1	.	.	1	1	3
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),
Finglas and Glasnevin (part of),	2	2
South City No. 1,	1	1	2	4
" " 2,	1	4	5
" " 3,	7	3	.	.	.	2	12
" " 4,	3	.	.	2	5
New Kilmainham,	3	2	5
Total,	11	.	.	4	.	.	11	3	.	.	.	16	45

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 19th September, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 19th September.			
	August 29.	Sept. 5.	Sept. 12.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	81	76	75	13	13	3	72
Typhus,
Small-pox,
Measles, ...	5	4	3	1	1	.	3
Scarlet Fever, ...	56	54	56	16	6	.	66*
Diphtheria, ...	33	36	29	9	9	1	28
Pneumonia, ...	22	21	27	9	4	3	29

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.S.C., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 19th September, 1914:—

"This week witnessed the supplanting of Summer by Autumn. Atmospheric pressure was in a very unstable condition all over North-western Europe, and at least three depressions of considerable depth and energy swept across the British Isles and their neighbourhood in a north-easterly or an easterly direction. On Sunday the first of these disturbances was centred on the Norwegian Sea, over the South of Scandinavia and Denmark. Strong westerly winds blew over Ireland and England, and gale force—40 miles per hour—was reached at Malin Head, Co. Donegal, Markree Castle, Co. Sligo, and Portland Bill. Next morning a still more energetic depression arrived off the West coast of Scotland. It travelled by the Orkneys and Shetlands to Norway, the barometer falling to 28·94 inches on Tuesday morning at Skudesnæs in the S.W. of that country. Strong gales from the westward were felt in all parts of the British Isles in the course of Monday, but the attendant rainfall was heavy only in the west and north of Scotland and over the south of Norway. Early on Wednesday a new depression advanced quickly from the Atlantic, assuming a V-shaped form as it crossed Ireland in an easterly direction. Heavy rain fell as the wind shifted from S.W. to N.W., 1·34 inches being measured at Holyhead on Thursday morning, and ·75 inch in Dublin. The system changed its shape as it travelled eastwards, and on Friday morning its circular or cyclonic centre was found near Copenhagen. The strong and squally N.W. winds of this disturbance brought a further fall of temperature to the British Isles, but the weather became drier and brighter. In Dublin the mean height of the barometer was 29·778 inches, the range being from 29·310 inches at 3 p.m. of Monday (wind, S.W.), to 30·084 inches at 9 p.m. of Saturday (wind, N.W.). The corrected mean temperature was 53·0°, or 6·9° below that of the previous week. The mean dry bulb reading at 9 a.m. and 9 p.m. was 51·5°. The rainfall was ·809 inch on 4 days, ·750 inch being recorded on Wednesday. On Monday the screened thermometers rose to 62·4°, on Saturday they fell to 44·6°. Strong and squally westerly winds prevailed from points being S.S.W. and N.N.W. A fresh to strong gale blew on Monday afternoon. Solar halos were seen on Friday and Saturday, and on the evenings of those days a fine view was obtained of a tailed comet near the Pointers in the constellation of the Plough (Ursa Major)."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 29.760 inches. The highest reading (30.082) was on Saturday, at 9 p.m., the lowest (29.385) on Monday, at 9 a.m.

The mean temperature for the week was 51.5°, being 0.8° below the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Monday, on which day the thermometer registered 61°, and was lowest on Wednesday and Saturday, the mercury having fallen to 42°. The mean of the Dry Bulb for the week was 51.2° and of the Wet Bulb, 49.2°. The mean humidity of the air was .87, complete saturation being represented by 1.0. The rainfall during the week measured 0.565 inch.

At Greenwich the mean temperature for the week was 57.1°, the maximum 72.5°, and the minimum 47.6°; at Glasgow the maximum was 59.9°, the minimum 42.7°, and the mean 51.4°; and at Edinburgh the maximum was 63.0°, the minimum 42.2. and the mean 51.8. The rainfall at Greenwich measured 0.14 in.; at Glasgow 1.14 in.; and at Edinburgh 0.47 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155.3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.	BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1.0.	Sunshine in hours and decimals.	Rain Gauge.
	Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1.0.			
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.) °	(8.)	(9.)	(10.) Ins.
Sunday, Sept. 13,	29.720	59	45	52.0	53.5	51.8	.88	.7	3.1	.060
Monday, " 14,	29.490	61	47	54.0	52.8	51.1	.88	.7	2.4	.015
Tuesday, " 15,	29.770	60	43	51.5	48.8	46.7	.86	.7	7.8	.010
Wednesday, " 16,	29.730	60	42	51.0	52.1	49.8	.86	.7	1.9	.460
Thursday, " 17,	29.640	59	44	51.5	53.3	51.2	.87	.8	7.7	.020
Friday, " 18,	29.900	55	45	50.0	48.8	47.3	.90	.8	0.3	.000
Saturday " 19,	30.070	59	42	50.5	48.9	46.8	.87	.7	9.8	.009
Mean, ...	29.760	59.0	44.0	51.5	51.2	49.2	.87	.7	Total 33.0	Total .565

Sunday—A dull day; light shower p.m.; night overcast; drizzling rain 2.0 to 3.30 a.m. Monday—A dull day; light shower p.m.; night clear. Tuesday—A bright day; night clear. Wednesday—A dull day; light showers p.m.; night overcast, heavy drizzling rain midnight to 5.30 a.m. Thursday—A bright day; heavy shower p.m.; night clear. Friday—Day cloudy, fine; night clear. Saturday—A beautiful bright day; night clear.

Note.—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 19th September, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.R.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, Sept. 13,	55.7	57.8	59.0	62.3	49.1	55.7	hrs. 3.0	ins. .08
Monday, " 14,	60.0	58.0	59.0	63.5	48.0	55.7	3.9	.01
Tuesday, " 15,	52.2	57.0	53.7	63.5	46.0	54.7	7.2	—
Wednesday, " 16,	56.3	56.6	58.2	63.5	49.0	56.2	1.9	.636
Thursday, " 17,	56.6	57.5	58.0	63.6	47.5	55.5	7.6	.004
Friday, " 18,	55.0	56.0	58.0	63.5	46.0	54.7	0.0	—
Saturday, " 19,	56.5	55.0	58.0	63.5	43.1	53.3	9.2	—
Weekly Mean,	56.0	56.8	58.4	63.3	47.0	55.1	Total 32.8	Total .730

ERRATA.—The total rainfall for the week ended 12th September in Trinity College should read 0.55 inch, the reading for the 10th being 0.17 inch, and for the 11th 0.02 inch.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 26TH SEPTEMBER, 1914.

[No. 39.]

*General Register Office, Charlemont House,
Dublin, 28th September, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 19·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Sept. 5	Sept. 12	Sept. 19	Sept. 26	
27 Town Districts, (a)	18·1	17·0	19·9	19·2	18·5
Dublin Reg. Area ...	18·9	17·1	19·4	18·4	18·5
Dublin City ...	20·3	18·3	20·8	20·5	20·0
Belfast ...	20·3	18·0	19·7	22·1	20·0
Cork ...	11·6	17·7	19·7	22·4	17·9
Londonderry ...	12·7	12·7	14·0	22·8	15·6
Limerick ...	17·6	24·4	17·6	23·0	20·6
Waterford ...	15·2	22·8	13·3	17·1	17·1

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 4·2 per 1,000. Among the 169 deaths from all causes for Belfast are one from enteric fever, 4 from measles, 2 from scarlet fever, 4 from whooping-cough, and 48 from diarrhoeal diseases. Of the 33 deaths from all causes for Cork 3 are from whooping-cough and 4 from diarrhoea and enteritis of children under 2 years. Included in the 18 deaths from all causes for Londonderry are 4 from diarrhoea and enteritis of children under 2 years. One of the 3 deaths from all causes for Tralee is from diphtheria. Three of the 5 deaths from all causes for Newtownards are from diarrhoea and enteritis of children under 2 years, and included in the 4 deaths from all causes for Queenstown is one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 198—96 boys and 102 girls—and the deaths to 154—76 males and 78 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·4 per 1,000 of the population.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

During the thirty-nine weeks, ending with Saturday last, the death-rate averaged 21.1, and was 0.6 below the mean rate for the corresponding portions of the ten years, 1904-1913.

The total deaths registered, numbering 154, represent an annual rate of 19.8 per 1,000; the annual rate for the past thirty-nine weeks was 22.6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22.9 per 1,000 of the mean population for all deaths registered.

Among the 154 deaths registered are one death each from enteric fever, measles, whooping-cough and influenza, 2 deaths from diphtheria, and 14* deaths from diarrhoea and enteritis of children under 2 years of age. In the three preceding weeks, deaths from enteric fever were one, 3, and 3; deaths from measles were 0, 0, and 0; deaths from whooping-cough were 0, one, and 0; deaths from diphtheria were 2, 0, and one; deaths from influenza were one, 0, and 0; and deaths of children under 2 years of age from diarrhoea and enteritis were 18, 17, and 25, respectively.

Deaths from tuberculous disease (all forms), which in the three preceding weeks were 34, 21, and 27, respectively, numbered 30* last week, the latter including 23 deaths from pulmonary tuberculosis, one from tuberculous meningitis, 4 from abdominal tuberculosis, and 2 from other forms of the disease.

Cancer caused 13 deaths.

There were 5 deaths from broncho-pneumonia and one from pneumonia (type not distinguished).

Three deaths of infants under one year old were ascribed to convulsions, one to premature birth, and 7 to congenital debility.

Organic diseases of the heart caused 12 deaths and bronchitis 10 deaths.

Of 3 deaths assigned to accidental causes one was caused by ptomaine poisoning, one by drowning, and one (that of an infant) by suffocation in bed.

There was one death, the cause of which was stated in the Coroner's certificate of the finding of the jury to be "Caseous Pneumonia aggravated by bullet wound."

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases were deaths of infants under one year of age.

Forty-seven of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 7 were under one month old), and 35 were aged 65 years and upwards, including 23 persons aged 70 and upwards; among the latter were 14 aged 75 and upwards, of whom one (a female) was stated to have been aged 91 years.

Sixty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, 16 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18.4 per 1,000; the rate in the City was 20.5 (North City Districts, 19.0; South, 22.2) and in the Suburbs 11.5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2.3 per 1,000 inhabitants, the rate for the City being 2.7 (in the North City Districts 1.6, and in the South 3.9), and for the Suburbs 1.1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (16) are equal to an annual rate of 27.6 per 1,000. Among them are one from whooping-cough, 2 from pulmonary tuberculosis, one from broncho-pneumonia, 2 from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 18.3 per 1,000. There were 3 deaths from pulmonary tuberculosis, 4 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 26.2 per 1,000. Among them are one death from measles, 6 deaths from tuberculous disease, and one death from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (10) represent an annual rate of 14.7 per 1,000, and include one death from pulmonary tuberculosis, one from broncho-pneumonia, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 7.6 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0.0; and Finglas and Glasnevin, part of, 14.6. One of the 2 deaths recorded for Coolock and Drumcondra, part of, was that of a child under 2 years of age from diarrhoea and enteritis; and of the 3 deaths from all causes for Finglas and Glasnevin, part of, one was from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (10) represent an annual rate of 12.8 per 1,000, and include one death from tuberculous meningitis, one from bronchitis, one death of child under 2 years of age from diarrhoea and enteritis, and one death caused by ptomaine poisoning.

No. 2 South City District (Castle-street).—The deaths (13) are equal to an annual rate of 37.0 per 1,000. There were 3 deaths from pulmonary tuberculosis, 3 deaths of children under 2 years of age from diarrhoea and enteritis, and one accidental death.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 26.3 per 1,000. Among them are one from enteric fever, 5 from tuberculous disease, and 4 deaths from diarrhoea and enteritis of children under 2 years of age.

No. 4 South City District (Grand Canal Street).—The deaths (14) are equivalent to an annual rate of 22.0 per 1,000. Two of the deaths were from diphtheria, one from tuberculous disease, 3 from pneumonia, and one from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15.9 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 6.7; Pembroke, 17.2; Blackrock, 11.3; and Kingstown, 12.3. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 deaths of children under 2 years of age from diarrhoea and enteritis for Pembroke. Among the 5 deaths from all causes for Rathmines and Rathgar is one from pulmonary tuberculosis. The 10 deaths from all causes for Pembroke include one from tuberculous disease and one from bronchitis. The 2 deaths recorded for Blackrock were from pulmonary tuberculosis; and of the 4 deaths from all causes for Kingstown one is from tuberculous disease and one from broncho-pneumonia.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 15.5), was equal to an average annual death-rate of 15.7 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16.3 per 1,000, the rate for Glasgow being 17.7, and for Edinburgh 15.7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 26th September. From this Report it appears that of a total of 91 cases notified, 62 were scarlet fever, 13 diphtheria, 11 phthisis, 3 enteric fever, and 2 erysipelas. Among the 619 cases of infectious diseases in hospital at the close of the week were 293 cases of scarlet fever, 206 of phthisis, 74 of diphtheria, 16 of enteric fever, 10 of erysipelas, 2 of measles, and one of whooping-cough.

* See note (c) at foot of Table II.

† See note (f) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford. during the week ended 26th September, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrheal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Sept. 5,	.	—	—	6	.	.	3	.	1	9	.	.	—	—	—	—	—	32	51
	Sept. 12,	.	—	—	12	.	.	6	.	.	11	5	.	—	—	—	—	.	33	67
	Sept. 19,	.	—	—	11	.	.	4	.	.	11	3	.	—	—	—	—	.	16	45
	Sept. 26,	.	—	—	7	.	.	6	.	.	11	1	1	—	—	—	—	.	18	44
Rathmines and Rathgar Urban District.	Sept. 5,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	Sept. 12,	.	—	—	1	—	—	—	—	—	—	1
	Sept. 19,	.	—	—	3	2	.	2	.	.	.	2	.	—	—	—	—	—	.	9
	Sept. 26,	.	—	—	1	.	.	1	.	.	1	.	.	—	—	—	—	—	—	3
Pembroke Urban District.	Sept. 5,	2	.	.	—	—	—	—	—	1	3
	Sept. 12,	.	.	.	1	1	.	.	—	—	—	—	—	.	2
	Sept. 19,	.	.	.	1	.	.	1	—	—	—	—	—	.	2
	Sept. 26,	—	—	—	—	—	.	.
Blackrock Urban District.	Sept. 5,	.	.	—	—	—	—	—	—	—	.
	Sept. 12,	.	.	—	—	—	—	—	—	—	.
	Sept. 19,	.	.	—	—	—	—	—	—	—	.
	Sept. 26,	.	.	—	—	—	—	—	—	—	.
Kingstown Urban District.	Sept. 5,	.	—	—	—	—	—	—	—	.	.
	Sept. 12,	.	—	—	—	—	—	—	—	.	.
	Sept. 19,	.	—	—	—	—	—	—	—	.	.
	Sept. 26,	.	—	—	1	1	.	—	—	—	—	—	.	2
City of Belfast.	Sept. 5,	.	—	—	50	.	.	4	.	.	3	3	.	—	—	—	—	.	5	65
	Sept. 12,	.	—	—	43	.	.	6	.	.	2	2	.	—	—	—	—	.	6	59
	Sept. 19,	.	—	—	42	.	.	6	.	.	2	2	1	—	—	—	—	.	1	55
	Sept. 26,	.	—	—	70	.	.	3	.	.	3	4	.	—	—	—	—	.	4	84
City of Cork.	Sept. 5,	.	.	—	4	.	.	.	1	.	4	.	.	—	—	—	19	—	—	28
	Sept. 12,	.	1	—	4	1	2	1	—	—	—	20	—	—	29 ^a
	Sept. 19,	.	.	—	4	.	.	2	.	.	1	1	.	—	—	—	23	—	—	31
	Sept. 26,	.	2	—	5	.	.	2	1	1	2	.	.	—	—	16	—	—	—	29 ^b
City of Londonderry.	Sept. 5,	.	—	—	—	—	—	—	—	—	.
	Sept. 12,	.	—	—	1	.	.	—	—	—	—	—	—	1
	Sept. 19,	.	—	—	2	2	1	.	—	—	—	—	—	—	5
	Sept. 26,	.	—	—	2	.	—	—	—	—	—	—	2
City of Limerick.	Sept. 5,	.	—	—	7	1	.	—	—	—	—	—	—	8
	Sept. 12,	.	—	—	1	1	.	.	—	—	—	—	—	—	2
	Sept. 19,	.	—	—	3	.	.	.	1	—	—	—	—	—	—	4
	Sept. 26,	.	—	—	4	1	.	.	—	—	—	—	—	—	5
City of Waterford.	Sept. 5,	.	—	—	1	—	—	—	—	—	1	2
	Sept. 12,	.	—	—	4	2	.	.	—	—	—	—	—	.	6
	Sept. 19,	.	—	—	6	—	—	—	—	—	.	6
	Sept. 26,	.	—	—	5	—	—	—	—	—	.	5

^a Not including one case of varicella.

^b Not including 2 cases of varicella.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th September, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Ten cases of enteric fever were admitted to hospital during the week, 6 were discharged, there was one death, and 75 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 76, 75, and 72.

One case of measles was admitted to hospital, and 4 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 4, 3, and 3, respectively.

Seventeen cases of scarlet fever were admitted to hospital, 13 were discharged, and 70* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 54, 56, and 66, respectively.

Eight cases of diphtheria were admitted to hospital during the week, 3 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 36, 29, and 28 respectively, were 32 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 7 were discharged, there were 4 deaths, and 22 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 26th September, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the Temperature and Rainfall for the week, and for each of the two Weeks immediately preceding.

REGISTRATION—WEEK ENDING SATURDAY, 26TH SEPTEMBER, 1914.										METEOROLOGY. (2)																			
NUMBERS REGISTERED.										WEEK ENDING 26TH SEPTEMBER, 1914.					WEEK ENDING 19TH SEPTEMBER, 1914.					WEEK ENDING 12TH SEPTEMBER, 1914.									
DEATHS.										WEEK ENDING 26TH SEPTEMBER, 1914.					WEEK ENDING 19TH SEPTEMBER, 1914.					WEEK ENDING 12TH SEPTEMBER, 1914.									
CENSUS Statistics of Districts.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.					DEATHS.				
POPULATION.										BIRTHS.					DEATHS.					BIRTHS.									

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 26th of September, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

DEATHS IN DUBLIN REGISTRATION AREA.																		TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
NAMES OF DISEASES &c.	CITY OF DUBLIN.																		
	REGISTRATION DISTRICTS IN																		
	Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.			
Enteric Fever,	1	1	.	
Typhus,	
Small-pox,	
Measles,	.	.	1	1	.	
Scarlet Fever,	1	.	
Whooping-cough,	1	1	.	
Diphtheria,	2	2	.	
Croup,	1	
Influenza,	1	
Dysentery,	1	
Tuberculosis, { Pulmonary,	2	3	5	1	.	.	1	.	3	4	.	.	1	.	2	.	22	1	
Other Forms,	3	1	1	1	.	.	.	1	.	1	1	.	1	1	.	1	6	1	
Cancer,	3	1	1	1	1	2	.	1	2	.	1	13	.	
Diseases of Nervous System,	.	.	.	1	.	.	.	1	.	2	1	.	2	1	.	.	8	2	
" Organs of Special Sense,	1	1	.	
" Circulatory System,	3	1	.	2	.	1	.	.	2	3	.	1	13	2	
" Respiratory System, { Pneumonia,	1	.	.	1	3	1	6	.	
Others,	2	4	3	1	.	.	1	1	.	1	.	1	14	.	
Diarrhoea and Enteritis, under 2 years,	1	1	.	.	.	1	.	1	3	4	.	.	.	2	.	.	13	1	
" Digestive System, { Diarrhoea, 2 years and upwards,	
Enteritis, 2 years and upwards,	1	1	1	.	
Others,	1	2	1	1	1	1	1	.	1	.	.	8	.	
" Genito-urinary System,	1	.	1	1	1	4	2	
Puerperal Septicæmia, etc.,	
Other Causes incident to Pregnancy and Childbirth,	1	1	.	
Diseases of the Skin and Cellular Tissue,	.	.	.	1	1	.	
" Locomotor System,	
Other specified Causes,	1	1	1	2	.	.	1	3	3	4	2	.	1	2	.	.	21	1	
Violent Deaths,	.	.	.	1	.	.	.	2	1	4	.	
Ill-defined, &c. Causes,	.	2	2	.	
Deaths from All Causes	16	15	14	10	.	2	3	10	13	22	14	3	5	10	2	4	143	11	
Annual Rate of Mortality from All Causes in every 1,000 of the population.	27·6	18·9	26·2	14·7	.	7·6	14·6	12·8	37·0	26·3	22·0	15·9	6·7	17·2	11·3	12·3	18·4	.	
	19·0							22·2							11·5				
	20·5																		
Ages at Death, { Under 1 year,	4	3	2	4	.	1	1	3	6	5	2	.	1	3	.	1	36	.	
1 and under 2 years,	.	.	2	1	1	1	5	1	
2 " 5 "	1	1	1	.	.	1	.	.	.	1	.	5	.	
5 " 15 "	1	.	.	1	.	.	.	1	.	1	4	.	
15 " 25 "	.	.	2	.	.	1	1	.	1	1	1	7	.	
25 " 45 "	2	1	1	3	.	.	.	1	2	4	4	.	2	1	.	1	22	3	
45 " 65 "	4	5	5	1	.	.	1	.	4	4	2	2	1	2	.	.	31	5	
65 and upwards,	4	5	2	1	.	.	.	4	.	6	3	1	1	4	1	1	33	2	
Number of Uncertified Deaths,	1	.	1	2	.	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,	3	2	2	4	.	1	.	2	1	3	4	.	1	1	.	.	24	6	
Workhouse Hospitals.	2	2	2	2	.	.	.	3	6	4	1	1	1	.	1	1	26	5	

THIRTY-NINTH WEEK, ending Saturday, 26th September, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 39th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 26th September, 1914.											
	Oct. 1, 1904.	Sept. 30, 1905.	Sept. 29, 1906.	Sept. 28, 1907.	Sept. 26, 1908.	Oct. 2, 1909.	Oct. 1, 1910.	Sept. 30, 1911.	Sept. 28, 1912.	Sept. 27, 1913.		Deaths of Persons of the Ages of											
												0-5.											
Mean Temperature ...	50·6	49·4	50·4	56·9	52·5	53·6	54·2	50·8	49·2	56·5	52·4	51·3	Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
Diseases of the Pharynx, Tonsillitis.	
Diseases of Stomach, ...	—	—	—	—	—	—	—	5	1	2	—	3	.	2	1	.	.	
Diarrhoea and Enteritis of Children under 2 years.	21	12	42	27	16	9	34	28	2	33	22·9	14	2	10	2	
Diarrhoea 2 years and upwards.	—	—	—	—	—	—	—	1	.	1	—	1	
Enteritis 2 years and upwards	—	—	—	—	—	—	—	2	1	.	—	1	1	.	
Appendicitis and Typhlitis,...	—	—	—	—	—	—	—	1	.	1	—	2	2	.	.	
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	3	.	2	—	2	
Cirrhosis of Liver,	1	.	2	2	.	2	1	.	.	·8	1	1	.	
Other Diseases of Liver, ...	1	1	1	.	2	.	2	.	.	.	·7	2	2	.	.	
Peritonitis (cause unknown),	1	1	.	1	1	1	·5	
Other Diseases of Digestive System.	6	7	9	6	6	5	2	2	.	1	4·4	
Acute Nephritis,	1	1	2	
Chronic Bright's Disease,	1	4	3	.	6	3	2	1	
Urinary Calculi,	
Uterine Tumour (non-cancerous).	12	2	3	3	9	4	6	.	.	.	5·7	
Ovarian Tumour (non-cancerous)	
Other Diseases of Genito-urinary System.	3	1	2	
Puerperal Septicæmia, &c.,...	.	1	.	.	1	.	1	1	1	1	·3	
Other Causes incident to Pregnancy and Childbirth.	.	.	.	1	2	2	1	.	1	1	·8	1	1	.	.	.	
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	1	2	3	—	1	.	1	
Diseases of Locomotor System.	—	—	—	—	—	—	—	.	.	.	—	
Congenital Malformations,...	—	—	—	—	—	—	—	1	2	2	—	
Premature Birth, ...	2	3	4	1	2	5	4	4	4	5	3·5	1	.	1	
Congenital Debility, ...	—	—	—	—	—	—	—	6	2	5	—	7	2	5	
Old Age, ...	3	5	6	1	2	2	2	5	3	4	3·3	10	3	7	
Other Specified Diseases, ...	—	—	—	—	—	—	—	1	2	5	—	1	1	
ACCIDENT :																							
Poisons or Poisonous Vapours.	.	.	2	1	.	·1	1	.	.	.	1	
Conflagration,	·2	
Burns and Scalds, ...	1	1	.	.	.	1	.	3	1	1	·8	
Drowning,	2	.	1	.	.	.	2	.	.	·5	1	
Suffocation in Bed,	1	1	1	2	1	·6	1	1	
Other Deaths by Accident, ...	4	3	.	2	1	.	3	2	2	3	2·0	
Total Deaths from Accident,	5	7	3	4	3	2	3	7	4	4	4·2	3	1	.	.	1	.	.	1	.	.	.	
Included in above are Deaths in connection with—																							
Railways,	
Vehicles and Horses,	1	.	.	1	.	1	.	1	.	·4	
Ships, Boats, Docks,	
Building Operations,	
VIOLENCE OTHER THAN ACCIDENTAL :																							
Homicide,	1	·1	1	1	.	.	.	
Suicide,	1	.	.	2	·4	
Execution,	
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	5	5	2	—	2	2	.	

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914—WEEK ENDING																										
		April 4.	April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	
No. of weeks in Annual Series,		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	
BIRTHS registered.		227	173	218	207	238	222	197	207	262	191	271	225	233	165	214	208	197	195	166	204	200	246	187	213	184	198	
Average Births in corresponding week of previous 10 years, ...		214	220	221	218	264	237	214	213	244	219	210	223	245	208	221	221	221	220	209	223	218	205	244	200	222	247	
DEATHS registered, ...		212	194	212	231	203	181	160	166	185	162	163	151	134	139	128	139	129	144	136	159	136	163	160	139	161	154	
Annual Death-rate per 1,000, ...		27.2	24.9	27.2	29.7	26.1	23.2	20.5	21.3	23.8	20.8	20.9	19.4	17.2	17.9	16.4	17.9	16.6	18.5	17.5	20.4	17.5	20.9	20.5	17.9	20.7	19.8	
Average Deaths in corresponding week of previous 10 years, ...		202	192	198	188	173	179	159	168	148	148	156	142	134	135	147	143	145	144	145	156	160	157	159	158	162	159	
Ages, { Under 5 years, ...		55	74	89	92	89	62	54	73	56	64	45	46	36	47	31	44	36	46	35	53	35	62	51	48	52	47	
5-15 " ...		12	7	11	10	6	10	7	4	12	4	9	5	5	7	6	9	6	4	6	5	6	5	4	3	8	4	
15-25 " ...		14	5	10	9	9	8	9	9	8	11	6	12	8	9	7	8	9	8	5	7	6	6	8	5	6	7	
25-45 " ...		26	27	28	33	30	27	22	22	19	28	30	23	23	22	27	29	26	27	26	26	27	23	24	24	26	25	
45-65 " ...		44	51	32	45	30	50	36	37	47	35	38	41	32	30	31	31	30	37	34	35	35	38	40	28	35	36	
65-75 " ...		35	16	29	23	22	14	21	13	28	16	23	15	19	14	22	14	15	13	15	18	17	18	22	16	20	21	
75 and upwards, ...		26	14	13	19	17	10	11	8	14	14	12	9	11	10	13	9	7	9	15	15	10	11	11	15	14	14	
Deaths from:—		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Enteric Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Small-pox, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Measles, ...		22	34	39	35	40	29	17	16	14	18	8	5	3	2	4	6	2	1	2	1	3	1	1	1	1	1	
Scarlet Fever, ...		3	3	4	2	2	2	1	1	1	2	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	
Whooping-cough, ...		3	1	1	3	1	2	1	5	1	1	1	1	1	1	2	2	1	1	1	2	1	1	2	1	1	1	
Diphtheria, ...		3	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	
Influenza, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dysentery, ...		22	28	22	25	14	22	24	21	19	27	19	13	17	21	18	16	19	23	19	18	19	18	25	18	18	23	
Tuberculosis { Pulmonary ...		9	5	10	8	10	9	5	6	9	4	6	5	7	9	5	8	11	5	6	4	4	4	9	8	9	7	
Other Forms, ...		6	13	8	13	9	11	11	5	12	9	18	9	8	7	8	7	10	7	6	6	12	10	20	6	15	13	
Cancer, ...		25	15	22	19	21	11	13	13	28	14	20	27	11	11	16	15	15	13	15	15	17	18	18	17	19	15	
Diseases of Circulatory System, ...		19	16	17	19	13	18	15	15	14	12	12	14	8	9	10	12	4	8	4	3	7	8	7	5	4	6	
Diseases of Respi- (Pneumonia		35	30	28	20	15	17	19	17	22	13	11	8	20	10	13	5	7	12	10	11	10	7	10	7	9	14	
ratory System, { Others, ...		1	2	7	3	3	1	5	7	4	2	4	7	4	4	4	6	6	9	10	11	13	28	18	17	25	14	
Diarrhoea and Enteritis, under		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2 years, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Diarrhoea, 2 years and upwards,		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Violent Deaths, ...		3	1	1	6	3	2	7	5	3	6	3	3	2	6	4	5	3	7	7	10	3	6	1	4	4	4	
Number of Uncertified Deaths,		8	4	5	9	7	2	2	9	6	4	3	2	2	5	2	6	2	4	4	2	2	1	4	2	5	2	
Mean Temperature of the Air		50.9	45.9	45.6	48.8*	44.9	49.6	49.3	55.4	48.1	52.6	52.3	57.2	56.1	59.1	60.1	61.1	59.0	57.5	58.1	63.1	57.1	60.1	58.8	58.7	51.5	51.3	
(Phoenix Park) in degrees, ...		43.8	44.4	46.1	45.9	47.1	49.7	49.4	51.1	54.0	53.5	54.6	56.1	55.7	56.9	58.3	59.8	58.9	58.6	58.4	58.2	56.4	56.7	55.0	53.0	52.3	52.4	
Average Mean Temperature in		50.9	45.9	45.6	48.8*	44.9	49.6	49.3	55.4	48.1	52.6	52.3	57.2	56.1	59.1	60.1	61.1	59.0	57.5	58.1	63.1	57.1	60.1	58.8	58.7	51.5	51.3	
corresponding week of previous		43.8	44.4	46.1	45.9	47.1	49.7	49.4	51.1	54.0	53.5	54.6	56.1	55.7	56.9	58.3	59.8	58.9	58.6	58.4	58.2	56.4	56.7	55.0	53.0	52.3	52.4	
10 years, ...		57.5	400	120	010	000	1.355	130	515	110	140	520	495	000	365	455	795	520	350	695	1.120	170	1.720	000	651	565	000	000
Rainfall in inches, ...		85	90	89	88	91	87	89	90	86	87	86	83	78	80	84	86	87	87	84	84	91	92	94	91	87	83	83
Mean Humidity of the Air, com-																												
plete Saturation 1.0, ...																												

* For 6 days only

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal admitted ; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office, Clarence St. Nth.)	Aug. 22	13.8	1.7	8	1	.	.	1
	" 29	22.4	3.5	13	1	.	.	.	1	1	2	.	.
	Sept. 5	19.0	3.5	11	1	.	.	.	1	.	1	1	2	.	.
	" 12	19.0	3.5	11	3	.	.	.	1	2	.	1	.
Population in 1914	" 19	29.3	6.9	17	2	.	1	1	2	4	.	1	.
(Est.) 30,206.	" 26	27.6	3.5	16	1	.	.	2	.	3	1	2	1	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.)	Aug. 22	21.5	2.5	17	4	.	.	1	.	2	.	.	.
	" 29	29.1	7.6	23	1	1	1	3	1	2	1	2	3	.	.	.
	Sept. 5	17.7	2.5	14	3	1	1	1	2	2	.	.	.
	" 12	20.2	2.5	16	1	2	2	1	3	1	1	.	.	.
Population in 1914	" 19	21.5	2.5	17	1	.	2	.	.	2	.	3	1
(Est.) 41,278.	" 26	18.9	1.3	15	3	.	1	.	4	1	.	.	.
North City, No. 2. (Office, Lisburn-street.)	Aug. 22	15.0	.	8	1	.	.	.	2	.	.	2	.
	" 29	16.8	1.9	9	3	.	1
	Sept. 5	31.8	3.7	17	1	.	2	3	2	.	2	2	.	1	.
	" 12	22.4	5.6	12	1	1	1	.	2	3	.	.	.
Population in 1914	" 19	28.1	7.5	15	1	3	1	.	2	4	.	1	.
(Est.) 27,863.	" 26	26.2	1.9	14	.	.	.	1	5	1	1	.	3
North City, No. 3. (Office, Benburb-street.)	Aug. 22	13.2	2.9	9	.	.	.	1	1	1	1	1	.	.	.
	" 29	14.7	4.4	10	1	.	1	1	.	.	.	1	.	.	.
	Sept. 5	19.1	.	13	2	1	3	1
	" 12	19.1	.	13	1	1	.	.
Population in 1914	" 19	11.7	.	8	1	2	1	1	1
(Est.) 35,536.	" 26	14.7	.	10	1	.	1	1	.	.	1	.	.
Clontarf and Howth No. 1 (part of).	Aug. 22	19.0	.	2
	" 29	28.5	.	3
	Sept. 5
Population in 1914	" 12	19.0	.	2	1	.
(Est.) 5,485.	" 19	9.5	.	1	1
	" 26
Coolock and Drumcondra (part of).	Aug. 22	15.2	3.8	4	1	1	.	1	.	1	.
	" 29	7.6	.	2	1	.	.	1
	Sept. 5	11.4	.	3	2
	" 12	3.8	.	1
Population in 1914	" 19	19.1	.	5	2
(Est.) 13,685.	" 26	7.6	3.8	2	1	.	.	.
Finglas and Glasnevin (part of).	Aug. 22	9.7	.	2	1
	" 29	14.6	4.9	3	1	.	.	.
	Sept. 5
	" 12	29.2	.	6	1	1
Population in 1914	" 19	4.9	.	1	1	1
(Est.) 10,723.	" 26	14.6	.	3	1
South City, No. 1. (Office, Sth. Earl-street.)	Aug. 22	17.9	3.8	14	.	.	.	2	3	1	.	.	2	1	.	.	.
	" 29	21.7	9.0	17	3	.	.	.	1	7	.	.	.
	Sept. 5	23.0	7.7	18	1	.	2	1	3	6	.	1	.
	" 12	16.6	5.1	13	2	4	.	.	.
Population in 1914	" 19	21.7	3.8	17	1	2	1	.	1	2	2	.	.	.
(Est.) 40,768.	" 26	12.8	1.3	10	1	.	.	1	1	.	2	1
South City, No. 2. (Office, Castle-street.)	Aug. 22	19.9	5.7	7	1	2	.	2	.	.	.
	" 29	28.4	11.4	10	1	1	1	.	1	1	2	1	1	.
	Sept. 5	28.4	.	10
	" 12	14.2	2.8	5	1	.	.	.	1	1	.	.	.
Population in 1914	" 19	39.8	11.4	14	1	1	2	1	1	1	3	.	.	.
(Est.) 18,341.	" 26	37.0	8.5	13	3	3	.	1	.
South City, No. 3. (Office, Peter-street.)	Aug. 22	15.6	1.2	13	2	.	2	.	.	1	.	.	.
	" 29	21.6	8.4	18	.	.	.	1	1	2	1	2	1	6	.	.	.
	Sept. 5	32.3	4.8	27	1	7	1	4	1	2	3	.	.	.
	" 12	15.6	3.6	13	1	1	.	.	1	1	.	.	1	1	.	1	1
Population in 1914	" 19	15.6	6.0	13	1	2	.	.	.	1	4	.	.	.
(Est.) 43,540.	" 26	26.3	6.0	22	1	4	1	1	.	.	4	.	.	1
South City, No. 4. (Office, Grand Canal-st.)	Aug. 22	12.6	3.1	8	3	2	.	.	.
	" 29	23.6	6.3	15	3	.	1	1	1	4	.	3	1
	Sept. 5	7.9	.	5	1	1	1	.
	" 12	22.0	6.3	14	1	.	.	.	2	1	.	1	.	3	.	.	.
Population in 1914	" 19	20.4	4.7	13	1	.	2	.	3
(Est.) 33,171.	" 26	22.0	3.1	14	2	.	.	1	2	3	1
New Kilmainham.	Aug. 22	21.2	5.3	4	1	.	.	.	1	1	.	.	.
	" 29	15.9	5.3	3	1	1
	Sept. 5	15.9	5.3	3	1	.	.	.
Population in 1914	" 12	15.9	.	3	1	1
(Est.) 9,851.	" 19	15.9	5.3	3	1	.	.	.
	" 26	15.9	.	3	1

* See note (i) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncertified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Violence.			
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Aug. 22 " 29 Sept. 5 " 12 " 19 " 26	16.0 10.7 10.7 9.3 14.6 6.7	1.3 2.7 1.3 1.3 1.3 .	12 8 8 7 11 5	1	.	.	.	1	2	1	1	.	.	.	1	
Pembroke Urban District. Population in 1914 (Est.) 30,240	Aug. 22 " 29 Sept. 5 " 12 " 19 " 26	15.5 17.2 13.8 19.0 8.6 17.2	3.4 1.7 .	9 10 8 11 5 10	1	.	1	.	2	1	.	1	.	.	.	
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Aug. 22 " 29 Sept. 5 " 12 " 19 " 26	28.3 . 5.7 11.3 28.3 11.3	.	5 . 1 2 5 2	2 . 1 . 1 2	
Kingstown Urban District. Population in 1911 16,941.	Aug. 22 " 29 Sept. 5 " 12 " 19 " 26	21.5 6.2 27.7 12.3 18.5 12.3	.	7 2 9 4 6 4	1 . . . 1 .	.	.	1 1 1 1 1 1	2 1	.	.	1		
Belfast. Population in 1914 (Est.) 399,000.	Aug. 22 " 29 Sept. 5 " 12 " 19 " 26	17.6 18.9 20.3 18.0 19.7 22.1	2.7 5.8 6.7 6.7 5.9 7.7	135 145 155 138 151 169	1 . . 2 1 1	.	.	7 2 . 1 7 4	.	3 6 2 5 1 4	.	.	14 19 20 13 17 15	7 4 8 1 5 4	10 6 6 6 7 8	10 8 4 6 13 7	11 9 16 9 39 18	9 23 44 39 30 44	1 10 1 3 13 4	1 . 4 1 2 5 1	1 . 4 1 5 1	1 3 2 5 2
Cork. Population in 1911 76,673.	Aug. 22 " 29 Sept. 5 " 12 " 19 " 26	24.5 14.3 11.6 17.7 19.7 22.4	6.1 3.4 2.0 2.0 6.8 4.8	36 21 17 26 29 33	1 1	3 . 1 . 1 3	.	.	4 3 1 5 2 7	.	1 2 1 1 1 .	1 2 1 . 1 1	.	4 4 2 2 6 4	1 . . . 2 . .	1 . . 2 5	1 . . 1 2	
Londonderry. Population in 1914 (Est.) 41,100.	Aug. 22 " 29 Sept. 5 " 12 " 19 " 26	10.1 10.1 12.7 12.7 14.0 22.8	.	8 8 10 10 11 18	1 2 2 1 1 1	.	1 1 1 1 3 .	1 . 1 1 1 1	1 1 . . 3 4	.	1 3 1 3 4	1		
Limerick. Population in 1911 38,518.	Aug. 22 " 29 Sept. 5 " 12 " 19 " 26	13.5 21.7 17.6 24.4 17.6 23.0	.	10 16 13 18 13 17	2 3 3 3 . .	.	1 1 2 1 1 1	1 2 . . 2 .	2 3 1 1 1 1	.	1 1 2 1 1 .	1		
Waterford. Population in 1911 27,464.	Aug. 22 " 29 Sept. 5 " 12 " 19 " 26	17.1 17.1 15.2 22.8 13.3 17.1	3.8 1.9 1.9 5.7 3.8 1.9	9 9 8 12 7 9	3 2 1 1 . .	.	1 1 1 . . 1	1 1 3 2 . .	2 1 1 3 2 1	.	1 1	1 2 1 1 . .

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 26th September, 1914, Deaths in Public Institutions of Persons admitted from *without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATES of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.													DEATHS FROM													No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				All Causes.	Certain Epidemic Diseases,†	Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS.		Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
																				Pulmonary.	Other Forms.		Pneumonia.	Other.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
																													(1)	(2)	(3)			(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
City of Belfast.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	</

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year. † See note (†) at foot of first page.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ...	4,516,612	Sept. 26,	2,176	1,343	15·5	1	.	24	5	13	18	245	
EDINBURGH, ...	321,900	„ 26,	107	97	15·7	.	.	.	2	1	1	9	
GLASGOW, ...	1,047,000	„ 26,	546	356	17·7	2	.	1	5	11	2	54	
CALCUTTA, ...	896,067	Aug. 22,	.	479	27·7	105*	2	2	.	.	.	61† ^a	
BOMBAY, ...	979,445	„ 22,	372	635	33·7	77*	2	1	.	.	.	102† ^a	
MADRAS, ...	518,660	„ 22,	407	545	54·6	79*	1	.	?	?	?	183† ^a	
CAIRO, ...	726,075	July 22,	596	660	47·4	10	2	10	.	?	16†	188	
PARIS, ...	2,847,229	Aug. 8,	819	645	11·6	14	.	14	1	2	3	36	
BRUSSELS, ...	780,843	—	
ANTWERP, ...	313,833	—	
AMSTERDAM, ...	597,888	—	
COPENHAGEN, ...	483,000	Aug. 29,	207	143	15·4	1	.	.	1	1	.	28 ^a	
STOCKHOLM, ...	382,085	Sept. 5	151	81	11·0	1	.	1	.	.	1	1	
CHRISTIANIA, ...	251,446	„ 12,	93	47	9·7	1	2	6 ^a	
PETROGRAD, ...	1,728,200	—	
MOSCOW, ...	1,694,000	—	
ROME, ...	591,943	—	
NEW YORK, ...	5,583,871	July 25,	2,260	1,331	12·4	15	.	8	4	4	25†	157	
PHILADELPHIA, ...	1,657,810	—	
BOSTON, ...	750,768	Aug. 29,	.	215 ^b	14·9	1	.	1	.	1	.	26 ^a	

* Deaths from "fever," including 11 from enteric fever, and 3 from plague in Calcutta; 3 from enteric fever and 16 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 5 deaths from cholera in Calcutta, 31 in Bombay, and 57 in Madras.

^a Deaths from diarrhoeal diseases at all ages.

^b Corrected figures, i.e., non-residents deducted, 180 (including 17 deaths from diarrhoeal diseases), rate 12·5 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th September, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	1	1	2
" " 1, West,	1	.	.	2	2	5
" " 2,	.	1	4	5
" " 3,	.	5	1	6
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),
Finglas and Glasnevin (part of),
South City No. 1,	.	1	1	3	5
" " 2,	2	1	3
" " 3,	5	.	1	.	.	6	12
" " 4,	4	4
New Kilmainham,	1	1	2
Total,	.	7	.	.	6	.	.	11	1	1	.	.	18	44

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 26th September, 1914, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 26th September.			
	Sept. 5.	Sept. 12.	Sept. 19.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	76	75	72	10	6	1	75
Typhus,
Small-pox,
Measles, ...	4	3	3	1	.	.	4
Scarlet Fever, ...	54	56	66	17	13	.	70*
Diphtheria, ...	36	29	28	8	3	1	32
Pneumonia, ...	21	27	29	4	7	4	22

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 26th September, 1914:—

“Favourable autumnal weather was experienced during this week, but the distribution of atmospheric pressure was very different at the beginning and close of the period. During Sunday and Monday the barometer was, lowest towards the east, highest in the west, a large area of high pressure spreading in over the British Islands from the Atlantic. The northerly winds of this anticyclonic system blew keenly, and at 7 a.m. of Monday the screened thermometer read 32° at Eskdalemuir, Dumfriesshire, and at Markree Castle, Co. Sligo. At Birr Castle, King’s County, the reading was 34° at the hour named. Even in Dublin the thermometer had fallen towards morning to 37·8° in the screen. Thunder, lightning and hail had occurred in the London district on Sunday. By Tuesday morning the central area of high pressure had passed eastward from Ireland to Great Britain; a southerly wind and a brisk rise of temperature took place in the former country, while calms and cold prevailed in the inland parts of England and Scotland. On Tuesday and Wednesday heavy rains fell in the western parts of Ireland and Scotland—1·46 inches in all at Valentia, Co. Kerry, whereas a remarkably large diurnal range of temperature occurred at this time in Central England. At Nottingham the thermometer in the screen ranged from 35° to 61° on Tuesday, 33° to 65° on Wednesday, 33° to 68° on Thursday, and 33° to 70° on Friday. The rains on the western coasts were related to low pressure systems moving in a north-easterly direction over the Atlantic. The excessive ranges of temperature in Central England occurred within the limits of an anticyclone, which again spread westward to Ireland on Saturday. In Dublin the mean height of the barometer was 30·266 inches, the range being from 30·404 inches at 9 a.m. of Monday (wind, N.W.) to 30·117 inches at 4 p.m. of Friday (wind, S.W.). The corrected mean temperature was 53·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 51·8°. On Monday the screened thermometers fell to 37·8°, on Friday they rose to 66·2°. Northerly winds prevailed at first, southerly and southwesterly later. Rain fell on Wednesday morning to the amount of ·014 inch. The ‘Plough’ Comet was well seen on several nights.”

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 30·254 inches. The highest reading (30·380) was on Saturday, at 9 p.m., the lowest (30·135) on Friday, at 9 a.m.

The mean temperature for the week was 51·3°, being 1·1° below the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Friday, on which day the thermometer registered 68°, and was lowest on Monday, the mercury having fallen to 30°. The mean of the Dry Bulb for the week was 52·2° and of the Wet Bulb, 49·3°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 52·5°, the maximum 73·9°, and the minimum 35·3°; at Glasgow the maximum was 62·2°, the minimum 35·7°, and the mean 51·4°; and at Edinburgh the maximum was 65·1°, the minimum 37·1. and the mean 52·6. The rainfall at Greenwich measured 0·12 in.; and at Glasgow 0·06 in. There was no rainfall recorded at Edinburgh.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.			BAROMETER.			THERMOMETER.*			HYGROMETER.			Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.
			Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)			Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1·0.			
			(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday,	Sept.	20,	30·270	56	34	45·0	42·3	40·4	·87	·9	11·2	·000		
Monday,	"	21,	30·360	59	30	44·5	42·4	40·8	·89	·5	9·9	·000		
Tuesday,	"	22,	30·270	63	32	47·5	55·8	51·8	·76	·4	9·9	·000		
Wednesday,	"	23,	30·205	61	54	57·5	57·5	53·9	·78	·7	0·1	·000		
Thursday,	"	24,	30·225	66	40	53·0	55·3	51·5	·78	·7	7·0	·000		
Friday,	"	25,	30·145	68	43	55·5	58·4	54·9	·81	·7	10·3	·000		
Saturday	"	26,	30·300	63	49	56·0	53·4	52·1	·92	·6	4·7	·000		
Mean,	30·254	62·3	40·3	51·3	52·2	49·3	·83	·6	Total 53·1	Total ·000		

Sunday—A beautiful bright day; night clear. Monday—A beautiful bright day; night clear. Tuesday—A beautiful bright day; night overcast. Wednesday—A dull day; night clear. Thursday—A bright day; night clear. Friday—A beautiful bright day; night clear. Saturday—A bright day, cloudy at intervals; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 19th September, 1914, the readings for the week ending 26th September not being available.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.R.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.		Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
			1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday,	Sept. 13,	55·7	57·8	59·0	62·3	49·1	55·7	hrs. 3·0	ins. ·08
Monday,	" 14,	60·0	58·0	59·0	63·5	48·0	55·7	3·9	·01
Tuesday,	" 15,	52·2	57·0	58·7	63·5	46·0	54·7	7·2	—
Wednesday,	" 16,	56·3	56·6	58·2	63·5	49·0	56·2	1 9	·636
Thursday,	" 17,	56·6	57·5	58·0	63·6	47·5	55·5	7·6	·004
Friday,	" 18,	55·0	56·0	58·0	63·5	46·0	54·7	0·0	—
Saturday,	" 19,	56·5	55·0	58·0	63·5	43·1	53·3	9·2	—
Weekly Mean,	.	56·0	56·8	58·4	63·3	47·0	55·1	Total 32·8	Total ·730

Quarterly Summary of the Weekly Returns OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-SIX OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE:

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;

or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of

T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEXANDER THOM & CO. LIMITED, ABBEY-STREET, DUBLIN.

1914.

Price 1½d.

VOL. LI.]	QUARTER ENDING SATURDAY, 26TH SEPTEMBER, 1914.	[No. 39A
-----------	--	----------

DUBLIN REGISTRATION AREA. — BIRTHS. — In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,743 statute acres, and the population, estimated to the middle of 1914, 406,000, there were registered during the thirteen weeks ended on Saturday, 26th September, 1914, 2,568 births—1,324 boys and 1,244 girls—being equal to an annual ratio of 1 in 39·5, or 25·3 in every 1,000 of the population.

The number of births registered in the city was 2,156, equivalent to an annual rate of 27·8 in every 1,000 of the population; and in the urban districts named above, 412, equal to an annual rate of 17·3 in every 1,000 of the population.

There were registered in London during the same period 27,965 births—being equal to an annual birth-rate of 24·8 in every 1,000 of the estimated population; in Glasgow there were registered 7,187, being equal to 27·5 per 1,000; and in Edinburgh, 1,669—a number affording an annual birth-rate of 20·7 in every 1,000 of the estimated population.

DEATHS.—Omitting the deaths (122) of persons admitted into public institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 1,765, are equivalent to an annual rate of 17·4 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 19·1. The total number of deaths registered in the Dublin Registration Area during the quarter was 1,887—959 males and 928 females—affording an annual ratio of 1 in 53·8 or 18·6 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the third quarter of the ten years, 1904–1913, in the Dublin Registration Area was 20·1 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the north city districts registered last quarter was 730, representing an annual mortality of 17·7 in every 1,000 of the

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

population; and the number in the south city districts was 714, equivalent to a rate of 19·6 per 1,000. In the urban districts the number of deaths registered was 321, being equal to an annual death-rate of 13·4 in every 1,000.

The number of deaths registered in London during the same period was 14,851, a number equal to an annual rate of mortality of 13·2 in every 1,000 of the inhabitants; in Glasgow the number was 3,912 equal to 14·9 in every 1,000; and in Edinburgh 1,095, affording an annual death-rate of 13·6 in every 1,000 of the estimated population.

DISEASES.—The number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area during last quarter was 244, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 2·40.

The following tabular statement shows the mortality from some of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1904–1913 :—

NAMES OF DISEASES.	No. of Deaths in September Quarter, 1914.	Average No. of Deaths in September Quarters, 1904–1913.
Enteric Fever,	21	14
Typhus,	—	1
Small-pox,	—	—
Measles,	21	27
Scarlet Fever,	7	8
Whooping-cough,	7	24
Diphtheria,	19	14

ENTERIC FEVER.—The number of deaths from enteric fever registered during the quarter was 21, the deaths from this cause in the three preceding quarters numbering 14, 14, and 8, respectively.

In the third quarter of the ten years, 1904–1913, the average number was 14. Of the 21 deaths for the quarter 5 belonged to North City districts, 13 to South City districts, one death each to Rathmines and Rathgar urban district and Pembroke urban district, and one was that of a person admitted to hospital from a locality outside the Registration Area.

From Table I. it will be seen that 192 cases were under treatment in Dublin hospitals during the quarter, that of these 103 were discharged, 14 died, leaving 75 cases under treatment at the close of the quarter.

TYPHUS.—No death from this disease was recorded, but one case was under treatment in hospital; there was, however, no case under treatment on the last day of the quarter.

SMALL-POX.—There was no mortality from small-pox, nor was any case reported.

MEASLES.—Deaths from measles numbered 21, being 6 under the average (27) for the corresponding quarter of the preceding 10 years. In the three quarters ending with 27th June last the respective numbers were 15, 81, and 280. Of the 21 deaths, 7 were recorded for North City districts, 11 for South City districts, and 3 for Rathmines and Rathgar Urban district.

SCARLET FEVER.—Deaths from scarlet fever which in the three preceding quarters numbered 12, 13, and 8 deaths, respectively, fell to 7 last quarter, the average for the third quarter of the past 10 years being 8.

Of the 7 deaths, one appertained to the North City, 5 to South City, and one to Kingstown urban district.

It would appear from Table I. that 108 cases of this disease were under treatment in hospitals at the close of the previous quarter, that 165 were admitted, that 195 were discharged, and that 70† cases remained under treatment at the end of the quarter.

* See note (*) p. 624*b*.

† See note (*) to Table I.

WHOOPIING-COUGH.—In the three preceding quarters the deaths from this cause, numbered 7, 24, and 20; they were 7 in the quarterly period ended 26th September, as against an average of 24 for the third quarter of the past 10 years.

DIPHTHERIA.—Nineteen deaths from diphtheria were registered. Of these 7 belonged to North City districts, 6 to South City districts, one to Rathmines and Rathgar, 3 to Pembroke, one to Blackrock, and one was that of a person admitted to hospital from a locality outside the Area. In the three preceding quarters the deaths from diphtheria amounted to 31, 24, and 16, respectively, the average number for the third quarter of the 10 years, 1904–13, being 14. Of 149 patients under treatment in Dublin hospitals, 104 were discharged during the quarter, 13 died, and 32 cases remained under treatment at the close of the period.

DIARRHOEAL DISEASES.—Of 169 deaths from these causes, 165 were those of children under 2 years of age from diarrhoea and enteritis, the latter affording a rate of 64·3 per 1,000 births. In the corresponding quarter of the three preceding years, the deaths from diarrhoea and enteritis of children under 2 years of age numbered 308, 95, and 263, respectively.

INFLUENZA.—Two deaths from influenza were registered during the quarter, as against 12, 21, and 10, respectively, in the three preceding quarters, and an average of 7 in the third quarter of the 10 years 1904–1913.

CEREBRO-SPINAL FEVER.—No death was registered from this cause.

PNEUMONIA.—Of 87 deaths from pneumonia (affording an annual rate of 0·86 per 1,000 of the population) 40 were from broncho-pneumonia, 14 from lobar pneumonia, and 33 from pneumonia (type not distinguished).

TUBERCULOSIS.—There were 337 deaths from all forms of tuberculous disease, being equivalent to an annual rate of 3·32 per 1,000 of the population. Of the 337 deaths, 250 were from pulmonary tuberculosis, 33 from tuberculous meningitis, 23 from abdominal tuberculosis, 3 from tuberculosis of the vertebral column, 2 from tuberculosis of joints, 5 from tuberculosis of other organs, and 21 from disseminated tuberculosis.

The 337 deaths include 268 deaths appertaining to the city of Dublin, affording an annual rate of 3·45 per 1,000 of the population (137 to North City districts or 3·33 per 1,000, and 131 to South City districts, the annual rate being 3·60 per 1,000), and 41 to the urban districts (Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), being equivalent to an annual rate of 1·72 per 1,000 of the population.

CANCER.—The number of deaths from cancer (carcinoma, sarcoma, and cancer, malignant disease) was 130, a number affording an annual rate of 1·28 per 1,000 of the population estimated to the middle of the year.

DISEASES OF THE BRAIN AND NERVOUS SYSTEM.—To these causes 190 deaths were attributed, being equivalent to an annual rate of 1·87 per 1,000. Included in the 190 deaths are 27 deaths from meningitis, and 45 deaths from convulsions—all of the latter being those of children under 5 years of age.

DISEASES OF THE CIRCULATORY SYSTEM.—There were 204 deaths ascribed to these diseases, corresponding to an annual rate of 2·01 per 1,000. Of the deaths under this heading 169 were from organic diseases of the heart.

BRONCHITIS.—Deaths from this disease numbered 104, representing an annual rate of 1·02 per 1,000.

CONGENITAL MALFORMATIONS, PREMATURE BIRTH, AND CONGENITAL DEBILITY.—To congenital malformations, 7 deaths were ascribed; to premature birth, 45 deaths; and to congenital debility, 56 deaths.

VIOLENCE.—Of 50 accidental deaths, 2 were caused by poisons or poisonous vapours, 3 (all under 5 years of age) by burns or scalds, 14 by drowning, 4 (all of infants) by suffocation in bed, 5 by vehicles and horses, and 2 by railways.

Five deaths were attributed to homicide, and 7 to suicide.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the Quarter (13 weeks) ended Saturday, 26th September, 1914.

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever,	24	168	103	14	75
Typhus,	1	—	1	—	—
Small-pox,	—	—	—	—	—
Measles,	50	85	126	5	4
Scarlet Fever,	108	165	195	8	70*
Diphtheria,	42	107	104	13	32
Pneumonia,	22	81	67	14	22

* Exclusive of 16 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 44 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 44 cases, 28 (or 64 per cent.) were deaths of children under 5 years of age; these 28 deaths form 4·8 per cent. of the total number of deaths of children of that age-period. Of the deaths of 130 infants under one month old registered, there were 16 (or 12·3 per cent.) regarding which the cause was uncertified.

From Table II., on page 624*f*, it will be seen that, excluding 122 deaths of persons admitted into public institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 1,765, equal to an annual rate of 17·4 per 1,000 of the estimated population, and that 240 of these deaths, representing an annual rate of 2·4 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 18·6 per 1,000, and for the urban districts 13·4 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 2·7, and in the urban districts 1·2, the rates for the several districts varying from 0·7 in Clontarf and Howth No. 1, part of, to 4·4 in South City No. 1, the 202 deaths from all causes for that district including 2 from enteric fever, 6 from measles, 2 from scarlet fever, and 35 from diarrhoea and enteritis of children under 2 years of age.

OCCUPATIONS.—Table III., on page 624*g*, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 11·7 per 1,000 of the persons in that class according to the Census of 1911; in the "Middle Class" the death-rate was 13·0 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 15·3; and in the "General Service Class" it was 18·3.

AGES.—Of the 1,887 persons whose deaths were registered in the Dublin Registration Area during the quarter, 587 were under 5 years of age, including 418 infants under one year of age, the latter representing a rate of 162·8 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 57·4 in every 1,000 children at that age (according to the Census of 1911); 73 were between the ages of 5 and 15, representing an annual rate of 4·1 per 1,000 persons at that age-period; 86 were between the ages of 15 and 25, equivalent to an annual rate of 4·3 per 1,000; the total number under 25 years being equal to an annual mortality of 15·5 per 1,000 of the population at that age-period (according to the Census of 1911); 332, or 10·7 per 1,000 persons, were between 25 and 45; 431, or 29·3 per 1,000, between 45 and 65; 225, or 53·3 per 1,000, between 65 and 75; and 153, or 109·4 per 1,000, were aged 75 and upwards, including 10 persons aged 90 and upwards.

PUBLIC INSTITUTIONS.—Of the 1,887 deaths recorded during the quarter, 883, or 44·1 per cent., occurred in public institutions, viz., 501 in the various hospitals, prisons, and lunatic asylums; 141 in the North Dublin Union Workhouse; 179 in the South Dublin Union Workhouse; and 12 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

WEATHER.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phoenix Park, was 58·2°. At Greenwich, for the quarter, it was 61·8°; at Glasgow 57·2°; and at Edinburgh, 57·3°.

The rainfall at Dublin during the thirteen weeks measured 7·44 inches; at Greenwich, 3·31 inches; at Glasgow, 6·73; and at Edinburgh, 4·44 inches.

† See note (*) p. 624*h*.

TABLE showing the Mean Weekly Values and the difference from their average Values of the meteorological elements at the Phoenix Park, Dublin,* for the thirteen weeks ended 26th September, 1914.

Prepared at the Meteorological Office under the direction of W. N. SHAW, Esq., LL.D., Sc.D., F.R.S.

1914. WEEK ENDED.		BAROMETER.		THERMOMETER.						HYGROMETER.			OZONE.	BRIGHT SUNSHINE.			RAINFALL.			WIND.		
				Mean of		Mean of A. and B.	Difference from Average.	Highest.	Lowest.					Mean Daily Amount in Hours.	Difference from Average.	Percentage of Possible.	Total Amount.	Inches.	Inches.		Number of Days.	
																						Maximum A.
Mean at 32° F. Sea Level and Standard Gravity. 45°.	Difference from Average.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	Hours.	Hours.	Per cent.	Inches.	Inches.	3	1.2	Mean Force (Beaufort Scale 0-12).
July 4th, ...	29.977	—	68.9	49.4	59.2	76	41	60.7	57.3	81	0.5	6.4	0.0	38	.37	—	—	—	—	3	1.2	
" 11th, ...	29.980	—	69.0	51.1	60.1	73	44	59.9	57.1	83	0.5	8.4	+2.3	51	.46	—	—	—	—	2	0.9	
" 18th, ...	29.944	—	68.9	54.0	61.5	76	49	60.5	58.1	86	0.6	6.5	+0.7	40	.80	—	—	—	—	4	1.2	
" 25th, ...	29.743	—	66.7	51.3	59.0	77	46	58.0	56.0	87	0.7	4.5	-0.9	28	.52	—	—	—	—	6	2.0	
August 1st, ...	29.809	—	64.3	50.3	57.3	69	46	56.5	54.4	87	0.6	4.3	-1.0	27	.35	—	—	—	—	5	0.9	
" 8th, ...	29.697	—	66.3	51.3	58.8	70	47	57.8	55.2	85	0.7	5.5	+0.1	36	.70	—	—	—	—	7	1.0	
" 15th, ...	30.058	—	71.3	53.4	62.4	78	41	63.0	60.1	84	0.6	8.6	+3.3	57	1.12	—	—	—	—	2	0.9	
" 22nd, ...	30.064	—	68.6	45.6	57.1	73	42	58.1	56.5	91	0.4	8.5	+3.2	58	.17	—	—	—	—	2	0.3	
" 29th, ...	29.953	—	68.0	52.9	61.0	74	51	60.2	58.8	92	0.6	4.4	-0.8	31	1.72	—	—	—	—	5	0.5	
September 5th, ...	30.224	—	66.7	49.4	58.1	74	44	58.6	57.6	94	0.4	4.9	-0.2	36	.00	—	—	—	—	0	0.7	
" 12th, ...	29.876	—	65.7	51.7	58.7	71	48	57.5	56.1	91	0.5	4.0	-0.9	30	.66	—	—	—	—	4	1.3	
" 19th, ...	29.758	—	59.0	44.0	51.5	61	42	51.2	49.2	87	0.7	4.7	-0.1	37	.57	—	—	—	—	5	1.7	
" 26th, ...	20.255	—	62.3	40.3	51.3	68	30	52.2	49.3	83	0.6	7.6	+3.0	62	.00	—	—	—	—	0	0.3	
Mean, ...	29.945	-.003	66.6	49.7	53.2	78	30	58.0	55.8	87	0.6	6.0	+0.7	41	7.44	-0.94	—	—	—	45	1.0	

* Height above Mean Sea Level, Station H=155 feet; Barometer Hb=159 feet.

NOTE.—The information under the headings Barometer, Hygrometer, and Wind is the mean of observations taken at 9 a.m. and 9 p.m.; the quarterly difference from average for these elements being for the calendar months July to September. For remarks on the Weather of the Quarter see "Quarterly Return."

TABLE II.—Showing for the **Quarter** (13 weeks) ended **26th September, 1914**, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.

REGISTRARS' DISTRICTS, &c.		QUARTER (13 WEEKS) ENDED 26TH SEPTEMBER, 1914.													DEATHS.																	
		ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.				CAUSED BY																										
		TOTAL DEATHS.				DISEASES OF RESPIRATORY SYSTEM.																										
		POPULATION, ESTIMATED TO MIDDLE OF 1914.*	FROM ALL CAUSES	FROM CL. TAIN	FROM EPID. DISEASES*	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Tuber- culosis.	Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of Children under 5 years.	Diarrhoea, 2 years and upwards.	Violence.	Number of Uncertified Deaths.		
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)			
North City.																																
	NORTH CITY, No. 1, E.,	30,206	18.8	2.8	142	35	7	8	8	6	23	33	22	8	.	.	2	1	1	2	.	20	6	8	8	8	15	.	6	1		
	" 1, W.,	41,278	21.1	2.4	218	56	13	9	6	7	42	52	33	3	.	.	2	1	1	2	.	31	9	10	9	13	17	.	6	5		
	" 2,	27,883	23.2	2.0	162	41	13	5	4	4	21	37	37	37	.	.	1	.	1	1	.	25	17	8	4	20	12	1	6	5		
	" 3,	35,536	15.1	1.1	134	35	7	3	8	6	26	23	21	1	.	.	2	.	1	1	.	12	8	9	6	6	6	1	7	5		
	CLONTARF AND HOWTH, No. 1,	5,485	8.8	0.7	12	1	.	.	1	.	1	2	7	1	2	2	1	.	.	.	1	.	.	
	part of.	13,685	9.9	1.2	34	3	2	1	1	4	5	11	7	1	1	1	.	7	1	1	3	.	3	.	1	1	.	
	COOLOCK AND DRUMCONDRA, part of,	10,723	10.6	1.1	28	5	1	2	1	2	8	4	5	1	1	.	.	.	1	.	.	.	1	.
	FINGLAS AND GLASNEVIN, part of,																															
South City.																																
	SOUTH CITY, No. 1,	40,768	19.8	4.4	202	52	20	10	8	8	32	32	40	2	.	.	6	2	.	.	.	29	7	6	4	21	35	.	4	5	.	
	" 2,	18,841	22.7	3.9	104	21	4	11	3	4	24	27	10	2	.	.	3	.	1	.	.	15	4	7	12	8	11	1	3	7	.	
	" 3,	43,540	20.0	3.3	218	58	10	4	9	7	28	50	52	4	.	.	2	.	1	2	.	36	6	14	12	20	27	1	5	6	.	
	" 4,	33,171	17.5	3.0	145	43	7	6	5	7	26	33	17	2	.	.	.	2	3	1	.	19	8	8	8	5	17	1	6	3	.	
	NEW KILMAINHAM,	9,851	18.3	4.1	45	12	1	1	1	4	8	11	7	3	.	.	.	1	.	.	.	4	3	2	1	4	5	.	1	.	.	.
Urban Districts.																																
	RATHMINES AND RATHGAR,	39,155	12.7	1.1	124	17	6	4	4	4	20	22	47	1	.	.	3	.	1	1	.	9	5	14	4	5	5	.	3	5	.	
	PEMBROKE,	30,240	12.4	1.5	94	20	1	1	1	6	16	21	28	1	3	3	.	13	1	7	2	6	7	.	3	1	.	
	BLACKROCK,	9,197	15.2	0.9	35	4	.	1	1	4	4	5	16	1	1	1	.	5	1	6	1	1	1	.	1	1	1	.
	KINGSTOWN,	16,941	16.1	0.9	68	10	4	.	4	1	8	22	19	1	1	.	.	5	2	4	6	5	1	1	1	1	5	.
	Total North,	164,796	17.7	1.9	730	176	43	28	29	29	126	167	132	5	.	.	7	1	3	7	.	96	41	39	31	48	54	1	28	17	.	
	South,	145,671	19.6	3.7	714	186	42	32	27	30	118	153	126	13	.	.	11	5	2	6	.	103	28	37	37	58	95	2	19	15	.	
	Total North and South,	310,467	18.6	2.7	1,444	362	85	60	56	59	244	320	258	18	.	.	18	6	5	13	.	199	69	76	68	106	149	3	47	32	.	
	Total Urban Districts,	95,533	13.4	1.2	321	51	11	6	10	15	48	70	110	2	.	.	3	1	2	5	.	32	9	31	13	16	14	1	8	12	.	
	Total Registration Area,	406,000	17.4	2.4	1,765	413	96	66	66	74	292	390	368	20	.	.	21	7	7	18	.	231	78	107	81	122	163	4	55	44	.	
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).					122	5	3	4	7	12	40	41	10	1	1	.	19	9	23	6	3	2	.	7	.	.	

* See note (*) on page 624h.

† See note (*) on page 624h.

TWENTY-SEVEN PRINCIPAL TOWN DISTRICTS OF IRELAND.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-six of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 16·7 per 1,000 of the population, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—Bangor, 10·3 ; Bray, 10·4 ; Kilkenny, 11·0 ; Athlone, 11·2 ; Wexford, 11·8 ; Clonmel, 12·1 ; Portadown, 12·3 ; Coleraine, 12·3 ; Armagh, 12·5 ; Newtownards, 13·4 ; Larne, 13·9 ; Lurgan, 14·7 ; Newry, 14·7 ; Waterford, 15·4 ; Drogheda, 16·0 ; Londonderry, 16·1 ; Lisburn, 16·1 ; Limerick, 16·3 ; Cork, 16·5 ; Ballymena, 17·2 ; Belfast, 17·4 ; Dublin Registration Area, 17·4 ; Tralee, 17·9 ; Queenstown, 18·0 ; Galway, 18·1 ; Dundalk, 18·3 ; and Sligo, 20·4.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 27 districts is 2·8 per 1,000 of the population, the rates varying from 0·0 in four of the districts to 5·4 in Sligo, the 57 deaths from all causes for that district, including 14 from measles and one from diarrhoea and enteritis of a child under two years of age.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-six provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter :—

ENTERIC FEVER.—Of 18 deaths from enteric fever, 8 were recorded for Belfast, 7 for Ballymena, and one death each for Cork, Londonderry, and Limerick.

TYPHUS.—Four deaths from this cause appertained to Belfast.

SMALL-POX.—There was no mortality from this disease.

MEASLES.—The 84 deaths from measles include 62 recorded for Belfast, 14 for Sligo, 3 deaths each for Cork and Lurgan, and one death each for Bangor and Athlone.

SCARLET FEVER.—Twenty-five deaths from scarlet fever appertained to Belfast, 2 each to Cork and Lurgan, and one death each to Londonderry, Limerick, and Kilkenny.

WHOOPING-COUGH.—Included in the 78 deaths are 50 for Belfast, 23 for Cork, and 4 for Queenstown.

DIPHTHERIA.—Four deaths for Cork, 3 for Belfast, 2 for Kilkenny, and one death each for Galway, Drogheda, Tralee, and Athlone were recorded.

DIARRHOEAL DISEASES.—Of 386 deaths from these causes 350 were those of children under 2 years of age, 240 of the latter belonging to Belfast, 30 to Cork, 17 to Londonderry, 14 to Waterford, 13 to Lisburn, and 10 to Newtownards.

PHTHISIS.—The annual death-rate from phthisis for the 27 towns in the aggregate was 2·0 per 1,000 of the estimated population ; for the Dublin Registration Area it was 2·3 per 1,000, for Belfast county borough 2·0 per 1,000, and for the urban districts collectively (exclusive of Dublin Registration Area and Belfast), it was 1·6 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhoeal diseases.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 3RD OCTOBER, 1914.

[No. 40.]

*General Register Office, Charlemont House,
Dublin, 5th September, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 17·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Sept. 12	Sept. 19	Sept. 26	Oct. 3	
27 Town Districts, (a)	17·0	19·9	19·2	17·3	18·3
Dublin Reg. Area ...	17·1	19·4	18·4	19·1	18·5
Dublin City ...	18·3	20·8	20·5	19·0	19·6
Belfast ...	18·0	19·7	22·1	17·4	19·3
Cork ...	17·7	19·7	22·4	14·3	18·5
Londonderry ...	12·7	14·0	22·8	14·0	15·9
Limerick ...	24·4	17·6	23·0	16·2	20·3
Waterford ...	22·8	13·3	17·1	17·1	17·6

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 2·6 per 1,000. Among the 133 deaths from all causes for Belfast are one from enteric fever, one from scarlet fever, 4 from whooping-cough, and 23 from diarrhoeal diseases. Of the 21 deaths from all causes for Cork 5 are from diarrhoeal diseases. Two of the 11 deaths from all causes for Londonderry are from diarrhoeal diseases. Included in the 12 deaths from all causes for Limerick is one from scarlet fever. The 2 deaths for Tralee are from diarrhoea and enteritis of children under 2 years. One of the 4 deaths from all causes for Queenstown is from whooping-cough, and of the 2 deaths for Bangor one is from diphtheria, and one from diarrhoea and enteritis of a child under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 199—102 boys and 97 girls—and the deaths to 154—71 males and 83 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·1 per 1,000 of the population. During the forty weeks, ending with Saturday last, the death-rate averaged 21·1, and was 0·6 below the mean rate for the corresponding portions of the ten years, 1904—1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 154, represent an annual rate of 19·8 per 1,000; the annual rate for the past forty weeks was 22·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·8 per 1,000 of the mean population for all deaths registered.

Among the deaths registered are one each from enteric fever, whooping-cough and diphtheria, and 12 deaths from diarrhoeal diseases, the latter including 11 deaths from diarrhoea and enteritis of children under 2 years of age.

In the three preceding weeks, deaths from enteric fever were 3, 3, and one; deaths from whooping-cough were one, 0, and one; deaths from diphtheria were 0, one, and 2; and deaths from diarrhoeal diseases were 17, 25, and 14, respectively.

Of 26* deaths from all forms of tuberculous disease, 17 were from pulmonary tuberculosis, 4 from tuberculous meningitis, one from abdominal tuberculosis, and 4 from other forms of the disease. In the three preceding weeks deaths from tuberculous disease numbered 21, 27, and 30, respectively.

Fifteen* deaths from cancer were registered.

Deaths from pneumonia include one from broncho-pneumonia, one from lobar pneumonia, and 8 from pneumonia (type not distinguished).

Among deaths of infants under one year of age 2 were ascribed to convulsions and 4 to premature birth.

Organic diseases of the heart caused 14 deaths and bronchitis 16 deaths.

There were 2 accidental deaths.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 infants under one year of age, and the deaths of 2 persons aged 65 years and upwards.

Thirty-nine of the persons whose deaths were registered during the week were under 5 years of age (26 being infants under one year, of whom 9 were under one month old), and 36 were aged 65 years and upwards, including 24 persons aged 70 and upwards; among the latter were 17 aged 75 and upwards, of whom one (a female) was stated to have been aged 94 years.

Sixty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse, 10 in the South Dublin Union Workhouse, and 4 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·1 per 1,000; the rate in the City was 19·0 (North, City Districts, 22·5; South, 15·0) and in the Suburbs 19·6.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 2·0 (in the North City Districts 2·8, and in the South 1·1), and for the Suburbs 1·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·4 per 1,000 and include 2 from tuberculous disease and 2 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 25·3 per 1,000. Whooping-cough caused one death, pulmonary tuberculosis 2 deaths, pneumonia 2 deaths, bronchitis 2 deaths, and there were 5 deaths of children under 2 years of age from diarrhoea and enteritis.

No. 2 North City District (Lisburn-street).—The deaths (22) are equivalent to an annual rate of 41·1 per 1,000. Included in the total are 6 from tuberculous disease, one from pneumonia, one from bronchitis, 2 from diarrhoea and enteritis of children under 2 years of age, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (9) represent an annual rate of 13·2 per 1,000.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·5 per 1,000 inhabitants; Coolock and Drumcondra, part of, 19·1; and Finglas and Glasnevin, part of, 4·9. Included in the 5 deaths from all causes for Coolock and Drumcondra, part of, is one from each of pneumonia and bronchitis.

No. 1 South City District (South Earl-street).—The deaths (17) represent an annual rate of 21·7 per 1,000, and include one from enteric fever, 6 from pulmonary tuberculosis, one from each of pneumonia, bronchitis, and diarrhoea and enteritis (that of a child under 2 years), and there was one death caused accidentally.

No. 2 South City District (Castle-street).—The deaths (5) are equal to an annual rate of 14·2 per 1,000. Of the 5 deaths 2 were from bronchitis.

No. 3 South City District (Peter-street).—The deaths (13) are equal to an annual rate of 15·6 per 1,000. Included in the total are 2 from pulmonary tuberculosis, one from pneumonia, 2 from bronchitis, and there was one death of a child under 2 years from diarrhoea and enteritis.

No. 4 South City District (Grand Canal Street).—The deaths (6) are equivalent to an annual rate of 9·4 per 1,000. Tuberculous meningitis caused 2 deaths and there were 2 deaths from bronchitis.

New Kilmainham District.—The one death is equal to an annual rate of 5·3 per 1,000, and was from pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·7; Pembroke, 25·9; Blackrock, 0·0; and Kingstown, 40·0. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diphtheria for Pembroke, and one from diarrhoea and enteritis under 2 years for each of Pembroke and Kingstown. Among the 8 deaths from all causes for Rathmines and Rathgar is one from each of tuberculous disease and bronchitis. Included in the 15 deaths from all causes for Pembroke is one from each of pulmonary tuberculosis, pneumonia, and bronchitis; and among the 13 deaths from all causes for Kingstown are 2 from tuberculous disease, 3 from pneumonia, and one from bronchitis.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 14·9), was equal to an average annual death-rate of 14·3 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 15·6 per 1,000, the rate for Glasgow being 15·5, and for Edinburgh 13·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 3rd October. From this Report it appears that of a total of 107 cases notified, 64 were scarlet fever, 23 diphtheria, 13 phthisis, 6 erysipelas, and one enteric fever. Among the 673 cases of infectious diseases in hospital at the close of the week were 322 cases of scarlet fever, 199 of phthisis, 88 of diphtheria, 12 of enteric fever, and 10 of erysipelas.

* See note (c) at foot of Table II.

† See note (†) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 3rd October, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrheal Diseases.	Acute Poliomyelitis.	Pulmonary encephalitis.	Tubercular.	Total.
City of Dublin.	Sept. 12,	.	—	—	12	.	.	6	.	.	11	5	.	—	—	—	—	.	33	67	
	Sept. 19,	.	—	—	11	.	.	4	.	.	11	3	.	—	—	—	—	16	45		
	Sept. 26,	.	—	—	7	.	.	6	.	.	11	1	1	—	—	—	—	18	44		
	Oct. 3,	.	—	—	8	.	.	11	.	1	14	3	.	—	—	—	—	22	59		
Rathmines and Rathgar Urban District.	Sept. 12,	.	—	—	1	—	—	—	—	—	—	1	
	Sept. 19,	.	—	—	3	2	.	2	.	.	.	2	.	—	—	—	—	—	—	9	
	Sept. 26,	.	—	—	1	.	.	1	.	.	1	.	.	—	—	—	—	—	—	3	
	Oct. 3,	.	—	—	2	.	.	1	.	.	1	.	.	—	—	—	—	—	—	4	
Pembroke Urban District.	Sept. 12,	.	.	.	1	1	.	.	—	—	—	—	.	.	2	
	Sept. 19,	.	.	.	1	.	.	1	—	—	—	—	.	.	2	
	Sept. 26,	—	—	—	—	.	.	.	
	Oct. 3,	2	—	—	—	—	.	.	2	
Blackrock Urban District.	Sept. 12,	.	.	—	—	—	—	—	—	—	.	
	Sept. 19,	.	.	—	—	—	—	—	—	—	.	
	Sept. 26,	.	.	—	—	—	—	—	—	—	.	
	Oct. 3,	.	.	—	—	—	—	—	—	—	.	
Kingstown Urban District.	Sept. 12,	.	—	—	—	—	—	—	—	.	.	
	Sept. 19,	.	—	—	—	—	—	—	—	.	.	
	Sept. 26,	.	—	—	1	1	.	—	—	—	—	—	.	2	
	Oct. 3,	.	—	—	1	—	—	—	—	—	.	1	
City of Belfast.	Sept. 12,	.	—	—	43	.	.	6	.	.	2	2	.	—	—	—	—	.	6	59	
	Sept. 19,	.	—	—	42	.	.	6	.	.	2	2	1	—	—	—	—	1	55		
	Sept. 26,	.	—	—	70	.	.	3	.	.	3	4	.	—	—	—	—	4	84		
	Oct. 3,	.	—	—	72	.	.	5	1	.	1	10	.	—	—	—	—	1	90		
City of Cork.	Sept. 12,	.	1	—	4	1	2	1	—	—	—	20	—	—	29 ^a	
	Sept. 19,	.	.	—	4	.	.	2	.	.	1	1	.	—	—	—	23	—	—	31	
	Sept. 26,	.	2	—	5	.	.	2	1	1	2	.	.	—	—	—	16	—	—	29 ^b	
	Oct. 3,	.	1	—	2	1	.	3	.	.	1	.	.	—	—	—	6	—	—	14	
City of Londonderry.	Sept. 12,	.	—	—	1	.	.	—	—	—	—	—	—	1	
	Sept. 19,	.	—	—	2	2	1	.	—	—	—	—	—	—	5	
	Sept. 26,	.	—	—	2	.	—	—	—	—	—	—	2	
	Oct. 3,	.	—	—	2	.	.	1	—	—	—	—	—	—	3	
City of Limerick.	Sept. 12,	.	—	—	1	1	.	.	—	—	—	—	—	—	2	
	Sept. 19,	.	—	—	3	.	.	.	1	—	—	—	—	—	—	4	
	Sept. 26,	.	—	—	4	1	.	.	—	—	—	—	—	—	5	
	Oct. 3,	.	—	—	5	—	—	—	—	—	—	5	
City of Waterford.	Sept. 12,	.	—	—	4	2	.	.	—	—	—	—	—	.	6	
	Sept. 19,	.	—	—	6	—	—	—	—	—	.	6	
	Sept. 26,	.	—	—	5	—	—	—	—	—	.	5	
	Oct. 3,	.	—	—	4	—	—	—	—	—	.	4	

^a Not including one case of varicella.

^b Not including 2 cases of varicella.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd October, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Eleven cases of enteric fever were admitted to hospital during the week, 7 were discharged, and 79 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 75, 72, and 75.

Two cases of measles were admitted to hospital, 2 were discharged and 4 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 3, 3, and 4, respectively.

Twelve cases of scarlet fever were admitted to hospital, 23 were discharged, and 59* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 56, 66, and 70, respectively.

Seventeen cases of diphtheria were admitted to hospital during the week, 10 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 29, 28, and 32 respectively, were 38 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 9 were discharged, and 19 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 3rd of October, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.				
		CITY OF DUBLIN.																					
		REGISTRATION DISTRICTS IN																					
		Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.										URBAN DISTRICTS OF			
		NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGTOWN.						
Enteric Fever,	1	1	.					
Typhus,					
Small-pox,					
Measles,					
Scarlet Fever,					
Whooping-cough,	1	1	.					
Diphtheria,	1	.	.	1	.					
Croup,					
Influenza,					
Dysentery,					
Tuberculosis, { Pulmonary,	2	2	3	6	.	2	.	1	.	1	.	1	16	1					
{ Other Forms,	3	1	1	.	.	2	.	1	.	.	1	9	.					
Cancer,	2	1	1	.	2	.	1	1	2	.	.	1	1	.	1	13	2					
Diseases of Nervous System,	1	1	1	2	1	.	.	1	.	.	1	.	2	2	.	3	15	1					
" Organs of Special Sense,	1	.					
" Circulatory System,	1	2	1	1	.	1	1	3	.	2	.	.	.	3	.	1	16	.					
" Respiratory { Pneumonia,	2	1	.	.	1	.	1	.	1	.	.	.	1	.	3	10	.					
{ Others,	2	2	2	1	.	1	.	1	2	3	2	.	1	1	.	1	19	.					
" Digestive { Diarrhoea and Enteritis, under 2 years,	5	2	1	.	1	.	.	.	1	.	1	11	.					
{ Diarrhoea, 2 years and upwards,	1	1	.					
{ Enteritis, 2 years and upwards,	1	1	1					
{ Others,	1	.	1	1	1	.	.	4	.					
" Genito-urinary System,	3	.	.	1	1	.	.	1	.	.	6	.					
Puerperal Septicæmia, etc.,	2	2	.					
Other Causes incident to Pregnancy and Childbirth,	1	1	.					
Diseases of the Skin and Cellular Tissue,					
" Locomotor System,					
Other specified Causes,	1	3	4	1	1	.	.	3	1	.	.	14	.					
Violent Deaths,	1	1	2	.					
Ill-defined, &c. Causes,	1	.	1	1	1	.	1	5	.					
Deaths from All Causes	13	20	22	9	1	5	1	17	5	13	6	1	8	15	.	13	149	5					
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22·4	25·3	41·1	13·2	9·5	19·1	4·9	21·7	14·2	15·6	9·4	5·3	10·7	25·9	.	40·0	19·1	.					
	22·5							15·0							19·6								
	19·0																						
Ages at Death. { Under 1 year,	4	5	6	2	.	.	.	1	.	2	1	.	.	1	.	4	26	.					
{ 1 and under 2 years,	1	1	2	1	.	2	1	8	.					
{ 2 " 5 "	2	1	1	1	5	.					
{ 5 " 15 "	1	1	1	1	1	.	.	5	.					
{ 15 " 25 "	1	1	.					
{ 25 " 45 "	2	2	3	3	.	.	.	5	2	2	1	1	5	3	.	2	31	2					
{ 45 " 65 "	2	5	4	1	1	3	1	4	2	4	3	.	4	4	.	3	37	3					
{ 65 and upwards,	1	5	4	3	.	2	.	4	1	3	.	.	3	6	.	4	36	.					
Number of Uncertified Deaths,	2	1	2	.	.	1	.	.	1	.	1	8	.					
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																							
Public Hospitals, Prisons, and Lunatic Asylums,	2	3	7	4	.	2	1	2	2	4	1	.	3	4	.	2	37	5					
Workhouse Hospitals,	2	4	2	2	.	1	.	3	1	3	1	.	.	2	.	4	25	.					

FORTIETH WEEK, ending Saturday, 3rd October, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 40th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 3rd October, 1914.										
	Oct. 8, 1904.	Oct. 7, 1905.	Oct. 6, 1906.	Oct. 5, 1907.	Oct. 3, 1908.	Oct. 9, 1909.	Oct. 8, 1910.	Oct. 7, 1911.	Oct. 5, 1912.	Oct. 4, 1913.		Deaths of Persons of the Ages of										
	0	0	0	0	0	0	0	0	0	0		0-5.										
Mean Temperature ...	48·3	48·3	53·3	52·4	60·6	53·2	52·5	48·6	45·9	56·6	52·0	0	Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.
Diseases of the Pharynx, Tonsillitis.	1	1
Diseases of Stomach, ...	—	—	—	—	—	—	—	5	2	.	—	2	1	1	8	2
Diarrhoea and Enteritis of Children under 2 years.	12	8	34	14	13	7	19	32	1	26	16·9	11	1	8	2
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards	—	—	—	—	—	—	—	.	.	.	—	1	1	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	.	.	3	—	2	1	1	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	.	.	.	—
Cirrhosis of Liver, ...	1	1	.	1	.	2	2	.	1	.	·8	1
Other Diseases of Liver,	3	3	.	.	2	1	.	.	3	1·2	2	1
Peritonitis (cause unknown), Other Diseases of Digestive System.	4	3	6	6	1	3	1	2	1	.	2·7
Acute Nephritis,	2	1
Chronic Bright's Disease,	1	4	3	.	6	1	.	2	1	2	.
Urinary Calculi,
Uterine Tumour (non-cancerous).	3	9	5	6	3	2	5	.	.	.	4·7
Ovarian Tumour (non-cancerous)
Other Diseases of Genito-urinary System.	2	.	1
Puerperal Septicæmia, &c.,	1	1	·2	2	2	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	5	.	1	.	.	.	1	·7	1	1
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	2	.	.	—
Diseases of Locomotor System.	—	—	—	—	—	—	—	.	.	.	—
Congenital Malformations, ...	—	—	—	—	—	—	—	.	.	1	—
Premature Birth, ...	2	7	3	2	2	4	5	3	4	5	3·7	4	4
Congenital Debility, ...	—	—	—	—	—	—	—	6	3	5	—
Old Age, ...	2	4	5	6	1	6	2	4	2	6	3·8	5	5
Other Specified Diseases, ...	—	—	—	—	—	—	—	2	.	1	—	3	2	.	1
ACCIDENT:
Poisons or Poisonous Vapours.	1	.	.	1	.	·2
Conflagration,	1	.	.	1	.	3	.	2	.	·7
Burns and Scalds, ...	1	.	.	2	.	1	1	.	.	2	·7
Drowning, ...	1	1	.	.	.	·2
Suffocation in Bed, ...	1	1	.	.	.	·2
Other Deaths by Accident, ...	1	1	4	1	2	3	5	1	1	2	2·1	2	1	.	1	.	.
Total Deaths from Accident,	3	2	4	3	3	5	10	1	4	4	3·9	2	1	.	1	.	.
Included in above are Deaths in connection with—
Railways,	1	1	.	.	.	1	.	.	.	·3
Vehicles and Horses,	1	·1
Ships, Boats, Docks,
Building Operations,
VIOLENCE OTHER THAN ACCIDENTAL:
Homicide,	·1
Suicide,
Execution,
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	1	8	4	—	5	1	.	2	1	1	.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 3rd October, 1914; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 3RD OCTOBER, 1914.																																
CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	AGES.										CAUSES OF DEATH										Number of Deaths.									
			Annual Death Rate per 1,000 of the Population in 1911.										Total Number of Deaths.	Diseases of the Respiratory System.										Violence.								
			(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)		(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)			(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)		
	ALL PERSONS.	397,957	—	154	39	5	1	33	40	19	17	1	1	1	.	.	17	9	15	2	10	19	11	1	2	65	8	
	CLASSES.																															
	Deaths in Families of the—																															
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	7.1	2	1	1	1	6	6	2	2	2	2	2	.	2	2	.	.	.	2	1	
II.	MIDDLE CLASS, ...	101,798	11.3	22	6	1	1	4	10	2	5	2	3	1	.	6	6	1	.	.	12	1	
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	13.0	27	6	.	.	19	13	11	1	1	1	1	.	.	10	6	6	1	8	6	9	.	.	14	2	
IV.	GENERAL SERVICE CLASS, ...	167,479	24.3	78	30	4	1	3	1	4	.	.	5	1	.	.	26	5	
V.	INMATES OF WORKHOUSES, ...	5,602	—	25	2	.	.	4	11	4	4	8	1	4	.	.	5	1	.	.	11	.	
I.	PROFESSIONAL AND INDEPENDENT CLASS. 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	13.3	2	2	2	.	
	2. Merchants and Manufacturers, Higher Class	1,347	
	3. Persons of Rank and Property, not otherwise described, ...	5,443	
II.	MIDDLE CLASS. 4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	14.5	7	1	.	.	2	2	2	1	1	1	.	.	.	5	1	
	6. Clerks and Commercial Assistants, ...	33,249	11.0	7	1	1	.	2	2	.	1	5	1	
III.	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	12.3	8	.	.	1	2	2	.	3	2	.	2	.	1	1	.	.	.	2	.	
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																															
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	13.3	3	.	.	.	1	2	2	.	.	.	1	.	
	9. Building and Furnishing Trades, ...	28,823	14.5	8	3	.	.	2	1	2	2	.	.	.	5	.	
	10. Clothing Trades, ...	20,026	2.6	1	1	1	
	11. Food Supply Trades, ...	8,952	5.8	1	1	1	
	12. Other Trades and Callings ranking with 11, ...	32,070	19.5	12	1	.	.	3	5	.	3	1	1	.	.	.	7	2	
IV.	13. Petty Shopkeepers	6,772	15.4	2	1	1	1	.	
	GENERAL SERVICE CLASS.																															
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	20.1	5	2	.	.	1	2	1	.	1	1	.	.
	15. Domestic Servants, ...	36,041	11.6	8	2	.	.	4	1	1	2	1	2	.	.	1	.	.	.	2	.	
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	33.9	10	2	.	.	2	3	3	1	1	2	.	.	2	.	.	.	2	.	
	17. Hawkers, Porters, Labourers, &c., ...	103,081	27.8	55	24	4	.	12	8	7	.	1	1	1	.	.	7	4	1	1	5	3	.	.	.	22	5	
V.	INMATES OF WORKHOUSES.																															
	18. Workhouse Inmates, ...	5,602	—	25	2	.	.	4	11	4	4	3	1	4	.	.	5	1	.	.	.	11	.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.				
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.			Other.			
North City, No. 1 (E.) (Office Clarence St. Nth.)	Aug. 29 Sept. 5 " 12 " 19 " 26 Oct. 3	22.4 19.0 19.0 29.3 27.6 22.4	3.5 3.5 3.5 6.9 3.5 1.7	13 11 11 17 16 13	1 3 2 2 .	.	.	1 1 1 1 1 3	1 1 2 2 1 2	2 1 2 4 1 .	.	.	1 1 1 1 .	.
North City, No. 1 (W.) (Office, Summer-hill.)	Aug. 29 Sept. 5 " 12 " 19 " 26 Oct. 3	29.1 17.7 20.2 21.5 18.9 25.3	7.6 2.5 2.5 2.5 1.3 7.6	23 14 16 17 15 20	1	1 .	1 .	3 3 1 3 3 2	1 1 2 1 .	2 1 1 2 .	1 1 3 .	2 1 1 4 2	3 2 1 2 1 5	.	.	3 .	.
North City, No. 2. (Office, Lisburn-street.)	Aug. 29 Sept. 5 " 12 " 19 " 26 Oct. 3	16.8 31.8 22.4 28.1 26.2 41.1	1.9 3.7 5.6 7.5 1.9 3.7	9 17 12 15 14 22	1 .	.	.	1 1 1 1 1 1	.	2 1 3 1 1 1	2 3 2 4 3 2	.	.	1 .	.
North City, No. 3. (Office, Benburb-street.)	Aug. 29 Sept. 5 " 12 " 19 " 26 Oct. 3	14.7 19.1 19.1 11.7 14.7 13.2	4.4	10 13 13 8 10 9	1 .	.	1 2 1 .	1 1 1 1 .	.	.	1 . . 1 1	1	1 .	.	1 1 1 .	.
Clontarf and Howth No. 1 (part of).	Aug. 29 Sept. 5 " 12 " 19 " 26 Oct. 3	28.5 . 19.0 9.5 . 9.5	3 . 2 1 . 1	1	1 .	.
Coolock and Drumcondra (part of).	Aug. 29 Sept. 5 " 12 " 19 " 26 Oct. 3	7.6 11.4 3.8 19.1 7.6 19.1 3.8 .	2 3 1 5 2 5	1 2 2 .	.	.	1 . . .	1 . . 1 1	.	.	1 .	.	
Finglas and Glasnevin (part of).	Aug. 29 Sept. 5 " 12 " 19 " 26 Oct. 3	14.6 . 29.2 4.9 14.6 4.9	4.9	3 . 6 1 3 1	1 1	1 .	.	
South City, No. 1. (Office, Stth. Earl-street.)	Aug. 29 Sept. 5 " 12 " 19 " 26 Oct. 3	21.7 23.0 16.6 21.7 12.8 21.7	9.0 7.7 5.1 3.8 1.3 2.6	17 18 13 17 10 17	3 1 . 2 6	.	2 . . 1 1	.	1 1 1 1 1 1	7 6 4 2 1 1	.	.	2 1 2 1 .	.
South City, No. 2. (Office, Castle-street.)	Aug. 29 Sept. 5 " 12 " 19 " 26 Oct. 3	28.4 28.4 14.2 39.8 37.0 14.2	11.4 . 2.8 11.4 8.5 .	10 10 5 14 13 5	1	1 1 1 2 3 .	.	1 1 . 1 1 1	1 2 1 1 3 .	2 . 1 1 3 .	1 .	1 .	1 .	.
South City, No. 3. (Office, Peter-street.)	Aug. 29 Sept. 5 " 12 " 19 " 26 Oct. 3	21.6 32.3 15.6 15.6 26.3 15.6	8.4 4.8 3.6 6.0 6.0 1.2	18 27 13 13 22 13	.	.	.	1	1 7 1 2 4 2	2 1 1 . 1 2	1 4 . . 1 2	2 1 . . 1 3	1 2 . 1 4 1	6 3 1 4 4 1	.	.	3 1 3 .	.
South City, No. 4. (Office, Grand Canal-st.)	Aug. 29 Sept. 5 " 12 " 19 " 26 Oct. 3	23.6 7.9 22.0 20.4 22.0 9.4	6.3 . 6.3 4.7 3.1 .	15 5 14 13 14 6	1	3 1 2 1 .	.	1 1 . 2 .	1 . . 3 1 2	4 . 3	3 1 .	.	
New Kilmainham.	Aug. 29 Sept. 5 " 12 " 19 " 26 Oct. 3	15.9 15.9 15.9 15.9 15.9 5.3	5.3	3 3 3 3 3 1	1	1 1	1 . 1

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Violence.	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.			
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Aug. 29 Sept. 5 " 12 " 19 " 26 Oct. 3	10.7 10.7 9.3 14.6 6.7 10.7	2.7 1.3 1.3 1.3 . .	8 8 7 11 5 8	1 2 1 1 . 1 1	. . . 2 1 1 1	1 1 1 1 1 1 1 1 . .	
Pembroke Urban District. Population in 1914 (Est.) 30,240	Aug. 29 Sept. 5 " 12 " 19 " 26 Oct. 3	17.2 13.8 19.0 8.6 17.2 25.9	1.7 . 3.4 1.7 3.4 3.4	10 8 11 5 10 15	. . 1 1	1 1 . . . 1 1 .	2 1 . 2 1 1 1 1	1 . 1 1 2 1 1 1 1 1 2	1
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Aug. 29 Sept. 5 " 12 " 19 " 26 Oct. 3	. 5.7 11.3 28.3 11.3 5.7 . .	. 1 2 5 2 1 1 2 1 1 . 1
Kingstown Urban District. Population in 1911 16,941.	Aug. 29 Sept. 5 " 12 " 19 " 26 Oct. 3	6.2 27.7 12.3 18.5 12.3 40.0	3.1 3.1 . . . 3.1	2 9 4 6 4 13 1 1 1 1	. . . 1 1 1 1	1 1 1 1 1 3	. . 1 1 1 1	. . . 1 1 1 1	. 1 . . 1 1 1	1
Belfast. Population in 1914 (Est.) 399,000.	Aug. 29 Sept. 5 " 12 " 19 " 26 Oct. 3	18.9 20.3 18.0 19.7 22.1 17.4	5.8 6.7 6.7 5.9 7.7 3.8	145 155 138 151 169 133	. . 2 1 1 1 1	2 2 1 7 4 .	2 2 1 1 2 1	6 2 5 3 4 4	1 . . 1	19 20 13 17 15 8	4 8 1 5 4 5	6 6 6 7 8 9	8 4 6 13 7 10	9 16 9 13 18 8	23 44 39 30 44 21	10 1 3 2 4 2	. 4 1 5 1 3	. . 1 2 1 3	3 2 . 5 2 2
Cork. Population in 1911 76,673.	Aug. 29 Sept. 5 " 12 " 19 " 26 Oct. 3	14.3 11.6 17.7 19.7 22.4 14.3	3.4 2.0 2.0 6.8 4.8 3.4	21 17 26 29 33 21 1 . . .	1 1 1 3 1	3 1 5 2 7 3	. 1 1 . . 3	2 1 . 1 . 3	2 1 . 1 1 .	. 1 1 2 2 2	4 2 2 6 4 4	. . . 2 4 1	. 2 . 5 1 .	. 1 2 . 5 .	. . 2 .
Londonderry. Population in 1914 (Est.) 41,100.	Aug. 29 Sept. 5 " 12 " 19 " 26 Oct. 3	10.1 12.7 12.7 14.0 22.8 14.0	1.3 3.8 1.3 3.8 5.1 2.5	8 10 10 11 18 11	2 2 . 1 1 2	. 1	1 1 1 3 1 2	. . 1 1 1 .	1 . . 1 1 .	1 3 1 3 4 1 2 . . .
Limerick. Population in 1911 33,518.	Aug. 29 Sept. 5 " 12 " 19 " 26 Oct. 3	21.7 17.6 24.4 17.6 23.0 16.2	1.4 . 4.1 . 1.4 1.4	16 13 18 13 17 12 1	3 3 3 . . 2	1 . 1 1 1 1	. 2 1 1 2 .	2 . . . 2 .	3 3 1 1 1 2	1 . 2 1 1 .	. 1 1 1 1 2 6 3
Waterford. Population in 1911 27,464.	Aug. 29 Sept. 5 " 12 " 19 " 26 Oct. 3	17.1 15.2 22.8 13.3 17.1 17.1	1.9 1.9 5.7 3.8 1.9 .	9 8 12 7 9 9	3 2 1 1 1 1	. . 1 1 1 1	1 1 1 1 1 2 1 .	1 1 3 2 1 1 1 .	. . 1 1 .	. 2 1 1 1

* See note (†) at foot of first page.

IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks.

		1914—WEEK ENDING																									
BELFAST.		April 11.	April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.
No. of weeks in Annual Series,		15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
BIRTHS registered,		163	219	255	198	222	245	238	262	191	198	233	227	219	237	190	218	21	226	214	218	196	215	215	187	223	228
DEATHS registered,		142	162	179	139	116	195	137	115	127	129	131	134	130	180	103	111	115	137	113	135	145	155	138	151	169	133
Annual Death-rate per 1,000 of estimated population,		18·6	21·2	23·4	18·2	15·2	17·6	17·9	15·0	16·6	16·9	17·1	17·5	17·0	17·0	13·5	14·5	15·0	17·9	14·8	17·6	18·9	20·3	18·0	19·7	22·1	17·4
AGES, { Under 1 year, { 1-5 years, { 5-25 " { 25-45 " { 45-65 " { 65 and upwards,		29	29	45	29	21	21	17	23	19	22	24	27	25	26	25	19	21	20	27	30	49	56	52	42	69	36
Deaths from :—		18	22	21	18	10	21	16	18	13	21	22	18	18	19	10	11	21	21	23	18	23	18	21	21	21	11
Typhus, ..		11	17	20	21	13	18	20	16	18	17	21	15	18	21	9	15	11	14	9	17	14	19	14	12	21	10
Small-pox, ..		20	25	25	27	19	23	29	19	22	25	21	23	24	18	20	22	21	22	18	19	16	24	18	24	18	19
Measles, ..		30	31	36	25	28	32	28	28	32	26	31	37	28	28	19	26	24	32	16	30	26	25	20	22	23	38
Scarlet Fever, ..		34	38	32	19	25	20	27	11	23	18	12	14	17	18	20	18	17	28	20	21	17	13	13	30	17	19
Whooping-cough,	2	1	1	1	1	.	.	2	1	1	1
Diphtheria,	5	1	1	1	1
Dysentery,
Tuberculosis. { Pulmonary, ..		12	11	32	18	19	20	21	15	19	17	21	21	13	14	10	16	15	18	12	14	19	20	13	17	15	8
" Other Forms, ..		4	13	4	4	10	12	7	4	8	3	6	5	7	7	3	4	7	5	8	7	4	8	1	5	4	5
Cancer,		9	4	5	6	5	8	7	3	8	4	5	5	9	11	7	8	8	1	3	5	10	6	6	7	8	9
Diseases of Respi- ratory System, { Pneumonia, ..		19	12	22	8	9	14	13	10	13	10	6	10	4	7	8	10	5	10	8	10	8	4	6	13	7	10
" Others,		9	27	15	17	11	16	14	12	11	12	10	10	9	11	5	8	12	13	13	11	9	16	9	13	18	8
Diarrhoea and Enteritis, under 2 years,		4	2	2	4	.	3	2	4	1	5	6	5	7	5	6	8	9	3	13	9	23	44	39	30	44	21
Diarrhoea, 2 years and upwards, ..		1	1	1	2	1	.	.	.	1	1	.	1	2	.	.	1	.	.	2	1	10	1	3	2	4	2
Violent Deaths,		3	3	1	2	1	2	2	3	.	3	1	.	.	2	.	2	2	2	1	1	.	4	1	5	1	3
Number of Uncertified Deaths, ...		1	3	4	1	2	1	1	3	4	1	3	.	3	2	1	2	.	2	.	1	3	2	.	5	2	2
Mean Temperature of the Air in degrees,		47·1	43·5	52·7	48·2	48·2	47·5	54·9	50·0	52·2	54·2	61·5	55·8	59·0	58·8	61·6	60·2	56·2	58·0	60·5	58·2	60·7	58·7	59·0	51·8	52·2	54·2
Rainfall, in inches,		1·00	0·34	0·12	0·00	1·32	0·16	0·11	0·12	0·08	0·49	0·18	0·45	0·20	0·48	0·51	0·53	0·82	0·79	0·60	0·15	1·37	0·44	0·43	0·94	0·11	0·03

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Oct. 3,	2,112	1,291	14·9	4	.	19	5	12	19	183
EDINBURGH, ...	321,900	" 3,	133	85	13·8	1	.	.	1	.	1	9
GLASGOW, ..	1,047,000	" 3,	508	312	15·5	2	.	1	3	11	2	28
CALCUTTA, ..	896,067	Aug. 29,	.	454	26·3	80*	7	1	.	.	.	57† ^a
BOMBAY, ...	979,445	" 29,	381	590	31·3	61*	2	4	.	1	.	105† ^a
MADRAS, ...	518,660	" 29,	419	498	49·9	76*	2	1	?	?	?	161† ^a
CAIRO, ...	726,075	July 29,	650	690	49·6	8	.	7	.	?	10†	206
PARIS, ...	2,847,229	Aug. 15,	894	854	15·3	12	.	10	.	1	5	61
BRUSSELS, ...	780,843	—
ANTWERP, ...	313,833	Sept. 5,	101	83	13·8	1†	37
AMSTERDAM, ...	597,888	—
COPENHAGEN, ...	483,000	Sept. 5,	210	127	13·7	2	.	.	3	.	.	29 ^a
STOCKHOLM, ...	382,085	" 12,	141	62	8·4	1	2
CHRISTIANIA, ...	251,446	" 19,	92	57	11·8	.	.	.	2	1	5	1 ^a
PETROGRAD, ...	1,728,200	—
MOSCOW, ...	1,694,000	—
ROME, ...	591,943	—
NEW YORK, ...	5,583,871	Aug. 1,	2,503	1,290	12·1	8	.	6	5	6	18†	174
PHILADELPHIA, ...	1,657,810	—
BOSTON, ...	750,768	Sept. 5,	.	190 ^b	13·2	3	.	.	.	2	.	32 ^a

* Deaths from "fever," including 3 from enteric fever, and 2 from plague in Calcutta; 2 from enteric fever and 14 from plague in Bombay, and 3 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 6 deaths from cholera in Calcutta, 17 in Bombay, and 44 in Madras.

^a Deaths from diarrhoeal diseases at all ages.

^b Corrected figures, i.e., non-residents deducted, 163 (including one death from whooping-cough and 29 deaths from diarrhoeal diseases), rate 11·3 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd October, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polionyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	2	2	.	.	.	1	5
" " 1, West,	2	.	.	2	.	.	1	4	9
" " 2,	2	.	.	1	3
" " 3,	2	.	.	2	.	.	4	8
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),
Finglas and Glasnevin (part of),
South City No. 1,	1	.	.	1	.	.	1	5	8
" " 2,	1	.	.	1	1	3
" " 3,	1	.	.	1	.	1	4	5	12
" " 4,	2	4	6
New Kilmainham,	1	1	1	.	.	.	2	5
Total,	8	.	.	11	.	1	14	3	.	.	.	22	59

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 3rd October, 1914, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 3rd October.			
	Sept. 12.	Sept. 19.	Sept. 26.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	75	72	75	11	7	.	79
Typhus,
Small-pox,
Measles, ...	3	3	4	2	2	.	4
Scarlet Fever, ...	56	66	70	12	23	.	59*
Diphtheria, ...	29	28	32	17	10	1	38
Pneumonia, ...	27	29	22	6	9	.	19

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 3rd October, 1914:—

"Fine autumnal weather was enjoyed in Ireland and England—in Scotland, less settled conditions prevailed, and Scandinavia was visited by a succession of westerly to northerly gales connected with the passage of some large and deep atmospheric depressions across Northern Europe. On Sunday morning the barometer stood at 30.49 inches at Valentia in Kerry, but was as low as 28.98 inches at Bodö in the N.W. of Norway. The day was beautiful in and near Dublin, and a splendid afterglow followed the sunset. At 8.15 p.m. a magnificent band of auroral light shot up from the western horizon almost to the zenith; it formed part of a display of aurora borealis. In the course of the same night a very energetic secondary depression passed quickly by the N. of Scotland, its centre reaching Upsala in Sweden on Monday morning, with the barometer down to 28.90 inches or thereabouts—at Vardö, near the centre of the primary depression, the reading was 28.675 inches. In connection with these disturbances fresh westerly gales were reported from Scotland, Malin Head, Co. Donegal, and Spurn Head at the mouth of the Humber. As the wind drew into N.W. in the rear of the depressions temperature fell in the course of Monday night to 32° at Eskdalemuir, Dumfries, 36° in Glasgow, and 45° in Dublin. Tuesday was fair and bright, and there was a splendid afterglow at 6 p.m. The night was calm and cold, 41° being the minimum in Dublin, but 32° at Bath and 31° at Nottingham. A coloured 'foreglow' ushered in Wednesday, and there was again an afterglow at 6 p.m. With the advent of October the weather became less fair, owing to the passage of another very large and deep depression across Northern Europe, while a band of high atmosphere pressure maintained its position over Ireland, England and France. In Dublin the mean height of the barometer was 30.333 inches, the range being between 30.443 inches at 9 a.m. of Sunday (wind, W.N.W.), and 30.219 inches at 9 a.m. of Monday (wind, N.W.). The corrected mean temperature was 54.6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 53.6°. The screened thermometers fell to 41.0° on Wednesday and rose to 64.0° on Saturday. W. and W.N.W. winds prevailed. There was no measurable rainfall. An aurora borealis was seen on Sunday evening, a lunar halo on Friday night, and a solar halo on Saturday afternoon."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 30.333 inches. The highest reading (30.446) was on Sunday, at 9 a.m., the lowest (30.200) on Monday, at 9 a.m.

The mean temperature for the week was 52.4°, being 0.4° above the average for the corresponding period of the 10 years, 1904-1913. The temperature* was highest on Saturday, on which day the thermometer registered 66°, and was lowest on Wednesday, the mercury having fallen to 31°. The mean of the Dry Bulb for the week was 52.3° and of the Wet Bulb, 51.3°. The mean humidity of the air was .93, complete saturation being represented by 1.0. The rainfall during the week measured 0.015 inches.

At Greenwich the mean temperature for the week was 53.8°, the maximum 68.6°, and the minimum 33.8°; at Glasgow the maximum was 58.0° the minimum 38.7°, and the mean 51.3°; and at Edinburgh the maximum was 61.9°, the minimum 39.0. and the mean 52.2. The rainfall at Glasgow measured 0.25 in.; and at Edinburgh 0.03 in. There was no rainfall recorded at Greenwich.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155.3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.	BAROMETER.	THERMOMETER.*			HYGROMETER.			Ozone, 1.0.	Sunshine in hours and decimals.	Rain Gauge.
	Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation =1.0.			
	(1.) In.	(2.)	(3.)	(4.)	(5.)	(6.)	(7.)	(8.)	(9.)	(10.) Ins.
Sunday, Sept. 27,	30.365	62	42	52.0	51.6	50.0	.89	.6	10.2	.005
Monday, „ 28,	30.265	60	50	55.0	56.0	54.9	.93	.8	0.1	.000
Tuesday, „ 29,	30.440	58	37	47.5	45.4	44.3	.92	.5	9.8	.000
Wednesday, „ 30,	30.370	63	31	47.0	48.5	47.1	.91	.4	9.6	.000
Thursday, October 1,	30.260	59	42	50.5	53.8	53.2	.91	.6	0.5	.000
Friday, „ 2,	30.320	62	54	58.0	57.1	56.3	.95	.7	0.0	.010
Saturday „ 3,	30.310	66	47	56.5	53.4	53.1	.99	.7	5.8	.000
Mean,	30.333	61.4	43.3	52.4	52.3	51.3	.93	.6	Total 36.0	Total .015

Sunday—A beautiful bright day; night overcast, light shower 4.15 to 4.30 a.m. Monday—A dull day; night clear. Tuesday—A beautiful bright day; night clear. Wednesday—A beautiful bright day; night clear. Thursday—A dull day; night clear. Friday—A dull day; night overcast, drizzling rain 6.30 to 7.30 a.m. Saturday—A bright day; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 a.m. and 9 p.m.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the Air Temperatures, and Rainfall, recorded at the Normal Climatological Station, Dublin, in the Week ending Saturday, 3rd October, 1914,

NOTE.—The Registrar-General is indebted to Professor Thrift, F.R.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, Sept. 27,	52.3	—	—	62.1	46.0	54.1	hrs.	ins.
Monday, „ 28,	57.3	—	—	60.5	52.4	56.5	—	—
Tuesday, „ 29,	50.0	—	—	56.9	45.1	51.0	—	—
Wednesday, „ 30,	46.4	—	—	61.2	41.0	51.1	—	—
Thursday, Oct. 1,	53.3	—	—	58.6	43.0	53.3	—	—
Friday, „ 2,	58.5	—	—	63.0	55.8	59.4	—	—
Saturday, „ 3,	59.4	—	—	64.0	53.3	58.7	—	—
Weekly Mean, .	53.9	—	—	60.9	48.8	54.9	Total	Total.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 10TH OCTOBER, 1914.

[No. 41.]

*General Register Office, Charlemont House,
Dublin, 12th October, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 15·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Sept. 19	Sept. 26	Oct. 3	Oct. 10	
27 Town Districts, (a)	19·9	19·2	17·3	15·4	17·9
Dublin Reg. Area ...	19·4	18·4	19·1	17·5	18·6
Dublin City ...	20·8	20·5	19·0	19·1	19·8
Belfast ...	19·7	22·1	17·4	14·5	18·4
Cork ...	19·7	22·4	14·8	12·9	17·3
Londonderry ...	14·0	22·8	14·0	12·7	15·9
Limerick ...	17·6	23·0	16·2	21·7	19·6
Waterford ...	18·3	17·1	17·1	22·8	17·6

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 2·6 per 1,000. Among the 111 deaths from all causes for Belfast are 2 from enteric fever, 3 from measles, 2 from scarlet fever, 4 from whooping-cough, and 11 from diarrhoeal diseases. Included in the 19 deaths from all causes for Cork are 2 from whooping-cough and one from diarrhoea and enteritis of a child under 2 years. Two of the 10 deaths from all causes for Londonderry are from diarrhoea and enteritis under 2 years, and of the 16 deaths from all causes for Limerick, 2 are from the same cause. Among the 12 deaths from all causes for Waterford are 2 from scarlet fever and 2 from diarrhoea and enteritis under 2 years. Of the 3 deaths from all causes for Dundalk 2 are from diarrhoeal diseases, and 2 of the 3 deaths from all causes for Ballymena are from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 223—118 boys and 105 girls—and the deaths to 141—76 males and 65 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·5 per 1,000 of the population. During the forty-one weeks, ending with Saturday last, the death-rate averaged 21·0, and was 0·6 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.
(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 141, represent an annual rate of 18·1 per 1,000; the annual rate for the past forty-one weeks was 22·4 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·8 per 1,000 of the mean population for all deaths registered.

The total deaths include 2 from enteric fever, one from dysentery, and 16 from diarrhoeal diseases. In the three preceding weeks, deaths from enteric fever were 3, one, and one; deaths from dysentery were 0, 0, and 0; and deaths from diarrhoeal diseases were 25, 14, and 12, respectively.

Deaths from tuberculous disease, which in the three preceding weeks numbered 27, 30, and 26, respectively, fell to 22 last week, the latter comprising 11 from pulmonary tuberculosis, 7 from tuberculous meningitis, 2 from abdominal tuberculosis, and 2 from other forms of the disease.

There were 8* deaths from cancer.

Two deaths were caused by lobar pneumonia, and 9 by pneumonia (type not distinguished).

Deaths of infants under one year of age include one death ascribed to congenital malformation, one to premature birth, and 2 to congenital debility.

Eighteen deaths from organic diseases of the heart and 10 from bronchitis were registered.

There were 7 accidental deaths, including 2 deaths by burns and scalds of children, aged 3 and 6 years, respectively.

In no instance was the cause of death "uncertified."

Thirty of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under one year, of whom 3 were under one month old), and 33 were aged 65 years and upwards, including 27 persons aged 70 and upwards; among the latter were 16 aged 75 and upwards.

Sixty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse, and 11 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·5 per 1,000; the rate in the City was 19·1 (North City Districts, 17·1; South, 21·5) and in the Suburbs 12·0.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·2 per 1,000 inhabitants, the rate for the City being 2·7 (in the North City Districts 2·5, and in the South 2·9), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·4 per 1,000. Among them are one from tuberculous meningitis, 5 deaths from diarrhoea and enteritis of children under 2 years of age, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (10) are equal to an annual rate of 12·6 per 1,000. There were 2 deaths from pulmonary tuberculosis, 4 from pneumonia, and one from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 28·1 per 1,000. Five deaths were caused by tuberculous disease.

No. 3 North City District (Benburb-street).—The deaths (14) represent an annual rate of 20·5 per 1,000. One death from dysentery, 3 deaths from tuberculous disease, one from pneumonia, 3 from bronchitis, and one (that of a child under 2 years of age) from diarrhoea and enteritis were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 3·8 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 4·9. The only death recorded for the first-named district was one from diarrhoea and enteritis of a child under 2 years of age.

No. 1 South City District (South Earl-street).—The deaths (23) represent an annual rate of 29·4 per 1,000. There were 3 deaths from tuberculous disease, one from pneumonia, 3 from bronchitis, 2 deaths of children under 2 years of age from diarrhoea and enteritis, and 3 accidental deaths.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000, and include one death from tuberculous meningitis, one from pneumonia, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 3 South City District (Peter-street).—The deaths (19) are equal to an annual rate of 22·8 per 1,000. Among them are one from enteric fever, 2 from tuberculous disease, 2 from pneumonia, 2 from bronchitis, 2 deaths from diarrhoea and enteritis of children under 2 years of age, and 2 accidental deaths.

No. 4 South City District (Grand Canal Street).—The deaths (11) are equivalent to an annual rate of 17·3 per 1,000. One death from pulmonary tuberculosis, 2 deaths from diarrhoea and enteritis of children under 2 years of age, and one accidental death were recorded.

New Kilmainham District.—The only death recorded (equivalent to an annual rate of 5·3 per 1,000), was one from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·0; Pembroke, 13·8; Blackrock, 0·0; and Kingstown, 15·4. The only death from any of the principal epidemic diseases tabulated for these districts was one from enteric fever for Rathmines and Rathgar, the 9 deaths from all causes for this district including 3 from tuberculous disease. Among the 8 deaths from all causes for Pembroke is one from pneumonia; and the 5 deaths from all causes for Kingstown include one from pulmonary tuberculosis.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 13·8), was equal to an average annual death-rate of 13·9 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 15·9 per 1,000, the rate for Glasgow being 15·4, and for Edinburgh 15·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 10th October. From this Report it appears that of a total of 105 cases notified, 78 were scarlet fever, 15 diphtheria, 9 phthisis, and 3 erysipelas. Among the 692 cases of infectious diseases in hospital at the close of the week were 348 cases of scarlet fever, 195 of phthisis, 82 of diphtheria, 9 of enteric fever, 8 of erysipelas, and one of measles.

* See note (c) at foot of Table II.

† See note (f) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 10th October, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Sept. 19,	.	—	—	11	.	.	4	.	.	11	3	.	—	—	.	—	.	16	45
	Sept. 26,	.	—	—	7	.	.	6	.	.	11	1	1	—	—	.	—	.	18	44
	Oct. 3,	.	—	—	8	.	.	11	.	1	14	3	.	—	—	.	—	.	22	59
	Oct. 10,	.	—	—	8	.	.	4	.	.	16	5	.	—	—	.	—	.	24	57
Rathmines and Rathgar Urban District.	Sept. 19,	.	—	—	3	2	.	2	.	.	.	2	.	—	—	—	—	—	—	9
	Sept. 26,	.	—	—	1	.	.	1	.	.	1	.	.	—	—	—	—	—	—	3
	Oct. 3,	.	—	—	2	.	.	1	.	.	1	.	.	—	—	—	—	—	—	4
	Oct. 10,	.	—	—	2	1	1	.	—	—	—	—	—	—	4
Pembroke Urban District.	Sept. 19,	.	.	.	1	.	.	1	—	—	—	—	—	.	2
	Sept. 26,	—	—	—	—	—	.	.
	Oct. 3,	2	—	—	—	—	—	.	2
	Oct. 10,	2	.	.	—	—	—	—	—	1	3
Blackrock Urban District.	Sept. 19,	.	.	—	—	—	—	—	—	—	.
	Sept. 26,	.	.	—	—	—	—	—	—	—	.
	Oct. 3,	.	.	—	—	—	—	—	—	—	.
	Oct. 10,	.	.	—	.	.	.	1	—	—	—	—	—	—	1
Kingstown Urban District.	Sept. 19,	.	—	—	—	—	—	—	—	.	2
	Sept. 26,	.	—	—	1	1	.	—	—	—	—	—	.	1
	Oct. 3,	.	—	—	1	—	—	—	—	—	.	.
	Oct. 10,	.	—	—	—	—	—	—	—	.	.
City of Belfast.	Sept. 19,	.	—	—	42	.	.	6	.	.	2	2	1	—	—	1	—	.	1	55
	Sept. 26,	.	—	—	70	.	.	3	.	.	3	4	.	—	—	.	—	.	4	84
	Oct. 3,	.	—	—	72	.	.	5	1	.	1	10	.	—	—	.	—	.	1	90
	Oct. 10,	.	—	—	61	.	.	8	1	.	6	2	1	—	—	.	—	.	3	82
City of Cork.	Sept. 19,	.	.	—	4	.	.	2	.	.	1	1	.	—	—	—	23	—	—	31
	Sept. 26,	.	2	—	5	.	.	2	1	1	2	.	.	—	—	—	16	—	—	29 ^a
	Oct. 3,	.	1	—	2	1	.	3	.	.	1	.	.	—	—	—	6	—	—	14
	Oct. 10,	.	1	—	5	1	2	.	—	—	—	1	—	—	10 ^b
City of Londonderry.	Sept. 19,	.	—	—	2	2	1	.	—	—	—	—	—	—	5
	Sept. 26,	.	—	—	2	.	—	—	—	—	—	—	2
	Oct. 3,	.	—	—	2	.	.	1	—	—	—	—	—	—	3
	Oct. 10,	.	—	—	5	—	—	—	—	—	—	5
City of Limerick.	Sept. 19,	.	—	—	3	.	.	.	1	—	—	.	—	—	—	4
	Sept. 26,	.	—	—	4	1	.	.	—	—	.	—	—	—	5
	Oct. 3,	.	—	—	5	—	—	.	—	—	—	5
	Oct. 10,	.	—	—	3	—	—	.	—	—	—	3
City of Waterford.	Sept. 19,	.	—	—	6	—	—	—	—	—	.	6
	Sept. 26,	.	—	—	5	—	—	—	—	—	.	5
	Oct. 3,	.	—	—	4	—	—	—	—	—	.	4
	Oct. 10,	.	—	—	30	—	—	—	—	—	.	30

^a Not including 2 cases of varicella.

^b Not including one case of varicella.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 10th October, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Seventeen cases of enteric fever were admitted to hospital during the week, 15 were discharged, 2 died and 79 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 72, 75, and 79.

Two cases of measles were admitted to hospital, 3 were discharged and 3 cases remained under treatment at the close of the week. At the end of the 3 preceding weeks such cases were 3, 4, and 4, respectively.

Fifteen cases of scarlet fever were admitted to hospital, 13 were discharged, and 61* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 66, 70, and 59, respectively.

Eleven cases of diphtheria were admitted to hospital during the week, 5 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 28, 32, and 38 respectively, were 43 at the close of last week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 2 were discharged, there was one death, and 25 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 10th of October, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FTINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGTOWN.		
Enteric Fever,	1	.	.	1	.	.	.	2	.	
Typhus,	
Small-pox,	
Measles,	
Scarlet Fever,	
Whooping-cough,	
Diphtheria,	
Croup,	
Influenza,	
Dysentery,	1	.	.	.	2	.	1	1	2	.	.	1	11	.	
Tuberculosis, { Pulmonary,	1	2	2	3	3	.	1	1	1	.	.	1	.	.	.	11	.	
{ Other Forms,	1	.	3	.	.	.	1	.	1	2	.	.	2	.	1	7	1	
Cancer,	2	
Diseases of Nervous System,	1	.	.	1	1	.	1	.	.	2	1	.	.	7	.	
" Organs of Special Sense,	1	.	1	3	3	2	3	.	3	2	.	
" Circulatory System,	1	1	1	.	.	2	.	1	2	.	.	3	.	.	19	1	
" Respiratory System, { Pneumonia,	4	1	1	.	.	1	1	2	.	1	.	1	.	.	10	1	
{ Others,	2	1	3	.	.	3	.	2	12	.	
" Digestive System, { Diarrhoea and Enteritis, under 2 years,	5	.	.	1	.	1	2	1	2	2	14	.	
{ Diarrhoea, 2 years and upwards,	
{ Enteritis, 2 years and upwards,	1	1	.	1	2	.	
{ Others,	1	.	2	2	.	.	2	1	1	1	.	1	1	.	.	9	1	
" Genito-urinary System,	4	.	
Puerperal Septicæmia, etc.,	
Other Causes incident to Pregnancy and Childbirth,	
Diseases of the Skin and Cellular Tissue,	1	1	1	.	
" Locomotor System,	1	.	
Other specified Causes,	3	.	4	1	.	.	4	1	.	1	14	.	
Violent Deaths,	1	3	.	2	1	7	.	
Ill-defined, &c. Causes,	1	.	.	1	2	.	
Deaths from All Causes	13	10	15	14	.	1	1	23	6	19	11	1	9	8	.	5	136	
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22·4	12·6	28·1	20·5	.	3·8	4·9	29·4	17·1	22·8	17·3	5·3	12·0	13·8	.	15·4	17·5	
	17·1							21·5					12·0					
	19·1																	
Ages at Death. { Under 1 year,	8	.	1	2	.	1	.	3	1	2	2	.	1	.	.	.	21	
{ 1 and under 2 years,	1	1	1	1	2	3	
{ 2 " 5 "	2	1	1	2	6	
{ 5 " 15 "	3	2	1	2	.	.	3	.	.	1	12	
{ 15 " 25 "	1	.	3	1	1	6	
{ 25 " 45 "	2	2	2	2	.	.	.	2	.	8	2	.	1	1	.	.	21	
{ 45 " 65 "	2	4	3	3	.	.	.	8	2	4	2	1	2	2	.	1	34	
{ 65 and upwards,	1	2	5	3	.	.	1	6	1	1	2	.	3	5	.	2	33	
Number of Uncertified Deaths,	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	4	1	5	.	.	.	4	2	10	2	.	4	2	.	.	36	
Workhouse Hospitals,	2	2	4	.	.	.	4	1	3	2	.	.	1	.	.	19	

FORTY-FIRST WEEK, ending Saturday, 10th October, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 41st Week of the 10 years, 1904-1913.	In the Week ending Saturday, 10th October, 1914.																																	
	Oct. 15, 1904.	Oct. 14, 1905.	Oct. 13, 1906.	Oct. 12, 1907.	Oct. 10, 1908.	Oct. 16, 1909.	Oct. 15, 1910.	Oct. 14, 1911.	Oct. 12, 1912.	Oct. 11, 1913.		Deaths of Persons of the Ages of																																	
												0-5.																																	
												Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																								
Mean Temperature ...	47·9	49·6	52·5	48·9	57·7	52·5	48·2	48·3	48·3	51·4	50·5	53·3																																	
Diseases of the Pharynx, Tonsillitis.	.	.	1	1	·2																						
Diseases of Stomach, ...	—	—	—	—	—	—	—	6	5	1	—	2	.	.	1	.	.	.	1																						
Diarrhoea and Enteritis of Children under 2 years.	13	6	18	31	13	10	16	27	1	29	17·5	14	1	13																						
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																								2	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	4	1	1	—	5	3	1	1	1																						
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	.	.	.	—																						
Cirrhosis of Liver,	1	2	.	3	3	·9																						
Other Diseases of Liver,	2	.	1	2	.	1	1	1	2	·9	2	1	1	.	.																							
Peritonitis (cause unknown),	.	.	1	.	1	1	1	1	1	.	·5																						
Other Diseases of Digestive System.	5	2	5	1	3	6	6	1	.	3	3·2	1	1																						
Acute Nephritis, ...	2	2	9	6	7	6	4	1	2	2	5·8	1																						
Chronic Bright's Disease, ...																								3	2	5	3	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
Urinary Calculi,
Uterine Tumour (non-cancerous).																							
Ovarian Tumour (non-cancerous)																							
Other Diseases of Genito-urinary System.	1	3	3	1	3	3	.	1	1																						
Puerperal Septicæmia, &c.,	2	2	1	3	.	·8																						
Other Causes incident to Pregnancy and Childbirth.	.	2	1	.	.	1	.	.	1	1	·6																						
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	2	1	.	—	1	1																						
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	.	3	2	—	1	1	1																						
Premature Birth, ...	7	3	4	5	1	3	3	3	2	4	3·5	1	1																						
Congenital Debility, ...	—	—	—	—	—	—	—	6	6	3	—	2	.	2																						
Old Age, ...	4	.	2	1	.	4	5	3	4	2	2·5	7	2	5	.	.																						
Other Specified Diseases, ...	—	—	—	—	—	—	—	1	3	8	—	2	2																						
ACCIDENT :																																													
Poisons or Poisonous Vapours.	1	1	.	.	·2																						
Conflagration,																						
Burns and Scalds,	1	3	2	4	.	1·0	2	.	.	.	1	1																						
Drowning, ...	1	.	1	.	.	.	2	.	1	.	·5																						
Suffocation in Bed,	2	1	·3																						
Other Deaths by Accident, ...	1	3	.	5	4	1	1	3	5	1	2·4	5	1	3	.	1	.																							
Total Deaths from Accident,	2	4	6	7	4	1	4	4	10	2	4·4	7	.	.	.	1	1	.	3	.	1	.																							
Included in above are Deaths in connection with—																																													
Railways,																						
Vehicles and Horses,	2	.	1	2	.	.	1	2	.	·8																						
Ships, Boats, Docks,																						
Building Operations,																						
VIOLENCE OTHER THAN ACCIDENTAL :																																													
Homicide,																						
Suicide,	1	.	.	2	.	.	1	.	.	·4																						
Execution,																						
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	7	6	6	—	2	.	.	.	1	.	1																						

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914.—WEEK ENDING																Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.					
		April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.							Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	
No. of weeks in Annual Series,		16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	
BIRTHS registered,		218	207	238	222	197	207	262	191	271	225	233	165	214	208	197	195	166	204	200	246	187	213	184	193	199	223	
Average Births in corresponding week of previous 10 years, ...		221	218	264	237	214	213	244	219	210	223	245	208	208	221	221	220	209	223	218	205	244	200	222	247	203	187	
DEATHS registered, ...		212	231	203	181	160	166	185	162	163	151	134	139	138	139	129	144	136	159	136	163	160	139	161	154	154	141	
Annual Death-rate per 1,000, ...		27.2	29.7	26.1	23.2	20.5	21.3	23.8	20.8	20.9	19.4	17.2	17.9	16.4	17.9	16.6	18.5	17.5	20.4	17.5	20.9	20.5	17.9	20.7	19.8	19.8	18.1	
Average Deaths in corresponding week of previous 10 years, ...		198	188	173	179	159	168	148	148	156	142	134	135	147	143	145	144	145	156	160	157	159	158	162	159	157	155	
Ages, { Under 5 years, 5—15 " 15—25 " 25—45 " 45—65 " 65—75 " 75 and upwards,		89	92	89	62	54	73	56	54	45	46	36	47	31	44	36	46	35	53	35	62	51	43	52	47	39	30	
		11	10	6	10	7	4	12	4	9	5	5	7	6	9	6	4	6	5	6	5	4	3	8	4	5	12	
		10	9	9	8	9	9	8	11	6	12	8	8	9	7	8	9	8	5	7	6	8	5	6	7	1	6	
		28	33	30	27	22	22	19	28	30	23	23	23	22	27	29	26	27	26	26	27	23	24	24	26	25	33	21
		32	45	30	50	36	37	47	35	38	41	32	30	22	31	30	37	34	35	35	38	40	28	35	36	40	39	
		29	23	22	14	21	13	28	16	23	15	19	14	14	22	14	15	13	15	18	17	18	22	16	20	21	19	17
		13	19	17	10	11	8	14	14	12	9	11	10	10	13	9	7	9	15	15	10	11	15	14	14	17	16	
		Deaths from:—		1	1	1	1	1	1	1	1	1	1	1	1	2	1	2	2	2	1	2	1	3	3	1	1	2
		Enteric Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...		39	35	40	29	17	16	14	18	8	5	3	2	4	3	2	1	2	1	3	1	1	1	1	1	1	1	
Measles, ...		4	2	2	2	1	1	1	2	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1		
Whooping-cough, ...		1	3	3	3	1	5	1	1	1	1	1	3	2	2	1	1	1	2	1	4	2	1	2	1	1		
Diphtheria, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Influenza, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Dysentery, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Tuberculosis { Pulmonary ...		22	25	14	22	24	21	19	27	19	13	17	21	18	16	19	23	19	18	19	18	25	13	18	23	17	11	
{ Other Forms, ...		10	8	10	9	5	6	9	4	6	5	7	9	5	8	11	5	6	4	2	4	9	8	9	7	9	11	
Cancer, ...		8	13	9	11	11	5	12	9	13	9	8	7	8	7	10	9	6	12	10	20	8	6	15	13	15	8	
Diseases of Circulatory System, ...		22	19	21	11	11	13	23	14	20	27	11	11	16	15	15	13	15	15	17	18	18	17	19	15	16	20	
Diseases of Respi- (Pneumonia		16	17	19	13	13	15	14	12	12	14	8	9	10	12	4	8	4	3	7	8	7	5	4	6	10	11	
ratory System, { Others, ...		23	20	15	17	19	17	22	13	11	8	20	10	13	5	7	12	10	11	7	10	7	9	14	19	12	12	
Diarrhoea and Enteritis, under		7	3	3	1	5	7	4	2	4	7	4	4	4	6	6	9	10	11	13	28	18	17	25	14	11	14	
2 years, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Diarrhoea, 2 years and upwards,		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Violent Deaths, ...		4	6	3	2	7	5	3	6	3	3	2	6	4	5	3	3	7	10	3	6	1	4	6	4	2	7	
Number of Uncertified Deaths, ...		5	9	7	2	2	9	6	4	3	2	2	5	2	6	2	7	4	2	2	1	4	2	5	2	8	1	
Mean Temperature of the Air																												
(Phoenix Park) in degrees, ...		45.6	48.8*	44.9	49.6	49.3	55.4	48.1	52.6	52.3	57.2	56.1	59.1	60.1	61.1	59.0	57.3	52.1	63.1	57.1	60.1	58.8	58.7	51.5	51.3	52.4	53.3	
Average Mean Temperature in																												
corresponding week of previous																												
10 years, ...		46.1	45.9	47.1	49.7	49.4	51.1	54.0	53.5	54.6	56.1	55.7	56.9	58.3	59.3	58.9	58.6	58.4	58.2	56.4	56.7	55.0	53.0	52.4	52.0	50.5	50.5	
Rainfall in inches, ...		1.20	0.10	0.00	1.335	1.30	1.515	1.10	1.40	1.520	1.495	0.00	0.865	0.455	0.795	0.520	0.350	0.695	1.120	1.170	1.720	0.000	0.651	0.000	0.015	0.040	0.040	
Mean Humidity of the Air, com-																												
plete Saturation 1.0, ...		0.89	0.88	0.91	0.87	0.89	0.90	0.86	0.87	0.86	0.83	0.78	0.80	0.84	0.86	0.87	0.87	0.84	0.84	0.91	0.92	0.94	0.91	0.87	0.83	0.93	0.96	

* For 6 days only

Registration of Births and Deaths, Ireland.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

[illegible]

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Scarlet, 9 years of age and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District.	Sept. 5	10.7	1.3	8	2	.	.	.	1	1	.	.		
	" 12	9.3	1.3	7	1	1	.	.		
	" 19	14.6	1.3	11	1	.	2	1		
	" 26	6.7	.	5	1	.	1		
Population in 1914 (Est.) 39,155.	Oct. 3	10.7	.	8	2	1	1	.	1	.	.	.		
	" 10	12.0	1.3	9	1	2	1		
Pembroke Urban District.	Sept. 5	13.8	.	8	1	.	1		
	" 12	19.0	3.4	11	1	1	.	1	.	.		
	" 19	8.6	1.7	5	1	.	.		
	" 26	17.2	3.4	10	1	2	.	1	2	.	.		
Population in 1914 (Est.) 30,240	Oct. 3	25.9	3.4	15	1	.	1	.	1	1	1	1	.	1		
	" 10	13.8	.	8	2	1	1	.	.	.		
Blackrock Urban District.	Sept. 5	5.7	.	1	1		
	" 12	11.3	.	2		
	" 19	28.3	5.7	5	1	1	.	1		
Population in 1914 (Est.) 9,197.	" 26	11.3	.	2	2		
	Oct. 3		
	" 10		
Kingstown Urban District.	Sept. 5	27.7	3.1	9	1	1	.	1	.	2		
	" 12	12.3	.	4	1		
	" 19	18.5	.	6	1	.	.	1		
	" 26	12.3	.	4	1	1	1	1	.	.	.		
Population in 1911 16,941.	Oct. 3	40.0	3.1	13	1	1	1	3	1	1	.	1		
	" 10	15.4	.	5	1	.	1		
Belfast.	Sept. 5	20.3	6.7	155	.	.	.	2	2	2	.	.	20	8	6	4	16	44	1	4		
	" 12	18.0	6.7	138	2	.	.	1	1	5	.	.	13	1	6	6	9	39	3	1		
	" 19	19.7	5.9	151	1	.	.	7	1	3	1	.	17	5	7	13	13	30	2	5		
Population in 1914 (Est.) 399,000.	" 26	22.1	7.7	169	1	.	.	4	2	4	.	.	15	4	8	7	18	44	1	1		
	Oct. 3	17.4	3.8	133	1	.	.	1	1	4	.	.	8	5	9	10	8	21	4	3		
	" 10	14.5	2.9	111	2	.	.	3	2	4	.	.	6	.	2	9	11	10	1	3		
Cork.	Sept. 5	11.6	2.0	17	1	.	.	1	1	1	.	1	2	.	.		
	" 12	17.7	2.0	26	1	.	.	5	1	.	1	1	2	2	1		
	" 19	19.7	6.8	29	.	.	.	1	.	1	.	.	2	.	1	.	2	6	.	2		
Population in 1911 76,673.	" 26	22.4	4.8	33	3	.	.	7	.	.	1	2	4	.	5		
	Oct. 3	14.3	3.4	21	3	3	3	.	2	4	1	1		
	" 10	12.9	2.0	19	2	.	.	1	4	2	.	.	1	.	2		
Londonderry.	Sept. 5	12.7	3.8	10	2	1	1	.	.	3	.	.		
	" 12	12.7	1.3	10	1	1	.	1	.	2		
	" 19	14.0	3.8	11	1	3	.	.		
Population in 1914 (Est.) 41,100.	" 26	22.8	5.1	18	1	.	3	1	1	4	.	.		
	Oct. 3	14.0	2.5	11	2	.	2	.	.	1	.	.		
	" 10	12.7	2.5	10	1	1	.	.	3	2	.	.		
Limerick.	Sept. 5	17.6	.	13	3	.	2	.	3	.	.	1		
	" 12	24.4	4.1	18	3	1	1	.	1	2	.	3		
	" 19	17.6	.	13	1	.	.	2		
Population in 1911 38,518.	" 26	23.0	1.4	17	1	.	2	1	1	.	6		
	Oct. 3	16.2	1.4	12	1	.	.	.	2	1	.	2	2	.	.	3		
	" 10	21.7	2.7	16	1	.	1	.	3	2	.	4		
Waterford.	Sept. 5	15.2	1.9	8	2	.	1	.	.	1	.	2		
	" 12	22.8	5.7	12	1	1	.	.	.	3	.	1		
	" 19	13.3	3.8	7	1	2	.	2		
Population in 1911 27,464.	" 26	17.1	1.9	9	1	1	.	.	.	1	1		
	Oct. 3	17.1	.	9	1	1	.	2	.	.	1	1		
	" 10	22.8	7.6	12	2	.	.	.	1	.	.	.	1	.	.	2		

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 10th October, 1914. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		DEATHS FROM																			No. of Deaths in Public Institutions.	Number of Uncertified Deaths.						
				All Causes.	Certain Epi- demic Diseases.†	AGES AT DEATH.						DEATHS FROM																				
						Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.	DISEASES OF THE RESPIR- ATORY SYSTEM.				Violence.	Inquest Cases.				
																				Pulmonary.	Other Forms.		Pneumonia.	Other.					Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.		
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)		
City of Belfast.																																
BELFAST URBAN No. 1 DISTRICT,	15,879	4	26.3	6.6	8	2	4	3	1	5	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	3	1		
Do. 2	49,500	23	13.7	2.1	13	4	6	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1		
Do. 3	50,032	21	20.8	5.2	20	4	5	2	3	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	1		
Do. 4	32,637	38	16.0	3.2	10	8	3	2	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	8	1		
Do. 5	16,112	11	25.9	6.5	8	3	2	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	
Do. 6	37,293	15	9.8	1.4	7	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 7	2,681	2	17.5	8.7	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 8	5,964	2	14.9	4.3	7	3	3	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 9	24,427	16	16.2	3.6	9	3	1	1	1	3	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 10	28,953	12	16.2	3.6	9	3	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 11	39,811	28	11.9	2.7	9	2	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 12	38,076	43	17.8	1.4	13	5	1	1	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 13	23,233	16	2.2	1.4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 14	175	1	9.2	1.4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 15	22,669	17	9.2	1.4	4	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Total,	386,947	246	14.5	2.9	111	38	13	11	13	20	16	2	1	3	2	4	1	1	6	2	9	11	10	1	3	30	5	2	2	2	2	
City of Cork.																																
CORK URBAN No. 1 DISTRICT,	13,455	7	3.9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 2	10,399	4	5.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 3	9,793	4	10.6	1	2	1	1	1	1	2	2	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	
Do. 4	9,139	5	28.6	8.3	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 5	6,250	2	18.0	4.5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 6	11,531	8	18.0	4.5	4	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 7	16,056	6	16.2	3.2	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Total,	76,673	36	12.9	2.0	19	5	2	2	1	6	3	1	1	1	3	2	2	1	1	4	2	1	1	1	1	5	2	2	2	2	2	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year. † See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1914—WEEK ENDING																										
		April 18.	April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	
No. of weeks in Annual Series,		16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	
BIRTHS registered, ...		219	255	198	222	245	238	262	191	198	233	227	219	237	190	218	21	226	214	218	196	215	215	187	223	228	246	
DEATHS registered, ...		162	179	139	116	135	137	115	127	129	131	134	130	130	103	111	115	137	113	135	145	138	151	169	133	111		
Annual Death-rate per 1,000 of estimated population, ...		21.2	23.4	18.2	15.2	17.6	17.9	15.0	16.6	16.9	17.1	17.5	17.0	17.0	13.5	14.5	15.0	17.9	14.8	17.6	18.9	20.3	18.0	19.7	22.1	17.4	14.6	
AGES, { Under 1 year, ... 1-5 years, ... 5-25 " ... 25-45 " ... 45-65 " ... 65 and upwards, ...		29	45	29	21	21	17	23	19	22	24	27	25	36	25	19	21	20	27	30	49	56	52	42	69	36	38	
		22	21	18	10	21	16	18	13	21	22	22	18	18	19	10	11	21	21	23	18	23	18	21	21	21	11	13
		17	20	21	13	18	20	16	18	17	21	21	15	18	21	9	15	11	14	9	17	14	19	14	12	21	10	11
		25	25	27	19	23	29	19	22	25	21	23	24	18	20	22	22	21	22	18	19	16	24	18	24	13	19	13
		31	36	25	28	32	28	23	32	26	31	37	37	28	28	19	26	24	32	16	30	26	25	20	22	23	35	20
		38	32	19	25	20	27	11	23	18	12	14	17	18	20	18	17	28	20	21	17	13	13	30	17	19	16	
Deaths from:—																												
Enteric Fever,	2	1	1	1	1	.	.	2	1	1	1	2	
Typhus,	5	1	1	1	1	
Small-pox,	
Measles, ...		2	1	3	1	3	1	3	1	4	8	5	9	6	4	1	6	5	8	7	2	2	1	7	4	.	3	
Scarlet Fever, ...		5	6	1	.	2	5	4	1	2	8	2	2	5	2	2	2	4	.	.	2	2	1	1	2	1	2	
Whooping-cough, ...		9	8	3	3	5	5	7	4	7	.	4	7	2	4	2	7	2	3	3	6	2	5	3	4	4	4	
Diphtheria, ...		1	.	.	1	.	.	.	2	.	1	.	.	1	1	.	.	1	.	.	.	
Dysentery,	
Tuberculosis, { Pulmonary, ...		11	32	18	19	20	21	15	19	17	21	21	13	14	10	16	15	18	12	14	19	20	13	17	15	8	6	
{ Other Forms, ...		13	4	4	10	12	7	4	8	3	6	5	7	7	3	4	7	5	8	7	4	8	1	5	4	5	.	
Cancer, ...		4	5	6	5	8	7	3	8	4	5	5	9	11	7	8	1	3	5	10	6	6	6	7	8	9	2	
Diseases of Respi- { Pneumonia, ...		12	22	8	9	14	13	10	13	10	6	10	4	7	8	10	5	10	8	10	8	4	6	13	7	10	9	
ratory System, { Others, ...		27	15	17	11	16	14	12	11	12	10	10	9	11	5	8	12	13	13	11	9	16	9	13	19	8	11	
Diarrhoea and Enteritis, under 2 years, ...		2	2	4	.	3	2	4	1	5	6	5	7	5	6	8	9	3	13	9	23	44	39	30	44	21	10	
Diarrhoea, 2 years and upwards, ...		1	1	2	1	.	.	.	1	1	.	1	2	.	.	1	.	.	2	1	10	1	3	2	4	2	1	
Violent Deaths, ...		3	1	2	1	2	2	3	.	3	1	.	.	2	.	2	2	2	1	1	.	4	1	5	1	3	3	
Number of Uncertified Deaths, ...		3	4	1	2	1	1	3	4	1	3	.	3	2	1	2	.	2	.	1	3	2	.	5	2	2	.	
Mean Temperature of the Air in degrees, ...		43.5	52.7	48.2	48.2	47.5	54.9	50.0	52.2	54.2	61.5	55.8	59.0	58.8	61.6	60.2	56.2	53.0	60.5	58.2	60.7	53.7	59.0	51.8	52.2	54.2	55.0	
Rainfall, in inches, ...		0.34	0.12	0.00	1.32	0.16	0.11	0.12	0.08	0.49	0.18	0.45	0.20	0.48	0.51	0.53	0.32	0.79	0.60	0.15	1.37	0.44	0.43	0.94	0.11	0.03	0.01	

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ...	4,516,612	Oct. 10,	2,072	1,192	13.8	2	.	24	4	11	17	123	
EDINBURGH, ...	321,900	" 10,	152	94	15.2	3	4	
GLASGOW, ...	1,047,000	" 10,	608	309	15.4	5	.	1	6	6	3	26	
CALCUTTA, ...	896,067	Sept. 5,	.	446	25.8	55*	5	2	.	1	.	77½ ^a	
BOMBAY, ...	979,445	" 5,	409	596	31.6	64*	1	83½ ^a	
MADRAS, ...	518,660	" 5,	391	460	46.1	49*	.	.	?	?	?	143½ ^a	
CAIRO, ...	726,075	Aug. 5,	630	652	46.8	6	3	6	.	?	17½	205	
PARIS, ...	2,847,229	" 22,	736	657	11.8	5	1	10	.	1	2	63	
BRUSSELS, ...	780,843	—	
ANTWERP, ...	318,833	Sept. 12,	114	84	14.0	.	.	2	.	.	.	35	
AMSTERDAM, ...	597,888	—	
COPENHAGEN, ...	483,000	Sept. 12,	214	105	11.3	.	.	.	1	.	.	15 ^a	
STOCKHOLM, ...	382,085	" 19,	153	74	10.1	1	2	9	
CHRISTIANIA, ...	251,446	" 26,	180	53	10.9	.	.	.	1	.	.	1 ^a	
PETROGRAD, ...	1,728,200	—	
MOSCOW, ...	1,694,000	—	
ROME, ...	591,943	—	
NEW YORK, ...	5,583,871	Aug. 8,	3,283	1,314	12.3	7	.	6	5	9	14½	178	
PHILADELPHIA, ...	1,657,810	—	
BOSTON, ...	750,768	Sept. 19,	.	209 ^b	14.5	2	.	.	.	2	.	38 ^a	

* Deaths from "fever," including 8 from enteric fever, and one from plague in Calcutta; and 3 from enteric fever and 10 from plague in Bombay.

† Including deaths from croup.

‡ Including 12 deaths from cholera in Calcutta, 8 in Bombay, and 58 in Madras.

^a Deaths from diarrhoeal diseases at all ages.

^b Corrected figures, i.e., non-residents deducted, 177 (including 30 deaths from diarrhoeal diseases), rate 12.3 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 10th October, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	2	.	.	.	1	.	.	.	1	4
" " 1, West,	.	2	1	1	.	.	.	4	8
" " 2, --	2	4	6
" " 3, --	.	2	.	.	1	.	.	1	1	5
Clontarf and Howth No. 1 (part of),	2	2
Coolock and Drumcondra (part of),
Finglas and Glasnevin (part of),
South City No. 1,	...	4	2	6	12
" " 2,	1	1	2
" " 3,	1	.	.	7	1	.	.	.	5	14
" " 4,	2	2	4
New Kilmainham,
Total,	...	8	.	.	4	.	.	16	5	.	.	.	24	57

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 10th October, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 10th October.			
	Sept. 19.	Sept. 26.	Oct. 3.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	72	75	70	17	15	2	79
Typhus,
Small-pox,
Measles, ...	3	4	4	2	3	.	3
Scarlet Fever, ...	66	70	59	15	13	.	61*
Diphtheria, ...	28	32	38	11	5	1	43
Pneumonia, ...	29	22	19	9	2	1	25

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations—see TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.Sc., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 10th October, 1914:—

"Singuarly fine, mild, quiet weather held through the greater part of this week. But much cloud prevailed in Ireland, and Tuesday was especially dull and damp in the Dublin district, a close drizzling rain falling for some hours in the City itself. Curiously enough, on the same day 7·8 hours of bright sunshine were recorded at Valentia, Co. Kerry. The south of England also was more favoured in regard to sunshine than the west and north portions of the United Kingdom—the south coast stations of England had between 9 and 10½ hours of bright sunshine on Sunday; in the south-east of that country more than 10 hours were recorded on Wednesday, and over 9 hours at some stations on Thursday. Owing to the clearness of the sky the diurnal range of temperature was large at certain places in England—for example, at Bath the thermometer fell from 64° on Sunday to 38° during the following night, and rose from 35° on Thursday morning to 64° in the course of that day. The cause of the quiet, fine weather of the week is to be found in the persistence of an anticyclone over Great Britain and Ireland. The barometer rose slightly above 30·5 inches over the southern half of Ireland on Sunday evening in the central area of this high-pressure system. From Monday morning the anticyclone diminished slightly in intensity, but its influence lasted to the end of the week, though rain fell on Saturday afternoon. In Spitzbergen the frost became very severe as the days went by—the minima were 21°, 19°, 12°, 7°, 10°, 9° up to Friday. On Thursday the maximum was only 14°. Frost also made its appearance, after an intermittent fashion, in the north of Scandinavia. In Dublin the mean height of the barometer was 30·334 inches, the range being from 30·503 inches at 9 p.m. of Sunday (wind, N.W.) to 30·161 inches at 9 p.m. of Saturday (wind, E.). The corrected mean temperature was 55·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 54·6°. On Monday the screened thermometers fell to 47·8° and rose to 62·3°—these being the extreme readings for the week. A lunar halo was seen on Sunday evening, a lunar corona on Tuesday night. The prevailing wind was W.N.W. The rainfall was ·023 inch on 2 days, ·012 inch being recorded on Tuesday."

At the Observatory of the Ordnance Survey Office, Phoenix Park, the mean height of the barometer during the week was 30.337 inches. The highest reading (30.499) was on Sunday, at 9 p.m., the lowest (30.204) on Saturday, at 9 p.m.

The mean temperature for the week was 53.3°, being 2.8° above the average for the corresponding period of the 10 years, 1904–1913. The temperature* was highest on Monday and Thursday, on which days the thermometer registered 63°, and was lowest on Monday, the mercury having fallen to 41°. The mean of the Dry Bulb for the week was 53.2° and of the Wet Bulb, 52.5°. The mean humidity of the air was .96, complete saturation being represented by 1.0. The rainfall during the week measured 0.040 inch.

At Greenwich the mean temperature for the week was 52.9°, the maximum 63.4°, and the minimum 36.0°; at Glasgow the maximum was 60.1° the minimum 47.1°, and the mean 53.7°; and at Edinburgh the maximum was 60.0°, the minimum 44.0. and the mean 53.1. The rainfall at Glasgow measured 0.06 in.; and at Edinburgh 0.11 in. There was no rainfall recorded at Greenwich.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHOENIX PARK, DUBLIN. (Height above mean sea level 155.3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1914. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	THERMOMETER.*			HYGROMETER.			Ozone, 1.0.	Sunshine in hours and decimals.	Rain Gauge.
		Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete Saturation = 1.0.			
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.
Sunday, October 4,	30.465	60	45	52.5	48.5	47.9	.96	.6	4.1	.000
Monday, „ 5,	30.420	63	41	52.0	52.8	52.2	.96	.6	2.6	.000
Tuesday, „ 6,	30.350	59	51	55.0	54.1	53.7	.97	.7	0.0	.015
Wednesday, „ 7,	30.265	62	43	52.5	55.6	55.4	.99	.3	0.6	.000
Thursday, „ 8,	30.310	68	52	57.5	55.1	54.3	.94	.6	3.3	.000
Friday, „ 9,	30.310	60	44	52.0	51.6	50.9	.95	.5	3.5	.000
Saturday „ 10,	30.240	60	43	51.5	54.8	53.4	.92	.3	0.6	.025
Mean, 	30.337	61.0	45.6	53.3	53.2	52.5	.96	.5	Total 14.7	Total .040

Sunday—A bright day; night cloudy. Monday—A dull day; night overcast. Tuesday—Day overcast, drizzling rain a.m. and p.m.; night overcast. Wednesday—A dull day; night cloudy. Thursday—A dull day; night cloudy. Friday—Day cloudy, bright at intervals; night cloudy. Saturday—A dull day, light rain p.m.; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 10th October, 1914.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.R.C.D., for the information very kindly supplied by him for this Table.

1914. MONTH AND DAY.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m.		Air Temperature in Shade, read at 9 p.m.			Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
		1 Foot.	4 Feet.	Max.	Min.	Mean.		
Sunday, Oct. 4,	52.6	55.8	55.6	60	46	53.0	hrs. 3.1	ins. —
Monday, „ 5,	55.4	55.6	55.5	63	47	55.0	2.9	—
Tuesday, „ 6,	55.0	55.6	55.4	59	52	55.5	—	—
Wednesday, „ 7,	58.5	55.5	55.4	62	48	55.0	0.2	—
Thursday, „ 8,	57.8	56.0	55.4	62	55	58.5	2.3	—
Friday, „ 9,	54.0	56.0	55.4	60	50	55.0	1.8	—
Saturday, „ 10,	57.5	55.6	55.4	60	47	53.5	0.1	—
Weekly Mean, .	55.8	55.7	55.4	60.9	49.3	55.1	Total 10.4	Total. —

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 17TH OCTOBER, 1914.

[No. 42.]

*General Register Office, Charlemont House,
Dublin, 19th October, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Sept. 26	Oct. 3	Oct. 10	Oct. 17	
27 Town Districts, (a)	19·2	17·3	15·4	16·2	17·0
Dublin Reg. Area ...	18·4	19·1	17·5	17·0	18·0
Dublin City ...	20·5	19·0	19·1	18·3	19·2
Belfast ...	22·1	17·4	14·5	17·3	17·8
Cork ...	22·4	14·3	12·9	19·0	17·1
Londonderry ...	22·8	14·0	12·7	10·1	14·9
Limerick ...	23·0	16·2	21·7	17·6	19·6
Waterford ...	17·1	17·1	22·8	17·1	18·5

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 2·7 per 1,000. Among the 132 deaths from all causes for Belfast are 7 from measles, 3 from scarlet fever, 3 from whooping-cough, one from diphtheria, and 13 from diarrhoeal diseases. Five of the 28 deaths from all causes for Cork and 3 of the 13 deaths from all causes for Limerick were of children under 2 years of age from diarrhoea and enteritis. Included in the 9 deaths from all causes for Waterford are 2 from scarlet fever and one (a child under 2 years of age) from diarrhoea and enteritis. Among the 3 deaths from all causes for Lurgan is one from diphtheria, and the only death recorded during the week for Newtownards was caused by scarlet fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 185—91 boys and 94 girls—and the deaths to 144—63 males and 81 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·0 per 1,000 of the population. During the forty-two weeks, ending with Saturday last, the death-rate averaged 20·9, and was 0·7 below the mean rate for the corresponding portions of the ten years, 1904—1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 144, represent an annual rate of 18·5 per 1,000; the annual rate for the past forty-two weeks was 22·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·7 per 1,000 of the mean population for all deaths registered.

Among the deaths registered are 3 from enteric fever, one from scarlet fever, 2 from diphtheria, 2 from influenza, one from dysentery, and 12* from diarrhoeal diseases. In the three preceding weeks, deaths from enteric fever were one, one, and 2; deaths from scarlet fever were 0, 0, and 0; deaths from diphtheria were 2, one, and 0; deaths from influenza were one, 0, and 0; deaths from dysentery were 0, 0, and one; and deaths from diarrhoeal diseases were 14, 12, and 14 respectively.

Twenty-nine* deaths were caused by tuberculous disease, including 25 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, one from abdominal tuberculosis, and one from tuberculosis of the spine. In the three preceding weeks the deaths from tuberculous disease numbered 30, 26, and 22 respectively.

There were 6* deaths from cancer.

Broncho-pneumonia caused 2 deaths and pneumonia (type not distinguished) 7 deaths.

The deaths of infants under one year of age included 2 from congenital malformations, 6 from premature birth, and 5 from congenital debility.

Deaths from organic diseases of the heart numbered 7 and bronchitis 21.

There was one death caused by burns accidentally received.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness.

Forty-seven of the persons whose deaths were registered during the week were under 5 years of age (32 being infants under one year, of whom 13 were under one month old), and 28 were aged 65 years and upwards, including 21 persons aged 70 and upwards; among the latter were 11 aged 75 and upwards, of whom 2 (females) were stated to have been aged 92 and 95 years respectively.

Sixty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse, and 10 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·0 per 1,000; the rate in the City was 18·3 (North City Districts, 18·0; South, 18·6) and in the Suburbs 12·6.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 3·0 (in the North City Districts 2·8, and in the South 3·2), and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (15) are equal to an annual rate of 25·9 per 1,000, and include one from dysentery, 3 from pulmonary tuberculosis, one from pneumonia, 2 from bronchitis, and 4 from diarrhoeal diseases.

No. 1 North City District, West (Summer-hill).—The deaths (11) are equal to an annual rate of 13·9 per 1,000. There were 2 deaths from tuberculous disease, 2 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 24·3 per 1,000. Four deaths were caused by tuberculous disease, one by pneumonia, 2 by bronchitis, and one (that of a child under 2 years of age) by diarrhoea and enteritis.

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 19·1 per 1,000. One death each from scarlet fever and diphtheria, 3 from pulmonary tuberculosis, one from pneumonia, and 2 from bronchitis were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·5 per 1,000 inhabitants: Coolock and Drumcondra, part of, 11·4; and Finglas and Glasnevin, part of, 4·9. The only death recorded for Clontarf and Howth, No. 1, part of, was from pulmonary tuberculosis; and of the 3 deaths from all causes for Coolock and Drumcondra, part of, one was from pulmonary tuberculosis, and one from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 23·0 per 1,000. Among them are one from enteric fever, 3 from tuberculous disease, 5 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 19·9 per 1,000. There were 2 deaths from pulmonary tuberculosis, one from broncho-pneumonia, and 2 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (12) are equal to an annual rate of 14·4 per 1,000. One death from enteric fever, 2 deaths from pneumonia, 2 from bronchitis, and 2 deaths of children under 2 years of age from diarrhoea and enteritis were recorded.

No. 4 South City District (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 20·4 per 1,000, and include one death each from enteric fever, diphtheria, pulmonary tuberculosis, broncho-pneumonia, and diarrhoea and enteritis, the death from the latter cause being that of a child under 2 years of age.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 19·6 per 1,000. One of the deaths was from bronchitis, and one (that of a child under 2 years of age) was from diarrhoea and enteritis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·6; Pembroke, 15·5; Blackrock, 0·0; and Kingstown, 9·2. There was no death from any of the principal epidemic diseases tabulated for these districts. The 11 deaths from all causes for Rathmines and Rathgar include 2 from tuberculous disease, one from bronchitis and one accidental death; among the 9 deaths from all causes for Pembroke are one from influenza, 4 from pulmonary tuberculosis and one from pneumonia; and the 3 deaths from all causes for Kingstown comprise one death each from influenza, pulmonary tuberculosis and bronchitis.

ENGLAND AND SCOTLAND

The mortality last week in 97 large English towns (including London, in which the rate was 13·9), was equal to an average annual death-rate of 13·4 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 14·7 per 1,000, the rate for Glasgow being 15·3, and for Edinburgh 16·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 17th October. From this Report it appears that of a total of 129 cases notified, 69 were scarlet fever, 33 diphtheria, 21 phthisis, 5 erysipelas, and one enteric fever. Among the 732 cases of infectious diseases in hospital at the close of the week were 380 cases of scarlet fever, 195 of phthisis, 96 of diphtheria, 12 of measles, 9 of enteric fever, and 7 of cerebro spinal fever.

* See note (c) at foot of Table II.

† See note (f) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 17th October, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrheal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Sept. 26,	.	—	—	7	.	.	6	.	.	11	1	1	—	—	.	—	.	18	44
	Oct. 3,	.	—	—	8	.	.	11	.	1	14	3	.	—	—	.	—	.	22	59
	Oct. 10,	.	—	—	8	.	.	4	.	.	16	5	.	—	—	.	—	.	24	57
	Oct. 17,	.	—	—	11	.	.	11	.	.	9	2	.	—	—	1	—	.	25	59
Rathmines and Rathgar Urban District.	Sept. 26,	.	—	—	1	.	.	1	.	.	1	.	.	—	—	—	—	—	—	3
	Oct. 3,	.	—	—	2	.	.	1	.	.	1	.	.	—	—	—	—	—	—	4
	Oct. 10,	.	—	—	2	1	1	.	—	—	—	—	—	—	4
	Oct. 17,	.	—	—	1	.	.	1	—	—	—	—	—	—	2
Pembroke Urban District.	Sept. 26,	—	—	—	—	—	.	2
	Oct. 3,	2	—	—	—	—	—	.	3
	Oct. 10,	2	.	.	—	—	—	—	—	1	3
	Oct. 17,	1	—	—	—	—	—	3	4
Blackrock Urban District.	Sept. 26,	.	.	—	—	—	—	—	—	—	.
	Oct. 3,	.	.	—	—	—	—	—	—	—	.
	Oct. 10,	.	.	—	.	.	.	1	—	—	—	—	—	—	1
	Oct. 17,	.	.	—	—	—	—	—	—	—	.
Kingstown Urban District.	Sept. 26,	.	—	—	1	1	.	—	—	—	—	—	.	2
	Oct. 3,	.	—	—	1	—	—	—	—	—	.	1
	Oct. 10,	.	—	—	—	—	—	—	—	.	.
	Oct. 17,	.	—	—	2	—	—	—	—	—	.	2
City of Belfast.	Sept. 26,	.	—	—	70	.	.	3	.	.	3	4	.	—	—	.	—	.	4	84
	Oct. 3,	.	—	—	72	.	.	5	1	.	1	10	.	—	—	.	—	.	1	90
	Oct. 10,	.	—	—	61	.	.	8	1	.	6	2	1	—	—	.	—	.	3	82
	Oct. 17,	.	—	—	74	.	.	3	.	.	5	6	.	—	—	.	—	.	1	89
City of Cork.	Sept. 26,	.	2	—	5	.	.	2	1	1	2	.	.	—	—	—	16	—	—	29 ^a
	Oct. 3,	.	1	—	2	1	.	3	.	.	1	.	.	—	—	—	6	—	—	14
	Oct. 10,	.	1	—	5	1	2	.	—	—	—	1	—	—	10 ^b
	Oct. 17,	.	.	—	6	.	.	3	.	.	.	2	.	—	—	—	.	—	—	11
City of Londonderry.	Sept. 26,	.	—	—	2	.	—	—	—	—	—	—	2
	Oct. 3,	.	—	—	2	.	.	1	—	—	—	—	—	—	3
	Oct. 10,	.	—	—	5	—	—	—	—	—	—	5
	Oct. 17,	.	—	—	1	.	—	—	—	—	—	—	1
City of Limerick.	Sept. 26,	.	—	—	4	1	.	.	—	—	.	—	—	—	5
	Oct. 3,	.	—	—	5	—	—	.	—	—	—	5
	Oct. 10,	.	—	—	3	—	—	.	—	—	—	3
	Oct. 17,	.	—	—	5	—	—	.	—	—	—	5
City of Waterford.	Sept. 26,	.	—	—	5	—	—	—	—	—	.	5
	Oct. 3,	.	—	—	4	—	—	—	—	—	.	4
	Oct. 10,	.	—	—	30	—	—	—	—	—	.	30
	Oct. 17,	.	—	—	35	—	—	—	—	—	3	38

^a Not including 2 cases of varicella.

^b Not including one case of varicella.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 17th October, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Sixteen cases of enteric fever were admitted to hospital during the week, 8 were discharged, 2 died and 85 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 75, 79, and 79.

Three cases of measles remained under treatment in hospital at the close of the week. At the end of the 3 preceding weeks such cases were 4, 4, and 3, respectively.

Twenty-four cases of scarlet fever were admitted to hospital, 9 were discharged, there was one death, and 75* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 70, 59, and 61, respectively.

Eight cases of diphtheria were admitted to hospital during the week, and 7 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 32, 38, and 43 respectively, were 44 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 9 were discharged, there was one death, and 19 cases remained under treatment at the end of the week.

See note () at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 17th October, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 17TH OCTOBER, 1914.																													
TOWNS AND DISTRICTS.		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																							
		POPULATION.		DEATHS.		BIRTHS.		DEATHS.																					
		Total. (a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
											Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diseases of the Respiratory System.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.			
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
TOTAL OF 27 TOWN DISTRICTS, ...	1,205,280	19.1	23.6	16.2	2.7	546	375	80	79	3	7	7	3	4	1	39	15	17	24	47	33	4	5	9	102	8	
DUBLIN REGISTRATION AREA:—																													
TOTAL, (c.) ...	406,000	29.5	23.8	17.0	2.3	185	132	31	26	3	1	...	2	1	23	4	4	8	22	10	1	1	2	49	2	
CITY OF DUBLIN, ...	310,467	39.2	25.7	18.3	3.0	153	109	31	19	3	1	...	2	1	17	3	3	7	20	10	1	...	1	39	2	
Urban Districts.																													
RATHMINES and RATHGAR, ...	39,155	22.8	18.6	14.6	.	14	11	...	4	1	1	1	1	1	4	...	
PEMBROKE, ...	30,240	19.2	20.7	15.5	.	12	9	...	1	4	..	1	1	6	...	
BLACKROCK, ...	9,197	8.5	
KINGSTOWN, ...	16,941	11.6	18.5	9.2	.	6	3	...	2	1	1	
Urban Districts																													
BELFAST ...	399,000	26.7	24.7	17.3	3.5	189	132	29	21	7	3	3	1	...	11	6	4	10	17	12	1	3	6	27	1	
CORK, ...	76,673	28.6	19.0	19.0	3.4	28	28	4	6	1	3	4	1	2	5	1	7	2	
LONDON-DERRY, ...	41,100	16.9	35.5	10.1	1.3	28	8	...	1	1	1	1	...	1	2	...	
LIMERICK, ...	38,518	16.1	4.1	17.6	4.1	3	13	5	3	1	3	3	1	1	
WATERFORD, ...	27,464	19.1	24.7	17.1	5.7	13	9	2	3	2	1	2	...	1	5	1	
GALWAY, ...	13,255	2.5	9	1	...	1	1	...	
DUNDALK, ...	13,128	9.5	6	2	1	1	1	
LURGAN, ...	12,553	14.7	9	3	...	1	1	...	1	1	...	
DROGHEDA, ...	12,501	8.4	7	3	1	1	1	...	
LISBURN, ...	12,388	10.9	4	3	1	1	
NEWRY, ...	11,963	17.0	10	3	1	2	1	...	
PORTADOWN, ...	11,727	15.3	7	1	...	1	
WEXFORD, ...	11,631	22.8	8	6	1	1	2	1	1	
BALLYMENA ...	11,381	9.3	3	3	...	2	
SLIGO, ...	11,163	3.8	3	7	...	1	1	
KILKENNY, ...	10,514	11.4	1	4	1	2	1	1	...	
TRALEE, ...	10,300	17.4	1	3	1	1	1	...	1	...	
CLONMEL, ...	10,209	7.8	2	4	...	3	1	2	2	...	
NEWTOWNARDS	9,587	20.1	5	1	1	1	...	
QUEENSTOWN, ...	8,209	14.7	3	2	1	1	1	
LARNE, ...	8,036	13.4	5	1	1	1	1	...	
COLERAINE. ...	7,785	7.7	1	
BANGOR, ..	7,776	8.5	4	1	
BRAY, ..	7,691	7.2	8	1	...	1	
ATHLONE, ..	7,472	6.2	3	2	...	1	1	
ARMAGH, ...	7,356	21.8	2	1	...	1	

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1914. (b) See note (1) at foot of first page. (c) Exclusive of 12 deaths of persons (including one under one year old and 2 at 65 years or upwards), admitted to hospital from localities outside the Area. Among the 12 deaths are 2 from pulmonary tuberculosis, 2 from cancer, and one from diarrhoea and enteritis of a child under 2 years.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 17th of October, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN -																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	.	1	1	3	.
Typhus,
Small-pox,
Measles,	1	1	.
Scarlet Fever,
Whooping-cough,	1	1	2	.
Diphtheria,
Croup,
Influenza,	1	.	.	1	2	.
Dysentery,	1	1	1
Tuberculosis, { Pulmonary,	3	1	3	3	1	1	.	2	2	.	1	.	1	4	.	1	23	2
{ Other Forms,	1	1	1	1	1	.	1	.	1	1	.	.	4	2
Cancer,	4	.
Diseases of Nervous System,	1	.	1	.	.	.	1	.	.	2	.	3	1	.	.	9	.
" Organs of Special Sense,
" Circulatory System,	1	3	.	1	.	.	1	1	.	.	7	1
" Respiratory System, { Pneumonia,	1	1	1	1	.	2	.	1	2	1	1	.	.	1	.	.	8	1
{ Others,	2	2	2	2	.	.	.	5	2	2	.	1	1	.	.	1	22	.
{ Diarrhoea and Enteritis, under 2 years,	3	1	1	2	.	2	1	1	10	1
" Digestive System, { Diarrhoea, 2 years and upwards,	1	1	.
{ Enteritis, 2 years and upwards,
{ Others,	3	1	.	.	1	.	.	.	1	6	2
" Genito-urinary System,	3	1	1	.	.	2	.	1	.	.	.	8	2
Puerperal Septicæmia, etc.,
Other Causes incident to Pregnancy and Childbirth,
Diseases of the Skin and Cellular Tissue,
" Locomotor System,
Other specified Causes,	3	1	1	3	.	.	.	3	1	3	2	.	1	.	.	.	18	1
Violent Deaths,	1	.	.	.	1	.
Ill-defined, &c. Causes,	1	.	.	1	.	.	.	2	.
Deaths from All Causes	15	11	13	13	1	3	1	18	7	12	13	2	11	9	.	3	132	12
Annual Rate of Mortality from All Causes in every 1,000 of the population.	25.9	13.9	24.3	19.1	9.5	11.4	4.9	23.0	19.9	14.4	20.4	10.6	14.6	15.5	.	9.2	17.0	.
	18.0							18.6							12.6			
	13.3																	
Ages at Death. { Under 1 year,	5	3	5	4	.	.	1	3	2	3	4	1	31	1
{ 1 and under 2 years,	1	.	.	2	.	.	.	1	1	3	1	7	.
{ 2 " 5 "	1	3	.	1	1	8	.
{ 5 " 15 "	2	2	.	.	1	.	1	.	.	.	6	1
{ 15 " 25 "	1	1	1	1	5	2
{ 25 " 45 "	2	1	3	2	.	1	.	2	.	.	1	.	2	1	.	.	15	4
{ 45 " 65 "	3	4	4	3	1	.	.	4	1	1	2	1	3	7	.	.	34	2
{ 65 and upwards,	2	2	.	2	.	2	.	2	2	3	3	.	4	1	.	2	26	2
Number of Uncertified Deaths,	1	1	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	2	1	2	1	.	.	3	1	4	2	.	4	5	.	.	28	9
Workhouse Hospitals,	1	4	4	4	.	.	.	4	1	1	1	.	.	1	.	.	21	3

FORTY-SECOND WEEK, ending Saturday, 17th October, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 42nd Week of the 10 years, 1904-1913.	In the Week ending Saturday, 17th October, 1914.													
	Oct. 22, 1904.	Oct. 21, 1905.	Oct. 20, 1906.	Oct. 19, 1907.	Oct. 17, 1908.	Oct. 23, 1909.	Oct. 22, 1910.	Oct. 21, 1911.	Oct. 19, 1912.	Oct. 18, 1913.		All Ages.	Deaths of Persons of the Ages of												
													Under 1 month.	1 month and under a year.	0-5.									65-75.	75 and upwards.
															1-2.	2-5.	5-15.	15-25.	25-45.	45-65.					
Diseases of the Pharynx, Ton- sillitis.	1	.	.	.1		
Diseases of Stomach, ...	—	—	—	—	—	—	—	3	2	3	—	4	.	4		
Diarrhoea and Enteritis of Children under 2 years.	14	3	15	25	10	6	14	13	7	23	13.4	11	2	5	4		
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																								1	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	1	1	2	—	1	1	.	.	.		
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	—	1	1	1	—	1	1	.	.	.		
Cirrhosis of Liver, ...	1	2	1	1	1	.	.	2	1	.	.9		
Other Diseases of Liver, ...	4	1	.	.	2	1	2	.	.	1	1.1		
Peritonitis (cause unknown),	.	.	.	1	.	.	12	2	1	1		
Other Diseases of Digestive System.	9	8	5	3	6	5	4	3	2	.	4.5		
Acute Nephritis, ...	4	4	5	4	3	3	4	4	2	2	5.3	1	1		
Chronic Bright's Disease, ...								4	6	5		7				
Urinary Calculi,				
Uterine Tumour (non-can- cerous).											
Ovarian Tumour (non-can- cerous)											
Other Diseases of Genito- urinary System.	4	4	5	4	3	3	4	2	.	1	5.3	2	1	.	1	.	.			
Puerperal Septicæmia, &c.,				
Other Causes incident to Pregnancy and Childbirth.											
Diseases of Skin and Cellular Tissues.								3	.	1					
Diseases of Locomotor System, Congenital Malformations,	1	1					
Premature Birth, ...	9	2	11	5	3	6	3	6	4	1	5.0	2	2	5	1		
Congenital Debility, ...	—	—	—	—	—	—	—	3	3	6	—	5	2	3			
Old Age, ...	1	3	1	4	.	4	6	3	7	2	3.1	3	3			
Other Specified Diseases, ...	—	—	—	—	—	—	—	.	2	1	—	1	1			
ACCIDENT:																									
Poisons or Poisonous Vapours.		
Conflagration,			
Burns and Scalds,	1	2	.	1	.	1	1	.	.6	1	1	.	.	.			
Drowning, ...	11			
Suffocation in Bed,			
Other Deaths by Accident, ...	3	7	3	3	.	3	.	3	3	3	2.8			
Total Deaths from Accident,	4	7	4	5	.	4	.	4	4	3	3.5	1	1	.	.	.			
Included in above are Deaths in connection with—																									
Railways, ...	1	.	.	2	.	1	.	3	2	2	.1			
Vehicles and Horses,	1.0			
Ships, Boats, Docks,	11			
Building Operations,			
VIOLENCE OTHER THAN ACCIDENTAL:																									
Homicide,			
Suicide,	1			
Execution,			
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	3	6	4	—	2	.	.	1	1	.	.			

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914—WEEK ENDING																									
		April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.
No. of weeks in Annual Series,		17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Births registered.		207	288	222	197	207	262	191	271	225	233	165	214	208	197	195	166	204	200	246	187	213	184	193	199	223	185
Average Births in corresponding week of previous 10 years, ...		218	264	237	214	213	244	219	210	223	245	208	208	221	221	220	209	223	218	205	244	200	222	247	203	187	211
Deaths registered, ...		231	203	181	160	166	185	162	163	151	134	139	128	139	129	144	136	159	136	168	160	139	161	154	154	141	144
Annual Death-rate per 1,000, ...		29.7	28.1	23.2	20.5	21.3	23.8	20.8	20.9	19.4	17.2	17.9	16.4	17.9	16.6	18.5	17.5	20.4	17.5	20.9	20.5	17.9	20.7	19.8	19.8	18.1	18.5
Average Deaths in corresponding week of previous 10 years, ...		188	173	179	159	168	148	148	156	142	134	135	147	143	145	144	145	156	160	157	159	158	162	159	157	155	157
Ages, { Under 5 years, ...		92	89	62	54	73	56	54	45	46	36	47	31	44	36	46	35	53	35	62	51	48	52	47	39	30	47
15-25 " ...		10	6	10	7	4	13	4	6	5	5	7	6	9	6	4	6	5	6	5	4	3	8	4	5	12	7
25-45 " ...		9	9	8	9	9	8	11	9	12	8	9	7	3	9	8	5	7	6	6	8	5	6	7	1	6	7
45-65 " ...		33	30	27	22	22	19	28	30	23	23	22	27	29	26	27	26	26	27	23	24	24	26	25	33	21	19
65-75 " ...		45	30	50	36	37	47	35	38	41	32	30	22	31	30	37	34	35	35	38	40	28	35	36	40	39	36
75 and upwards, ...		23	22	14	21	13	28	16	23	15	19	14	22	14	15	13	15	18	17	18	22	16	21	20	19	17	17
Deaths from:—		19	17	10	11	8	14	14	12	9	11	10	13	9	7	9	15	15	10	11	11	15	14	14	17	16	11
Enteric Fever,	1	...	1	1	1	1	1	1	2	1	2	2	2	1	...	2	1	3	3	1	1	2	3
Typhus,
Small-pox,
Measles, ...		35	40	29	17	16	14	18	8	5	3	2	4	6	2	1	2	1	3	1	1	1	1	1	1
Scarlet Fever,
Whooping-cough,
Diphtheria,
Influenza,
Dysentery,
{ Pulmonary
{ Other Forms,
Cancer, ...		25	14	22	24	21	19	27	19	13	17	21	18	16	19	23	19	18	19	18	25	13	18	23	17	11	25
Diseases of Circulatory System, ...		8	10	9	5	6	9	4	6	5	7	7	5	8	11	5	6	4	2	4	9	8	9	7	9	11	4
Diseases of Respiratory System, ...		13	9	11	11	5	12	13	8	9	8	7	8	7	10	9	7	6	12	10	20	6	15	13	15	8	6
{ Pneumonia ...		19	21	11	11	13	28	14	20	27	11	11	16	15	15	13	15	15	17	18	18	17	19	15	16	20	8
{ Others, ...		17	19	13	13	15	14	12	12	14	8	9	10	12	4	8	4	3	7	8	7	5	4	6	10	11	9
Diarrhoea and Enteritis, under 2 years, ...		20	15	17	19	22	22	13	11	8	20	10	13	5	7	12	10	11	10	7	10	7	9	14	19	12	22
Diarrhoea, 2 years and upwards, ...		3	3	1	5	7	4	2	4	7	4	4	4	6	6	9	10	11	13	28	18	17	25	14	11	14	11
Violent Deaths,
Number of Uncertified Deaths, ...		6	3	2	7	5	3	6	3	3	...	6	4	5	3	3	7	10	3	6	1	4	6	4	2	7	1

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal admitted ; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Unce- rtified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.	Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	Sept. 12 " 19 " 26 Oct. 3	19.0 29.3 27.6 22.4	3.5 6.9 3.5 1.7	11 17 16 13 1	3 2 2 2	. 1 3 1	. 1 1 .	1 2 2 2	2 4 1 5	. . . 1	1 1 . 1
Population in 1914 (Est.) 30,206.	" 10 " 17	22.4 25.9	8.6 8.6	13 15 1	. 3	. .	1 1	. 1	. 1	2 3	3 1	
North City, No. 1 (W.) (Office, Summer-hill.)	Sept. 12 " 19 " 26 Oct. 3	20.2 21.5 18.9 25.3	2.5 2.5 1.3 7.6	16 17 15 20	1 1 2 1 3	2 . . 2	. 2 . 2	1 . 4 2	. . . 2	1 . 4 2	1 2 1 5 3 . .	. 1 . .
Population in 1914 (Est.) 41,278.	" 10 " 17	12.6 13.9	. 1.3	10 11	2 1	. 1	4 2	2 1	
North City, No. 2. (Office, Lisburn-street.)	Sept. 12 " 19 " 26 Oct. 3	22.4 28.1 26.2 41.1	5.6 7.5 1.9 3.7	12 15 14 22 1	1 1 5 3	1 3 1 3	1 1 1 1	. . . 1	. 2 3 2	2 4 3 2	3 . . 2 1	. 1 . .
Population in 1914 (Est.) 27,883.	" 10 " 17	28.1 24.3	. 1.9	15 13	1 .	. 3 1	. 2	. 1	. 1	
North City, No. 3. (Office, Benburb-street.)	Sept. 12 " 19 " 26 Oct. 3	19.1 11.7 14.7 13.2	13 8 10 9 1 1 .	1 2 . 1	. 1 1 1	. . 1 .	. . 1 1	1 1 . .	. 1 . .
Population in 1914 (Est.) 35,536.	" 10 " 17	20.5 19.1	2.9 2.9	14 13 1	. 1	1 .	. 3	. .	3 .	1 .	3 2	1	
Clontarf and Howth No. 1 (part of).	Sept. 12 " 19 " 26 Oct. 3	19.0 9.5 . 9.5	2 1 . 1 1	1
Population in 1914 (Est.) 5,485.	" 10 " 17	9.5 9.5	. .	1 1	1	
Coolock and Drumcondra (part of).	Sept. 12 " 19 " 26 Oct. 3	3.8 19.1 7.6 19.1	. . 3.8 .	1 5 2 5 2 2 .	. . 1 .	. . 1 .	. . 1 .	. . 1
Population in 1914 (Est.) 13,685.	" 10 " 17	3.8 11.4	3.8 .	1 3	1	2	
Finglas and Glasnevin (part of).	Sept. 12 " 19 " 26 Oct. 3	29.2 4.9 14.6 4.9	6 1 3 1 1 . .	1 . . .	1 1 . .
Population in 1914 (Est.) 10,723.	" 10 " 17	4.9 4.9	. .	1 1	
South City, No. 1. (Office, Sth. Earl-street.)	Sept. 12 " 19 " 26 Oct. 3	16.6 21.7 12.8 21.7	5.1 3.8 1.3 2.6	13 17 10 17	. 1 . 1 2 . 6	. 1 . 1	. . 1 1	. 1 1 1	. 1 1 1	2 2 1 1	4 2 1 1 2 1 3	. 1 2 .
Population in 1914 (Est.) 40,768.	" 10 " 17	29.4 23.0	2.6 2.6	23 18	. 1	2 2	1 1	1 .	1 .	3 5	2 1	
South City, No. 2. (Office, Castle-street.)	Sept. 12 " 19 " 26 Oct. 3	14.2 39.8 37.0 14.2	2.8 11.4 8.5 .	5 14 13 5	. 1	1 1 3 .	. 2 . .	. 1 . 1	. 1 . .	. 1 2 .	1 1 3 2	1 3 3 1
Population in 1914 (Est.) 18,341.	" 10 " 17	17.1 19.9	2.8 .	6 7 2	1 .	1 1	1 1	2 2	1	
South City, No. 3. (Office, Peter-street.)	Sept. 12 " 19 " 26 Oct. 3	15.6 15.6 26.3 15.6	3.6 6.0 6.0 1.2	13 22 13 13	1 1 1	1	1 2 4 2	1 1 1 1	. 1 1 2	. . . 2	. 1 1 2	1 4 4 1	1 4 4 1 2	1 1 . 1
Population in 1914 (Est.) 43,540.	" 10 " 17	22.8 14.4	3.6 3.6	19 12	1 1	1 .	1 .	2 2	2 2	2 2	2 2	. .	2 .	. .
South City, No. 4. (Office, Grand Canal-st.)	Sept. 12 " 19 " 26 Oct. 3	22.0 20.4 22.0 9.4	6.3 4.7 3.1 .	14 13 14 6	1 2 .	2 1 . .	1 . 1 2	. 2 2 .	1 . 3 .	. 1 2 .	. 3 1 .	3 3	1 . . 1
Population in 1914 (Est.) 33,171.	" 10 " 17	17.3 20.4	3.1 4.7	11 13	. 1 1	1 1	. .	. 1	. 1	. .	. 1	2 1	. .	1 .	. .
New Kilmainham.	Sept. 12 " 19 " 26 Oct. 3	15.9 15.9 15.9 5.3	. 5.3 . .	3 3 3 1 1	1 1 .	. 1
Population in 1914 (Est.) 9,851.	" 10 " 17	5.3 10.6	. 5.3	1 2 1	. 1	

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District.	Sept. 12 " 19 " 26 Oct. 3	9.3 14.6 6.7 10.7	1.3 1.3 . .	7 11 5 8 1 . 1	. . 2 1	. . 1 1	1 1	
Population in 1914 (Est.) 39,155.	" 10 " 17	12.0 14.6	1.3 .	9 11	1	2 1	1 1	. .	. 1	. .	1	1 .	
Pembroke Urban District.	Sept. 12 " 19 " 26 Oct. 3	19.0 8.6 17.2 25.9	3.4 1.7 3.4 3.4	11 5 10 15	1 1 1 .	. . 2 2	. . 1 1	1 . 1 .	. . 1 1	1 1 1	
Population in 1914 (Est.) 30,240	" 10 " 17	13.8 15.5	. .	8 9	4 .	. .	1	
Blackrock Urban District.	Sept. 12 " 19 " 26 Oct. 3	11.3 28.3 11.3 .	. 5.7 . .	2 5 2 1 1 2 1	
Population in 1914 (Est.) 9,197.	" 10 " 17	
Kingstown Urban District.	Sept. 12 " 19 " 26 Oct. 3	12.3 18.5 12.3 40.0	. . . 3.1	4 6 4 13 1 . 1	. . 1 .	1 1 1 .	. 1 1 1	. 1 1 3	. 1 1 1	. . . 1	
Population in 1911 16,941.	" 10 " 17	15.4 9.2	. .	5 3	1 1	1	
Belfast.	Sept. 12 " 19 " 26 Oct. 3	18.0 19.7 22.1 17.4	6.7 5.9 7.7 3.8	138 151 169 133	2 1 1 1	1 7 4 .	1 1 2 1	5 3 4 4	. 1	13 17 15 8	1 5 4 5	6 7 8 9	6 13 7 10	9 13 7 8	39 30 44 21	3 2 4 2	1 5 1 3	
Population in 1914 (Est.) 399,000.	" 10 " 17	14.5 17.3	2.9 3.5	111 132	2	3 7	2 3	4 3 3 1	. . . 1	6 11 .	. 6 .	. 2 .	. 4 .	. 10 .	11 17	10 12	1 1	3 3	
Cork.	Sept. 12 " 19 " 26 Oct. 3	17.7 19.7 22.4 14.3	2.0 6.8 4.8 3.4	26 29 33 21 1 3 .	1 1 2	5 2 7 3	1 . . 3	. 1 . 3	1 . 1 .	1 2 2 .	2 6 4 4	. 2 1 .	2 5 1 .	
Population in 1911 76,673.	" 10 " 17	12.9 19.0	2.0 3.4	19 28	1 1	4 3	2 4	. 1	. 2	. 5	1 2	
Londonderry.	Sept. 12 " 19 " 26 Oct. 3	12.7 14.0 22.8 14.0	1.3 3.8 5.1 2.5	10 11 18 11 1 1 2	. . . 1	. . . 1	1 3 2 .	1 1 . .	. 1 . 3	1 3 4 1	. . . 1	
Population in 1914 (Est.) 41,100.	" 10 " 17	12.7 10.1	2.5 1.3	10 8	1 1	1 1	3 1	2	
Limerick.	Sept. 12 " 19 " 26 Oct. 3	24.4 17.6 23.0 16.2	4.1 . 1.4 1.4	18 13 17 12 1 2 .	3 . 1 .	1 1 . 1	. 1 . .	. 2 . .	1 1 2 3	2 1 1 2	1	
Population in 1911 38,518.	" 10 " 17	21.7 17.6	2.7 4.1	16 13	1 1	. 2	1 3	3 3	3	
Waterford.	Sept. 12 " 19 " 26 Oct. 3	22.8 13.3 17.1 17.1	5.7 3.8 1.9 .	12 7 9 9	1 1 1 1	1 1 1 .	1 1 . 1	. . . 2	. . 1 .	. 1 . 1	3 2 . 2	. 1 . .	. 1 . .	
Population in 1911 27,464.	" 10 " 17	22.8 17.1	7.6 5.7	12 9	2 2 1	. 2	. 2	. 1	2 1	

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 17th October, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c

CITIES AND REGISTRARS' DISTRICTS.			Census Population in 1911.		No. of BIRTHS.		Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		DEATHS FROM															AGES AT DEATH.					DEATHS FROM															No. of Deaths in Public Institutions.					Number of Uncertified Deaths.
			All Causes.		Certain Epi- demic Diseases,†		Total Number of DEATHS.																																										

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year. † See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1914—WEEK ENDING																										
		April 25.	May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	
No. of weeks in Annual Series,		17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	
BIRTHS registered, ...		255	198	222	245	238	262	191	198	233	227	219	237	190	218	212	226	214	218	196	215	215	187	223	223	246	189	
DEATHS registered, ...		179	139	116	135	137	115	127	129	131	134	130	130	103	111	115	137	113	135	145	155	138	151	169	133	111	132	
Annual Death-rate per 1,000 of estimated population, ...		23.4	18.2	15.2	17.6	17.9	15.0	16.6	16.9	17.1	17.5	17.0	17.0	13.5	14.5	15.0	17.9	14.8	17.6	18.9	20.3	18.0	19.7	22.1	17.4	14.5	17.3	
AGES, { Under 1 year, 1—5 years, 5—25 " 25—45 " 45—65 " 55 and upwards,		45	29	21	21	17	23	19	22	24	27	25	26	25	19	21	20	27	30	49	56	52	42	69	36	38	29	
		21	18	10	21	16	18	13	21	22	18	18	19	10	11	21	21	23	18	23	18	21	21	21	11	13	22	
		20	21	13	18	20	16	18	17	21	21	15	18	21	9	15	11	14	9	17	14	19	14	12	21	10	11	15
		25	27	19	23	29	19	22	25	21	23	23	24	18	20	22	21	22	18	19	16	24	18	24	18	19	12	20
		35	25	28	32	28	28	32	26	31	37	37	28	28	19	26	24	32	16	30	26	25	20	22	23	38	20	25
		32	19	25	20	27	11	23	18	12	14	17	18	20	18	17	28	20	21	17	13	13	30	17	19	16	21	
Deaths from:—																												
Enteric Fever,	2	.	.	.	1	.	1	1	1	1	.	.	2	1	1	1	2	.	
Typhus,	5	1	1	1	1	
Small-pox,	
Measles, ...		1	3	1	3	1	3	1	4	8	5	9	6	4	1	6	5	8	7	2	2	1	7	4	.	3	7	
Scarlet Fever, ...		6	1	.	2	5	4	1	2	8	2	2	5	2	2	2	4	.	.	2	2	1	1	2	1	2	3	
Whooping-cough, ...		8	3	3	5	5	7	4	7	.	4	7	2	4	2	7	2	3	3	6	2	5	3	4	4	4	3	
Diphtheria,	1	.	.	.	2	.	1	.	.	1	1	.	.	1	.	.	.	1	
Dysentery,	
Tuberculosis. { Pulmonary, ...		32	18	19	20	21	15	19	17	21	21	13	14	10	16	15	18	12	14	13	20	13	17	15	8	6	11	
{ Other Forms, ...		4	4	10	12	7	4	8	3	6	5	7	7	3	4	7	5	8	7	4	8	1	5	4	5	.	6	
Cancer, ...		5	6	5	8	7	3	8	4	5	5	9	11	7	8	1	3	5	10	6	6	6	7	8	9	2	4	
Diseases of Respi- { Pneumonia,		22	8	9	14	13	10	13	10	6	10	4	7	8	10	5	10	8	10	8	4	4	6	13	7	10	9	10
{ Others, ...		15	17	11	16	14	12	11	12	10	10	9	11	5	8	12	13	13	11	9	16	9	13	13	8	11	17	
Diarrhoea and Enteritis, under 2 years, ...		2	4	.	3	2	4	1	5	6	5	7	5	6	8	9	3	13	9	23	44	39	30	44	21	10	12	
Diarrhoea, 2 years and upwards, ...		1	2	1	.	.	.	1	1	.	1	2	.	.	1	.	.	2	1	10	1	3	2	4	2	1	1	
Violent Deaths, ...		1	2	1	2	2	3	.	3	1	.	.	2	.	2	2	2	1	1	.	4	1	5	1	3	3	3	
Number of Uncertified Deaths, ...		4	1	2	1	1	3	4	1	3	.	3	2	1	2	.	2	.	1	3	2	.	5	2	2	.	1	

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 — Week ending	BIRTHS.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Oct. 17,	1,968	1,205	13·9	2	.	21	6	13	16	91
EDINBURGH, .	321,900	„ 17,	118	104	16·9	2	.	.	2	.	8	3
GLASGOW, ...	1,047,000	„ 17,	547	308	15·3	4	.	1	9	8	5	13
CALCUTTA, ...	896,067	Sept. 12,	.	414	24·0	63*	3	.	.	.	1†	70‡a
BOMBAY, ...	979,445	„ 12,	862	494	26·2	46*	2	71‡a
MADRAS ...	518,660	„ 12,
CAIRO, ...	726,075	Aug. 12,	645	741	53·2	14	2	1	.	?	19†	215
PARIS, ...	2,847,229	„ 29,	823	777	13·9	9	.	11	1	4	.	94
BRUSSELS, ...	780,843	—
ANTWERP, ...	323,421	Sept. 19	114	192	30·9	1	.	2	.	.	2†	40
AMSTERDAM, .	597,888	—
COPENHAGEN, .	483,000	Sept. 19,	201	122	13·2	.	.	.	1	.	.	11a
STOCKHOLM, .	382,085	„ 26,	160	83	11·3	3	3
CHRISTIANIA, .	251,446	Oct. 3,	102	46	9·5	.	.	.	1	.	.	.
PETROGRAD, .	1,728,200	—
MOSCOW, ...	1,694,000	—
ROME, ...	591,943	—
NEW YORK, ...	5,583,871	Aug. 15,	3,080	1,428	13·3	4	.	5	2	8	9†	213
PHILADELPHIA, .	1,657,810	—
BOSTON, ...	750,768	Sept. 26,	.	223b	15·1	2	.	.	.	1	3	21a

* Deaths from "fever," including 3 from enteric fever and 2 from plague in Calcutta; and 2 from enteric fever and 10 from plague in Bombay.

† Including deaths from croup.

‡ Including 12 deaths from cholera in Calcutta, and 6 in Bombay.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e. non-residents deducted, 199 (including 19 deaths from diarrhoeal diseases), rate 13·8 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 17th October, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	3	.	.	1	2	6
" " 1, West,	1	.	.	1	1	.	5	8
" " 2,	2	2	4
" " 3,	2	.	.	1	2	5
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),	.	2	1	1	4
Finglas and Glasnevin (part of),
South City No. 1,	1	.	.	5	.	.	1	1	.	.	.	3	11
" " 2,	2	2	5	9
" " 3,	3	1	.	.	.	5	9
" " 4,	1	.	.	1	2
New Kilmainham,	1	1
Total,	11	.	.	11	.	.	9	2	.	1	.	25	59

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 17th October, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 17th October.			
	Sept. 26.	Oct. 3.	Oct. 10.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	75	79	79	16	8	2	85
Typhus,
Small-pox,
Measles, ...	4	4	3	.	.	.	3
Scarlet Fever, ...	70	59	61	21	9	1	75*
Diphtheria, ...	32	38	43	8	7	.	44
Pneumonia, ...	22	19	25	4	9	1	19

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the **PRINCIPAL URBAN DISTRICTS** IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 24TH OCTOBER, 1914.

[No. 43.]

*General Register Office, Charlemont House,
Dublin, 26th October, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 15·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Oct. 3	Oct. 10	Oct. 17	Oct. 24	
27 Town Districts, (a)	17·3	15·4	16·2	15·8	16·2
Dublin Reg. Area ...	19·1	17·5	17·0	15·3	17·2
Dublin City ...	19·0	19·1	18·3	15·8	18·0
Belfast ...	17·4	14·5	17·3	16·9	16·5
Cork ...	14·3	12·9	19·0	17·0	15·8
Londonderry ...	14·0	12·7	10·1	8·9	11·4
Limerick ...	16·2	21·7	17·6	20·3	18·9
Waterford ...	17·1	22·8	17·1	22·8	19·9

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 1·9 per 1,000. Among the 129 deaths from all causes for Belfast are one from enteric fever, 7 from measles, 8 from whooping-cough, and 6 from diarrhœa and enteritis of children under 2 years of age. Included in the 25 deaths from all causes for Cork is one from each of scarlet fever and whooping-cough. One of the 15 deaths from all causes for Limerick is from scarlet fever, and 2 deaths from this disease are among the 12 deaths from all causes for Waterford. One of the 2 deaths recorded for Lurgan is from scarlet fever, and included in the 4 deaths from all causes for Ballymena are one from enteric fever and one from diarrhœa and enteritis of a child under 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 205—99 boys and 106 girls—and the deaths to 134—70 males and 64 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·3 per 1,000 of the population. During the forty-three weeks, ending with Saturday last, the death-rate averaged 20·8, and was 0·7 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 134, represent an annual rate of 17·2 per 1,000; the annual rate for the past forty-three weeks was 22·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·6 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are one* from diphtheria and 11 deaths from diarrhoea and enteritis of children under 2 years of age. Deaths from diphtheria during the three preceding weeks numbered one, 0, and 2; and deaths of children under 2 years of age from diarrhoea and enteritis, 11, 14, and 11 respectively.

Deaths from tuberculous disease (all forms) which in the three preceding weeks were, respectively, 26, 22, and 29, numbered 22* last week, the latter comprising 17 deaths from pulmonary tuberculosis, 2 deaths each from tuberculous meningitis and abdominal tuberculosis, and one from disseminated tuberculosis.

Cancer caused 9* deaths.

Of 9 deaths from pneumonia 3 were from broncho-pneumonia, 2 from lobar pneumonia, and 4 from pneumonia (type not distinguished).

Among deaths of infants under one year old are 5 ascribed to convulsions, 3 to premature birth, and 3 to congenital debility.

Organic diseases of the heart caused 15 deaths and bronchitis 15.

There was one accidental-death of a child aged 7 years caused by burns.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year of age and the death of one person aged 74 years.

Thirty-six of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 10 were under one month old), and 48 were aged 65 years and upwards, including 33 persons aged 70 and upwards; among the latter were 19 aged 75 and upwards, of whom one (a female) was stated to have been aged 99 years.

Seventy-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·3 per 1,000; the rate in the City was 15·8 (North City Districts, 13·9; South, 17·9) and in the Suburbs 13·6.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·8 (in the North City Districts 1·6, and in the South 2·1), and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·8 per 1,000. Tuberculous disease caused 2 deaths.

No. 1 North City District, West (Summer-hill).—The deaths (11) are equal to an annual rate of 13·9 per 1,000. Among them are one from pulmonary tuberculosis, 2 from pneumonia, 2 from bronchitis, and one from diarrhoea and enteritis of a child under 2 years of age.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 24·3 per 1,000. There were 4 deaths from tuberculous disease, 2 from bronchitis, and 3 deaths from diarrhoea and enteritis of children under 2 years of age.

No. 3 North City District (Benburb-street).—The deaths (9) represent an annual rate of 13·2 per 1,000. Two deaths were caused by pneumonia, and one (that of a child under 2 years) by diarrhoea and enteritis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 11·4 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 0·0.

No. 1 South City District (South Earl-street).—The deaths (13) represent an annual rate of 16·6 per 1,000, and include 4 deaths from tuberculous disease, one from bronchitis, and 2 deaths of children under 2 years of age from diarrhoea and enteritis.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 22·7 per 1,000. Pulmonary tuberculosis caused 2 deaths and bronchitis 3 deaths.

No. 3 South City District (Peter-street).—The deaths (17) are equal to an annual rate of 20·4 per 1,000. Three deaths from pulmonary tuberculosis, one from broncho-pneumonia, 3 from bronchitis, and 3 deaths of children under 2 years of age from diarrhoea and enteritis were recorded.

No. 4 South City District (Grand Canal Street).—The deaths (9) are equivalent to an annual rate of 14·1 per 1,000. Among them are one from tuberculous meningitis, 2 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·9 per 1,000. One of the deaths was caused by bronchitis, and one by accidental burns.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·3; Pembroke, 15·5; Blackrock, 5·7; and Kingstown, 15·4. There was no death from any of the principal epidemic diseases tabulated for these districts. One of the 10 deaths from all causes for Rathmines and Rathgar was from pulmonary tuberculosis, one from lobar pneumonia, and one from bronchitis. The 9 deaths from all causes for Pembroke include one from pulmonary tuberculosis and one from broncho-pneumonia. The only death recorded for Blackrock was one from pneumonia; and among the 5 deaths from all causes for Kingstown was one from pulmonary tuberculosis.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 14·7), was equal to an average annual death-rate of 13·8 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 15·0 per 1,000, the rate for Glasgow being 15·1, and for Edinburgh 14·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 24th October. From this Report it appears that of a total of 143 cases notified, 76 were scarlet fever, 38 diphtheria, 16 phthisis, 10 erysipelas, 2 enteric fever, and one puerperal fever. Among the 803 cases of infectious diseases in hospital at the close of the week were 404 cases of scarlet fever, 191 of phthisis, 108 of diphtheria, 13 of measles, 10 of enteric fever, and 10 of erysipelas.

* See note (c) at foot of Table II.

† See note (†) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 24th October, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrheal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Oct. 3,	.	—	—	8	.	.	11	.	1	14	3	.	—	—	.	—	.	22	59
	Oct. 10,	.	—	—	8	.	.	4	.	.	16	5	.	—	—	.	—	.	24	57
	Oct. 17,	.	—	—	11	.	.	11	.	.	9	2	.	—	—	1	—	.	25	59
	Oct. 24,	.	—	—	16	.	.	13	.	2	25	2	.	—	—	.	—	.	25	84
Rathmines and Rathgar Urban District.	Oct. 3,	.	—	—	2	.	.	1	.	.	1	.	.	—	—	.	—	.	—	4
	Oct. 10,	.	—	—	2	1	1	.	—	—	.	—	.	—	4
	Oct. 17,	.	—	—	1	.	.	1	—	—	.	—	.	—	2
	Oct. 24,	.	—	—	2	2	.	.	—	—	.	—	.	—	4
Pembroke Urban District.	Oct. 3,	2	—	—	.	—	.	1	2
	Oct. 10,	2	.	.	—	—	.	—	.	3	3
	Oct. 17,	1	—	—	.	—	.	3	4
	Oct. 24,	—	—	.	—	.	1	1
Blackrock Urban District.	Oct. 3,	.	.	—	—	—	.	—	.	—	.
	Oct. 10,	.	.	—	.	.	.	1	—	—	.	—	.	—	1
	Oct. 17,	.	.	—	—	—	.	—	.	—	.
	Oct. 24,	.	.	—	4	1	.	—	—	.	—	.	—	5
Kingstown Urban District.	Oct. 3,	.	—	—	1	—	—	.	—	.	—	1
	Oct. 10,	.	—	—	—	—	.	—	.	—	.
	Oct. 17,	.	—	—	2	—	—	.	—	.	—	2
	Oct. 24,	.	—	—	—	—	.	—	.	1	1
City of Belfast.	Oct. 3,	.	—	—	72	.	.	5	1	.	1	10	.	—	—	.	—	.	1	90
	Oct. 10,	.	—	—	61	.	.	8	1	.	6	2	1	—	—	.	—	.	3	82
	Oct. 17,	.	—	—	74	.	.	3	.	.	5	6	.	—	—	.	—	.	1	89
	Oct. 24,	.	—	—	76	.	.	8	.	.	2	3	.	—	—	.	—	.	2	91
City of Cork.	Oct. 3,	.	1	—	2	1	.	3	.	.	1	.	.	—	—	.	6	—	—	14
	Oct. 10,	.	1	—	5	1	2	.	—	—	.	1	—	—	10 ^a
	Oct. 17,	.	.	—	6	.	.	3	.	.	.	2	.	—	—	.	.	—	—	11
	Oct. 24,	.	3	—	8	.	.	1	1	.	2	2	.	—	—	.	.	—	—	17
City of Londonderry.	Oct. 3,	.	—	—	2	.	.	1	—	—	.	—	.	—	3
	Oct. 10,	.	—	—	5	—	—	.	—	.	—	5
	Oct. 17,	.	—	—	1	.	—	—	.	—	.	—	1
	Oct. 24,	.	—	—	.	.	.	1	.	.	.	3	.	—	—	.	—	.	—	4
City of Limerick.	Oct. 3,	.	—	—	5	—	—	.	—	.	—	5
	Oct. 10,	.	—	—	3	—	—	.	—	.	—	3
	Oct. 17,	.	—	—	5	—	—	.	—	.	—	5
	Oct. 24,	.	—	—	8	—	—	.	—	.	—	8
City of Waterford.	Oct. 3,	.	—	—	4	—	—	.	—	.	—	4
	Oct. 10,	.	—	—	30	—	—	.	—	.	—	30
	Oct. 17,	.	—	—	35	—	—	.	—	.	3	38
	Oct. 24,	.	—	—	39	.	.	1	.	.	1	.	.	—	—	.	—	.	1	42

^a Not including one case of varicella.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 24th October, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Eighteen cases of enteric fever were admitted to hospital during the week, 11 were discharged, and 92 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 79, 79, and 85.

Five cases of measles were admitted to hospital during the week, and 8 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 4, 3, and 3, respectively.

Thirty-four cases of scarlet fever were admitted to hospital, 11 were discharged, and 98* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 59, 61, and 75, respectively.

Seventeen cases of diphtheria were admitted to hospital during the week, and 9 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 38, 43, and 44 respectively, were 52 at the close of last week.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, 5 were discharged, and 25 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 24th October, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

TOWNS AND DISTRICTS.		REGISTRATION—WEEK ENDING SATURDAY, 24TH OCTOBER, 1914.																											
		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																							
		POPULATION.		DEATHS.		BIRTHS.		DEATHS.																					
		Total.(a)	Per-sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Caused by										
																			Tuber-culosis.	Diseases of the Respiratory System.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.		
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
TOTAL OF 27 TOWN DISTRICTS, ...	1,205,280	19.1	24.9	15.8	1.9	575	365	59	115	2	7	5	9	39	14	25	16	44	21	...	4	9	126	10	
DUBLIN REGISTRATION AREA:—																													
TOTAL, (c.) ...	406,000	29.5	26.3	15.3	1.4	205	119	26	42	15	5	8	8	15	11	...	1	4	62	3	
CITY OF DUBLIN,	310,467	39.2	28.2	15.8	1.8	168	94	23	28	12	5	6	5	14	11	...	1	4	49	1	
Urban Districts.																													
RATHMINES and RATHGAR.	39,155	22.8	22.6	13.3	.	17	10	...	7	1	..	1	1	1	5	...	
PEMBROKE. ...	30,240	19.2	17.2	15.5	.	10	9	1	5	1	..	1	1	5	...	
BLACKROCK, ...	9,197	8.5	5.7	5.7	.	1	1	...	1	1	
KINGSTOWN, ...	16,941	11.6	27.7	15.4	.	9	5	2	1	1	3	2	...	
Urban Districts																													
BELFAST ..	399,000	26.7	24.0	16.9	2.9	184	129	23	30	1	7	...	8	13	4	10	6	16	6	...	1	1	38	2	
CORK, ..	76,673	28.6	25.2	17.0	1.4	37	25	2	7	1	1	4	1	1	1	3	9	...	
LONDON-DERRY	41,100	15.9	31.7	8.9	1.3	25	7	1	2	1	...	1	...	1	1	
LIMERICK, ...	38,518	16.1	17.6	20.3	1.4	13	15	2	3	1	1	2	1	5	2	
WATERFORD, ...	27,464	19.1	26.6	22.8	3.8	14	12	1	6	2	1	1	2	1	1	2	...	
GALWAY, ...	13,255	2.5				4	3	...	2	1	...
DUNDALK, ...	13,128	9.5				6
LURGAN, ...	12,553	14.7				6	2	1	1	...	
DROGHEDA, ...	12,501	8.4				5	4	...	4	1	1	
LISBURN, ...	12,388	10.9				6	3	1	1	1	1	1	
NEWRY, ...	11,963	17.0				7	7	1	2	1	3	1	2	...	
PORTADOWN, ...	11,727	15.3				2	2	...	1	1	
WEXFORD, ...	11,531	22.8				8	1	...	1	1	1	...	
BALLYMENA ..	11,381	9.3				3	4	...	1	1	1	1	2	...	
SLIGO, ...	11,163	3.8				8	3	...	3	1	...
KILKENNY, ...	10,514	11.4				3	5	1	2	2	1	...
TRALEE. ...	10,300	17.4				5	1	1	
CLONMEL, ...	10,209	7.8				10	1	
NEWTOWNARDS	9,587	20.1				5	3	...	1	1	1	
QUEENSTOWN,	8,209	14.7				4	5	1	1	1	1	1	
LARNE, ...	8,036	13.4				5	3	...	1	1	
COLERAINE. ...	7,785	7.7				1	1	
BANGOR, ..	7,776	8.5				1	4	...	2	2	
BRAY, ..	7,691	7.2				.	2	...	1	
ATHLONE, ..	7,472	6.2				4	2	
ARMAGH, ...	7,356	21.8				4	2	...	2	1	1	1	1	

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1914. (b) See note (i) at foot of first page. (c) Exclusive of 15 deaths of persons (including one under one year old and 6 at 65 years or upwards), admitted to hospital from localities outside the Area. Included in the 15 deaths are one from diphtheria, 2 from pulmonary tuberculosis, one from cancer and one from pneumonia.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 24th of October, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.		DEATHS IN DUBLIN REGISTRATION AREA.														TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.	
		CITY OF DUBLIN.												URBAN DISTRICTS OF				
		REGISTRATION DISTRICTS IN																
		Dublin North Superintendent Registrar's District.				Dublin South Superintendent Registrar's District.												
		NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.	
Enteric Fever.	
Typhus.	
Small-pox.	
Measles.	
Scarlet Fever.	
Whooping-cough.	
Diphtheria.		1
Croup.	
Influenza.	
Dysentery.	
Tuberculosis.	{ Pulmonary.	2	1	3	3	2	3	.	.	1	1	.	1	15
	{ Other Forms.	.	1	1	1	.	.	1	5
Cancer.		.	2	.	2	.	.	.	1	.	.	.	1	1	1	.	.	8
Diseases of Nervous System.		.	.	2	1	.	1	.	1	1	1	3	.	.	1	.	2	12
" Organs of Special Sense.	
" Circulatory System.		3	1	1	.	.	1	.	1	.	2	1	.	2	2	.	.	14
" Respiratory System.	{ Pneumonia.	.	2	.	2	.	.	.	1	.	1	.	.	1	1	1	.	8
	{ Others.	.	2	2	1	3	3	2	1	1	.	.	.	15
	{ Diarrhoea and Enteritis, under 2 years.	.	1	3	1	.	.	.	2	.	3	1	11
" Digestive System.	{ Diarrhoea, 2 years and upwards.
	{ Enteritis, 2 years and upwards.
	{ Others.	.	.	.	2	.	.	.	1	1	.	.	1	5
" Genito-urinary System.		1	1	.	1	1	1	.	2	.	.	.	7
Puerperal Septicæmia, etc.	
Other Causes incident to Pregnancy and Childbirth.	
Diseases of the Skin and Cellular Tissue.	
Locomotor System.	
Other specified Causes.		2	1	1	.	.	1	.	2	2	3	.	.	1	3	.	2	18
Violent Deaths.		1	1
Ill-defined, &c. Causes.	
Deaths from All Causes		8	11	13	9	.	3	.	13	8	17	9	3	10	9	1	5	119
Annual Rate of Mortality from All Causes in every 1,000 of the population.		13.8	13.9	24.3	13.2	.	11.4	.	16.6	22.7	20.4	14.1	15.9	13.3	15.5	5.7	15.4	15.3
		13.9							17.9						13.6			
		15.3																
Ages at Death.	Under 1 year.	2	2	4	1	.	.	.	3	2	7	2	.	.	1	.	2	26
	1 and under 2 years.	.	1	2	1	.	.	1	.	.	1	.	.	6
	2 " 5 "	.	.	.	1	1	1	3	
	5 " 15 "	1	.	.	.	1	.	.	.	2	
	15 " 25 "	1	.	1	1	.	.	.	2	.	1	.	.	2	1	.	4	
	25 " 45 "	1	.	.	2	.	2	.	2	1	2	2	15	
	45 " 65 "	1	3	3	3	.	1	.	2	2	1	2	1	1	1	.	21	
	65 and upwards.	3	5	3	1	.	.	.	4	3	5	3	1	7	5	1	42	
Number of Uncertified Deaths.		1	2	3	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums.		.	2	3	3	.	1	.	3	3	3	2	1	5	1	.	3	30
Workhouse Hospitals.		4	4	2	2	.	.	.	4	3	4	3	2	.	4	.	.	32

FORTY-THIRD WEEK, ending Saturday, 24th October, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 43rd Week of the 10 years, 1904-1913.	In the Week ending Saturday, 24th October, 1914.											
	Oct. 29, 1904.	Oct. 28, 1905.	Oct. 27, 1906.	Oct. 26, 1907.	Oct. 24, 1908.	Oct. 30, 1909.	Oct. 29, 1910.	Oct. 28, 1911.	Oct. 26, 1912.	Oct. 25, 1913.		All Ages.	Deaths of Persons of the Ages of										
													0-5.										
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
Diseases of the Pharynx, Ton- sillitis.	1	
Diseases of Stomach, ...	—	—	—	—	—	—	—	.	2	4	—	1	1	.	.	
Diarrhoea and Enteritis of Children under 2 years.	10	5	9	18	7	10	7	13	4	16	10.3	11	2	7	2	
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards		—	—	—	—	—	—	1	1	2		
Appendicitis and Typhlitis, ...		—	—	—	—	—	—	—	.	.			.	—	2	1	.	1
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	—	1	6	2	—	
Cirrhosis of Liver, ...	3	1	1	1	.	1	1	1	2	3	1.4	
Other Diseases of Liver, ...	2	1	2	.	.	27	1	1	.	.	.	
Peritonitis (cause unknown),	1	1	.	1	.	25	1	
Other Diseases of Digestive System.	3	5	1	4	4	2	7	.	1	1	2.8	2	.	.	1	1	.	.	
Acute Nephritis, ...	5	4	4	3	3	7	10	3	1	.	5.1	3	1	.	.	1	
Chronic Bright's Disease, ...								2	5	2			5	1	1	3	.	
Urinary Calculi,	
Uterine Tumour (non-can- cerous).								.	1	
Ovarian Tumour (non-can- cerous)								
Other Diseases of Genito- urinary System.	3	1	.	2	.	.	
Puerperal Septicæmia, &c.,...	1	.	1	1	.	.	.	1	.	.	.4	
Other Causes incident to Pregnancy and Childbirth.	.	.	1	2	1	.	.	.	1	1	.6	
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	.	1	2	—	
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	1	1	2	—	
Premature Birth, ...	4	3	4	5	2	5	2	3	4	5	3.7	3	1	2	
Congenital Debility, ...	—	—	—	—	—	—	—	7	4	4	—	3	3	
Old Age, ...	5	8	5	2	2	5	4	7	2	4	4.4	10	3	7	.	
Other Specified Diseases, ...	—	—	—	—	—	—	—	.	2	1	—	
ACCIDENT:																							
Poisons or Poisonous Vapours.	
Conflagration, ...	1	2	2	1	1	.7	1	1	
Burns and Scalds, ...	1	1	1	.	1	.	.	.	1	.	.5	
Drowning,	1	.	1	.	.	1	1	.	.	.4	
Suffocation in Bed, ...	1	2	6	4	5	1	1	4	.	1	2.5	
Other Deaths by Accident, ...	1	2	6	4	5	1	1	4	.	1	2.5	1	
Total Deaths from Accident,	3	6	7	5	6	1	2	7	2	2	4.1	1	
Included in above are Deaths in connection with—																							
Railways,	1	.	12	
Vehicles and Horses,	1	.	.	.	12	
Ships, Boats, Docks, ...	11	
Building Operations,	
VIOLENCE OTHER THAN ACCIDENTAL:																							
Homicide,	2	.2	
Suicide,	1	.	.	.	1	.2	
Execution,	
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	4	.	4	—	

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914—WEEK ENDING																									
May 2,	May 9,	May 16,	May 23,	May 30,	June 6,	June 13,	June 20,	June 27,	July 4,	July 11,	July 18,	July 25,	Aug. 1,	Aug. 8,	Aug. 15,	Aug. 22,	Aug. 29,	Sept. 5,	Sept. 12,	Sept. 19,	Sept. 26,	Oct. 3,	Oct. 10,	Oct. 17,	Oct. 24,		
No. of weeks in Annual Series,																											
288	222	197	207	262	191	271	225	233	165	214	208	197	195	166	204	200	246	187	213	184	193	199	223	185	205		
Average Births in corresponding week of previous 10 years, ...																											
264	237	214	213	244	219	210	223	245	208	208	221	221	220	209	223	218	205	244	220	222	247	203	187	211	196		
DEATHS REGISTERED, ...																											
203	181	160	166	185	162	163	151	134	139	128	139	129	141	136	159	136	163	160	139	161	154	151	141	144	134		
Annual Death-rate per 1,000, ...																											
26.1	23.2	20.5	21.3	23.8	20.8	20.9	19.4	17.2	17.9	16.4	17.9	16.6	18.5	17.5	20.4	17.5	20.9	20.5	17.9	20.7	19.8	19.8	18.1	18.5	17.2		
Average Deaths in corresponding week of previous 10 years, ...																											
173	179	159	168	148	148	156	142	134	135	147	143	145	144	145	156	160	157	159	158	162	159	157	155	157	149		
Deaths from:—																											
Enteric Fever, ...																											
		1		1	1	1	1	1	1	2	1	2	2	2	1		2	1	3	3	1	1	2	3			
Typhus, ...																											
Small-pox, ...																											
40	29	17	16	14	18	8	5	3	2	4	6	2		2		3	1				1						
Measles, ...																											
	2	1	1	1	2	1	1		1	2	3		1		1	1	1		1		1		1				
Whooping-cough, ...																											
	2	1	1	1	1	1	1	1	3		2	1		1	2	1	4	2	1	1	2	1		1			
Diphtheria, ...																											
	2	1	1	1	1	1	1	1										1									
Influenza, ...																											
	2	1	1	1	1	1	1	1										1									
Dysentery, ...																											
14	22	24	21	19	27	19	13	17	21	18	16	19	23	19	18	19	18	25	13	18	23	17	11	25	17		
Tuberculosis { Pulmonary ...																											
10	9	5	6	9	4	6	5	7	9	5	8	11	5	6	4	2	4	9	8	9	7	9	11	25	17		
Other Forms, ...																											
Cancer, ...																											
21	11	11	13	28	14	9	13	9	8	7	7	10	9	7	6	12	10	20	6	15	13	15	8	6	5		
Diseases of Circulatory System, ...																											
19	13	13	15	14	12	12	20	27	11	11	15	15	13	15	15	17	18	18	17	19	15	16	20	8	17		
Diseases of Respi- (Pneumonia																											
15	17	19	17	22	13	11	8	8	9	10	12	4	8	4	3	7	8	7	5	4	6	10	11	9	9		
ratory System, { Others, ...																											
Diarrhoea and Enteritis, under																											
2 years, ...																											
3	1	5	7	4	2	4	7	4	4	4	6	6	9	10	11	13	28	18	17	25	14	11	14	11	11		
Diarrhoea, 2 years and upwards, ...																											
3	2	7	5	3	6	3	3		6	4	5	3	1	7	10	3	6	1	4	6	4	1	7	1	1		
Violent Deaths, ...																											
7	2	2	9	6	4	3	2	2	5	2	6	2	7	4	2	2	2	4	2	5	2	8		2	3		
Number of Uncertified Deaths,																											

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths.			
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.			Diseases of Respiratory System.		Diarrhea and Enteritis of Children under 2 years of age.	Diarrhea, 2 years and upwards.		Violence.		
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.						
North City, No. 1 (E.) (Office Clarence St. Nth.)	Sept. 19 " 26 Oct. 3 " 10 " 17 " 24	29.8 27.6 22.4 22.4 25.9 13.8	6.9 3.5 1.7 8.6 8.6 .	17 16 13 13 15 8	2 2 2 3 3 .	.	1 3 2 1 1 .	1 1	2 2 2 . . .	4 1 2 5 3 .	.	1 . 1 1 . .	.	1	
North City, No. 1 (W.) (Office, Summer-hill.)	Sept. 19 " 26 Oct. 3 " 10 " 17 " 24	21.5 18.9 25.3 12.6 13.9 13.9	2.5 1.3 7.6 . 1.3 1.3	17 15 20 10 11 11	1	.	.	1 3 2 2 1 1	.	2 . 2 . . 2	.	4 1 2 2 2 2	2 1 5 . 1 1	.	3	1 . 1		
North City, No. 2. (Office, Lisburn-street.)	Sept. 19 " 26 Oct. 3 " 10 " 17 " 24	28.1 26.2 41.1 28.1 24.3 24.3	7.5 1.9 3.7 . 1.9 5.6	15 14 22 15 13 13	.	.	.	1	1 5 3 2 3 3	3 1 3 . . 1	1 1 1 1 . .	.	2 3 2 1 2 2	4 . 2 . 1 1 3	.	1 . 1	1	
North City, No. 3. (Office, Benburb-street.)	Sept. 19 " 26 Oct. 3 " 10 " 17 " 24	11.7 14.7 13.2 20.5 19.1 13.2	. . . 2.9 2.9 1.5	8 10 9 14 13 9	1	.	1 1 . 3 . .	2 . . 3 . . 2	1 1 1 . . 2	.	1 . 1 3 2 . .	1 . 1 1 2 . 1	.	1	1	
Clontarf and Howth No. 1 (part of).	Sept. 19 " 26 Oct. 3 " 10 " 17 " 24	9.5 . 9.5 . 9.5	1 . 1 . 1	1	
Coolock and Drumcoppa (part of).	Sept. 19 " 26 Oct. 3 " 10 " 17 " 24	19.1 7.6 19.1 3.8 11.4 11.4	. 3.8 . 3.8 . .	5 2 5 1 3 3	2 . . . 1 .	.	.	2 1	1 1 1 . . 2	1 . 1	1	1
Finglas and Glasnevin (part of).	Sept. 19 " 26 Oct. 3 " 10 " 17 " 24	4.9 14.6 4.9 4.9 4.9	1 3 1 1 1	1	1	
South City, No. 1. (Office, Stth. Earl-street.)	Sept. 19 " 26 Oct. 3 " 10 " 17 " 24	21.7 12.8 21.7 29.4 23.0 16.6	3.8 1.3 2.6 2.6 2.6 2.6	17 10 17 23 18 13	1 . 1 . 1	2 . 6 2 2 3	1 1 1 1 1 1	.	1 1 1 1 . 1	2 1 1 3 5 1	2 1 1 2 1 2	.	2 1 1	1 . 1 3 . . .	
South City, No. 2. (Office, Castle-street.)	Sept. 19 " 26 Oct. 3 " 10 " 17 " 24	39.8 37.0 14.2 17.1 19.9 22.7	11.4 8.5 . 2.8 . .	14 13 5 6 7 8	1	1 3 . . 2 2	2 . . 1 . 1 .	1 . 1 1 . . .	1 . . 1 1 . 3	1 3 . 1 2 . .	3 3 . 1	1	1	
South City, No. 3. (Office, Peter-street.)	Sept. 19 " 26 Oct. 3 " 10 " 17 " 24	15.6 26.3 15.6 22.8 14.4 20.4	6.0 6.0 1.2 3.6 3.6 3.6	13 22 13 19 12 17	1 1 . 1 1	2 4 2 1 . 3	.	1 1 2	1 3 2 2 2 3	4 4 1 2 2 3	.	1 . . 2	1	
South City, No. 4. (Office, Grand Canal-st.)	Sept. 19 " 26 Oct. 3 " 10 " 17 " 24	20.4 22.0 9.4 17.3 20.4 14.1	4.7 3.1 . 3.1 4.7 1.6	13 14 6 11 13 9	2	.	1 . 1 . 1 .	1 2 . . 1 1	2 3 . . 1 .	3 . . 2 . 1 2	1 . . . 2 1 1	3 . . 2 1 . .	.	1	1	
New Kilmainham.	Sept. 19 " 26 Oct. 3 " 10 " 17 " 24	15.9 15.9 5.3 5.3 10.6 15.9	5.8 . . . 5.3 .	3 3 1 1 2 3	1	1 1 . 1 1 .	1 . . . 1 1 .	.	1 1	.	1

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Sept. 19 " 26 Oct. 3 " 10 " 17 " 24	14.6 6.7 10.7 12.0 14.6 13.3	1.3 . . 1.3 . .	11 5 8 9 11 10	. . . 1	1 1 1 2 1 1	. . 1 1 1 .	2 1 1 . 1 1 1 1	. . . 1 . 1 .	1	1		
Pembroke Urban District. Population in 1914 (Est.) 30,240	Sept. 19 " 26 Oct. 3 " 10 " 17 " 24	8.6 17.2 25.9 13.8 15.5 15.5	1.7 3.4 3.4 . . .	5 10 15 8 9 9 1 1 . 4 1	. 1	2 1 2 1 1 .	. . 1 1 1 .	1 1 1 . 1 .	1 2 1		
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Sept. 19 " 26 Oct. 3 " 10 " 17 " 24	28.3 11.3 . . . 5.7	5.7	5 2 . . . 1	1	1 2	1 1		
Kingstown Urban District. Population in 1911 16,941.	Sept. 19 " 26 Oct. 3 " 10 " 17 " 24	18.5 12.3 40.0 15.4 9.2 15.4	. . 3.1 . . .	6 4 13 5 3 5	1 . 1 1 1 1	. 1 1 1 1 1 1 .	1 1 3 1 . .	. 1 1 1 . 1	. . 1 1		
Belfast. Population in 1914 (Est.) 399,000.	Sept. 19 " 26 Oct. 3 " 10 " 17 " 24	19.7 22.1 17.4 14.5 17.3 16.9	5.9 7.7 3.8 2.9 3.5 2.9	151 169 133 111 132 129	1 1 1 2 . 1	7 4 . 3 7 7	1 2 1 2 3 .	3 4 4 4 3 8	1 . . . 1	17 15 8 6 11 13	5 4 5 . 6 4	7 8 9 2 4 10	13 7 10 9 10 6	13 18 8 9 17 16	30 44 21 11 10 6	2 4 2 1 1 .	5 1 3 3 3 1	5 2 2 1 1 2	
Cork. Population in 1911 76,673.	Sept. 19 " 26 Oct. 3 " 10 " 17 " 24	19.7 22.4 14.3 12.9 19.0 17.0	6.8 4.8 3.4 2.0 3.4 1.4	29 33 21 19 23 25	1	1 3 . 2 . 1	2 7 3 3 1 4	. . 3 4 3 1	1 . 3 2 4 1	. 1 . . 1 1	2 2 2 2 2 3	6 4 4 1 5 .	2 . 1 5 1 . . .	2 . 2 2 . .	
Londonderry. Population in 1914 (Est.) 41,100.	Sept. 19 " 26 Oct. 3 " 10 " 17 " 24	14.0 22.8 14.0 12.7 10.1 8.9	3.8 5.1 2.5 2.5 1.3 1.3	11 18 11 10 8 7	1 1 2 1 1 1	. . . 1 1 .	. 3 2 . 1 .	. 1 1 1 3 1 1 1	3 4 1 2 . 1	. . 1 . 1		
Limerick. Population in 1911 38,518.	Sept. 19 " 26 Oct. 3 " 10 " 17 " 24	17.6 23.0 16.2 21.7 17.6 20.3	. 1.4 1.4 2.7 4.1 1.4	13 17 12 16 13 15 1 . 1 2 1 . . 1	. 1 1 . . .	1 2 . 3 3 2	. 1 2 3 3 2	. 1 . 2 3 3 4 1 2 .		
Waterford. Population in 1911 27,464.	Sept. 19 " 26 Oct. 3 " 10 " 17 " 24	13.3 17.1 17.1 22.8 17.1 22.8	3.8 1.9 . 7.6 5.7 3.8	7 9 9 12 9 12 2 2 2	1 1 1 1 . 1	. 1 1 . . 1 1 .	. 2 . 2 1 1 1 2 . 2	2 . 2 1	1 1 1 1 . 1	1 2 1 1 1 .	

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' Districts, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 24th October, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.										DEATHS FROM										Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
				All Causes.	Certain Epi- demic Diseases.†	Under 1 year.					5 and under 25 years.					25 and under 45 years.					45 and under 65 years.								65 years and upwards.					Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
						No. (1)	Rate (2)	No. (3)	Rate (4)	No. (5)	Rate (6)	No. (7)	Rate (8)	No. (9)	Rate (10)	No. (11)	Rate (12)	No. (13)	Rate (14)	No. (15)	Rate (16)	No. (17)	Rate (18)	No. (19)	Rate (20)				No. (21)	Rate (22)	No. (23)	Rate (24)	No. (25)									Rate (26)	No. (27)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
																																																		No. (28)	Rate (29)	No. (30)	Rate (31)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
City of Belfast.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				</

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1914—WEEK ENDING																										
		May 2.	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	
No. of weeks in Annual Series,		18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	
Burns registered, ...		198	222	245	238	262	191	198	233	227	219	237	190	218	212	226	214	218	196	215	187	223	228	246	189	184		
Deaths registered, ...		139	116	185	137	115	127	129	131	134	130	130	103	111	115	137	113	135	145	165	138	151	169	133	111	132	129	
Annual Death-rate per 1,000 of estimated population, ...		18.2	15.2	17.6	17.9	15.0	16.6	16.9	17.1	17.5	17.0	17.0	13.5	14.5	15.0	17.9	14.8	17.6	18.9	20.3	18.0	19.7	22.1	17.4	14.5	17.3	16.9	
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards, ...		29	21	21	17	23	19	22	24	27	25	26	25	19	21	20	27	30	49	56	52	42	69	36	38	29	23	
		18	10	21	16	18	13	21	22	13	18	19	10	11	21	21	21	23	18	23	18	21	21	11	13	22	15	
		21	13	18	20	16	18	17	21	15	15	18	21	9	15	11	14	9	17	14	19	14	12	21	10	11	15	10
		27	19	23	29	19	22	25	21	23	23	24	18	20	22	21	22	18	19	16	24	18	24	13	19	12	20	24
		25	28	32	28	28	32	26	31	37	37	28	28	19	26	24	32	16	30	26	25	20	22	23	38	20	25	27
19		25	20	27	11	27	23	18	12	14	17	18	20	18	17	28	20	21	17	13	13	30	17	19	16	21	30	
Deaths from:—																												
Enteric Fever, *		2	1	1	1	1	2	1	1	1	2	...	1	
Typhus,	5	1	1	1	
Small-pox,	
Measles, ...		3	1	3	1	3	1	4	8	5	9	6	4	1	6	5	8	7	2	2	1	7	4	...	3	7	7	
Scarlet Fever, ...		1	...	2	5	4	1	2	8	2	2	5	2	2	2	4	2	2	1	1	2	1	2	3	...	
Whooping-cough, ...		3	3	5	5	7	4	7	...	4	7	2	4	2	7	2	3	3	6	2	5	3	4	4	4	3	8	
Diphtheria,	1	2	...	1	1	1	
Dysentery,	
Tuberculosis. { Pulmonary, ...		18	19	20	21	15	19	17	21	21	13	14	10	16	15	18	12	14	19	20	13	17	15	8	6	11	13	
Other Forms, ...		4	10	12	7	4	8	3	6	5	7	7	3	4	7	5	8	7	4	8	1	5	4	5	...	6	4	
Cancer, ...		6	5	8	7	3	8	4	5	5	9	11	7	8	1	3	5	10	6	6	6	7	8	9	2	4	10	
Diseases of Respi- (Pneumonia, ...		8	9	14	13	10	13	10	6	10	4	7	8	10	5	10	8	10	8	4	6	13	7	10	9	10	6	
ratory System, { Others, ...		17	11	16	14	12	11	12	10	10	9	11	5	8	12	13	13	11	9	16	9	13	13	8	11	17	16	
Diarrhoea and Enteritis, under 2 years, ...		4	...	3	2	4	1	5	6	5	7	5	6	8	9	3	13	9	23	44	39	30	44	21	10	12	6	
Diarrhoea, 2 years and upwards, ...		2	1	1	1	...	1	2	1	2	1	10	1	3	2	4	2	1	1	...	
Violent Deaths, ...		2	1	2	2	3	...	3	1	2	...	2	2	2	1	1	...	4	1	5	1	3	3	1	1	
Number of Uncertified Deaths, ...		1	2	1	1	3	4	1	3	...	3	2	1	2	...	2	...	1	3	2	...	5	2	2	...	1	2	

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Oct. 24,	.	1,273	14·7	3	.	22	3	8	30	76
EDINBURGH, —	321,900	„ 24,	141	91	14·8	.	.	.	1	1	5	2
GLASGOW, ...	1,047,000	„ 24,	592	303	15·1	3	.	.	8	7	4	16
CALCUTTA, ...	896,067	Sept. 19,
BOMBAY, ...	979,445	„ 19,	392	495	26·3	54*	2	58†a
MADRAS, ...	518,660	„ 12,	383	554	54·6	81*	1	1	.	?	?	216†a
CAIRO, ...	726,075	Aug. 19,	631	686	49·3	10	2	2	.	?	22†	213
PARIS, ...	2,847,229	Sept. 5,	786	759	13·6	5	.	7	1	2	3	100
BRUSSELS, ...	780,843	—
ANTWERP, ...	323,421	—
AMSTERDAM, —	597,888	—
COPENHAGEN, ...	483,000	Sept. 26,	252	129	13·9	1	.	.	2	.	2	14a
STOCKHOLM, ...	382,085	Oct. 3,	109	88	12·0	.	.	.	1	.	1	6
CHRISTIANIA, ...	251,446	„ 10,	136	61	12·6	.	.	.	2	1	.	3
PETROGRAD, ...	1,728,200	—
MOSCOW, ...	1,694,000	—
ROME, ...	591,943	—
NEW YORK, ...	5,583,871	Aug. 22,	2,554	1,381	12·9	9	.	5	3	9	19†	214
PHILADELPHIA, ...	1,657,810	—
BOSTON, ...	750,768	Oct. 3,	.	196b	13·6	2	.	1	.	2	5	25a

* Deaths from "fever," including 5 from enteric fever and 4 from plague in Bombay; and 4 from enteric fever in Madras.

† Including deaths from croup.

‡ Including one death from cholera in Bombay, and 92 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e. non-residents deducted, 171 (including one death from whooping-cough, and 21 deaths from diarrhoeal diseases), rate 11·9 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 24th October, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	2	1	.	.	.	1	4
" " 1, West,	4	.	.	4	.	.	2	9	19
" " 2,	1	1	1	.	.	.	2	5
" " 3,	3	.	.	1	.	1	2	7
Clontarf and Howth No. 1 (part of),	.	1	1	2
Coolock and Drumcondra (part of),	.	2	2
Finglas and Glasnevin (part of),	1	1
South City No. 1,	2	6	2	10
" " 2,	3	3	6
" " 3,	1	.	.	6	.	.	7	5	19
" " 4,	1	.	.	1	.	.	4	1	7
New Kilmainham,	1	1	2
Total,	16	.	.	13	.	2	25	2	.	.	.	26	84

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 24th October, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 24th October.			
	Oct. 3.	Oct. 10.	Oct. 17.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	79	79	85	18	11	.	92
Typhus,
Small-pox,
Measles, ...	4	3	3	5	.	.	8
Scarlet Fever, ...	59	61	75	24	11	.	98*
Diphtheria, ...	38	43	44	17	9	.	52
Pneumonia, ...	19	25	19	11	5	.	25

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 31ST OCTOBER, 1914.

[No. 44.]

*General Register Office, Charlemont House,
Dublin, 2nd November, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 15·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Oct. 10	Oct. 17	Oct. 24	Oct. 31	
27 Town Districts, (a)	15·4	16·2	15·8	15·2	15·7
Dublin Reg. Area ...	17·5	17·0	15·3	14·4	16·0
Dublin City ...	19·1	18·3	15·8	15·3	17·1
Belfast ...	14·5	17·3	16·9	14·0	15·7
Cork ...	12·9	19·0	17·0	21·8	17·7
Londonderry ...	12·7	10·1	8·9	11·4	10·8
Limerick ...	21·7	17·6	20·3	21·7	20·3
Waterford ...	22·8	17·1	22·8	22·8	21·4

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 2·2 per 1,000. Among the 107 deaths from all causes for Belfast are one from enteric fever, 6 from measles, 3 from scarlet fever, one from whooping-cough, one from diphtheria, and 6 (children under 2 years of age) from diarrhoea and enteritis. Of the 32 deaths from all causes for Cork, 3 were caused by whooping-cough and 2 children under 2 years of age by diarrhoea and enteritis. Three of the 16 deaths from all causes for Limerick are ascribed to scarlet fever, and one (a child under 2 years of age) to diarrhoea and enteritis. Among the 12 deaths from all causes for Waterford, 4 were due to scarlet fever and one (a child under 2 years of age) to diarrhoea and enteritis. Diphtheria caused one of the 3 deaths from all causes for Drogheda, 2 of the 6 deaths from all causes for Kilkenny, and one of the 2 deaths recorded for Tralee.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 173—88 boys and 85 girls—and the deaths to 118—59 males and 59 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 14·4 per 1,000 of the population. During the forty-four weeks, ending with Saturday last, the death-rate averaged 20·6, and was 0·9 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 118, represent an annual rate of 15·2 per 1,000; the annual rate for the past forty-four weeks was 22·0 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·6 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are 2 from enteric fever, one from measles, 2 from scarlet fever, 2 from influenza, and 7 deaths of children under 2 years of age from diarrhoea and enteritis. In the three preceding weeks deaths from enteric fever were 2, 3, and 0; deaths from measles were 0, 0, and 0; deaths from scarlet fever were 0, one, and 0; deaths from influenza were 0, 2, and 0; and deaths from diarrhoea and enteritis of children under 2 years were 14, 11, and 11, respectively.

Deaths from all forms of tuberculous disease, numbering 22, 29, and 22, respectively, in the three preceding weeks, fell to 15 last week, the latter comprising 11 deaths from pulmonary tuberculosis, 3 from tuberculous meningitis, and one from disseminated tuberculosis.

There were 8* deaths from cancer.

Three deaths were caused by broncho-pneumonia, 2 by lobar pneumonia, and 3 by pneumonia (type not distinguished).

Of deaths of infants under one year of age, 2 were attributed to convulsions and 3 to congenital debility.

Organic diseases of the heart caused 10 deaths and bronchitis 11 deaths.

The 3 accidental deaths include 2 caused by burns or scalds (the ages of the victims being 4 months and 8½ years, respectively) and one by drowning.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of one infant under one year old and one person aged 69 years.

Twenty-nine of the persons whose deaths were registered during the week were under 5 years of age (20 being infants under one year, of whom 2 were under one month old), and 25 were aged 65 years and upwards, including 17 persons aged 70 and upwards; among the latter were 11 aged 75 and upwards, of whom 2 (females) were stated to have been aged 97 and 95 years respectively.

Fifty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 7 took place in the North Dublin Union Workhouse and 10 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 14·4 per 1,000; the rate in the City was 15·3 (North City Districts, 15·2; South, 15·4) and in the Suburbs 11·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 1·8 (in the North City Districts 1·3, and in the South 2·5), and for the Suburbs 0·5 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·2 per 1,000, and include one from influenza, one from bronchitis, and one from diarrhoea and enteritis of a child under 2 years of age.

No. 1 *North City District, West* (Summer-hill).—The deaths (12) are equal to an annual rate of 15·2 per 1,000. Among them are one from measles, 4 from tuberculous disease, and one from diarrhoea and enteritis of a child under 2 years of age.

No. 2 *North City District* (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 16·8 per 1,000. Pulmonary tuberculosis, broncho-pneumonia, and bronchitis each caused one death, and there was one accidental death.

No. 3 *North City District* (Benburb-street).—The deaths (11) represent an annual rate of 16·1 per 1,000. One death each from scarlet fever and influenza, 2 from tuberculous disease, one from pneumonia, and one from bronchitis were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Finglas and Glasnevin, part of, 9·7 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Coolock and Drumcondra, part of, 0·0.

No. 1 *South City District* (South Earl-street).—The deaths (9) represent an annual rate of 11·5 per 1,000. There were 2 deaths from enteric fever, 2 from pulmonary tuberculosis, and one from pneumonia.

No. 2 *South City District* (Castle-street).—The deaths (3) are equal to an annual rate of 8·5 per 1,000. Bronchitis caused one death.

No. 3 *South City District* (Peter-street).—The deaths (18) are equal to an annual rate of 21·6 per 1,000. Two deaths each from tuberculous disease and pneumonia, 3 from bronchitis, 2 deaths of children under 2 years of age from diarrhoea and enteritis, and one accidental death were recorded.

No. 4 *South City District* (Grand Canal Street).—The deaths (10) are equivalent to an annual rate of 15·7 per 1,000, and include one death from broncho-pneumonia, 2 from bronchitis, and 3 deaths from diarrhoea and enteritis of children under 2 years of age.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·3 per 1,000. Tuberculous disease and bronchitis each caused one death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·7; Pembroke, 12·1; Blackrock, 5·7; and Kingstown, 15·4. The only death from any of the principal epidemic diseases tabulated for these districts was one from scarlet fever for Rathmines and Rathgar. Of the 7 deaths from all causes for Pembroke 2 were from tuberculous disease and one from lobar pneumonia; and the 5 deaths from all causes for Kingstown included one from pulmonary tuberculosis and one from lobar pneumonia.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 14·1), was equal to an average annual death-rate of 13·5 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 14·6 per 1,000, the rate for Glasgow being 16·5, and for Edinburgh 14·1.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 31st October. From this Report it appears that of a total of 146 cases notified, 80 were scarlet fever, 34 diphtheria, 26 phthisis, and 6 erysipelas. Among the 859 cases of infectious diseases in hospital at the close of the week were 426 cases of scarlet fever, 188 of phthisis, 140 of diphtheria, 13 of measles, 11 of erysipelas, and 10 of enteric fever.

* See note (c) at foot of Table II.

† See note (†) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 31st October, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrheal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Oct. 10,	.	—	—	8	.	.	4	.	.	16	5	.	—	—	.	—	.	24	57
	Oct. 17,	.	—	—	11	.	.	11	.	.	9	2	.	—	—	1	—	.	25	59
	Oct. 24,	.	—	—	16	.	.	13	.	2	25	2	.	—	—	.	—	.	23	84
	Oct. 31,	.	—	—	23	1	.	6	.	.	14	3	.	—	—	.	—	.	26	73
Rathmines and Rathgar Urban District.	Oct. 10,	.	—	—	2	1	1	.	—	—	—	—	—	—	4
	Oct. 17,	.	—	—	1	.	.	1	—	—	—	—	—	—	2
	Oct. 24,	.	—	—	2	2	.	.	—	—	—	—	—	—	4
	Oct. 31,	.	—	—	1	.	.	3	—	—	—	—	—	—	4
Pembroke Urban District.	Oct. 10,	2	.	.	—	—	—	—	—	1	3
	Oct. 17,	1	—	—	—	—	—	3	4
	Oct. 24,	—	—	—	—	—	1	1
	Oct. 31,	—	—	—	—	—	.	.
Blackrock Urban District.	Oct. 10,	.	.	—	.	.	.	1	—	—	—	—	—	—	1
	Oct. 17,	.	.	—	—	—	—	—	—	—	.
	Oct. 24,	.	.	—	4	1	.	—	—	—	—	—	—	5
	Oct. 31,	.	.	—	—	—	—	—	—	—	.
Kingstown Urban District.	Oct. 10,	.	—	—	—	—	—	—	—	.	2
	Oct. 17,	.	—	—	2	—	—	—	—	—	1	1
	Oct. 24,	.	—	—	—	—	—	—	—	.	.
	Oct. 31,	.	—	—	—	—	—	—	—	.	.
City of Belfast.	Oct. 10,	.	—	—	61	.	.	8	1	.	6	2	1	—	—	.	—	.	3	82
	Oct. 17,	.	—	—	74	.	.	3	.	.	5	6	.	—	—	.	—	.	1	89
	Oct. 24,	.	—	—	76	.	.	8	.	.	2	3	.	—	—	.	—	.	2	91
	Oct. 31,	.	—	—	68	.	.	6	.	.	2	4	.	—	—	.	—	.	5	85
City of Cork.	Oct. 10,	.	1	—	5	1	2	.	—	—	—	1	—	—	10 ^a
	Oct. 17,	.	.	—	6	.	.	3	.	.	.	2	.	—	—	—	—	—	—	11
	Oct. 24,	.	3	—	8	.	.	1	1	.	2	2	.	—	—	—	—	—	—	17
	Oct. 31,	.	3	—	14	.	.	2	.	.	1	.	.	—	—	—	—	—	—	20
City of Londonderry.	Oct. 10,	.	—	—	5	—	—	—	—	—	—	5
	Oct. 17,	.	—	—	1	.	—	—	—	—	—	—	1
	Oct. 24,	.	—	—	.	.	.	1	.	.	.	3	.	—	—	—	—	—	—	4
	Oct. 31,	.	—	—	1	.	.	2	—	—	—	—	—	—	3
City of Limerick.	Oct. 10,	.	—	—	3	—	—	—	—	—	—	3
	Oct. 17,	.	—	—	5	—	—	—	—	—	—	5
	Oct. 24,	.	—	—	8	—	—	—	—	—	—	8
	Oct. 31,	.	—	—	4	—	—	—	—	—	—	4
City of Waterford.	Oct. 10,	.	—	—	30	—	—	—	—	—	.	30
	Oct. 17,	.	—	—	35	—	—	—	—	—	3	38
	Oct. 24,	.	—	—	39	.	.	1	.	.	1	.	.	—	—	—	—	—	1	42
	Oct. 31,	.	—	—	23	3	.	.	—	—	—	—	—	.	26

^a Not including one case of varicella.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 31st October, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Eighteen cases of enteric fever were admitted to hospital during the week, 19 were discharged, there were 3 deaths, and 88 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 79, 85, and 92.

One case of typhus was admitted to hospital during the week, and remained under treatment at its close.

Two cases of measles were admitted to hospital during the week, one was discharged, and 9 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 3, 3, and 8, respectively.

Twenty-nine cases of scarlet fever were admitted to hospital, 16 were discharged, 2 died, and 109* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 61, 75, and 98, respectively.

Eleven cases of diphtheria were admitted to hospital during the week, and 12 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 43, 44, and 52 respectively, were 51 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 7 were discharged, there were 2 deaths and 20 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 31st October, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 31ST OCTOBER, 1914.																													
TOWNS AND DISTRICTS.		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by					NUMBERS REGISTERED.																				
		POPULATION.		DEATHS.			BIRTHS.		Caused by																				
									DEATHS.																				
		Total. (a)	Per-sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
TOTAL OF 27 TOWN DISTRICTS, ...	1,205,280	19.1	25.6	15.2	2.2	592	352	56	78	4	7	12	4	5	...	31	10	20	30	31	19	...	6	7	122	15	
DUBLIN REGISTRATION AREA:—																													
TOTAL, (c.) ...	406,000	29.5	22.2	14.4	1.5	173	112	19	24	2	1	2	11	4	7	8	12	7	...	2	2	48	3	
CITY OF DUBLIN, ...	310,467	39.2	25.5	15.3	1.8	152	91	18	15	2	1	1	9	3	6	6	12	7	...	2	2	42	2	
Urban Districts.																													
RATHMINES and RATHGAR, ...	39,155	22.8	10.7	10.7	1.3	8	8	...	4	1	5	...	
PEMBROKE, ...	30,240	19.2	12.1	12.1	.	7	7	1	1	1	1	1	1	1	...	
BLACKROCK, ...	9,197	8.5	11.3	5.7	.	2	1	...	1	
KINGSTOWN, ...	16,941	11.6	12.3	15.4	.	4	5	...	3	1	1	1	
Urban Districts																													
BELFAST ..	399,000	26.7	27.2	14.0	2.4	208	107	19	18	1	6	3	1	1	...	10	4	7	16	13	6	...	2	3	22	1	
CORK, ..	76,673	28.6	16.3	21.8	3.4	24	32	4	7	3	3	...	5	1	2	2	20	1	
LONDON-DERRY	41,100	15.9	29.2	11.4	.	23	9	2	1	1	...	1	2	1	...	
LIMERICK, ...	38,518	16.1	50.1	21.7	5.4	37	16	2	7	3	1	1	...	1	8	3	
WATERFORD, ...	27,464	19.1	24.7	22.8	9.5	13	12	1	1	4	1	2	1	1	...	1	1	5	...	
GALWAY, ...	13,255	2.5				7	5	...	2	1	3	...
DUNDALK, ...	13,128	9.5				4	2	1	1	
LURGAN, ...	12,553	14.7				9	6	1	1	1	1	1	1	
DROGHEDA, ...	12,501	8.4				7	3	...	1	1	1	...	
LISBURN, ...	12,388	10.9				5	3	...	1	1	
NEWRY, ...	11,963	17.0				4	4	1	1	1	
PORTADOWN, ...	11,727	15.3				6	4	3	1	1	2	
WEXFORD, ...	11,531	22.8				6	4	...	2	1	1	1	
BALLYMENA ..	11,381	9.3				34	2	1	1	...	
SLIGO, ...	11,163	3.8				4	1	1	...	
KILKENNY, ...	10,514	11.4				1	6	1	4	2	6	1	
TRALEE, ...	10,300	17.4				2	...	1	
CLONMEL, ...	10,209	7.8				2	5	1	
NEWTOWNARDS	9,587	20.1				2	1	1	
QUEENSTOWN, ...	8,209	14.7				6	1	
LARNE, ...	8,036	13.4				5	2	1	
COLERAINE, ...	7,785	7.7				2	3	...	1	1	1	...	
BANGOR, ..	7,776	8.5				1	
BRAY, ..	7,691	7.2				3	
ATHLONE, ..	7,472	6.2				3	6	1	3	1	...	4	...	
ARMAGH, ...	7,356	21.8				3	4	2	2	2	

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1914. (b) See note (†) at foot of first page. (c) Exclusive of 6 deaths of persons (including one under one year old and one at 67 years), admitted to hospital from localities outside the Area. Of the 6 deaths one was from cancer.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 31st of October, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.						Dublin South Superintendent Registrar's District.				RATHMINES and RATHGAR. PEMBROKE. BLACKROCK. KINGSTOWN.							
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.			SOUTH CITY No. 4.	NEW KILMAINHAM.				
Enteric Fever,	2	2	.
Typhus,
Small-pox,	1	.
Measles,	.	1	2	.
Scarlet Fever,	.	.	.	1	1
Whooping-cough,
Diphtheria,
Croup,
Influenza,	1	.	.	1	2	.
Dysentery,
Tuberculosis, { Pulmonary,	.	3	1	1	.	.	.	2	.	2	.	.	.	1	.	1	11	.
{ Other Forms,	.	1	.	1	1	.	1	.	.	4	.
Cancer,	1	2	1	.	.	1	1	.	.	1	.	.	7	1
Diseases of Nervous System,	.	2	1	2	.	.	.	1	.	1	1	8	.
" Organs of Special Sense,
" Circulatory System,	1	1	1	1	1	1	2	1	1	1	.	2	13	2
" Respiratory System, { Pneumonia,	.	.	1	1	.	.	.	1	.	2	1	.	.	1	.	1	8	.
{ Others,	2	.	1	1	.	.	1	.	1	3	2	1	12	1
" Digestive System, { Diarrhoea and Enteritis, under 2 years,	1	1	2	3	7	.
{ Diarrhoea, 2 years and upwards,
{ Enteritis, 2 years and upwards,
{ Others,	1	.	1	1	2	.	.	1	.	.	.	6	.
" Genito-urinary System,	2	.	1	1	.	.	.	2	4	.	.	.	10	.
Puerperal Septicæmia, etc.,
Other Causes incident to Pregnancy and Childbirth,	.	1	1	.	.	2	.
Diseases of the Skin and Cellular Tissue,
" Locomotor System,
Other specified Causes,	5	.	1	1	1	3	.	.	1	1	1	1	15	1
Violent Deaths,	.	.	1	1	2	1
Ill-defined, &c. Causes,
Deaths from All Causes	14	12	9	11	.	.	2	9	3	18	10	3	8	7	1	5	112	6
Annual Rate of Mortality from All Causes in every 1,000 of the population.	24·2	15·2	16·8	16·1	.	.	9·7	11·5	8·5	21·6	15·7	15·9	10·7	12·1	5·7	15·4	14·4	.
	15·2							15·4					11·5					
	15·3																	
Ages at Death. { Under 1 year,	8	2	.	3	.	.	.	1	.	4	4	1	.	1	.	.	19	1
1 and under 2 years,	.	1	1	1	1	.	.	.	4	.
2 " 5 "	.	1	2	1	1	5	.
5 " 15 "	.	.	.	1	.	.	.	2	.	2	.	.	1	1	.	.	7	.
15 " 25 "	.	1	1	.
25 " 45 "	4	2	3	1	.	.	1	3	1	2	3	1	1	3	.	2	27	3
45 " 65 "	4	4	2	4	.	.	.	2	.	5	1	1	1	1	.	.	25	1
65 and upwards,	3	1	1	1	.	.	1	.	2	4	2	.	4	1	1	3	24	1
Number of Uncertified Deaths,	.	.	.	1	1	1	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	5	2	3	.	.	1	4	1	6	1	1	4	1	.	.	33	4
Workhouse Hospitals,	1	1	1	2	.	.	.	1	1	5	2	.	1	.	.	.	15	2

FORTY-FOURTH WEEK, ending Saturday, 31st October, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 44th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 31st October, 1914.																						
	Nov. 5, 1904.	Nov. 4, 1905.	Nov. 3, 1906.	Nov. 2, 1907.	Oct. 31, 1908.	Nov. 6, 1909.	Nov. 5, 1910.	Nov. 4, 1911.	Nov. 2, 1912.	Nov. 1, 1913.		All Ages.	Deaths of Persons of the Ages of																					
													0-5.																					
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.												
Diseases of the Pharynx, Ton- sillitis.	1	.1												
Diseases of Stomach, ...	—	—	—	—	—	—	—	1	5	1	—	3 7 10.5	3 7 10.5	1	1	.	1											
Diarrhoea and Enteritis of Children under 2 years.	6	8	11	8	13	10	12	14	5	14	2			1										
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																									1	1	1	1	1	1	1	1	1	1
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	1	.	.	—	—	—											
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	—	4	3	1	—	—	—	1	.	.	.	1											
Cirrhosis of Liver, ...	1	.	2	1	2	.	.	1	1	2	1.0	1	1	.	.	.											
Other Diseases of Liver, ...	4	3	2	1	1	1	1	.	1	1	1.5											
Peritonitis (cause unknown),	.	1	2	1	.	.	.4											
Other Diseases of Digestive System.	4	7	6	6	4	3	6	1	.	.	3.7	1	.	.	.	1											
Acute Nephritis, ...	4	7	7	9	7	7	6	1	2	5	6.5	2	6	.	.	1	1	.	.											
Chronic Bright's Disease,	
Urinary Calculi,
Uterine Tumour (non-can- cerous).													
Ovarian Tumour (non-can- cerous)													
Other Diseases of Genito- urinary System.	3	.	2	1	.	1	.	.											
Puerperal Septicæmia, &c.,	1	1	.2											
Other Causes incident to Pregnancy and Childbirth.	.	.	1	2	.3	2	1	1											
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	2	.	.	—											
Diseases of Locomotor System,	—	—	—	—	—	—	—	.	.	1	—											
Congenital Malformations, ...	—	—	—	—	—	—	—	1	2	1	—											
Premature Birth, ...	4	6	6	7	5	2	4	3	9	7	5.3											
Congenital Debility, ...	—	—	—	—	—	—	—	5	1	6	—	3	3											
Old Age, ...	5	2	4	4	2	7	3	6	1	5	3.9	6	2	4												
Other Specified Diseases, ...	—	—	—	—	—	—	—	.	.	.	—	1	1												
ACCIDENT :																																		
Poisons or Poisonous Vapours.	.	11											
Conflagration,											
Burns and Scalds, ...	1	.	1	.	2	2	.	1	.	.	.7	2	.	1	.	.	1											
Drowning,	11	1	.	.	.	1											
Suffocation in Bed,											
Other Deaths by Accident, ...	1	2	.	1	2	.	1	1	3	2	1.3											
Total Deaths from Accident,	2	3	1	2	4	2	1	2	3	2	2.2	3	.	1	.	1	1											
Included in above are Deaths in connection with—																																		
Railways,											
Vehicles and Horses, ...	1	1	.	2	.	.4											
Ships, Boats, Docks,											
Building Operations,	1	.	.1											
VIOLENCE OTHER THAN ACCIDENTAL :																																		
Homicide,	1	.	.	.1											
Suicide, ...	2	1	.	.	1	.	.4											
Execution,											
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	4	2	9	—											

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914—WEEK ENDING																											
		May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.		
No. of weeks in Annual Series,		19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44		
Births registered.		222	197	207	262	191	271	225	233	165	214	208	197	195	166	204	200	246	187	213	184	198	199	223	185	205	173		
Average Births in corresponding week of previous 10 years, ...		237	214	213	244	219	210	223	245	208	208	221	221	220	209	223	218	205	244	200	222	247	203	187	211	196	217		
Deaths registered, ...		181	160	166	185	162	163	151	134	139	128	139	129	144	136	159	136	163	160	139	161	154	154	141	144	134	118		
Annual Death-rate per 1,000, ...		23.2	20.5	21.3	23.8	20.8	20.9	19.4	17.2	17.9	16.4	17.9	16.6	18.5	17.5	20.4	17.5	20.9	20.5	17.9	20.7	19.8	19.8	18.1	18.5	17.2	15.2		
Average Deaths in corresponding week of previous 10 years, ...		179	159	168	148	148	156	142	134	135	147	143	145	144	145	156	160	157	159	158	162	159	157	155	157	149	168		
Ages, { Under 5 years, ... 5—15 " ... 15—25 " ... 25—45 " ... 45—65 " ... 65—75 " ... 75 and upwards, ...		62	54	73	56	54	45	46	36	47	31	44	36	46	35	53	35	62	51	48	52	47	39	30	47	36	29		
		10	7	4	13	4	9	5	5	7	6	9	6	4	6	5	5	6	6	4	3	8	4	5	12	7	7		
		8	9	9	9	11	6	12	8	9	9	7	3	9	8	5	7	6	5	8	5	6	7	1	6	7	4		
		27	22	19	28	20	30	23	23	22	22	27	29	26	27	26	26	27	23	24	24	26	25	33	21	19	22		
		50	36	37	47	35	38	41	32	30	30	22	31	30	37	34	35	35	38	40	28	35	36	40	39	36	22		
		14	21	13	28	16	23	15	19	14	14	22	14	15	13	15	18	17	18	22	16	20	21	19	17	29	14		
		10	11	8	14	14	12	9	11	10	10	13	9	7	9	15	15	10	11	11	15	14	14	17	16	11	19		
		Deaths from :—	
		Enteric Fever,	1	...	1	1	1	1	1	1	2	1	2	2	2	1	...	2	1	3	3	1	1	2	3	...	2
		Typhus,
Small-pox,		
Measles, ...		29	17	16	14	18	8	5	3	2	4	6	2	...	2	...	3	1	...	1	...	1		
Scarlet Fever, ...		2	1	1	1	2		
Whooping-cough, ...		3	1	1	1	1	1	...	1	2	1	1	1	1	2	1	1	1		
Diphtheria, ...		2	1	5	1	1	1		
Influenza,		
Dysentery,		
Tuberculosis { Pulmonary ...		22	24	21	19	27	19	13	17	21	18	16	19	23	19	18	19	18	25	13	18	23	17	11	25	17	11		
Cancer, ...		9	5	6	9	4	6	5	7	9	5	8	11	5	6	6	4	4	9	8	9	7	9	11	4	5	4		
Diseases of Circulatory System, ...		11	11	5	12	9	13	9	8	7	8	7	10	9	7	6	12	10	20	6	15	13	15	8	6	9	8		
Diseases of Respi- (Pneumonia		11	11	13	28	14	20	27	11	11	16	15	15	13	15	15	17	18	18	17	19	15	16	20	8	17	15		
ratory System, { Others, ...		13	13	17	14	12	12	14	8	9	10	12	4	8	4	3	7	8	7	5	4	6	10	11	9	9	8		
Diarrhoea and Enteritis, under		17	19	17	22	13	11	8	20	10	13	5	7	12	10	11	10	7	10	7	9	14	19	12	22	15	13		
2 years, ...		1	5	7	4	2	4	7	4	4	4	6	6	9	10	11	13	28	18	17	25	14	11	14	11	11	7		
Diarrhoea, 2 years and upwards,			
Violent Deaths, ...		2	7	5	3	6	3	3	...	6	4	5	3	3	7	10	3	6	1	4	6	4	2	7	1	1	3		
Number of Uncertified Deaths,		2	2	9	6	4	3	2	2	5	2	6	2	7	4	2	2	1	4	2	5	2	8	...	2	3	3		

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 31st October, 1914: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 31ST OCTOBER, 1914.																															
CLASS.	OCCUPATION OR SOCIAL POSITION (The 3138 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).	Popula- tion in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.								CAUSES OF DEATH																		
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of the Respiratory System		Convulsions.	Violence.	Other Causes.	Number of Unre- corded Deaths				
																				Pulmonary.	Other Forms.	Pneumonia.	Other.								
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	
ALL PERSONS.																															
	COLS.	397,957	—	118	29	7	1	30	26	14	11	2	.	.	1	2	.	.	.	11	4	8	3	8	13	7	.	3	56	3	
I.	DEATHS IN FAMILIES OF THE—																														
II.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	10.7	3	.	.	.	2	.	4	6	1	.	4	.	1	1	14	1
III.	MIDDLE CLASS, ...	101,798	11.3	22	3	3	1	4	6	5	1	1	.	.	1	3	2	2	3	1	4	.	.	.	14	2	
IV.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	13.0	27	3	3	1	8	6	5	1	1	.	.	.	2	.	.	.	2	2	2	3	5	5	5	.	.	2	18	2
V.	GENERAL SERVICE CLASS, ...	167,479	15.3	49	22	3	.	14	7	3	.	1	4	2	2	3	5	5	2	.	2	1	9	.
	INMATES OF WORKHOUSES, ...	5,602	—	17	4	1	.	2	5	2	3	1	4	2	.	1	9	.	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Pro- fessional; Naval and Military Officers, and Heads of Public Departments, ...	7,868	13.3	2	.	.	.	2	1	.	.	.	1
	2. Merchants and Manufacturers, Higher Class	1,347
	3. Persons of Rank and Property, not other- wise described, ...	5,443	9.6	1	1	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	22.0	4	3	.	1	3	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	6.2	3	.	.	.	1	1	1	1	2	4	1
	6. Clerks and Commercial Assistants, ...	33,249	9.4	6	.	.	.	2	2	1	1	2
	7. Miscellaneous—including all Household- ers in Second Class Localities not included in above, ...	33,827	13.9	9	.	.	.	1	2	2	4	1	.	1	7	.	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	8.9	2	.	.	1	.	1	1	1	.	1	1	2	1
	9. Building and Furnishing Trades, ...	28,823	10.9	6	1	1	.	3	.	.	1	.	.	.	1	1	1	1	1
	10. Clothing Trades, ...	20,026	5.2	2	1	.	.	1	1	1	1	1	1
	11. Food Supply Trades	8,952	11.6	2	1	8	1	.
	12. Other Trades and Callings ranking with trades, ...	32,070	22.8	14	1	2	.	3	4	4	.	1	1	1	1	.	.	2
	13. Petty Shopkeepers	6,772	7.7	1	1
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	40.2	10	4	.	.	4	2	1	1	.	.	3	1	1	1	.	3	2	1
	15. Domestic Servants, ...	36,041	4.3	3	.	.	.	1	1	1
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	6.8	2	1	.	.	1	1
	17. Hawkers, Porters, Labourers, &c., ...	103,081	17.2	34	17	3	.	8	4	2	.	1	.	.	.	2	.	.	.	3	1	1	3	2	3	.	.	2	13	1	.
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	5,602	—	17	4	1	.	2	5	2	3	1	4	2	.	1	9	.	.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal admitted ; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.				
													Pulmonary.	Other Forms.		Pneumonia.	Other.						
North City, No. 1 (E.) (Office Clarence St. Nth.) Population in 1914 (Est.) 30,206.	Sept. 26 Oct. 3 " 10 " 17 " 24 " 31	27.6 22.4 22.4 25.9 13.8 24.2	3.5 1.7 8.6 . . 1.7	16 13 13 15 8 14	. .																		

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District.	Sept. 26 Oct. 3 " 10 " 17	6·7 10·7 12·0 14·6	· · 1·3 ·	5 8 9 11	· · 1 ·	· · · ·	· · · ·	· · · ·	· · · ·	· · · ·	· · · ·	· · · ·	1 · 2 1	· 1 1 1	1 1 · ·	· · · ·	· 1 · 1	· · · ·	· · · ·	· · 1 ·		
Population in 1914 (Est.) 39,155.	" 24 " 31	13·3 10·7	· 1·3	10 8	· ·	· ·	· ·	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	1 ·	· ·	· ·	· ·		
Pembroke Urban District.	Sept. 26 Oct. 3 " 10 " 17	17·2 25·9 13·8 15·5	3·4 3·4 · ·	10 15 8 9	· · · ·	· · · ·	· · · ·	· · · ·	· · · ·	· · 1 ·	· · · ·	· · · ·	· 1 · 4	1 · · ·	2 1 2 1	· 1 1 1	1 1 · ·	2 1 · ·	· · · ·	· · · ·		
Population in 1914 (Est.) 20,240	" 24 " 31	15·5 12·1	· ·	9 7	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 1	1 1	1 1	1 1	· ·	· ·	· ·	· ·		
Blackrock Urban District.	Sept. 26 Oct. 3 " 10 " 17	11·3 · · ·	· · · ·	2 · · 1	· · · ·	· · · ·	· · · ·	· · · ·	· · · ·	· · · ·	· · · ·	· · · ·	· · · ·	· · · ·	· · · ·	· · · 1	· · · ·	· · · ·	· · · ·	· · · ·		
Population in 1914 (Est.) 9,197.	" 24 " 31	5·7 5·7	· ·	1 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·		
Kingstown Urban District.	Sept. 26 Oct. 3 " 10 " 17	12·3 40·0 15·4 9·2	· 3·1 · ·	4 13 5 3	· · · ·	· · · ·	· · · ·	· · · ·	· · · ·	· · · ·	· · · ·	· · · ·	· 1 1 1	1 1 · ·	1 1 1 ·	1 3 · ·	1 1 · 1	· 1 · ·	· · · ·	· · · ·		
Population in 1911 16,941.	" 24 " 31	15·4 15·4	· ·	5 5	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 1	· ·	· ·	· 1	· ·	· ·	· ·	· ·		
Belfast.	Sept. 26 Oct. 3 " 10 " 17	22·1 17·4 14·5 17·3	7·7 3·8 2·9 3·5	169 133 111 132	1 1 2 ·	· · · ·	4 · · 3	2 1 2 3	4 4 4 3	· · · 1	· · · ·	· · · ·	15 8 6 11	4 5 · 6	8 9 2 4	7 10 9 10	18 8 11 17	44 21 10 12	4 2 1 1	1 3 3 3		
Population in 1914 (Est.) 399,000.	" 24 " 31	16·9 14·0	2·9 2·4	129 107	1 1	· ·	7 6	· 3	8 1	· 1	· 1	· ·	13 10	4 4	10 7	6 16	6 13	6 6	· ·	1 2		
Cork.	Sept. 26 Oct. 3 " 10 " 17	22·4 14·3 12·9 19·0	4·8 3·4 2·0 3·4	33 21 19 23	· · · ·	· · · ·	· · · ·	· · · ·	3 · 2 ·	· · · ·	· · · ·	· · · ·	7 3 1 1	· 3 4 1	· 3 2 1	1 · 4 1	2 2 1 2	4 4 1 5	· 1 · ·	5 1 2 ·		
Population in 1911 76,673.	" 24 " 31	17·0 21·8	1·4 3·4	25 32	· ·	· ·	· ·	1 ·	1 3	· ·	· ·	· ·	4 3	1 ·	1 5	1 1	1 2	2 2	· ·	· 1		
Londonderry.	Sept. 26 Oct. 3 " 10 " 17	22·8 14·0 12·7 10·1	5·1 2·5 2·5 1·3	18 11 10 8	· · · ·	· · · ·	· · · ·	· · · ·	· · · ·	· · · ·	· · · ·	· · · ·	1 2 1 1	· 1 1 1	3 2 · 1	1 · · ·	1 3 1 1	4 1 2 1	· 1 · ·	· · · ·		
Population in 1914 (Est.) 41,100.	" 24 " 31	8·9 11·4	1·3 ·	7 9	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 1	· ·	1 1	1 2	· 2	1 ·	· ·	· ·		
Limerick.	Sept. 26 Oct. 3 " 10 " 17	23·0 16·2 21·7 17·6	1·4 1·4 2·7 4·1	17 12 16 13	· · · ·	· · · ·	· · · ·	· · · ·	· 1 · ·	· · · ·	· · · ·	· · · ·	· 2 1 ·	1 1 · ·	· 1 · ·	2 · 1 1	1 3 3 2	1 2 3 ·	· · · ·	· · · ·		
Population in 1911 38,518.	" 24 " 31	20·3 21·7	1·4 5·4	15 16	· ·	· ·	· ·	1 3	· ·	· ·	· ·	· ·	1 1	· ·	· ·	· 1	· ·	1 1	· ·	· ·		
Waterford.	Sept. 26 Oct. 3 " 10 " 17	17·1 17·1 22·8 17·1	1·9 · 7·6 5·7	9 9 12 9	· · · ·	· · · ·	· · · ·	· · 2 2	· · · 2	· · · ·	· · · ·	· · · ·	· 1 1 1	1 1 · 1	· · 1 ·	· 2 · 2	1 1 1 2	· · 2 1	· · · ·	· · · 1		
Population in 1911 27,464.	" 24 " 31	22·8 22·8	3·8 9·5	12 12	· ·	· ·	· ·	2 4	· ·	· ·	· ·	· ·	1 1	1 ·	· ·	· 2	2 1	1 1	· ·	1 1		

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 31st October, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		DEATHS.												AGES AT DEATH.						DEATHS FROM												Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
						All Causes.	Certain Epi- demic Diseases.†	Total Number of DEATHS.						Under 1 year.						1 year and under 5 years.						5 and under 25 years.						25 and under 45 years.							45 and under 65 years.						65 years and upwards.						Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.	DISEASES OF THE RESPIR- ATORY SYSTEM.		Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
								(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
City of Belfast.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			</

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 — Week ending	BIRTHS.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Oct. 31,	2,192	1,224	14·1	4	.	30	10	6	20	44
EDINBURGH, ...	321,900	" 31,	102	87	14·1	1	.	.	1	1	6	2
GLASGOW, ...	1,047,000	" 31,	565	332	16·5	3	.	2	7	9	4	14
CALCUTTA, ...	896,067	Sept. 19,	.	454	26·3	49*	6	2	.	.	.	60†a
BOMBAY, ...	979,445	" 26,	410	511	27·1	59*	3	76†a
MADRAS, ...	518,660	" 19,	380	741	74·3	120*	2	1	?	?	?	347†a
CAIRO, ...	726,075	Aug. 26,
PARIS, ...	2,847,229	Sept. 12,	957	822	14·7	6	.	9	1	5	2	74
BRUSSELS, ...	780,843	—
ANTWERP, ...	323,421	—
AMSTERDAM, ...	597,888	—
COPENHAGEN, ...	483,000	Oct. 3,	219	102	11·0	6
STOCKHOLM, ...	382,085	" 10,	150	95	12·9	1	3	3a
CHRISTIANIA, ...	251,446	" 17,	96	40	8·6	1	1
PETROGRAD, ...	1,728,200	—
MOSCOW, ...	1,694,000	—
ROME, ...	591,943	—
NEW YORK, ...	5,583,871	Aug. 29,	2,857	1,286	12·0	6	.	7	3	6	12†	209
PHILADELPHIA, ...	1,657,810	—
BOSTON, ...	750,768	Oct. 10,	.	223b	15·5	.	.	.	2	2	6	28a

* Deaths from "fever," including 2 from enteric fever in Calcutta; 4 from enteric fever, and 6 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 4 deaths from cholera in Calcutta, 3 in Bombay, and 347 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e. non-residents deducted, 197 (including 5 deaths from diphtheria, and 20 deaths from diarrhoeal diseases), rate 13·7 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 31st October, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	1	.	1	.	.	1	3
" " 1, West,	2	2	5	9
" " 2,	2	.	.	1	.	.	2	5	7
" " 3,	6	1	.	.	.	5	12
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),	.	3	3
Finglas and Glasnevin (part of),	1	1
South City No. 1,	2	.	.	2	.	.	2	4	10
" " 2,	2	1	3
" " 3,	2	.	.	1	.	.	3	1	.	.	.	8	15
" " 4,	3	.	.	1	.	.	4	1	9
New Kilmainham,	1	1
Total,	23	1	.	6	.	.	14	3	.	.	.	26	73

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 31st October, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 31st October.			
	Oct. 10.	Oct. 17.	Oct. 24.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	79	85	92	18	19	3	88
Typhus,	1	.	.	1
Small-pox,
Measles, ...	3	3	8	2	1	.	9
Scarlet Fever, ...	61	75	98	29	16	2	109*
Diphtheria, ...	43	44	52	11	12	.	51
Pneumonia, ...	25	19	25	4	7	2	20

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 7TH NOVEMBER, 1914.

[No. 45.]

*General Register Office, Charlemont House,
Dublin, 9th November, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 18·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Oct. 17	Oct. 24	Oct. 31	Nov. 7	
27 Town Districts, (a)	16·2	15·8	15·2	18·2	16·3
Dublin Reg. Area ..	17·0	15·3	14·4	18·0	16·2
Dublin City ...	18·3	15·8	15·3	19·3	17·2
Belfast ...	17·3	16·9	14·0	19·2	16·8
Cork ...	19·0	17·0	21·8	19·7	19·4
Londonderry ...	10·1	8·9	11·4	14·0	11·1
Limerick ...	17·6	20·3	21·7	17·6	19·3
Waterford ...	17·1	22·8	22·8	36·1	24·7

The deaths from certain epidemic diseases† registered in the 27 town districts during last week* were equal to an annual rate of 2·2 per 1,000. Among the 147 deaths from all causes for Belfast are one from enteric fever, 10 from measles, one from scarlet fever, 3 from whooping-cough, and 10 from diarrhoeal diseases. Included in the 29 deaths from all causes for Cork are one from measles, 2 from whooping-cough, and one from diarrhoea. Two of the 11 deaths from all causes for Londonderry were from diarrhoeal diseases, and of the 19 deaths recorded for Waterford, 5 were from scarlet fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 222—109 boys and 113 girls—and the deaths to 158—74 males and 84 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 18) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·0 per 1,000 of the population. During the forty-five weeks, ending with Saturday last, the death-rate averaged 20·6, and was 0·9 below the mean rate for the corresponding portions of the ten years, 1904—1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 158, represent an annual rate of 20·3 per 1,000; the annual rate for the past forty-five weeks was 22·0 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·6 per 1,000 of the mean population for all deaths registered.

Of the deaths registered, 3* were from enteric fever, one each from whooping-cough, diphtheria and influenza, and 10 deaths from diarrhoea and enteritis of children under 2 years of age. In the three preceding weeks deaths from enteric fever were 3, 0, and 2; deaths from whooping-cough were 0, 0, and 0; deaths from diphtheria were 2, one, and 0; deaths from influenza were 2, 0, and 2; and deaths of children under 2 years of age from diarrhoea and enteritis were 11, 11, and 7, respectively.

There were 19* deaths from tuberculous disease, comprising 16 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, and one from tuberculosis of the kidney. In the three preceding weeks, the deaths from all forms of tuberculous disease numbered, respectively, 29, 22, and 15.

Eight* deaths were attributed to cancer.

Of 12* deaths from pneumonia 6 were caused by broncho-pneumonia, 3 by lobar pneumonia, and 3 by pneumonia (type not distinguished).

The deaths of infants under one year of age include 2 ascribed to convulsions and 3 to premature birth.

Organic diseases of the heart caused 13 deaths and bronchitis 16.

Five deaths were attributed to accidental violence, including 2 caused by burns or scalds. One death (that of a soldier) was caused by bullet wound.

In one instance (that of an infant under one month old) the cause of death was "uncertified," there having been no medical attendant during the last illness.

Thirty-five of the persons whose deaths were registered during the week were under 5 years of age (22 being infants under one year, of whom 6 were under one month old), and 39 were aged 65 years and upwards, including 28 persons aged 70 and upwards; among the latter were 16 aged 75 and upwards, of whom one (a male) was stated to have been aged 92 years.

Seventy-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·0 per 1,000; the rate in the City was 19·3 (North City Districts, 20·9; South, 17·5) and in the Suburbs 13·6.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 1·7 (in the North City Districts 0·3, and in the South 3·2), and for the Suburbs 2·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·3 per 1,000. One of the deaths was from bronchitis, and there was one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (16) are equal to an annual rate of 20·2 per 1,000, and include one from enteric fever, 2 from pneumonia, 4 from bronchitis, and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 22·4 per 1,000. Among them are one from pulmonary tuberculosis, one from broncho-pneumonia, 2 from bronchitis, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 24·9 per 1,000. There were 4 deaths from tuberculous disease, one from lobar pneumonia, and 2 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·5 per 1,000 inhabitants; Coolock and Drumcondra, part of, 34·3; and Finglas and Glasnevin, part of, 4·9. The only death recorded for the first-named district was one from pulmonary tuberculosis; and the 9 deaths from all causes for Coolock and Drumcondra, part of, include one from influenza, one from pulmonary tuberculosis, and 2 from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (14) represent an annual rate of 17·9 per 1,000. Among them are 3 deaths from pulmonary tuberculosis, one each from pneumonia and bronchitis, and 2 deaths of children under 2 years of age from diarrhoea and enteritis.

No. 2 South City District (Castle-street).—The deaths (4) are equal to an annual rate of 11·4 per 1,000. Whooping-cough caused one death.

No. 3 South City District (Peter-street).—The deaths (18) are equal to an annual rate of 21·6 per 1,000. One death each from enteric fever and diphtheria, 2 from pulmonary tuberculosis, one death each from broncho-pneumonia and bronchitis, and 2 deaths (those of children under 2 years of age) from diarrhoea and enteritis, were recorded.

No. 4 South City District (Grand Canal Street).—The deaths (8) are equivalent to an annual rate of 12·6 per 1,000. Two deaths were caused by pneumonia, and one death each from bronchitis and diarrhoea and enteritis, the death from the latter cause being that of a child under 2 years of age.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 26·5 per 1,000, and include 2 deaths from tuberculous disease and one, that of a child under 2 years of age, from diarrhoea and enteritis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·0; Pembroke, 8·6; Blackrock, 5·7; and Kingstown, 12·8. The deaths from the principal epidemic diseases tabulated for these districts comprise 3 deaths from diarrhoea and enteritis of children under 2 years of age for Rathmines and Rathgar, and one for Pembroke. Among the 15 deaths from all causes for Rathmines and Rathgar are one from pulmonary tuberculosis and one from bronchitis. The 5 deaths from all causes for Pembroke include one from broncho-pneumonia and one from bronchitis. The only death recorded for Blackrock is one from lobar pneumonia; and of the 4 deaths from all causes for Kingstown one is from pulmonary tuberculosis.

ENGLAND AND SCOTLAND

The mortality last week in 97 large English towns (including London, in which the rate was 13·9), was equal to an average annual death-rate of 13·4 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 15·8 per 1,000, the rate for Glasgow being 16·3, and for Edinburgh 13·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 7th November. From this Report it appears that of a total of 111 cases notified, 60 were scarlet fever, 26 diphtheria, 16 phthisis, 8 erysipelas, and one enteric fever. Among the 843 cases of infectious diseases in hospital at the close of the week were 414 cases of scarlet fever, 186 of phthisis, 154 of diphtheria, 11 of erysipelas, and 11 of enteric fever.

* See note (c) at foot of Table II.

† See note (f) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 7th November, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Oct. 17,	.	—	—	11	.	.	11	.	.	9	2	.	—	—	1	—	.	25	59
	Oct. 24,	.	—	—	16	.	.	13	.	2	25	2	.	—	—	.	—	.	26	84
	Oct. 31,	.	—	—	23	1	.	6	.	.	14	3	.	—	—	.	—	.	26	73
	Nov. 7,	.	—	—	21	10	.	11	.	.	12	5	.	—	—	.	—	.	11	70
Rathmines and Rathgar Urban District.	Oct. 17,	.	—	—	1	.	.	1	—	—	—	—	—	—	2
	Oct. 24,	.	—	—	2	2	.	.	—	—	—	—	—	—	4
	Oct. 31,	.	—	—	1	.	.	3	—	—	—	—	—	—	4
	Nov. 7,	.	—	—	.	.	.	2	—	—	—	—	—	—	2
Pembroke Urban District.	Oct. 17,	1	—	—	—	—	—	3	4
	Oct. 24,	—	—	—	—	—	1	1
	Oct. 31,	—	—	—	—	—	.	.
	Nov. 7,	.	.	.	1	—	—	—	—	—	.	1
Blackrock Urban District.	Oct. 17,	.	.	—	1	.	—	—	.	—	—	—	.
	Oct. 24,	.	.	—	4	—	—	.	—	—	—	5
	Oct. 31,	.	.	—	—	—	.	—	—	—	.
	Nov. 7,	.	.	—	—	—	.	—	—	—	.
Kingstown Urban District.	Oct. 17,	.	—	—	2	—	—	—	—	—	1	2
	Oct. 24,	.	—	—	—	—	—	—	—	.	1
	Oct. 31,	.	—	—	—	—	—	—	—	.	.
	Nov. 7,	.	—	—	.	.	.	1	—	—	—	—	—	2	3
City of Belfast.	Oct. 17,	.	—	—	74	.	.	3	.	.	5	6	.	—	—	.	—	.	1	89
	Oct. 24,	.	—	—	76	.	.	8	.	.	2	3	.	—	—	.	—	.	2	91
	Oct. 31,	.	—	—	68	.	.	6	.	.	2	4	.	—	—	.	—	.	5	85
	Nov. 7,	.	—	—	66	.	.	5	.	.	4	3	.	—	—	.	—	.	5	83
City of Cork.	Oct. 17,	.	.	—	6	.	.	3	.	.	.	2	.	—	—	—	—	—	—	11
	Oct. 24,	.	3	—	8	.	.	1	1	.	2	2	.	—	—	—	—	—	—	17
	Oct. 31,	.	3	—	14	.	.	2	.	.	1	.	.	—	—	—	—	—	—	20
	Nov. 7,	.	4	—	16	.	.	1	1	.	.	2	.	—	—	—	—	—	—	24
City of Londonderry.	Oct. 17,	.	—	—	1	.	—	—	—	—	—	—	1
	Oct. 24,	.	—	—	.	.	.	1	.	.	.	3	.	—	—	—	—	—	—	4
	Oct. 31,	.	—	—	1	.	.	2	—	—	—	—	—	—	3
	Nov. 7,	.	—	—	1	.	.	—	—	—	—	—	—	1
City of Limerick.	Oct. 17,	.	—	—	5	—	—	—	—	—	—	5
	Oct. 24,	.	—	—	8	—	—	—	—	—	—	8
	Oct. 31,	.	—	—	4	—	—	—	—	—	—	4
	Nov. 7,	.	—	—	1	—	—	—	—	—	—	1
City of Waterford.	Oct. 17,	.	—	—	35	—	—	—	—	—	3	38
	Oct. 24,	.	—	—	39	.	.	1	.	.	1	.	.	—	—	—	—	—	1	42
	Oct. 31,	.	—	—	23	3	.	.	—	—	—	—	—	—	26
	Nov. 7,	.	—	—	25	1	.	.	—	—	—	—	—	1	27

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 7th November, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Fourteen cases of enteric fever were admitted to hospital during the week, 18 were discharged, there were 3 deaths, and 81 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 85, 92, and 88.

Fourteen cases of typhus were admitted to hospital during the week, and 15 cases remained under treatment at its close.

Two cases of measles was admitted to hospital during the week, 2 were discharged, and 9 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 3, 8, and 9, respectively.

Twenty-three cases of scarlet fever were admitted to hospital, 11 were discharged, one died, and 120* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 75, 98, and 109, respectively.

Twelve cases of diphtheria were admitted to hospital during the week, 15 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 44, 52, and 51 respectively, were 47 at the close of last week.

In addition to the above-named diseases, one case of pneumonia was admitted to hospital, 8 were discharged, and 13 cases remained under treatment at the end of the week.

See note () at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 7th November, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 7TH NOVEMBER, 1914.																														
TOWNS AND DISTRICTS.		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																								
		POPULATION.		DEATHS.		BIRTHS.		DEATHS.																						
		Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
											Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diseases of the Respiratory System	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.				
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)		
TOTAL OF 27 TOWN DISTRICTS, ...	1,205,230	19.1	25.8	18.2	2.2	597	420	64	120	3	11	6	6	1	...	41	11	24	31	55	21	3	9	13	133	17		
DUBLIN REGISTRATION AREA:—																														
TOTAL, (c.) ...	406,000	29.5	28.5	18.0	1.8	222	140	21	37	2	1	1	...	14	2	6	10	21	10	...	3	2	57	1		
CITY OF DUBLIN,	310,467	39.2	31.9	19.3	1.7	190	115	16	28	2	1	1	...	12	2	4	8	17	6	...	3	2	49	1		
Urban Districts.																														
RATHMINES and RATHGAR.	39,155	22.8	18.6	20.0	4.0	14	15	3	5	1	...	1	...	3	3	6	...		
PEMBROKE, ...	30,240	19.2	20.7	8.6	1.7	12	5	1	3	1	1	1	1	...		
BLACKROCK, ...	9,197	8.5	5.7	5.7	.	1	1	...	1	1		
KINGSTOWN, ...	16,941	11.6	15.4	12.3	.	5	4	1	1	...	1	1	...		
Urban Districts																														
BELFAST ...	399,000	26.7	26.4	19.2	3.3	202	147	26	39	1	10	1	3	13	5	6	15	21	9	1	2	6	37	2		
CORK, ...	76,673	28.6	19.0	19.7	2.7	28	29	3	6	1	...	2	6	1	1	1	2	...	1	1	...	16	...		
LONDON-DERRY	41,100	15.9	31.7	14.0	2.5	25	11	1	2	1	...	2	2	1	1	1	2	...		
LIMERICK, ...	38,518	16.1	21.7	17.6	.	16	13	...	9	1	1	1	...	1	1	4	4		
WATERFORD, ...	27,464	19.1	24.7	36.1	9.5	13	19	3	3	5	3	1	2	1	3	2	3	7	...		
GALWAY, ...	13,255	2.5				6	7	1	2	1	2	2		
DUNDALK, ...	13,128	9.5				11	2	...	1		
LURGAN, ...	12,553	14.7				8	5	2	1	3	2		
DROGHEDA, ...	12,501	8.4				15	2	1	1	2	...		
LISBURN, ...	12,388	10.9				5	4	1	1	1	1		
NEWRY, ...	11,963	17.0				5	3	...	2	2	2		
PORTADOWN, ...	11,727	15.3				5	8	1	3	1	1	...		
WEXFORD, ...	11,531	22.8				7	1	1		
BALLYMENA ...	11,381	9.3				2	4	1	2	1	1	...		
SLIGO, ...	11,163	3.8				4	2		
KILKENNY, ...	10,514	11.4				1	1	...	1		
TRALEE, ...	10,300	17.4				2	3	1	1	1		
CLONMEL, ...	10,209	7.8				5	1	...	1	1	...		
NEWTOWNARDS	9,587	20.1				5	5	...	3	1	1		
QUEENSTOWN,	8,209	14.7				2		
LARNE, ...	8,036	13.4				2	4	...	2	2	1		
COLERAINE. ...	7,785	7.7				1	1	...	1	1		
BANGOR, ...	7,776	8.5				1	1	1		
BRAY, ...	7,691	7.2				1	1	1		
ATHLONE, ..	7,472	6.2				1	1	...	1	1	...		
ARMAGH, ...	7,356	21.8				2	5	1	1	1	1	2		

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1914. (b) See note (1) at foot of first page. (c) Exclusive of 18 deaths of persons (including one under one year old and 2 at 65 years or upwards), admitted to hospital from localities outside the Area. Of the 13 deaths one was from enteric fever, there were 3 from tuberculous disease, 2 from cancer, and 2 from pneumonia.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 7th of November, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	1	2	1
Typhus,
Small-pox,
Measles,
Scarlet Fever,
Whooping-cough,	1	1	.
Diphtheria,	1	1	.
Croup,
Influenza,	1	1	.
Dysentery,
Tuberculosis, { Pulmonary,	1	3	1	1	.	3	.	2	.	1	1	.	.	1	14	2
Other Forms,	1	1	2	1
Cancer,	1	1	1	.	.	1	1	6	2
Diseases of Nervous System,	1	.	3	1	.	.	.	3	.	2	.	1	2	1	.	.	14	2
" Organs of Special Sense,
" Circulatory System,	1	1	1	3	.	.	.	2	1	1	1	1	2	.	.	1	15	2
" Respiratory System. { Pneumonia,	2	1	1	.	.	.	1	.	1	2	.	.	1	1	.	10	2
Others,	1	4	2	3	.	4	.	1	.	1	1	.	3	1	.	.	21	.
" Digestive System. { Diarrhoea and Enteritis, under 2 years,	2	.	2	1	1	3	1	.	.	10	.
Diarrhoea, 2 years and upwards,
Enteritis, 2 years and upwards,
Others,	2	.	2	.	1	.	.	1	1	.	.	7	1
" Genito-urinary System,	3	2	.	.	.	1	.	1	1	.	2	.	1	.	.	.	11	.
Puerperal Septicæmia, etc.,
Other Causes incident to Pregnancy and Childbirth,	1	1	1
Diseases of the Skin and Cellular Tissue,	1	1	2	.
" Locomotor System,
Other specified Causes,	1	3	2	2	5	1	.	1	.	.	1	16	2
Violent Deaths,	1	1	1	3	2
Ill-defined, &c. Causes,	1	1	.	.	1	.	.	.	3	.
Deaths from All Causes	10	16	12	17	1	9	1	14	4	18	8	5	15	5	1	4	140	18
Annual Rate of Mortality from All Causes in every 1,000 of the population.	17·3	20·2	22·4	24·9	9·5	34·3	4·9	17·9	11·4	21·6	12·6	26·5	20·0	8·6	5·7	12·3	18·0	.
	20·9							17·5							13·6			
	19·3																	
Ages at Death. { Under 1 year,	3	1	2	.	.	.	2	.	4	3	1	3	1	.	1	21	1
1 and under 2 years,	1	2	.	1	.	.	.	1	1	6	.
2 " 5 "	2	.	2	2	.	2	1	.	.	1	.	.	6	1
5 " 15 "	6	2
15 " 25 "	2	1	1	.	1	.	1	.	.	1	.	.	.	7	1
25 " 45 "	3	4	2	2	1	1	.	2	1	1	.	1	2	.	.	2	21	6
45 " 65 "	1	4	3	4	.	6	1	2	1	6	2	1	4	.	.	1	36	5
65 and upwards,	3	3	4	6	.	1	.	3	1	4	2	1	5	3	1	.	37	2
Number of Uncertified Deaths,	1	1	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	5	5	4	4	.	3	1	1	.	4	2	.	3	1	.	1	34	18
Workhouse Hospitals,	2	.	2	3	.	2	.	6	1	3	1	.	3	.	.	.	23	.

FORTY-FIFTH WEEK, ending Saturday, 7th November, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 45th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 7th November, 1914.																
	Nov. 12, 1904.	Nov. 11, 1905.	Nov. 10, 1906.	Nov. 9, 1907.	Nov. 7, 1908.	Nov. 13, 1909.	Nov. 12, 1910.	Nov. 11, 1911.	Nov. 9, 1912.	Nov. 8, 1913.		All Ages.	Deaths of Persons of the Ages of															
													0-5.															
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.						
Diseases of the Pharynx, Ton- sillitis.						
Diseases of Stomach, ...	—	—	—	—	—	—	—	4	1	1	—	1	.	1						
Diarrhoea and Enteritis of Children under 2 years.	8	5	5	7	10	12	7	4	5	7	7.6	10	1	8	1						
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																							1
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	2	.	3	—						
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	—	.	2	1	—	2	1	.	1	.	.						
Cirrhosis of Liver, ...	2	1	3	3	1	1	1.1	1	1						
Other Diseases of Liver, ...	2	2	2	.	.	1	1	.	.	1	.9	1	1	.	.	.						
Peritonitis (cause unknown), ...	1	.	11	2	1	.	.						
Other Diseases of Digestive System.	1	3	11	6	6	3	6	1	1	1	3.9	1	1	.	.	.	1	.						
Acute Nephritis, ...	7	4	7	6	11	5	8	1	1	2	6.2	3	.	1	1	.	1						
Chronic Bright's Disease,	5	1		7	
Urinary Calculi, ...								1
Uterine Tumour (non-can- cerous).							
Ovarian Tumour (non-can- cerous)							
Other Diseases of Genito- urinary System.								2	1	.		1	1	1	.	.
Puerperal Septicæmia, &c.,						
Other Causes incident to Pregnancy and Childbirth.	1	.	.	1	.	.	.	2	.	1	.5	2	2						
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	.	.	.	—	2	.	.	.	1	.	.	1	.	.	.						
Diseases of Locomotor System.	—	—	—	—	—	—	—	.	.	.	—						
Congenital Malformations, ...	—	—	—	—	—	—	—	1	.	1	—						
Premature Birth, ...	5	2	4	4	8	6	3	9	3	4	4.8	3	3						
Congenital Debility, ...	—	—	—	—	—	—	—	9	9	7	—						
Old Age, ...	3	7	4	3	6	4	1	6	3	4	4.1	6	1	5							
Other Specified Diseases, ...	—	—	—	—	—	—	—	3	3	1	—	2	2						
ACCIDENT :																												
Poisons or Poisonous Vapours.						
Conflagration,6	2	.	.	.	2						
Burns and Scalds, ...	1	1	1	1	.	.	1	.	.	1	.8						
Drowning, ...	2	.	1	1	2	.	.	1	.	1						
Suffocation in Bed,						
Other Deaths by Accident, ...	2	.	1	4	2	4	1	1	3	3	2.1	3	.	.	.	1	.	1	.	.	1							
Total Deaths from Accident,	5	1	3	6	4	4	2	2	3	5	3.5	5	.	.	.	3	.	1	.	.	1							
Included in above are Deaths in connection with—																												
Railways,	1	14						
Vehicles and Horses, ...	1	.	.	1	.	11						
Ships, Boats, Docks,						
Building Operations, ...	1	.	.	.	12						
VIOLENCE OTHER THAN ACCIDENTAL :																												
Homicide,	1	.	.1						
Suicide,	1	.	.	12						
Execution,						
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	5	1	6	—	3	1	1	1	.	.						

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914—WEEK ENDING																									
		May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.
No. of weeks in Annual Series,		20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
BIRTHS registered.		197	207	262	191	271	225	233	165	214	208	197	195	166	204	200	246	187	213	184	193	199	223	135	205	173	222
Average Births in corresponding week of previous 10 years, ...		214	213	244	219	210	223	245	208	203	221	221	220	209	223	218	205	244	200	222	247	203	187	211	196	217	208
DEATHS registered, ...		160	166	185	162	163	151	134	139	123	139	129	144	136	159	136	163	160	139	161	154	154	141	144	134	118	153
Annual Death-rate per 1,000, ...		20.5	21.3	23.8	20.8	20.9	19.4	17.2	17.9	16.4	17.9	16.6	18.5	17.5	20.4	17.5	20.9	20.5	17.9	20.7	19.8	19.8	18.1	18.5	17.2	15.2	20.3
Average Deaths in corresponding week of previous 10 years, ...		159	168	148	148	156	142	134	135	147	143	145	144	145	156	160	157	159	158	162	159	157	155	157	149	168	167
Ages, { Under 5 years, 5-15 " 15-25 " 25-45 " 45-65 " 65-75 " 75 and upwards,	...	54	73	56	54	45	46	36	47	31	44	36	46	35	53	35	62	51	48	52	47	39	30	47	36	29	35
	...	7	4	12	4	9	5	5	7	6	9	6	4	6	5	6	5	4	3	8	4	5	12	7	2	7	8
	...	9	9	8	11	6	12	8	9	7	8	9	8	5	7	6	6	8	5	6	7	1	6	7	4	1	8
	...	22	22	19	28	30	23	23	22	27	29	26	27	26	26	27	23	24	24	26	25	33	21	19	22	30	27
	...	36	37	47	35	38	41	32	30	22	31	30	37	34	35	35	38	40	28	35	36	40	39	38	22	26	41
	...	21	13	28	16	23	15	19	14	22	14	15	13	15	18	17	18	22	16	20	21	19	17	17	29	14	23
	...	11	8	14	14	12	9	11	10	13	9	7	9	15	15	10	11	11	15	14	14	17	16	11	19	11	16
	Deaths from:—	1	1	1	1	1	1	1	1	2	1	2	2	2	1	1	2	1	3	3	1	1	2	3	1	2	3
	Enteric Fever,
	Typhus,
	Small-pox,
	Measles, ...	17	16	14	18	8	5	3	2	4	6	2	1	2	1	3	1	1	1	1	1	1	1	1	1	1	1
	Scarlet Fever,
	Whooping-cough, ...	1	1	1	2	1	1	1	1	2	2	1	1	1	2	1	1	2	1	1	2	1	1	2	1	2	1
	Diphtheria,
	Influenza,	1	1	1	1	1	1	1	3
	Dysentery,
Deaths from:—	Tuberculosis {	24	21	19	27	19	13	17	21	18	16	19	23	19	18	19	18	25	13	18	23	17	11	25	17	11	16
	Pulmonary
	Other Forms,
	Cancer, ...	5	6	9	4	6	5	7	9	5	8	11	5	6	4	2	4	9	8	9	7	9	11	4	5	4	3
	Diseases of Circulatory System,	11	5	12	9	13	9	8	7	8	7	10	9	7	6	12	10	20	6	15	13	15	8	6	9	8	8
	Diseases of Respiratory System, {	11	13	28	14	20	27	11	11	16	15	15	13	15	15	17	18	18	17	19	15	16	20	8	17	15	17
	Pneumonia	13	15	14	12	12	14	8	9	10	12	4	8	4	3	7	8	7	5	4	6	10	11	9	9	8	12
	Others, ...	19	17	22	13	11	8	20	10	13	5	7	12	10	11	10	7	10	7	9	14	19	12	22	15	13	21
	Diarrhoea and Enteritis, under 2 years,	5	7	4	2	4	7	4	4	4	6	6	9	10	11	13	28	18	17	25	14	11	14	11	11	7	10
	Diarrhoea, 2 years and upwards,
	Violent Deaths, ...	7	5	3	6	3	3	...	6	4	5	3	1	7	10	3	6	1	4	6	4	1	7	1	1	3	5
	Number of Uncertified Deaths,	2	9	6	4	3	2	2	5	2	6	2	7	4	2	2	1	4	2	5	2	8	...	2	3	3	1

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 7th November, 1914: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 7TH NOVEMBER, 1914.																																
OCCUPATION OR SOCIAL POSITION			AGES.										CAUSES OF DEATH																			
			Total Number of Deaths.										Diseases of the Respiratory System.																			
			Annual Death Rate per 1,000 of the Population in 1911.										Other Causes.																			
Population in each Class and Group in 1911.			(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	
ALL PERSONS.			397,957	—	158	35	8	8	27	41	23	16	3	1	1	.	16	3	8	2	12	21	10	.	5	76	1
CLASSES.																																
Deaths in Families of the—																																
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...		14,658	10.7	3	1	.	1	1	8	3	1	3	1	.	2	3	.	.	1	16	.
II.	MIDDLE CLASS, ...		101,798	15.9	31	1	.	5	10	7	6	1	3	5	1	.	5	5	2	.	2	25	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...		108,420	22.6	47	8	5	1	7	13	7	3	2	4	2	2	2	4	5	5	.	2	26	1
IV.	GENERAL SERVICE CLASS, ...		167,479	16.8	54	20	3	3	11	11	3
V.	INMATES OF WORKHOUSES, ...		5,602	—	23	5	.	.	3	6	5	4	1	.	.	3	8	3	.	.	8	.
PROFESSIONAL AND INDEPENDENT CLASS.																																
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...		7,868	19.9	3	1	.	.	1	1	1	.	1	1	.	.
2. Merchants and Manufacturers, Higher Class			1,347
3. Persons of Rank and Property, not otherwise described, ...			5,443
MIDDLE CLASS.																																
II.	4. General Body of Officials—Civil Service, Banking, &c., ...		9,523	16.4	3	1	.	.	.	2	1	.	.	.	1	.	.	.	1	.	.
5. Traders (except Petty Shopkeepers), Business Managers, &c., ...			25,199	10.3	5	.	.	2	1	2	2	2	1	2	.	.	.	4	.	.
6. Clerks and Commercial Assistants, ...			33,249	14.1	9	.	.	2	1	2	2	2	2	.	1	.	1	.	.	.	3	.	.
7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...			33,827	21.6	14	.	.	2	2	5	4	1	1	3	.	.	1	.	.	9	.	.
ARTISAN CLASS AND PETTY SHOPKEEPERS.																																
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...		11,777	13.3	3	2	.	1	1	3	.	1	1	.	.	.	2	.	.	1	1	5	.
9. Building and Furnishing Trades, ...			28,823	14.5	8	2	.	1	1	1	1	1	1	.	.	1	.	.	.	1	.	.	.	2	.	.
10. Clothing Trades, ...			20,026	13.0	5	.	2	1	1	1	1	1	1	.	.	.	2	.	.
11. Food Supply Trades, ...			8,952	23.3	4	.	1	.	1	2
12. Other Trades and Callings ranking with 'trades, ...			32,070	40.6	25	2	2	.	4	8	6	3	4	.	1	.	2	1	1	.	1	15	.
13. Petty Shopkeepers ...			6,772	15.4	2	2
GENERAL SERVICE CLASS.																																
IV.	14. Army, Police, Postal Delivery and Prison Services, &c., ...		12,977	28.1	7	4	1	1	1	1	.	.	.	1	.	2	.	1	1	1
15. Domestic Servants, ...			36,041	5.8	3	4	.	.	2	.	1	4	.	.
16. Coach and Car Drivers, Vanmen, &c., ...			15,380	10.2	3	1	1	.	1	1	1	3	1	3	2	2	3	4	.	.	.	20	.	.
17. Hawkers, Porters, Labourers, &c., ...			103,081	20.2	40	15	1	2	8	10	1
INMATES OF WORKHOUSES.																																
V	13. Workhouse Inmates, ...		5,602	—	23	5	.	.	3	6	5	4	1	.	.	3	8	3	.	.	8	.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Violence.	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.			
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	Oct. 3	22.4	1.7	13	2	.	.	2	.	1	.	2	
	" 10	22.4	8.6	13	1	1	.	.	5	1	.	.	
	" 17	25.9	8.6	15	1	3	.	1	1	.	3	1	.	1	
	" 24	13.8	.	8	2	.	.	2	1	.	.	.	
Population in 1914 (Est.) 30,206.	" 31	24.2	1.7	14	2	.	.	2	1	.	.	.	
	Nov. 7	17.3	.	10	1	.	2	1	.	1	.	
North City, No. 1 (W.) (Office, Summer-hill.)	Oct. 3	25.3	7.6	20	1	.	.	2	.	2	2	2	5	.	.	1	
	" 10	12.6	.	10	2	.	.	4	2	
	" 17	13.9	1.3	11	1	1	.	.	2	1	.	.	.	
	" 24	13.9	1.3	11	1	.	2	2	2	1	.	.	.	
Population in 1914 (Est.) 41,278.	" 31	15.2	2.5	12	.	.	.	1	3	1	2	2	.	1	.	.	.	
	Nov. 7	20.2	1.3	16	1	2	4	.	.	1	.	
North City, No. 2. (Office, Lisburn-street.)	Oct. 3	41.1	3.7	22	3	3	1	1	2	2	.	1	.	
	" 10	28.1	.	15	2	3	.	.	1	
	" 17	24.3	1.9	13	3	1	.	1	2	1	.	.	.	
	" 24	24.3	5.6	13	3	1	.	.	2	3	.	.	.	
Population in 1914 (Est.) 27,883.	" 31	16.8	.	9	1	.	.	1	1	.	.	1	.	
	Nov. 7	22.4	.	12	1	.	.	1	2	.	.	1	.	
North City, No. 3. (Office, Benburb-street.)	Oct. 3	13.2	.	9	1	1	3	
	" 10	20.5	2.9	14	1	.	3	.	1	2	1	.	.	.	
	" 17	19.1	2.9	13	1	.	1	.	.	.	1	
	" 24	13.2	1.5	9	2	2	.	1	.	.	.	
Population in 1914 (Est.) 35,536.	" 31	16.1	1.5	11	1	.	.	1	1	.	1	1	.	.	.	1	
	Nov. 7	24.9	.	17	3	1	.	1	3	
Clontarf and Howth No. 1 (part of).	Oct. 3	9.5	.	1	
	" 10	
	" 17	9.5	.	1	1	
Population in 1914 (Est.) 5,485.	" 24	
	" 31	
	Nov. 7	9.5	.	1	1	
Coolock and Drumcondra (part of).	Oct. 3	19.1	.	5	2	1	1	
	" 10	3.8	3.8	1	1	.	.	.	
	" 17	11.4	.	3	2	
	" 24	11.4	.	3	1	
Population in 1914 (Est.) 13,685.	" 31	
	Nov. 7	34.3	.	9	1	.	1	.	4	
Finglas and Glasnevin (part of).	Oct. 3	4.9	.	1	
	" 10	4.9	.	1	
	" 17	4.9	.	1	
	" 24	
Population in 1914 (Est.) 10,723.	" 31	9.7	.	2	1	
	Nov. 7	4.9	.	1	1	.	1	
South City, No. 1. (Office, Sth. Earl-street.)	Oct. 3	21.7	2.6	17	1	6	.	1	1	1	1	.	1	2	
	" 10	29.4	2.6	23	2	1	1	1	3	2	.	3	.	
	" 17	23.0	2.6	18	1	2	1	.	.	5	1	.	.	.	
	" 24	16.6	2.6	13	3	1	1	.	1	2	.	.	.	
Population in 1914 (Est.) 40,768.	" 31	11.5	2.6	9	2	2	.	.	1	
	Nov. 7	17.9	2.6	14	3	.	.	1	1	2	.	.	.	
South City, No. 2. (Office, Castle-street.)	Oct. 3	14.2	.	5	1	.	2	
	" 10	17.1	2.8	6	
	" 17	19.9	.	7	
	" 24	22.7	.	8	2	.	1	1	2	
Population in 1914 (Est.) 18,341.	" 31	8.5	.	3	2	.	.	.	3	
	Nov. 7	11.4	2.8	4	1	1	
South City, No. 3. (Office, Peter-street.)	Oct. 3	15.6	1.2	13	2	.	2	1	3	1	.	.	.	
	" 10	22.8	3.6	19	1	1	1	2	2	2	2	.	2	.	
	" 17	14.4	3.6	12	1	1	3	3	.	.	1	
	" 24	20.4	3.6	17	3	.	.	2	3	2	.	.	.	
Population in 1914 (Est.) 43,540.	" 31	21.6	2.4	18	2	.	1	2	3	2	.	1	.	
	Nov. 7	21.6	4.8	18	1	1	.	2	.	1	1	1	2	.	.	1	
South City, No. 4. (Office, Grand Canal-st.)	Oct. 3	9.4	.	6	2	.	.	2	.	.	.	1	
	" 10	17.3	3.1	11	1	
	" 17	20.4	4.7	13	1	1	.	.	1	.	.	2	1	.	.	
	" 24	14.1	1.6	9	1	.	.	.	2	1	.	.	.	
Population in 1914 (Est.) 33,171.	" 31	15.7	4.7	10	1	1	2	3	.	.	.	
	Nov. 7	12.6	1.6	8	2	1	1	.	.	1	
New Kilmainham.	Oct. 3	5.3	.	1	1	
	" 10	5.3	.	1	
	" 17	10.6	5.3	2	1	1	.	.	.	
Population in 1914 (Est.) 9,851.	" 24	15.9	.	3	1	.	1	
	" 31	15.9	.	3	1	.	.	1	.	
	Nov. 7	26.5	5.3	5	1	1	

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN INFECTIOUS DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	1 hartless, 2 years of age and upwards.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Oct. 3 " 10 " 17 " 24 " 31 Nov. 7	10.7 12.0 14.6 13.3 10.7 20.0	. 1.3 . . 1.3 4.0	8 9 11 10 8 15	. 1 1 2 1 1 1 1	1 1 1 . .	1 . . 1 1 1	. . . 1 1 3	1 . 1 1 . 3 3		
Pembroke Urban District. Population in 1914 (Est.) 20,240	Oct. 3 " 10 " 17 " 24 " 31 Nov. 7	25.9 13.8 15.5 15.5 12.1 8.6	3.4 1.7	15 8 9 9 7 5	1	1 . 4 1 1 1	. . . 1 1 1	1 1 1 1 1 1	1 1 1	1 1		
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Oct. 3 " 10 " 17 " 24 " 31 Nov. 7	. . . 5.7 5.7 5.7 1 1 1 1 1 . 1		
Kingstown Urban District. Population in 1911 16,941.	Oct. 3 " 10 " 17 " 24 " 31 Nov. 7	40.0 15.4 9.2 15.4 15.4 12.3	3.1	13 5 3 5 5 4	1 1 1 1 1 1	1	1 1 . . 1	3 1	1 . 1 . . .	1		
Belfast. Population in 1914 (Est.) 399,000.	Oct. 3 " 10 " 17 " 24 " 31 Nov. 7	17.4 14.5 17.3 16.9 14.0 19.2	3.8 2.9 3.5 2.9 2.4 3.3	133 111 132 129 107 147	1 2 . 1 1 1	3 7 7 6 3 10	1 2 3 3 3 1	4 4 3 8 1 3	. . 1 . 1 .	8 6 11 13 10 13	5 . 6 4 4 5	9 2 4 10 7 6	10 9 10 6 7 15	8 17 11 16 13 21	21 10 12 16 6 9	2 1 1 . 6 1	2 1 1 . 2 1	3 3 3 1 2 2	
Cork. Population in 1911 76,673.	Oct. 3 " 10 " 17 " 24 " 31 Nov. 7	14.3 12.9 19.0 17.0 21.8 19.7	3.4 2.0 3.4 1.4 3.4 2.7	21 19 28 25 32 29 1	. . . 1 3 2	3 1 1 4 3 6	3 4 3 1 . 1	3 2 4 1 5 1	. . 1 1 1 1	2 2 1 3 2 2	4 1 5 . 2 .	1 1	1 1	1 1	
Londonderry. Population in 1914 (Est.) 41,100.	Oct. 3 " 10 " 17 " 24 " 31 Nov. 7	14.0 12.7 10.1 8.9 11.4 14.0	2.5 2.5 1.3 1.3 . 2.5	11 10 8 7 9 11	2 1 1 1 1 1	. 1 1 . . .	2 . . 1 1 2 2 2	. 3 1 1 . 1	1 2 1 1 1 1 1 . . . 1	
Limerick. Population in 1911 38,518.	Oct. 3 " 10 " 17 " 24 " 31 Nov. 7	16.2 21.7 17.6 20.3 21.7 17.6	1.4 2.7 4.1 1.4 5.4 .	12 16 13 15 16 13	1 . . . 1 3	2 1 . 1 1 1	1 1 1	. 1 . 1 . 1	2 3 3 2 1 1	. . 3 1 . .	2 . . 1	
Waterford. Population in 1911 27,464.	Oct. 3 " 10 " 17 " 24 " 31 Nov. 7	17.1 22.8 17.1 22.8 22.8 36.1	. 7.6 5.7 3.8 9.5 9.5	9 12 9 12 12 19 2 2 4 5	1 1 . 1 1 3	1 . 1 . . 1	. . 1 . . 2	2 . 2 2 1 3	. 1 2 1 1 .	. 2 1 1	1 . . 1 1 2	1 2 1 . .	

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 7th November, 1914. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.			Census Population in 1911.	No. of BIRTHS.	AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Number of Uncertified Deaths.								
					Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		Total Number of DEATHS.						Enteric Fever.				Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS.			Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.	
																																		All Causes.
																								(1)				(2)	(3)					
City of Belfast.																																		
BELFAST URBAN No. 1 DISTRICT,			15,879	7	13.1	5.3	4	1	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 2 do.			49,500	13	17.9	5.3	17	1	3	2	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 3 do.			50,032	29	25.0	5.2	24	4	8	3	2	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 4 do.			32,637	25	14.4		9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 5 do.			16,112	6	42.1	6.5	13	4	2	3	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 6 do.			37,293	14	12.6	2.8	9	4	2	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 7 do.			2,681	3	8.7		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 8 do.			5,964	1	10.7	2.1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 9 do.			24,427	20	16.2	3.6	17	4	2	2	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 10 do.			28,958	22	16.2	2.7	14	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 11 do.			39,311	17	18.6	2.7	16	5	2	3	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 12 do.			38,076	16	21.9	4.1	18	6	2	3	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 13 do.			23,233	16	18.0		8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 14 do.			175	13	41.4	6.9	18	3	3	3	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 15 do.			22,669	13	41.4	6.9	18	3	3	3	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Total,			386,947	202	19.2	8.3	147	26	22	14	21	25	39	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
City of Cork.																																		
CORK URBAN No. 1 DISTRICT,			13,455	3	27.1	10.0	7	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1		
Do. 2 do.			10,399	9	25.1	16.0	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 3 do.			9,793	5	22.8	5.7	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 4 do.			9,139	1	25.0	4.5	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 5 do.			6,250	4	22.5	6.5	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 6 do.			11,581	4	22.5	6.5	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 7 do.			16,056	6	19.7	2.7	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Total,			76,073	28	19.7	2.7	29	3	4	5	6	5	6	1	1	1	1	1	1	1	6	1	1	1	1	1	1	1	1	1	1	1		

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1914.—WEEK ENDING																									
	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.
No. of weeks in Annual Series,	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
BIRTHS registered, ...	245	238	262	191	198	233	227	219	237	190	218	212	226	214	218	196	215	215	187	223	228	246	189	184	208	202
DEATHS registered, ...	135	137	115	127	129	131	134	130	130	103	111	115	137	113	135	145	155	138	151	169	133	111	132	129	107	147
Annual Death-rate per 1,000 of estimated population, ...	17.6	17.9	15.0	16.6	16.9	17.1	17.5	17.0	17.0	13.5	14.5	15.0	17.9	14.8	17.6	13.9	20.3	18.0	19.7	22.1	17.4	14.5	17.3	16.9	14.0	19.2
AGES, { Under 1 year, ...	21	17	23	19	22	24	27	25	26	25	19	21	20	27	30	49	56	52	42	69	36	38	29	23	19	26
1-5 years, ...	21	16	18	13	21	22	18	18	19	10	11	21	21	23	18	23	18	21	21	21	11	13	22	15	20	22
5-25 " ...	18	20	16	18	17	21	15	18	21	9	15	11	14	9	17	14	19	14	12	21	10	11	15	10	13	14
25-45 " ...	23	29	19	22	25	21	23	24	18	20	22	21	22	18	19	16	24	18	24	19	13	19	20	24	13	21
45-65 " ...	32	28	23	32	26	31	37	28	28	19	26	24	32	16	30	26	25	20	22	23	35	20	25	27	24	25
65 and upwards, ...	20	27	11	23	18	12	14	17	18	20	18	17	28	20	21	17	13	13	30	17	19	16	21	30	18	39
Deaths from :—																										
Enteric Fever,	2	1	1	1	1	.	.	2	1	1	2	.	.	1	1	1
Typhus,	5	1	1	1	1
Small-pox,
Measles, ...	3	1	3	1	4	8	5	9	6	4	1	6	5	8	7	2	2	1	7	4	3	3	7	7	6	10
Scarlet Fever, ...	2	5	4	1	2	8	2	2	5	2	2	2	4	.	.	2	2	1	1	2	1	2	3	.	3	1
Whooping-cough, ...	5	5	7	4	7	4	4	7	2	4	2	7	2	3	3	6	2	5	3	4	4	4	3	8	1	3
Diphtheria,	2	.	1	.	.	1	1	.	.	1	.	.	.	1	.	1	.
Dysentery,
Tuberculosis. { Pulmonary, ...	20	21	15	19	17	21	21	13	14	10	16	15	18	12	14	19	20	13	17	15	8	6	11	13	10	13
Other Forms, ...	12	7	4	8	3	6	5	7	7	3	4	7	5	8	7	4	8	1	5	4	5	.	6	4	4	5
Cancer ...	8	7	3	8	4	5	5	9	11	7	8	1	3	5	10	6	6	6	7	8	9	2	4	10	7	6
Diseases of Respiratory System, { Pneumonia, ...	14	13	10	13	10	6	10	4	7	8	10	5	10	8	10	8	4	6	13	7	10	9	10	6	16	15
Others, ...	16	14	12	11	12	10	10	9	11	5	8	12	13	13	11	9	16	9	13	18	8	11	17	16	13	21
Diarrhoea and Enteritis, under 2 years, ...	3	2	4	1	5	6	5	7	5	6	8	9	3	13	9	23	44	39	30	44	21	10	12	6	6	9
Diarrhoea, 2 years and upwards,	1	1	.	1	2	.	.	1	.	.	2	1	10	1	3	2	4	2	1	1	.	.	1
Violent Deaths, ...	2	2	3	.	3	1	.	.	2	.	2	2	2	1	1	.	4	1	5	1	3	3	8	1	2	2
Number of Uncertified Deaths, ...	1	1	3	4	1	3	.	.	3	1	2	.	2	.	1	8	2	.	5	2	2	.	1	2	1	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 — Week ending	BIRTHS.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ...	4,516,612	Nov. 7,	2,075	1,202	13·9	3	.	41	6	6	24	49	
EDINBURGH, ...	321,900	" 7,	118	84	13·6	2	.	
GLASGOW, ...	1,047,000	" 7,	538	327	16·3	.	.	5	7	9	4	13	
CALCUTTA, ...	896,087	Sept. 26,	.	407	23·6	71*	4	58†a	
BOMBAY, ...	979,445	Oct. 3,	394	466	24·7	65*	1	.	.	1	.	44†a	
MADRAS, ...	518,660	Sept. 26,	314	698	70·0	121*	.	1	?	?	?	286†a	
CAIRO, {	EGYPTIANS, ...	Aug. 26,	588	673	53·4	8	1	.	.	?	22†	203	
	FOREIGNERS,	" 26,	11	12	8·8	?	·	1	
PARIS, ...	2,847,229	Sept. 19	768	734	13·2	3	.	5	1	3	1	81	
BRUSSELS, ...	780,843	—	
ANTWERP, ...	323,421	—	
AMSTERDAM, ...	597,888	—	
COPENHAGEN, ...	492,000	Oct. 10,	211	122	12·9	1†	5a	
STOCKHOLM, ...	382,085	" 17,	147	87	11·8	1	2	.	
CHRISTIANIA, ...	251,446	" 24,	88	41	8·5	3	
PETROGRAD, ...	1,728,200	—	
MOSCOW, ...	1,694,000	—	
ROME, ...	591,943	—	
NEW YORK, ...	5,583,871	Sept. 5,	2,258	1,344	12·6	19	.	4	2	7	13†	175	
PHILADELPHIA, ...	1,657,810	—	
BOSTON, ...	750,768	Oct. 17,	.	2266	15·7	1	.	.	2	2	5	21a	

* Deaths from "fever," including 8 from enteric fever in Calcutta; 10 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 9 deaths from cholera in Calcutta, one in Bombay, and 149 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 195 (including 3 deaths from diphtheria, and 14 deaths from diarrhoeal diseases), rate 13·5 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th November, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	7	.	1	.	.	.	1	9
" " 1, West,	3	2	2	7
" " 2,	2	1	.	1	.	.	3	2	9
" " 3,	6	.	.	1	2	9
Clontarf and Howth No. 1 (part of),	.	1	1
Coolock and Drumcondra (part of),
Finglas and Glasnevin (part of),	1	1
South City No. 1,	1	.	.	1	.	.	4	6
" " 2,	5	1	.	.	.	1	7
" " 3,	1	.	.	4	.	.	1	1	.	.	.	1	8
" " 4,	3	.	.	2	1	.	.	.	2	8
New Kilmainham,	1	2	1	.	.	.	1	5
Total,	21	10	.	11	.	.	12	5	.	.	.	11	70

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 7th November, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 7th November.			
	Oct. 17.	Oct. 24.	Oct. 31.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	85	92	88	14	18	3	81
Typhus,	1	14	.	.	15
Small-pox,
Measles, ...	3	8	9	2	2	.	9
Scarlet Fever, ...	75	98	109	23	11	1	120*
Diphtheria, ...	44	52	51	12	15	1	47
Pneumonia, ...	19	25	20	1	8	.	13

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 14TH NOVEMBER, 1914.

[No. 46.]

*General Register Office, Charlemont House,
Dublin, 16th November, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 17·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Oct. 24	Oct. 31	Nov. 7	Nov. 14	
27 Town Districts, (a)	15·8	15·2	18·2	17·7	16·7
Dublin Reg. Area ...	15·3	14·4	18·0	18·1	16·5
Dublin City ...	15·8	15·3	19·3	19·1	17·4
Belfast ...	16·9	14·0	19·2	16·6	16·7
Cork ...	17·0	21·8	19·7	15·6	18·5
Londonderry ...	8·9	11·4	14·0	20·3	13·7
Limerick ...	20·3	21·7	17·6	16·2	18·9
Waterford ...	22·8	22·8	36·1	26·6	27·1

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 1·8 per 1,000. Among the 127 deaths from all causes for Belfast are 7 from measles, 8 from scarlet fever, 2 from whooping-cough, and 5 from diarrhoeal diseases. Included in the 23 deaths from all diseases for Cork is one from diphtheria. The 14 deaths from all causes for Waterford include 5 from scarlet fever and one from diarrhoea and enteritis of a child under 2 years. One of the 11 deaths from all causes for Dundalk is from measles. Enteric fever caused the only death recorded for Ballymena, and 2 of the 9 deaths from all causes for Kilkenny are from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 190—106 boys and 84 girls—and the deaths to 155—79 males and 76 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·1 per 1,000 of the population. During the forty-six weeks, ending with Saturday last, the death-rate averaged 20·5, and was 1·0 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 155, represent an annual rate of 19·9 per 1,000; the annual rate for the past forty-six weeks was 21·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·6 per 1,000 of the mean population for all deaths registered.

Of the deaths registered, 2* were from enteric fever, one each from typhus, measles, scarlet fever, and croup, and 6* from diarrhoea and enteritis of children under 2 years. In the three preceding weeks, deaths from enteric fever were 0, 2, and 3; deaths from typhus were 0, 0, and 0; deaths from measles were 0, one, and 0; deaths from scarlet fever were 0, 2, and 0; deaths from diphtheria were one, 0, and and; and deaths from diarrhoea and enteritis of children under 2 years were 11, 7, and 10, respectively.

There were 29* deaths from tuberculous disease, comprising 22 from pulmonary tuberculosis, 3 from tuberculous meningitis, 3 from abdominal tuberculosis, and one from tuberculosis of the urinary tract. In the three preceding weeks, deaths from tuberculous disease were 22, 15, and 19, respectively.

Cancer caused 15* deaths.

Of 12* deaths from pneumonia 6 were from broncho-pneumonia, 2 from lobar pneumonia, and 4 from pneumonia (type not distinguished).

Among the deaths of infants under one year of age are 3 caused by convulsions, 2 by premature birth, 2 by congenital debility, and one from congenital malformation.

Organic diseases of the heart caused 18 deaths and bronchitis 15 deaths.

There were 2 deaths attributed to accident, one of which was caused by a vehicle.

One death of a soldier occurred caused by a bullet wound obtained in Battle.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year of age, and the death of one person aged 72 years.

Thirty-four of the persons whose deaths were registered during the week were under 5 years of age (25 being infants under one year, of whom 6 were under one month old), and 38 were aged 65 years and upwards, including 24 persons aged 70 and upwards; among the latter were 18 aged 75 and upwards, of whom one (a female) was stated to have been aged 95 years.

Eighty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, 23 in the South Dublin Union Workhouse, and 4 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·1 per 1,000; the rate in the City was 19·1 (North City Districts, 18·0; South, 20·4) and in the Suburbs 14·7.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·0 per 1,000 inhabitants, the rate for the City being 1·3 (in the North City Districts 1·3, and in the South 1·4), and for the Suburbs 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·3 per 1,000, and include one from each of enteric fever, croup, pulmonary tuberculosis, broncho-pneumonia, and bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (15) are equal to an annual rate of 18·9 per 1,000. Included in the total are 3 from tuberculous disease, one from lobar pneumonia, one from bronchitis, and one accidental death.

No. 2 *North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 23·1 per 1,000. Typhus and measles each caused one death, pulmonary tuberculosis 3 deaths, and bronchitis 2 deaths.

No. 3 *North City District* (Benburb-street).—The deaths (11) represent an annual rate of 16·1 per 1,000. Scarlet fever caused one death, pulmonary tuberculosis 2 deaths, and broncho-pneumonia one death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·0 per 1,000 inhabitants; Coolock and Drumcondra, part of, 3·8; and Finglas and Glasnevin, part of, 14·6. One of the 2 deaths for Clontarf and Howth, No. 1, part of, is from pneumonia; and of the 3 deaths for Finglas and Glasnevin, part of, one is from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (15) represent an annual rate of 19·2 per 1,000, and include 3 from tuberculous disease, 4 from bronchitis, and 2 from diarrhoea and enteritis under 2 years.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 31·3 per 1,000. Included in the total are 3 from tuberculous disease, one from pneumonia, and 3 from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·2 per 1,000. Pulmonary tuberculosis caused 3 deaths, and there was one death from each of broncho-pneumonia, bronchitis, diarrhoea and enteritis (that of a child under 2 years), and one from accidental violence.

No. 4 *South City District* (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 20·4 per 1,000, and include 4 from tuberculous disease, 2 from broncho-pneumonia, and one from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·6 per 1,000, and comprise one from pneumoniae and one from diarrhoea and enteritis of a child under 2 years.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·0; Pembroke, 8·6; Blackrock, 34·0; and Kingstown, 21·5. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Of the 9 deaths from all causes for Rathmines and Rathgar one is from lobar pneumonia. The 5 deaths from all causes for Pembroke include one from each of broncho-pneumonia and bronchitis. Included in the 6 deaths from all causes for Blackrock are one from pulmonary tuberculosis and one from bronchitis; and of the 7 deaths from all causes for Kingstown 2 are from pulmonary tuberculosis.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 13·3), was equal to an average annual death-rate of 13·0 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 15·2 per 1,000, the rate for Glasgow being 15·3, and for Edinburgh 14·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 14th November. From this Report it appears that of a total of 110 cases notified, 46 were scarlet fever, 41 diphtheria, 14 phthisis, 8 erysipelas, and one enteric fever. Among the 836 cases of infectious diseases in hospital at the close of the week were 404 cases of scarlet fever, 187 of phthisis, 166 of diphtheria, 11 of erysipelas, and 9 of enteric fever.

* See note (c) at foot of Table II.

† See note (†) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 14th November, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Oct. 24,	.	—	—	16	.	.	13	.	2	25	2	.	—	—	.	—	.	26	84
	Oct. 31,	.	—	—	23	1	.	6	.	.	14	3	.	—	—	.	—	.	26	73
	Nov. 7,	.	—	—	21	10	.	11	.	.	12	5	.	—	—	.	—	11	70	
	Nov. 14,	.	—	—	12	4	.	10	.	.	9	5	.	—	—	.	—	21	61	
Rathmines and Rathgar Urban District.	Oct. 24,	.	—	—	2	2	.	.	—	—	—	—	—	—	4
	Oct. 31,	.	—	—	1	.	.	3	—	—	—	—	—	—	4
	Nov. 7,	.	—	—	.	.	.	2	—	—	—	—	—	—	2
	Nov. 14,	.	—	—	.	.	.	2	—	—	—	—	—	—	2
Pembroke Urban District.	Oct. 24,	—	—	—	—	—	1	1
	Oct. 31,	—	—	—	—	—	.	.
	Nov. 7,	.	.	.	1	—	—	—	—	—	.	1
	Nov. 14,	—	—	—	—	—	.	.
Blackrock Urban District.	Oct. 24,	.	.	—	4	1	.	—	—	.	—	—	—	5
	Oct. 31,	.	.	—	—	—	.	—	—	—	.
	Nov. 7,	.	.	—	—	—	.	—	—	—	.
	Nov. 14,	.	.	—	—	—	.	—	—	—	.
Kingstown Urban District.	Oct. 24,	.	—	—	—	—	—	—	—	1	1
	Oct. 31,	.	—	—	—	—	—	—	—	.	.
	Nov. 7,	.	—	—	.	.	.	1	—	—	—	—	2	3	
	Nov. 14,	.	—	—	1	.	—	—	—	—	—	1	1
City of Belfast.	Oct. 24,	.	—	—	76	.	.	8	.	.	2	3	.	—	—	.	—	.	2	91
	Oct. 31,	.	—	—	68	.	.	6	.	.	2	4	.	—	—	.	—	.	5	85
	Nov. 7,	.	—	—	66	.	.	5	.	.	4	3	.	—	—	.	—	5	83	
	Nov. 14,	.	—	—	60	.	.	8	.	.	2	5	1	—	—	.	—	7	83	
City of Cork.	Oct. 24,	.	3	—	8	.	.	1	1	.	2	2	.	—	—	—	—	—	—	17
	Oct. 31,	.	3	—	14	.	.	2	.	.	1	.	.	—	—	—	—	—	—	20
	Nov. 7,	.	4	—	16	.	.	1	1	.	.	2	.	—	—	—	—	—	—	24
	Nov. 14,	.	5	—	22	.	.	3	1	.	.	1	.	—	—	—	—	—	—	32
City of Londonderry.	Oct. 24,	.	—	—	.	.	.	1	.	.	.	3	.	—	—	—	—	—	—	4
	Oct. 31,	.	—	—	1	.	.	2	—	—	—	—	—	—	3
	Nov. 7,	.	—	—	1	.	.	—	—	—	—	—	—	1
	Nov. 14,	.	—	—	—	—	—	—	—	—	.
City of Limerick.	Oct. 24,	.	—	—	8	—	—	.	—	—	—	8
	Oct. 31,	.	—	—	4	—	—	.	—	—	—	4
	Nov. 7,	.	—	—	1	—	—	.	—	—	—	1
	Nov. 14,	.	—	—	1	—	—	.	—	—	—	1
City of Waterford.	Oct. 24,	.	—	—	39	.	.	1	.	.	1	.	.	—	—	—	—	—	1	42
	Oct. 31,	.	—	—	23	3	.	.	—	—	—	—	—	.	26
	Nov. 7,	.	—	—	25	1	.	.	—	—	—	—	—	1	27
	Nov. 14,	.	—	—	21	.	.	1	—	—	—	—	—	1	23

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 14th November, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Eleven cases of enteric fever were admitted to hospital during the week, 15 were discharged, there was one death, and 76 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 92, 88, and 81.

One case of typhus was admitted to hospital during the week, there was one death, and 15 cases remained under treatment at its close.

Two cases of measles were admitted to hospital during the week, 4 were discharged, there was one death, and 6 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 8, 9, and 9, respectively.

Eighteen cases of scarlet fever were admitted to hospital, 16 were discharged, and 122* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 98, 109, and 120, respectively.

Nine cases of diphtheria were admitted to hospital during the week, 7 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 52, 51, and 47 respectively, were 48 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 4 were discharged, and 16 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 14th November, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 14TH NOVEMBER, 1914.																												
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by			NUMBERS REGISTERED.																						
	POPULATION.		DEATHS.			BIRTHS.		DEATHS.																				
	Total (a)	Persons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases (b)	TOTAL NUMBER.	TOTAL NUMBER.	Caused by																				
								Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 27 TOWN DISTRICTS, ...	1,205,280	19.1	22.2	17.7	1.8	514	408	73	93	2	1	...	9	14	2	3	...	57	14	24	27	40	10	1	4	9	144	17
DUBLIN REGISTRATION AREA:—																												
TOTAL, (c) ...	406,000	29.5	24.4	18.1	1.0	190	141	23	37	1	1	...	1	1	1	5	14	11	17	4	...	2	2	67	4
CITY OF DUBLIN,	310,467	39.2	27.7	19.1	1.3	165	114	23	25	1	1	...	1	1	18	5	9	9	14	4	...	2	2	58	4
Urban Districts.																												
RATHMINES and RATHGAR.	39,155	22.8	10.7	12.0	.	8	9	...	8	1	1
PEMBROKE, ...	30,240	19.2	6.9	8.6	.	4	5	...	2	2	1	1
BLACKROCK, ...	9,197	8.5	22.7	34.0	.	4	6	1	...	2	...	2
KINGSTOWN, ...	16,941	11.6	27.7	21.5	.	9	7	...	2	2
Urban Districts																												
BELFAST ...	399,000	26.7	21.0	16.6	2.9	161	127	24	28	7	8	2	18	2	4	11	11	4	1	2	4	30	1
CORK, ...	76,673	28.6	20.4	15.6	0.7	30	23	2	7	1	...	4	1	2	...	2	1	10	2
LONDON-DERRY	41,100	15.9	20.3	20.3	.	16	16	3	4	1	...	3	1	2	6	1
LIMERICK, ...	38,518	16.1	17.6	16.2	.	13	12	2	4	1	...	1	2	3	3
WATERFORD, ...	27,464	19.1	22.8	26.6	11.4	12	14	3	5	3	1	1	6	...
GALWAY, ...	13,255	2.5				6	8	4	1	3	1	3
DUNDALK, ...	13,128	9.5				4	11	2	1	2	2	...	1	1	1	4	...
LURGAN, ...	12,553	14.7				1	2	1
DROGHEDA, ...	12,501	8.4				5	3	1
LISBURN, ...	12,388	10.9				3	2	1
NEWRY, ...	11,963	17.0				7	7	3	1	2	1	1	2	...
PORTADOWN, ...	11,727	15.3				7	3	1	1	1
WEXFORD, ...	11,531	22.8				4	2	...	2	1	3	...
BALLYMENA ...	11,381	9.3				.	1	1	1	...
SLIGO, ...	11,163	3.8				3	4	1	1	1	2
KILKENNY, ...	10,514	11.4				9	9	2	1	2	1	8	1
TRALEE, ...	10,300	17.4				5	2	...	1	1	...
CLONMEL, ...	10,209	7.8				5	5	...	1	1	2	...
NEWTOWNARDS	9,587	20.1				6	1	1
QUEENSTOWN,	8,209	14.7				5	2	...	2
LARNE, ...	8,036	13.4				6	4	2	1	...	1	1	...
COLERAINE, ...	7,785	7.7				3	2	...	1
BANGOR, ...	7,776	8.5				4	2	1
BRAY, ...	7,691	7.2				4	1	...	1
ATHLONE, ...	7,472	6.2				5	2	1
ARMAGH, ...	7,356	21.8				1	2	...	1

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1914.
(b) See note (1) at foot of first page.
(c) Exclusive of 14 deaths of persons (including 2 under one year old and one at 84 years), admitted to hospital from localities outside the Area. The 14 deaths include one from each of enteric fever cancer and pneumonia, 3 from tuberculous disease, and 2 from diarrhoea and enteritis of children under 2 years.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 14th of November, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.	
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.						Dublin South Superintendent Registrar's District.											
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.						
Enteric Fever,	1	1	1	
Typhus,	1	1	.	
Small-pox,	1	.	
Measles,	1	1	.	
Scarlet Fever,	1	1	.	
Whooping-cough,	
Diphtheria,	
Croup,	1	1	.	
Influenza,	
Dysentery,	
Tuberculosis, { Pulmonary,	1	2	3	2	.	.	1	2	1	3	3	.	.	.	1	21	1	
Other Forms,	1	1	.	.	.	1	1	2	.	1	5	2	
Cancer,	2	1	1	.	1	1	1	.	.	2	.	1	2	2	14	1	
Diseases of Nervous System,	1	3	2	1	1	1	1	.	2	.	.	2	14	
" Organs of Special Sense,	
" Circulatory System,	3	3	1	.	.	.	1	1	4	1	.	3	.	.	2	19	
" Respiratory { Pneumonia,	1	1	.	1	1	.	.	.	1	1	2	1	1	1	.	11	1	
System. { Others,	1	1	2	4	4	1	1	.	.	1	2	17	1	
" Digestive { Diarrhoea and Enteritis, under 2 years,	2	.	1	.	1	.	.	.	4	2	
" System. { Diarrhoea, 2 years and upwards,	
" { Enteritis, 2 years and upwards,	1	1	.	
" { Others,	1	.	1	1	.	1	.	2	1	1	.	.	1	.	1	5	1	
" Genito-urinary System,	6	3	
Puerperal Septicæmia, etc.,	
Other Causes incident to Pregnancy and Childbirth,	
Diseases of the Skin and Cellular Tissue,	
" Locomotor System,	
Other specified Causes,	3	1	1	3	.	.	.	1	1	2	2	.	2	.	.	16	.	
Violent Deaths,	1	1	2	1	
Ill-defined, &c. Causes,	1	1	.	
Deaths from All Causes	10	15	15	11	2	1	3	15	11	16	13	2	9	5	6	7	141	14
Annual Rate of Mortality from All Causes in every 1,000 of the population.	17·3	18·9	28·1	16·1	19·0	3·8	14·6	19·2	23·1	19·2	20·4	10·6	12·0	8·6	34·0	21·5	18·1	.
	18·0							20·4					14·7					
	19·1																	
Ages at Death. { Under 1 year,	3	2	2	4	1	.	.	4	1	2	3	1	23	2
1 and under 2 years,	1	1	1	3	1
2 " 5 "	1	2	1	4	1
5 " 15 "	1	1	.	1	1	.	.	1	.	.	2	7	1
15 " 25 "	1	1	1	.	2	.	1	6	1
25 " 45 "	1	3	3	1	.	.	.	2	3	2	3	.	.	1	2	3	24	4
45 " 65 "	2	5	4	2	.	.	2	3	2	5	3	.	1	2	4	2	37	3
65 and upwards,	2	3	4	3	.	1	1	3	2	4	2	.	8	2	.	2	37	1
Number of Uncertified Deaths,	2	1	1	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	5	4	3	.	.	1	2	3	2	5	1	.	2	1	.	30	12
Workhouse Hospitals,	3	3	3	3	.	.	.	6	2	8	3	.	.	.	2	.	37	2

Forty-sixth Week, ending Saturday, 14th November, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 46th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 14th November, 1914.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	Nov. 19, 1904.	Nov. 18, 1905.	Nov. 17, 1906.	Nov. 16, 1907.	Nov. 14, 1908.	Nov. 20, 1909.	Nov. 19, 1910.	Nov. 18, 1911.	Nov. 16, 1912.	Nov. 15, 1913.		All Ages.	Deaths of Persons of the Ages of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
													0-5.										Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Diseases of the Pharynx, Ton- sillitis.</

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914—WEEK ENDING																										
		May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	
No. of weeks in Annual Series,		21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	
BIRTHS registered.		207	262	191	271	225	233	165	214	208	197	195	166	204	200	246	187	213	184	198	199	223	185	205	173	222	190	
Average Births in corresponding week of previous 10 years, ...		213	244	219	210	223	245	208	208	221	221	220	209	223	218	205	244	200	222	247	203	187	211	196	217	208	200	
DEATHS registered, ...		166	185	162	163	151	134	139	128	139	129	144	136	159	136	163	160	139	161	154	154	141	144	134	118	153	155	
Annual Death-rate per 1,000, ...		21.3	23.8	20.8	20.9	19.4	17.2	17.9	16.4	17.9	16.6	18.5	17.5	20.4	17.5	20.9	20.5	17.9	20.7	19.8	19.8	18.1	18.5	17.2	15.2	20.3	19.9	
Average Deaths in corresponding week of previous 10 years, ...		168	148	148	156	142	134	135	147	143	145	144	145	156	160	157	159	158	162	159	157	155	157	149	168	167	171	
Ages, { Under 5 years, ...		73	56	64	45	46	36	47	31	44	36	46	35	53	35	62	51	43	52	47	39	30	47	36	29	35	34	
5-15 " ...		4	13	4	9	5	5	7	6	9	6	4	6	5	6	5	4	3	8	4	5	12	7	2	7	8	8	
15-25 " ...		9	8	11	6	12	8	9	7	8	9	8	5	7	6	6	8	5	6	7	1	6	7	4	1	8	7	
25-45 " ...		22	19	28	30	23	23	22	27	29	26	27	26	26	27	23	24	24	26	25	33	21	19	22	30	27	28	
45-65 " ...		37	47	35	38	41	32	30	22	31	30	37	34	35	35	38	40	28	35	36	40	39	36	22	26	41	40	
65-75 " ...		13	28	16	23	15	19	14	22	14	15	13	15	18	17	18	22	16	20	21	19	17	17	29	14	23	20	
75 and upwards, ...		8	14	14	12	9	11	10	13	9	7	9	15	15	10	11	11	15	14	14	17	16	11	19	11	16	18	
Deaths from :—																												
Enteric Fever,	1	1	1	1	1	1	2	1	2	2	2	1	.	2	1	3	3	1	1	2	3	.	2	3	2	
Typhus,	1	
Small-pox, ...		16	14	18	8	5	3	2	4	6	2	.	2	.	3	1	.	.	.	1	1	.	1	
Measles, ...		1	1	2	.	1	.	1	2	3	.	1	.	1	1	1	1	1	.	1	.	1	.	.	.	1	1	
Scarlet Fever, ...		1	1	1	1	.	1	3	.	2	1	.	1	2	1	4	2	1	1	1	1	2	1	.	2	1	1	
Whooping-cough, ...		5	1	1	1	.	1	
Diphtheria, ...		1	1	1	1	1	
Influenza, ...		1	1	1	1	1	
Dysentery,	
Tuberculosis { Pulmonary ...		21	19	27	19	13	17	21	18	16	19	23	19	18	19	18	25	13	18	23	17	11	25	17	11	16	22	
" { Other Forms, ...		6	9	4	6	5	7	9	5	8	11	5	6	4	2	4	9	8	9	7	9	11	4	5	4	3	7	
Cancer, ...		5	12	9	13	9	8	7	7	7	10	9	7	6	12	10	20	6	15	13	15	8	6	9	8	8	15	
Diseases of Circulatory System, ...		13	28	14	20	27	11	11	16	15	15	13	15	15	17	18	18	17	19	15	16	20	8	17	15	17	19	
Diseases of Respi- { Pneumonia		15	14	12	12	14	8	9	10	12	4	8	4	3	7	8	7	5	4	6	10	11	9	9	8	12	12	
ratory System, { Others, ...		17	22	13	11	8	20	10	13	5	7	12	10	11	10	7	10	7	9	14	19	12	22	15	13	21	18	
Diarrhoea and Enteritis, under																												
2 years, ...		7	4	2	4	7	4	4	4	6	6	9	10	11	13	28	18	17	25	14	11	14	11	11	7	10	6	
Diarrhoea, 2 years and upwards,	
Violent Deaths, ...		5	3	6	3	3	.	6	4	5	3	3	7	10	3	6	1	4	6	4	1	7	1	1	3	5	3	
Number of Uncertified Deaths,		9	6	4	3	2	2	5	2	6	2	7	4	2	2	1	4	2	5	2	8	.	2	3	3	1	4	

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 14th November, 1914 : the Annual Death-rate represented by the Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death ; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 14TH NOVEMBER, 1914.																																		
CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).	Popula- tion in each Class and Group in 1911.	AGES.										CAUSES OF DEATH.										Total Number of Deaths.	Annual Death Rate per 1,000 of the Population in 1911.										
			Under 5 years.						5 and under 15.				15 and under 25.				25 and under 45.				45 and under 65.				65 and under 75.				75 and upwards.					
			(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)			(24)	(25)	(26)	(27)	(28)	(29)				
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	Tuberculosis.		Diseases of the Respiratory System		Diarrhoea & Eri teritis of children under 2 years of age.		Diarrhoea, 2 years of age and upwards.		Violence.		Other Causes.		Number of Unerti- fied Deaths		
																				Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.									
I.	ALL PERSONS.	397,957	—	155	34	8	7	28	40	20	18	2	1	.	1	1	.	.	.	7		15	3	12	18	6	.	3	64	4	29			
II.	DEATHS IN FAMILIES OF THE— PROFESSIONAL AND INDEPENDENT CLASS, ... MIDDLE CLASS, ... ARTISAN CLASS AND PETTY SHOPKEEPERS, ... GENERAL SERVICE CLASS, ... INMATES OF WORKHOUSES, ...	14,658 101,798 108,420 167,479 5,602	21.3 9.7 12.0 20.5 —	6 19 25 66 39	1 2 2 21 8	.	.	1 1 7 14 5	1 7 7 14 11	4 5 4 4 7	4 3 1 4 6	1		2	3	3	4 11 7 27 15	
III.	PROFESSIONAL AND INDEPENDENT CLASS. 1. Clerical, Medical, Legal, and other Pro- fessions; Naval and Military Officers, and Heads of Public Departments, ... 2. Merchants and Manufacturers, Higher Class 3. Persons of Rank and Property, not other- wise described, ...	7,868 1,347 5,443	33.1 . 9.6	5 . 1	.	.	.	1	4		1	3 . 1
IV.	MIDDLE CLASS. 4. General Body of Officials—Civil Service, Banking, &c., ... 5. Traders (except Petty Shopkeepers), Business Managers &c., ... 6. Clerks and Commercial Assistants, ... 7. Miscellaneous—including all Household- ers in Second Class Localities not included in above, ...	9,523 25,199 33,249 33,827	27.4 16.6 1.6 7.7	5 8 1 5	.	1	.	.	2 3 . 2	1 3 . 1	2 1		2	2 5 1 3
V.	ARTISAN CLASS AND PETTY SHOPKEEPERS. 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ... 9. Building and Furnishing Trades, ... 10. Clothing Trades, ... 11. Food Supply Trades 12. Other Trades and Callings ranking with rades, ... 13. Petty Shopkeepers GENERAL SERVICE CLASS. 14. Army Police, Postal Delivery and Prison Services, &c., ... 15. Domestic Servants, ... 16. Coach and Car Drivers, Vanmen, &c., ... 17. Hawkers, Porters, Labourers, &c., ... INMATES OF WORKHOUSES.	11,777 28,823 20,026 8,952 32,070 6,772	17.7 12.7 7.8 8.952 16.3 7.7	4 7 3 . 10 1	2 7 3 . 2 1	1 . . . 1 .	.	4 . . . 3 .	1 2 2 . 2 .	1 1 . 2 .	1 . . 1	1		2	2 1 . 2 1
	INMATES OF WORKHOUSES.	5,302	—	39.	8	2	5	11	7	6	2	1	2	1	1	1	1	1	1	7	2	1	5	1	10	4	15	15	1					

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	Oct. 10	22.4	8.6	13	1	1	.	.	5	.	1	.
	" 17	25.9	8.6	15	3	1	1	1	2	3	1	.	1
	" 24	13.8	.	8
	" 31	24.2	1.7	14	1	.	2	1	.	.	.
Population in 1914	Nov. 7	17.3	.	10	1	.	1	1	.	1	.
(Est.) 30,206.	" 14	17.3	1.7	10	1	1	.	.	1	2
North City, No. 1 (W.) (Office, Summer-hill.)	Oct. 10	12.6	.	10	2	.	.	4	2
	" 17	13.9	1.3	11	1	1	.	.	2	1	.	.	.
	" 24	13.9	1.3	11	1	.	2	2	2	1	.	.	.
	" 31	15.2	2.5	12	.	.	.	1	3	1
Population in 1914	Nov. 7	20.2	1.3	16	1	3	1	2	2	4	1	.	1	.
(Est.) 41,278.	" 14	18.9	.	15	2	1	2	1	1	.	.	1	1
North City, No. 2. (Office, Lisburn-street.)	Oct. 10	28.1	.	15	2	3	.	.	1
	" 17	24.3	1.9	13	3	1	.	1	2	1	.	.	.
	" 24	24.3	5.6	13	3	1	.	.	2	3	.	.	.
	" 31	16.8	.	9	1	.	.	1	1	.	.	1	.
Population in 1914	Nov. 7	22.4	.	12	1	.	.	1	2	.	.	1	.
(Est.) 27,883.	" 14	28.1	3.7	15	.	1	.	1	3	.	1	.	2	.	.	.	1
North City, No. 3. (Office, Benburb-street.)	Oct. 10	20.5	2.9	14	1	.	3	.	1	3	1	.	.	.
	" 17	19.1	2.9	13	1	.	1	.	3	.	.	1	2
	" 24	13.2	1.5	9	2	2	.	1	.	.	.
	" 31	16.1	1.5	11	1	.	.	.	1	1	.	1	1	.	.	.	1
Population in 1914	Nov. 7	24.9	.	17	1	.	.	.	3	1	.	1	3
(Est.) 35,536.	" 14	16.1	1.5	11	1	.	.	.	2	.	1	1
Clontarf and Howth No. 1 (part of).	Oct. 10
	" 17	9.5	.	1	1
	" 24
Population in 1914	" 31
(Est.) 5,485.	Nov. 7	9.5	.	1	1
	" 14	19.0	.	2	1
Coolock and Drumcondra (part of).	Oct. 10	3.8	3.8	1	1	.	.	.
	" 17	11.4	.	3	1	.	.	.	2
	" 24	11.4	.	3
	" 31
Population in 1914	Nov. 7	34.3	.	9	1	.	1	.	4
(Est.) 13,685.	" 14	3.8	.	1	1
Finglas and Glasnevin (part of).	Oct. 10	4.9	.	1
	" 17	4.9	.	1
	" 24
	" 31	9.7	.	2	1
Population in 1914	Nov. 7	4.9	.	1	1
(Est.) 10,723.	" 14	14.6	.	3	1	.	1
South City, No. 1. (Office, St. Earl-street.)	Oct. 10	29.4	2.6	23	2	1	1	1	3	2	.	3	.
	" 17	23.0	2.6	18	1	2	1	.	.	5	1	.	.	.
	" 24	16.6	2.6	13	3	1	1	.	1	2	.	.	.
	" 31	11.5	2.6	9	2	2	.	.	1
Population in 1914	Nov. 7	17.9	2.6	14	3	.	.	1	1	2	.	.	.
(Est.) 40,768.	" 14	19.2	2.6	15	2	1	1	.	4	2	.	.	.
South City, No. 2. (Office, Castle-street.)	Oct. 10	17.1	2.8	6	1	.	1	.	1	.	.	.
	" 17	19.9	.	7
	" 24	22.7	.	8	2	.	1	1	2
	" 31	8.5	.	3	1
Population in 1914	Nov. 7	11.4	2.8	4
(Est.) 18,341.	" 14	31.3	.	11	1	2	.	1	4
South City, No. 3. (Office, Peter-street.)	Oct. 10	22.8	3.6	19	1	1	1	2	2	2	2	.	2	.
	" 17	14.4	3.6	12	1	2	2	2	.	.	1
	" 24	20.4	3.6	17	3	.	.	1	3	3	.	.	1
	" 31	21.6	2.4	18	2	.	1	2	3	2	.	1	.
Population in 1914	Nov. 7	21.6	4.8	18	1	1	.	2	.	1	1	1	2	.	.	1
(Est.) 43,540.	" 14	19.2	1.2	16	3	.	.	1	1	1	.	1	.
South City, No. 4. (Office, Grand Canal-st.)	Oct. 10	17.3	3.1	11	1	2	.	1	.
	" 17	20.4	4.7	13	1	1	.	1	1	1	1	.	.	.
	" 24	14.1	1.6	9	1	2
	" 31	15.7	4.7	10	1	2	3	.	.	1
Population in 1914	Nov. 7	12.6	1.6	8	1	1	1	1	.	.	.
(Est.) 33,171.	" 14	20.4	.	13	3	1	2	2	1
New Kilmainham.	Oct. 10	5.3	.	1
	" 17	10.6	5.3	2	1
	" 24	15.9	.	3	1	.	.	.
	" 31	15.9	.	3	1
Population in 1914	Nov. 7	26.5	5.3	5	1	1	.	.	.
(Est.) 9,851.	" 14	10.6	5.3	2	1	.	1	.	.	.

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths
		FROM ALL CAUSES.	CERTAIN INFECTIOUS DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.			
{ Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Oct. 10	12.0	1.3	9	1	2	1
	" 17	14.6	.	11	1	1	.	.	1	.	.	.
	" 24	13.3	.	10	1	1	1	.	.	1
	" 31	10.7	1.3	8	1
	Nov. 7	20.0	4.0	15	1	.	1	.	3	3	.	.
" 14	12.0	.	9	1	1	
Pembroke Urban District. Population in 1914 (Est.) 30,240	Oct. 10	13.8	.	8	2	1	1	.	.	.
	" 17	15.5	.	9	4	.	1	1
	" 24	15.5	.	9	1	.	1	1
	" 31	12.1	.	7	1	1	1	1	1	1	.	.
	Nov. 7	8.6	1.7	5	2	1	1	.	.	.
" 14	8.6	.	5	1	1	.	.	.	
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Oct. 10
	" 17	.	.	1	1	.	.	.
	" 24	5.7	.	1
	" 31	5.7	.	1
	Nov. 7	5.7	.	1	1	.	1	.	2	.	.	.
" 14	34.0	.	6	1	.	2	.	2	.	.	.	
Kingstown Urban District. Population in 1911 16,941.	Oct. 10	15.4	.	5	1	.	1
	" 17	9.2	.	3	1	.	.	.	1	.	.	.
	" 24	15.4	.	5	1	2
	" 31	15.4	.	5	1	.	1	1
	Nov. 7	12.3	.	4	1	.	1
" 14	21.5	.	7	2	
Belfast. Population in 1914 (Est.) 399,000.	Oct. 10	14.5	2.9	111	2	.	.	3	2	4	.	.	6	.	2	9	11	10	1	3
	" 17	17.3	3.5	132	.	.	.	7	3	3	1	.	11	6	4	10	17	12	1	3
	" 24	16.9	2.9	129	1	.	.	7	.	8	.	.	13	4	10	6	16	6	.	1
	" 31	14.0	2.4	107	1	.	.	6	3	1	1	.	10	4	7	16	13	6	2	2
	Nov. 7	19.2	3.3	147	1	.	.	10	1	3	.	.	13	5	6	15	21	9	1	2
" 14	16.6	2.9	127	.	.	.	7	8	2	.	.	18	2	4	11	11	4	1	2	
Cork. Population in 1911 76,673.	Oct. 10	12.9	2.0	19	2	.	.	1	4	2	.	.	1	.	2
	" 17	19.0	3.4	23	1	3	4	1	2	5	.	2
	" 24	17.0	1.4	25	1	1	.	.	4	1	1	3	3	.	.	1
	" 31	21.8	3.4	32	3	.	.	3	5	1	1	2	2	.	.
	Nov. 7	19.7	2.7	29	.	.	.	1	.	2	.	.	6	1	1	1	2	.	1	1
" 14	15.6	0.7	23	1	.	4	1	2	.	2	.	.	2	
Londonderry. Population in 1914 (Est.) 41,100.	Oct. 10	12.7	2.5	10	1	1	.	.	3	2	.	.
	" 17	10.1	1.3	8	1	1	.	.	1	1	.	.
	" 24	8.9	1.3	7	1	.	1
	" 31	11.4	.	9	1	.	1	2	1	1	.	.
	Nov. 7	14.0	2.5	11	1	.	2	2	1	1	.	1
" 14	20.3	.	16	1	.	3	1	2	.	.	.	
Limerick. Population in 1911 38,518.	Oct. 10	21.7	2.7	16	1	.	1	.	3	2	.	4
	" 17	17.6	4.1	13	1	3	3	.	1
	" 24	20.3	1.4	15	1	.	.	.	1	.	.	.	2	.	.	2
	" 31	21.7	5.4	16	3	.	.	.	1	1	1	1	1	.	.	3
	Nov. 7	17.6	.	13	1	1	.	1	.	.	.	4
" 14	16.2	.	12	1	.	1	2	.	.	3	
Waterford. Population in 1911 27,464.	Oct. 10	22.8	7.6	12	2	.	.	.	1	.	.	.	1	2	.	2
	" 17	17.1	5.7	9	2	2	1	.	1
	" 24	22.8	3.8	12	2	.	.	.	1	1	.	.	2	1	.	.
	" 31	22.8	9.5	1	4	.	.	.	1	.	.	.	1	1	.	.
	Nov. 7	36.1	9.5	19	5	.	.	.	3	1	2	1	3	.	.	1
" 14	26.6	11.4	14	5	.	.	.	3	1	

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS AND DEATHS IN THE CITIES (OR URBAN DISTRICTS) OF BELFAST AND CORK, registered during the week ended 14th November, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	AGES AT DEATH.										DEATHS FROM														No. of Deaths in Public Institutions.	Number of Uncertified Deaths.			
				Total Number of DEATHS.						Enteric Fever.				Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.	DISEASES OF THE RESPIR- ATORY SYSTEM.		Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.			Violence.	Inquest Cases.	
				All Causes.	Certain Epi- demic Diseases.†	Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Pulmonary.	Other Forms.								Pneumonia.	Other.										
City of Belfast.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
BELFAST URBAN No. 1 DISTRICT.		15,879	4	16.4	3.3	5	1	2	2	2	4	6	1	.	.	.	2	.	.	1	2	.	.	1	1	3	1	
Do. 2 do.		49,500	27	17.9	2.1	17	3	6	2	1	4	3	2	.	.	.	2	.	.	1	2	.	.	1	1	6	1	
Do. 3 do.		50,032	12	18.8	4.2	18	6	2	2	2	3	3	1	1	.	.	2	2	2	1	1	1	1	1	1	6	2	
Do. 4 do.		32,637	13	14.4	1.6	9	2	1	1	2	3	2	1	1	.	.	1	1	1	1	1	1	1	1	1	1	1	
Do. 5 do.		16,112	2	29.1	3.2	9	1	1	1	3	3	4	1	1	.	.	1	1	1	1	1	1	1	1	1	2	2	
Do. 6 do.		37,293	10	14.0	1.4	10	1	1	1	3	3	3	1	1	.	.	1	1	1	1	1	1	1	1	1	2	2	
Do. 7 do.		2,681	1	19.4	19.4	1	1	1	1	3	3	3	1	1	.	.	1	1	1	1	1	1	1	1	1	2	2	
Do. 8 do.		5,964	2	17.5	8.7	2	1	1	1	3	3	3	1	1	.	.	1	1	1	1	1	1	1	1	1	2	2	
Do. 9 do.		24,427	13	12.8	12.8	6	1	2	2	4	2	2	1	1	.	.	2	2	2	1	1	1	1	1	1	2	2	
Do. 10 do.		28,958	16	16.2	5.4	9	1	2	2	1	3	3	2	1	.	.	1	1	1	1	1	1	1	1	1	1	1	
Do. 11 do.		39,311	20	11.9	2.7	9	2	2	2	3	2	3	1	1	.	.	2	2	2	1	1	1	1	1	1	3	3	
Do. 12 do.		38,076	21	19.2	2.7	14	3	3	2	2	1	3	1	1	.	.	1	1	1	1	1	1	1	1	1	2	2	
Do. 13 do.		23,233	11	18.0	2.2	8	1	1	1	1	1	3	1	1	.	.	1	1	1	1	1	1	1	1	1	1	1	
Do. 14 do.		175	1	23.0	6.9	10	2	3	1	1	4	1	2	1	.	.	1	1	1	1	1	1	1	1	1	1	1	
Do. 15 do.		22,669	10	23.0	6.9	10	2	3	1	1	4	1	2	1	.	.	1	1	1	1	1	1	1	1	1	1	1	
Total,		386,947	161	16.6	2.9	127	24	18	10	21	26	28	7	8	2	.	18	2	4	11	11	4	1	2	4	30	1	
City of Cork.																																
CORK URBAN No. 1 DISTRICT.		13,455	3	7.8	5.0	2	.	1	.	.	1	2
Do. 2 do.		10,399	3	25.1	5.0	5	.	1	.	.	1	2
Do. 3 do.		9,793	6	16.0	.	3	.	1	.	.	2	2
Do. 4 do.		9,139	7	22.8	.	4	.	1	.	.	1	1
Do. 5 do.		6,250	2	25.0	.	2	.	1	.	.	1	1
Do. 6 do.		11,581	3	4.5	.	1	.	1	.	.	1	1
Do. 7 do.		16,056	6	16.2	.	5	.	1	.	.	2	1
Total,		76,673	30	15.6	0.7	23	2	2	4	2	6	7	4	1	2	.	2	1	10	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.
† See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1914.—WEEK ENDING																									
		May 26.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.
No. of weeks in Annual Series,		21	22	23	24	25	26	27	28	29	30	31	32	32	34	35	36	37	38	39	40	41	42	43	44	45	46
BIRTHS registered, ...		238	262	191	198	233	227	219	237	190	218	212	226	214	218	196	215	215	187	223	223	246	189	184	208	202	161
DEATHS registered, ...		137	115	127	129	131	134	130	130	103	111	115	137	113	135	145	155	138	151	169	133	111	132	129	107	147	127
Annual Death-rate per 1,000 of estimated population, ...		17.9	15.0	16.6	16.9	17.1	17.5	17.0	17.0	13.5	14.5	15.0	17.9	14.8	17.6	18.9	20.3	18.0	19.7	22.1	17.4	14.5	17.3	16.9	14.0	19.2	16.6
AGES, <div><div>Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,</div></div>	...	17	23	19	22	24	27	25	26	25	19	21	20	27	30	49	56	52	42	69	36	38	29	23	19	26	24
	...	16	18	13	21	22	18	18	19	10	11	21	21	23	18	23	18	21	21	21	11	13	22	15	20	22	18
	...	20	16	18	17	21	15	18	21	9	15	11	14	9	17	14	19	14	12	21	10	11	15	10	13	14	10
	...	29	19	22	25	21	23	24	18	20	22	21	22	18	19	16	24	18	24	19	19	12	20	24	13	21	21
	...	28	23	32	26	31	37	28	28	19	26	24	32	16	30	26	25	20	22	23	38	20	25	27	24	25	26
	...	27	11	23	18	12	14	17	18	20	18	17	28	20	21	17	13	13	30	17	19	16	21	30	18	39	28
Deaths from :—																											
Enteric Fever,	2	1	1	1	1	2	1	1	1	2	...	1	1	1	...
Typhus, ...		5	1	1	1
Small-pox,
Measles, ...		1	3	1	4	8	5	9	6	4	1	6	5	8	7	2	2	1	7	4	...	3	7	7	6	10	7
Scarlet fever, ...		5	4	1	2	8	2	2	5	2	2	2	4	2	2	1	1	2	1	2	3	...	3	1	8
Whooping-cough, ...		5	7	4	7	...	4	7	2	4	2	7	2	3	3	6	2	5	3	4	4	4	3	8	1	3	2
Diphtheria,	2	...	1	1	1	1	1
Dysentery,
Tuberculosis. { Pulmonary, ...		21	15	19	17	21	21	13	14	10	16	15	18	12	14	19	20	13	17	15	8	6	11	13	10	13	18
Other Forms, ...		7	4	8	3	6	5	7	7	3	4	7	5	8	7	4	8	1	5	4	5	...	6	4	4	5	2
Cancer, ...		7	3	8	4	5	5	9	11	7	8	1	3	5	10	6	6	6	7	8	9	2	4	10	7	6	4
Diseases of Respi- { Pneumonia, ...		13	10	13	10	6	10	4	7	8	10	5	10	8	10	8	4	4	6	13	7	10	9	10	6	15	11
ratory System, { Others, ...		14	12	11	12	10	10	9	11	5	8	12	13	13	11	9	16	9	13	13	8	11	17	16	13	21	11
Diarrhoea and Enteritis, under 2 years, ...		2	4	1	5	6	5	7	5	6	8	9	3	13	9	23	44	39	30	44	21	10	12	6	6	9	4
Diarrhoea, 2 years and upwards,	1	1	...	1	2	1	2	1	10	1	3	2	4	2	1	1	1	1
Violent Deaths, ...		2	3	...	3	1	2	...	2	2	1	1	1	...	4	1	5	1	3	3	3	1	2	2	2
Number of Uncertified Deaths, ...		1	3	4	1	3	...	3	2	1	2	...	2	...	1	3	2	...	5	2	2	...	1	2	1	2	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, —	4,516,612	Nov. 14,	2,088	1,153	13·3	3	.	35	8	11	12	36	
EDINBURGH, —	321,900	„ 14,	142	92	14·9	1	.	.	1	.	.	4	
GLASGOW, —	1,047,000	„ 14,	484	308	15·3	1	.	2	5	6	3	7	
CALCUTTA, —	896,067	Oct. 3,	.	435	25·2	82*	1	69†a	
BOMBAY, —	979,445	„ 10,	449	429	22·8	48*	.	1	.	.	.	38†a	
MADRAS, —	518,660	„ 3,	352	481	48·2	82*	.	1	?	?	?	135†a	
CAIRO, {	EGYPTIANS, ...	Sept. 2,	635	533	42·3	9	.	.	.	?	15†	141	
	FOREIGNERS,	„ 2,	12	18	13·2	?	1†	2	
PARIS, —	2,847,229	„ 26,	736	882	15·8	9	.	.	.	3	3	59	
BRUSSELS, —	780,843	—	
ANTWERP, —	323,421	—	
AMSTERDAM, —	597,888	—	
COPENHAGEN, —	492,000	Oct. 17,	202	118	12·5	1†	3	
STOCKHOLM, —	382,085	„ 24,	
CHRISTIANIA, —	251,446	„ 31,	106	52	10·8	1	1	1	
PETROGRAD, —	1,728,200	—	
MOSCOW, —	1,694,000	—	
ROME, —	591,943	—	
NEW YORK, —	5,583,871	Sept. 12,	3,060	1,206	11·8	10	.	2	.	5	13†	155	
PHILADELPHIA, —	1,657,810	„ 4,	.	417	13·1	.	.	1	2	6	3†	68	
BOSTON, —	750,768	Oct. 24,	.	179b	12·4	1	.	.	1	1	1	11a	

* Deaths from "fever," including 5 from enteric fever in Calcutta; 4 from plague in Bombay, and 4 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 14 deaths from cholera in Calcutta, one in Bombay, and 42 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 159, rate 11·0 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th November, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	1	2	.	1	.	.	1	1	6
" " 1, West, ...	1	1	2	1	5	10
" " 2,	1	2	2	5
" " 3, ...	6	.	.	1	.	.	1	1	9
Clontarf and Howth No. 1 (part of),	1	1
Coolock and Drumcondra (part of),	2	2
Finglas and Glasnevin (part of),	3	1	4
South City No. 1, ...	1	1	3	5	10
" " 2, ...	1	1
" " 3,	5	3	8
" " 4, ...	1	3	4
New Kilmainham, ...	1	1
Total, ...	12	4	.	10	.	.	9	5	21	61

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 14th November, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 14th November.			
	Oct. 24.	Oct. 31.	Nov. 7.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	92	88	81	11	15	1	76
Typhus,	1	15	1	.	1	15
Small-pox,
Measles, ...	8	9	9	2	4	1	6
Scarlet Fever, ...	98	109	120	18	16	.	122*
Diphtheria, ...	52	51	47	9	7	1	48
Pneumonia, ...	25	20	13	7	4	.	16

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 21ST NOVEMBER, 1914.

[No. 47.]

*General Register Office, Charlemont House,
Dublin, 23rd November, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 18·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Oct. 31	Nov. 7	Nov. 14	Nov. 21	
27 Town Districts, (a)	15·2	18·2	17·7	18·3	17·3
Dublin Reg. Area ...	14·4	18·0	18·1	18·8	17·3
Dublin City ...	15·8	19·3	19·1	20·2	18·5
Belfast ...	14·0	19·2	18·6	19·1	17·2
Cork ...	21·8	19·7	15·6	27·9	21·2
Londonderry ...	11·4	14·0	20·3	15·2	15·2
Limerick ...	21·7	17·6	16·2	6·8	15·6
Waterford ...	22·8	36·1	26·6	32·3	29·4

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 2·0 per 1,000. Among the 146 deaths from all causes for Belfast are one from enteric fever, 9 from measles, 6 from scarlet fever, 2 from whooping-cough, one from diphtheria, and 2 from diarrhoea and enteritis of children under 2 years of age. Included in the 41 deaths from all causes for Cork are one from measles, 2 from diphtheria, and one (of a child under 2 years) from diarrhoea and enteritis. Of the 17 deaths from all causes for Waterford, 4 are from scarlet fever and 3 from diarrhoeal diseases. Scarlet fever caused one of the 3 deaths from all causes for Lurgan, and one of the 3 deaths for Kilkenny is from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 209—94 boys and 115 girls—and the deaths to 155—88 males and 67 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·8 per 1,000 of the population. During the forty-seven weeks, ending with Saturday last, the death-rate averaged 20·5, and was 1·0 below the mean rate for the corresponding portions of the ten years, 1904—1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.
(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 155, represent an annual rate of 19·9 per 1,000; the annual rate for the past forty-seven weeks was 21·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·6 per 1,000 of the mean population for all deaths registered.

Among the deaths registered are 2 from enteric fever, one death each from scarlet fever and influenza, and 8 deaths from diarrhoeal diseases. In the three preceding weeks, deaths from enteric fever were 2, 3, and 2; deaths from scarlet fever were 2, 0, and one; deaths from influenza were 2, one, and 0; and deaths from diarrhoeal diseases were 7, 10, and 6, respectively.

Twenty-five* deaths were caused by tuberculous disease (all forms), comprising 20 deaths from pulmonary tuberculosis, 3 from tuberculous meningitis, and one death each from abdominal tuberculosis and disseminated tuberculosis. In the three preceding weeks, deaths from tuberculous disease numbered 15, 19, and 29, respectively.

There were 9* deaths from cancer.

Of 9 deaths from pneumonia 6 were from broncho-pneumonia, one from lobar pneumonia, and 2 from pneumonia (type not distinguished).

Two deaths of infants under one year of age were ascribed to convulsions, one to congenital malformation, and 5 to congenital debility.

Organic diseases of the heart caused 19 deaths and bronchitis 18 deaths.

There were 5 accidental deaths, including 2 caused by burns, and one by a vehicle.

One death (that of a soldier) was caused by bullet wound received in battle.

To homicide one death was attributed.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one person aged 72 years.

Twenty-six of the persons whose deaths were registered during the week were under 5 years of age (18 being infants under one year, of whom 2 were under one month old), and 35 were aged 65 years and upwards, including 24 persons aged 70 and upwards; among the latter were 16 aged 75 and upwards, of whom 3 (females) were stated to have been aged 90, 90, and 98 years, respectively.

Sixty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 7 took place in the North Dublin Union Workhouse, 16 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·8 per 1,000; the rate in the City was 20·2 (North City Districts, 18·4; South, 22·2) and in the Suburbs 14·2.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·7 (in the North City Districts 1·3, and in the South 2·1), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·4 per 1,000, and include one death from pulmonary tuberculosis, 2 deaths from broncho-pneumonia, one death of a child under 2 years of age from diarrhoea and enteritis, one accidental death, and one case of homicide.

No. 1 North City District, West (Summer-hill).—The deaths (18) are equal to an annual rate of 22·7 per 1,000. Among them are one death from scarlet fever, 3 from pulmonary tuberculosis, 2 from pneumonia, one from bronchitis, and 2 deaths from diarrhoea and enteritis of children under 2 years of age.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 20·6 per 1,000. One death from pulmonary tuberculosis, and 2 deaths from bronchitis were recorded.

No. 3 North City District (Benburb-street).—The deaths (8) represent an annual rate of 11·7 per 1,000. There were 2 deaths from tuberculous disease, one from pneumonia, 2 from bronchitis, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·5 per 1,000 inhabitants; Coolock and Drumcondra, part of, 19·1; and Finglas and Glasnevin, part of, 9·7. Among the 5 deaths from all causes for Coolock and Drumcondra, part of, was one from pulmonary tuberculosis; and of the 2 deaths recorded for Finglas and Glasnevin, part of, one was caused by burns accidentally received.

No. 1 South City District (South Earl-street).—The deaths (15) represent an annual rate of 19·2 per 1,000. One death each from enteric fever and influenza, 2 from tuberculous disease, 2 from bronchitis, and one accidental death were recorded.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000. Tuberculous disease caused 3 deaths.

No. 3 South City District (Peter-street).—The deaths (14) are equal to an annual rate of 16·8 per 1,000, and include one from enteric fever, 3 from pulmonary tuberculosis, 2 from bronchitis, and one from diarrhoea.

No. 4 South City District (Grand Canal Street).—The deaths (21) are equivalent to an annual rate of 33·0 per 1,000. Among them are 3 from tuberculous disease, 3 from pneumonia, 4 from bronchitis, and 3 deaths of children under 2 years of age from diarrhoea and enteritis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·6 per 1,000. One of the deaths was from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·3; Pembroke, 15·5; Blackrock, 5·7; and Kingstown, 18·5. The only death from any of the principal epidemic diseases tabulated for these districts was one from diarrhoea and enteritis of a child under 2 years of age for Rathmines and Rathgar, the 10 deaths from all causes for that district including one from pulmonary tuberculosis. Of the 9 deaths from all causes for Pembroke, 3 were attributed to pulmonary tuberculosis and 3 to bronchitis; and the 6 deaths from all causes for Kingstown include one from broncho-pneumonia and one from bronchitis.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 14·6), was equal to an average annual death-rate of 14·3 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·6 per 1,000, the rate for Glasgow being 16·6, and for Edinburgh 15·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 21st November. From this Report it appears that of a total of 85 cases notified, 40 were scarlet fever, 27 diphtheria, 10 phthisis, 5 erysipelas, 2 enteric fever, and one puerperal fever. Among the 832 cases of infectious diseases in hospital at the close of the week were 381 cases of scarlet fever, 188 of phthisis, 179 of diphtheria, 10 of erysipelas, 10 of enteric fever, and one of measles.

* See note (c) at foot of Table II.

† See note (f) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 21st November, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin un- certain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tubercu- losis.	Total.
City of Dublin.	Oct. 31,	.	—	—	23	1	.	6	.	.	14	3	.	—	—	.	—	.	26	73
	Nov. 7,	.	—	—	21	10	.	11	.	.	12	5	.	—	—	.	—	.	11	70
	Nov. 14,	.	—	—	12	4	.	10	.	.	9	5	.	—	—	.	—	21	61	
	Nov. 21,	.	—	—	14	1	.	7	.	1	7	7	.	—	—	.	—	18	55	
Rathmines and Rathgar Urban District.	Oct. 31,	.	—	—	1	.	.	3	—	—	—	—	—	—	4
	Nov. 7,	.	—	—	.	.	.	2	—	—	—	—	—	—	2
	Nov. 14,	.	—	—	.	.	.	2	—	—	—	—	—	—	2
	Nov. 21,	.	—	—	1	.	.	1	—	—	—	—	—	—	2
Pembroke Urban District.	Oct. 31,	—	.	—	—	—	.	1
	Nov. 7,	.	.	.	1	—	.	—	—	—	.	1
	Nov. 14,	—	.	—	—	—	.	1
	Nov. 21,	2	.	.	1	.	.	—	.	—	—	—	1	4
Blackrock Urban District.	Oct. 31,	.	.	—	—	—	.	—	—	—	.
	Nov. 7,	.	.	—	—	—	.	—	—	—	.
	Nov. 14,	.	.	—	—	—	.	—	—	—	.
	Nov. 21,	.	.	—	1	1	.	—	—	.	—	—	—	2
Kingstown Urban District.	Oct. 31,	.	—	—	—	—	—	—	—	2	3
	Nov. 7,	.	—	—	.	.	.	1	—	—	—	—	—	.	1
	Nov. 14,	.	—	—	1	.	—	—	—	—	—	.	.
	Nov. 21,	.	—	—	—	—	—	—	—	.	.
City of Belfast.	Oct. 31,	.	—	—	68	.	.	6	.	.	2	4	.	—	—	.	—	.	5	85
	Nov. 7,	.	—	—	66	.	.	5	.	.	4	3	.	—	—	.	—	.	5	83
	Nov. 14,	.	—	—	60	.	.	8	.	.	2	5	1	—	—	.	—	.	7	83
	Nov. 21,	.	—	—	52	.	.	3	.	.	1	3	.	—	—	.	—	.	5	64
City of Cork.	Oct. 31,	.	3	—	14	.	.	2	.	.	1	.	.	—	—	—	—	—	—	20
	Nov. 7,	.	4	—	16	.	.	1	1	.	.	2	.	—	—	—	—	—	—	24
	Nov. 14,	.	5	—	22	.	.	3	1	.	.	1	.	—	—	—	—	—	—	32
	Nov. 21,	.	14	—	25	.	.	5	.	.	3	.	.	—	—	—	—	—	—	47
City of Londonderry.	Oct. 31,	.	—	—	1	.	.	2	.	.	1	.	.	—	—	—	—	—	—	3
	Nov. 7,	.	—	—	—	—	—	—	—	—	1
	Nov. 14,	.	—	—	—	—	—	—	—	—	.
	Nov. 21,	.	—	—	1	—	—	—	—	—	—	1
City of Limerick.	Oct. 31,	.	—	—	4	—	—	.	—	—	—	4
	Nov. 7,	.	—	—	1	—	—	.	—	—	—	1
	Nov. 14,	.	—	—	1	—	—	.	—	—	—	1
	Nov. 21,	.	—	—	2	—	—	.	—	—	—	2
City of Waterford.	Oct. 31,	.	—	—	23	3	.	.	—	—	—	—	—	.	26
	Nov. 7,	.	—	—	25	1	.	.	—	—	—	—	—	1	27
	Nov. 14,	.	—	—	21	.	.	1	—	—	—	—	—	1	23
	Nov. 21,	.	—	—	24	.	.	1	.	.	.	1	.	—	—	—	—	—	.	26

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 21st November, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Ten cases of enteric fever were admitted to hospital during the week, 11 were discharged, there was one death, and 74 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 88, 81, and 76.

One case of typhus was admitted to hospital during the week, 2 were discharged, and 14 cases remained under treatment at its close. At the close of the 3 preceding weeks the cases numbered one, 15 and 15 respectively.

Five cases of measles were admitted to hospital during the week, there was one death, and 10 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 9, 9, and 6, respectively.

Sixteen cases of scarlet fever were admitted to hospital, 10 were discharged, there was one death, and 127* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 109, 120, and 122, respectively.

Seven cases of diphtheria were admitted to hospital during the week, and 12 were discharged, The cases in hospital, which at the close of the 3 preceding weeks numbered 51, 47, and 48 respectively, were 43 at the close of last week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 7 were discharged, there was one death, and 11 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 21st of November, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
		CITY OF DUBLIN.																	
		REGISTRATION DISTRICTS IN																	
		Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
		NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	.	1	2	.	
Typhus,	
Small-pox,	
Measles,	
Scarlet Fever,	1	1	.	
Whooping-cough,	
Diphtheria,	
Croup,	1	1	.	
Influenza,	
Dysentery,	
Tuberculosis, { Pulmonary,	1	3	1	1	.	1	.	1	2	3	1	.	1	3	.	.	18	2	
{ Other Forms,	1	.	.	.	1	1	.	2	5	.	
Cancer,	1	.	1	.	1	.	3	7	2	
Diseases of Nervous System,	2	.	1	1	1	2	1	.	2	.	.	1	11	.	
" Organs of Special Sense,	
" Circulatory System,	2	2	2	.	.	2	1	2	2	1	.	.	2	2	.	3	21	.	
" Respiratory System. { Pneumonia,	2	2	.	1	3	1	9	.	
{ Others,	1	4	2	.	.	.	2	1	3	4	1	1	3	.	1	23	.	
{ Diarrhoea and Enteritis, under 2 years,	1	2	3	.	1	.	.	.	7	.	
" Digestive System. { Diarrhoea, 2 years and upwards,	1	1	.	
{ Enteritis, 2 years and upwards,	4	2	
{ Others,	1	2	.	1	.	1	.	1	2	1	2	1	1	1	.	.	12	1	
" Genito-urinary System,	
Puerperal Septicæmia, etc.,	
Other Causes incident to Pregnancy and Childbirth,	1	.	
Diseases of the Skin and Cellular Tissue,	
" Locomotor System,	
Other specified Causes,	2	3	2	1	.	.	.	1	.	2	2	.	1	.	1	.	15	.	
Violent Deaths,	2	.	.	1	.	.	1	1	5	2	
Ill-defined, &c. Causes,	1	2	3	.	
Deaths from All Causes	13	18	11	8	1	5	2	15	10	14	21	2	10	9	1	6	146	9	
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22.4	22.7	20.6	11.7	9.5	19.1	9.7	19.2	28.4	16.8	33.0	10.6	13.3	15.5	5.7	18.5	18.3	.	
	18.4							22.2							14.2				
	20.2																		
Ages at Death. { Under 1 year,	5	3	2	2	.	.	6	13	.	
{ 1 and under 2 years,	1	.	1	1	1	1	.	1	.	.	.	3	.	
{ 2 " 5 "	5	.	
{ 5 " 15 "	2	1	2	2	.	.	.	2	1	.	.	10	1	
{ 15 " 25 "	1	1	1	.	1	1	6	.	
{ 25 " 45 "	4	2	2	2	.	1	.	4	.	5	3	1	1	3	.	.	28	7	
{ 45 " 65 "	1	7	3	2	1	2	1	5	3	3	6	1	4	2	.	.	41	1	
{ 65 and upwards,	3	4	3	.	2	.	2	3	4	3	.	2	2	1	6	35	.	
Number of Uncertified Deaths,	1	1	1	3	.	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,	4	4	4	3	.	2	1	3	4	3	3	.	2	2	.	1	36	9	
Workhouse Hospitals,	1	4	1	.	.	1	.	2	2	3	7	1	1	.	.	1	21	.	

FORTY-SEVENTH WEEK, ending Saturday, 21st November, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 47th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 21st November, 1914.											
	Nov. 26, 1904.	Nov. 25, 1905.	Nov. 24, 1906.	Nov. 23, 1907.	Nov. 21, 1908.	Nov. 27, 1909.	Nov. 26, 1910.	Nov. 25, 1911.	Nov. 23, 1912.	Nov. 22, 1913.		All Ages.	Deaths of Persons of the Ages of										
													0-5.										
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
Diseases of the Pharynx, Ton- sillitis.
Diseases of Stomach, ...	—	—	—	—	—	—	—	5	1	1	—	1
Diarrhoea and Enteritis of Children under 2 years.	5	7	7	10	9	6	7	7	8	9	7.7	7
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards													1	1
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	.	.	.	—	—
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	—	.	4	1	—	2	1	1	.	.	.
Cirrhosis of Liver. ...	1	2	1	.	2	2	2	2	3	2	1.7	1	1
Other Diseases of Liver, ...	1	1	.	.	3	1	1	.	2	.	.9
Peritonitis (cause unknown),	1	1	1	.	1	.4
Other Diseases of Digestive System.	3	7	5	6	5	6	4	.	1	1	3.8	2	2	.	.	.
Acute Nephritis, ...	7	6	5	7	8	6	2	3	1	1	6.4	3	1	.	.	.	1
Chronic Bright's Disease, ...								3	9	4			8	.	.	.	1	.	2	4	1	.	
Urinary Calculi,			1	
Uterine Tumour (non-can- cerous).								
Ovarian Tumour (non-can- cerous)								
Other Diseases of Genito- urinary System.								1	.	.			1	.	.	3	.	.	1	.	2	.	
Puerperal Septicæmia, &c.,	1	1	.	.2
Other Causes incident to Pregnancy and Childbirth.	2	1	.3
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	.	1	.	—	1	1	.	.
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	1	1	3	—	1	1
Premature Birth, ...	3	2	2	4	3	1	4	5	5	3	3.2
Congenital Debility, ...	—	—	—	—	—	—	—	4	4	3	—	5	5
Old Age, ...	8	3	3	3	1	5	5	4	2	11	4.5	4	1	3	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	.	3	1	—
ACCIDENT :																							
Poisons or Poisonous Vapours.	.	.	.	11
Conflagration,
Burns and Scalds, ...	3	2	.	2	1	1	2	2	.	1	1.4	2	1	1
Drowning, ...	2	1	.	1	.4
Suffocation in Bed,	1	1	.	.2
Other Deaths by Accident, ...	3	1	3	3	1	1	.	2	.	3	1.7	4	1	1	3	.	.	1	.
Total Deaths from Accident,	8	3	3	7	2	2	2	5	1	5	3.8	6	1	1	3	.	.	.	1
Included in above are Deaths in connection with—																							
Railways,	1	1
Vehicles and Horses, ...	1	1	11
Ships, Boats, Docks, ...	11
Building Operations,	1
VIOLENCE OTHER THAN ACCIDENTAL:																							
Homicide,	11	1	1
Suicide,	1	12
Execution,
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	2	5	2	—	3	2	.	1	.

TABLE VII.—Showing for each of the last Six Weeks the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM														Violence.	Number of Uncer- tified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.			Diarrhoea, 2 years and upwards.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	Oct. 17 " 24 " 31 Nov. 7	25.9 13.8 24.2 17.3	8.6 . 1.7 . 1.7	15 8 14 10	1 . . .	3 2 . .	1 . 1 .	1 . . .	2 . 2 .	3 . 1 .	1	
Population in 1914 (Est.) 30,206.	" 14 " 21	17.3 22.4	1.7 1.7	10 13	1	1 1	1 2	1 .	. 1	. .	2 2	
North City, No. 1 (W.) (Office, Summer-hill.)	Oct. 17 " 24 " 31 Nov. 7	13.9 13.9 15.2 20.2	1.3 1.3 2.5 1.3	11 11 12 16	. . . 1 1	1 1 3 .	1 . 1 .	. 2 2 .	2 2 2 .	1 1 4 .	. 1	
Population in 1914 (Est.) 41,278.	" 14 " 21	18.9 22.7	. 3.8	15 18 1	2 3	1 .	2 1	1 2	1 1	2 .	. .	1 1	
North City, No. 2. (Office, Lisburn-street.)	Oct. 17 " 24 " 31 Nov. 7	24.3 24.3 16.8 22.4	1.9 5.6 . . 3.7	13 13 9 12	3 3 1 .	1 1	1 1 1 .	2 2 1 .	1 3 1 .	
Population in 1914 (Est.) 27,883.	" 14 " 21	28.1 20.6	. .	15 11	. .	1 .	. .	1	1 1	. .	1 .	1 .	2 4	1 1	
North City, No. 3. (Office, Benburb-street.)	Oct. 17 " 24 " 31 Nov. 7	19.1 13.2 16.1 24.9	2.9 1.5 1.5 . 1.5	13 9 11 17 1	3 . 1 .	. 2 1	1 2 1 .	2 1 1 .	. 1	
Population in 1914 (Est.) 35,536.	" 14 " 21	16.1 11.7	. .	11 8	1	2 1	1 1	1 1	1 2	1 .	
Clontarf and Howth No. 1 (part of).	Oct. 17 " 24 " 31 Nov. 7	9.5 . . 9.5 19.0	1 . . 1 2	1 . . 1 1	
Population in 1914 (Est.) 5,485.	" 14 " 21	19.0 9.5	. .	2 1	
Coolock and Drumcondra (part of).	Oct. 17 " 24 " 31 Nov. 7	11.4 11.4 . 34.3 3.8	3 3 . 9	1 . . 1 1	2 . . 4	
Population in 1914 (Est.) 13,685.	" 14 " 21	3.8 19.1	. .	1 5	1 1	. .	1 1	
Finglas and Glasnevin (part of).	Oct. 17 " 24 " 31 Nov. 7	4.9 . 9.7 4.9 14.6	1 . 2 1 3 1 .	. 1	
Population in 1914 (Est.) 10,723.	" 14 " 21	14.6 9.7	. .	3 2	1 .	. .	1	1 .	
South City, No. 1. (Office, Sth. Earl-street.)	Oct. 17 " 24 " 31 Nov. 7	23.0 16.6 11.5 17.9	2.6 2.6 2.6 2.6	18 13 9 14	1 . 2	2 3 3 .	1 1 . .	. 1 1 .	5 1 . 1	1 2 . 2	
Population in 1914 (Est.) 40,768.	" 14 " 21	19.2 19.2	2.6 1.3	15 15	. 1	2 1	1 1	1 3	. .	4 2	1 1	
South City, No. 2. (Office, Castle-street.)	Oct. 17 " 24 " 31 Nov. 7	19.9 22.7 8.5 11.4	. . . 2.8	7 8 3 4	2 2	1 . . .	1 . . .	2 3 1	
Population in 1914 (Est.) 18,341.	" 14 " 21	31.3 28.4	. .	11 10	1	1 2	2 1	. .	1 1	4	
South City, No. 3. (Office, Peter-street.)	Oct. 17 " 24 " 31 Nov. 7	14.4 20.4 21.6 21.6	3.6 3.6 2.4 4.8	12 17 18 18	1 . . 1 3 2 2 .	. . 1 .	. 2 1 .	2 1 1 .	2 3 3 2	2 3 2 1 .	
Population in 1914 (Est.) 43,540.	" 14 " 21	19.2 16.8	1.2 2.4	16 14	. 1	3 3	1 1	1 .	1 .	. .	1 .	
South City, No. 4. (Office, Grand Canal-st.)	Oct. 17 " 24 " 31 Nov. 7	20.4 14.1 15.7 12.6	4.7 1.6 4.7 1.6	13 9 10 8	1	1	1 . . .	1 . 1 .	1 . 2 .	1 2 .	. 2 1 .	1 3 1	
Population in 1914 (Est.) 33,171.	" 14 " 21	20.4 33.0	. 4.7	13 21	3 1	1 2	2 3	2 4	1 3	1	
New Kilmainham.	Oct. 17 " 24 " 31 Nov. 7	10.6 15.9 15.9 26.5	5.3 . . 5.3	2 3 3 5 1 .	. . 1 .	. 1	1 1 1 .	1	
Population in 1914 (Est.) 3,851.	" 14 " 21	10.6 10.6	5.3 .	2 2 1	. .	1 1	1	

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncer- tified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District.	Oct. 17 " 24 " 31 Nov. 7	14.6 13.3 10.7 20.0	. . . 1.3 4.0	11 10 8 15 1	1 1 1 1	1 1 1 1	. 1 1 1	1 1 1 3 3	1
Population in 1914 (Est.) 39,155.	" 14 " 21	12.0 13.3	. 1.3	9 10	1 1	. . .	1 . .	1 . .	1 . .	1 . .	1
Pembroke Urban District.	Oct. 17 " 24 " 31 Nov. 7	15.5 15.5 12.1 8.6 1.7	9 9 7 5	4 1 1 1 . .	1 1 1 2	1 1 1 1 1 1 1
Population in 1914 (Est.) 20,240	" 14 " 21	8.6 15.5	. . .	5 9 3	2	3 3
Blackrock Urban District.	Oct. 17 " 24 " 31 Nov. 7	. 5.7 5.7 5.7	1 1 1 1 1 1
Population in 1914 (Est.) 9,197.	" 14 " 21	34.0 5.7	. . .	6 1	1	2	2
Kingstown Urban District.	Oct. 17 " 24 " 31 Nov. 7	9.2 15.4 15.4 12.3	3 5 5 4	1 1 1 1 1	1
Population in 1911 16,941.	" 14 " 21	21.5 18.5	. . .	7 6	2	1 1	1 1
Belfast.	Oct. 17 " 24 " 31 Nov. 7	17.3 16.9 14.0 19.2	3.5 2.9 2.4 3.3	132 129 107 147	. 1 1 1 10	7 7 6 1	3 3 1 3	3 8 1 3	1 . . 1	11 13 10 13	. 4 4 5	. 10 7 6	. 16 13 15	. 17 16 21	. 12 6 6	. 1 3 2 2	. 1 2 2	. 2 1 1
Population in 1914 (Est.) 399,000.	" 14 " 21	16.6 19.1	2.9 2.7	127 146	. 1	7 9	8 6	2 2	1	18 19	2 8	4 5	11 18	11 16	4 2	1 1	2 2	1 2	1 2
Cork.	Oct. 17 " 24 " 31 Nov. 7	19.0 17.0 21.8 19.7	3.4 1.4 3.4 2.7	23 25 32 29 1 3 2	1 4 3 6	3 1 5 1	. 1 1 1	1 1 1 1	2 3 2 2	5 2 2 1 1 1
Population in 1911 76,673.	" 14 " 21	15.6 27.9	0.7 2.7	23 41 1	1 2	. . .	4 7	1 2	2 1	. 2	2 3	1 1
Londonderry.	Oct. 17 " 24 " 31 Nov. 7	10.1 8.9 11.4 14.0	1.3 1.3 . . 2.5	8 7 9 11	1 1 1 1	1 1 1 2	. 2 2 1	1 1 1 2	. 1 1 . .	. 1 1 1 1
Population in 1914 (Est.) 41,100.	" 14 " 21	2.3 15.2	. . .	16 12	1 1	2 . .	3 1
Limerick.	Oct. 17 " 24 " 31 Nov. 7	17.6 20.3 21.7 17.6	4.1 1.4 5.4 . .	13 15 16 13 3	1 1 1 1	. . . 1 1 1	1 1 1 1	3 2 1 2	. 1 1 . .	3 1
Population in 1911 38,518.	" 14 " 21	16.2 6.8	. . .	12 5	1 1
Waterford.	Oct. 17 " 24 " 31 Nov. 7	17.1 22.8 22.8 36.1	5.7 3.8 9.5 9.5	9 12 12 19 5	2 2 4 5 1 1 3	. 1 1 1	. . . 2 . .	2 2 1 . .	. 2 1 . .	1 1 1 1
Population in 1911 27,464.	" 14 " 21	26.6 32.3	11.4 13.3	14 17 4	3 3	1 2	. 2	1 2	. 1

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 21st November, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.			Census Population in 1911.	No. of BIRTHS.	AGES AT DEATH.											DEATHS FROM														No. of Deaths in Public Institutions.	Number of Uncertified Deaths.				
					Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from	AGES AT DEATH.						DEATHS FROM																							
						All Causes.	Certain Epi- demic Diseases,†	(3)	(4)	(5)	Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.	DISEASES OF THE RESPI- RATORY SYSTEM.				Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.
																									Pulmonary.	Other forms.		Pneumonia.	Other.						
City of Belfast.																																			
BELFAST URBAN No. 1 DISTRICT.	15,879	13	9.9	3.3	3	2	4	5	1	4	5	1	1	1	3	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1				
Do. 2 do.	49,500	32	23.2	5.3	22	6	2	5	2	4	9	1	1	1	3	1	1	1	1	4	1	2	4	3	1	1	1	1	1	1	1				
Do. 3 do.	50,032	24	27.1	4.2	26	1	1	5	5	5	8	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 4 do.	32,637	25	24.0	1.6	15	1	1	2	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 5 do.	16,112	5	25.9	3.2	8	1	1	2	1	1	4	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1				
Do. 6 do.	37,293	7	16.8	1	12	3	1	1	1	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 7 do.	2,681	2	26.2	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 8 do.	5,964	1	26.6	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 9 do.	24,427	11	25.6	1	12	2	4	2	4	1	1	1	1	1	3	1	1	1	1	1	4	1	1	2	1	1	1	1	1	1	1				
Do. 10 do.	28,958	14	19.8	9.0	11	4	2	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 11 do.	39,311	24	11.9	1.3	9	2	2	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 12 do.	38,076	20	8.2	2.7	6	1	1	1	1	2	3	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 13 do.	23,233	10	18.0	1	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 14 do.	175	1	25.3	2.3	11	1	2	1	1	4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 15 do.	22,669	9	25.3	2.3	11	1	2	1	1	4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Total.	386,947	197	19.1	2.7	146	22	15	20	24	34	31	1	1	1	9	6	2	1	1	19	8	5	18	16	2	1	2	36	2	2					
City of Cork.																																			
CORK URBAN No. 1 DISTRICT.	13,455	5	11.6	1	3	1	4	1	1	2	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1				
Do. 2 do.	10,399	4	45.1	1	9	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1				
Do. 3 do.	9,793	5	42.6	1	8	2	3	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 4 do.	9,139	6	22.8	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 5 do.	6,250	3	33.4	1	4	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 6 do.	11,531	3	18.0	6.5	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 7 do.	16,056	10	29.2	1	9	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Total.	76,673	39	27.9	2.7	41	9	7	5	8	7	7	1	1	1	1	1	2	1	7	2	1	2	1	3	1	1	2	9	2	2					

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted

		1914—WEEK ENDING																											
		May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.		
BELFAST.																													
No. of weeks in Annual Series,		22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47		
BIRTHS registered, ...		262	191	198	233	227	219	237	190	218	212	226	214	218	196	215	215	187	223	228	246	189	184	208	202	161	197		
DEATHS registered, ...		115	127	129	131	134	130	130	103	111	115	137	113	135	145	155	138	151	169	133	111	132	129	107	147	127	146		
Annual Death-rate per 1,000 of estimated population, ...		15.0	16.6	16.9	17.1	17.5	17.0	17.0	13.5	14.5	15.0	17.9	14.8	17.6	18.9	20.3	18.0	19.7	22.1	17.4	14.5	17.3	16.9	14.0	19.2	16.6	19.1		
AGES, {																													
Under 1 year,		23	19	22	24	27	25	26	25	19	21	20	27	30	49	56	52	42	69	36	38	29	23	19	26	24	22		
1-5 years,		18	13	21	22	18	18	19	10	11	21	21	23	18	23	18	21	21	21	11	13	22	15	20	22	18	15		
5-25 "		16	18	17	21	15	18	21	9	15	11	14	9	17	14	19	14	12	21	10	11	15	10	13	14	10	20		
25-45 "		19	22	25	21	23	24	18	20	22	21	22	18	19	16	24	18	24	18	19	13	20	24	13	21	21	24		
45-65 "		28	32	26	31	37	28	28	19	26	24	32	16	30	26	25	20	22	23	35	20	25	27	24	25	26	34		
{ 55 and upwards,		11	23	18	12	14	17	18	20	18	17	28	20	21	17	13	13	30	17	19	16	21	30	18	39	28	31		
Deaths from :—																													
Enteric Fever,		2	1	1	1	1	2	1	1	1	2	...	1	1	1		
Typhus,	1	1	1	1		
Small-pox,			
Measles, ...		3	1	4	8	5	9	6	4	1	6	5	8	7	2	2	1	7	4	...	3	7	7	6	10	7	9		
Scarlet Fever,			
Whooping-cough, ...		4	1	2	8	2	2	5	2	2	2	4	2	2	1	1	2	1	2	3	...	3	1	8	6		
Diphtheria, ...		7	4	7	...	4	7	2	4	2	7	2	3	3	6	2	5	3	4	4	4	3	8	1	3	2	2		
Dysentery,	2	...	1	1	1	1	1	1		
Tuberculosis, { Pulmonary,			
Other Forms,		15	19	17	21	21	13	14	10	16	15	18	12	14	19	20	13	17	15	8	6	11	13	10	13	18	19		
Cancer, ...		4	8	3	6	5	7	7	3	4	7	5	8	7	4	8	1	5	4	5	...	6	4	4	5	2	8		
Diseases of Respi- { Pneumonia,		3	8	4	5	5	9	11	7	8	1	3	5	10	6	6	6	7	8	9	2	4	10	7	6	4	5		
ratory System, { Others, ...		10	13	10	6	10	4	7	8	10	5	10	8	10	8	4	6	13	7	10	9	10	8	16	15	11	18		
Diarrhoea and Enteritis, under 2 years,		12	11	12	10	10	9	11	5	8	12	13	13	11	9	16	9	13	13	8	11	17	16	13	21	11	16		
Diarrhoea, 2 years and upwards,		4	1	5	6	5	7	5	6	8	9	3	13	9	23	44	39	30	44	21	10	12	6	6	9	4	2		
Violent Deaths,	1	1	...	1	2	1	2	1	10	1	3	2	4	2	1	1	1	1	...		
Number of Uncertified Deaths, ...		3	4	1	3	...	3	2	...	2	...	2	1	1	...	4	1	5	1	3	3	3	1	2	2	2	2		

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 — Week ending	BIRTHS.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ---	4,516,612	Nov. 21,	2,011	1,264	14·6	3	.	39	10	12	20	34	
EDINBURGH, ---	321,900	„ 21,	126	98	15·9	1	4	3	
GLASGOW, --	1,047,000	„ 21,	556	334	16·6	2	.	1	8	9	9	6	
CALCUTTA, --	896,067	Oct. 10,	.	389	22·5	32*	6	1	?	.	1†	48‡a	
BOMBAY, ---	979,445	„ 17,	458	433	22·9	41*	47‡a	
MADRAS, ---	518,660	„ 10,	299	476	47·7	75*	.	.	?	?	?	116‡a	
CAIRO, {	Egyptians, ...	Sept. 9,	614	530	42·1	2	2	4	.	?	20†	135	
	Foreigners, ...	„ 9,	10	14	10·3	?	.	.	
ALEXAN- DRIA, {	Egyptians, ...	„ 9,	217	195	30·0	?	.	68	
	Foreigners, ...	„ 9,	23	14	9·6	1	.	.	.	?	.	1	
PARIS, ---	2,847,229	Oct. 3,	779	700	12·6	9	.	5	.	2	.	45	
BRUSSELS, ---	780,843	—	
ANTWERP, ---	323,421	—	
AMSTERDAM, ---	597,883	—	
COPENHAGEN, ---	492,000	Oct. 24,	193	114	12·1	2	.	.	2	.	.	4	
STOCKHOLM, ---	382,085	„ 24,	134	87	11·8	1	.	.	.	1	1	3	
CHRISTIANIA, ---	251,446	Nov. 7,	111	48	9·9	
PETROGRAD, ---	1,728,200	—	
MOSCOW, ---	1,694,000	—	
ROME, ---	591,943	—	
NEW YORK, ...	5,583,871	Sept. 19,	2,771	1,330	12·4	13	.	1	1	9	19†	152	
PHILADELPHIA, ---	1,657,810	„ 11,	
BOSTON, ---	750,768	Oct. 31,	.	213b	14·8	2	.	.	.	1	4	23a	

* Deaths from "fever," including 7 from enteric fever, and one from plague in Calcutta; 2 from enteric fever in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 6 deaths from cholera in Calcutta, one in Bombay, and 13 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e. non-residents deducted, 187, (including 17 deaths from diarrhoeal diseases) rate 12·9 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st November, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	2	1	.	1	.	1	.	2	.	.	.	1	8
„ „ 1, West,	2	2	1	.	.	.	5	10
„ „ 2,	1	3	4
„ „ 3,	5	.	.	2	4	11
Clontarf and Howth No. 1 (part of),	1	1
Coolock and Drumcondra (part of),	.	1	.	.	1	.	.	.	1	3
Finglas and Glasnevin (part of),	1	.	.	.	1	2
South City No. 1,	1	2	3
„ „ 2,	1	2	3
„ „ 3,	1	1	2
„ „ 4,	1	.	.	3	1	5
New Kilmainham,	2	1	3
Total,	14	1	.	7	.	1	7	7	.	.	.	18	55

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 21st November, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 21st November.			
	Oct. 31.	Nov. 7.	Nov. 14.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	88	81	76	10	11	1	74
Typhus, ...	1	15	15	1	2	.	14
Small-pox,
Measles, ...	9	9	6	5	.	1	10
Scarlet Fever, ...	109	120	122	16	10	1	127*
Diphtheria, ...	51	47	48	7	12	.	43
Pneumonia, ...	20	13	16	3	7	1	11

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 28TH NOVEMBER, 1914.

[No. 48.]

*General Register Office, Charlemont House,
Dublin, 30th November, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 19·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Nov. 7	Nov. 14	Nov. 21	Nov. 28	
27 Town Districts, (a)	18·2	17·7	18·3	19·4	18·4
Dublin Reg. Area ...	18·0	18·1	18·8	18·0	18·4
Dublin City ...	19·3	19·1	20·2	19·8	19·6
Belfast ...	19·2	16·6	19·1	20·8	18·9
Cork ...	19·7	15·6	27·9	19·7	20·7
Londonderry ...	14·0	20·3	15·2	15·2	16·2
Limerick ...	17·6	16·2	6·8	19·0	14·9
Waterford ...	36·1	26·6	32·3	20·9	29·0

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 1·8 per 1,000. Among the 159 deaths from all causes for Belfast are one from enteric fever, 14 from measles, 3 from scarlet fever, one from whooping-cough, and 4 from diarrhoeal diseases. The 29 deaths from all causes for Cork include one from scarlet fever, 2 from whooping-cough, and one from diphtheria. Of the 11 deaths from all causes for Waterford, 3 were from scarlet fever, and one (a child under 2 years of age), from diarrhoea and enteritis; and 2 of the 6 deaths from all causes for Lisburn were from scarlet fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 187—99 boys and 88 girls—and the deaths to 152—71 males and 81 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·9 per 1,000 of the population. During the forty-eight weeks, ending with Saturday last, the death-rate averaged 20·4, and was 1·1 below the mean rate for the corresponding portions of the ten years, 1904—1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 152, represent an annual rate of 19·5 per 1,000; the annual rate for the past forty-eight weeks was 21·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·6 per 1,000 of the mean population for all deaths registered.

The total deaths registered include one from typhus, one from scarlet fever, one from diphtheria, and 3 deaths from diarrhoea and enteritis of children under 2 years of age.

In the three preceding weeks, deaths from typhus were 0, one, and 0; deaths from scarlet fever were 0, one, and one; deaths from diphtheria were one, 0, and 0; and deaths of children under 2 years of age from diarrhoea and enteritis were 10, 6, and 7, respectively.

Twenty-two deaths from all forms of tuberculous disease were recorded, including 16 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, 2 from abdominal tuberculosis, and 2 from disseminated tuberculosis. Deaths from tuberculosis (all forms), in the three preceding weeks numbered 19, 29, and 25, respectively.

Cancer caused 17* deaths.

There were 5 deaths from broncho-pneumonia, and 2 from pneumonia (type not distinguished).

Among deaths of infants under one year of age 3 were ascribed to convulsions, 4 to premature birth, and 7 to congenital debility.

Ten deaths from organic diseases of the heart and 23 deaths from bronchitis were registered.

There were 7 accidental deaths including 3 caused by burns, one death by drowning, one (that of an infant), by suffocation in bed, and one death resulting from a kick from a horse.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year old, and the death of a person aged 65 years.

Thirty-eight of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 11 were under one month old), and 44 were aged 65 years and upwards, including 27 persons aged 70 and upwards; among the latter were 16 aged 75 and upwards, of whom 2 (females) were stated to have been aged 90, and 91 years, respectively.

Seventy of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, 27 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·9 per 1,000; the rate in the City was 19·8 (North City Districts, 15·5; South, 24·7) and in the Suburbs 15·8.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 1·0 (in the North City Districts 1·3, and in the South 0·7), and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·4 per 1,000. One death each from typhus and diphtheria, 2 deaths from tuberculous disease, one death from broncho-pneumonia, 2 deaths from bronchitis, and 2 accidental deaths were recorded.

No. 1 North City District, West (Summer-hill).—The deaths (11) are equal to an annual rate of 13·9 per 1,000. Among them are one death from pulmonary tuberculosis, one from broncho-pneumonia, one from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 20·6 per 1,000. Two of the deaths were from pulmonary tuberculosis and 4 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (10) represent an annual rate of 14·7 per 1,000, and include one death from scarlet fever, one from disseminated tuberculosis, and 3 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 11·4 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 4·9.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 24·3 per 1,000. There were 2 deaths from tuberculous disease, one from pneumonia, 2 from bronchitis, and 2 accidental deaths.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 34·1 per 1,000. Pulmonary tuberculosis caused 3 deaths and bronchitis 4 deaths.

No. 3 South City District (Peter-street).—The deaths (26) are equal to an annual rate of 31·1 per 1,000. Five deaths from tuberculous disease, 2 from pneumonia, and 2 from bronchitis were recorded.

No. 4 South City District (Grand Canal Street).—The deaths (11) are equivalent to an annual rate of 17·3 per 1,000. Among them are 2 from pulmonary tuberculosis, 2 from broncho-pneumonia, 2 from bronchitis, and 2 deaths of children under 2 years of age from diarrhoea and enteritis.

New Kilmainham District.—There was only one death recorded, being equal to an annual rate of 5·3 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·6; Pembroke, 17·2; Blackrock, 11·3; and Kingstown, 9·2. There was no death from any of the principal epidemic diseases tabulated for these districts. Among the 14 deaths from all causes for Rathmines and Rathgar are 2 from pulmonary tuberculosis, 2 from bronchitis, and one accidental death. The 10 deaths from all causes for Pembroke include 2 from tuberculous disease and one death ascribed to accident; and of the 3 deaths recorded for Kingstown one was from bronchitis.

ENGLAND AND SCOTLAND

The mortality last week in 97 large English towns (including London, in which the rate was 16·4), was equal to an average annual death-rate of 16·6 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 18·4 per 1,000, the rate for Glasgow being 19·8, and for Edinburgh 13·5.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 28th November. From this Report it appears that of a total of 94 cases notified, 44 were scarlet fever, 32 diphtheria, 13 phthisis, 4 erysipelas, and one enteric fever. Among the 782 cases of infectious diseases in hospital at the close of the week were 358 cases of scarlet fever, 180 of phthisis, 162 of diphtheria, 11 of enteric fever, 5 of erysipelas, 2 of measles, and one of puerperal fever.

* See note (c) at foot of Table II.

† See note (†) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 28th November, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Nov. 7,	.	—	—	21	10	.	11	.	.	12	5	.	—	—	—	—	.	11	70
	Nov. 14,	.	—	—	12	4	.	10	.	.	8	5	.	—	—	—	—	.	21	61
	Nov. 21,	.	—	—	14	1	.	7	.	1	7	7	.	—	—	—	—	.	18	55
	Nov. 28,	.	—	—	15	.	.	5	.	1	5	2	.	—	—	—	—	.	14	42
Rathmines and Rathgar Urban District *	Nov. 7,	.	—	—	.	.	.	2	—	—	—	—	—	—	2
	Nov. 14,	.	—	—	.	.	.	2	—	—	—	—	—	—	2
	Nov. 21,	.	—	—	1	.	.	1	—	—	—	—	—	—	2
	Nov. 28,	.	—	—	1	.	.	1	—	—	—	—	—	—	2
Pembroke Urban District.	Nov. 7,	.	.	.	1	—	—	—	—	.	.	1
	Nov. 14,	—	—	—	—	.	.	.
	Nov. 21,	2	.	.	1	.	.	—	—	—	—	.	1	4
	Nov. 28,	—	—	—	—	.	1	1
Blackrock Urban District.	Nov. 7,	.	.	—	—	—	—	—	—	—	.
	Nov. 14,	.	.	—	—	—	—	—	—	—	2
	Nov. 21,	.	.	—	1	1	.	—	—	—	—	—	—	.
	Nov. 28,	.	.	—	—	—	—	—	—	—	.
Kingstown Urban District.	Nov. 7,	.	—	—	.	.	.	1	—	—	—	—	.	2	3
	Nov. 14,	.	—	—	1	.	—	—	—	—	.	.	1
	Nov. 21,	.	—	—	—	—	—	—	.	.	.
	Nov. 28,	.	—	—	1	.	.	—	—	—	—	.	.	1
City of Belfast.	Nov. 7,	.	—	—	66	.	.	5	.	.	4	3	.	—	—	—	—	.	5	83
	Nov. 14,	.	—	—	60	.	.	8	.	.	2	5	1	—	—	—	—	.	7	83
	Nov. 21,	.	—	—	52	.	.	3	.	.	1	3	.	—	—	—	—	.	5	64
	Nov. 28,	.	—	—	55	.	.	7	.	.	3	10	.	—	—	—	—	.	3	78
City of Cork.	Nov. 7,	.	4	—	16	.	.	1	1	.	.	2	.	—	—	—	—	—	—	24
	Nov. 14,	.	5	—	22	.	.	3	1	.	.	1	.	—	—	—	—	—	—	32
	Nov. 21,	.	14	—	25	.	.	5	.	.	3	.	.	—	—	—	—	—	—	47
	Nov. 28,	.	9	—	14	.	.	1	1	—	—	—	—	—	—	25
City of Londonderry.	Nov. 7,	.	—	—	1	.	.	—	—	—	—	—	—	1
	Nov. 14,	.	—	—	—	—	—	—	—	—	1
	Nov. 21,	.	—	—	1	—	—	—	—	—	—	.
	Nov. 28,	.	—	—	—	—	—	—	—	—	.
City of Limerick.	Nov. 7,	.	—	—	1	—	—	—	—	—	—	1
	Nov. 14,	.	—	—	1	—	—	—	—	—	—	1
	Nov. 21,	.	—	—	2	—	—	—	—	—	—	2
	Nov. 28,	.	—	—	3	—	—	—	—	—	—	3
City of Waterford	Nov. 7,	.	—	—	25	1	.	.	—	—	—	—	—	1	27
	Nov. 14,	.	—	—	21	.	.	1	—	—	—	—	—	1	23
	Nov. 21,	.	—	—	24	.	.	1	.	.	.	1	.	—	—	—	—	—	.	26
	Nov. 28,	.	—	—	29	—	—	—	—	—	.	29

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 28th November, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of enteric fever were admitted to hospital during the week, 15 were discharged, and 62 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 81, 76, and 74.

One case of typhus died in hospital during the week, and 13 cases remained under treatment at its close. At the close of the 3 preceding weeks the cases numbered 15, 15 and 14 respectively.

One case of measles was admitted to hospital during the week, 2 were discharged, and 9 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 9, 6, and 10, respectively.

Nineteen cases of scarlet fever were admitted to hospital, 22 were discharged, and 124† cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 120, 122, and 127, respectively.

Ten cases of diphtheria were admitted to hospital during the week, 3 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 47, 48, and 43 respectively, were 49 at the close of last week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 4 were discharged, and 10 cases remained under treatment at the end of the week.

* Two cases returned as Typhus in Rathmines and Rathgar District for week ending 19th September, have now been corrected to Enteric or Typhoid Fever.

† See note (*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 28th November, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

TOWNS AND DISTRICTS.	REGISTRATION—WEEK ENDING SATURDAY, 28TH NOVEMBER, 1914.																												
	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																								
	POPULATION.		DEATHS.			BIRTHS.		DEATHS.																					
	Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Caused by																					
								Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diarrhea and Enteritis of children under 2 years of age.	Diarrhea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,205,280	19.1	25.7	19.4	1.8	594	449	79	121	1	1	...	14	10	3	2	...	39	14	35	32	68	10	1	17	17	149	22	
DUBLIN REG- ISTRATION AREA:—																													
TOTAL, (c.) ...	406,000	29.5	24.0	18.9	0.8	187	147	29	43	...	1	1	...	1	...	16	6	16	7	28	3	...	6	6	65	4	
CITY OF DUBLIN,	310,467	39.2	27.4	19.8	1.0	163	118	26	32	...	1	1	...	1	...	13	5	12	7	23	3	...	4	4	57	4	
Urban Districts.																													
RATHMINES and RATHGAR.	39,155	22.8	10.7	18.6	.	8	14	1	6	2	3	1	1	5	...	
PEMBROKE, ...	30,240	19.2	20.7	17.2	.	12	10	1	2	1	1	3	...	1	1	1	1	...	
BLACKROCK, ...	9,197	8.5	.	11.3	.	.	2	...	1	1	1	...	
KINGSTOWN, ...	16,941	11.6	12.3	9.2	.	4	3	1	2	1	1	...	
Urban Districts																													
BELFAST ..	399,000	26.7	29.5	20.8	3.0	226	159	31	32	1	14	3	1	12	...	10	21	25	3	1	5	7	49	2	
CORK, ..	76,673	28.6	19.0	19.7	2.7	28	29	3	9	1	2	1	...	2	4	...	2	3	1	2	8	4	
LONDON- DERRY	41,100	15.9	26.6	15.2	1.3	21	12	1	4	1	...	1	...	3	1	...	1	...	1	...	
LIMERICK, ...	38,518	16.1	24.4	19.0	.	18	14	4	4	1	1	...	1	2	5	2	
WATERFORD, ...	27,464	19.1	28.5	20.9	7.6	15	11	2	2	3	1	3	1	1	6	1	
GALWAY, ...	13,255	2.5				12	6	2	3	1	3
DUNDALK, ...	13,128	9.5				1	4	1	2
LURGAN, ...	12,553	14.7				4	4	...	1	1	1	...	1	...
DROGHEDA, ...	12,501	8.4				9	4	...	2	1	3	...	
LISBURN, ...	12,388	10.9				3	6	2	1	...	2	...	1	2	...	
NEWRY, ...	11,963	17.0				2	3	...	2	1	1	...	
PORTADOWN, ...	11,727	15.3				4	2	1
WEXFORD, ...	11,531	22.8				8	4	...	2	1	1	...
BALLYMENA ..	11,381	9.3				3	8	1	2	1	1	1	1	...	1	...	
SLIGO, ...	11,163	3.8				5	5	...	3	2	4	...	
KILKENNY, ...	10,514	11.4				2	2
TRALEE, ...	10,300	17.4				.	5	2	1	1	1	3	...	
CLONMEL, ...	10,209	7.8				3	4	1	1	1	1	2	...
NEWTOWNARDS	9,587	20.1				2	4	...	2	1	2	1
QUEENSTOWN,	8,209	14.7				4	2	...	2	1	...
LARNE, ...	8,036	13.4				6	3	1	1	1
COLERAINE, ...	7,785	7.7				1
BANGOR, ..	7,776	8.5				3	4	...	3	1
BRAY, ..	7,691	7.2				7	3	...	1	1	...
ATHLONE, ..	7,472	6.2				12	2	1	1
ARMAGH, ...	7,356	21.8				8	2	1

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1914.

(b) See note (1) at foot of first page.

(c) Exclusive of 5 deaths of persons (including one at 68 years), admitted to hospital from localities outside the Area. One of the 5 deaths was from cancer.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 28th of November, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	PINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	1	.
Typhus,
Small-pox,
Measles,	1	1	.
Scarlet Fever,	1	.
Whooping-cough,	1
Diphtheria,
Croup,
Influenza,
Dysentery,	1	1	2	.	.	.	1	3	3	2	.	2	1	.	.	.	16	.
Tuberculosis, { Pulmonary,	1	.	.	1	.	.	1	.	2	.	.	.	1	.	.	.	6	.
{ Other Forms,	1	1	.	.	.	1	2	3	4	.	.	.	3	1	1	.	16	1
Cancer,
Diseases of Nervous System,	1	1	1	1	4	1	.	1	.	1	.	.	11	1
" Organs of Special Sense,	3	.	2	1	.	1	2	.	1	.	13	.
" Circulatory System,	1	1	.	.	.	1	.	2	2	.	3	1	.	.	.	7	.
" Respiratory System, { Pneumonia,	1	1	.	5	.	.	2	4	3	2	.	3	.	.	1	.	28	.
{ Others,	2	1	4
" Digestive System, { Diarrhoea and Enteritis, under 2 years,	1	2	3	.
{ Diarrhoea, 2 years and upwards,
{ Enteritis, 2 years and upwards,	1	.	.	1	1	.	3	2
{ Others,	1	.	1	.	.	.	1	.	2	.	.	3	7	.
" Genito-urinary System,
Puerperal Septicæmia, etc.,
Other Causes incident to Pregnancy and Childbirth,	1	1	1	.
Diseases of the Skin and Cellular Tissue,	2	.
" Locomotor System,
Other specified Causes,	1	5	2	2	.	.	5	.	2	1	1	3	1	.	.	.	23	.
Violent Deaths,	2	2	1	1	.	.	.	6	1
Ill-defined, &c. Causes,	1	1	.
Deaths from All Causes	13	11	11	10	.	3	1	19	12	26	11	1	14	10	2	3	147	5
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22·4	13·9	20·6	14·7	.	11·4	4·9	21·3	34·1	31·1	17·3	5·3	18·6	17·2	11·3	9·2	18·9	.
	15·5							24·7							15·8			
	19·3																	
Ages at Death. { Under 1 year,	4	2	2	3	.	.	.	4	1	6	3	1	1	1	.	1	29	.
{ 1 and under 2 years,	1	.	1	1	1	.	1	.	.	.	3	1
{ 2 " 5 "	2	1	.	.	.	3	.
{ 5 " 15 "	1	1	1	6	.
{ 15 " 25 "	1	.	1	1	.	.	1	3	5	1	.	3	3	.	.	.	23	3
{ 25 " 45 "	1	3	1	1	.	2	3	3	8	2	.	2	4	1	.	.	35	.
{ 45 " 65 "	2	3	4	1	.	1	3	3	8	2	.	6	4	1	.	.	43	1
{ 65 and upwards,	2	2	4	2	.	1	1	8	5	4	3	.	2	1	2	.	.	.
Number of Uncertified Deaths,	1	1	.	1	1	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	5	4	1	3	1	5	1	.	4	1	1	.	26	4
Workhouse Hospitals,	1	3	4	4	.	.	.	4	7	11	3	.	1	.	.	1	39	1

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the
in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 48th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 28th November, 1914.											
	Dec. 3, 1904.	Dec. 2, 1905.	Dec. 1, 1906.	Nov. 30, 1907.	Nov. 28, 1908.	Dec. 4, 1909.	Dec. 3, 1910.	Dec. 2, 1911.	Nov. 30, 1912.	Nov. 29, 1913.		All Ages.	Deaths of Persons of the Ages of										
													0-5.										
													Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
ALL CAUSES.	204	157	179	175	178	180	176	169	158	164	174.0	152	11	18	3	6	3	6	26	35	28	1	
Enteric Fever, ...	2	2	3	.	.	1	.	1	2	.	1.1	
Typhus,	1	1	1	.3	1	1	.	.	.	
Small-pox,	
Measles, ...	12	.	3	.	6	.	.	3	3	1	2.8	
Scarlet Fever,	1	.	1	.	3	1	1	1	.8	1	.	.	.	1	
Whooping-cough, ...	3	1	3	1	2	.	5	3	.	.	1.9	
Diphtheria, ...	1	.	2	.	2	1	4	3	.	2	1.5	1	.	1	
Croup,	
Influenza,	1	2	1	.	3	4	1	2	3	1.7	
Dysentery,	1	
Erysipelas,	11	
Other Epidemic Diseases,	11	
Pyæmia and Septicæmia (non-puerperal).	.	.	.	1	.	12	1	1	.	.	.	
Tetanus,	
TUBERCULOSIS.																							
Pulmonary Tuberculosis, ...	29	18	13	16	26	22	16	17	24	17	19.8	16	3	9	4	.	.	
Tuberculous Meningitis, ...	2	4	2	1	2	2	1	2	5	2	2.3	2	.	.	.	2	
Abdominal Tuberculosis, ...	1	1	2	1	.	1	1	1	2	2	1.2	2	1	.	1	.	.	
Tuberculosis of the Vertebral Column.									2	.													
Tuberculosis of Joints, ...	10	5	8	4	11	4	5	1	.	1	5.6	
Tuberculosis of other Organs, Scrofula, ...										1													
Disseminated Tuberculosis, ...								2	2	.		2	1	1	
Venereal Diseases, ...	1	1	3	4	4	2	1	1	3	.	2.0	1	.	1	
Cancer, ...	9	8	9	8	6	11	3	6	8	11	7.9	17	1	12	4	.	
Tumour, situation undefined,	1	
Rheumatic Fever,	1	12	
Diabetes, ...	1	.	1	.	.	2	.	.	2	1	.7	
Anæmia, Leucocythæmia,	1	.	.	.	1	1	.	.	
Other General Diseases,	2	4	1	.	2	2	.	.	.	
Alcoholism,	1	1	.	1	.	.	1	.	.4	1	1	.	.	.	
Chronic Poisonings,	1	
Cerebro-spinal Fever,	
Simple Meningitis,	4	.	2	
Cerebral Hæmorrhage, Apoplexy.	5	8	8	.	3	1	.	.	1	1	.	.	.	1	.	
Softening of Brain,	
Paralysis, without specified cause.	2	.	2	.	2	2	.	
Epilepsy,	1	
Convulsions (non-puerperal),	5	.	.	3	.	3	1	.	
Other Diseases of Nervous System.	36	39	4	37	29	42	39	4	3	3	35.5	2	1	1	.	
Pericarditis,	
Acute Endocarditis,	
Organic Diseases of the Heart, Embolism and Thrombosis (including Cerebral).	14	15	15	.	10	1	3	3	3	
Other Diseases of Circulatory system.	1	.	.	3	1	2	.	
Diseases of the Larynx,	
Bronchitis, ...	37	32	25	28	34	24	34	27	19	18	27.8	3	.	3	
Broncho-pneumonia, ...	5	5	7	7	13	11	7	3	7	10	7.5	5	.	2	1	.	1	.	2	6	6	5	
Lobar pneumonia, ...	3	1	.	.	2	1	1	.	1	.	.9	1	.	1	
Pneumonia (type not distinguished)	11	4	4	7	8	8	6	3	2	4	5.7	2	1	.	.	.	
Pleurisy,	
Pulmonary Congestion, Pulmonary Apoplexy.	1	.	.	1	1	.	.	
Other Diseases of Respiratory System.	3	1	4	2	1	5	3	1	.	3	2.5	1	1	

FORTY-EIGHTH WEEK, ending Saturday, 28th November, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 48th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 28th November, 1914.																			
	Dec. 3, 1904.	Dec. 2, 1905.	Dec. 1, 1906.	Nov. 30, 1907.	Nov. 28, 1908.	Dec. 4, 1909.	Dec. 3, 1910.	Dec. 2, 1911.	Nov. 30, 1912.	Nov. 29, 1913.		All Ages.	Deaths of Persons of the Ages of																		
													Under 1 month.	1 month and under a year.	0—5.									15—25.	25—45.	45—65.	65—75.	75 and upwards.			
															1—2.	2—5.	5—15.														
Diseases of the Pharynx, Ton- sillitis.	1	.	1	.2						
Diseases of Stomach, ...	—	—	—	—	—	—	—	2	2	1	—	3	1	1	1						
Diarrhoea and Enteritis of Children under 2 years.	4	8	7	6	5	7	8	6	2	7	6.2	3	2	1						
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																										2
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	2	1	2	—	1	1						
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	—	3	1	3	—						
Cirrhosis of Liver, ...	3	2	.	2	.	1	3	.	1	1	1.3	1	1	.	.	.						
Other Diseases of Liver, ...	1	1	2	2	2	1	.9	1	1						
Peritonitis (cause unknown), Other Diseases of Digestive System.	3	4	6	9	4	7	2	.	.	1	3.5						
Acute Nephritis, ...	5	5	11	9	1	5	6	2	.	1	6.6	1						
Chronic Bright's Disease, ...								4	5	6		6	2	1	
Urinary Calculi,	1	
Uterine Tumour (non-can- cerous).							
Ovarian Tumour (non-can- cerous)							
Other Diseases of Genito- urinary System.								2	2	1	
Puerperal Septicæmia, &c.,	1	1	1	.	.3							
Other Causes incident to Pregnancy and Childbirth.	1	.	.	1	.	.	.	1	.	.	.3	1	1							
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	1	.	2	—	2	1	1	.	.						
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	.	3	.	—							
Premature Birth, ...	2	1	4	2	3	1	4	7	4	3	3.1	4	4							
Congenital Debility, ...	—	—	—	—	—	—	—	2	2	4	—	7	5	2							
Old Age, ...	7	4	4	5	2	3	4	5	6	6	4.6	5	.	1	3	2	.	.							
Other Specified Diseases, ...	—	—	—	—	—	—	—	4	.	2	—	1	.	1							
ACCIDENT :																															
Poisons or Poisonous Vapours.							
Conflagration,	1	2	.	.	1	2	.	.	1	.7	3	.	.	.	2	1	.	.	.							
Burns and Scalds,	1	.	.	.	1	.	.	.	2	.4	1	1							
Drowning,1	1	1							
Suffocation in Bed, ...	1							
Other Deaths by Accident, ...	1	1	1	2	4	3	2	6	1	3	2.4	2	.	.	.	2	.	.	2							
Total Deaths from Accident,	2	3	3	2	4	5	4	6	1	6	3.6	7	1	.	.	2	.	.	3	1							
Included in above are Deaths in connection with—																															
Railways,	1	.	1	.1	1	1							
Vehicles and Horses,3							
Ships, Boats, Docks, ...	11							
Building Operations,							
VIOLENCE OTHER THAN ACCIDENTAL :																															
Homicide,	1	.	.	.	1	.	.2							
Suicide,	11							
Execution,							
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	5	3	1	—	1	1							

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914—WEEK ENDING																									
		June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.
No. of weeks in Annual Series.		23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
Births registered.		191	271	225	233	165	214	208	197	195	166	204	200	246	187	213	184	198	199	223	155	205	173	222	190	209	187
Average Births in corresponding week of previous 10 years.		219	210	223	245	208	221	221	221	220	209	223	218	203	244	200	222	247	203	187	211	196	217	208	200	182	214
Deaths registered.		162	163	151	134	139	128	139	129	144	136	159	186	163	160	139	161	154	154	141	144	134	118	158	155	155	152
Annual Death-rate per 1,000.		20.8	20.9	19.4	17.2	17.9	16.4	17.9	16.6	18.5	17.5	20.4	17.5	20.9	20.5	17.9	20.7	19.8	19.8	18.1	18.5	17.2	15.2	20.3	19.9	19.9	19.5
Average Deaths in corresponding week of previous 10 years.		148	156	142	134	135	147	143	145	144	145	136	160	157	159	158	162	159	157	155	157	149	168	167	171	167	174
Ages,	Under 5 years,	54	45	46	36	47	31	44	36	46	35	53	35	62	51	48	52	47	39	30	47	36	29	35	34	26	38
	5-15 "	4	9	5	5	7	6	9	6	4	6	5	6	5	4	3	8	4	5	12	7	2	7	8	8	11	3
	15-25 "	11	6	12	8	9	7	8	9	8	7	7	6	6	8	5	6	7	1	6	7	4	1	1	7	6	6
	25-45 "	28	30	23	23	22	27	29	26	27	26	26	27	23	24	24	26	25	33	21	19	22	30	27	28	35	26
	45-65 "	35	38	41	32	30	31	31	30	37	34	35	35	38	40	28	35	36	40	39	36	22	26	41	40	42	35
	65-75 "	16	23	15	19	14	22	14	15	13	15	18	17	18	22	16	20	21	19	17	17	29	14	23	20	19	28
Deaths from:—		14	12	9	11	10	13	9	7	9	15	15	10	11	11	15	14	14	17	16	11	19	11	16	18	16	16
Enteric Fever,		1	1	1	1	1	2	1	2	2	2	1		2	1	3	3	1	1	2	3		2	3	2	2	1
Typhus,																											
Small-pox,																											
Measles,		18	8	5	3	2	4	6	2	1	2	1	3	1	1	1	1	1			1	1	1	1	1	1	1
Scarlet Fever,																											
Whooping-cough,		2	1	1	1	3	2	2	1			2	1	1	2	1	1	2	1		2	1	1	1	1	1	1
Diphtheria,		1	1	1	1	1	1	1	1			2	1	1	2	1	1	1	1		1	1	1	1	1	1	1
Influenza,		1	1	1	1	1	1	1	1																		
Dysentery,		1	1	1	1	1	1	1	1																		
Tuberculosis { Pulmonary ...		27	19	13	17	21	18	16	19	23	19	18	10	18	25	13	18	23	17	11	25	17	11	16	22	20	16
" { Other Forms,		4	6	5	7	9	5	8	11	5	6	4	2	4	9	8	9	7	9	11	4	5	4	8	7	5	6
Cancer,		9	13	9	8	7	8	7	10	9	7	6	12	10	20	6	15	13	15	8	6	9	8	8	15	9	17
Diseases of Circulatory System,		14	20	27	11	11	16	15	15	13	15	15	17	18	18	17	19	15	16	20	8	17	15	17	19	21	13
Diseases of Respi- { Pneumonia		12	12	14	8	9	10	12	4	8	4	3	7	8	7	5	4	6	10	11	9	9	8	12	12	9	7
ratory System, { Others,		13	11	8	20	10	18	5	7	12	10	11	10	7	10	7	9	14	19	12	22	15	13	21	18	23	28
Diarrhoea and Enteritis, under																											
2 years,		2	4	7	4	4	4	6	6	9	10	11	13	28	18	17	25	14	11	14	11	11	7	10	6	7	3
Diarrhoea, 2 years and upwards,																											
Violent Deaths,		6	3	3		6	4	5	3	1	7	10	3	6	1	4	6	4	2	7	1	1	3	5	3	7	7
Number of Uncertified Deaths,		4	3	2	2	5	2	6	2	7	4	2	2	1	4	2	5	2	8		2	3	3	1	4	3	4

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 28th November, 1914; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 28TH NOVEMBER, 1914.																															
CLASS	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).	Popula- tion in each Class and Group in 1911.	AGES.										CAUSES OF DEATH																		
			Total Number of Deaths.										Diseases of the Respiratory System																		
			(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
ALL PERSONS.			397,957	—	152	38	3	6	26	35	28	16	1	1	1	1	1	1	1	16	6	17	3	7	28	3	7	62	4		
CLASSES.																															
Deaths in Families of the—																															
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	14.2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	16	6	17	3	7	28	3	7	62	4		
II.	MIDDLE CLASS.	101,798	11.3	22	2	3	7	4	6	3	1	1	1	1	1	1	1	1	1	5	1	3	1	1	4	1	1	13	1		
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.	108,420	13.9	29	3	1	2	6	7	3	1	1	1	1	1	1	1	1	1	2	2	6	2	5	10	3	6	19	4		
IV.	GENERAL SERVICE CLASS.	167,479	17.7	57	23	1	1	9	7	12	4	1	1	1	1	1	1	1	1	9	2	5	1	1	9	1	1	14	1		
V.	INMATES OF WORKHOUSES.	5,602	—	40	3	1	3	8	13	8	4	1	1	1	1	1	1	1	1	9	2	5	1	1	9	1	1	14	1		
PROFESSIONAL AND INDEPENDENT CLASS.																															
I.	1. Clerical, Medical, Legal, and other Pro- fessions; Naval and Military Officers, and Heads of Public Departments.	7,868	13.3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1		
	2. Merchants and Manufacturers, Higher Class	1,347	1.9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1		
	3. Persons of Rank and Property, not other- wise described.	5,443	19.2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1		
MIDDLE CLASS.																															
II.	4. General Body of Officials—Civil Service, Banking, &c.	9,523	5.5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1		
	5. Traders (except Petty Shopkeepers), Business Managers &c.	25,199	16.6	8	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1		
	6. Clerks and Commercial Assistants.	33,249	7.8	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1		
Miscellaneous—including all Householders in Second Class Localities not included in above.			33,827	12.3	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1		
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers.	11,777	13.3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
	9. Building and Furnishing Trades.	28,823	12.7	7	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
	10. Clothing Trades.	20,026	15.6	6	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
	11. Food Supply Trades	8,952	8.9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
	12. Other Trades and Callings ranking with 11.	32,070	19.5	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
IV.	13. Petty Shopkeepers	6,772	7.7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
GENERAL SERVICE CLASS.																															
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	20.1	5	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1		
	15. Domestic Servants.	36,041	11.6	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	2		
	16. Coach and Car Drivers, Vanmen, &c.	15,380	20.3	6	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	10	2		
	17. Hawkers, Porters, Labourers, &c.	103,081	19.2	33	14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6	10		
V	INMATES OF WORKHOUSES.	5,602	—	40	3	1	3	8	13	8	4	1	1	1	1	1	1	1	1	9	2	5	1	1	9	1	1	14	1		
WORKHOUSE INMATES.																															

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths.		
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	Oct. 24 " 31 Nov. 7 " 14 Population in 1914 (Est.) 30,206.	13.8 24.2 17.3 17.3 22.4 22.4	. 1.7 . 1.7 1.7 3.5	8 14 10 10 13 13	. . . 1 . . 1 1 1 1 1 1 1 1	2 . . . 1 1	. 1 1 . 1 1	. . . 1 1 1	. . . 1 1 1	. 2 1 1 1 1	. . 1 1	. . . 1 1 1 1	. . 1 2 2 2	. . 1 2 2 2	
North City, No. 1 (W.) (Office, Summer-hill.)	Oct. 24 " 31 Nov. 7 " 14 Population in 1914 (Est.) 41,278.	13.9 15.2 20.2 18.9 22.7 13.9	1.3 2.5 1.3 . 3.8 1.3	11 12 16 15 18 11	. . 1 . . . 1 1 1 1 1 1 1 1	1 3 2 3 3 1	. 1 . 1 . . 1	2 2 2 1 1 1	2 2 2 1 2 1	2 . 4 1 1 1 1	1 . . . 2 2 1	. 1 1 1 1 1	. . 1 1 1 1	
North City, No. 2. (Office, Lisburn-street.)	Oct. 24 " 31 Nov. 7 " 14 Population in 1914 (Est.) 27,883.	24.3 16.8 22.4 28.1 20.6 20.6	5.6 . . 3.7 . . 1	13 9 12 15 11 11	. . . 1 . . 1 1 1 . 1 1 1 1 1 1	3 1 1 3 1 2	1 1	. . . 1 . . 1	. . 1 1 1 1 1	2 . 2 2 4 4 4	3 1 1	. . 1 1 1 1 1	. . 1 1 1 1	
North City, No. 3. (Office, Benburb-street.)	Oct. 24 " 31 Nov. 7 " 14 Population in 1914 (Est.) 35,536.	13.2 16.1 24.9 16.1 11.7 14.7	1.5 1.5 . 1.5 . 1.5	9 11 17 11 8 10 1 1 1 1 1 1 1 1 1	. 1 3 2 1 1	. 1 1 . 1 1	2 . 1 1 1 1	2 1 1 1 1 1	. 1 1 3 . 2 5	1 1 1 1 1 1 1	
Clontarf and Howth No. 1 (part of).	Oct. 24 " 31 Nov. 7 " 14 Population in 1914 (Est.) 5,485.	. . 9.5 19.0 9.5 1	. . 1 2 1 1 1 1 1 1 1 1 1 1	. . 1 . . . 1 1 1 1	. . . 1 . . 1 1 1 1 1 1	
Coolock and Drumcondra (part of).	Oct. 24 " 31 Nov. 7 " 14 Population in 1914 (Est.) 13,685.	11.4 . 34.3 3.8 19.1 11.4 1	3 . 9 1 5 3 1 1 1 1 1 1 1 1	. . 1 . 1 1	. . . 1 1 1	. . . 1 1 1	. . . 1 1 1	. . 4 . . . 1 1 1 1 1	
Finglas and Glasnevin (part of).	Oct. 24 " 31 Nov. 7 " 14 Population in 1914 (Est.) 10,723.	. 9.7 4.9 14.6 9.7 4.9 1	. 2 1 3 2 1 1 1 1 1 1 1 1 1	. . . 1 1 1	. . 1 1 1 1	. . . 1 1 1	. . . 1 1 1	. . . 1 1 1 1 1 1 1	
South City, No. 1. (Office, St. Earl-street.)	Oct. 24 " 31 Nov. 7 " 14 Population in 1914 (Est.) 40,768.	16.6 11.5 17.9 19.2 19.2 24.3	2.6 2.6 2.6 1.3 . . 1	13 9 14 15 15 19	. 2 . . 1 . 1 1 1 1 1 1 1 1	3 2 3 2 1 1	1 . . 1 1 1 1	1 . . 1 3 3 2	. 1 1 1 1 1 1	1 . 1 2 2 2 2	2 . . 2 2 2 2 1 1 1 2	
South City, No. 2. (Office, Castle-street.)	Oct. 24 " 31 Nov. 7 " 14 Population in 1914 (Est.) 18,341.	22.7 8.5 11.4 31.3 28.4 34.1	. . 2.8 . . . 1	8 3 4 11 10 12 1 1 1 1 1 1 1 1	2 . . 1 2 3	. . . 2 1 3 1 3	. . . 1 1 1 1	3 1 . 4 1 4	. 1 . 4 1 1 4 1 1 1 1	
South City, No. 3. (Office, Peter-street.)	Oct. 24 " 31 Nov. 7 " 14 Population in 1914 (Est.) 43,540.	20.4 21.6 21.6 19.2 16.8 31.1	3.6 2.4 4.8 1.2 2.4 . 1	17 18 18 16 14 26	. . 1 . 1 1 1 1 1 1 1 1 1	3 2 2 3 3 3	. . 1 1 1 1	. 1 1 1 1 1 1	1 2 1 1 1 1	3 3 2 1 1 3	3 2 2 1 1 1 1 1 1 1	. 1 1 1 1 1	
South City, No. 4. (Office, Grand Canal-st.)	Oct. 24 " 31 Nov. 7 " 14 Population in 1914 (Est.) 33,171.	14.1 15.7 12.6 20.4 33.0 17.3	1.6 4.7 1.6 . 4.7 3.1	9 10 8 13 21 11 1 1 1 1 1 1 1 1	. . 1 3 1 2	. 1 1 2 2 2	. 1 2 2 3 2	. 1 2 2 3 2	2 2 1 1 4 2	1 3 1 1 4 2	1 3 1 1 3 2 3 2 3 2	. 1 1 1 1 1
New Kilmainham.	Oct. 24 " 31 Nov. 7 " 14 Population in 1914 (Est.) 9,851.	15.9 15.9 26.5 10.6 10.6 5.3	. . 5.3 5.3 . . 1	3 3 5 2 2 1 1 1 1 1 1 1 1 1	. . 1 1 . 1	. 1 1 . 1	. . . 1 1 1	. . . 1 1 1	. 1 1 . 1 1	. 1 1 . 1 1	. . . 1 1 1	. . . 1 1 1	. . . 1 1 1	. 1 1 1 1 1

* See note (†) at foot of first page.

Deaths in Dublin, Belfast, Cork, Londonderry, Limerick and Waterford.

763

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Marriages, 2 years of age and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
{ Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Oct. 24	13.3	.	10	1	.	1	1	1	
	" 31	10.7	1.3	8	1	3	3	.	.	.	
	Nov. 7	20.0	4.0	15	1	.	1	1	1	
	" 14	12.0	.	9	1	.	1	1	
	" 21	13.3	1.3	10	1	.	1	.	1	1	.	.	.	
" 28	18.6	.	14	2	.	.	.	3	.	.	.	1	.	
Pembroke Urban District. Population in 1914 (Est.) 30,240	Oct. 24	15.5	.	9	1	.	1	1	
	" 31	12.1	.	7	1	1	1	1	1	1	1	.	.	.	
	Nov. 7	8.6	1.7	5	1	1	1	1	.	.	
	" 14	8.6	.	5	2	1	1	3	.	.	.	
	" 21	15.5	.	9	3	3	
" 28	17.2	.	10	1	1	3	.	1	.	1	.	.	1	.	
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Oct. 24	5.7	.	1	1	
	" 31	5.7	.	1	
	Nov. 7	5.7	.	1	1	
	" 14	34.0	.	6	1	.	2	.	2	
	" 21	5.7	.	1	
" 28	11.3	.	2	1	
Kingstown Urban District. Population in 1911 16,941.	Oct. 24	15.4	.	5	1	2	
	" 31	15.4	.	5	1	1	
	Nov. 7	12.3	.	4	1	.	1	
	" 14	21.5	.	7	2	
	" 21	18.5	.	6	1	1	
" 28	9.2	.	3	1	
Belfast. Population in 1914 (Est.) 399,000.	Oct. 24	16.9	2.9	129	1	.	.	7	.	8	.	.	13	4	10	6	16	6	.	.	1	2
	" 31	14.0	2.4	107	1	.	.	6	3	1	1	.	10	4	7	16	13	6	.	2	2	
	Nov. 7	19.2	3.3	147	1	.	.	10	1	3	.	.	13	5	6	15	21	9	1	2	2	
	" 14	16.6	2.9	127	.	.	.	7	8	2	.	.	18	2	4	11	11	4	1	2	1	
	" 21	19.1	2.7	146	1	.	.	9	6	2	1	.	19	8	5	18	16	2	.	2	.	
" 28	20.8	3.0	159	1	.	.	14	3	1	.	.	12	.	10	21	25	3	1	5	2	2	
Cork. Population in 1911 76,673.	Oct. 24	17.0	1.4	25	1	1	.	.	4	1	1	1	3	
	" 31	21.8	3.4	32	3	.	.	3	.	5	1	2	2	.	1	1	
	Nov. 7	19.7	2.7	29	.	.	.	1	.	2	.	.	6	1	1	1	2	.	1	.	2	
	" 14	15.6	0.7	23	1	.	4	1	2	2	3	1	.	.	2	
	" 21	27.9	2.7	41	.	.	.	1	.	2	.	.	7	2	1	2	3	1	.	.	2	
" 28	19.7	2.7	29	1	2	1	.	2	4	.	2	3	.	.	1	4		
Londonderry. Population in 1914 (Est.) 41,100.	Oct. 24	8.9	1.3	7	1	.	1	.	1	1	.	.	.	
	" 31	11.4	.	9	1	.	1	2	1	1	.	.	.	
	Nov. 7	14.0	2.5	11	1	.	2	1	2	1	1	.	1	
	" 14	20.3	.	16	1	.	3	1	1	
	" 21	15.2	.	12	1	2	1	.	1	1	.	.	.	
" 28	15.2	1.3	12	1	.	1	.	3	1	.	1	.	.	
Limerick. Population in 1911 38,518.	Oct. 24	20.3	1.4	15	1	.	.	.	1	.	.	2	2	
	" 31	21.7	5.4	16	3	.	.	.	1	.	.	1	1	.	.	.	3	
	Nov. 7	17.6	.	13	1	1	1	1	2	.	.	.	4	
	" 14	16.2	.	12	1	.	1	1	.	.	.	3	
	" 21	6.8	.	5	1	1	.	1	2	.	.	.	1	
" 28	19.0	.	14	2		
Waterford. Population in 1911 27,464.	Oct. 24	22.8	3.8	12	2	.	.	.	1	1	.	.	2	.	.	.	1	
	" 31	22.8	9.5	12	4	.	.	.	1	.	.	2	1	1	.	.	2	
	Nov. 7	36.1	9.5	19	5	.	.	.	3	1	2	1	3	
	" 14	26.6	11.4	14	5	.	.	.	3	1	.	2	2	1	.	.	.	
	" 21	32.3	13.3	17	4	.	.	.	3	.	.	2	2	2	1	.	.	
" 28	20.9	7.6	11	3	.	.	.	1	3	.	.	1	.	.	.	1	1	

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 28th November, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Inquest Cases.	Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
				All Causes.	Certain Epi- demic Diseases.†	Under 1 year.					5 and under 25 years.					25 and under 45 years.					45 and under 65 years.								65 years and upwards.					Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.	DISEASES OF THE RESPI- RATORY SYSTEM.		Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
						Total Number of DEATHS.	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)				(25)	(26)	(27)	(28)	(29)								(30)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
City of Belfast.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
BELFAST URBAN No. 1 DISTRICT,	15,879	14	46.0	6.6	14	2	2	3	3	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1</

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABULAR IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted

1914—WEEK ENDING																											
BELFAST.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	
No. of weeks in Annual Series,	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	
Burns registered, ...	191	198	233	227	219	237	190	218	212	226	214	218	196	215	187	223	223	228	246	189	184	208	202	161	197	226	
Deaths registered, ...	127	129	131	134	130	130	103	111	115	137	113	135	145	155	138	151	169	133	111	132	129	107	147	127	146	159	
Annual Death-rate per 1,000 of estimated population, ...	16·6	16·9	17·1	17·5	17·0	17·0	13·5	14·5	15·0	17·9	14·8	17·6	18·9	20·3	18·0	19·7	22·1	17·4	14·5	17·3	16·9	14·0	19·2	16·6	19·1	20·8	
Ages, { Under 1 year, ... { 1-5 years, ... { 5-25 " ... { 25-45 " ... { 45-65 " ... { 65 and upwards, ...	19	22	24	27	25	26	25	19	21	20	27	30	49	56	52	42	69	36	38	29	23	19	26	24	22	31	
	13	21	22	18	18	19	10	11	21	21	23	18	23	18	21	21	21	11	13	22	15	20	22	18	15	22	
	18	17	21	15	18	21	9	15	11	14	9	17	14	19	14	12	21	10	11	15	10	13	14	10	20	10	
	22	25	21	23	24	18	20	22	21	22	18	19	16	24	18	24	18	19	12	20	24	13	21	21	24	18	
	32	26	31	37	28	28	19	26	24	32	16	30	26	25	20	22	23	35	20	25	27	24	25	26	34	46	
23	18	12	14	17	17	18	20	18	17	23	20	21	17	13	13	30	17	19	16	21	30	18	39	28	31	32	
Deaths from :—																											
Enteric Fever,	2	1	1	1	1	.	.	2	1	1	1	2	.	1	1	1	.	1	1	
Typhus,	1	1	1	1	
Small-pox,	
Measles, ...	1	4	8	5	9	6	4	1	6	5	8	7	2	2	1	7	4	.	3	7	7	6	10	7	9	14	
Scarlet Fever, ...	1	2	8	2	2	5	2	2	2	4	.	.	2	2	1	1	2	1	2	3	.	3	1	8	6	8	
Whooping-cough, ...	4	7	.	4	7	2	4	2	7	2	3	3	6	2	5	3	4	4	4	3	8	1	3	2	2	1	
Diphtheria, ...	2	.	1	.	.	1	1	.	.	1	.	.	.	1	.	1	.	.	1	.	
Dysentery,	
Tuberculosis. { Pulmonary, ...	19	17	21	21	13	14	10	16	15	18	12	14	19	20	13	17	15	8	6	11	13	10	13	18	19	12	
{ Other Forms, ...	8	3	6	5	7	7	3	4	7	5	8	7	4	8	1	5	4	5	.	6	4	4	5	2	8	.	
Cancer ...	8	4	5	5	9	11	7	8	1	3	5	10	6	6	6	7	8	9	2	4	10	7	6	4	5	10	
Diseases of Respi. { Pneumonia, ratory System, { Others, ...	13	10	6	10	4	7	8	10	5	10	8	10	8	4	6	13	7	10	9	10	8	16	15	11	18	21	
Diarrhoea and Enteritis, under 2 years, ...	11	12	10	10	9	11	5	8	12	13	13	11	9	16	9	13	19	8	11	17	16	13	21	11	16	25	
Diarrhoea, ...	1	5	6	5	7	5	6	8	9	3	13	9	23	44	39	30	44	21	10	12	6	6	9	4	2	3	
Diarrhoea, 2 years and upwards, ...	1	1	.	1	2	.	.	1	.	.	2	1	10	1	3	2	4	2	1	1	.	.	1	1	.	1	
Violent Deaths,	3	1	.	.	2	.	2	2	2	1	1	.	4	1	5	1	3	3	8	1	2	2	2	2	5	
Number of Uncertified Deaths, ...	4	1	3	.	3	2	1	2	.	2	.	1	3	2	.	5	2	2	.	1	2	1	2	1	.	2	

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 — Week ending	BIRTHS.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ...	4,516,612	Nov. 28,	2,047	1,424	16·4	3	.	43	14	5	24	28	
EDINBURGH, ...	321,900	" 28,	114	83	13·5	.	.	.	1	.	6	1	
GLASGOW, ...	1,047,000	" 28,	553	397	19·8	1	.	1	13	22	3	6	
CALCUTTA, ...	896,067	Oct. 17,	.	404	23·4	63*	7	.	?	.	.	47†a	
BOMBAY, ...	979,445	" 24,	403	419	22·2	46*	36a	
MADRAS, ...	518,660	" 17,	268	914	91·6	95*	.	2	?	?	?	445†a	
CAIRO, {	Egyptians, ...	Sept. 16,	572	475	37·7	9	.	1	.	?	20†	125	
	Foreigners, ...	" 16,	13	13	9·5	?	1	1	
ALEXAN- DRIA, {	Egyptians, ...	" 16,	244	187	28·8	2	.	.	.	?	.	57	
	Foreigners, ...	" 16,	11	18	12·3	?	.	5	
PARIS, ...	2,847,229	Oct. 10,	696	739	13·3	11	.	4	.	.	2	37	
BRUSSELS, ...	780,843	—	
ANTWERP, ...	323,421	—	
AMSTERDAM, ...	597,888	—	
COPENHAGEN, ...	492,000	Oct. 31,	206	111	12·0	.	.	2	.	.	.	2	
STOCKHOLM, ...	382,085	" 31,	160	81	11·0	1	.	2	.	.	2	1	
CHRISTIANIA, ...	251,446	Nov. 14,	124	47	9·7	.	.	.	1	.	.	2	
PETROGRAD, ...	1,728,200	—	
MOSCOW, ...	1,694,000	—	
ROME, ...	591,943	—	
NEW YORK, ...	5,583,871	Sept. 26,	?	1,323	12·4	13	.	1	5	1	14†	?	
PHILADELPHIA, ...	1,657,810	" 11,	.	412	12·9	2	1†	61	
BOSTON, ...	750,768	Nov. 7,	.	186b	12·9	2	.	.	.	1	2	9a	

* Deaths from "fever," including 2 from enteric fever, in Calcutta; one from plague and 2 from enteric fever in Bombay, and 4 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 7 deaths from cholera in Calcutta, and 284 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 163, (including 6 deaths from diarrhoeal diseases) rate 11·3 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th November, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	2	1	3
" " 1, West,	1	.	.	1	.	.	1	3	6
" " 2,	1	.	1	4	6
" " 3,	5	5
Clontarf and Howth No. 1 (part of),	1	1
Coolock and Drumcondra (part of),	.	1	1
Finglas and Glasnevin (part of),	1	.	.	.	1	2
South City No. 1,	1	.	.	1	.	.	2	4
" " 2,	2	2
" " 3,	1	.	.	1	.	.	.	1	.	.	.	1	4
" " 4,	1	3	4
New Kilmainham,	4	4
Total,	15	.	.	5	.	1	5	2	.	.	.	14	42

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 28th November, 1914, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 28th November.			
	Nov. 7.	Nov. 14.	Nov. 21.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	81	76	74	3	15	.	62
Typhus, ...	15	15	14	.	.	1	13
Small-pox,
Measles, ...	9	6	10	1	2	.	9
Scarlet Fever, ...	120	122	127	19	22	.	124*
Diphtheria, ...	47	48	43	10	3	1	49
Pneumonia, ...	13	16	11	3	4	.	10

* Exclusive of 22 patients in "Beneavin," the Convalescent House of Cork Street Fever Hospital.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 5TH DECEMBER, 1914.

[No. 49.]

*General Register Office, Charlemont House,
Dublin, 7th December, 1914.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 20·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Nov. 14	Nov. 21	Nov. 28	Dec. 5	
27 Town Districts, (a)	17·7	18·3	19·4	20·1	18·9
Dublin Reg. Area ...	18·1	18·8	18·9	24·5	20·1
Dublin City ...	19·1	20·2	19·8	26·9	21·5
Belfast ...	16·6	19·1	20·8	21·2	19·4
Cork ...	15·6	27·9	19·7	14·8	19·4
Londonderry ...	20·3	15·2	15·2	10·1	15·2
Limerick ...	16·2	6·8	19·0	25·7	16·9
Waterford ...	26·6	32·3	20·9	13·3	23·3

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 1·9 per 1,000. Among the 162 deaths from all causes for Belfast are 8 from measles, 3 from scarlet fever, 2 from whooping-cough, one from diphtheria, and 5 (children under 2 years of age) from diarrhoea and enteritis. Of the 21 deaths from all causes for Cork, 2 were caused by whooping-cough, one by diphtheria, and one of a child under 2 years of age by diarrhoea and enteritis. Included in the 3 deaths from all causes for Lurgan are one from scarlet fever and one of a child under 2 years of age from diarrhoea and enteritis. Scarlet fever was responsible for one of the 7 deaths from all causes for Waterford, one of the 4 deaths from all causes for Lisburn, and one of the 6 deaths from all causes for Newtownards; and among the 3 deaths from all causes for Coleraine was one caused by diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 185—95 boys and 96 girls—and the deaths to 205—94 males and 111 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 24·5 per 1,000 of the population. During the forty-nine weeks, ending with Saturday last, the death-rate averaged 20·5, and was 1·0 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 205, represent an annual rate of 26·3 per 1,000; the annual rate for the past forty-nine weeks was 21·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·7 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are 5 from enteric fever, one from scarlet fever, 3 from diphtheria, one* from dysentery, and 4 deaths from diarrhoea and enteritis of children under 2 years of age.

In the three weeks preceding, deaths from enteric fever were 2, 2, and 0; deaths from scarlet fever were one, one, and one; deaths from diphtheria were 0, 0, and one; deaths from dysentery were 0, 0, and 0; and deaths of children under 2 years of age from diarrhoea and enteritis were 6, 7, and 3, respectively.

Deaths from tuberculous disease (all forms), which in the three preceding weeks numbered 29, 25 and 22, respectively, rose to 33* last week, the 33 deaths comprising 30 deaths from pulmonary tuberculosis, one death from abdominal tuberculosis, and 2 deaths from disseminated tuberculosis.

There were 12* deaths from cancer.

Ten deaths were caused by broncho-pneumonia, and 5 by pneumonia (type not distinguished).

Of deaths of infants under one year of age 4 were attributed to convulsions and 3 to premature birth.

Fourteen deaths from organic diseases of the heart and 17 from bronchitis were registered.

There was one accidental death.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 children under 5 years of age (including one infant under one year old).

Thirty-eight of the persons whose deaths were registered during the week were under 5 years of age (24 being infants under one year, of whom 7 were under one month old), and 56 were aged 65 years and upwards, including 36 persons aged 70 and upwards; among the latter were 16 aged 75 and upwards, of whom one (a female) was stated to have been aged 90 years.

Ninety of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse, 22 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·5 per 1,000; the rate in the City was 26·9 (North City Districts, 28·2; South, 25·4) and in the Suburbs 16·9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 1·7 (in the North City Districts 2·2, and in the South 1·1), and for the Suburbs 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (15) are equal to an annual rate of 25·9 per 1,000. There were 2 deaths from pneumonia, 3 from bronchitis, and 2 from diarrhoea and enteritis of children under 2 years of age.

No. 1 *North City District, West* (Summer-hill).—The deaths (24) are equal to an annual rate of 30·3 per 1,000, and include one death from enteric fever, 2 from tuberculous disease, 2 from broncho-pneumonia, 3 from bronchitis, and one accidental death.

No. 2 *North City District* (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 33·7 per 1,000. Among them are one death each from enteric fever and diphtheria, 2 from pulmonary tuberculosis, and 2 from pneumonia.

No. 3 *North City District* (Benburb-street).—The deaths (16) represent an annual rate of 23·5 per 1,000. One death from scarlet fever, 2 deaths from pulmonary tuberculosis, and 2 deaths from pneumonia were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 28·5 per 1,000 inhabitants; Coolock and Drumcondra, part of, 34·3; and Finglas and Glasnevin, part of, 19·5. Of the 3 deaths from all causes for Clontarf and Howth, No. 1, part of, one was from pulmonary tuberculosis. Among the 9 deaths from all causes for Coolock and Drumcondra, part of, were 3 from pulmonary tuberculosis and one from bronchitis; and the 4 deaths from all causes for Finglas and Glasnevin, part of, included one from diphtheria and one from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (20) represent an annual rate of 25·6 per 1,000. Three deaths were caused by pulmonary tuberculosis, 3 by pneumonia, one by bronchitis, and one death was that of a child under 2 years of age caused by diarrhoea and enteritis.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 31·3 per 1,000. Tuberculous disease and bronchitis each caused 2 deaths.

No. 3 *South City District* (Peter-street).—The deaths (23) are equal to an annual rate of 27·5 per 1,000, and include one death from diphtheria, 7 from tuberculous disease, and one death each from broncho-pneumonia and bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 23·6 per 1,000. There were 4 deaths from pulmonary tuberculosis, one from broncho-pneumonia, 2 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·6 per 1,000. One of the deaths was from pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·0; Pembroke, 17·2; Blackrock, 17·0; and Kingstown, 18·5. The deaths from the principal epidemic diseases tabulated for these districts comprise one death from enteric fever for Pembroke and one death from the same disease for Kingstown. Of the 12 deaths from all causes for Rathmines and Rathgar one was from pulmonary tuberculosis and one from pneumonia. The 10 deaths from all causes for Pembroke included one from pulmonary tuberculosis, one from broncho-pneumonia, and 2 from bronchitis; and among the 3 deaths from all causes for Blackrock was one from pulmonary tuberculosis.

ENGLAND AND SCOTLAND

The mortality last week in 97 large English towns (including London, in which the rate was 15·3), was equal to an average annual death-rate of 15·3 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 18·3 per 1,000, the rate for Glasgow being 19·1, and for Edinburgh 16·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 5th December. From this Report it appears that of a total of 96 cases notified, 45 were scarlet fever, 29 diphtheria, 16 phthisis, and 6 erysipelas. Among the 761 cases of infectious diseases in hospital at the close of the week were 352 cases of scarlet fever, 174 of phthisis, 156 of diphtheria, 11 of enteric fever, 5 of erysipelas, and one of puerperal fever.

* See note (c) at foot of Table II.

† See note (†) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 5th December, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Polymyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Nov. 14,	.	—	—	12	4	.	10	.	.	9	5	.	—	—	.	—	.	21	61
	Nov. 21,	.	—	—	14	1	.	7	.	1	7	.	.	—	—	.	—	.	18	55
	Nov. 28,	.	—	—	15	.	.	5	.	1	5	2	.	—	—	.	—	.	14	42
	Dec. 5,	.	—	—	7	.	.	4	.	1	9	1	.	—	—	.	—	.	18	40
Rathmines and Rathgar Urban District.	Nov. 14,	.	—	—	.	.	.	2	—	—	—	—	—	—	2
	Nov. 21,	.	—	—	1	.	.	1	—	—	—	—	—	—	2
	Nov. 28,	.	—	—	1	—	—	—	—	—	—	2
	Dec. 5,	.	—	—	1	—	—	—	—	—	—	1
Pembroke Urban District.	Nov. 14,	—	.	—	—	—	.	.
	Nov. 21,	2	.	.	1	.	.	—	.	—	—	—	1	4
	Nov. 28,	—	.	—	—	—	1	1
	Dec. 5,	.	.	.	1	.	.	1	.	.	.	1	.	—	1	—	—	—	3	7
Blackrock Urban District.	Nov. 14,	.	.	—	1	.	—	—	.	—	—	—	2
	Nov. 21,	.	.	—	1	—	—	.	—	—	—	.
	Nov. 28,	.	.	—	—	—	.	—	—	—	.
	Dec. 5,	.	.	—	.	.	.	1	—	—	.	—	—	—	1
Kingstown Urban District.	Nov. 14,	.	—	—	1	.	—	—	—	—	—	.	1
	Nov. 21,	.	—	—	—	—	—	—	—	.	.
	Nov. 28,	.	—	—	1	.	.	—	—	—	—	—	.	1
	Dec. 5,	.	—	—	—	—	—	—	—	.	.
City of Belfast.	Nov. 14,	.	—	—	60	.	.	8	.	.	2	5	1	—	—	.	—	.	7	83
	Nov. 21,	.	—	—	52	.	.	3	.	.	1	3	.	—	—	.	—	.	5	64
	Nov. 28,	.	—	—	55	.	.	7	.	.	3	10	.	—	—	.	—	.	3	78
	Dec. 5,	.	—	—	53	.	.	3	.	.	2	6	.	—	—	.	—	.	3	67
City of Cork.	Nov. 14,	.	5	—	22	.	.	3	1	.	.	1	.	—	—	—	—	—	—	32
	Nov. 21,	.	14	—	25	.	.	5	.	.	3	.	.	—	—	—	—	—	—	47
	Nov. 28,	.	9	—	14	.	.	1	1	—	—	—	—	—	—	25
	Dec. 5,	.	23	—	9	.	.	4	.	1	.	1	.	—	—	—	—	—	—	38
City of Londonderry.	Nov. 14,	.	—	—	—	—	—	—	—	—	1
	Nov. 21,	.	—	—	1	—	—	—	—	—	—	1
	Nov. 28,	.	—	—	—	—	—	—	—	—	.
	Dec. 5,	.	—	—	2	1	.	—	—	—	—	—	—	3
City of Limerick.	Nov. 14,	.	—	—	1	—	—	—	—	—	—	1
	Nov. 21,	.	—	—	2	—	—	—	—	—	—	2
	Nov. 28,	.	—	—	3	—	—	—	—	—	—	3
	Dec. 5,	.	—	—	—	—	—	—	—	—	.
City of Waterford.	Nov. 14,	.	—	—	21	.	.	1	—	—	—	—	—	1	23
	Nov. 21,	.	—	—	24	.	.	1	.	.	.	1	.	—	—	—	—	—	.	26
	Nov. 28,	.	—	—	29	—	—	—	—	—	.	29
	Dec. 5,	.	—	—	17	.	.	2	—	—	—	—	—	.	19

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th December, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Seventeen cases of enteric fever were admitted to hospital during the week, 14 were discharged, 4 died, and 61 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 76, 74, and 62.

Seven cases of typhus were discharged from hospital during the week, and 6 cases remained under treatment at its close. At the close of the 3 preceding weeks the cases numbered 15, 14 and 13 respectively.

One case of measles was discharged from hospital during the week, and 8 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 6, 10, and 9, respectively.

Seventeen cases of scarlet fever were admitted to hospital, 17 were discharged, there was one death and 123* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 122, 127, and 124, respectively.

Eleven cases of diphtheria were admitted to hospital during the week, 19 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 48, 43, and 49 respectively, were 38 at the close of last week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 3 were discharged, there was one death and 15 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 5th December, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 5TH DECEMBER, 1914.																															
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																										
	POPULATION.		DEATHS.			BIRTHS.		DEATHS.																							
	Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases.(b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																		Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber- culosis.		Pneumonia.	Other.	Diseases of the Respir- atory System.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.							
																		Pulmonary.	Other Forms.												
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)			
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,205,280	19.1	23.8	20.1	1.9	549	464	67	128	4	8	8	4	6	...	43	20	23	40	50	12	1	2	7	150	12			
DUBLIN REG- ISTRATION AREA :— TOTAL, (c.) ...	406,000	29.5	23.8	24.5	.5	185	191	24	54	4	1	...	3	...	27	3	10	15	19	4	...	1	3	76	4			
CITY OF DUBLIN, ...	310,467	39.2	27.2	26.9	1.7	162	160	23	41	2	1	...	3	...	24	3	5	13	16	4	...	1	2	69	4			
Urban Districts.																															
RATHMINES and RATHGAR, ...	39,155	22.8	14.6	16.0	.	11	12	...	4	1	..	1	1	1	1	2	...			
PEMBROKE, ...	30,240	19.2	12.1	17.2	1.7	7	10	1	3	1	1	...	2	1	2	3	...			
BLACKROCK, ...	9,197	8.5	5.7	17.0	.	1	3	...	1	1	...	2			
KINGSTOWN, ...	16,941	11.6	12.3	18.5	3.1	4	6	...	5	1	2	...			
Urban Districts																															
BELFAST ..	399,000	26.7	23.1	21.2	2.5	177	162	28	38	8	3	2	1	...	15	6	7	22	21	5	1	40	2			
CORK, ..	76,673	28.6	21.1	14.3	2.7	31	21	3	7	2	1	...	1	3	3	1	3	1	9	...			
LONDON- DERRY ...	41,100	15.9	26.6	10.1	1.3	21	8	2	1	1	1	1	1	...			
LIMERICK, ...	38,518	16.1	52.8	25.7	.	39	19	5	3	2	2	1	..	3	1	6	4			
WATERFORD, ...	27,464	19.1	19.0	13.3	1.9	10	7	1	2	1	2	1	...			
GALWAY, ...	13,256	2.5				8	5	...	2	2	1	5	...			
DUNDALK, ...	13,128	9.5				2	4	...	3	1			
LURGAN, ...	12,553	14.7				4	3	2	1	1	1	1	...				
DROGHEDA, ...	12,501	8.4				2	6	1	4	1	...	1	1	...				
LISBURN, ...	12,388	10.9				6	4	...	1	1	1	2	...				
NEWRY, ...	11,963	17.0				6	1	...	1	1	1	1	...				
PORTADOWN, ...	11,727	15.3				3	2	...	1	1				
WEXFORD, ...	11,631	22.8				4	4	...	2	1	1	...	1	...				
BALLYMENA ..	11,381	9.3				15	3	1	1	...				
SLIGO, ...	11,163	3.8				4				
KILKENNY, ...	10,614	11.4				2	1	1	1	...				
TRALEE, ...	10,300	17.4				1	3	1	1	...				
CLONMEL, ...	10,209	7.8				6	1				
NEWTOWNARDS	9,587	20.1				3	6	1	2	1	2	1				
QUEENSTOWN, ...	8,209	14.7				3	1	...	1	1	...			
LARNE, ...	8,036	13.4				4	3	...	1				
COLERAINE. ...	7,785	7.7				3	3	...	2	1	1	...				
BANGOR, ..	7,776	8.5				1				
BRAY, ..	7,691	7.2				5	3	...	3	1				
ATHLONE, ..	7,472	6.2				.	1				
ARMAGH, ...	7,356	21.8				4	2				

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1914. (b) See note (1) at foot of first page. (c) Exclusive of 14 deaths of persons (including two at 65 years or upwards), admitted to hospital from localities outside the Area. The 14 deaths include one from dysentery, 3 from pulmonary tuberculosis, and 2 from cancer

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 5th of December, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.														TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.															
	REGISTRATION DISTRICTS IN															
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.								
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FITZGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.
Enteric Fever,	1	1	1	.	1
Typhus,
Small-pox,
Measles,
Scarlet Fever,	1	1
Whooping-cough,
Diphtheria,	1	.	.	.	1	.	.	1	3
Croup,
Influenza,
Dysentery,
Tuberculosis, { Pulmonary,	1	2	2	1	3	.	3	1	6	4	1	1	1	1	27
{ Other Forms,	1	1	1	3
Cancer,	2	.	1	2	.	.	.	1	2	2	10
Diseases of Nervous System,	1	2	5	.	.	1	1	4	1	4	1	1	1	1	.	23
" Organs of Special Sense,
" Circulatory System,	1	4	2	.	.	1	.	3	1	4	.	.	5	.	.	2
" Respiratory System, { Pneumonia,	2	2	2	2	.	.	.	3	.	1	1	.	1	1	.	15
{ Others,	3	3	1	.	.	1	1	1	2	2	2	.	1	2	.	19
{ Diarrhoea and Enteritis, under 2 years,	2	1	.	.	1	4
" Digestive System, { Diarrhoea, 2 years and upwards,
{ Enteritis, 2 years and upwards,	1	.	.	.	1	1	3
{ Others,	1	.	.	2	1	3	.	.	.	1	8
" Genito-urinary System,	1	1	5	.	1	.	2	.	.	1	11
Puerperal Septicæmia, etc.,	1	.	1	.	.	1	.	.	3
Other Causes incident to Pregnancy and Childbirth,
Diseases of the Skin and Cellular Tissue,	1	.	1	2
" Locomotor System,	2	2
Other specified Causes,	2	5	2	3	1	1	.	2	2	2	2	.	1	2	.	26
Violent Deaths,	1	1
Ill-defined, &c. Causes,	1	1	1	3
Deaths from All Causes	15	24	18	16	3	9	4	20	11	23	15	2	12	10	3	6
Annual Rate of Mortality from All Causes in every 1,000 of the population.	25.9	30.3	33.7	23.5	28.5	34.3	19.5	25.6	31.3	27.5	23.6	10.6	16.0	17.2	17.0	18.5
	23.2							25.4					16.9			
	26.9															
Ages at Death. { Under 1 year,	6	1	4	3	.	.	.	4	1	2	1	1	.	1	.	24
{ 1 and under 2 years,	1	.	.	1	.	.	.	1	.	1	2	5
{ 2 " 5 "	1	3	.	.	.	1	1	1	1	1	9
{ 5 " 15 "	2	1	5
{ 15 " 25 "	1	1	.	1	2	1	.	.	1	.	7
{ 25 " 45 "	1	4	2	2	1	2	.	4	1	3	7	1	5	1	1	36
{ 45 " 65 "	4	6	3	4	1	4	.	4	3	6	3	.	3	5	.	51
{ 65 and upwards,	2	7	3	6	1	1	3	6	5	6	1	.	4	3	1	54
Number of Uncertified Deaths,	1	1	1	1	4
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																
Public Hospitals, Prisons, and Lunatic Asylums,	2	5	5	5	2	3	.	3	2	4	5	.	1	1	.	39
Workhouse Hospitals,	1	5	3	6	.	1	.	5	4	5	3	.	1	2	1	37

FORTY-NINTH WEEK, ending Saturday, 5th December, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 49th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 5th December, 1914.																	
	Dec. 10, 1904.	Dec. 9, 1905.	Dec. 8, 1906.	Dec. 7, 1907.	Dec. 5, 1908.	Dec. 11, 1909.	Dec. 10, 1910.	Dec. 9, 1911.	Dec. 7, 1912.	Dec. 6, 1913.		All Ages.	Deaths of Persons of the Ages of																
													0-5.																
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.							
Diseases of the Pharynx, Ton- sillitis.	1	.	.	.1						
Diseases of Stomach, ...	—	—	—	—	—	—	2	1	1	—	2	.	1	1						
Diarrhoea and Enteritis of Children under 2 years.	2	5	2	5	8	5	2	5	5	5	4.5	4	3	1						
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																							
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	1	.	1	—	1	2	.	.						
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	—	1	.	2	—	1	1	.						
Cirrhosis of Liver, ...	2	1	3	2	.	.	.8	3	2	1	.	.	.						
Other Diseases of Liver, ...	1	.	.	2	2	1	1	.	.	1	.8	1	1						
Peritonitis (cause unknown),	2	.	.	.	24						
Other Diseases of Digestive System.	8	9	3	3	6	5	.	1	1	.	3.6	1	.	1						
Acute Nephritis, ...	9	7	4	4	6	4	6	1	2	.	6.5	11	2	7	2	.	.						
Chronic Bright's Disease, ...								2	9	7		
Urinary Calculi,
Uterine Tumour (non-can- cerous).							
Ovarian Tumour (non-can- cerous)							
Other Diseases of Genito- urinary System.								3	1	.																			
Puerperal Septicæmia, &c.,	1	1	.	1	1	1	.	.5	4	1	3						
Other Causes incident to Pregnancy and Childbirth.	2	1	.	.	1	1	.5						
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	.	1	2	—	2	2	.	.	.						
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	.	.	.	—	2	.	1	.	.	1						
Premature Birth, ...	9	2	8	7	6	4	6	4	11	1	5.8	3	3						
Congenital Debility, ...	—	—	—	—	—	—	—	4	3	6	—						
Old Age, ...	3	1	2	1	3	8	4	5	3	6	3.6	17	9	8	.	.						
Other Specified Diseases, ...	—	—	—	—	—	—	—	.	3	2	—						
ACCIDENT:																													
Poisons or Poisonous Vapours.	11						
Conflagration,						
Burns and Scalds, ...	1	1	.	2	1	3	2	.	2	.	1.2						
Drowning,	1	.	1	3	.5						
Suffocation in Bed,	1	.	.	.	1	.	.	.2						
Other Deaths by Accident, ...	1	1	.	5	1	1	1	2	.	1	1.3	1						
Total Deaths from Accident,	2	2	1	8	3	4	4	3	2	4	3.3	1	.	.	.	1						
Included in above are Deaths in connection with—																													
Railways,						
Vehicles and Horses,	2	.	1	14						
Ships, Boats, Docks,						
Building Operations,	11						
VIOLENCE OTHER THAN ACCIDENTAL:																													
Homicide,						
Suicide,						
Execution,						
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	7	5	4	—	3	2	1	.	.						

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914—WEEK ENDING																									
		June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.
No. of weeks in Annual Series,		24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
Births registered.		271	225	233	165	214	208	197	195	166	204	200	246	187	213	182	198	199	223	185	205	173	222	190	209	187	185
Average Births in corresponding week of previous 10 years, ...		210	223	245	208	208	221	221	220	209	223	218	205	244	200	222	247	203	187	211	196	217	208	200	182	214	186
Deaths registered, ...		163	151	134	139	128	139	129	144	136	159	136	163	160	139	161	154	154	141	144	134	118	158	155	152	205	205
Annual Death-rate per 1,000, ...		20.9	19.4	17.2	17.9	16.4	17.9	16.6	18.5	17.5	20.4	17.5	20.9	20.5	17.9	20.7	19.8	19.8	18.1	18.5	17.2	15.2	20.3	19.9	19.9	19.5	26.3
Average Deaths in corresponding week of previous 10 years, ...		156	142	134	135	147	143	145	144	145	156	160	137	159	158	162	159	157	155	157	149	168	167	171	167	174	177
Ages, {		45	46	36	47	31	44	36	46	35	53	35	62	51	48	52	47	39	30	47	36	29	35	34	26	38	38
Under 5 years, ...		9	5	5	7	6	9	6	4	6	5	6	5	4	3	8	4	5	12	7	2	7	8	8	11	3	6
15-25 " ...		6	12	8	9	7	3	9	8	5	7	6	6	8	5	6	7	1	6	7	4	1	8	7	6	6	8
25-45 " ...		30	23	23	27	27	29	26	27	26	26	27	23	24	24	26	25	33	21	19	22	30	27	23	35	26	43
45-65 " ...		38	41	32	30	22	31	30	37	34	35	35	38	40	28	35	36	40	39	36	22	26	41	40	42	35	54
65-75 " ...		23	15	19	14	22	14	15	13	16	18	17	18	22	16	20	21	19	17	17	29	14	23	20	19	28	40
75 and upwards, ...		12	9	11	10	13	9	7	9	15	15	10	11	11	15	14	14	17	16	11	19	11	16	18	16	16	16
Deaths from:—		1	1	1	1	2	1	2	2	2	1	2	2	1	3	3	1	1	2	3	2	2	3	2	2	1	6
Enteric Fever,
Typhus,
Small-pox,
Measles,
Scarlet Fever,
Whooping-cough,
Diphtheria,
Influenza,
Dysentery,
Tuberculosis {	
Pulmonary ...		19	13	17	21	18	16	19	23	19	18	19	18	25	13	18	23	17	11	25	17	11	16	22	20	16	30
Other Forms, ...		6	5	5	7	5	8	11	5	6	4	2	4	9	8	9	7	9	11	4	5	4	3	7	5	6	3
Cancer, ...		18	9	8	9	7	7	10	9	7	6	12	10	20	6	15	13	15	8	6	9	8	8	15	9	17	12
Diseases of Circulatory System, ...		20	27	11	11	16	15	15	13	15	15	17	18	18	17	19	15	16	20	8	17	15	17	19	21	13	23
Diseases of Respi- { Pneumonia		12	14	8	9	10	12	4	8	4	3	7	8	7	5	4	6	10	11	9	8	12	12	12	7	15	15
ratory System, { Others, ...		11	8	20	10	13	5	7	12	10	11	10	7	10	7	9	14	19	12	22	15	13	21	18	23	20	20
Diarrhoea and Enteritis, under	
2 years, ...		4	7	4	4	4	6	6	9	10	11	13	28	18	17	25	14	11	14	11	11	7	10	6	7	3	4
Diarrhoea, 2 years and upwards,
Violent Deaths, ...		3	3
Number of Uncertified Deaths, ...		3	2	2	5	2	6	2	3	7	10	3	6	1	4	5	4	2	7	1	3	3	5	3	7	1	4

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th December, 1914; the Annual Death-rate represented by the Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 5TH DECEMBER, 1914.																																																																																															
OCCUPATION OR SOCIAL POSITION			Popula- tion in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.										CAUSES OF DEATH																																																																															
						Under 5 years.										5 and under 15.										15 and under 25.										25 and under 45.										45 and under 65.										65 and under 75.										75 and upwards.										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.		Other Tuberculois.	Convulsions.	Diseases of the Respiratory System		Other.	Diarrhoea & Eritritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths
						(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)																																																																
CLASS																																																																																															
I.	ALL PERSONS.																																																																																														
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)																																																																	
		397,957	—	205	38	6	8	43	54	40	16	5																																																																
II.	DEATHS IN FAMILIES OF THE—																																																																																														
III.	PROFESSIONAL AND INDEPENDENT CLASS.																																																																																														
IV.	MIDDLE CLASS.																																																																																														
V.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																																																																																														
VI.	GENERAL SERVICE CLASS.																																																																																														
VII.	INMATES OF WORKHOUSES.																																																																																														
VIII.	IMMATES OF WORKHOUSES.																																																																																														
IX.	GENERAL SERVICE CLASS.																																																																																														
X.	ARMY, POLICE, POSTAL DELIVERY AND PRISON SERVICES.																																																																																														
XI.	DOMESTIC SERVANTS.																																																																																														
XII.	COACH AND CAR DRIVERS, VANMEN, &C.																																																																																														
XIII.	HAWKERS, PORTERS, LABOURERS, &C.																																																																																														
XIV.	INMATES OF WORKHOUSES.																																																																																														
XV.	INMATES OF WORKHOUSES.																																																																																														

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths.			
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.						
North City, No. 1 (E.) (Office Clarence St. Nth.)	Oct. 31 Nov. 7 " 14 " 21 " 28 Dec. 5	24.2 17.3 17.3 22.4 22.4 25.9	1.7 . 1.7 1.7 3.5 3.5	14 10 10 13 13 15	. . 1 1 1 1 1	1 1 . . . 2	. . . 1 1 . 2	2 1 1 2 2 3	1 . . 1 1 . 2 1 2 2 . .	
North City, No. 1 (W.) (Office, Summer-hill.)	Oct. 31 Nov. 7 " 14 " 21 " 28 Dec. 5	15.2 20.2 18.9 22.7 13.9 30.3	2.5 1.3 . 3.8 1.3 1.3	12 16 15 18 11 24	. 1 . . . 1	1	3 . 2 3 1 1	1 . 1 . . 1	2 . 2 1 1 .	. . 2 1 1 2	. . 1 1 1 3	1 . 1 1 1 1	. . . 2 1 1 . . . 1	. . 1 . . 1
North City, No. 2. (Office, Lisburn-street.)	Oct. 31 Nov. 7 " 14 " 21 " 28 Dec. 5	16.8 22.4 28.1 20.6 20.6 33.7	. . 3.7 . . 3.7	9 12 15 11 11 18 1	. . 1 1	1 1 3 1 2 2 1 . . 1 2	1 1 2 . . 1	1 2 2 4 4 1	1 1
North City, No. 3. (Office, Benburb-street.)	Oct. 31 Nov. 7 " 14 " 21 " 28 Dec. 5	16.1 24.9 16.1 11.7 14.7 23.5	1.5 . 1.5 . 1.5 1.5	11 17 11 8 10 16	1 . 1 . . 1	1 3 2 1 1 2	1 1 . 1 1 .	. . 1 . 1 .	1 1 1 2 1 .	1 3 . . 5	1 . . 1	
Clontarf and Howth No. 1 (part of).	Oct. 31 Nov. 7 " 14 " 21 " 28 Dec. 5	. 9.5 19.0 9.5 . 28.5 1 2 1 . 3	1 1 1
Coolock and Drumcondra (part of).	Oct. 31 Nov. 7 " 14 " 21 " 28 Dec. 5	. 34.3 3.8 19.1 11.4 34.3 9 1 5 3 9 1 . 1 . 3 1 . 1 1	4
Finglas and Glasnevin (part of).	Oct. 31 Nov. 7 " 14 " 21 " 28 Dec. 5	9.7 4.9 14.6 9.7 4.9 19.5 4.9	2 1 3 2 1 4 1 1 1	1 1	1
South City, No. 1. (Office, Sth. Earl-street.)	Oct. 31 Nov. 7 " 14 " 21 " 28 Dec. 5	11.5 17.9 19.2 19.2 24.3 25.6	2.6 2.6 2.6 1.3 . 1.3	9 14 15 15 19 20	2 . . 1	2 3 2 1 1 3	. . . 1 1 2 .	. . 1 1 3 4 2 . .	1 1 2 2 1 1	. . 2	1 2	. . . 1 . 1
South City, No. 2. (Office, Castle-street.)	Oct. 31 Nov. 7 " 14 " 21 " 28 Dec. 5	8.5 11.4 31.3 28.4 34.1 31.3	. 2.8	3 4 11 10 12 11 1 2 2 1 1 1 4 1 4 2	1 4 1 1 2 2	
South City, No. 3. (Office, Peter-street.)	Oct. 31 Nov. 7 " 14 " 21 " 28 Dec. 5	21.6 21.6 19.2 16.8 31.1 27.5	2.4 4.8 1.2 2.4 . 1.2	18 18 16 14 26 23	. 1 . . 1	2 2 3 3 3 6	1 . 1 . . .	2 1 1 1 2 1	3 1 1 1 3 2	2 2 1 1	1 1	
South City, No. 4. (Office, Grand Canal-st.)	Oct. 31 Nov. 7 " 14 " 21 " 28 Dec. 5	15.7 12.6 20.4 33.0 17.3 23.6	4.7 1.6 . 4.7 3.1 1.6	10 8 13 21 11 15 3 1 2 4	. . 1 . . .	1 . 2 . . .	1 2 2 3 2 1	2 1 1 4 2 2	3 1 1 3 2 1	1 1
New Kilmainham.	Oct. 31 Nov. 7 " 14 " 21 " 28 Dec. 5	15.9 26.5 10.6 10.6 5.3 10.6	. 5.3 5.3 . . .	3 5 2 2 1 2 1 1 . . . 1 1	1 . . 1

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Eclampsia, 9 years of age and upwards.	Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Oct. 31	10.7	1.3	8	1
	Nov. 7	20.0	4.0	15	1	.	1	.	3	3	.	.	.
	" 14	12.0	.	9	1	1	1	1	.	.	.
	" 21	13.3	1.3	10	1	.	1	.	1	1	.	.	.
	" 28	18.6	.	14	2	.	1	.	3	.	.	1	.
Dec. 5	16.0	.	12	1	.	1	1	1	1
Pembroke Urban District. Population in 1914 (Est.) 30,240	Oct. 31	12.1	.	7	1	1	1	1
	Nov. 7	8.6	1.7	5	2	1	1	1	.	.
	" 14	8.6	.	5	1	1	.	.	.
	" 21	15.5	.	9	3	.	.	.	3
	" 28	17.2	.	10	1	1	3	.	1	1	.	.	1
Dec. 5	17.2	1.7	10	1	1	.	2	1	2	1
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Oct. 31	5.7	.	1
	Nov. 7	5.7	.	1	1
	" 14	34.0	.	6	1	.	2	.	2
	" 21	5.7	.	1
	" 28	11.3	.	2	1
Dec. 5	17.0	.	3	1	.	2
Kingstown Urban District. Population in 1911 16,941.	Oct. 31	15.4	.	5	1	.	.	.	1	.	.	.	1
	Nov. 7	12.3	.	4	1	.	1
	" 14	21.5	.	7	2
	" 21	18.5	.	6	1	1
	" 28	9.2	.	3	1
Dec. 5	18.5	3.1	6	1
Belfast. Population in 1914 (Est.) 399,000.	Oct. 31	14.0	2.4	107	1	.	.	6	3	1	1	.	10	4	7	16	13	6	.	2	1
	Nov. 7	19.2	3.3	147	1	.	.	10	1	3	.	.	13	5	6	15	21	9	1	2	2
	" 14	16.6	2.9	127	.	.	.	7	8	2	.	.	18	2	4	11	11	4	1	1	1
	" 21	19.1	2.7	146	1	.	.	9	6	2	1	.	19	8	5	18	16	2	.	2	2
	" 28	20.8	3.0	159	1	.	.	14	3	1	.	.	12	.	10	21	25	3	1	5	2
Dec. 5	21.2	2.5	162	.	.	.	8	3	2	1	.	15	6	7	22	21	5	.	.	.	2
Cork. Population in 1911 76,673.	Oct. 31	21.8	3.4	32	3	.	.	3	.	5	1	2	2	.	.	1
	Nov. 7	19.7	2.7	29	.	.	.	1	.	2	.	.	6	1	1	1	2	.	1	.	2
	" 14	15.6	0.7	23	1	.	4	1	2	2	3	1	.	.	2
	" 21	27.9	2.7	41	.	.	.	1	.	2	.	.	7	2	1	2	3	.	.	.	2
	" 28	19.7	2.7	29	1	2	1	.	2	4	.	2	3	.	1	.	4
Dec. 5	14.3	2.7	21	2	1	.	1	3	3	1	3	1
Londonderry. Population in 1914 (Est.) 41,100.	Oct. 31	11.4	.	9	1	.	1	2
	Nov. 7	14.0	2.5	11	1	.	2	2	1	1	.	.	1
	" 14	21.3	.	16	1	.	3	1	1	.	.	.	1
	" 21	15.2	.	2	1	2	1	1	1
	" 28	15.2	1.3	12	1	.	1	.	3	1	.	1	.
Dec. 5	10.1	1.3	8	1
Limerick. Population in 1911 38,518.	Oct. 31	21.7	5.4	16	3	.	.	.	1	.	.	1	.	1	.	.	3
	Nov. 7	17.6	.	13	1	1	1	1	2	.	.	.	4
	" 14	16.2	.	12	1	.	.	1	.	.	.	3
	" 21	6.8	.	5	1	1	.	1	2	.	.	.	1
	" 28	19.0	.	14	2	2	1	.	3	.	.	.	4
Dec. 5	25.7	.	19
Waterford Population in 1911 27,464.	Oct. 31	22.8	9.5	12	4	.	.	.	1	.	.	2	1	1	.	1	.
	Nov. 7	36.1	9.5	19	5	.	.	.	3	1	.	.	2	1	2	.	.
	" 14	26.6	11.4	14	5	.	.	.	3	1	.	.	2	2	1	.	.
	" 21	32.3	13.3	17	4	.	.	.	3	.	.	.	1	1	.	.	1
	" 28	20.9	7.6	11	3	.	.	.	1	3	.	.	.	1	.	.	.
Dec. 5	13.3	1.9	7	1	2

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 5th December, 1914. Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	AGES AT DEATH.					DEATHS FROM														No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
				Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		Under 1 year.					Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS.		Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.			Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				All Causes.	Certain Epi- demic Diseases,†	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.									Pulmonary.	Other Forms.		Pneumonia.							Other.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
																														(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Colrs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ...	4,516,612	Dec. 5,	1,914	1,325	15·3	.	.	37	10	9	30	30	
EDINBURGH, ...	321,900	" 5,	130	103	16·7	.	.	.	1	1	3	.	
GLASGOW, ...	1,047,000	" 5,	463	384	19·1	1	.	2	6	25	7	4	
CALCUTTA, ...	896,067	Oct. 24,	.	415	24·0	73*	47† ^a	
BOMBAY, ...	979,445	" 31,	418	464	24·6	40*	44 ^a	
MADRAS, ...	518,660	" 24,	325	938	94·0	99*	1	.	?	?	?	456† ^a	
CAIRO, {	Egyptians, ...	Sept. 23,	557	475	37·7	5	1	1	.	?	18†	102	
	Foreigners,	" 23,	19	10	7·8	?	.	2	
ALEXAN- DRIA, {	Egyptians,	" 23,	262	171	26·3	1	.	.	.	?	1†	45	
	Foreigners,	" 23,	27	23	15·8	?	2†	2	
PARIS, ...	2,847,229	Oct. 17,	737	729	13·1	11	.	1	1	.	3	38	
BRUSSELS, ...	780,843	—	
ANTWERP, ...	323,421	—	
AMSTERDAM, ...	597,888	—	
COPENHAGEN, ...	492,000	Nov. 7,	210	127	13·5	1	.	.	2	.	1	5 ^a	
STOCKHOLM, ...	382,085	" 7,	129	82	11·2	.	.	1	1	2	2	3	
CHRISTIANIA, ...	251,446	" 21,	109	42 ^c	8·7	
PETROGRAD, ...	1,723,200	—	
MOSCOW, ...	1,694,000	—	
ROME, ...	591,943	—	
NEW YORK, ...	5,583,871	Oct. 3,	2,754	1,132	10·6	12	.	2	1	6	14†	96	
PHILADELPHIA, ...	1,657,810	Sept. 18,	.	416	13·1	2	.	.	.	2	1†	58	
BOSTON, ...	750,768	Nov. 14,	.	236 ^b	16·4	1	.	2	1	1	4	11 ^a	

* Deaths from "fever," including 8 from enteric fever, in Calcutta; one from plague and 2 from enteric fever in Bombay, and 1 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 6 deaths from cholera in Calcutta, and 306 in Madras.

^a Deaths from diarrhoeal diseases at all ages.

^b Corrected figures, i.e., non-residents deducted, 208, (including 9 deaths from diarrhoeal diseases) rate 14·5 per thousand.

^c Including one death from acute poliomyelitis.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th December, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	2												1	3
" " 1, West, ...	1							2					2	5
" " 2, ...	1												3	4
" " 3, ...	2													2
Clontarf and Howth No. 1 (part of), ...								1						1
Coolock and Drumcondra (part of), ...							1							1
Finglas and Glasnevin (part of), ...	1													1
South City No. 1, ...								3					6	9
" " 2, ...								1					5	6
" " 3, ...					3				1				1	5
" " 4, ...					1			1						2
New Kilmainham, ...								1						1
Total, ...	7				4		1	9	1				18	40

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 5th December, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 5th December.			
	Nov. 14.	Nov. 21.	Nov. 28.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	76	74	62	17	14	4	61
Typhus, ...	15	14	13	.	7	.	6
Small-pox,			
Measles, ...	6	10	9	.	1	.	8
Scarlet Fever, ...	122	127	124	17	17	1	123*
Diphtheria, ...	48	43	49	11	19	3	38
Pneumonia, ...	16	11	10	9	3	1	15

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 12TH DECEMBER, 1914.

[No. 50.]

General Register Office, Charlemont House,
Dublin, 14th December, 1914.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 21.1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Nov. 21	Nov. 28	Dec. 5	Dec. 12	
27 Town Districts, (a)	18.3	19.4	20.1	21.1	19.7
Dublin Reg. Area ...	18.8	18.9	24.5	23.2	21.3
Dublin City ...	20.2	19.8	26.9	25.2	23.0
Belfast ...	19.1	20.8	21.2	20.8	20.5
Cork ...	27.9	19.7	14.3	25.2	21.8
Londonderry ...	15.2	15.2	10.1	17.8	14.6
Limerick ...	6.8	19.0	25.7	19.0	17.6
Waterford ...	32.3	20.9	13.3	30.4	24.2

The deaths from certain epidemic diseases† registered in the 27 town districts during last week* were equal to an annual rate of 2.0 per 1,000. Among the 159 deaths from all causes for Belfast are one from typhus, 11 from measles, 3 from scarlet fever, one from whooping-cough, one from diphtheria, and 5 (children under 2 years of age) from diarrhoea and enteritis. Of the 37 deaths from all causes for Cork are one from typhus, one from measles, one from scarlet fever, and 2 of children under 2 years of age from diarrhoea and enteritis; and included in the 16 deaths from all causes for Waterford are one from enteric fever and 3 from scarlet fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 195—107 boys and 88 girls—and the deaths to 190—87 males and 103 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23.2 per 1,000 of the population. During the fifty weeks, ending with Saturday last, the death-rate averaged 20.6, and was 0.9 below the mean rate for the corresponding portions of the ten years, 1904—1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 190, represent an annual rate of 24·4 per 1,000; the annual rate for the past fifty weeks was 22·0 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·6 per 1,000 of the mean population for all deaths registered.

Among the deaths registered are one each from enteric fever,* measles,* scarlet fever, and diphtheria, 2 from whooping-cough, 2 from influenza, and 10* deaths from diarrhoea and enteritis of children under 2 years of age.

In the three preceding weeks, deaths from enteric fever were 2, 0, and 5; deaths from measles were 0, 0, and 0; deaths from scarlet fever were one, one, and one; deaths from whooping-cough were 0, 0, and 0; deaths from diphtheria were 0, one, and 3; deaths from influenza were one, 0, and 0; and deaths of children under 2 years of age from diarrhoea and enteritis were 7, 3, and 4, respectively.

Tuberculous disease caused 29* deaths, comprising 23 deaths from pulmonary tuberculosis, one from tuberculous meningitis, 2 from abdominal tuberculosis, and 3 from other forms of the disease. Deaths in the three preceding weeks from all forms of the disease numbered 25, 22, and 33, respectively.

Ten* deaths from cancer were registered.

Of 23 deaths from pneumonia, 15 were caused by broncho-pneumonia, 3 by lobar pneumonia, and 5 by pneumonia (type not distinguished).

Among deaths of infants under one year of age, 4 were ascribed to convulsions, 6 to premature birth, and 4 to congenital debility.

There were 16 deaths from organic diseases of the heart and 21 from bronchitis.

Of 5 accidental deaths, 3 were caused by burns.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 infants under one year old, and the deaths of 2 persons aged 66 and 68 years, respectively.

Fifty-seven of the persons whose deaths were registered during the week were under 5 years of age (41 being infants under one year, of whom 11 were under one month old), and 36 were aged 65 years and upwards, including 26 persons aged 70 and upwards; among the latter were 17 aged 75 and upwards, of whom 2 (females) were stated to have been aged 91 and 96 years, respectively.

Seventy-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse, and 26 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·2 per 1,000; the rate in the City was 25·2 (North City Districts, 19·6; South, 31·5) and in the Suburbs 16·9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 1·8 (in the North City Districts 2·2, and in the South 1·4), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·2 per 1,000. Among them are one from influenza, 3 from pulmonary tuberculosis, one from bronchitis, and 2 deaths of children under 2 years of age from diarrhoea and enteritis.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 17·7 per 1,000. There were 3 deaths from pulmonary tuberculosis, 2 from broncho-pneumonia, one from bronchitis, 2 deaths from diarrhoea and enteritis of children under 2 years of age, and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 24·3 per 1,000. Three deaths were caused by pulmonary tuberculosis, one by broncho-pneumonia, one by bronchitis, one death of a child under 2 years of age by diarrhoea and enteritis, and one by accidental burns.

No. 3 North City District (Benburb-street).—The deaths (16) represent an annual rate of 23·5 per 1,000. One death each from scarlet fever, diphtheria, influenza, and pulmonary tuberculosis, 3 from pneumonia, one from bronchitis, and one accidental death were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, Nos. 1, part of, 9·5 per 1,000 inhabitants; Coolock and Drumcondra, part of, 7·6; and Finglas and Glasnevin, part of, 9·7.

No. 1 South City District (South Earl-street).—The deaths (30) represent an annual rate of 33·4 per 1,000, and include one death from whooping cough, 5 from tuberculous disease, 4 from pneumonia, 7 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 22·7 per 1,000. There were 2 deaths from tuberculous disease, one from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

No. 3 South City District (Peter-street).—The deaths (27) are equal to an annual rate of 32·3 per 1,000. Among them are one death from whooping-cough, 5 from tuberculous disease, 8 from pneumonia, and 4 from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (20) are equivalent to an annual rate of 31·4 per 1,000. Three deaths from tuberculous disease, 4 from pneumonia, 3 from bronchitis, and one accidental death were recorded.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·9 per 1,000. Bronchitis caused one death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·0; Pembroke, 20·7; Blackrock, 5·7; and Kingstown, 9·2. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 deaths from diarrhoea and enteritis of children under 2 years of age for Rathmines and Rathgar, the 15 deaths from all causes for that district including one death each from pulmonary tuberculosis, broncho-pneumonia, and bronchitis. Among the 12 deaths from all causes for Pembroke is one from pulmonary tuberculosis; and the 3 deaths from all causes for Kingstown include also one from pulmonary tuberculosis.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 15·5), was equal to an average annual death-rate of 15·7 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 17·7 per 1,000, the rate for Glasgow being 19·1, and for Edinburgh 16·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 12th December. From this Report it appears that of a total of 90 cases notified, 34 were diphtheria, 33 scarlet fever, 17 phthisis, 5 erysipelas, and one of enteric fever. Among the 726 cases of infectious diseases in hospital at the close of the week were 324 cases of scarlet fever, 165 of diphtheria, 163 of phthisis, 11 of enteric fever, 5 of erysipelas, and one of measles.

* See note (c) at foot of Table II.

† See note (f) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 12th December, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Nov. 21,	.	—	—	14	1	.	7	.	1	7	7	.	—	—	.	—	.	18	55
	Nov. 28,	.	—	—	15	.	.	5	.	1	5	2	.	—	—	.	—	.	14	42
	Dec. 5,	.	—	—	7	.	.	4	.	1	9	1	.	—	—	.	—	.	18	40
	Dec. 12,	.	—	—	14	.	.	11	.	2	10	4	1	—	—	.	—	.	22	64
Rathmines and Rathgar Urban District.	Nov. 21,	.	—	—	1	.	.	1	—	—	—	—	—	—	2
	Nov. 28,	.	—	—	1	.	.	1	—	—	—	—	—	—	2
	Dec. 5,	.	—	—	1	2	.	.	—	—	—	—	—	—	1
	Dec. 12,	.	—	—	—	—	—	—	—	—	2
Pembroke Urban District.	Nov. 21,	2	.	.	1	.	.	—	.	—	—	—	1	4
	Nov. 28,	—	.	—	—	—	1	1
	Dec. 5,	.	.	.	1	.	.	1	.	.	.	1	.	—	1	—	—	—	3	7
	Dec. 12,	.	.	.	1	1	1	.	—	1	—	—	—	2	6
Blackrock Urban District.	Nov. 21,	.	.	—	1	1	.	—	—	.	—	—	—	2
	Nov. 28,	.	.	—	—	—	.	—	—	—	.
	Dec. 5,	.	.	—	.	.	.	1	—	—	.	—	—	—	1
	Dec. 12,	.	.	—	—	—	.	—	—	—	.
Kingstown Urban District.	Nov. 21,	.	—	—	—	—	—	—	—	.	.
	Nov. 28,	.	—	—	1	.	.	—	—	—	—	—	.	1
	Dec. 5,	.	—	—	—	—	—	—	—	.	.
	Dec. 12,	.	—	—	1	.	—	—	—	—	—	1	2
City of Belfast.	Nov. 21,	.	—	—	52	.	.	3	.	.	1	3	.	—	—	.	—	.	5	64
	Nov. 28,	.	—	—	55	.	.	7	.	.	3	10	.	—	—	.	—	.	3	78
	Dec. 5,	.	—	—	53	.	.	3	.	.	2	6	.	—	—	.	—	.	3	67
	Dec. 12,	.	—	—	61	.	.	6	.	.	2	9	.	—	—	2	—	.	5	85
City of Cork.	Nov. 21,	.	14	—	25	.	.	5	.	.	3	.	.	—	—	—	—	—	—	47
	Nov. 28,	.	9	—	14	.	.	1	1	—	—	—	—	—	—	25
	Dec. 5,	.	23	—	9	.	.	4	.	1	.	1	.	—	—	—	—	—	—	38
	Dec. 12,	.	6	—	7	.	.	1	.	.	1	2	.	—	—	—	—	—	—	17 ^a
City of Londonderry.	Nov. 21,	.	—	—	1	—	—	—	—	—	—	1
	Nov. 28,	.	—	—	—	—	—	—	—	—	.
	Dec. 5,	.	—	—	2	1	.	—	—	—	—	—	—	3
	Dec. 12,	.	—	—	—	—	—	—	—	—	.
City of Limerick.	Nov. 21,	.	—	—	2	—	—	—	—	—	—	2
	Nov. 28,	.	—	—	3	—	—	—	—	—	—	3
	Dec. 5,	.	—	—	—	—	—	—	—	—	.
	Dec. 12,	.	—	—	—	—	—	—	—	—	.
City of Waterford.	Nov. 21,	.	—	—	24	.	.	1	.	.	.	1	.	—	—	—	—	—	.	26
	Nov. 28,	.	—	—	29	—	—	—	—	—	.	29
	Dec. 5,	.	—	—	17	.	.	2	—	—	—	—	—	.	19
	Dec. 12,	.	—	—	11	1	.	—	—	—	—	—	.	12

(a) Not including one case of varicella

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th December, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Ten cases of enteric fever were admitted to hospital during the week, 3 were discharged, one died, and 67 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 74, 62, and 61.

Two cases of typhus were admitted to hospital during the week, one was discharged and 7 cases remained under treatment at its close. At the close of the 3 preceding weeks the cases numbered 14, 13 and 6 respectively.

Four cases of measles were admitted to hospital during the week, 4 were discharged, there were 2 deaths and 6 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 10, 9, and 8, respectively.

Eleven cases of scarlet fever were admitted to hospital, 22 were discharged, there were 2 deaths and 110* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 127, 124, and 123, respectively.

Nine cases of diphtheria were admitted to hospital during the week, and 11 were discharged, The cases in hospital, which at the close of the 3 preceding weeks numbered 43, 49, and 38 respectively, were 36 at the close of last week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 2 were discharged, there were 2 deaths and 16 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 12th December, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 12TH DECEMBER, 1914.																												
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by					NUMBERS REGISTERED.																				
	POPULATION.		DEATHS.			BIRTHS. TOTAL NUMBER.	TOTAL NUMBER.	DEATHS.																				
	Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)			Caused by																				
								Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forma.	Tuber- culosis.	Cancer.	Pneumonia.	Other.	Diseases of the Respir- atory System	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,205,280	19.1	25.3	21.1	2.0	585	488	86	132	1	2	...	12	8	3	2	...	49	12	22	47	73	17	1	8	14	153	16
DUBLIN REG- ISTRATION AREA:—																												
TOTAL, (c.) ...	406,000	29.5	25.0	23.2	1.7	195	181	40	34	1	2	1	...	22	6	9	23	21	9	...	4	4	69	8
CITY OF DUBLIN,	310,467	39.2	29.1	25.2	1.8	173	150	36	19	1	2	1	...	19	0	6	22	21	7	...	4	4	64	7
Urban Districts.																												
RATHMINES and RATHGAR, ...	39,155	22.8	16.0	20.0	2.7	12	15	3	8	1	...	2	1	1	2	3	1
PEMBROKE, ...	30,240	19.2	6.9	20.7	...	4	12	1	5	1	...	1	...	2	2	...
BLACKROCK, ...	9,197	8.5	5.7	5.7	...	1	1	...	1
KINGSTOWN, ...	16,941	11.6	15.4	9.2	...	5	3	...	1	1
Urban Districts																												
BELFAST ...	399,000	26.7	26.3	20.8	2.9	201	159	32	50	...	1	...	11	3	1	1	...	12	1	6	15	31	5	...	2	6	36	2
CORK, ...	76,673	28.6	34.0	25.2	3.4	50	37	6	8	...	1	...	1	1	2	...	2	3	5	2	...	1	2	16	1
LONDON— DERRY, ...	41,100	15.9	36.8	17.8	...	29	14	...	6	2	2	4	6	...
LIMERICK, ...	38,518	16.1	9.5	19.0	1.4	7	14	1	2	3	...	2	...	3	...	1	3	2
WATERFORD, ...	27,464	19.1	13.3	30.4	7.6	7	16	1	2	1	3	1	...	1	...	2	2	7	1
GALWAY, ...	13,255	2.5	5	3	...	2	1	1	1	...
DUNDALK, ...	13,128	9.5	1	1
LURGAN, ...	12,553	14.7	4	7	...	3	1	1	3	...
DROGHEDA, ...	12,501	8.4	4	1
LISBURN, ...	12,388	10.9	8	3	...	2	1	...
NEWRY, ...	11,963	17.0	5	5	...	3	2	1
PORTADOWN, ...	11,727	15.3	13	4	...	3	1
WEXFORD, ...	11,531	22.8	7	4	...	1	1	...	1	1
BALLYMENA ..	11,381	9.3	5	3	...	3	1	1	...	1	...
SLIGO, ...	11,163	3.8	3	1	1
KILKENNY, ...	10,514	11.4	2
TRALEE, ...	10,300	17.4	4	1	1	1	...
CLONMEL, ...	10,209	7.8	1	13	1	8	2	9	...
NEWTOWNARDS	9,587	20.1	1	3	...	1	1	1
QUEENSTOWN,	8,209	14.7	3	2	2	1
LARNE, ...	8,036	13.4	5	2	1	1
COLERAINE. ...	7,785	7.7	7	3	1	1	1
BANGOR, ..	7,776	8.5	2	3	...	1	1
BRAY, ...	7,691	7.2	4	1	1
ATHLONE, ...	7,472	6.2	10	2	...	1
ARMAGH, ...	7,356	21.8	3	5	...	1	2

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1914. (b) See note (1) at foot of first page. (c) Exclusive of 9 deaths of persons (including one under one year old and 2 at 65 years or upwards), admitted to hospital from localities outside the Area; the 9 deaths include one from each of enteric fever, measles, pulmonary tuberculosis, and cancer and one (of a child under 2 years) from diarrhoea and enteritis.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 12th of December, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.			KINGSTOWN.
Enteric Fever,	1
Typhus,
Small-pox,	1
Measles,
Scarlet Fever,	.	.	.	1	.	.	.	1	.	1	1
Whooping-cough,	2
Diphtheria,	.	.	.	1	1
Croup,
Influenza,	1	.	.	1	2
Dysentery,
Tuberculosis, { Pulmonary,	3	3	3	1	.	.	.	3	1	3	2	.	1	1	.	1	22	1
Other Forms,	1	2	1	2	1	.	2	.	.	.	6	.
Cancer,	1	.	1	1	.	.	1	1	.	.	1	.	2	1	.	.	9	1
Diseases of Nervous System,	3	2	1	1	1	1	.	3	.	.	2	1	1	1	.	1	18	2
" Organs of Special Sense,
" Circulatory System,	2	1	1	1	.	.	.	1	2	3	3	1	1	.	1	.	17	.
" Respiratory { Pneumonia,	.	2	1	3	.	.	.	4	.	8	4	.	1	.	.	.	23	.
System. { Others,	1	1	2	1	.	.	.	7	1	4	3	1	1	2	.	.	24	.
Diarrhoea and Enteritis, under 2 years,	2	2	1	1	1	.	.	.	2	.	.	.	9	1
" Digestive { Diarrhoea, 2 years and upwards,
System. { Enteritis, 2 years and upwards,
Others,	.	.	.	2	.	.	.	3	2	2	.	.	9	1
" Genito-urinary System,	.	.	1	2	1	1	.	.	1	.	.	1	7	.
Puerperal Septicæmia, etc.,
Other Causes incident to Pregnancy and Childbirth,
Diseases of the Skin and Cellular Tissue,	1	1	1	.	.	1	.	.	4	.
" Locomotor System,
Other specified Causes,	.	2	1	.	.	1	.	2	1	4	2	.	3	3	.	.	19	.
Violent Deaths,	.	1	1	1	1	4	1
Ill-defined, &c. Causes,	.	.	.	2	.	.	1	1	.	.	4	.
Deaths from All Causes	14	14	13	16	1	2	2	30	8	27	20	3	15	12	1	3	181	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	24.2	17.7	24.3	23.5	9.5	7.6	9.7	38.4	22.7	32.3	31.4	15.9	20.0	20.7	5.7	9.2	23.2	.
	19.6							31.5					16.9					
	25.2																	
Ages at Death. { Under 1 year,	3	5	3	3	.	1	.	8	3	7	2	1	3	1	.	.	40	1
1 and under 2 years,	.	2	1	1	.	.	.	2	.	3	1	.	.	1	.	.	11	.
2 " 5 "	.	.	.	2	1	1	4	1
5 " 15 "	3	1	1	1	.	.	1	.	1	7	.
15 " 25 "	1	.	2	1	.	1	1	.	.	1	.	.	7	2
25 " 45 "	3	2	4	2	.	1	.	5	2	5	2	.	2	1	.	.	29	2
45 " 65 "	3	3	2	5	1	.	2	8	2	7	10	1	2	2	.	1	49	1
65 and upwards,	4	2	1	3	.	.	.	3	.	2	3	1	8	5	1	1	34	2
Number of Uncertified Deaths,	1	2	.	3	.	.	1	1	.	.	.	8	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	1	4	4	.	1	.	7	1	3	5	.	2	2	.	.	32	9
Workhouse Hospitals.	4	2	1	4	.	.	.	8	3	10	4	.	1	.	.	.	37	.

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 50th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 12th December, 1914.											
	Dec. 17, 1904.	Dec. 16, 1905.	Dec. 15, 1906.	Dec. 14, 1907.	Dec. 12, 1908.	Dec. 18, 1909.	Dec. 17, 1910.	Dec. 16, 1911.	Dec. 14, 1912.	Dec. 13, 1913.		All Ages.	Deaths of Persons of the Ages of										
													Under 1 month.	1 month and under 1 year.	0-5.			15-25.	25-45.	45-65.	65-75.	75 and upwards.	
															1-2.	2-5.	5-15.						
ALL CAUSES.	197	148	171	180	179	158	165	180	142	147	166·7	190	11	30	11	5	7	9	31	50	19	17	
Enteric Fever, ...	2	1	.	.	1	.	2	3	.	3	1·2	1	1	
Typhus,	1	.1	
Small-pox,	
Measles, ...	6	.	.	1	7	1	1	5	.	2	2·3	1	.	.	.	1	
Scarlet Fever,	1	1	1	1	1	.	.4	1	.	1	
Whooping-cough,	2	4	1	3	2	1	3	1	.	1·7	2	.	1	1	
Diphtheria,	1	5	3	1	2	3	4	.	4	2·3	1	.	1	
Croup,	
Influenza, ...	2	3	1	1	2	1	1	1	2	.	1·4	2	2	.	.	
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	
Erysipelas,	1	.	.	.	1	1	.	.3	
Other Epidemic Diseases,	1	.	1	1	14	
Pyæmia and Septicæmia (non-puerperal).	.	1	1	2	.	.	.4	
Tetanus,	
TUBERCULOSIS.																							
Pulmonary Tuberculosis, ...	30	9	15	18	23	15	14	12	19	16	17·1	23	2	6	9	6	.	.	
Tuberculous Meningitis, ...	2	1	3	5	4	3	.	2	3	2	2·5	1	.	1	
Abdominal Tuberculosis, ...	3	5	.	1	1	1	1	5	3	.	1·8	2	2	
Tuberculosis of the Vertebral Column.								2	.	1													
Tuberculosis of Joints, ...	10	9	2	7	7	2	3	2	.	.	4·9	1	1	.	.	
Tuberculosis of other Organs, Scrofula,	1									
Disseminated Tuberculosis,	2	1		2	.	1	.	1	
Venereal Diseases, ...	4	2	1	2	1	2	1	1	.	1	1·5	1	.	1	
Cancer, ...	6	11	7	7	5	8	4	7	9	6	7·0	10	1	5	1	3	
Tumour, situation undefined, Rheumatic Fever, ...	—	—	—	—	—	—	—	—	—	—	.1	
Diabetes, ...	1	3	2	.	.	1	.	1	.	.	.8	1	1	.	.	
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	2	1	—	
Other General Diseases, Alcoholism, ...	—	—	—	—	—	—	—	4	3	1	—	2	1	1	.	.	.	
Chronic Poisonings, ...	—	—	—	—	—	—	—5	
Cerebro-spinal Fever, ...	1	.	.	12	
Simple Meningitis,	1		
Cerebral Hæmorrhage, Apoplexy.								4	2	5		7	3	1	2	1	
Softening of Brain, ...								4	3	1		2	1	.	1	
Paralysis, without specified cause.								2	1	
Epilepsy, ...								5	2	4		4	2	2	
Convulsions (non-puerperal), ...								1	2	3		7	.	.	1	.	.	.	3	2	1	.	
Other Diseases of Nervous System.	45	35	44	30	40	35	33				35·0												
Pericarditis,	
Acute Endocarditis, ...								1	.	1		
Organic Diseases of the Heart, Embolism and Thrombosis (including Cerebral).								18	9	15		16	2	8	2	4	
Other Diseases of Circulatory system.								.	.	1		
Diseases of the Larynx, ...	—	—	—	—	—	—	—	.	.	.													
Bronchitis, ...	26	16	24	37	31	23	25	30	1	21	25·1	1	.	3	1	.	.	
Broncho-pneumonia, ...	5	5	8	11	5	10	9	7	7	11	7·8	15	1	5	1	5	2	.	1	7	4	4	
Lobar pneumonia, ...	2	.	1	1	1	3	4	.	3	1	1·6	3	1	2	.	1	
Pneumonia (type not distinguished).	3	3	6	11	6	6	14	1	7	7	6·4	5	.	.	.	1	.	.	3	1	.	.	
Pleurisy, ...																							
Pulmonary Congestion, Pulmonary Apoplexy.	6	.	1	2	3	3	7	2	.	1									
Other Diseases of Respiratory System.								1	.	.		2	1	1	.	.	

FIFTIETH WEEK, ending Saturday, 12th December, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 50th Week of the 10 years, 1904-1913.	In the Week ending Saturday, 12th December, 1914.																			
	Dec. 17, 1904.	Dec. 16, 1905.	Dec. 15, 1906.	Dec. 14, 1907.	Dec. 12, 1908.	Dec. 18, 1909.	Dec. 17, 1910.	Dec. 16, 1911.	Dec. 14, 1912.	Dec. 13, 1913.		All Ages.	Deaths of Persons of the Ages of																		
													0-5.										Under 1 month. 1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.
Diseases of the Pharynx, Ton- sillitis.	1	.	.	1								
Diseases of Stomach, ...	—	—	—	—	—	—	—	1	3	1	—	3	.	2	1	.	.	.								
Diarrhoea and Enteritis of Children under 2 years.	3	2	6	5	3	4	3	3	2	4	3·8	10	1	8	1								
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																								1
Appendicitis and Typhlitis,...	—	—	—	—	—	—	—	1	.	2	—								
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	—	.	1	1	—	2	1	1	.	.	.								
Cirrhosis of Liver,	1	1	1	1	1	·5	1	1								
Other Diseases of Liver, ...	1	1	2	.	2	·6	1	1								
Peritonitis (cause unknown),	.	1	.	1	·2	1	1								
Other Diseases of Digestive System.	5	2	8	5	8	5	3	2	1	.	3·9	1	1								
Acute Nephritis, ...	4	6	6	8	8	5	4	.	1	1	6·4	3	1	2	.	.	.								
Chronic Bright's Disease, ...								6	8	6		4	1	.	2	1	.										
Urinary Calculi,										
Uterine Tumour (non-can- cerous).																	
Ovarian Tumour (non-can- cerous)																	
Other Diseases of Genito- urinary System.	1								
Puerperal Septicæmia, &c., ...	1	.	1	.	.	.	1	.	1	1	·5								
Other Causes incident to Pregnancy and Childbirth.	.	.	1	1	·2								
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	.	2	.	—	4	.	1	1	2	.	.	.								
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	.	.	.	—								
Premature Birth, ...	6	6	6	2	5	2	5	8	4	4	4·8	6	6								
Congenital Debility, ...	—	—	—	—	—	—	—	1	4	2	—	4	.	4								
Old Age, ...	7	8	2	3	1	1	4	8	5	1	4·0	5	2	3	.	.								
Other Specified Diseases, ...	—	—	—	—	—	—	—	3	1	.	—								
ACCIDENT :																															
Poisons or Poisonous Vapours.								
Conflagration,								
Burns and Scalds, ...	1	1	3	.	.	2	2	1	1	1	1·2	3	.	.	.	1	.	.	1	.	1	.	.								
Drowning,	1	.	.	.	·1								
Suffocation in Bed,	1	2	·1								
Other Deaths by Accident, ...	4	1	.	1	1	2	4	2	1	2	1·8	2	.	1	.	.	1	1	.	1	.	.	.								
Total Deaths from Accident,	5	2	3	2	1	4	7	3	2	3	3·2	5	.	1	.	1	.	1	.	1	.	.	.								
Included in above are Deaths in connection with—																															
Railways, ...	1	1	.	.	.	·2								
Vehicles and Horses,	1	1	.	.	.	·2								
Ships, Boats, Docks,	1	·1								
Building Operations,								
VIOLENCE OTHER THAN ACCIDENTAL :																															
Homicide,	1	.	1	.	.	.	·2								
Suicide,	1	.	.	.	·1								
Execution,								
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	5	6	4	—	4	1	.	.	2	1	.	.								

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914.—WEEK ENDING																									
		June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.
No. of weeks in Annual Series,		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
BIRTHS registered.		225	233	165	214	208	197	195	166	204	200	246	187	213	184	198	199	223	185	205	173	222	190	209	187	185	195
Average Births in corresponding week of previous 10 years, ...		223	245	208	208	221	221	220	209	223	218	205	244	200	222	247	203	187	211	196	217	208	200	182	214	186	207
DEATHS registered, ...		151	134	139	128	139	129	144	136	159	186	163	160	139	161	154	154	141	144	134	118	158	155	152	152	205	190
Annual Death-rate per 1,000, ...		19.4	17.2	17.9	16.4	17.9	16.6	18.5	17.5	20.4	17.5	20.9	20.5	17.9	20.7	19.8	19.8	18.1	18.5	17.2	15.2	20.3	19.9	19.9	19.5	26.3	24.4
Average Deaths in corresponding week of previous 10 years, ...		142	134	135	147	143	145	144	145	156	160	157	159	158	162	159	157	155	157	149	168	167	171	167	174	177	167
Ages, { Under 5 years, ...		46	36	47	31	44	36	46	35	53	35	62	51	48	52	47	39	30	47	36	29	35	34	26	38	38	57
15-25 " ...		5	5	7	6	9	6	4	6	5	6	5	4	3	8	4	5	12	7	2	7	8	8	11	3	6	7
25-45 " ...		12	8	9	7	8	9	8	5	7	6	6	8	5	6	7	1	6	7	4	1	8	7	6	6	8	9
45-65 " ...		23	23	22	27	29	26	27	26	26	23	23	24	24	26	25	33	21	19	22	30	27	28	35	26	43	31
65-75 " ...		41	32	30	22	31	30	37	34	35	35	38	40	28	35	36	40	39	36	22	26	41	40	42	35	54	50
75 and upwards, ...		15	19	14	22	14	15	13	15	18	17	18	22	16	20	21	19	17	17	29	14	23	20	19	28	40	19
Deaths from:—		9	11	10	13	9	7	9	15	15	10	11	11	15	14	14	17	16	11	19	11	16	18	16	16	16	17
Enteric Fever, ...		1	1	1	2	1	2	2	2	1	2	2	1	3	3	1	1	2	3	2	2	3	2	2	1	5	1
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...		5	3	2	4	6	2	1	2	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diphtheria, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhoid, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis { Pulmonary ...		13	17	21	18	16	19	23	19	18	19	18	25	13	18	23	17	11	25	17	11	16	22	20	16	30	23
Other Forms, ...		5	7	9	5	8	11	5	6	4	2	4	9	8	9	9	7	11	4	5	4	3	7	5	6	3	6
Cancer, ...		9	8	7	8	7	10	9	7	6	12	10	20	6	15	13	15	8	6	9	8	8	15	9	17	12	10
Diseases of Circulatory System, ...		27	11	11	16	15	15	13	15	15	17	18	18	17	19	15	16	20	8	17	15	17	19	21	13	23	17
Diseases of Respi- (Pneumonia		14	8	9	10	12	4	8	4	3	7	8	7	5	4	6	10	11	9	9	8	12	12	9	7	15	23
ratory System, { Others, ...		8	20	10	13	5	7	12	10	11	10	7	10	7	9	14	19	12	22	15	13	21	18	23	28	20	24
Diarrhea and Enteritis, under		7	4	4	4	6	6	9	10	11	13	28	18	17	25	14	11	14	11	11	7	10	6	7	3	4	10
2 years, ...		7	4	4	4	6	6	9	10	11	13	28	18	17	25	14	11	14	11	11	7	10	6	7	3	4	10
Diarrhea, 2 years and upwards,		3	3	6	4	5	3	7	10	8	3	6	1	4	6	4	2	7	1	1	3	5	3	1	7	1	5
Violent Deaths, ...		2	2	5	2	6	2	4	4	2	2	1	4	2	6	2	8	2	2	3	3	1	4	3	4	4	8
Number of Uncertified Deaths,		2	2	5	2	6	2	4	4	2	2	1	4	2	6	2	8	2	2	3	3	1	4	3	4	4	8

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITIONS of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 12th December, 1914: the Annual Death-rate represented by the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 12TH DECEMBER, 1914.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).	Population in each Class and Group, 1911.	AGES.										CAUSES OF DEATH														Total Number of Deaths in 1911	Annual Death Rate per 1,000 of the Population in 1911.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
			Under 5 years.										5 and under 15.										15 and under 25.										25 and under 45.										45 and under 75.										75 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
			(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)			(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)	(42)	(43)	(44)	(45)	(46)	(47)	(48)	(49)	(50)	(51)	(52)	(53)	(54)	(55)	(56)	(57)	(58)	(59)	(60)	(61)	(62)	(63)	(64)	(65)	(66)	(67)	(68)	(69)	(70)	(71)	(72)	(73)	(74)	(75)	(76)	(77)	(78)	(79)	(80)	(81)	(82)	(83)	(84)	(85)	(86)	(87)	(88)	(89)	(90)	(91)	(92)	(93)	(94)	(95)	(96)	(97)	(98)	(99)	(100)	(101)	(102)	(103)	(104)	(105)	(106)	(107)	(108)	(109)	(110)	(111)	(112)	(113)	(114)	(115)	(116)	(117)	(118)	(119)	(120)	(121)	(122)	(123)	(124)	(125)	(126)	(127)	(128)	(129)	(130)	(131)	(132)	(133)	(134)	(135)	(136)	(137)	(138)	(139)	(140)	(141)	(142)	(143)	(144)	(145)	(146)	(147)	(148)	(149)	(150)	(151)	(152)	(153)	(154)	(155)	(156)	(157)	(158)	(159)	(160)	(161)	(162)	(163)	(164)	(165)	(166)	(167)	(168)	(169)	(170)	(171)	(172)	(173)	(174)	(175)	(176)	(177)	(178)	(179)	(180)	(181)	(182)	(183)	(184)	(185)	(186)	(187)	(188)	(189)	(190)	(191)	(192)	(193)	(194)	(195)	(196)	(197)	(198)	(199)	(200)	(201)	(202)	(203)	(204)	(205)	(206)	(207)	(208)	(209)	(210)	(211)	(212)	(213)	(214)	(215)	(216)	(217)	(218)	(219)	(220)	(221)	(222)	(223)	(224)	(225)	(226)	(227)	(228)	(229)	(230)	(231)	(232)	(233)	(234)	(235)	(236)	(237)	(238)	(239)	(240)	(241)	(242)	(243)	(244)	(245)	(246)	(247)	(248)	(249)	(250)	(251)	(252)	(253)	(254)	(255)	(256)	(257)	(258)	(259)	(260)	(261)	(262)	(263)	(264)	(265)	(266)	(267)	(268)	(269)	(270)	(271)	(272)	(273)	(274)	(275)	(276)	(277)	(278)	(279)	(280)	(281)	(282)	(283)	(284)	(285)	(286)	(287)	(288)	(289)	(290)	(291)	(292)	(293)	(294)	(295)	(296)	(297)	(298)	(299)	(300)	(301)	(302)	(303)	(304)	(305)	(306)	(307)	(308)	(309)	(310)	(311)	(312)	(313)	(314)	(315)	(316)	(317)	(318)	(319)	(320)	(321)	(322)	(323)	(324)	(325)	(326)	(327)	(328)	(329)	(330)	(331)	(332)	(333)	(334)	(335)	(336)	(337)	(338)	(339)	(340)	(341)	(342)	(343)	(344)	(345)	(346)	(347)	(348)	(349)	(350)	(351)	(352)	(353)	(354)	(355)	(356)	(357)	(358)	(359)	(360)	(361)	(362)	(363)	(364)	(365)	(366)	(367)	(368)	(369)	(370)	(371)	(372)	(373)	(374)	(375)	(376)	(377)	(378)	(379)	(380)	(381)	(382)	(383)	(384)	(385)	(386)	(387)	(388)	(389)	(390)	(391)	(392)	(393)	(394)	(395)	(396)	(397)	(398)	(399)	(400)	(401)	(402)	(403)	(404)	(405)	(406)	(407)	(408)	(409)	(410)	(411)	(412)	(413)	(414)	(415)	(416)	(417)	(418)	(419)	(420)	(421)	(422)	(423)	(424)	(425)	(426)	(427)	(428)	(429)	(430)	(431)	(432)	(433)	(434)	(435)	(436)	(437)	(438)	(439)	(440)	(441)	(442)	(443)	(444)	(445)	(446)	(447)	(448)	(449)	(450)	(451)	(452)	(453)	(454)	(455)	(456)	(457)	(458)	(459)	(460)	(461)	(462)	(463)	(464)	(465)	(466)	(467)	(468)	(469)	(470)	(471)	(472)	(473)	(474)	(475)	(476)	(477)	(478)	(479)	(480)	(481)	(482)	(483)	(484)	(485)	(486)	(487)	(488)	(489)	(490)	(491)	(492)	(493)	(494)	(495)	(496)	(497)	(498)	(499)	(500)	(501)	(502)	(503)	(504)	(505)	(506)	(507)	(508)	(509)	(510)	(511)	(512)	(513)	(514)	(515)	(516)	(517)	(518)	(519)	(520)	(521)	(522)	(523)	(524)	(525)	(526)	(527)	(528)	(529)	(530)	(531)	(532)	(533)	(534)	(535)	(536)	(537)	(538)	(539)	(540)	(541)	(542)	(543)	(544)	(545)	(546)	(547)	(548)	(549)	(550)	(551)	(552)	(553)	(554)	(555)	(556)	(557)	(558)	(559)	(560)	(561)	(562)	(563)	(564)	(565)	(566)	(567)	(568)	(569)	(570)	(571)	(572)	(573)	(574)	(575)	(576)	(577)	(578)	(579)	(580)	(581)	(582)	(583)	(584)	(585)	(586)	(587)	(588)	(589)	(590)	(591)	(592)	(593)	(594)	(595)	(596)	(597)	(598)	(599)	(600)	(601)	(602)	(603)	(604)	(605)	(606)	(607)	(608)	(609)	(610)	(611)	(612)	(613)	(614)	(615)	(616)	(617)	(618)	(619)	(620)	(621)	(622)	(623)	(624)	(625)	(626)	(627)	(628)	(629)	(630)	(631)	(632)	(633)	(634)	(635)	(636)	(637)	(638)	(639)	(640)	(641)	(642)	(643)	(644)	(645)	(646)	(647)	(648)	(649)	(650)	(651)	(652)	(653)	(654)	(655)	(656)	(657)	(658)	(659)	(660)	(661)	(662)	(663)	(664)	(665)	(666)	(667)	(668)	(669)	(670)	(671)	(672)	(673)	(674)	(675)	(676)	(677)	(678)	(679)	(680)	(681)	(682)	(683)	(684)	(685)	(686)	(687)	(688)	(689)	(690)	(691)	(692)	(693)	(694)	(695)	(696)	(697)	(698)	(699)	(700)	(701)	(702)	(703)	(704)	(705)	(706)	(707)	(708)	(709)	(710)	(711)	(712)	(713)	(714)	(715)	(716)	(717)	(718)	(719)	(720)	(721)	(722)	(723)	(724)	(725)	(726)	(727)	(728)	(729)	(730)	(731)	(732)	(733)	(734)	(735)	(736)	(737)	(738)	(739)	(740)	(741)	(742)	(743)	(744)	(745)	(746)	(747)	(748)	(749)	(750)	(751)	(752)	(753)	(754)	(755)	(756)	(757)	(758)	(759)	(760)	(761)	(762)	(763)	(764)	(765)	(766)	(767)	(768)	(769)	(770)	(771)	(772)	(773)	(774)	(775)	(776)	(777)	(778)	(779)	(780)	(781)	(782)	(783)	(784)	(785)	(786)	(787)	(788)	(789)	(790)	(791)	(792)	(793)	(794)	(795)	(796)	(797)	(798)	(799)	(800)	(801)	(802)	(803)	(804)	(805)	(806)	(807)	(808)	(809)	(810)	(811)	(812)	(813)	(814)	(815)	(816)	(817)	(818)	(819)	(820)	(821)	(822)	(823)	(824)	(825)	(826)	(827)	(828)	(829)	(830)	(831)	(832)	(833)	(834)	(835)	(836)	(837)	(838)	(839)	(840)	(841)	(842)	(843)	(844)	(845)	(846)	(847)	(848)	(849)	(850)	(851)	(852)	(853)	(854)	(855)	(856)	(857)	(858)	(859)	(860)	(861)	(862)	(863)	(864)	(865)	(866)	(867)	(868)	(869)	(870)	(871)	(872)	(873)	(874)	(875)	(876)	(877)	(878)	(879)	(880)	(881)	(882)	(883)	(884)	(885)	(886)	(887)	(888)	(889)	(890)	(891)	(892)	(893)	(894)	(895)	(896)	(897)	(898)	(899)	(900)	(901)	(902)	(903)	(904)	(905)	(906)	(907)	(908)	(909)	(910)	(911)	(912)	(913)	(914)	(915)	(916)	(917)	(918)	(919)	(920)	(921)	(922)	(923)	(924)	(925)	(926)	(927)	(928)	(929)	(930)	(931)	(932)	(933)	(934)	(935)	(936)	(937)	(938)	(939)	(940)	(941)	(942)	(943)	(944)	(945)	(946)	(947)	(948)	(949)	(950)	(951)	(952)	(953)	(954)	(955)	(956)	(957)	(958)	(959)	(960)	(961)	(962)	(963)	(964)	(965)	(966)	(967)	(968)	(969)	(970)	(971)	(972)	(973)	(974)	(975)	(976)	(977)	(978)	(979)	(980)	(981)	(982)	(983)	(984)	(985)	(986)	(987)	(988)	(989)	(990)	(991)	(992)	(993)	(994)	(995)	(996)	(997)	(998)	(999)	(1000)	(1001)	(1002)	(1003)	(1004)	(1005)	(1006)	(1007)	(1008)	(1009)	(1010)	(1011)	(1012)	(1013)	(1014)	(1015)	(1016)	(1017)	(1018)	(1019)	(1020)	(1021)	(1022)	(1023)	(1024)	(1025)	(1026)	(1027)	(1028)	(1029)	(1030)	(1031)	(1032)	(1033)	(1034)	(1035)	(1036)	(1037)	(1038)	(1039)	(1040)	(1041)	(1042)	(1043)	(1044)	(1045)	(1046)	(1047)	(1048)	(1049)	(1050)	(1051)	(1052)	(1053)	(1054)	(1055)	(1056)	(1057)	(1058)	(1059)	(1060)	(1061)	(1062)	(1063)	(1064)	(1065)	(1066)	(1067)	(1068)	(1069)	(1070)	(1071)	(1072)	(1073)	(1074)	(1075)	(1076)	(1077)	(1078)	(1079)	(1080)	(1081)	(1082)	(1083)	(1084)	(1085)	(1086)	(1087)	(1088)	(1089)	(1090)	(1091)	(1092)	(1093)	(1094)	(1095)	(1096)	(1097)	(1098)	(1099)	(1100)	(1101)	(1102)	(1103)	(1104)	(1105)	(1106)	(1107)	(1108)	(1109)	(1110)	(1111)	(1112)	(1113)	(1114)	(1115)	(1116)	(1117)	(1118)	(1119)	(1120)	(1121)	(1122)	(1123)	(1124)	(1125)	(1126)	(1127)	(1128)	(1129)	(1130)	(1131)	(1132)	(1133)	(1134)	(1135)	(1136)	(1137)	(1138)	(1139)	(1140)	(1141)	(1142)	(1143)	(1144)	(1145)	(1146)	(1147)	(1148)	(1149)	(1150)	(1151)	(1152)	(1153)	(1154)	(1155)	(1156)	(1157)	(1158)	(1159)	(1160)	(1161)	(1162)	(1163)	(1164)	(1165)	(1166)	(1167)	(1168)	(1169)	(1170)	(1171)	(1172)	(1173)	(1174)	(1175)	(1176)	(1177)	(1178)	(1179)	(1180)	(1181)	(1182)	(1183)	(1184)	(1185)	(1186)	(1187)	(1188)	(1189)	(1190)	(1191)	(1192)	(1193)	(1194)	(1195)	(1196)	(1197)	(1198)	(1199)	(1200)	(1201)	(1202)	(1203)	(1204)	(1205)	(1206)	(1207)	(1208)	(1209)	(1210)	(1211)	(1212)	(1213)	(1214)	(1215)	(1216)	(1217)	(1218)	(1219)	(1220)	(1221)	(1222)	(1223)	(1224)	(1225)	(1226)	(1227)	(1228)	(1229)	(1230)	(1231)	(1232)	(1233)	(1234)	(1235)	(1236)	(1237)	(1238)	(1239)	(1240)	(1241)	(1242)	(1243)	(1244)	(1245)	(1246)	(1247)	(1248)	(1249)	(1250)	(1251)	(1252)	(1253)	(1254)	(1255)	(1256)	(1257)	(1258)	(1259)	(1260)	(1261)	(1262)	(1263)	(1264)	(1265)	(1266)	(1267)	(1268)	(1269)	(1270)	(1271)	(1272)	(1273)	(1274)	(1275)	(1276)	(1277)	(1278)	(1279)	(1280)	(1281)	(1282)	(1283)	(1284)	(1285)	(1286)	(1287)	(1288)	(1289)	(1290)	(1291)	(1292)	(1293)	(1294)	(1295)	(1296)	(1297)	(1298)	(1299)	(1300)	(1301)	(1302)	(1303)	(1304)	(1305)	(1306)	(1307)	(1308)	(1309)	(1310)	(1311)	(1312)	(1313)	(1314)	(1315)	(1316)	(1317)	(1318)	(1319)	(1320)	(1321)	(1322)	(1323)	(1324)	(1325)	(1326)	(1327)	(1328)	(1329)	(1330)	(1331)	(1332)	(1333)	(1334)	(1335)	(1336)	(1337)	(1338)	(1339)	(1340)	(1341)	(1342)	(1343)	(1344)	(1345)	(1346)	(1347)	(1348)	(1349)	(1350)	(1351)	(1352)	(1353)	(1354)	(1355)	(1356)	(1357)	(1358)	(1359)	(1360)	(1361)	(1362)	(1363)	(1364)	(1365)	(1366)	(1367)	(1368)	(1369)	(1370)	(1371)	(1372)	(1373)	(1374)	(1375)	(1376)	(1377)	(1378)	(1379)	(1380)	(1381)	(1382)	(1383)	(1384)	(1385)	(1386)	(1387)	(1388)	(1389)	(1390)	(1391)	(1392)	(1393)	(1394)	(1395)	(1396)	(1397)	(1398)	(1399)	(1400)	(1401)	(1402)	(1403)	(1404)	(1405)	(1406)	(1407)	(1408)	(1409)	(1410)	(1411)	(1412)	(1413)	(1414)	(1415)	(1416)	(1417)	(1418)	(1419)	(1420)	(1421)	(1422)	(1423)	(1424)	(1425)	(1426)	(1427)	(1428)	(1429)	(1430)	(1431)	(1432)	(1433)	(1434)	(1435)	(1436)	(1437)	(1438)	(1439)	(1440)	(1441)	(1442)	(1443)	(1444)	(1445)	(1446)	(1447)	(1448)	(1449)	(1450)	(1451)	(1452)	(1453)	(1454)	(1455)	(1456)	(1457)	(1458)	(1459)	(1460)	(1461)	(1462)

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Un- certified Deaths.																																																																																																																																																																																																											
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.																																																																																																																																																																																																													
													Pulmonary.	Other Forms.		Pneumonia.	Other.																																																																																																																																																																																																																
North City, No. 1 (E.) (Office Clarence St. Nth.) Population in 1914 (Est.) 30,206.	Nov. 7 " 14 " 21 " 28 Dec. 5 " 12	17.3 17.3 22.4 22.4 25.9 24.2	. 1.7 1.7 3.5 3.5 3.5	10 10 13 13 15 14	. 1 1 1 1 1 3 1 3	1 2 1	. 1 1 1 2 1	1 1 2 3 2 1 1 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2	1 2 2 2 2 2

* See note (†) at foot of first page.

Deaths in Dublin, Belfast, Cork, Londonderry, Limerick and Waterford.

1914 795

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Hæmorrhage, 2 years of age and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Nov. 7 " 14 " 21 " 28 Dec. 5 " 12	20.0 12.0 13.3 18.6 16.0 20.0	4.0 . 1.3 . . 2.7	15 9 10 14 12 15	1 . 1 1 2 1	1 1 1 1 1 2	. 1 . . 1 1	3 1 1 3 1 1	3 . 1 . . 2 1
Pembroke Urban District. Population in 1914 (Est.) 30,240	Nov. 7 " 14 " 21 " 28 Dec. 5 " 12	8.6 8.6 15.5 17.2 17.2 20.7	1.7 . . . 1.7 .	5 5 9 10 10 12 1 3 1 1 1	. . . 1 1 .	. . 2 3 2 1	1 1 . . 1 .	1 3 . 1 2 2	1 1 . . .	
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Nov. 7 " 14 " 21 " 28 Dec. 5 " 12	5.7 34.0 5.7 11.3 17.0 5.7	1 6 1 2 3 1 1 . . 1 2 .	. 2 . 1 . .	1 2	
Kingstown Urban District. Population in 1911 16,941.	Nov. 7 " 14 " 21 " 28 Dec. 5 " 12	12.3 21.5 18.5 9.2 18.5 9.2 3.1 .	4 7 6 3 6 3 1	1 2 . . 1	1 1 1	
Belfast. Population in 1914 (Est.) 399,000.	Nov. 7 " 14 " 21 " 28 Dec. 5 " 12	19.2 16.6 19.1 20.8 21.2 20.8	3.3 2.9 2.7 3.0 2.5 2.9	147 127 146 159 162 159	1 . 1 1 1	10 7 9 14 8 11	1 8 6 3 3 3	3 2 2 1 2 1	. . 1 . 1 1	13 18 19 12 15 12	5 2 8 . 6 1	6 4 5 10 7 6	15 11 18 21 22 15	21 11 16 25 21 31	9 4 2 3 5 5	1 1 2 1 5 .	2 1 2 5 . 2	2 1 2 2 . 2	
Cork. Population in 1911 76,673.	Nov. 7 " 14 " 21 " 28 Dec. 5 " 12	19.7 15.6 27.9 19.7 14.3 25.2	2.7 0.7 2.7 2.7 2.7 3.4	29 23 41 29 21 37 1	1 . 1 . . 1	. . 1 1 2 1	2 . 2 2 2 .	. 1 2 1	6 4 7 2 1 2	1 1 2 4 3 .	1 2 1 2 3 2	1 . 2 2 1 3 3	2 3 3 3 3 5	. . 1 . 1 2	1	1 2 4 1 1 .		
Londonderry. Population in 1914 (Est.) 41,100.	Nov. 7 " 14 " 21 " 28 Dec. 5 " 12	14.0 20.3 15.2 15.2 10.1 17.8	2.5 . . 1.3 1.3 .	11 16 12 12 8 14	1 1 1 1 2 .	. 2	2 3 1 1 . 2	2 1 . 3 1 4	1 2 1 3 1 .	1 . . 1 1 1 1	
Limerick. Population in 1911 38,518.	Nov. 7 " 14 " 21 " 28 Dec. 5 " 12	17.6 16.2 6.8 19.0 25.7 19.0 1.4	13 12 5 14 19 14	1 . . 1 2 3	1 1 . 1 2 .	1 . . 1 1 .	1 1 2 3 3 3 1		
Waterford. Population in 1911 27,464.	Nov. 7 " 14 " 21 " 28 Dec. 5 " 12	36.1 26.6 32.3 20.9 13.3 30.4	9.5 11.4 13.3 7.6 1.9 7.6	19 14 17 11 7 16 1	5 5 4 3 1 3	3 3 3 1 1 1	1 1 3 2 .	2 . . . 1 .	1 . . 2 . .	3 2 1 . 2 .	. 1 2 1 1 1 1 1 . .	2	

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 12th December, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
				Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from						Total Number of DEATHS.				Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS.						Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
				All Causes.	Certain Epi- demic Diseases,†	Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Pneumonia.	Other.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
																						(1)	(2)						(3)	(4)				(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
City of Belfast.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
BELFAST URBAN No. 1 DISTRICT,	15,879	6	26·3	8	8	1	3	2	1	1	2	4	6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1914—WEEK ENDING																									
		June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.
No. of weeks in Annual Series,		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
BIRTHS registered, ...		233	227	219	237	190	218	212	226	214	218	196	215	215	187	223	228	246	189	184	208	202	161	197	226	177	201
DEATHS registered, ...		131	134	130	130	103	111	115	137	113	135	145	155	138	151	169	133	111	132	129	107	147	127	146	159	162	159
Annual Death-rate per 1,000 of estimated population, ...		17.1	17.5	17.0	17.0	13.5	14.5	15.0	17.9	14.8	17.6	18.9	20.3	18.0	19.7	22.1	17.4	14.5	17.3	16.9	14.0	19.2	16.6	19.1	20.8	21.2	20.8
AGES, { Under 1 year, ...		24	27	25	26	25	19	21	20	27	30	49	56	52	42	69	36	38	29	23	19	26	24	22	31	28	32
1—5 years, ...		22	18	18	19	10	11	21	21	23	18	23	18	21	21	21	11	13	22	15	20	22	18	15	22	24	20
5—25 " ...		21	15	18	21	9	15	11	14	9	17	14	19	14	12	21	10	11	15	10	13	14	10	20	10	17	11
25—45 " ...		21	23	24	18	20	22	21	22	18	19	16	24	18	24	19	19	12	20	24	13	21	21	24	18	24	19
45—65 " ...		31	37	28	28	19	26	24	32	16	30	26	25	20	22	23	35	20	25	27	24	25	26	34	46	31	27
{ 65 and upwards, ...		12	14	17	18	20	13	17	28	20	21	17	13	13	30	17	19	16	21	30	18	39	28	31	32	38	50
Deaths from :—		2	1	1	1	1	2	1	1	1	2	...	1	1	1	...	1
Enteric Fever,	1	1	1	1
Typhus,
Small-pox,
Measles, ...		8	5	9	6	4	1	6	5	8	7	2	2	1	7	4	...	3	7	7	6	10	7	9	14	8	11
Scarlet Fever, ...		8	2	2	5	2	2	2	4	2	2	1	1	2	1	2	3	...	3	1	8	6	3	3	3
Whooping-cough,	4	7	2	4	2	7	2	3	3	6	2	5	3	4	4	4	3	8	1	3	2	2	1	2	1
Diphtheria, ...		1	1	1	1	1
Dysentery,
Tuberculosis. { Pulmonary, ...		21	21	13	14	10	16	15	18	12	14	19	20	13	17	15	8	6	11	13	10	13	18	19	12	15	12
{ Other Forms, ...		6	5	7	7	3	4	7	5	8	7	4	8	1	5	4	5	...	6	4	4	5	2	8	...	6	1
Cancer ...		5	5	9	11	7	8	1	3	5	10	6	6	6	7	8	9	2	4	10	7	6	4	5	10	7	6
Diseases of Respi- (Pneumonia, ...		6	10	4	7	8	10	5	10	8	10	8	4	6	13	7	10	9	10	6	16	15	11	18	21	22	15
ratory System, { Others, ...		10	10	9	11	5	8	12	13	13	11	9	16	9	13	13	8	11	17	16	13	21	11	16	25	21	31
Diarrhoea and Enteritis, under 2 years, ...		6	5	7	5	6	8	9	3	13	9	23	44	39	30	44	21	10	12	6	6	9	4	2	3	5	5
Diarrhoea, 2 years and upwards,	1	1	2	1	10	1	3	2	4	2	1	1	1	1	...	1
Violent Deaths, ...		1	2	...	2	2	2	1	1	...	4	1	5	1	3	3	3	1	2	2	2	2	5	...	2
Number of Uncertified Deaths, ...		3	...	3	2	1	2	...	2	...	1	3	2	...	5	2	2	...	1	2	1	2	1	...	2	2	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ---	4,516,612	Dec. 12,	2,005	1,340	15·5	2	.	45	11	10	13	15
EDINBURGH, ---	321,900	" 12,	116	83	16·7	2	.	.	1	.	3	1
GLASGOW, ---	1,047,000	" 12,	576	371	19·1	1	.	2	9	24	5	3
CALCUTTA, ---	896,067	Oct. 31,	.	485	28·1	110*	6	.	.	1	.	57†a
BOMBAY, ---	979,445	Nov. 7,	434	461	24·5	45*	2	45†a
MADRAS, ---	518,660	Oct. 31,	333	826	92·8	75*	1	.	?	?	?	315†a
CAIRO, {	Egyptians, ...	Sept. 30,	570	478	37·9	3	1	3	.	?	17†	126
	Foreigners, ...	" 30,	16	10	7·3	2	.	.	.	?	.	.
ALEXAN- DRIA, {	Egyptians, ...	" 30,	268	195	30·0	1	.	.	.	?	.	44
	Foreigners, ...	" 30,	11	18	12·3	?	.	3
PARIS, ---	2,847,229	Oct. 24,	662	741	13·3	9	.	.	.	1	1†	29
BRUSSELS, ---	780,843	—
ANTWERP, ---	323,421	—
AMSTERDAM, ---	597,888	—
COPENHAGEN, ---	492,000	Nov. 14,	209	92	9·8	1	.	2	1	.	1	3
STOCKHOLM, ---	382,085	" 14,	147	160	13·6	.	.	2	2	1	1	2†
CHRISTIANIA, ---	251,446	" 28,	91	55	11·4	1	.	.	1	.	.	.
PETROGRAD, ---	1,728,200	—
MOSCOW, ---	1,694,000	—
ROME, ---	591,913	—
NEW YORK, ...	5,583,871	Oct. 10,	3,048	1,234	11·5	9	.	1	.	6	25†	76
PHILADELPHIA, ...	1,657,810	Sept. 25,	.	451	14·2	3	.	1	.	.	8†	42
BOSTON, ---	750,768	Nov. 21,	.	204b	14·2	2	.	2	1	.	7	5a

* Deaths from "fever," including 11 from enteric fever, in Calcutta; 4 in Bombay, and 2 in Madras.

† Including deaths from croup.

‡ Including 4 deaths from cholera in Calcutta, one in Bombay, and 153 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 171 (including 6 deaths from diphtheria and 2 from diarrhoeal diseases), rate 11·9 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th December, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	1	1	.	.	.	2	4
" " 1, West,	5	1	.	.	.	1	7
" " 2,	2	.	.	1	.	1	1	3	8
" " 3,	5	.	.	1	.	1	1	8
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),	1	1
Finglas and Glasnevin (part of),	1	1	2
South City No. 1,	1	2	1	1	.	.	7	12
" " 2,	2	2
" " 3,	5	.	.	5	1	.	.	.	5	16
" " 4,	1	.	.	2	3
New Kilmainham,	1	1
Total,	14	.	.	11	.	2	10	4	1	.	.	22	64

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 12th December, 1914, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 12th December.			
	Nov. 21.	Nov. 28.	Dec. 5.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	74	62	61	10	3	1	67
Typhus, ...	14	13	6	2	1	.	7
Small-pox,
Measles, ...	10	9	8	4	4	2	6
Scarlet Fever, ...	127	124	123	11	22	2	110*
Diphtheria, ...	43	49	38	9	11	.	36
Pneumonia, ...	11	10	15	5	2	2	16

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
R. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 19TH DECEMBER, 1914.

[No. 51.]

General Register Office, Charlemont House,
Dublin, 21st December, 1914.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 21·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGHES, &c.	Week ending				Average Rate for 4 weeks.
	Nov. 28	Dec. 5	Dec. 12	Dec. 19	
27 Town Districts, (a)	19·4	20·1	21·1	21·8	20·6
Dublin Reg. Area ...	18·9	24·5	23·2	24·7	22·8
Dublin City ...	19·8	26·9	25·2	24·7	24·1
Belfast ...	20·8	21·2	20·8	18·3	20·3
Cork ...	19·7	14·3	25·2	27·2	21·6
Londonderry ...	15·2	10·1	17·8	15·2	14·6
Limerick ...	19·0	25·7	19·0	20·3	21·0
Waterford ...	20·9	13·3	30·4	22·8	21·8

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week* were equal to an annual rate of 2·1 per 1,000. Among the 140 deaths from all causes for Belfast are one from enteric fever, 7 from measles, 7 from scarlet fever, 5 from whooping-cough, and 5 (children under 2 years of age) from diarrhoea and enteritis. Two of the 40 deaths from all causes for Cork were from diarrhoea and enteritis, both being children under 2 years of age. One of the 12 deaths from all causes for Waterford was from scarlet fever. Of the 3 deaths from all causes for Galway, one was from typhus. Among the 4 deaths from all causes for Ballymena, one was from enteric fever; and included in the 13 deaths from all causes for Kilkenny are 2 from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 224—124 boys and 100 girls—and the deaths to 203—107 males and 96 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 24·7 per 1,000 of the population. During the fifty-one weeks, ending with Saturday last, the death-rate averaged 20·7, and was 0·8 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 203, represent an annual rate of 26·1 per 1,000, the annual rate for the past fifty-one weeks was 22·1 per 1,000, and the average annual rate for the corresponding period (of the past ten years) was 22·7 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered are one* from enteric fever, one from measles, 2 from scarlet fever, 4 from diphtheria, and 7 from diarrhoeal diseases.

In the three preceding weeks, deaths from enteric fever were 0, 5, and one; deaths from measles were 0, 0, and one; deaths from scarlet fever were one, one, and one; deaths from diphtheria were one, 3, and one; and deaths from diarrhoeal diseases were 3, 4, and 10, respectively.

Deaths from tuberculous disease numbered 31*, including 26 deaths from pulmonary tuberculosis, 3 from tuberculous meningitis, one from abdominal tuberculosis, and one from disseminated tuberculosis. Deaths from tuberculous disease in the three preceding weeks were 22, 33, and 29, respectively.

Cancer caused 7* deaths.

Twelve deaths were caused by broncho-pneumonia, 3 by lobar pneumonia, and 4 by pneumonia (type not distinguished).

Included in the deaths of infants under one year of age, are 3 ascribed to convulsions, 2 to premature birth, and 7 to congenital debility.

Organic diseases of the heart caused 26 deaths, and bronchitis 25.

There were 9 accidental deaths, including 3 caused by burns, 2 of the latter being deaths of infants under one year of age.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year old.

Fifty-one of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 6 were under one month old), and 53 were aged 65 years and upwards, including 36 persons aged 70 and upwards; among the latter were 25 aged 75 and upwards, of whom 4 (one male and 3 females) were stated to have been aged 92, 92, 92, and 95 years, respectively.

Sixty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse, 14 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·7 per 1,000; the rate in the City was 24·7 (North City Districts, 25·3; South, 24·0) and in the Suburbs 24·6.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 1·7 (in the North City Districts 1·9, and in the South 1·4), and for the Suburbs 2·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·2 per 1,000. There were 2 deaths from pulmonary tuberculosis, one from broncho-pneumonia, one from bronchitis, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (16) are equal to an annual rate of 20·2 per 1,000. Two deaths were caused by pulmonary tuberculosis, 3 by bronchitis, one (that of a child under 2 years of age) by diarrhoea and enteritis, and 2 were accidental deaths.

No. 2 North City District (Lisburn-street).—The deaths (22) are equivalent to an annual rate of 41·1 per 1,000. Among them are 5 from tuberculous disease, 3 from pneumonia, 2 from bronchitis, one death of a child under 2 years of age from diarrhoea and enteritis, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (21) represent an annual rate of 30·8 per 1,000, and include one from measles, 2 from scarlet fever, one from diphtheria, 2 from pulmonary tuberculosis, 3 from pneumonia, and 5 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·5 per 1,000 inhabitants; Coolock and Drincondra, part of, 0·0; and Finglas and Glasnevin, part of, 29·2. Of the 6 deaths from all causes for the last-named district one was from lobar-pneumonia.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 20·5 per 1,000. There were 2 deaths from tuberculous disease, 3 from broncho-pneumonia, one from bronchitis, one death of a child under 2 years of age from diarrhoea and enteritis, and one accidental death.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000. Among them are 2 deaths from pulmonary tuberculosis, one from lobar pneumonia, and 3 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (18) are equal to an annual rate of 21·6 per 1,000. Two deaths from diphtheria, 3 from pulmonary tuberculosis, one from broncho-pneumonia, 3 from bronchitis, and one from diarrhoea were recorded.

No. 4 South City District (Grand Canal Street).—The deaths (21) are equivalent to an annual rate of 33·0 per 1,000. Three deaths were caused by pulmonary tuberculosis, 4 by pneumonia, 2 by bronchitis, and one by an accident.

New Kilmainham District.—The deaths (2) equal to an annual rate of 10·6 per 1,000, include one from pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 28·0; Pembroke, 17·2; Blackrock, 39·7; and Kingstown, 21·5. The deaths from the principal epidemic diseases tabulated for these districts comprise one death from diphtheria and one death of a child under 2 years of age from diarrhoea and enteritis for Rathmines and Rathgar, and 2 deaths from diarrhoea and enteritis of children under 2 years of age for Pembroke. Among the 21 deaths from all causes for Rathmines and Rathgar are one from pulmonary tuberculosis, one from pneumonia, 2 from bronchitis, and one accidental death; the 10 deaths from all causes for Pembroke include 3 from tuberculous disease, one from pneumonia, one from bronchitis, and one accidental death. Of the 7 deaths from all causes for Blackrock 2 are from tuberculous disease and one from bronchitis; and the 7 deaths from all causes for Kingstown include 2 from pulmonary tuberculosis and one from bronchitis.

ENGLAND AND SCOTLAND.

The mortality last week in 97 large English towns (including London, in which the rate was 16·5), was equal to an average annual death-rate of 16·1 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 18·0 per 1,000, the rate for Glasgow being 18·9, and for Edinburgh 16·5.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 19th December. From this Report it appears that of a total of 75 cases notified, 29 were diphtheria, 21 scarlet fever, 19 phthisis, and 6 erysipelas. Among the 722 cases of infectious diseases in hospital at the close of the week were 307 cases of scarlet fever, 173 of diphtheria, 163 of phthisis, 10 of enteric fever, 6 of erysipelas, and one of measles.

* See note (c) at foot of Table II.

† See note (†) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 19th December, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrheal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Nov. 28,	.	—	—	15	.	.	5	.	1	5	2	.	—	—	.	.	.	14	42
	Dec. 5,	.	—	—	7	.	.	4	.	1	9	1	.	—	—	.	.	.	18	40
	Dec. 12,	.	—	—	14	.	.	11	.	.	10	4	1	—	—	.	.	.	22	64
	Dec. 19,	.	—	—	10	1	.	4	.	2	1	1	1	—	—	.	.	.	11	29
Rathmines and Rathgar Urban District.	Nov. 28,	.	—	—	1	.	.	1	—	—	—	—	—	—	2
	Dec. 5,	.	—	—	1	—	—	—	—	—	—	1
	Dec. 12,	.	—	—	2	.	.	—	—	—	—	—	—	2
	Dec. 19,	.	—	—	.	.	.	6	1	.	1	1	.	—	—	—	—	—	—	9
Pembroke Urban District.	Nov. 28,	—	—	—	—	—	1	1
	Dec. 5,	.	.	.	1	.	.	1	.	.	.	1	.	—	—	—	—	—	3	7
	Dec. 12,	.	.	.	1	1	1	.	—	—	—	—	—	2	6
	Dec. 19,	1	—	—	—	—	—	2	3
Blackrock Urban District.	Nov. 28,	.	.	—	—	—	—	—	—	—	.
	Dec. 5,	.	.	—	.	.	.	1	—	—	—	—	—	—	1
	Dec. 12,	.	.	—	—	—	—	—	—	—	.
	Dec. 19,	2	.	—	—	—	—	—	—	2
Kingstown Urban District.	Nov. 28,	.	—	—	1	.	.	—	—	—	—	—	.	1
	Dec. 5,	.	—	—	—	—	—	—	—	.	.
	Dec. 12,	.	—	—	1	.	—	—	—	—	—	1	2
	Dec. 19,	.	—	—	—	—	—	—	—	.	.
City of Belfast.	Nov. 28,	.	—	—	55	.	.	7	.	.	3	10	.	—	—	.	.	.	3	78
	Dec. 5,	.	—	—	53	.	.	3	.	.	2	6	.	—	—	.	.	.	3	67
	Dec. 12,	.	—	—	61	.	.	6	.	.	2	9	.	—	—	2	.	.	5	85
	Dec. 19,	.	—	—	61	.	.	8	.	2	5	8	.	—	—	.	.	.	4	88
City of Cork.	Nov. 28,	.	9	—	14	.	.	1	1	—	—	—	—	—	—	25
	Dec. 5,	.	23	—	9	.	.	4	.	1	.	1	.	—	—	—	—	—	—	38
	Dec. 12,	.	6	—	7	.	.	1	.	.	1	2	.	—	—	—	—	—	—	17 ^a
	Dec. 19,	.	5	—	7	.	.	2	1	—	—	—	—	—	—	15 ^b
City of Londonderry.	Nov. 28,	.	—	—	—	—	—	—	—	—	.
	Dec. 5,	.	—	—	2	1	.	—	—	—	—	—	—	3
	Dec. 12,	.	—	—	—	—	—	—	—	—	.
	Dec. 19,	.	—	—	3	1	2	.	—	—	—	—	—	—	7
City of Limerick.	Nov. 28,	.	—	—	3	—	—	—	—	—	—	3
	Dec. 5,	.	—	—	—	—	—	—	—	—	.
	Dec. 12,	.	—	—	—	—	—	—	—	—	.
	Dec. 19,	.	—	—	—	—	—	—	—	—	.
City of Waterford.	Nov. 28,	.	—	—	29	—	—	—	—	—	.	29
	Dec. 5,	.	—	—	17	.	.	2	—	—	—	—	—	.	19
	Dec. 12,	.	—	—	11	1	.	—	—	—	—	—	.	12
	Dec. 19,	.	—	—	5	1	.	1	—	—	—	—	—	.	7

(a) Not including one case of varicella

(b) Not including 2 cases of varicella and one of whooping-cough.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th December, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 63 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 62, 61, and 67.

Four cases of typhus were discharged from hospital during the week, and 3 cases remained under treatment at its close. At the close of the 3 preceding weeks the cases numbered 13, 6 and 7 respectively.

Two cases of measles were discharged from hospital during the week, and 4 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 9, 8, and 6, respectively.

Seventeen cases of scarlet fever were admitted to hospital, 25 were discharged, there was one death and 101* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 124, 123, and 110, respectively.

Twenty-one cases of diphtheria were admitted to hospital during the week, 9 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 49, 38, and 36 respectively, were 46 at the close of last week.

In addition to the above-named diseases, 15 cases of pneumonia were admitted to hospital, 6 were discharged, and 25 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE 11.—BIRTHS and DEATHS registered during the week ending Saturday, 19th December, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 19TH DECEMBER, 1914.																																
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																											
	POPULATION.		DEATHS.		BIRTHS.												DEATHS.															
	Total. (a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by														Tuber- culosis.	Diseases of the Respir- atory System		Diarrhea and Enteritis of children under 2 years of age.	Diarrhea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	No. of Uncertified Deaths.
										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.										
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)				
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,205,280	19.1	25.7	21.8	2.1	593	503	88	122	2	1	...	8	10	5	6	...	51	18	16	42	63	15	1	13	18	136	21				
DUBLIN REG- ISTRATION AREA— TOTAL, (c), ...	406,000	29.5	28.8	24.7	1.8	224	192	29	50	1	2	...	4	...	25	5	5	19	25	6	1	8	7	57	4				
CITY OF DUBLIN,	310,467	39.2	32.9	24.7	1.7	196	147	25	25	1	2	...	3	...	19	3	3	17	20	3	1	6	6	49	3				
Urban Districts.																																
RATHMINES and RATHGAR.	39,155	22.8	9.3	28.0	2.7	7	21	3	10	1	...	1	..	2	1	2	1	...	1	1	2	1				
PEMBROKE, ...	30,240	19.2	15.5	17.2	3.4	9	1	5	2	1	...	1	1	2	...	1	...	3	...				
BLACKROCK, ...	9,197	8.5	11.3	39.7	.	2	7	...	6	1	1	1	2	...				
KINGSTOWN, ...	16,941	11.6	30.8	21.5	.	10	7	...	4	2	1	1	...				
Urban Districts																																
BELFAST	399,000	26.7	26.8	18.3	3.3	205	140	31	24	1	7	7	5	12	7	6	11	15	5	...	2	4	36	1				
CORK,	76,673	28.6	12.9	27.2	1.4	19	40	7	8	8	4	2	3	9	2	1	14	2				
LONDON DERRY	41,100	15.9	34.3	15.2	.	27	12	1	3	1	1	...	2	1	...	3	...				
LIMERICK,	38,518	16.1	14.9	20.3	1.4	11	15	2	5	4	1	3	5				
WATERFORD, ...	27,464	19.1	22.8	22.8	1.9	12	12	2	1	1	2	1	3	2	...				
GALWAY, ...	13,255	2.5				10	3	1	1	1	...				
DUNDALK, ...	13,128	9.5				9	5	1	2	1	1				
LURGAN, ...	12,553	14.7				1	10	2	2	1	3	1	3	...				
DROGHEDA, ...	12,501	8.4				11	9	2	2	1	...	1	1	1	...				
LISBURN, ...	12,388	10.9				4	5	2	2	2	2	...				
NEWRY, ...	11,963	17.0				8	5	1	2	1	1	1				
PORTADOWN, ...	11,727	15.3				5	4	...	4				
WEXFORD, ...	11,531	22.8				6	2	1	1	1				
BALLYMENA	11,381	9.3				1	4	...	3	1				
SLIGO, ...	11,163	3.8				6	3	1	1	1	1	2	...				
KILKENNY, ...	10,514	11.4				4	13	2	2	1	2	8	2				
TRALEE, ...	10,300	17.4				4	4	2	2	1	1	1				
CLONMEL, ...	10,209	7.8				2	2	1				
NEWTOWNARDS	9,587	20.1				4	5	1	2	1	1	2	...				
QUEENSTOWN,	8,209	14.7				4				
LARNE, ...	8,036	13.4				8	5	2	2	1				
COLERAINE. ...	7,785	7.7				2				
BANGOR, ...	7,776	8.5				5	2	...	1				
BRAY, ...	7,691	7.2				1	3	...	2				
ATHLONE, ...	7,472	6.2				1	3				
ARMAGH, ...	7,356	21.8				3	5	1	2	1	1	...	3				

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1914. (b) See note (1) at foot of first page. (c) Exclusive of 11 deaths of persons (including 3 at 65 years or upwards), admitted to hospital from localities outside the Area; the 11 deaths include one from enteric fever, one from pulmonary tuberculosis, and 2 from cancer.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 19th of December, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.									
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	
Typhus,	
Small-pox,	
Measles,	1	1	
Scarlet Fever,	2	2	
Whooping-cough,	
Diphtheria,	1	2	.	.	1	.	.	.	4	
Croup,	
Influenza,	
Dysentery,	
Tuberculosis, { Pulmonary,	2	2	3	2	.	.	.	1	2	3	3	1	1	2	1	2	25	
{ Other Forms,	2	1	1	1	.	.	5	
Cancer,	1	1	.	1	.	2	.	.	.	5	
Diseases of Nervous System,	1	3	2	1	1	1	1	1	.	.	2	1	14	
" Organs of Special Sense,	
" Circulatory System,	2	3	2	2	.	3	3	.	4	2	.	.	6	1	2	1	31	
" Respiratory System, { Pneumonia,	1	3	3	3	.	1	3	1	1	4	.	.	1	1	.	.	19	
{ Others,	1	3	2	5	.	.	1	3	3	2	.	.	2	1	1	1	25	
" Digestive System, { Diarrhoea and Enteritis, under 2 years,	1	1	1	1	2	.	.	6	
{ Diarrhoea, 2 years and upwards,	1	1	
{ Enteritis, 2 years and upwards,	1	1	
{ Others,	1	.	.	1	1	.	1	4	
" Genito-urinary System,	2	1	2	2	1	.	1	.	2	.	.	1	12	
Puerperal Septicæmia, etc.,	
Other Causes incident to Pregnancy and Childbirth,	1	1	
Diseases of the Skin and Cellular Tissue,	1	1	
" Locomotor System,	
Other specified Causes,	2	1	4	3	.	.	.	3	1	3	5	.	2	.	.	.	24	
Violent Deaths,	1	2	1	1	.	.	1	.	1	1	.	.	8	
Ill-defined, &c. Causes,	1	2	.	.	.	3	
Deaths from All Causes	14	16	22	21	1	.	6	16	10	18	21	2	21	10	7	7	192	
Annual Rate of Mortality from All Causes in every 1,000 of the population.	24.2	20.2	41.1	30.8	9.5	.	29.2	20.5	28.4	21.6	33.0	10.6	28.0	17.2	39.7	21.5	24.7	
	25.3							24.0							24.6			
	24.7																	
Ages at Death. { Under 1 year,	2	2	5	4	.	.	.	2	1	4	4	1	3	1	.	.	29	
{ 1 and under 2 years,	1	.	3	.	1	.	.	.	2	.	.	2	2	1	.	6	
{ 2 " 5 "	4	.	3	2	.	.	.	2	.	3	2	9	
{ 5 " 15 "	2	7	
{ 15 " 25 "	2	1	2	2	.	.	.	2	.	.	.	20	
{ 25 " 45 "	2	3	2	4	.	.	2	2	1	.	3	1	.	.	.	3	55	
{ 45 " 65 "	5	6	7	4	.	.	3	4	4	6	7	.	4	2	.	3	55	
{ 65 and upwards,	1	2	4	2	.	.	1	5	2	3	5	.	10	5	6	4	50	
Number of Uncertified Deaths,	1	.	.	.	1	.	.	.	1	.	1	.	.	.	4	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	4	2	6	.	.	2	3	1	3	4	.	2	1	.	1	33	
Workhouse Hospitals,	1	4	4	.	.	.	3	2	3	3	.	.	2	2	.	10	

FIFTY-FIRST WEEK, ending Saturday, 19th December, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in first Week of the 10 years, 1904-1913.	In the Week ending Saturday, 19th December, 1914.											
	Dec. 24, 1904.	Dec. 23, 1905.	Dec. 22, 1906.	Dec. 21, 1907.	Dec. 19, 1908.	Dec. 25, 1909.	Dec. 24, 1910.	Dec. 23, 1911.	Dec. 21, 1912.	Dec. 20, 1913.		All Ages.	Deaths of Persons of the Ages of										
													0-5.										
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
Diseases of the Pharynx, Ton- sillitis.	2	.	.	.	1	.3
Diseases of Stomach, ...	—	—	—	—	—	—	—	2	11	8	—	1	2	3	1	.	.	.	1
Diarrhoea and Enteritis of Children under 2 years.	} 4	6	5	6	5	2	2	{ 2	{ 2	{ 2	{ 5.5	{ 6	{ 2	{ 3	{ 1	{ .	{ .	{ .	{ .	{ .	{ .	{ .	{ .
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																							
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	1	.	1	—	1	.	.	.	1
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	—	2	1	1	—
Cirrhosis of Liver,	2	.	1	.	2	2	1	2	1.0	4	1	2	1	.	.	
Other Diseases of Liver, ...	1	2	.	1	1	.	1	.	1	.	.7	2	1	1	1	.	.	
Peritonitis (cause unknown), Other Diseases of Digestive System.	1	.	3	.	1	.	.	.	1	1	.7	
	2	4	8	3	3	6	7	.	1	1	3.5	
Acute Nephritis, ...	} 6	10	5	7	2	5	5	1	1	3	} 5.8	2	1	.	1	.	.	.	
Chronic Bright's Disease, ...								4	1	5		8	2	4	1	1	.	
Urinary Calculi,	
Uterine Tumour (non-can- cerous).								1	
Ovarian Tumour (non-can- cerous)								
Other Diseases of Genito- urinary System.								1	.	1		2	2
Puerperal Septicæmia, &c.,	1	.	.	1	.	1	.	1	.4	
Other Causes incident to Pregnancy and Childbirth.	.	1	1	.	2	1	1	2	1	1	1.0	1	1	
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	.	.	1	—	1	.	.	.	1	
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	1	1	.	—	1	.	.	.	1	
Premature Birth, ...	6	7	3	5	4	3	4	2	5	5	4.4	2	2	
Congenital Debility, ...	—	—	—	—	—	—	—	1	7	2	—	7	.	7	
Old Age, ...	4	3	2	.	1	1	4	6	5	2	2.8	10	3	7	.	
Other Specified Diseases, ...	—	—	—	—	—	—	—	2	3	1	—	
ACCIDENT :																							
Poisons or Poisonous Vapours.	11	
Conflagration,	3	.	.	1.4	3	.	.	1	1	.	1	
Burns and Scalds, ...	1	2	4	.	1	1	2	1	.	.	.4	
Drowning,	2	.	.	1	
Suffocation in Bed,	
Other Deaths by Accident, ...	5	2	1	4	1	1	1	1	1	1	1.7	6	1	1	2	2	2	.	
Total Deaths from Accident,	6	4	5	6	3	2	4	4	1	1	3.6	9	.	.	1	1	.	2	1	2	.	.	
Included in above are Deaths in connection with—																							
Railways, ...	11	
Vehicles and Horses, ...	2	1	14	2	1	.	1	.	.	
Ships, Boats, Docks,	
Building Operations,	
VIOLENCE OTHER THAN ACCIDENTAL :																							
Homicide,2	
Suicide,	1	.	.	1	
Execution,	
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	1	4	1	—	3	.	.	1	.	.	.	2	.	.	.	

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1914—WEEK ENDING																									
	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.
No. of weeks in Annual Series.	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
BIRTHS REGISTERED.	233	165	214	208	197	195	166	204	200	246	187	213	184	193	199	223	185	205	173	222	190	209	187	185	195	224
Average Births in corresponding week of previous 10 years.	245	208	208	221	221	220	209	223	218	205	244	200	222	247	203	187	211	196	217	208	200	182	214	186	207	180
DEATHS REGISTERED.	134	139	128	139	129	144	136	159	186	163	160	139	161	154	154	141	144	134	118	158	155	155	152	205	190	203
Annual Death-rate per 1,000.	17.2	17.9	16.4	17.9	16.6	18.5	17.5	20.4	17.5	20.9	20.5	17.9	20.7	19.8	19.8	18.1	18.5	17.2	15.2	20.3	19.9	19.9	19.5	26.3	24.4	26.1
Average Deaths in corresponding week of previous 10 years.	134	135	147	143	145	144	145	156	160	157	159	158	162	159	157	155	157	149	168	167	171	167	174	177	167	174
Ages, { Under 5 years, 5-15 " 15-25 " 25-45 " 45-65 " 65-75 " 75 and upwards,	36	47	31	44	36	46	35	53	35	62	51	48	52	47	39	30	47	36	29	35	34	26	28	38	57	51
	5	7	6	9	6	4	6	5	6	5	4	4	8	4	5	12	7	2	7	8	8	11	3	6	7	9
	8	9	7	8	9	8	5	7	6	6	8	5	6	7	1	6	7	4	1	8	7	6	8	9	7	
	23	22	27	29	26	27	26	26	27	23	24	24	26	25	33	21	19	22	30	27	28	35	26	43	31	22
	32	30	30	31	30	37	34	35	35	38	40	28	35	36	40	39	36	22	26	41	40	42	35	54	50	61
	19	14	22	14	15	13	15	18	17	18	22	16	20	21	19	17	17	29	14	23	20	19	28	40	19	28
Deaths from:—	11	10	13	9	7	9	15	15	10	11	11	15	14	14	17	16	11	19	11	16	18	16	16	16	17	25
Enteric Fever,	1	1	2	1	2	2	2	1	.	2	1	3	3	1	1	2	3	.	2	3	2	2	.	5	1	1
Typhus,	1
Small-pox,	1
Measles,	3	2	4	6	2	1	2	1	3	1	.	1	.	1	1	.	1	1	1	1	1	2
Scarlet Fever,	.	1	2	3	1	1	.	1	.	1	1	.	1	.	2	1	.	.	3	1	2	4
Whooping-cough,	1	3	.	2	1	.	1	2	1	4	2	1	1	2	1	.	2	1	.	1	.	1	.	1	2	.
Diphtheria,
Influenza,
Dysentery,	17	21	18	16	19	23	19	18	19	18	25	13	18	23	17	11	25	17	11	16	22	20	16	30	23	26
Tuberculosis { Pulmonary ...	7	9	5	8	11	5	6	4	2	4	9	8	9	7	9	11	4	5	4	3	7	5	6	3	6	5
Other Forms, ...	8	7	7	7	10	9	7	6	12	10	20	6	15	13	16	8	6	5	8	8	15	9	17	12	10	7
Cancer, ...	11	11	16	15	15	13	15	15	17	18	18	17	19	15	16	20	8	17	15	17	19	21	13	23	17	32
Diseases of Circulatory System,	8	9	10	12	4	8	4	3	7	8	7	5	4	6	10	11	9	9	8	12	12	9	7	15	23	19
Diseases of Respi- (Pneumonia	20	10	13	5	7	12	10	11	10	7	10	7	9	14	19	12	22	15	13	21	18	23	28	20	24	25
ratory System, { Others,
Diarrhoea and Enteritis, under	4	4	4	6	6	9	10	11	13	28	18	17	25	14	11	14	11	11	7	10	6	7	3	4	10	6
2 years,
Diarrhoea, 2 years and upwards,	.	6	4	5	3	3	7	10	3	6	1	.	.	.	1	7	1	1	3	5	3	7	1	.	1	1
Violent Deaths,
Number of Uncertified Deaths,	2	5	2	6	2	7	4	2	2	1	4	2	5	2	8	.	2	3	3	1	4	3	4	4	8	4

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS;	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncertified Deaths.		
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.				
													Pulmonary.	Other Forms.		Pneumonia.	Other.						
North City, No. 1 (E.) (Office Clarence St. Nth.)	Nov. 14	17.3	1.7	10	1	1	.	.	.	1	1	.	.	.	2	2
	" 21	22.4	1.7	13	1	.	.	.	2	1	.	.	.	1	1
	" 28	22.4	3.5	13	.	1	1	.	1	1	1	2	3	.	2	1	
	Dec. 5	25.9	3.5	15	2	.	2	1	1	1	2	1	1
Population in 1914 (Est.) 30,206.	" 12	24.2	3.5	14	3	.	1	.	1	1	1
	" 19	24.2		14	2	.	.	.	1	1	1	.	.	1	.
North City, No. 1 (W.) (Office, Summer-hill.)	Nov. 14	18.9	.	15	2	1	2	1	1	1	.	.	.	1	1
	" 21	22.7	3.8	18	1	.	.	.	3	.	1	2	1	1	1	2	.	1	1
	" 28	13.9	1.3	11	1	.	1	1	1	1	1
	Dec. 5	30.3	1.3	24	1	1	1	1	2	2	3	.	.	.	1	1
Population in 1914 (Est.) 41,278.	" 12	17.7	2.5	14	3	.	.	.	1	1	2	1	2	1	2
	" 19	20.2	1.3	16	2	.	.	.	3	3	.	.	.	2	.
North City, No. 2. (Office, Lisburn-street.)	Nov. 14	28.1	3.7	15	.	1	.	1	3	.	1	.	2	1
	" 21	20.6	.	11	1	.	.	.	4	1	.
	" 28	20.6	.	11	2	.	.	.	4
	Dec. 5	33.7	3.7	18	1	1	2	.	1	2	1	2	1
Population in 1914 (Est.) 27,883.	" 12	24.3	1.9	13	3	.	1	1	2	1	1	1	1	1	.
	" 19	41.1	1.9	22	3	2	1	3	2	1	.	.	1	1	1
North City, No. 3. (Office, Benburb-street.)	Nov. 14	16.1	1.5	11	1	.	.	.	2	.	1	1
	" 21	11.7	.	8	1	1	1	1	2	.	.	.	1	.	.
	" 28	14.7	1.5	10	1	5
	Dec. 5	23.5	1.5	16	1	.	.	.	2	.	.	2
Population in 1914 (Est.) 35,536.	" 12	23.5	2.9	16	1	.	1	.	1	.	1	3	1	.	.	.	1	3	.
	" 19	30.8	5.9	21	.	.	.	1	2	.	1	.	2	.	.	3	5
Clontarf and Howth No. 1 (part of).	Nov. 14	19.0	.	2	1
	" 21	9.5	.	1
	" 28
Population in 1914 (Est.) 5,485.	Dec. 5	28.5	.	3	1
	" 12	9.5	.	1
	" 19	9.5	.	1
Coolock and Drumcondra (part of).	Nov. 14	3.8	.	1	1
	" 21	19.1	.	5	1	.	1
	" 28	11.4	.	3	1
	Dec. 5	34.3	.	9	3	.	.	.	1
Population in 1914 (Est.) 13,685.	" 12	7.6	.	2
	" 19
Finglas and Glasnevin (part of).	Nov. 14	14.6	.	3	1	.	1
	" 21	9.7	.	2	1	.	.
	" 28	4.9	.	1
	Dec. 5	19.5	4.9	4	1	1
Population in 1914 (Est.) 10,723.	" 12	9.7	.	2	1	1	.
	" 19	29.2	.	6	1	1	1	1
South City, No. 1. (Office, St. Earl-street.)	Nov. 14	19.2	2.6	15	2	1	1	.	4	2
	" 21	19.2	1.3	15	1	1	1	3	.	2	.	.	.	1	1	1
	" 28	24.3	.	19	1	1	2	1	2	.	.	.	2	.	.
	Dec. 5	25.6	1.3	20	3	.	.	3	1	1
Population in 1914 (Est.) 40,768.	" 12	38.4	2.6	30	1	.	.	.	3	2	1	4	7	1
	" 19	20.5	1.3	16	1	1	.	3	1	1	.	.	1	.	.
South City, No. 2. (Office, Castle-street.)	Nov. 14	31.3	.	11	1	2	.	1	4
	" 21	28.4	.	10	2	1	.	.	1
	" 28	34.1	.	12	3	.	3	.	4
	Dec. 5	31.3	.	11	1	1	2	.	2
Population in 1914 (Est.) 18,341.	" 12	22.7	2.8	8	1	1	.	.	1	1
	" 19	28.4	.	10	2	.	1	1	3
South City, No. 3. (Office, Peter-street.)	Nov. 14	19.2	1.2	16	3	.	.	1	1	1	.	.	1	.	.
	" 21	16.8	2.4	14	1	3	.	.	.	3	.	.	.	1	.	1
	" 28	31.1	.	26	3	2	4	2	3
	Dec. 5	27.5	1.2	23	1	.	6	1	.	1	2	1	1
Population in 1914 (Est.) 43,540.	" 12	32.3	1.2	27	3	2	.	8	4
	" 19	21.6	3.6	18	2	.	3	.	.	1	3	.	.	.	1	.	.
South City, No. 4. (Office, Grand Canal-st.)	Nov. 14	20.4	.	13	3	1	2	2	1
	" 21	33.0	4.7	21	1	2	.	3	4	3
	" 28	17.3	3.1	11	2	.	.	2	2	2	.	.	.	1	1
	Dec. 5	23.6	1.6	15	4	.	.	1	2	1
Population in 1914 (Est.) 33,171.	" 12	31.4	.	20	2	1	1	4	3	.	.	.	1	1	1
	" 19	33.0	.	21	3	.	1	4	2	.	.	.	1	1	1
New Kilmainham.	Nov. 14	10.6	5.3	2	1	.	1
	" 21	10.6	.	2
	" 28	5.3	.	1
Population in 1914 (Est.) 9,851.	Dec. 5	10.6	.	2	1
	" 12	15.9	.	3
	" 19	10.6	.	2	1

* See note (†) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncer- tified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Nov. 14	12.0	.	9	1	1
	" 21	13.3	1.3	10	1	.	1	.	1
	" 28	18.6	.	14	2	.	.	.	3	.	.	1	.
	Dec. 5	16.0	.	12	1	.	1	1	1
	" 12	20.0	2.7	15	1	.	1	.	2	1	1	2	.	1
" 19	28.0	2.7	21	1	.	1	.	2	1	2	.	1	1
Pembroke Urban District. Population in 1914 (Est.) 30,240	Nov. 14	8.6	.	5	2	1	1
	" 21	15.5	.	9	3	.	.	.	3
	" 28	17.2	.	10	1	1	3	.	1	.	.	1	.
	Dec. 5	17.2	1.7	10	1	1	.	2	1	2
	" 12	20.7	.	12	1	.	1	.	2
" 19	17.2	3.4	10	2	1	.	1	1	2	.	1	.	
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Nov. 14	34.0	.	6	1	.	2	.	2
	" 21	5.7	.	1
	" 28	11.3	.	2	1
	Dec. 5	17.0	.	3	1	.	2
	" 12	5.7	.	1
" 19	39.7	.	7	1	1	.	1	
Kingstown Urban District. Population in 1911 16,941.	Nov. 14	21.5	.	7	2
	" 21	18.5	.	6	1	1
	" 28	9.2	.	3	1
	Dec. 5	18.5	3.1	6	1
	" 12	9.2	.	3	1
" 19	21.5	.	7	2	.	.	.	1	
Belfast. Population in 1914 (Est.) 399,000.	Nov. 14	16.6	2.9	127	.	.	.	7	8	2	.	.	18	2	4	11	11	4	1	2	1
	" 21	19.1	2.7	146	1	.	.	9	6	2	1	.	19	8	5	18	16	2	.	2	.
	" 28	20.8	3.0	159	1	.	.	14	3	1	.	.	12	10	7	21	25	3	1	5	2
	Dec. 5	21.2	2.5	162	.	.	.	8	3	2	1	.	15	6	7	22	21	5	.	2	2
	" 12	20.8	2.9	159	1	.	.	11	3	1	1	.	12	1	6	15	31	5	.	2	2
" 19	18.3	3.3	140	1	.	.	7	7	5	.	.	12	7	6	11	15	5	.	2	1	
Cork. Population in 1911 76,673.	Nov. 14	15.6	0.7	23	1	.	4	1	2	.	2	.	.	.	2
	" 21	27.9	2.7	41	.	.	.	1	.	.	2	.	7	2	1	2	3	1	.	.	2
	" 28	19.7	2.7	29	1	2	1	.	2	4	.	3	3	.	1	1	4
	Dec. 5	14.3	2.7	21	2	1	.	1	3	2	1	3	1	.	1	1
	" 12	25.2	3.4	37	.	1	.	1	1	.	.	.	2	3	2	3	5	2	.	.	2
" 19	27.2	1.4	40	8	4	2	3	9	.	.	1	2	
Londonderry. Population in 1914 (Est.) 41,100.	Nov. 14	20.3	.	16	1	.	3	1	2	.	.	.	1
	" 21	15.2	.	12	1	2	1	.	1	.	.	1	.
	" 28	15.2	1.3	12	1	.	1	.	3	1	.	.	.
	Dec. 5	10.1	1.3	8	2	.	.	2	4
	" 12	17.8	.	14	1	1	1	.
" 19	15.2	.	12	1	1	.	2	
Limerick. Population in 1911 38,518.	Nov. 14	16.2	.	12	1	.	1	2	.	.	.	3
	" 21	6.8	.	5	1	2	.	.	.	1
	" 28	19.0	.	14	1	1	.	1	3	.	.	2	2
	Dec. 5	25.7	.	19	2	2	1	.	3	.	.	4	4
	" 12	19.0	1.4	14	3	.	2	.	3	.	1	.	5
" 19	20.3	1.4	15	4	
Waterford. Population in 1911 27,464.	Nov. 14	26.6	11.4	14	5	.	.	.	3	1	.	.	1
	" 21	32.3	13.3	17	4	.	.	.	3	.	3	.	2	1	.	.	1
	" 28	20.9	7.6	11	3	.	.	.	1	2	.	.	1
	Dec. 5	13.3	1.9	7	1
	" 12	30.4	7.6	16	1	.	.	.	3	.	.	.	1	.	1	.	2	.	.	.	1
" 19	22.8	1.9	12	1	1	.	

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 19th December, 1914, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.										DEATHS FROM													No. of Deaths in Public Institutions.	Number of Uncertified Deaths.		
				All Causes.	Certain Epi- demic Diseases,†	Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.	DISEASES OF THE RESPIR- ATORY SYSTEM.		Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.				
																				Pulmonary.	Other Forms.		Pneumonia.	Other.								
Cors.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)		
City of Belfast.																																
BELFAST URBAN No. 1 District,	15,879	6	39.4	.	12	2	1	4	2	2	1	2	.	.	1	2	1	.	.	.	2	4	1	
Do. 2 do.	49,500	29	21.1	.	20	6	2	1	3	2	9	1	2	2	2	6	.	
Do. 3 do.	50,032	30	11.5	1.0	11	2	2	1	3	1	2	1	1	1	1	1	.	
Do. 4 do.	82,637	27	12.8	1.6	8	2	2	1	3	1	2	1	1	1	1	3	.	
Do. 5 do.	16,112	3	29.1	3.2	9	3	2	1	1	3	2	1	1	1	1	3	.	
Do. 6 do.	37,293	16	11.2	4.2	8	2	1	2	.	1	2	1	1	1	1	2	.	
Do. 7 do.	2,681
Do. 8 do.	5,964	2	26.2	8.7	3	.	1	1	1	1
Do. 9 do.	24,427	9	14.9	.	7	2	4	5	1	1	1
Do. 10 do.	28,958	18	30.6	12.6	17	4	5	3	1	1	4	1
Do. 11 do.	39,311	10	18.6	4.0	14	2	3	4	3	2	1
Do. 12 do.	38,076	27	16.4	4.1	12	3	2	1	4	1	1
Do. 13 do.	23,293	15	15.7	4.5	7	.	3	1	.	.	3
Do. 14 do.	175	.	27.6	6.9	12	5	2	2	3
Do. 15 do.	22,669	13	.	.	12
Total,	386,947	205	18.3	3.3	140	31	24	20	21	20	24	1	.	.	7	7	5	.	.	12	7	6	11	15	5	.	2	4	36	1	.	
City of Cork.																																
CORK URBAN No. 1 District,	13,455	1	11.6	.	3	.	1	2	.	1	1	1	.	.	1	1	1
Do. 2 do.	10,399	7	20.1	5.0	4	1	1	.	3	1	.	.	1	1	1
Do. 3 do.	9,793	1	21.3	.	4	1	1	.	1	1	.	.	1	1	1
Do. 4 do.	9,139	1	39.9	.	7	1	2	.	1	2
Do. 5 do.	6,250	.	50.1	.	6	1	2	1	1	1	3	4
Do. 6 do.	11,581	4	45.0	4.5	10	2	2	1	1	1	2
Do. 7 do.	16,056	5	19.5	.	6	2	1	1	.	1	1
Total,	76,673	19	27.2	1.4	40	7	8	6	5	6	8	8	4	2	3	9	2	.	1	14	2	1	2	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1914—WEEK ENDING																									
		June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.
No. of weeks in Annual Series,		26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Births registered, ...		227	219	237	190	218	212	226	214	218	196	215	215	187	223	228	246	189	184	208	202	161	197	226	177	201	205
Deaths registered, ...		134	130	130	103	111	115	137	113	135	145	155	138	151	169	133	111	132	129	107	147	127	146	159	162	159	140
Annual Death-rate per 1,000 of estimated population, ...		17.5	17.0	17.0	13.5	14.5	15.0	17.9	14.8	17.6	18.9	20.3	18.0	19.7	22.1	17.4	14.5	17.3	16.9	14.0	19.2	16.6	19.1	20.8	21.2	20.8	18.3
Ages, { Under 1 year, ...		27	25	26	25	19	21	20	27	30	49	56	52	42	69	36	38	29	23	19	26	24	22	31	28	32	31
1-5 years, ...		18	18	19	10	11	21	21	23	18	23	18	21	21	21	11	13	22	15	20	22	18	15	22	24	20	24
5-25 " ...		15	18	21	9	15	11	14	9	17	14	19	14	12	21	10	11	15	10	13	14	10	20	10	17	11	20
25-45 " ...		23	24	18	20	22	21	22	18	19	16	24	18	24	18	19	12	20	24	13	21	21	24	18	24	19	21
45-65 " ...		37	28	28	19	26	24	32	16	30	26	25	20	22	23	35	20	25	27	24	25	26	34	46	31	27	30
65 and upwards, ...		14	17	18	20	18	17	28	20	21	17	13	13	30	17	19	16	21	30	18	39	28	31	32	38	50	24
Deaths from :—																											
Enteric Fever, ...							1	1	1	1			2	1	1	1	2		1	1	1	1	1	1		1	1
Typhus, ...					1	1	1	1																			
Small-pox, ...																											
Measles, ...		5	9	6	4	1	6	5	8	7	2	2	1	7	4		3	7	7	6	10	7	9	14	8	11	7
Scarlet Fever, ...		2	2	5	2	2	2	4			2	2	1	1	2	1	2	3		3	1	8	6	8	3	3	7
Whooping-cough, ...		4	7	2	4	2	7	2	3	3	6	2	5	3	4	4	4	3	8	1	3	2	2	1	2	1	5
Diphtheria, ...				1							1			1				1		1			1		1		
Dysentery, ...																											
Tuberculosis. { Pulmonary, ...		21	13	14	10	16	15	18	12	14	19	20	13	17	15	8	6	11	13	10	13	18	19	12	15	12	12
Other Forms, ...		5	7	7	3	4	7	5	8	7	4	8	1	5	4	5		6	4	4	5	2	8		6	1	7
Cancer, ...		5	9	11	7	8	1	3	5	10	6	6	6	7	8	9	2	4	10	7	6	4	5	10	7	6	6
Diseases of Respi- ratory System, { Pneumonia, ...		10	4	7	8	10	5	10	8	10	8	4	6	13	7	10	9	10	3	16	15	11	18	21	22	15	11
Others, ...		10	9	11	5	8	12	13	13	11	9	16	9	13	13	8	11	17	16	13	21	11	16	25	21	31	15
Diarrhoea and Enteritis, under 2 years, ...		5	7	5	6	8	9	3	13	9	23	44	39	30	44	21	10	12	6	6	9	4	2	3	5	5	5
Diarrhoea, 2 years and upwards, ...		1	2			1			2	1	10	1	3	2	4	2	1	1			1	1		1			
Violent Deaths, ...							2	2	1	1		4	1	5	1	3	3	3	1	2	2	2	2	5		2	2
Number of Uncertified Deaths, ...			3	2	1	2		2		1	3	2		5	2	2		1	2	1	2	1		2	2	2	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Dec. 19,	2,113	1,427	16·5	2	.	42	10	11	18	28
EDINBURGH, ...	321,900	„ 19,	121	102	16·5	.	.	.	2	.	3	1
GLASGOW, ...	1,047,000	„ 19,	560	380	18·9	1	.	1	11	24	3	6
CALCUTTA, ...	896,067	Nov. 7,	.	421	24·4	74*	3	1	.	.	.	52†a
BOMBAY, ...	979,445	„ 14,	402	448	23·8	43*	2	53a
MADRAS, ...	518,660	„ 7,	320	658	66·0	80*	.	.	?	?	?	219†a
CAIRO, {	Egyptians, ...	Oct. 7,	585	396	31·4	2	.	2	.	?	22†	83
	Foreigners, ...	„ 7,	7	18	13·2	1	.	.	.	?	1	1
ALEXAN- DRIA, {	Egyptians, ...	„ 7,	287	149	22·9	2	1	.	.	?	.	37
	Foreigners, ...	„ 7,	10	11	7·5	1	1	.	.	?	.	2
PARIS, ...	2,847,229 {	„ 31,	715	680	12·2	4	.	4	1	.	.	27
		Nov. 7,	696	759	13·6	10	.	3	.	2	3	27
BRUSSELS, ...	780,843	—
ANTWERP, ...	323,421	—
AMSTERDAM, ...	597,888	—
COPENHAGEN, ...	492,000	Nov. 21,	188	100	10·6	.	.	.	1	.	4†	1
STOCKHOLM, ...	382,085	„ 21,	119	82	11·2	.	.	1	1	1	4	4
CHRISTIANIA, ...	251,446	Dec. 5,	124	49	10·1	.	.	.	2	.	2	1
PETROGRAD, ...	1,728,200	—
MOSCOW, ...	1,694,000	—
ROME, ...	591,943	—
NEW YORK, ...	5,583,871	Oct. 17,	2,805	1,185	11·1	7	.	.	1	10	19†	79
PHILADELPHIA, ...	1,657,810 {	„ 2,	.	433	13·6	5	.	1	.	1	6†	31
		„ 9,	.	461	14·5	3	.	1	.	.	3†	48
BOSTON, ...	750,768	Nov. 28,	.	222b	15·4	4	.	3	.	1	5	5a

* Deaths from "fever," including 5 from enteric fever, in Calcutta; one from enteric fever and one from plague in Bombay, and 3 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 10 deaths from cholera in Calcutta, and 106 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e. non-residents deducted, 171 (including 2 deaths from diarrhoeal diseases), rate 13·3 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th December, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polionyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	...	1	1	1	3
„ „ 1, West,	...	1	1	2
„ „ 2,	1	1	2
„ „ 3,	1	.	.	1	2
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),	1	1
Finglas and Glasnevin (part of),
South City No. 1,	1	4	5
„ „ 2,	3	.	.	1	1	5
„ „ 3,	1	.	.	2	1	4
„ „ 4,	2	1	.	.	2	5
New Kilmainham,
Total,	10	1	.	4	.	.	1	1	1	.	.	11	29

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 19th December, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 19th December.			
	Nov. 28.	Dec. 5.	Dec. 12.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	62	61	67	2	6	.	63
Typhus, ...	13	6	7	.	4	.	3
Small-pox,
Measles, ...	9	8	6	.	2	.	4
Scarlet Fever, ...	124	123	110	17	25	1	101*
Diphtheria, ...	49	38	36	21	9	2	46
Pneumonia, ...	10	15	16	15	6	.	25

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.*By Authority of the Registrar-General.*

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 26TH DECEMBER, 1914.

[No. 52.]

*General Register Office, Charlemont House,
Dublin, 28th December, 1914.***TWENTY-SEVEN TOWN DISTRICTS.**

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 17·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Dec. 5	Dec. 12	Dec. 19	Dec. 26	
27 Town Districts, (a)	20·1	21·1	21·8	17·0	20·0
Dublin Reg. Area ...	24·5	23·2	24·7	16·4	22·2
Dublin City ...	26·9	25·2	24·7	16·5	23·3
Belfast ...	21·2	20·8	18·3	22·0	20·6
Cork ...	14·3	25·2	27·2	14·3	20·2
Londonderry ...	10·1	17·8	15·2	11·4	13·6
Limerick ...	25·7	19·0	20·3	13·5	19·6
Waterford ...	13·3	30·4	22·8	9·5	19·0

The deaths from certain epidemic diseases† registered in the 27 town districts during last week* were equal to an annual rate of 1·4 per 1,000. Among the 168 deaths from all causes for Belfast are one from scarlet fever, 9 from measles, 5 from whooping-cough, and one from diarrhoea and enteritis under 2 years. The 21 deaths from all causes for Cork include one from diphtheria. Included in the 5 deaths from all causes for Waterford is one from scarlet fever. Among the 3 deaths from all causes for Sligo are one from enteric fever and one from diarrhoea and enteritis under 2 years..

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 117—62 boys and 55 girls—and the deaths to 134—66 males and 68 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·4 per 1,000 of the population. During the fifty-two weeks, ending with Saturday last, the death-rate averaged 20·6, and was 0·9 below the mean rate for the corresponding portions of the ten years, 1904–1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (a) Table II.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.
(a) For particulars of other town districts see Table II.

The total deaths registered, numbering 134, represent an annual rate of 17·2 per 1,000, the annual rate for the past fifty-two weeks was 22·0 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·6 per 1,000 of the mean population for all deaths registered.

The total deaths registered (134) include 2 from enteric fever, one from scarlet fever, 2 from diphtheria, one from influenza, one from dysentery, and 5 from diarrhoea and enteritis of children under 2 years.

In the three preceding weeks, deaths from enteric fever were 5, one, and one; deaths from scarlet fever were one, one, and 2; deaths from diphtheria were 3, one, and 4; deaths from influenza were 0, 2, and 0; deaths from dysentery were one, 0, and 0; and deaths from diarrhoea and enteritis of children under 2 years were 4, 10, and 6, respectively.

There were 25* deaths from tuberculous disease, comprising 20 from pulmonary tuberculosis, 4 from tuberculous meningitis, and one from uterine tuberculosis. In the 3 preceding weeks, deaths from tuberculous disease were 33, 29, and 31, respectively.

Cancer caused 8* deaths.

Of 7 deaths from pneumonia, 3 were from broncho-pneumonia, one from lobar pneumonia, and 3 from pneumonia (type not distinguished).

Included in the deaths of infants under one year of age, are 5 from convulsions, 3 from prematurity, one from congenital malformation, and one from congenital debility.

There were 13 deaths caused by organic diseases of the heart, and 27 from bronchitis.

The deaths of 2 children under 5 years of age were caused by burns.

There was one death by suicide.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under 5 years of age (including 3 infants under one year old), and the death of one person aged 74 years.

Thirty-five of the persons whose deaths were registered during the week were under 5 years of age (24 being infants under one year, of whom 8 were under one month old), and 32 were aged 65 years and upwards, including 26 persons aged 70 and upwards; among the latter were 9 aged 75 and upwards.

Fifty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 7 took place in the North Dublin Union Workhouse, 10 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·4 per 1,000; the rate in the City was 16·5 (North City Districts, 15·5; South, 17·5) and in the Suburbs 16·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·2 (in the North City Districts 0·9, and in the South 1·4), and for the Suburbs 2·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·3 per 1,000. Four deaths were caused by pulmonary tuberculosis, one by lobar pneumonia, and 2 by bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (12) are equal to an annual rate of 15·2 per 1,000. Among them are one from pulmonary tuberculosis, one from broncho-pneumonia, 5 from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 22·4 per 1,000. There were 2 deaths from tuberculous disease, one from broncho-pneumonia, 3 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 3 North City District (Benburb-street).—The deaths (5) represent an annual rate of 7·3 per 1,000, and include one death each from dysentery, pneumonia, and bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·0 per 1,000 inhabitants; Coolock and Drumcondra, part of, 11·4; and Finglas and Glasnevin, part of, 24·3. Two of the 5 deaths from all causes for the last-named district were caused by tuberculous disease.

No. 1 South City District (South Earl-street).—The deaths (12) represent an annual rate of 15·3 per 1,000. There were 4 deaths from tuberculous disease, 2 from bronchitis, one death of a child under 2 years of age from diarrhoea and enteritis, and one accidental death.

No. 2 South City District (Castle-street).—The deaths (5) are equal to an annual rate of 14·2 per 1,000. Scarlet fever caused one death.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 27·5 per 1,000. Among them are one death from enteric fever, 4 from tuberculous disease, one from broncho-pneumonia, and 8 from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (6) are equivalent to an annual rate of 9·4 per 1,000, and include one death from enteric fever, one from bronchitis, and one accidental death.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·9 per 1,000. One of the deaths was from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·0; Pembroke, 19·0; Blackrock, 11·3; and Kingstown, 15·4. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 deaths from diphtheria and 2 deaths of children under 2 years of age from diarrhoea and enteritis for Rathmines and Rathgar, the 12 deaths from all causes for that district also including 3 deaths from pulmonary tuberculosis and one from bronchitis. Among the 11 deaths from all causes for Pembroke are one from influenza, 3 from pulmonary tuberculosis, and 2 from pneumonia. The 2 deaths recorded for Blackrock comprise one death from pulmonary tuberculosis, and one case of suicide; and the 5 deaths from all causes for Kingstown include 3 from bronchitis.

ENGLAND AND SCOTLAND

The mortality last week in 97 large English towns (including London, in which the rate was 12·8), was equal to an average annual death-rate of 14·0 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 18·0 per 1,000, the rate for Glasgow being 19·8, and for Edinburgh 13·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 26th December. From this Report it appears that of a total of 81 cases notified, 32 were diphtheria, 32 scarlet fever, 11 phthisis, 4 erysipelas, and 2 enteric fever. Among the 704 cases of infectious diseases in hospital at the close of the week were 297 cases of scarlet fever, 188 of diphtheria, 162 of phthisis, 8 of enteric fever, and 6 of erysipelas.

* See note (c) at foot of Table II.

† See note (†) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 26th December, 1914, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Dec. 5,	.	—	—	7	.	.	4	.	1	9	1	.	—	—	.	—	.	18	40
	Dec. 12,	.	—	—	14	.	.	11	.	2	10	4	1	—	—	.	—	.	22	64
	Dec. 19,	.	—	—	10	1	.	4	.	.	1	1	1	—	—	.	—	.	11	29
	Dec. 26,	.	—	—	8	3	.	8	.	1	1	3	.	—	—	.	—	.	15	39
Rathmines and Rathgar Urban District.	Dec. 5,	.	—	—	1	2	.	.	—	—	—	—	—	—	1
	Dec. 12,	.	—	—	—	—	—	—	—	—	2
	Dec. 19,	.	—	—	.	.	.	6	1	.	1	1	.	—	—	—	—	—	—	9
	Dec. 26,	.	—	—	.	.	.	5	—	—	—	—	—	—	5
Pembroke Urban District.	Dec. 5,	.	.	.	1	.	.	1	.	.	.	1	.	—	1	—	—	—	3	7
	Dec. 12,	.	.	.	1	1	1	.	—	1	—	—	—	2	6
	Dec. 19,	1	—	—	—	—	—	2	3
	Dec. 26,	—	—	—	—	—	.	.
Blackrock Urban District.	Dec. 5,	.	.	—	.	.	.	1	—	—	—	—	—	—	1
	Dec. 12,	.	.	—	—	—	—	—	—	—	.
	Dec. 19,	.	.	—	2	.	—	—	—	—	—	—	2
	Dec. 26,	.	.	—	—	—	—	—	—	—	.
Kingstown Urban District.	Dec. 5,	.	—	—	—	—	—	—	—	.	.
	Dec. 12,	.	—	—	1	.	—	—	—	—	—	1	2
	Dec. 19,	.	—	—	—	—	—	—	—	.	.
	Dec. 26,	.	—	—	—	—	—	—	—	.	.
City of Belfast.	Dec. 5,	.	—	—	53	.	.	3	.	.	2	6	.	—	—	2	—	.	3	67
	Dec. 12,	.	—	—	61	.	.	6	.	.	2	9	.	—	—	.	—	5	85	
	Dec. 19,	.	—	—	61	.	.	8	.	2	5	8	.	—	—	.	—	4	88	
	Dec. 26,	.	—	—	39	.	.	4	1	.	.	6	.	—	—	.	—	.	50	
City of Cork.	Dec. 5,	.	23	—	9	.	.	4	.	1	.	1	.	—	—	—	—	—	—	38
	Dec. 12,	.	6	—	7	.	.	1	.	.	1	2	.	—	—	—	—	—	—	17 ^a
	Dec. 19,	.	5	—	7	.	.	2	1	—	—	—	—	—	—	15 ^b
	Dec. 26,	.	6	—	8	.	.	2	1	—	—	—	—	—	—	17
City of Londonderry.	Dec. 5,	.	—	—	2	1	.	—	—	—	—	—	—	3
	Dec. 12,	.	—	—	—	—	—	—	—	—	.
	Dec. 19,	.	—	—	3	1	2	—	—	—	—	—	—	7
	Dec. 26,	.	—	—	3	1	2	—	—	—	—	—	—	4
City of Limerick.	Dec. 5,	.	—	—	—	—	—	—	—	—	.
	Dec. 12,	.	—	—	—	—	—	—	—	—	.
	Dec. 19,	.	—	—	—	—	—	—	—	—	.
	Dec. 26,	.	—	—	1	—	—	—	—	—	—	1
City of Waterford.	Dec. 5,	.	—	—	17	.	.	2	—	—	—	—	—	.	19
	Dec. 12,	.	—	—	11	1	.	—	—	—	—	—	.	12
	Dec. 19,	.	—	—	5	1	.	1	—	—	—	—	—	.	7
	Dec. 26,	.	—	—	1	.	.	—	—	—	—	—	.	1

(a) Not including one case of varicella

(b) Not including 2 cases of varicella and one of whooping-cough.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th December, 1914, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Four cases of enteric fever were admitted to hospital during the week, 16 were discharged, and 51 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 61, 67, and 63.

Five cases of typhus were admitted to hospital during the week, and 8 cases remained under treatment at its close. At the close of the 3 preceding weeks the cases numbered 6, 7 and 3 respectively.

Four cases of measles were discharged from hospital during the week, and no case remained under treatment at its close. At the end of the 3 preceding weeks such cases were 8, 6, and 4, respectively.

Ten cases of scarlet fever were admitted to hospital, 19 were discharged, there was one death and 91* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 123, 110, and 101, respectively.

Eleven cases of diphtheria were admitted to hospital during the week, 12 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 38, 36, and 46 respectively, were 43 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 10 were discharged, and 22 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 26th December, 1914, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 26TH DECEMBER, 1914.																														
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																									
	POPULATION.		DEATHS.		BIRTHS.											DEATHS.														
	Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Caused by					Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	No. of Uncertified Deaths.		
																		Tuber- culosis.		Diseases of the Respir- atory System.										
																		Pulmonary.	Other Forms.		Cancer.	Pneumonia.							Other.	
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)		
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,205,280	19.1	16.6	17.0	1.4	383	393	62	109	3	9	3	5	3	1	51	14	16	29	67	9	...	9	10	97	16		
DUBLIN REG- ISTRATION AREA :— TOTAL, (c.) ...	406,000	29.5	15.0	16.4	1.4	117	128	23	32	2	1	...	2	1	19	5	7	7	27	5	...	3	3	47	6		
CITY OF DUBLIN,	310,467	39.2	17.8	16.5	1.2	106	98	18	23	2	1	1	12	5	5	5	23	3	...	2	1	37	6		
Urban Districts.																														
RATHMINES and RATHGAR, ...	39,155	22.8	8.0	16.0	5.3	6	12	2	4	2	...	3	...	1	...	1	2	6	...		
PEMBROKE, ...	30,240	19.2	5.2	19.0	...	3	11	3	1	3	...	1	2	1	2	
BLACKROCK, ...	9,197	8.5	...	11.3	2	1	1	1	1	
KINGSTOWN, ...	16,941	11.6	6.2	15.4	...	2	5	...	4	3	1	
Urban Districts																														
BELFAST ...	399,000	26.7	20.4	22.0	2.1	156	163	29	47	9	1	5	20	4	5	16	27	1	...	4	6	23	3	...	
CORK, ...	76,673	28.6	17.7	14.3	0.7	26	21	...	7	1	...	4	2	1	1	2	8	1	...	
LONDON- DERRY	41,100	16.9	12.7	11.4	...	10	9	...	3	1	1	4	2	...	1	
LIMERICK, ...	38,518	16.1	6.8	13.5	...	5	10	...	4	1	...	2	2	1	4	1	...	
WATERFORD, ...	27,464	19.1	15.2	9.5	1.9	8	5	...	1	1	1	1	...	
GALWAY, ...	13,255	2.5	3	4	3	
DUNDALK, ...	13,128	9.5	3	2	1	1	1	1	
LURGAN, ...	12,553	14.7	3	5	2	1	1	1	1	
DROGHEDA, ...	12,501	8.4	6	2	1	
LISBURN, ...	12,388	10.9	4	3	...	1	1	
NEWRY, ...	11,963	17.0	3	1	...	1	1	
PORTADOWN, ...	11,727	15.3	1	1	
WEXFORD, ...	11,531	22.8	3	5	...	1	1	...	1	
BALLYMENA ...	11,381	9.3	4	3	1	1	1	
SLIGO, ...	11,163	3.8	4	3	1	...	1	1	
KILKENNY, ...	10,514	11.4	7	5	1	1	2	
TRALEE, ...	10,300	17.4	1	1	...	1	
CLONMEL, ...	10,209	7.8	1	3	1	1	1	
NEWTOWNARDS	9,587	20.1	4	2	1	1	
QUEENSTOWN, ...	8,209	14.7	2	5	2	1	1	1	
LARNE, ...	8,036	13.4	4	2	...	1	1	1	2	
COLERAINE, ...	7,785	7.7	2	1	1	
BANGOR, ...	7,776	8.5	2	1	...	1	1	
BRAY, ...	7,691	7.2	1	2	...	2	
ATHLONE, ...	7,472	6.2	1	...	1	
ARMAGH, ...	7,356	21.8	3	1	...	1	1	...

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1914. (b) See note (1) at foot of first page. (c) Exclusive of 6 deaths of persons (including one under one year old) admitted to hospital from localities outside the Area; of the 6 deaths one was from pulmonary tuberculosis, and one from cancer.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 26th of December, 1914, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.														URBAN DISTRICTS OF			
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.		BLACKROCK.		
Enteric Fever,	1	1	2	.
Typhus,
Small-pox,
Measles,
Scarlet Fever,	1	1	.
Whooping-cough,
Diphtheria,	2	.	.	.	2	.
Croup,
Influenza,	1	1	.	.	.	1	.
Dysentery,	1	.
Tuberculosis, { Pulmonary,	4	1	1	.	.	.	1	3	.	2	.	.	3	3	1	.	19	1
Other Forms,	1	.	.	.	1	1	.	2	5	.
Cancer,	1	1	.	.	1	.	1	.	1	.	.	1	1	.	.	7	1
Diseases of Nervous System,	1	1	1	.	.	2	.	2	.	1	.	1	.	2	11	.
" Organs of Special Sense,	1	1	.	1
" Circulatory System,	1	2	.	.	1	2	.	2	2	2	2	1	.	1	.	.	14	.
" Respiratory System. { Pneumonia,	1	1	1	1	1	.	.	.	2	.	.	7	.
" System. { Others,	2	5	3	1	.	.	.	2	.	8	1	1	1	.	.	3	27	.
Diarrhoea and Enteritis, under 2 years,	1	1	1	2	.	.	.	5	.
" Digestive System. { Diarrhoea, 2 years and upwards,
" System. { Enteritis, 2 years and upwards,	1	1	.
" System. { Others,	1	1	.	.	1	.	.	1	.	.	.	3	1
" Genito-urinary System,	1	2	1	.	1	.	.	.	5	.
Puerperal Septicæmia, etc.,
Other Causes incident to Pregnancy and Childbirth,
Diseases of the Skin and Cellular Tissue,
" Locomotor System,	1
Other specified Causes,	1	.	2	1	.	1	.	1	2	1	.	.	1	2	.	.	12	2
Violent Deaths,	1	.	.	1	.	.	.	1	.	3	.
Ill-defined, &c. Causes,	1	1	.	.	.	2	.
Deaths from All Causes	10	12	12	5	2	3	5	12	5	23	6	3	12	11	2	5	128	6
Annual Rate of Mortality from All Causes in every 1,000 of the population,	17·3	15·2	22·4	7·3	19·0	11·4	24·3	15·3	14·2	27·5	9·4	15·9	16·0	19·0	11·3	15·4	16·4	.
	15·5							17·5					16·4					
	16·5																	
Ages at Death. { Under 1 year,	1	2	5	2	.	.	1	1	1	3	.	2	2	3	.	.	23	1
1 and under 2 years,	2	.	.	1	.	.	.	1	.	3	1	8	.
2 " 5 "	2	.	.	.	2	1	.	.	3	.
5 " 15 "	1	1	1	1	1	7	1
15 " 25 "	1	1	1	.	3	6	1
25 " 45 "	2	.	1	.	1	1	1	2	1	2	.	1	3	2	.	.	16	1
45 " 65 "	1	3	2	1	1	1	3	6	1	4	2	1	3	3	.	1	33	2
65 and upwards,	2	6	4	1	1	1	.	2	.	6	.	.	4	1	.	4	32	.
Number of Uncertified Deaths,	2	.	1	1	1	.	1	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	2	1	1	.	2	2	4	2	3	3	.	4	1	1	.	29	6
Workhouse Hospitals,	2	3	2	4	1	2	.	.	2	1	.	1	18	.

FIFTY-SECOND WEEK, ending Saturday, 26th December, 1914, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 52nd Week of the 10 years, 1904-1913.	In the Week ending Saturday, 26th December, 1914.																				
	Dec. 31, 1904.	Dec. 30, 1905.	Dec. 29, 1906.	Dec. 28, 1907.	Dec. 26, 1908.	Jan. 1, 1910.	Dec. 31, 1910.	Dec. 30, 1911.	Dec. 28, 1912.	Dec. 27, 1913.		All Ages.	Deaths of Persons of the Ages of																			
													0-5.										Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.
Diseases of the Pharynx, Ton- sillitis.	2	.	.	.2									
Diseases of Stomach, ...	—	—	—	—	—	—	—	1	4	3	—	2									
Diarrhoea and Enteritis of Children under 2 years.	7	2	8	.	1	8	2	3	.	5	3.9	5	.	5									
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																								.	.	2	.	1
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	2	.	1	—									
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	—	2	1	2	—									
Cirrhosis of Liver, ...	1	2	2	.	1	2	.	1	2	.	1.1									
Other Diseases of Liver,	2	.	3	2	1	1	1	.	.	1.0									
Peritonitis (cause unknown),	1	1	.	1	.3	1	1									
Other Diseases of Digestive System.	10	1	2	5	3	5	5	.	.	1	3.2	1	1									
Acute Nephritis, ...	5	6	8	6	5	6	9	3	.	1	6.9	3	.	1	2									
Chronic Bright's Disease, ...								7	2	6		2	1	1	.	.	.										
Urinary Calculi,										
Uterine Tumour (non-can- cerous).																	
Ovarian Tumour (non-can- cerous)																	
Other Diseases of Genito- urinary System.								1	3	1											
Puerperal Septicæmia, &c.,	11									
Other Causes incident to Pregnancy and Childbirth.	.	1	1	.	13									
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	.	.	.	—									
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	1	.	1	—	1	1	.	1									
Premature Birth, ...	2	1	4	1	1	9	1	2	.	5	2.6	3	3									
Congenital Debility, ...	—	—	—	—	—	—	—	2	4	2	—	1	1									
Old Age, ...	5	4	2	1	6	4	4	9	1	3	3.9	3	1	2	.	.									
Other Specified Diseases, ...	—	—	—	—	—	—	—	2	.	.	—	1	1									
ACCIDENT :																																
Poisons or Poisonous Vapours.									
Conflagration, ...	1	2	.	2	1	1	1	1	2	.	1.1	2	.	.	1	1									
Burns and Scalds,	11									
Drowning,	1	.	.	12									
Suffocation in Bed, ...	1	2	4	2	.	.	3	6	2	2	2.2	2									
Other Deaths by Accident, ...	2	5	5	4	1	2	4	7	4	2	3.6	2	.	.	1	1									
Total Deaths from Accident,																																
Included in above are Deaths in connection with—																																
Railways,	1	1	1	1	.6									
Vehicles and Horses,	1	1	.	.	.	1	1	1	1									
Ships, Boats, Docks,									
Building Operations,									
VIOLENCE OTHER THAN ACCIDENTAL :																																
Homicide, ...	1	1	13	1	1									
Suicide,	11									
Execution,									
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	6	3	3	—	2	.	.	1	1									

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914—WEEK ENDING																									
		July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.
No. of weeks in Annual Series,		27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
Births registered.		165	214	208	197	195	166	204	200	246	187	213	184	198	199	223	185	205	173	222	190	209	187	185	195	224	117
Average Births in corresponding week of previous 10 years, ...		208	208	221	221	220	209	223	218	205	244	200	222	247	203	187	211	196	217	208	200	182	214	186	207	180	178
Deaths registered, ...		139	128	139	129	144	136	159	136	163	160	139	161	154	154	141	144	134	118	158	155	155	152	205	190	203	134
Annual Death-rate per 1,000, ...		17.9	16.4	17.9	16.6	18.5	17.5	20.4	17.5	20.9	20.5	17.9	20.7	19.8	19.8	18.1	18.5	17.2	15.2	20.3	19.9	19.9	19.5	26.3	24.4	26.1	17.2
Average Deaths in corresponding week of previous 10 years, ...		135	147	143	145	144	145	156	160	157	159	158	162	159	157	155	157	149	168	167	171	167	174	177	167	174	156
Ages, { Under 5 years, ...		47	31	44	36	46	35	53	35	62	51	48	52	47	39	30	47	36	29	35	34	26	38	38	57	51	35
5-15 " ...		7	6	9	6	4	6	5	6	5	4	3	8	4	5	12	7	2	7	8	8	11	3	6	7	9	8
15-25 " ...		9	7	3	9	8	5	7	6	6	8	5	6	7	1	6	7	4	1	1	7	6	6	8	9	7	7
25-45 " ...		22	27	29	26	27	26	26	27	23	24	24	26	25	33	21	19	22	30	27	28	35	26	43	31	22	17
45-65 " ...		30	22	31	30	37	34	35	35	38	40	28	35	36	40	39	36	22	26	41	40	42	35	54	50	61	35
65-75 " ...		14	22	14	15	13	15	18	17	18	20	16	20	21	19	17	17	23	14	23	20	19	28	40	19	28	23
75 and upwards, ...		10	13	9	7	9	15	15	10	11	11	15	14	14	17	16	11	19	11	16	18	16	16	16	17	25	9
Deaths from:—																											
Enteric Fever, ...		1	2	1	2	2	2	1		2	1	3	3	1	1	2	3		2	3	2	2		5	1	1	2
Typhus, ...																											
Small-pox, ...																											
Measles, ...		2	4	6	2	1	2	1	3	1				1					1		1				1	1	
Scarlet Fever, ...		1	2	3				1	1	1		1		1	1		1		2		1	1	1	1	1	2	1
Whooping-cough, ...		3		2	1		1	2	1	4	2		1	2	1		2	1		1				3	1	4	2
Diphtheria, ...																											
Influenza, ...																											
Dysentery, ...																											
Tuberculosis { Pulmonary ...		21	18	16	19	23	19	18	19	18	25	13	18	23	17	11	1	17	11	16	22	20	16	30	23	26	20
Cancer, ...		9	5	8	11	5	6	4	2	4	9	8	9	7	9	11	8	5	4	3	7	5	6	6	6	5	5
Diseases of Circulatory System, ...		7	8	7	10	9	7	6	12	10	20	6	15	13	15	8	6	9	8	8	15	9	17	12	10	7	8
Diseases of Respi- (Pneumonia		11	16	15	15	13	15	15	17	18	18	17	19	15	16	20	8	17	15	17	19	21	13	28	17	32	14
ratory System, { Others, ...		9	10	12	4	8	4	3	7	8	7	5	4	6	10	11	9	9	8	12	12	9	7	15	23	19	7
Diarrhea and Enteritis, under		10	13	5	7	12	10	11	10	7	10	7	9	14	19	12	22	15	13	21	18	23	28	20	24	25	27
2 years, ...		4	4	6	6	9	10	11	13	28	18	17	25	14	11	14	11	11	7	10	6	7	3	4	10	6	5
Diarrhea, 2 years and upwards,																											
Violent Deaths, ...		6	4	5	3	3	7	10	3	8	1	4	6	4	1	7	1		3		3	1			1	1	3
Number of Uncertified Deaths,		5	2	6	2	7	4	2	2	1	4	2	5	2	8	7	2	3	8	5	4	3	4	4	5	9	6

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th December, 1914: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 26TH DECEMBER, 1914.																																																																
OCCUPATION OR SOCIAL POSITION (The 3138 persons returned under the head "Unspecified," in Table 73 of the General Report on the Census have been distributed 796 among the several groups to which they most probably belonged.)			Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911	Total Number of Deaths.	AGES.										CAUSES OF DEATH																																																
						Under 5 years.					5 and under 15.					15 and under 25.					25 and under 45.					45 and under 65.					65 and under 75.					75 and upwards.					Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.		Other Forms.		Tuberculosis.	Cancer.	Convulsions.	Diseases of the Respiratory System		Pneumonia.	Other.	Diarrhoea & Erititis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
						(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)																																	
CLASS.	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)																																		
- ALL PERSONS.																																																																
CLASSES.																																																																
I.	Deaths in Families of the—	14,658	3.6	1	1	4	1	6	14	5	2	1																																																				
II.	PROFESSIONAL AND INDEPENDENT CLASS, ...	101,798	16.9	33	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																																	
III.	MIDDLE CLASS, ...	108,420	16.4	34	5	4	2	6	8	8	1	2																																																				
IV.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	167,479	14.9	48	26		3	3	8	8	6	2																																																				
V.	GENERAL SERVICE CLASS, ...	5,602	—	18	3		1	2	5	4	3																																																					
	INMATES OF WORKHOUSES, ...																																																															
I.	PROFESSIONAL AND INDEPENDENT CLASS.																																																															
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868																																																														
	2. Merchants and Manufacturers, Higher Class	1,347																																																														
	3. Persons of Rank and Property, not otherwise described, ...	5,443	9.6	1							1																																																					
II.	MIDDLE CLASS.																																																															
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	5.5	1					1																																																							
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	22.8	11	1	2		3	5																																																							
	6. Clerks and Commercial Assistants, ...	33,249	11.0	7			1	1	4	1																																																						
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	21.6	14		2		2	4	4	2																																																					
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																																																															
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	28.6	6	2	1		1	2																																																							
	9. Building and Furnishing Trades, ...	28,823	7.2	4	1	1		1		2	1																																																					
	10. Clothing Trades, ...	20,026	20.8	8	1	1		1		4	1	1																																																				
	11. Food Supply Trades	8,952																																																														
	12. Other Trades and Callings ranking with rates, ...	32,070	19.5	12	1	2	2	2	4	1		1																																																				
IV.	Petty Shopkeepers	6,772	30.8	4				1	2	1																																																						
	GENERAL SERVICE CLASS.																																																															
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	24.1	6	5			1																																																								
	15. Domestic Servants, ...	36,041	5.8	4	1		1	1	1																																																							
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	10.2	3	2					1	5	2																																																				
	17. Hawkers, Porters, Labourers, &c., ...	108,081	17.7	35	18		2	1	7	5	2																																																					
V.	INMATES OF WORKHOUSES.																																																															
	18. Workhouse inmates, ...	5,602	—	18	3		1	2	5	4	3																																																					

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal admitted ; also, similar Statistics for

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Violence.	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.				
													Pulmonary.	Other Forms.		Pneumonia.	Other.						
North City, No. 1 (E.) (Office Clarence St. Nth.)	Nov. 21 " 28 Dec. 5	22.4 22.4 25.9	1.7 3.5 3.5	13 13 15	1 1 1	.	1 1 1	2 1 2	2 2 3	1 2 2	.	.	2 2 2	2 2 2	
Population in 1914 (Est.) 30,206.	" 12 " 19 " 26	24.2 24.2 17.3	3.5 . .	14 14 10	3 2 4	.	1 . .	1 . .	1 1 1	1 1 2	2 2	1 . .
North City, No. 1 (W.) (Office, Summer-hill.)	Nov. 21 " 28 Dec. 5	22.7 13.9 30.3	3.8 1.3 1.3	18 11 24	1	.	.	.	3 1 1	.	1 . 1	2 1 2	1 1 3	2 1 3	2 1 2	.	.	.	1 . 1
Population in 1914 (Est.) 41,278.	" 12 " 19 " 26	17.7 20.2 15.2	2.5 1.3 1.3	14 16 12	2 3 1	.	2 . 1	2 . 1	1 1 5	1 3 1	1 1 1	2 1 1	.	.	1 1 2
North City, No. 2. (Office, Lisburn-street.)	Nov. 21 " 28 Dec. 5	20.6 20.6 33.7	. . 3.7	11 11 18	1 2 2	.	1 . 1	1 . 2	4 4 1	1 1 1	1	1 . .
Population in 1914 (Est.) 27,883.	" 12 " 19 " 26	24.3 41.1 22.4	1.9 1.9 1.9	13 22 12	3 3 1	2 . 1	1 1 1	1 3 1	2 2 3	1 1 1	1 1 .	.	.	1 1 1	
North City, No. 3. (Office, Benburb-street.)	Nov. 21 " 28 Dec. 5	11.7 14.7 23.5	. 1.5 1.5	8 10 16	1 . 2	1 1 .	1 . 1	1 . 2	2 5 .	1 . .	1	1 . .
Population in 1914 (Est.) 35,536.	" 12 " 19 " 26	23.5 30.8 7.3	2.9 5.9 1.5	16 21 5	1	.	.	1	2 1 .	1 . .	1 . .	3 3 1	1 5 1	1 6 1	1	1 . .	3 . .
Clontarf and Howth No. 1 (part of).	Nov. 21 " 28 Dec. 5	9.5 . 28.5	. . .	1 . 3
Population in 1914 (Est.) 5,485.	" 12 " 19 " 26	9.5 9.5 19.0	. . .	1 1 2	1
Coolock and Drumcondra (part of).	Nov. 21 " 28 Dec. 5	19.1 11.4 34.3	. . .	5 3 9	1 . 3	.	1 . .	1 . .	1 . 1	1 . .	1
Population in 1914 (Est.) 13,685.	" 12 " 19 " 26	7.6 . 11.4	. . .	2 . 3
Finglas and Glasnevin (part of).	Nov. 21 " 28 Dec. 5	9.7 4.9 19.5	. . 4.9	2 1 4	1	.
Population in 1914 (Est.) 10,723.	" 12 " 19 " 26	9.7 29.2 24.3	. . .	2 6 5	1 . .	1 . .	1 . .	1 . .	1	1 . 1
South City, No. 1. (Office, St. Earl-street.)	Nov. 21 " 28 Dec. 5	19.2 24.3 25.6	1.3 . 1.3	15 19 20	1	1 1 3	1 1 .	3 2 1	1 2 3	2 1 1	1 1 1	1 1 1	.	.	1 2 .	1 1 .
Population in 1914 (Est.) 40,768.	" 12 " 19 " 26	38.4 20.5 15.3	2.6 1.3 1.3	30 16 12	1	.	.	3 1 3	2 1 1	1 1 1	4 3 .	7 1 2	1 1 1	1 1 .	.	.	1 1 1	.
South City, No. 2. (Office, Castle-street.)	Nov. 21 " 28 Dec. 5	28.4 34.1	10 12	2 3 1	1 . 1	1 3 2	1 . .	1 4 2	1 2 1	1
Population in 1914 (Est.) 18,341.	" 12 " 19 " 26	22.7 28.4 14.2	2.8 . 2.8	8 10 5	1 1 2	1 1 .	1 1 .	1 1 .	1 3 .	1 . .	1
South City, No. 3. (Office, Peter-street.)	Nov. 21 " 28 Dec. 5	16.8 31.1 27.5	2.4 . 1.2	14 26 23	1	3 3 6	2 1 1	4 . .	2 1 1	3 2 8	1 3 4	1 . .	1	1 . .
Population in 1914 (Est.) 43,540.	" 12 " 19 " 26	32.3 21.6 27.5	1.2 3.6 1.2	27 18 23	1	.	.	3 3 2	2 . 2	1 . 1	1 3 1	4 3 8	1 4 1	1 . .	1	1 . 1
South City, No. 4. (Office, Grand Canal-st.)	Nov. 21 " 28 Dec. 5	33.0 17.3 23.6	4.7 3.1 1.6	21 11 15	1 2 4	2 . 1	1 . 1	3 2 4	4 2 3	3 2 2	1	1 1 1
Population in 1914 (Est.) 33,171.	" 12 " 19 " 26	31.4 33.0 9.4	. . 1.6	20 21 6	2 4 3	1 . .	1 1 .	4 4 .	3 2 2	1 . .	1	1 1 1	1 1 1
New Kilmainham.	Nov. 21 " 28 Dec. 5	10.6 5.3 10.6	. . .	2 1 2	1
Population in 1914 (Est.) 9,851.	" 12 " 19 " 26	15.9 10.6 15.9	. . .	3 2 3	1 . 1	.	.	.	1 . 1	1 . 1

* See note (§) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Nov. 21	13.3	1.3	10	1	.	1	.	1	1	.	.	.	
	" 28	18.6	.	14	2	.	.	.	3	
	Dec. 5	16.0	.	12	1	.	1	1	1	.	.	1	.	
	" 12	20.0	2.7	15	1	.	2	1	1	2	.	.	.	
	" 19	28.0	2.7	21	1	.	1	.	2	1	2	1	2	.	1	
" 26	16.0	5.3	12	2	.	3	.	1	.	1	2	1	2	.	.	
Pembroke Urban District. Population in 1914 (Est.) 30,240	Nov. 21	15.5	.	9	3	.	.	.	3	
	" 28	17.2	.	10	1	1	3	.	1	2	.	.	.	
	Dec. 5	17.2	1.7	10	1	1	.	2	1	2	.	.	1	.	
	" 12	20.7	.	12	1	.	1	.	2	
	" 19	17.2	3.4	10	2	1	.	1	1	2	.	.	.	
" 26	19.0	.	11	3	.	1	2	1	.	.	1	.		
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Nov. 21	5.7	.	1	
	" 28	11.3	.	2	1	
	Dec. 5	17.0	.	3	1	.	2	
	" 12	5.7	.	1	
	" 19	39.7	.	7	1	1	.	.	1	
" 26	11.3	.	2	1	1	.		
Kingstown Urban District. Population in 1911 16,941.	Nov. 21	18.5	.	6	1	1	
	" 28	9.2	.	3	1	
	Dec. 5	18.5	3.1	6	1	
	" 12	9.2	.	3	1	
	" 19	21.5	.	7	2	.	.	.	1	
" 26	15.4	.	5	3	.	.	.		
Belfast. Population in 1914 (Est.) 399,000.	Nov. 21	19.1	2.7	146	1	.	.	9	6	2	1	.	19	8	5	18	16	2	.	2	.	
	" 28	20.8	3.0	159	1	.	.	14	3	1	.	.	12	10	7	21	25	3	1	5	2	
	Dec. 5	21.2	2.5	162	.	.	.	8	3	2	1	.	15	6	7	22	21	5	.	2	2	
	" 12	20.8	2.9	159	1	.	.	11	3	1	1	.	12	1	6	15	31	5	.	2	2	
	" 19	18.3	3.3	140	1	.	.	7	7	5	.	.	12	7	6	11	15	5	.	2	1	
" 26	22.0	2.1	168	.	.	.	9	1	5	.	.	.	20	4	5	16	27	1	.	4	3	
Cork. Population in 1911 76,673.	Nov. 21	27.9	2.7	41	.	.	.	1	.	.	2	.	7	2	1	2	3	1	.	.	2	
	" 28	19.7	2.7	29	1	2	1	.	2	4	3	2	3	.	.	1	4	
	Dec. 5	14.3	2.7	21	2	1	.	1	3	1	1	3	1	.	.	.	
	" 12	25.2	3.4	37	.	1	.	1	1	.	.	.	2	3	2	3	5	2	.	1	1	
	" 19	27.2	1.4	40	8	4	2	3	9	2	.	.	2	
" 26	14.3	0.7	21	1	.	.	4	2	1	1	2	.	.	.	1	
Londonderry. Population in 1914 (Est.) 41,100.	Nov. 21	15.2	.	12	1	2	1	.	1	
	" 28	15.2	1.3	12	1	.	1	.	3	1	.	.	.	
	Dec. 5	10.1	1.3	8	1	1	.	.	.	
	" 12	17.8	.	14	2	1	.	2	4	
	" 19	15.2	.	12	1	1	1	.	
" 26	11.4	.	9	1	1	.	.	4	.	.	2	.	
Limerick. Population in 1911 38,518.	Nov. 21	6.8	.	5	1	.	.	1	2	.	.	.	1	
	" 28	19.0	.	14	2	1	.	.	3	.	.	.	4	
	Dec. 5	25.7	.	19	2	1	.	3	.	1	.	2	
	" 12	19.0	1.4	14	3	.	2	.	4	.	.	.	5	
	" 19	20.3	1.4	15	1	.	.	.	1	
" 26	13.5	.	10	1	.	2	2		
Waterford. Population in 1911 27,464.	Nov. 21	32.3	13.3	17	4	.	.	.	3	.	.	2	2	2	1	.	.	
	" 28	20.9	7.6	11	3	.	.	.	1	3	.	.	1	1	.	.	1	
	Dec. 5	13.3	1.9	7	1	2	1	
	" 12	30.4	7.6	16	1	.	.	.	3	.	.	.	1	.	.	.	2	
	" 19	22.8	1.9	12	1	1	1	
" 26	9.5	1.9	5	1		

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 26th December, 1914. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Inquest Cases.	Violence.	Diarrhoea 2 years of age and upwards.	Diarrhoea and Enteritis of children under 2 years of age.	DISEASES OF THE RESPIRATORY SYSTEM.		Number of Uncertified Deaths.		
						All Causes.	Certain Epi- demic Diseases,†	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Pneumonia.	Other.																	
															Pulmonary.	Other Forms.			Cancer.																
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)					
City of Belfast.																																			
BELFAST URBAN No. 1 DISTRICT.	15,879	5	19.7	2.1	6	1	5	6	1	1	5	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 2 do.	49,500	14	27.4	3.1	26	5	6	1	2	2	4	5	5	3	7	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 3 do.	50,032	22	26.1	3.1	25	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 4 do.	32,637	26	14.4	3.2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 5 do.	16,112	11	12.9	3.2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 6 do.	37,293	10	26.6	3.2	19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 7 do.	2,681	1	19.4	3.2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 8 do.	5,964	1	35.0	3.2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 9 do.	24,427	9	17.1	3.2	8	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 10 do.	28,958	22	32.4	5.4	18	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 11 do.	39,311	6	18.6	4.0	14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 12 do.	38,076	14	21.9	4.1	16	5	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 13 do.	23,233	6	15.7	2.2	7	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 14 do.	175	1	25.3	3.2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 15 do.	22,669	11	25.3	3.2	11	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Total,	386,947	156	22.0	2.1	168	29	22	13	21	36	47	4	5	16	27	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
City of Cork.																																			
CORK URBAN No. 1 DISTRICT	13,455	10	10.0	5.3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 2 do.	10,399	1	26.6	5.3	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 3 do.	9,793	4	11.4	5.3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 4 do.	9,139	2	11.4	5.3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 5 do.	6,250	1	16.7	5.3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 6 do.	11,581	3	27.0	5.3	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 7 do.	16,056	5	13.0	5.3	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Total,	76,673	26	14.3	0.7	21	1	2	4	8	7	4	5	16	27	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE 1X.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

1914—WEEK ENDING																											
BELFAST.		July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.
No. of weeks in Annual Series,		27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
BIRTHS registered, ...		219	237	190	218	212	226	214	218	196	215	187	223	228	246	189	184	208	202	161	197	226	177	201	205	156	
DEATHS registered, ...		130	130	103	111	115	137	113	135	145	155	138	151	169	133	111	132	129	107	147	127	146	159	162	159	140	168
Annual Death-rate per 1,000 of estimated population, ...		17.0	17.0	13.5	14.5	15.0	17.9	14.8	17.6	18.9	20.3	18.0	19.7	22.1	17.4	14.5	17.3	16.9	14.0	19.2	16.6	19.1	20.8	21.2	20.8	18.3	22.0
AGES, { Under 1 year, ... 1-5 years, ... 5-25 " ... 25-45 " ... 45-65 " ... 55 and upwards, ...		25 18 18 24 28 17	26 19 21 18 28 18	25 10 9 20 19 20	19 11 15 22 26 18	21 21 11 21 24 17	20 21 14 22 32 28	27 23 9 18 16 20	30 18 17 19 30 21	49 23 14 16 26 17	56 18 19 24 25 13	52 21 14 18 20 13	42 21 12 24 22 30	69 21 21 18 23 17	36 11 10 19 38 19	38 13 11 12 20 16	29 22 15 10 13 21	23 20 13 24 27 30	26 22 14 21 25 39	24 18 10 21 26 28	31 15 20 10 46 31	28 22 17 18 24 32	31 22 10 24 31 38	32 20 11 19 27 50	31 24 20 21 20 24	29 22 13 21 36 47	
Deaths from:—																											
Enteric Fever, ...						1	1	1	1			2	1	1	1	2		1	1	1			1		1		
Typhus, ...				1	1	1																					
Small-pox, ...																											
Measles, ...		9	6	4	1	6	5	8	7	2	2	1	7	4	3	3	7	6	10	7	9	14	8	11	7	9	
Scarlet Fever, ...		2	5	2	2	2	4			2	2	1	1	2	1	2	3		3	1	8	6	3	3	7	1	
Whooping-cough, ...		7	2	4	2	7	2	3	3	6	2	5	3	4	4	4	3	8	1	3	2	2	1	2	1	5	
Diphtheria, ...			1							1			1				1						1	1			
Dysentery, ...																											
Tuberculosis, { Pulmonary, ... Other Forms, ...		13	14	10	16	15	18	12	14	19	20	13	17	15	8	6	11	13	10	13	18	19	12	15	12	20	
Cancer, ...		7	7	3	4	7	5	8	7	4	8	1	5	4	5		6	4	4	5	2	8		6	1	7	
Diseases of Respi- (Pneumonia, ratory System, { Others, ...		9	11	7	8	1	3	5	10	6	6	7	8	9	9	2	4	10	7	6	4	5	10	7	6	5	
Diarrhoea and Enteritis, under 2 years, ...		9	11	5	8	12	13	13	11	9	16	9	13	18	8	11	17	16	13	21	11	16	25	21	31	15	
Diarrhoea, 2 years and upwards, ...		7	5	6	8	9	3	13	9	23	44	39	30	44	21	10	12	6	6	9	4	2	3	5	5	1	
Violent Deaths, ...		2			1			2	1	10	1	3	2	4	2	1	1				1	1					
Number of Uncertified Deaths, ...			2		2	2	2	1	1		4	1	5	1	3	3	3	1	2	2	2	2	5	2	2	4	
		3	2	1	2		2		1	3	2		5	2	2		1	2	1	2	1		2	2	1	3	

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 — Week ending	BIRTHS, Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, —	4,516,612	Dec. 26,	1,420	1,109	12·8	1	.	29	6	9	13	12
EDINBURGH, —	321,900	„ 26,	91	85	13·8	2	.
GLASGOW, —	1,047,000	„ 26,	452	398	19·8	1	.	.	8	21	5	8
CALCUTTA, —	896,067	Nov. 14,	.	489	28·3	98*	3	.	.	1	1†	54† ^a
BOMBAY, —	979,445	„ 21,	438	386	20·5	42*	.	1	.	.	.	41 ^a
MADRAS, —	518,660	„ 14,	285	521	52·3	66*	1	.	?	?	?	168† ^a
CAIRO, {	Egyptians, ...	Oct. 14,	603	408	32·4	2	1	1	.	?	27†	73
	Foreigners,	„ 14,	12	9	6·6	?	.	.
ALEXAN- DRIA, {	Egyptians,	„ 14,	280	168	25·9	2	1	.	.	?	1†	44
	Foreigners,	„ 14,	33	14	9·6	.	1	.	.	?	.	2
PARIS, —	2,847,229	Nov. 14,	705	698	12·5	11	1	3	.	.	.	13
BRUSSELS, —	780,843	—
ANTWERP, —	323,421	—
AMSTERDAM, —	597,888	—
COPENHAGEN, —	492,000	Nov. 28,	175	113	12·0	4
STOCKHOLM, —	382,085	„ 28,	153	75	10·2	.	.	1	1	.	3	2
CHRISTIANIA, —	251,446	Dec. 12,
PETROGRAD, —	1,728,200	—
MOSCOW, —	1,694,000	—
ROME, —	591,943	—
NEW YORK, —	5,583,871	Oct. 24,
PHILADELPHIA, —	1,657,810 {	„ 16,	.	389	12·2	.	.	1	.	.	1†	31
		„ 23,	.	406	12·7	2	3†	35
BOSTON, —	750,768	Dec. 5,	.	219 ^b	15·2	1	.	3	1	1	6	3 ^a

* Deaths from "fever," including 3 from enteric fever in Calcutta; 2 from enteric fever and 4 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 7 deaths from cholera in Calcutta, and 53 in Madras.

^a Deaths from diarrhoeal diseases at all ages.

^b Corrected figures, i.e., non-residents deducted, 193 (including 2 deaths from diarrhoeal diseases), rate 13·4 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th December, 1914.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	2	2	1	5
" " 1, West,	2	.	.	1	.	.	1	1	5
" " 2,	3	3
" " 3,	1	.	.	2	.	1	.	2	.	.	.	1	7
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),
Finglas and Glasnevin (part of),
South City No. 1,	1	1	5	7
" " 2,	1	1
" " 3,	1	.	.	3	.	.	.	1	.	.	.	4	9
" " 4,	1	1
New Kilmainham,	1	1
Total,	8	3	.	8	.	1	1	3	.	.	.	15	39

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 26th December, 1914, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 26th December.			
	Dec. 5.	Dec. 12.	Dec. 19.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	61	67	63	4	16	.	51
Typhus, ...	6	7	3	5	.	.	8
Small-pox,
Measles, ...	8	6	4	.	4	.	.
Scarlet Fever, ...	123	110	101	10	19	1	91*
Diphtheria, ...	38	36	46	11	12	2	43
Pneumonia, ...	15	16	25	7	10	.	22

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LI.]

WEEK ENDING SATURDAY, 2ND JANUARY, 1915.

[No. 53.]

*General Register Office, Charlemont House,
Dublin, 4th January, 1915.*

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 27·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,205,280.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Dec. 12	Dec. 19	Dec. 26	Jan. 2	
27 Town Districts, (a)	21·1	21·8	17·0	27·8	21·9
Dublin Reg. Area ...	23·2	24·7	16·4	35·2	24·9
Dublin City ...	25·2	24·7	16·5	37·6	26·0
Belfast ...	20·8	18·3	22·0	23·1	21·0
Cork ...	25·2	27·2	14·3	30·6	24·3
Londonderry ...	17·8	15·2	11·4	22·8	16·8
Limerick ...	19·0	20·3	13·5	28·4	20·3
Waterford ...	30·4	22·8	9·5	51·3	28·5

The deaths from certain epidemic diseases† registered in the 27 town districts during last week* were equal to an annual rate of 2·1 per 1,000. Among the 177 deaths from all causes for Belfast are 2 from enteric fever, 8 from measles, 2 from scarlet fever, 2 from whooping-cough, one from diphtheria, and 2 from diarrhoeal diseases. Of the 45 deaths from all causes for Cork, one was caused by scarlet fever, one by whooping-cough, and one by diarrhoea. Among the 27 deaths from all causes for Waterford are one from typhus, 4 from scarlet fever, and 2 from diarrhoea, and included in the 3 deaths from all causes for Queenstown is one from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 236—124 boys and 112 girls—and the deaths to 283—125 males and 158 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 35·2 per 1,000 of the population. During the fifty-three weeks, ending with Saturday last, the death-rate averaged 20·9, and was 0·5 below the mean rate for the corresponding portions of the ten years, 1904—1913.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note a) Table II

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 283, represent an annual rate of 36·3 per 1,000, the annual rate for the past fifty-three weeks was 22·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·6 per 1,000 of the mean population for all deaths registered.

Among the deaths registered are 2 from enteric fever, 2 from scarlet fever, 4 from whooping-cough, 2 from diphtheria, 8 deaths from diarrhoea and enteritis of children under 2 years of age, and one death from influenza.

Deaths from enteric fever in the three preceding weeks were one, one, and 2; deaths from scarlet fever were one, 2, and one; deaths from whooping-cough were 2, 0, and 0; deaths from diphtheria were one, 4, and 2; deaths of children under 2 years of age from diarrhoea and enteritis were 10, 6, and 5; and deaths from influenza were 2, 0, and one, respectively.

Deaths from all forms of tuberculous disease registered during last week numbered 45*, as against 29, 31, and 25 respectively in the 3 preceding weeks. Of the 45 deaths 38 were caused by pulmonary tuberculosis, 5 by tuberculous meningitis, one by abdominal tuberculosis, and one by disseminated tuberculosis.

Broncho-pneumonia caused 28* deaths, lobar pneumonia 2 deaths, and pneumonia (type not distinguished) 6 deaths.

There were 12* deaths from cancer.

Among deaths of infants under one year of age, 8 were attributed to convulsions, 5 to premature birth, and 4 to congenital debility.

Twenty-five deaths were due to organic diseases of the heart, and 39 to bronchitis.

There were 2 accidental deaths, including one (that of a child 4½ years of age) caused by burns.

In 14 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year old, and the deaths of 7 persons aged 65 years and upwards.

Eighty-seven of the persons whose deaths were registered during the week were under 5 years of age (57 being infants under one year, of whom 9 were under one month old), and 76 were aged 65 years and upwards, including 53 persons aged 70 and upwards; among the latter were 34 aged 75 and upwards, of whom 4 (females) were stated to have been aged 90, 96, 98, and 101 years respectively.

One hundred and five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, 34 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 35·2 per 1,000; the rate in the City was 37·6 (North City Districts, 30·7; South, 45·5), and in the Suburbs, 27·3.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·9 (in the North City Districts 1·9, and in the South 3·9), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (20) are equal to an annual rate of 34·5 per 1,000. There were 3 deaths from pulmonary tuberculosis, 3 from pneumonia, 2 from bronchitis, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (37) are equal to an annual rate of 46·7 per 1,000. Seven deaths were caused by pulmonary tuberculosis, 9 by pneumonia, 4 by bronchitis, and 2 (those of children under 2 years of age) by diarrhoea and enteritis.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 29·9 per 1,000. Among them are one from scarlet fever, 3 from pulmonary tuberculosis, one from pneumonia, 4 from bronchitis, 2 deaths of children under 2 years of age from diarrhoea and enteritis, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 24·9 per 1,000, and include one death each from diphtheria and influenza, 2 from pulmonary tuberculosis, 3 from broncho-pneumonia, and one from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·0 per 1,000 inhabitants; Coolock and Drumcondra, part of, 19·1; and Finglas and Glasnevin, part of, 0·0. Of the 2 deaths recorded for Clontarf and Howth, No. 1, part of, one was from pulmonary tuberculosis, and one from bronchitis; and included in the 5 deaths from all causes for Coolock and Drumcondra, part of, one was from abdominal tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (38) represent an annual rate of 48·6 per 1,000. Three deaths from whooping-cough, 4 from pulmonary tuberculosis, 5 from pneumonia, 8 from bronchitis, and 4 deaths of children under 2 years of age from diarrhoea and enteritis were recorded.

No. 2 South City District (Castle-street).—The deaths (24) are equal to an annual rate of 68·2 per 1,000. Among them are one death each from enteric fever and whooping-cough, 3 from pulmonary tuberculosis, 5 from pneumonia, and 6 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (41) are equal to an annual rate of 49·1 per 1,000, and include one death each from scarlet fever and diphtheria, 9 deaths from tuberculous disease, 3 from broncho-pneumonia, and 3 from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (21) are equivalent to an annual rate of 33·0 per 1,000. Eight deaths were caused by tuberculous disease and 3 by bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·9 per 1,000. One of the deaths was from pulmonary tuberculosis and one from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 29·3; Pembroke, 24·1; Blackrock, 22·7; and Kingstown, 30·8. The only death from any of the principal epidemic diseases tabulated for these districts was one from enteric fever for Pembroke. Among the 22 deaths from all causes for Rathmines and Rathgar are one from pulmonary tuberculosis, one from broncho-pneumonia, and 4 from bronchitis. The 14 deaths from all causes for Pembroke include 5 from broncho-pneumonia; and of the 10 deaths from all causes for Kingstown one was from pulmonary tuberculosis and one from bronchitis.

ENGLAND AND SCOTLAND

The mortality last week in 97 large English towns (including London, in which the rate was 23·7), was equal to an average annual death-rate of 21·3 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 20·5 per 1,000, the rate for Glasgow being 23·9, and for Edinburgh 15·4

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 2nd January. From this Report it appears that of a total of 69 cases notified, 26 were diphtheria, 26 scarlet fever, 9 erysipelas, and 8 phthisis. Among the 677 cases of infectious diseases in hospital at the close of the week were 275 cases of scarlet fever, 184 of diphtheria, 156 of phthisis, 10 of erysipelas, and 4 of enteric fever.

* See note (c) at foot of Table II.

† See note (†) at foot of first page.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 2nd January, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Dec. 12,	.	—	—	14	.	.	11	.	2	10	4	1	—	—	—	—	.	22	64
	Dec. 19,	.	—	—	10	1	.	4	.	.	1	1	1	—	—	—	—	.	11	29
	Dec. 26,	.	—	—	8	3	.	8	.	1	1	3	.	—	—	—	—	.	15	39
	Jan. 2,	.	—	—	18	8	.	9	.	.	4	3	.	—	—	—	—	.	21	58
Rathmines and Rathgar Urban District.	Dec. 12,	.	—	—	2	.	.	—	—	—	—	—	—	2
	Dec. 19,	.	—	—	.	.	.	6	1	.	1	1	.	—	—	—	—	—	—	9
	Dec. 26,	.	—	—	.	.	.	5	—	—	—	—	—	—	5
	Jan. 2,	.	—	—	.	.	.	4	.	.	1	1	.	—	—	—	—	—	—	6
Pembroke Urban District.	Dec. 12,	.	.	.	1	1	1	.	—	1	—	—	—	2	6
	Dec. 19,	1	—	—	—	—	—	2	3
	Dec. 26,	—	—	—	—	—	.	.
	Jan. 2,	2	—	—	—	—	—	2	4
Blackrock Urban District.	Dec. 12,	.	.	—	2	.	—	—	—	—	—	—	2
	Dec. 19,	.	.	—	—	—	—	—	—	—	.
	Dec. 26,	.	.	—	—	—	—	—	—	—	.
	Jan. 2,	.	.	—	—	—	—	—	—	—	.
Kingstown Urban District.	Dec. 12,	.	—	—	1	.	—	—	—	—	—	1	2
	Dec. 19,	.	—	—	—	—	—	—	—	.	.
	Dec. 26,	.	—	—	—	—	—	—	—	.	.
	Jan. 2,	.	—	—	—	—	—	—	—	.	.
City of Belfast.	Dec. 12,	.	—	—	61	.	.	6	.	.	2	9	.	—	—	2	—	.	5	85
	Dec. 19,	.	—	—	61	.	.	8	.	2	5	8	.	—	—	.	—	.	4	88
	Dec. 26,	.	—	—	39	.	.	4	1	.	8	8	.	—	—	.	—	.	.	50
	Jan. 2,	.	—	—	41	.	.	2	1	1	2	7	.	—	—	.	—	6	6	60
City of Cork.	Dec. 12,	.	6	—	7	.	.	1	.	.	1	2	.	—	—	—	—	—	—	17 ^a
	Dec. 19,	.	5	—	7	.	.	2	1	—	—	—	—	—	—	15 ^b
	Dec. 26,	.	6	—	8	.	.	2	1	—	—	—	—	—	—	17
	Jan. 2,	.	2	—	3	.	.	3	1	—	—	—	—	—	—	9 ^c
City of Londonderry.	Dec. 12,	.	—	—	1	3	.	—	—	—	—	—	—	7
	Dec. 19,	.	—	—	3	—	—	—	—	—	—	4
	Dec. 26,	.	—	—	3	1	.	—	—	—	—	—	—	1
	Jan. 2,	.	—	—	1	—	—	—	—	—	—	1
City of Limerick.	Dec. 12,	.	—	—	—	—	—	—	—	—	.
	Dec. 19,	.	—	—	—	—	—	—	—	—	1
	Dec. 26,	.	—	—	1	—	—	—	—	—	—	1
	Jan. 2,	.	—	—	1	—	—	—	—	—	—	1
City of Waterford.	Dec. 12,	.	—	—	11	1	.	—	—	—	—	—	.	12
	Dec. 19,	.	—	—	5	1	.	1	—	—	—	—	—	.	7
	Dec. 26,	.	—	—	1	.	.	—	—	—	—	—	.	1
	Jan. 2,	.	—	—	10	—	—	—	—	—	.	10

(a) Not including one case of varicella

(b) Not including 2 cases of varicella and one of whooping-cough.

(c) Not including one case of varicella.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd January, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Five cases of enteric fever were admitted to hospital during the week, 8 were discharged, there was one death, and 47 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 67, 63, and 51.

Four cases of typhus were admitted to hospital during the week, there was one death, and 11 cases remained under treatment at its close. At the close of the 3 preceding weeks the cases numbered 7, 3 and 8 respectively.

Nineteen cases of scarlet fever were admitted to hospital, 11 were discharged, there were 2 deaths, and 97* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 110, 101, and 91, respectively.

Thirteen cases of diphtheria were admitted to hospital during the week, and 3 were discharged, The cases in hospital, which at the close of the 3 preceding weeks numbered 36, 46, and 43 respectively, were 53 at the close of last week.

In addition to the above-named diseases, 14 cases of pneumonia were admitted to hospital, 4 were discharged, there was one death, and 31 cases remained under treatment at the end of the week.

* See note (*) at foot of Table XII.

TABLE 11.—BIRTHS and DEATHS registered during the week ending Saturday, 2nd January, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 2ND JANUARY, 1915.																														
TOWNS AND DISTRICTS.		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																								
		POPULATION.		DEATHS.		BIRTHS.		DEATHS.																						
		Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber- culosis.	Other Forms.	Cancer.	Pneumonia.	Other.	Diseases of the Respir- atory System	Diarrhea and Enteritis of children under 2 years of age.	Diarrhea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)		
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,205,280	19.1	28.1	27.8	2.1	649	643	110	182	4	1	...	9	9	7	3	...	74	21	21	71	91	10	5	7	16	196	37		
DUBLIN REG- ISTRATION AREA:—																														
TOTAL, (c.) ...	406,000	29.5	30.3	35.2	2.3	236	274	56	73	2	2	4	2	...	37	7	9	35	48	8	...	2	1	96	14		
CITY OF DUBLIN,	310,467	39.2	34.6	37.6	2.9	206	224	50	49	1	2	4	2	...	35	7	5	29	40	8	...	2	1	85	9		
Urban Districts.																														
RATHMINES and RATHGAR.	39,155	22.8	17.3	29.3	.	13	22	3	10	1	..	2	1	5	3	1		
PEMBROKE, ...	30,240	19.2	15.5	24.1	1.7	9	14	2	5	1	5	1	6	2		
BLACKROCK, ...	9,197	8.5	17.0	22.7	.	3	4	1	3	1		
KINGSTOWN, ...	16,941	11.6	15.4	30.8	.	5	10	...	6	1	...	2	...	2	2	1		
Urban Districts																														
BELFAST ..	399,000	26.7	30.6	23.1	2.2	234	177	30	39	2	8	2	2	1	...	20	6	5	24	23	1	1	5	11	41	3		
CORK, ..	76,673	28.6	23.1	30.6	2.0	34	45	7	14	1	1	6	2	...	3	2	...	1	...	1	17	3		
LONDON- DERRY	41,100	15.9	25.4	22.8	.	20	18	2	8	6	1	4	1		
LIMERICK, ...	38,518	16.1	44.7	28.4	.	33	21	3	8	3	1	...	3	13	5		
WATERFORD, ...	27,464	19.1	24.7	51.3	13.3	13	27	2	5	...	1	4	2	3	1	1	4	...	2	...	2	10	1		
GALWAY, ...	13,255	2.5				8	2	1	...		
DUNDALK, ...	13,128	9.5				4	2	...	2	1	1		
LURGAN, ...	12,553	14.7				1	4	...	3	1	1	1	1	1	...		
DROGHEDA, ...	12,501	8.4				2	4	...	2	1		
LISBURN, ...	12,388	10.9				4	4	1	2	1		
NEWRY, ...	11,963	17.0				7	2	...	2	1	...		
PORTADOWN, ...	11,727	15.3				7	4	2	1	1	1		
WEXFORD, ...	11,531	22.8				5	5	...	3	1	1	1		
BALLYMENA ..	11,381	9.3				2	8	1	1	1	1	1	1		
SLIGO, ...	11,163	3.8				2		
KILKENNY, ...	10,514	11.4				2	8	1	4	1	1	1	4	2		
TRALEE, ...	10,300	17.4				2	5	1	1	1	...	1	1	1	3	...		
CLONMEL, ...	10,209	7.8				3	6	1	1	1	1		
NEWTOWNARDS	9,587	20.1				8	7	1	2	2	1	1	...	1	...	1	1		
QUEENSTOWN,	8,209	14.7				3	3	1	1	1	1	...		
LARNE, ...	8,036	13.4				4	2		
COLERAINE. ...	7,785	7.7				6	2	...	1	1	...		
BANGOR, ..	7,776	8.5				2	1	...	1		
BRAY, ..	7,691	7.2				1	2	...	1		
ATHLONE, ..	7,472	6.2				2	6	...	6	1		
ARMAGH, ...	7,356	21.8				4	4	1	3	1	...	1	2		

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1914. (b) See note (1) at foot of first page. (c) Exclusive of 9 deaths of persons (including one under one year old and 3 at 65 years or upwards) admitted to hospital from localities outside the Area, one of the 9 deaths was from pulmonary tuberculosis, 3 from cancer and one from broncho-pneumonia.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 2nd of January, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
		CITY OF DUBLIN.																
		REGISTRATION DISTRICTS IN																
		Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF		
		NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.		
Enteric Fever,	1	1	.	.	2	
Typhus,	
Small-pox,	
Measles,	
Scarlet Fever,	1	1	2	
Whooping-cough,	3	1	4	
Diphtheria,	1	1	2	
Croup,	
Influenza,	1	1	
Dysentery,	
Tuberculosis, { Pulmonary,	3	7	3	1	1	.	.	3	3	7	6	1	1	.	.	1	37	
{ Other Forms,	1	.	1	.	1	.	2	2	7	
Cancer,	1	.	1	.	.	.	2	1	.	2	.	.	2	9	
Diseases of Nervous System,	3	4	.	2	.	.	.	4	4	4	1	.	4	2	2	.	30	
" Organs of Special Sense,	
" Circulatory System,	4	2	2	2	.	3	.	4	.	4	1	.	4	1	.	2	29	
" Respiratory System. { Pneumonia,	3	9	1	3	.	.	.	5	5	3	.	.	1	5	.	.	35	
{ Others,	2	5	4	1	1	.	.	8	6	8	3	2	5	1	.	2	48	
{ Diarrhoea and Enteritis, under 2 years,	2	2	4	8	
{ Diarrhoea, 2 years and upwards,	
{ Enteritis, 2 years and upwards,	1	1	2	1	.	1	1	1	.	7	
{ Others,	1	1	.	.	.	2	
" Genito-urinary System,	1	2	2	1	.	.	.	6	
Puerperal Septicæmia, etc.,	1	.	1	.	.	1	.	.	3	
Other Causes incident to Pregnancy and Childbirth,	1	
Diseases of the Skin and Cellular Tissue,	
" Locomotor System,	
Other specified Causes,	2	7	.	4	.	.	.	3	2	6	4	.	3	2	1	1	35	
Violent Deaths,	1	.	1	2	
Ill-defined, &c. Causes,	1	1	1	2	5	
Deaths from All Causes	20	37	16	17	2	5	.	38	24	41	21	3	22	14	4	10	274	
Annual Rate of Mortality from All Causes in every 1,000 of the population.	34.5	46.7	29.9	24.9	19.0	19.1	.	48.6	68.2	49.1	33.0	15.9	29.3	24.1	22.7	30.8	35.2	
	30.7							45.5							27.3			
	37.6																	
Ages at Death. { Under 1 year,	12	2	5	.	.	.	14	5	9	2	1	3	2	1	.	56	
{ 1 and under 2 years,	3	2	3	2	3	.	.	2	.	.	1	15	
{ 2 " 5 "	2	1	2	1	.	.	.	1	3	4	15	
{ 5 " 15 "	3	1	1	1	.	3	.	1	2	.	.	12	
{ 15 " 25 "	1	1	1	.	1	.	.	.	2	.	.	.	2	.	.	8	
{ 25 " 45 "	4	6	3	2	.	.	.	2	4	5	3	1	1	.	.	2	33	
{ 45 " 65 "	4	3	5	4	1	2	.	6	5	10	9	1	5	3	.	1	62	
{ 65 and upwards,	7	7	1	4	1	2	.	11	4	8	4	.	10	5	3	6	73	
Number of Uncertified Deaths,	3	2	1	.	2	1	.	1	2	1	1	14	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	7	5	3	1	1	.	1	5	6	6	1	2	6	.	1	48	
Workhouse Hospitals,	5	2	1	5	.	.	.	12	7	8	6	.	1	.	.	1	48	

FIFTY-THIRD WEEK, ending Saturday, 2nd January, 1915, with, as far as practicable, the deaths from each cause 1904-1913, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 52nd Week of the 10 years, 1904-1913.	In the Week ending Saturday, 2nd January, 1915.												
	Dec. 31, 1904.	Dec. 30, 1905.	Dec. 29, 1906.	Dec. 28, 1907.	Dec. 26, 1908.	Jan. 1, 1910.	Dec. 31, 1910.	Dec. 30, 1911.	Dec. 28, 1912.	Dec. 27, 1913.		All Ages.	Deaths of Persons of the Ages of											
													0-5.											
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.		
Diseases of the Pharynx, Ton- sillitis.	2	.	.	.2	1	.	1	
Diseases of Stomach, ...	—	—	—	—	—	—	1	4	3	—	1	1	
Diarrhoea and Enteritis of -Children under 2 years.	7	2	8	.	1	8	2	3	.	5	3.9	8	7	1		
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																								
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	2	.	1	—	2	.	.	.	1	1		
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	2	1	2	—	2	.	1	1		
Cirrhosis of Liver, ...	1	2	2	.	1	2	1	2	.	1.1	3	2	1	.	.		
Other Diseases of Liver,	2	.	3	2	1	1	1	.	1.0		
Peritonitis (cause unknown),	.	.	1	.	.	.	1	1	.	.3	2	1	.	1	.		
Other Diseases of Digestive System.	10	1	2	5	3	5	5	.	.	3.2		
Acute Nephritis, ...	5	6	8	6	5	6	9	3	2	1	6.9	6	1	3	1	1	.		
Chronic Bright's Disease, ...																								
Urinary Calculi, ...																								
Uterine Tumour (non-can- cerous).																								
Ovarian Tumour (non-can- cerous)																								
Other Diseases of Genito- urinary System.																								
Puerperal Septicæmia, &c.,	11	3	1	2	.	.	.			
Other Causes incident to Pregnancy and Childbirth.	.	1	1	.	13	1	1			
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	.	.	.	—		
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	1	.	1	—		
Premature Birth, ...	2	1	4	1	1	9	1	2	5	2.6	5	3	2		
Congenital Debility, ...	—	—	—	—	—	—	2	2	2	—	4	.	4		
Old Age, ...	5	4	2	1	6	4	4	9	1	3.9	16	5	11		
Other Specified Diseases, ...	—	—	—	—	—	—	2	.	.	—	2	2		
ACCIDENT:																								
Poisons or Poisonous Vapours.		
Conflagration,		
Burns and Scalds, ...	1	2	.	2	1	1	1	1	2	1.1	1	1		
Drowning,	1		
Suffocation in Bed,	1	.	.	1		
Other Deaths by Accident, ...	1	2	4	2	.	3	6	2	2	2.2	1	1	.	.	.		
Total Deaths from Accident,	2	5	5	4	1	2	4	7	4	3.6	2	.	.	.	1	.	.	.	1	.	.	.		
Included in above are Deaths in connection with—																								
Railways,		
Vehicles and Horses,	1	1	.	.	.	1	1	1	.6		
Ships, Boats, Docks,		
Building Operations,		
VIOLENCE OTHER THAN ACCIDENTAL:																								
Homicide, ...	1	1	1	.	.	.3		
Suicide,	1	.	.	.1		
Execution,		
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	6	3	3	—	5	2	3	.	.		

Registration of Births and Deaths, Ireland.

TABLE VII.—Showing for each of the last Six WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS	1914-5. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Un- certified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.			
													Pulmonary.	Other Forms.		Pneumonia.	Other.						
North City, No. 1 (E.) (Office Clarence St. Nth.)	Nov. 28 Dec. 5 " 12 " 19	22.4 25.9 24.2 24.2	3.5 3.5 3.5 .	13 15 14 14	.	.	1	1	.	1	1	2	3	2	.	.	2	1
Population in 1914 (Est.) 30,206.	" 26 Jan. 2	17.3 34.5	.	10 20	4 3	.	.	1 3	1 2	2 2	.	.	1 1	.	.
North City, No. 1 (W.) (Office, Summer-hill.)	Nov. 28 Dec. 5 " 12 " 19	13.9 30.3 17.7 20.2	1.3 1.3 2.5 1.3	11 24 14 16	.	1	1	.	1	1	2	3	1	1	.	.	1
Population in 1914 (Est.) 41,278.	" 26 Jan. 2	15.2 46.7	1.3 2.5	12 37	2 7	.	1	1 9	3 5	5 2	1 2	1 2	.	.	3
North City, No. 2. (Office, Lisburn-street.)	Nov. 28 Dec. 5 " 12 " 19	20.6 33.7 24.3 41.1	.	11 18 13 22	.	1	2 2 3	.	.	1 1 2	2 1 3	4 1 2	1 2 2	.	.	1 1 1	.
Population in 1914 (Est.) 27,883.	" 26 Jan. 2	22.4 29.9	1.9 5.6	12 16	1	.	.	.	1 3	1	1	1 1	3 4	1 2	1 2	1 2	.	.	2
North City, No. 3. (Office, Benburb-street.)	Nov. 28 Dec. 5 " 12 " 19	14.7 23.5 23.5 30.8	1.5 1.5 2.9 5.9	10 16 16 21	1	.	.	.	2 1 2	1	.	2 1 3	5 5
Population in 1914 (Est.) 35,536.	" 26 Jan. 2	7.3 24.9	1.5 1.5	5 17	1	1	.	1	1	.	1 3	1 1
Clontarf and Howth No. 1 (part of).	Nov. 28 Dec. 5 " 12 " 19
Population in 1914 (Est.) 5,485.	" 26 Jan. 2	19.0 19.0	.	2 2	1
Coolock and Drumcondra (part of).	Nov. 28 Dec. 5 " 12 " 19	11.4 34.3 7.6 .	.	3 9 2	3	.	1	.	.	1
Population in 1914 (Est.) 13,685.	" 26 Jan. 2	11.4 19.1	.	3 5	1	1
Finglas and Glasnevin (part of).	Nov. 28 Dec. 5 " 12 " 19	4.9 19.5 9.7 29.2	.	1 4 2 6	1 1
Population in 1914 (Est.) 10,723.	" 26 Jan. 2	24.3 .	4.9 .	5	1	1
South City, No. 1. (Office, Stth. Earl-street.)	Nov. 28 Dec. 5 " 12 " 19	24.3 25.6 38.4 20.5	.	19 20 30 16	1 3 3	.	2 1	1 4 3	2 7 1	1 1 1
Population in 1914 (Est.) 40,768.	" 26 Jan. 2	15.3 48.6	1.3 9.0	12 38	3	.	.	.	3 3	1	1	5	8	4	.	.	1	1	1
South City, No. 2. (Office, Castle-street.)	Nov. 28 Dec. 5 " 12 " 19	34.1 . 22.7 28.4	.	12 . 8 10	3 1 1	.	3 2	.	4 2 1
Population in 1914 (Est.) 18,341.	" 26 Jan. 2	14.2 68.2	2.8 5.7	5 24	1	.	.	.	1	.	1	.	3	.	.	5	6	1
South City, No. 3. (Office, Peter-street.)	Nov. 28 Dec. 5 " 12 " 19	31.1 27.5 32.3 21.6	.	26 23 27 18	1	.	.	3 6 3	2 1 2	4 .	2 8 1	3 2 3
Population in 1914 (Est.) 43,540.	" 26 Jan. 2	27.5 49.1	1.2 2.4	23 41	1	.	.	.	1	.	1	.	2 7	2 2	1 2	1 3	8 8	.	1	.	.	.	2
South City, No. 4. (Office, Grand Canal-st.)	Nov. 28 Dec. 5 " 12 " 19	17.3 23.6 31.4 33.0	3.1 1.6 .	11 15 20 21	2 4 2	.	.	2 1 4	2 3 2	2 1 1	2 1 1	.	.	.	1
Population in 1914 (Est.) 33,171.	" 26 Jan. 2	9.4 33.0	1.6 .	6 21	1	3 6	1 2	1	4	3	.	.	.	1	1	1
New Kilmainham.	Nov. 28 Dec. 5 " 12 " 19	5.3 10.6 15.9 10.6	.	1 2 3 2	1
Population in 1914 (Est.) 9,851.	" 26 Jan. 2	15.9 15.9	.	3 3	1 1	.	.	.	1 2	1

* See note (†) at foot of first page.

Deaths in Dublin, Belfast, Cork, Londonderry, Limerick and Waterford.

843

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914-5. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM														Violence.	Number of Uncer- tified Deaths.		
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.				
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.					Other.	
Rathmines and Rathgar Urban District. Population in 1914 (Est.) 39,155.	Nov. 28 Dec. 5 " 12 " 19 " 26 Jan. 2	18.6 16.0 20.0 28.0 16.0 29.3	. 2.7 2.7 5.3 .	14 12 15 21 12 22	2 1 1 1 3 1 1 2 2 1 2	. . . 1 1 1 1	3 1 1 2 1 5	. . . 2 2 2 2	1 1 1
Pembroke Urban District. Population in 1914 (Est.) 30,240	Nov. 28 Dec. 5 " 12 " 19 " 26 Jan. 2	17.2 17.2 20.7 17.2 19.0 24.1	. 1.7 3.4 . 1.7	10 10 12 10 11 14	. 1 1	1 1 1 2 3 . .	. 1 . . 1	3 2 1 . . 1 . .	. 1 . . 1 2 5 1	1 2 2 1 . . 1 2	1 1	
Blackrock Urban District. Population in 1914 (Est.) 9,197.	Nov. 28 Dec. 5 " 12 " 19 " 26 Jan. 2	11.3 17.0 5.7 39.7 11.3 22.7	2 3 1 7 2 4 1 . . 1 1 1	1 2	1 1	1 1 1	
Kingstown Urban District. Population in 1911 16,941.	Nov. 28 Dec. 5 " 12 " 19 " 26 Jan. 2	9.2 18.5 9.2 21.5 15.4 30.8	. 3.1	3 6 3 7 5 10	. 1 1 2 . . 1 2	1 1 3 2 27 23 1 1	1 1	
Belfast. Population in 1914 (Est.) 399,000.	Nov. 28 Dec. 5 " 12 " 19 " 26 Jan. 2	20.8 21.2 20.8 18.3 22.0 23.1	3.0 2.5 2.9 3.3 2.1 2.2	159 162 159 140 163 177	1 . . 1 1 . . 2	14 8 11 7 9 8	3 3 3 7 1 2	1 2 1 5 5 2	. 1 1	. . . 1	12 15 12 12 20 20	. 6 1 7 4 6	10 7 6 6 5 5	21 22 15 11 16 24	25 21 31 15 27 23	3 5 5 5 1 1	1 1	5 . . 2 2 4 5	2 2 1 3 3 3	
Cork. Population in 1911 76,673.	Nov. 28 Dec. 5 " 12 " 19 " 26 Jan. 2	19.7 14.3 25.2 27.2 14.3 30.6	2.7 2.7 3.4 1.4 0.7 2.0	29 21 37 40 21 45 1 1	1 1 1	2 2 1	1 1 1	2 1 2 8 4 6	4 3 2 4 2 2	. 3 2 2 1 . .	2 1 3 3 1 3	3 3 5 9 2 2	. 1 2 2 . . 1	1 . . 1	4 . . 1 2 1 3	
Londonderry. Population in 1914 (Est.) 41,100.	Nov. 28 Dec. 5 " 12 " 19 " 26 Jan. 2	15.2 10.1 17.8 15.2 11.4 22.8	1.3 1.3	12 8 14 12 9 18	1 2 1 1 1 1	1 2	3 1 4 4 4 6	1 1	1 2		
Limerick. Population in 1911 38,518.	Nov. 28 Dec. 5 " 12 " 19 " 26 Jan. 2	19.0 25.7 19.0 20.3 13.5 28.4	. . . 1.4 1.4	14 19 14 15 10 21	1 2 3 3	1 2 2 . . 1 1	. 1 2 . . 2 3	1 . . 3 4 2 1 1 4 2 5 1 5 5		
Waterford. Population in 1911 27,464.	Nov. 28 Dec. 5 " 12 " 19 " 26 Jan. 2	20.9 13.3 30.4 22.8 9.5 51.3	7.6 1.9 7.6 1.9 1.9 13.3	11 7 16 12 5 27	. . . 1 1	3 1 3 1 1 4	1 . . 1 2	3 2 3	. . . 1 1 1	1 2 2 4	1 2 1	1 1 1 1 . . 1	

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 2nd January, 1915. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Inquest Cases.	(30)								
				Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from						Total Number of DEATHS.				DISEASES OF THE RESPIRATORY SYSTEM.																				
				All Causes.		Certain Epi- demic Diseases,†	(3)	(4)	(5)	Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.				TUBER- CULOSIS.		Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.
				(1)	(2)																						(6)	(7)						
City of Belfast.		Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)		
BELFAST URBAN No. 1 DISTRICT.			15,879	20	29.6	3.3	9	1	4	2	8	1	1	1	1	1	1	1	1	1	1	3	1	2	1	1	1	1	1	3	6	3		
Do.	2		49,500	29	23.2		22	2	2	1	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	3	6	3	
Do.	3		50,082	26	16.7	2.1	16	5	2	1	3	4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	6	3	3	
Do.	4		32,637	24	28.8	3.2	18	4	4	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	4	3	3	
Do.	5		16,112	7	42.1		13	1	4	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	4	3	3	
Do.	6		37,233	11	16.8	4.2	12	1	4	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	4	3	3	
Do.	7		2,681	2			3																											
Do.	8		5,964	2	26.2		3				2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do.	9		24,427	10	25.6	2.1	12	1	2	1	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2				
Do.	10		28,958	25	25.2	3.6	14	6	5	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2				
Do.	11		39,311	20	31.8	2.7	24	6	4	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2				
Do.	12		38,076	35	23.3	4.1	17	5	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do.	13		23,233	11	11.2		5	2		1																								
Do.	14		175	1			1	2																										
Do.	15		22,669	12	27.6	2.3	12	3	3		2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Total,			386,947	234	23.1	2.2	177	30	35	15	29	29	39	2		8	2	2	1		20	6	5	24	23	1	1	5	11	41			3	
City of Cork.																																		
CORK URBAN No. 1 DISTRICT			13,455	7	11.6	5.0	3		1	2	1	2	4																					
Do.	2		10,399	4	35.1	5.3	7																											
Do.	3		9,793	6	37.3	5.7	7		2	2	3	1	2																					
Do.	4		9,139	3	62.8		2		2	1																								
Do.	5		6,250	11	16.7		22		2	3																								
Do.	6		11,581	8	40.5		9		2	2	1																							
Do.	7		16,056	6	19.5		6		1	1	2	1																						
Total,			76,673	34	30.6	2.0	45	7	5	9	5	5	14								6	2		3	2		1		1	17			3	

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

† See note (†) at foot of first page.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1914-5—WEEK ENDING																									
		July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.
No. of weeks in Annual Series,		28	29	30	31	32	32	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53
BIRTHS registered, ...		237	190	218	212	226	214	218	196	215	215	187	223	228	246	189	184	208	202	161	197	226	177	201	205	156	234
DEATHS registered, ...		130	103	111	115	137	113	135	145	155	138	151	169	133	111	132	129	107	147	127	146	159	162	159	140	168	177
Annual Death-rate per 1,000 of estimated population, ...		17.0	13.5	14.5	15.0	17.9	14.8	17.6	13.9	20.3	18.0	19.7	22.1	17.4	14.5	17.3	16.9	14.0	19.2	16.6	19.1	20.8	21.2	20.8	18.3	22.0	23.1
Ages, { Under 1 year, ...		26	25	19	21	20	27	30	49	56	52	42	69	36	38	29	23	19	26	24	22	31	28	32	31	29	30
1-5 years, ...		19	10	11	21	21	23	18	23	18	21	21	21	11	13	22	15	20	22	18	15	22	24	20	24	22	35
5-25 " ...		21	9	15	11	14	9	17	14	19	14	12	21	10	11	15	10	13	14	10	20	10	17	11	20	13	15
25-45 " ...		18	20	22	21	22	18	19	16	24	18	24	18	19	12	20	24	13	21	21	24	18	24	19	21	21	29
45-65 " ...		28	19	26	24	32	16	30	26	25	20	22	23	38	20	25	27	24	25	26	34	46	31	27	20	36	29
65 and upwards, ...		18	20	18	17	28	20	21	17	13	13	30	17	19	16	21	30	18	39	28	31	32	38	50	24	47	39
Deaths from:—																											
Enteric Fever,	1	1	1	1	2	1	1	1	2	...	1	1	1	...	1	1	2
Typhus,	1	1	1
Small-pox,
Measles, ...		6	4	1	6	5	8	7	2	2	1	7	4	...	3	7	7	6	10	7	9	14	8	11	7	9	8
Scarlet Fever, ...		5	2	2	2	4	2	2	1	1	2	1	2	3	...	3	1	8	6	3	3	3	7	1	2
Whooping-cough, ...		2	4	2	7	2	3	3	6	2	5	3	4	4	4	3	8	1	3	2	2	1	2	1	5	5	2
Diphtheria, ...		1	1	1	1	...	1	1	...	1	1
Dysentery,
Tuberculosis. { Pulmonary, ...		14	10	16	15	18	12	14	19	20	13	17	15	8	6	11	13	10	13	18	19	12	15	12	12	20	20
Other Forms, ...		7	3	4	7	5	8	7	4	8	1	5	4	5	...	6	4	4	5	2	8	...	6	1	7	4	6
Cancer ...		11	7	8	1	3	5	10	6	6	6	7	8	9	9	4	10	7	6	4	5	10	7	6	6	5	5
Diseases of Respi- { Pneumonia, ...		7	8	10	5	10	8	10	8	4	6	13	7	10	9	10	8	16	15	11	18	21	22	15	11	16	24
ratory System, { Others, ...		11	5	8	12	13	13	11	9	16	9	13	13	8	11	17	16	13	21	11	16	25	21	31	15	27	23
Diarrhoea and Enteritis, under 2 years, ...		5	6	8	9	3	13	9	23	44	39	30	44	21	10	12	6	6	9	4	2	3	5	5	5	1	1
Diarrhoea, 2 years and upwards,	2	1	10	1	3	2	4	2	1	1	1	1	...	1	1
Violent Deaths, ...		2	...	2	2	2	1	1	...	4	1	5	1	3	3	3	1	2	2	2	2	5	...	2	2	4	5
Number of Uncertified Deaths, ...		2	1	2	...	2	...	1	3	2	...	5	2	2	...	1	2	1	2	1	...	2	2	2	1	3	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 AND 1915 — Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ...	4,516,612	Jan. 2,	2,422	2,050	23·7	4	.	71	10	10	26	27	
EDINBURGH, ...	321,900	" 2,	113	95	15·4	.	.	.	1	1	4	1	
GLASGOW, ...	1,047,000	" 2,	535	479	23·9	2	.	1	6	27	3	3	
CALCUTTA, ...	896,067	Nov. 21,	.	499	28·9	80*	6	1	.	.	.	81†a	
BOMBAY, ...	979,445	" 28,	403	353	18·7	27*	5	35a	
MADRAS, ...	518,660	" 21,	361	480	48·1	76*	2	.	?	?	?	107†a	
CAIRO, {	Egyptians, ...	Oct. 21,	536	412	32·7	2	.	2	.	?	26†	63	
	Foreigners,	" 21,	10	13	9·5	?	.	.	
ALEXAN- DRIA, {	Egyptians,	" 21,	251	151	23·2	2	1	.	.	?	1†	36	
	Foreigners,	" 21,	28	15	10·3	1	.	.	.	?	.	3	
PARIS, ...	2,847,229	Nov. 21,	700	749	13·4	8	1	5	.	.	3	17	
BRUSSELS, ...	780,843	—	
ANTWERP, ...	323,421	—	
AMSTERDAM, ...	597,888	—	
COPENHAGEN, ...	492,000	Dec. 5,	202	126	13·4	2†	4	
STOCKHOLM, ...	382,085	" 5,	152	108	14·7	.	.	.	1	.	.	3	
CHRISTIANIA, ...	251,446	" 12,	106	49	10·1	.	.	.	1	.	1	.	
PETROGRAD, ...	1,728,200	—	
MOSCOW, ...	1,694,000	—	
ROME, ...	591,943	—	
NEW YORK, ...	5,583,871	Oct. 24,	
PHILADELPHIA, ...	1,657,810	" 30,	.	411	12·9	2	.	2	.	1	4†	30	
BOSTON, ...	750,768	Dec. 12,	.	216b	15·0	2	.	4	1	2	5	6a	

* Deaths from "fever," including 4 from enteric fever in Calcutta; 3 from enteric fever in Bombay, and 3 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 16 deaths from cholera in Calcutta, and 26 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 192 (including one death from enteric fever) rate, 13·3 per thousand.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd January, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	2	5	.	2	.	.	.	1	2	12
" " 1, West, ...	1	.	.	1	.	.	.	1	2	5
" " 2, ...	1	2	3
" " 3, ...	1	1
Clontarf and Howth No. 1 (part of),
Coolock and Drumcondra (part of),	1	1
Finglas and Glasnevin (part of), ...	1	.	.	.	2	3
South City No. 1, ...	4	9	13
" " 2,	1	1
" " 3, ...	3	2	.	.	4	.	.	3	1	.	.	.	3	16
" " 4, ...	1	2	3
New Kilmainham,
Total, ...	13	8	.	.	9	.	.	4	3	.	.	.	21	58

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 2nd January, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 2nd January.			
	Dec. 12.	Dec. 19.	Dec. 26.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	67	63	51	5	8	1	47
Typhus, ...	7	3	8	4	.	1	11
Small-pox,
Measles, ...	6	4
Scarlet Fever, ...	110	101	91	19	11	2	97*
Diphtheria, ...	36	46	43	13	3	.	53
Pneumonia, ...	16	25	22	14	4	1	31

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-SIX OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE:

To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEXANDER THOM & CO. LIMITED, ABBEY-STREET, DUBLIN.

1915.

Price 1½d.

VOL. LI.]

QUARTER ENDING SATURDAY, 2ND JANUARY, 1915.

[No. 53A

DUBLIN REGISTRATION AREA. — BIRTHS. — In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,743 statute acres, and the population, estimated to the middle of 1914, 406,000, there were registered during the fourteen* weeks ended on Saturday, 2nd January, 1915, 2,750 births—1,418 boys and 1,332 girls—being equal to an annual ratio of 1 in 39·6, or 25·2 in every 1,000 of the population.

The number of births registered in the city was 2,382, equivalent to an annual rate of 28·6 in every 1,000 of the population; and in the urban districts named above, 368, equal to an annual rate of 14·3 in every 1,000 of the population.

There were registered in London during the same period 28,511 births—being equal to an annual birth-rate of 23·5 in every 1,000 of the estimated population; in Glasgow there were registered 7,537, being equal to 26·8 per 1,000; and in Edinburgh, 1,717—a number affording an annual birth-rate of 19·9 in every 1,000 of the estimated population.

DEATHS.—Omitting the deaths (138) of persons admitted into public institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 2,187, are equivalent to an annual rate of 20·1 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 20·6. The total number of deaths registered in the Dublin Registration Area during the quarter was 2,325—1,130 males and 1,195 females—affording an annual ratio of 1 in 46·9 or 21·3 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the fourth quarter of the ten years, 1904–1913, in the Dublin Registration Area was 21·7 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants† of the north city districts registered last quarter was 881, representing an annual mortality of 19·9 in every 1,000 of the

* The numbers for fourteen weeks are included in this Quarterly Summary, an arrangement which is occasionally necessary in order that the annual series may correspond with the calendar year.

† The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

population; and the number in the south city districts was 885, equivalent to a rate of 22·6 per 1,000. In the urban districts the number of deaths registered was 421, being equal to an annual death-rate of 16·4 in every 1,000.

The number of deaths registered in London during the same period was 18,477, a number equal to an annual rate of mortality of 15·2 in every 1,000 of the inhabitants; in Glasgow the number was 4,942 equal to 17·6 in every 1,000; and in Edinburgh 1,287, affording an annual death-rate of 14·9 in every 1,000 of the estimated population.

DISEASES.—The number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area during last quarter was 192, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 1·76.

The following tabular statement shows the mortality from some of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1904–1913:—

NAMES OF DISEASES.	No. of Deaths in December Quarter, 1914.	Average No. of Deaths in December Quarters, 1904–1913.
Enteric Fever,	26	19
Typhus,	2	1
Small-pox,	—	—
Measles,	4	31
Scarlet Fever,	13	11
Whooping-cough,	8	26
Diphtheria,	18	19

ENTERIC FEVER.—The deaths from enteric fever, 26 in number, were 7 over the average for the quarterly period of the ten years 1904–1913. In the 3 preceding quarterly periods such deaths were 14, 8 and 21 respectively.

Of the total deaths 13 were of residents in south Dublin city; 4 were of north Dublin city; 4 belonged to the urban districts, and 5 were deaths of persons admitted from without the Registration Area.

The hospital statistics (Table I.) show that at the close of the preceding quarter there were 75 cases of enteric fever under treatment, 156 were admitted during the period, 166 patients were discharged, there were 18 deaths, and 47 cases remained under treatment on the 2nd January, 1915.

TYPHUS.—There were 28 cases of this disease admitted to hospital, 14 were discharged, there were 3 deaths, and 11 patients were under treatment at the close of the quarter.

SMALL-POX.—There was no case of small-pox reported as occurring in the Dublin Registration Area.

MEASLES.—Four deaths from measles were registered, the average being 31, and the deaths in the 3 quarters preceding 81, 280, and 21 respectively. The number of cases of measles treated in hospital was 29, not one case being under treatment in hospital at the close of the period.

SCARLET FEVER.—The 13 deaths from scarlet fever are 2 above the average, and 6 over the number registered in the September quarter of the year, the deaths in the two quarters preceding being 13 and 8. Altogether 334 cases were treated in hospitals; of this number 225 were discharged, 12 died, and 97† were in hospital at the termination of the period.

* See note (*) on page 850*b*.

† Exclusive of 15 patients at "Beneavin" the convalescent home of Cork-street Fever Hospital.

WHOOPING-COUGH.—Deaths from whooping-cough averaged 26 in the corresponding period in the 10 years preceding; in the December quarter of 1914 now under notice 8 deaths from this disease were recorded; and in the 3 preceding quarters these deaths numbered 24, 20, and 7.

DIPHTHERIA.—Of 199 patients suffering from diphtheria who were treated in hospital 134 were discharged, 12 died, and 53 were under treatment at the end of the quarter. The number of deaths registered in the whole Area from diphtheria was 18 compared with the average 19, and the numbers in the 3 quarters preceding, namely 24, 16, and 19. There were 7 deaths in north Dublin city, 6 in south Dublin city, of which figure 5 belonged to the district of south City No. 3; three in the urban district of Rathmines and Rathgar, one in Pembroke urban district, and one death of a person admitted from outside the Dublin Registration Area.

DIARRHOEAL DISEASES.—The total deaths from diarrhoeal diseases were 121, this figure includes 113 deaths of children under 2 years of age from diarrhoea and enteritis. In each of the 3 quarterly periods preceding such deaths were 95, 263, and 165.

INFLUENZA.—The deaths of 10 persons were attributed to influenza, which had caused 21, 10, and 2 deaths in each of the 3 preceding quarters.

CEREBRO-SPINAL FEVER.—There was no mortality from cerebro-spinal fever.

TUBERCULOSIS.—The aggregate mortality from tuberculosis included the deaths of 372 persons (during the quarterly period which consisted of 14 weeks); the annual rate represented by this number was 3·41 per 1,000 of the population of the Area estimated to the middle of the year 1914. Of the total deaths (372), pulmonary tuberculosis accounted for 292, tuberculous meningitis for 41, abdominal tuberculosis for 17, and other forms of the disease for 22 deaths. One hundred and thirty-seven of the total deaths from tuberculosis belonged to north Dublin city corresponding to an annual rate of 3·10 per 1,000; in the south city there were 158 deaths with a rate of 4·04 per 1,000; and in the urban districts 57 deaths, the rate being 2·22 per 1,000. There were 20 deaths in institutions of persons admitted from outside the Registration Area.

PNEUMONIA.—The deaths from pneumonia, numbering 187, equivalent to an annual rate of 1·72 per 1,000 of the population, include 100 deaths from broncho-pneumonia, 22 from lobar pneumonia, and 65 from pneumonia (type not distinguished).

CANCER.—The deaths of 144 persons were assigned to cancer. This figure represents an annual rate of 1·32 per 1,000 of the estimated population of the Area.

DISEASES OF THE BRAIN AND NERVOUS SYSTEM.—The total (206) from the above causes include the deaths of 47 children under 5 years of age from convulsions and 21 deaths from meningitis, and is equal to a rate of 1·89 per 1,000 of the population.

DISEASES OF THE CIRCULATORY SYSTEM.—Altogether deaths from such causes numbered 260, and represent a rate of 2·39 per 1,000. Of the total, 217 deaths were attributed to organic diseases of the heart.

BRONCHITIS.—The deaths from bronchitis, amounting to 274, represent a rate of 2·51 per 1,000 of the estimated population of the Area.

CONGENITAL CONDITIONS.—There were 7 deaths from congenital defects, 42 from premature birth and 43 from congenital debility.

VIOLENCE.—The deaths from accidental causes, numbering 54, include 22 deaths from burns and scalds (of this latter figure 12 were deaths of children under 5 years of age), 5 by vehicles and horses, 2 by drowning, and one death of an infant by suffocation in bed.

There was one death by homicide and one by suicide.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the Quarter (14 weeks) ended Saturday, 2nd January, 1915.

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever, ...	75	156	166	18	47
Typhus, ...	—	28	14	3	11
Small-pox, ...	—	—	—	—	—
Measles, ...	4	25	25	4	—
Scarlet Fever, ...	70	264	225	12	97*
Diphtheria, ...	32	167	134	12	53
Pneumonia, ...	22	98	80	9	31

* Exclusive of 15 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 64 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 64 cases, 28 (or 44 per cent.) were deaths of children under 5 years of age; these 28 deaths form 4·8 per cent. of the total number of deaths of children of that age-period. Of the deaths of 103 infants under one month old registered, there were 14 (or 13·6 per cent.) regarding which the cause was uncertified.

From Table II., on page 850f, it will be seen that, excluding 138 deaths of persons admitted into public institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,187, equal to an annual rate of 20·1 per 1,000 of the estimated population, and that 180 of these deaths, representing an annual rate of 1·7 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 21·2 per 1,000, and for the urban districts 16·4 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 1·9, and in the urban districts 0·9, the rates for the several districts varying from 0·0 in Clontarf and Howth No. 1 (part of) and in Blackrock, to 2·5 in North City No. 1 E. and in South City No. 1, the 182 deaths from all causes for North City No. 1 E. including one each from enteric fever, typhus, diphtheria, and dysentery, and 16 from diarrhoeal diseases; and of the 259 deaths from all causes for South City No. 1 district, 5 were from enteric fever, 4 from whooping-cough, and 18 from diarrhoea and enteritis of children under 2 years of age.

OCCUPATIONS.—Table III., on page 850g shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 16·8 per 1,000 of the persons in that class according to the Census of 1911; in the "Middle Class" the death-rate was 13·9 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 17·0; and in the "General Service Class" it was 21·7.

AGES.—Of the 2,325 persons whose deaths were registered in the Dublin Registration Area during the quarter, 582 were under 5 years of age, including 395 infants under one year of age, the latter representing a rate of 143·6 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 53·0 in every 1,000 children at that age (according to the Census of 1911); 105 were between the ages of 5 and 15, representing an annual rate of 5·5 per 1,000 persons at that age-period; 87 were between the ages of 15 and 25, equivalent to an annual rate of 4·0 per 1,000; the total number under 25 years being equal to an annual mortality of 15·0 per 1,000 of the population at that age-period (according to the Census of 1911); 386, or 11·5 per 1,000 persons, were between 25 and 45; 586, or 37·1 per 1,000, between 45 and 65; 338, or 74·6 per 1,000, between 65 and 75; and 241, or 160·5 per 1,000, were aged 75 and upwards, including 24 persons aged 90 and upwards.

PUBLIC INSTITUTIONS.—Of the 2,325 deaths recorded during the quarter, 1,007, or 43·3 per cent., occurred in public institutions, viz., 597 in the various hospitals, prisons, and lunatic asylums; 150 in the North Dublin Union Workhouse; 245 in the South Dublin Union Workhouse; and 15 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

WEATHER.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phoenix Park, was 44·7°. At Greenwich, for fourteen weeks, it was 46·8°; at Glasgow 44·1°; and at Edinburgh, 44·2°.

The rainfall at Dublin during the thirteen weeks measured 10·14 inches; at Greenwich, for fourteen weeks 9·91 inches; at Glasgow, 12·11; and at Edinburgh, 7·62 inches.

† See note (*) p. 850h

TABLE showing the Mean Weekly Values and the difference from their average Values of the meteorological elements at the Phoenix Park, Dublin,* for the thirteen weeks ended December 26th, 1914.

Prepared at the Meteorological Office under the direction of W. N. SHAW, Esq., LL.D., Sc.D., F.R.S.

1914. WEEK ENDED.	BAROMETER.		THERMOMETER.					HYGROMETER.			OZONE.	BRIGHT SUNSHINE.			RAINFALL.		WIND.			
	Mean at 32° F. Mean Sea Level and Standard Gravity. Lat.	Difference from Average.	Mean of		Mean of A. and B.	Difference from Average.	Highest.	Lowest.	Mean of Dry Bulb.	Mean of Wet Bulb.	Mean Humidity.	Ozone.	Mean Daily Amount in Hours.	Difference from Average.	Percentage of Possible.	Total Amount.	Inches.	Inches.	Number of Days.	Mean Force (Beaufort Scale 0-12).
			Maximum A.	Minimum B.																
October 3rd,	...	Inches.	Inches.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	Per cent.	—	Hours.	Hours.	Per cent.	Inches.	Inches.	2	0.4	
" 10th,	...	30.325	—	61.4	43.3	52.4	66	31	52.3	51.3	93	—	5.1	+0.7	43	.02	—	2	0.1	
" 17th,	...	30.332	—	61.0	45.6	53.3	63	41	53.2	52.5	95	—	2.1	-1.9	18	.04	—	1	0.2	
" 24th,	...	30.082	—	57.3	41.4	49.4	60	30	50.6	49.6	93	—	1.6	-2.1	15	.10	—	3	0.3	
" 31st,	...	29.972	—	56.4	39.6	48.0	61	30	48.2	47.2	94	—	2.9	-0.6	28	.11	—	6	0.6	
November 7th,	...	29.640	—	53.1	38.9	46.0	58	30	47.0	45.7	91	—	3.2	0.0	32	1.43	—	6	0.4	
" 14th,	...	29.660	—	53.9	39.3	46.6	56	33	47.9	47.0	94	—	2.4	-0.6	26	1.12	—	6	1.7	
" 21st,	...	29.888	—	52.6	42.0	47.3	57	30	46.4	44.4	86	—	3.3	+0.6	37	1.26	—	3	0.2	
" 28th,	...	30.121	—	45.7	28.6	37.2	51	21	35.2	34.3	91	—	2.8	+0.4	33	.30	—	6	1.3	
December 5th,	...	29.742	—	47.9	34.7	41.3	55	21	41.4	40.2	91	—	1.5	-0.7	19	.91	—	6	2.5	
" 12th,	...	29.339	—	49.7	37.7	43.7	57	32	43.4	42.5	84	—	1.4	-0.6	18	1.73	—	6	1.6	
" 19th,	...	29.308	—	48.6	36.0	42.3	54	26	41.8	39.5	84	—	2.1	+0.3	28	1.84	—	5	0.4	
" 26th,	...	29.338	—	45.0	35.6	40.3	51	26	39.6	38.7	92	—	1.0	-0.7	14	.39	—	3	0.7	
" 26th,	...	29.780	—	41.1	26.1	33.6	49	17	34.4	33.0	88	—	2.4	+0.7	33	.89	—			
Mean,	...	29.811	-.074	51.3	37.6	44.7	+0.8	66	44.7	43.5	90	—	2.4	-0.3	26	10.14	+2.07	55	0.8	

* Height above Mean Sea Level, Station H=155 feet; Barometer Hb=159 feet.

NOTE.—The information under the headings Barometer, Hygrometer, and Wind is the mean of observations taken at 9 a.m. and 9 p.m.; the quarterly difference from average for these elements being for the calendar months October to December. For remarks on the Weather of the Quarter see "Quarterly Return."

TABLE II.—Showing for the Quarter (14 weeks) ended 2nd January, 1915, the number of Deaths of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.

REGISTRARS' DISTRICTS, &c.		POPULATION, ESTIMATED TO MIDDLE OF 1914.*	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.		TOTAL DEATHS.														CAUSED BY														Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
			FROM CERTAIN CAUSES.		FROM ALL CAUSES.		TOTAL DEATHS.														CAUSED BY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
			FROM CERTAIN CAUSES.	FROM ALL CAUSES.	TOTAL DEATHS.														CAUSED BY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
					(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)			(29)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.		North City.			

TABLE III.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter (14 weeks) ending Saturday, 2nd January, 1915**; the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, QUARTER (14 WEEKS) ENDED SATURDAY, 2ND JANUARY, 1915.																															
Class.		OCCUPATION OR SOCIAL POSITION.		Popu- lation in each Class and Group in 1911.		AGES.										CAUSES OF DEATH.															
						AGES.										CAUSES OF DEATH.															
						Under 5 Years.										Diseases of the Respiratory System.															
						Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Tuberculosis.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea and Enteritis of children under 5 years of age.	Diarrhoea 2 years and upwards.	Violence.	Other Causes.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)			
ALL PERSONS,		397,957	—	2,825	582	105	87	386	586	338	241	26	2	4	13	8	18	4	292	80	144	49	187	316	113	4	56	1,009	64		
Deaths in Families of the—																															
I.	PROFESSIONAL AND INDEPENDENT CLASS,																														
II.	1. Clerical, Medical, Legal and Other Professions: Naval and Military Officers, and Heads of Public Departments, ...	14,658	16.8	66	2	12	1	6	8	18	31	4						1	1	1	7						1	41	9		
III.	2. Merchants and Manufacturers, Higher Class	101,798	13.9	379	23	15	62	124	61	61	39	4						5	20	37	44	1	5	7			3	211	16		
IV.	3. Persons of Rank and Property, not otherwise described, ...	108,420	17.0	496	111	29	43	135	66	37	66	9						68	38	31	8	8	76	14	1	14	37	206	39		
V.	4. General Body of Officials—Civil Service, Banking, &c., ...	167,479	21.7	974	377	58	40	171	174	111	40	13	2	3	4	1	7	3	122	40	36	40	108	119	71	3	37	364			
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	5,602	—	410	69	6	8	59	135	79	54					2			61	12	26		18	77	26		1	187			
I.	MIDDLE CLASS.																														
II.	1. Clerical, Medical, Legal and Other Professions: Naval and Military Officers, and Heads of Public Departments, ...	7,868	22.2	47	2		1	6	4	13	21							1	4		5		3	6			1	27			
	2. Merchants and Manufacturers, Higher Class	1,317	2.8	1							1																	1			
	3. Persons of Rank and Property, not otherwise described, ...	5,443	12.3	18				4	5	9											2		2	1				13			
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	14.1	36	4		1	2	15	4	10								5		6							1	15		
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	14.0	95	3		7	17	40	19	13	1							3	3	13		3	8				1	59	3	
	6. Clerks and Commercial Assistants, ...	33,249	9.7	87	12	1		22	27	9	9	1							17	4	5	1	3	10	2				41	3	
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above, ...	33,827	17.7	161	4	8	7	21	42	32	47	2							12	5	20		6	19				1	96	3	
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	16.4	62	18	5	1	9	14	1	4	2							6	2	1		5	7				1	18	2	
	9. Building and Furnishing Trades, ...	28,853	14.9	115	28	7	2	20	30	18	8	1							17	4	7	2	10	17	5			3	49	6	
	10. Clothing Trades, ...	20,026	13.2	71	13	4	2	16	22	11	5	2							15	1	6	1	5	17	1	1		3	26	1	
	11. Food Supply Trades, ...	8,952	11.2	27	12	1	2	3	7	2									2			2	5	4				1	10	2	
	12. Other Trades and Callings ranking with Trades, ...	32,070	23.3	201	29	12	10	36	69	28	17	3							26	8	17	2	13	29	2			5	31	4	
	13. Petty Shopkeepers, ...	6,772	16.5	30	11		1	4	5	6	3	1							2	1			8					1	12	2	
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	12,977	37.6	131	66	3	7	20	17	12	6	1							12	5	2	6	17	17	1			1	8	46	5
	15. Domestic Servants, ...	36,041	8.8	85	13	1	1	5	19	17	4								14	1	13		6	11	2			8	32	1	
	16. Coach and Car Drivers, Valetmen, &c., ...	15,380	23.5	97	36	6	2	16	22	13	2	1							11	5	5		17	12	5			2	35	6	
	17. Hawkers, Porters, Labourers, &c., ...	103,081	23.9	651	262	48	29	109	116	69	28	11	2	3	4	4	7	1	85	30	16	29	66	73	49	2	24	249	28		
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	5,602	—	410	69	6	8	59	135	79	54								61	12	26		18	77	26			1	187		

TWENTY-SEVEN PRINCIPAL TOWN DISTRICTS OF IRELAND.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-six of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 18·7 per 1,000 of the population, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest:—Coleraine, 11·0; Portadown, 12·1; Bray, 12·1; Sligo, 12·3; Queenstown, 12·3; Bangor, 12·5; Tralee, 12·7; Dundalk, 13·0; Londonderry, 14·2; Lisburn, 14·4; Drogheda, 15·5; Newry, 16·2; Athlone, 16·5; Galway, 16·6; Wexford, 16·8; Ballymena, 17·0; Clonmel, 17·9; Larne, 18·1; Belfast, 18·6; Limerick, 18·9; Newtownards, 19·0; Lurgan, 19·3; Armagh, 19·7; Cork, 20·0; Dublin Registration Area, 20·1; Kilkenny, 22·3; and Waterford, 24·7.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 27 districts is 2·1 per 1,000 of the population, the rates varying from 0·0 in three of the districts to 6·8 in Waterford, the 182 deaths from all causes for that district, including one death each from enteric fever and typhus, 37 from scarlet fever, and 11 from diarrhœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-six provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter:—

ENTERIC FEVER.—The 20 deaths from enteric fever include 12 deaths recorded for Belfast, 6 for Ballymena, and one death each for Waterford and Sligo.

TYPHUS.—One of the deaths from this cause appertained to Cork, one to Waterford, and one to Galway.

SMALL-POX.—No death from small-pox was registered.

MEASLES.—Of the deaths from measles, 106 were recorded for Belfast, 3 for Cork, and one each for Dundalk and Queenstown.

SCARLET FEVER.—From this cause 43 deaths were assigned to Belfast, 37 to Waterford, 5 to Londonderry, 4 to Cork, 3 each to Lurgan and Lisburn, and 2 to Newtownards.

WHOOPING-COUGH.—Of 57 deaths from whooping-cough, 43 belonged to Belfast, 13 to Cork, and one to Queenstown.

DIPHTHERIA.—Seven deaths under this heading appertained to Kilkenny, 6 deaths each to Belfast and Cork, and one death each to Lurgan, Drogheda, Tralee, Coleraine and Bangor.

DIARRHŒAL DISEASES.—Among the deaths (182) under this heading, are 156 of children under 2 years of age. Of the latter, 90 were recorded for Belfast, 18 for Cork, 8 for Waterford, 7 each for Londonderry and Limerick, and 6 for Tralee.

PHTHISIS.—The annual death-rate from phthisis for the 27 towns in the aggregate was 2·0 per 1,000 of the estimated population; for the Dublin Registration Area it was 2·5 per 1,000, for Belfast county borough 1·8 per 1,000, and for the urban districts collectively (exclusive of Dublin Registration Area and Belfast), it was 1·6 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (14 weeks) **ended Saturday, 2nd January, 1915**, in the Dublin Registration Area, and in each of the undermentioned Twenty-six Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

TOWNS AND DISTRICTS.		Census Statistics of Districts.*		BIRTHS.		DEATHS.		NUMBERS REGISTERED.																			No. of Deaths in Public Institutions.		No. of Uncertified Deaths.	
		POPULATION.		BIRTHS.		DEATHS.		DEATHS.																						
Total.		Persons to an Acre.		From all Causes.		From certain Epidemic Diseases†		TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber- culosis.		Diseases of the Respir- atory System.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	(27)	(28)	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)			
1,205,280		19.1	24.9	18.7	2.1	8,063	6,038	1,060	1,536	41	5	..	114	110	65	41	3	636	223	307	469	748	265	30	108	163	1,860	231		
406,000		29.5	25.2	20.1	1.7	2,750	2,187	386	556	21	2	..	3	13	8	17	3	275	77	122	180	312	109	4	47	44	869	64		
310,467		39.2	28.6	21.2	1.9	2,382	1,766	348	374	17	2	..	3	12	8	13	3	226	69	84	151	266	95	4	41	37	745	52		
39,155		22.8	14.0	16.8	1.3	147	177	16	78	1	15	3	14	6	20	9	..	3	4	53	3		
30,240		19.2	14.0	16.4	0.9	114	133	13	46	2	18	3	14	16	13	4	..	2	3	43	3		
9,197		8.5	11.7	11.7	..	21	29	1	16	4	1	5	5	3	1	1	7	1		
16,941		11.6	18.9	18.0	0.4	86	82	8	42	1	12	1	5	5	10	21	5		
399,000		26.7	26.3	18.6	2.9	2,814	1,997	398	432	12	106	43	43	6	..	189	58	86	204	255	90	8	36	72	487	22		
76,673		28.6	22.2	20.0	2.3	458	411	60	99	..	1	..	3	4	13	6	..	52	30	27	19	40	18	3	4	11	153	20		
41,100		15.9	26.9	14.2	0.9	297	167	18	40	14	6	11	9	27	7	3	4	3	30	2		
38,518		16.1	25.0	18.9	1.3	259	195	38	58	15	8	5	9	28	8	..	4	4	61	40		
13,1		19.1	22.1	24.7	0.6	163	182	27	30	1	37	17	12	2	10	18	8	1	..	6	14	20	12	
13,255		2.5	28.4	16.6	0.6	101	59	12	18	7	7	2	2	3	8	8	
13,128		9.5	20.4	13.0	1.4	68	65	11	17	4	1	4	8	10	2	1	2	12	
12,553		14.7	20.2	19.3	1.8	72	46	8	13	7	1	2	2	3	8	3	
12,501		8.4	25.9	15.5	0.3	87	52	8	21	4	1	4	8	10	2	1	3	3	
12,388		10.9	21.6	14.4	1.5	72	48	7	14	5	5	3	3	4	3	3	
11,963		17.0	25.2	16.2	0.6	81	52	10	23	5	5	3	3	4	3	3	
11,727		15.3	26.4	12.1	0.3	83	38	7	16	2	2	2	2	4	1	1	
11,531		22.8	28.1	16.8	0.6	87	62	1	18	2	2	3	3	4	1	1	
11,381		9.3	25.9	17.0	0.3	79	52	2	9	2	2	3	3	4	1	1	
11,163		3.8	19.7	12.3	1.0	69	37	2	9	2	2	3	3	4	1	1	
10,514		11.4	17.7	22.3	2.8	50	63	9	21	5	5	6	6	2	2	1	1	
10,300		17.4	14.1	12.7	0.7	39	35	10	8	6	6	4	4	4	1	1	
10,209		7.8	20.8	17.9	0.7	57	49	4	17	4	4	3	3	3	1	1	
9,587		20.1	21.4	19.0	2.3	55	49	4	17	4	4	3	3	3	1	1	
8,209		14.7	22.2	12.3	1.4	49	27	9	10	6	6	4	4	4	1	1	
8,036		13.4	31.5	18.1	0.9	68	39	7	9	7	7	3	3	3	1	1	
7,785		7.7	17.7	11.0	0.5	37	23	10	12	1	1	2	2	2	1	1	
7,776		16.3	12.5	12.5	1.0	34	26	3	16	1	1	2	2	2	1	1	
7,691		7.2	21.8	12.1	..	45	25	3	16	2	2	2	2	2	1	1	
7,472		6.2	27.4	16.5	..	55	33	3	14	2	2	2	2	2	1	1	
7,356		21.8	22.3	19.7	..	44	39	7	15	1	1	3	3	6	1	1	

*The population given for the Dublin Registration Area and its component parts and for the cities of Belfast and Londonderry, is that estimated to the middle of 1914: that for each of the other districts is the population according to the Census of 1911.

† See note (*) on page 850i.

